

**National Health and Nutritional Examination Survey
Codebook for Data Collection (1999-2000)**

Oral Health Exam Periodontal Section (OHXPERIO)
Person level data -- use Examination Weights for analysis

Codebook Last Modified: 12/22/2003

| | | |
|--|----------------------------|-------------------------|
| SEQN | Version Info | Target |
| | Version 1.0 | B (12 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Respondent sequence number | |
| Source Activity | Source Component | |
| | | |
| English Text: Respondent sequence number. | | |
| English Instructions: | | |

| | | |
|--|---------------------------------|-------------------------|
| OHAEXSTS | Version Info | Target |
| | Version 1.0 | B (12 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Overall Oral Health Exam Status | |
| Source Activity | Source Component | |
| | | |
| English Text: Overall Oral Health Exam Status | | |
| English Instructions: | | |
| Codes: | Skip To Values: | |
| 1= Completed | | |
| 2= Partial | | |
| 3= Not Done | | |

| | | |
|-----------------|---------------------|---------------|
| OHASCST4 | Version Info | Target |
| | | |

| | | |
|--|-------------------------|-------------------------|
| | Version 1.0 | B (12 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| | Periodontal Status Code | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Periodontal Status Code | | |
| English Instructions: | | |
| Codes: | | Skip To Values: |
| 1= Complete | | |
| 2= Partial | | |
| 3= Not done | | |

| | | |
|--|-------------------------|------------------------|
| OHXURGIN | Version Info | Target |
| | Version 1.0 | B (12 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Gingival bleeding: URQ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Gingival bleeding sweep: Upper right quadrant | | |
| English Instructions: | | |
| Codes: | | Skip To Values: |
| 1= Gingival bleeding detected | | |
| 2= No evidence of gingival bleeding | | |
| 9= Cannot be assessed | | |

| | | |
|---|-------------------------|------------------------|
| OHXULGIN | Version Info | Target |
| | Version 1.0 | B (12 Yrs. to 49 Yrs.) |
| Hard Edits | SAS Label | |
| | Gingival bleeding: ULQ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Gingival bleeding sweep: Upper left quadrant | | |

English Instructions:**Codes:**

- 1= Gingival bleeding detected
- 2= No evidence of gingival bleeding
- 9= Cannot be assessed

Skip To Values:**OHXLLGIN****Version Info****Target**

Version 1.0

B (12 Yrs. to 49 Yrs.)

Hard Edits**SAS Label**

Gingival bleeding: LLQ

Source Activity**Source Component**

OH

OH

English Text: Gingival bleeding sweep: Lower left quadrant**English Instructions:****Codes:**

- 1= Gingival bleeding detected
- 2= No evidence of gingival bleeding
- 9= Cannot be assessed

Skip To Values:**OHXLRGIN****Version Info****Target**

Version 1.0

B (12 Yrs. to 49 Yrs.)

Hard Edits**SAS Label**

Gingival bleeding: LRQ

Source Activity**Source Component**

OH

OH

English Text: Gingival bleeding sweep: Lower right quadrant**English Instructions:****Codes:**

- 1= Gingival bleeding detected
- 2= No evidence of gingival bleeding
- 9= Cannot be assessed

Skip To Values:

| OHD02CJM | Version Info | Target |
|---|----------------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #2 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right 2nd molar (2M) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD02PCM | Version Info | Target |
|--|-----------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #2 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right 2nd molar (2M) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD02LAM | Version Info | Target |
|-----------------|----------------------------------|-------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #2 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper right 2nd molar (2M) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:

Codes:

99= Calculation cannot be determined

Skip To Values:

| OHD02CJS | Version Info | Target |
|-----------------|------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #2 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper right 2nd molar (2M) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD02PCS | Version Info | Target |
|-----------------|-------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #2 PD | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper right 2nd molar (2M) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD02LAS | Version Info | Target |
|----------|--------------|--------|
|----------|--------------|--------|

| | | |
|--|------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #2 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right 2nd molar (2M) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | | Skip To Values: |

| | | |
|---|----------------------------|-------------------------|
| OHD03CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #3 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right 1st molar (1M) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| | | |
|--|-------------------------|-------------------------|
| OHD03PCM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #3 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right 1st molar (1M) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|------------------------|----------------------------------|-------------------------|
| OHD03LAM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #3 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper right 1st molar (1M) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:

| | | |
|------------------------|-------------------------|-------------------------|
| OHD03CJS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #3 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper right 1st molar (1M) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|-------------------|---------------------|-------------------------|
| OHD03PCS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |

| | |
|--|-------------------------|
| 0 to 12 | LOA: mesial #3 PD |
| Source Activity | Source Component |
| OH | OH |
| English Text: Loss of Attachment: Upper right 1st molar (1M) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| | | |
|--|------------------------------|-------------------------|
| OHD03LAS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #3 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right 1st molar (1M) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| | | |
|--|----------------------------|-------------------------|
| OHD04CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #4 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right 2nd bicuspid/2nd primary molar (2B) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |

Codes:

99= Cannot be assessed

Skip To Values:

| OHD04PCM | Version Info | Target |
|------------------------|-------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #4 PD | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper right 2nd bicuspid/2nd primary molar (2B) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| OHD04LAM | Version Info | Target |
|------------------------|----------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #4 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper right 2nd bicuspid/2nd primary molar (2B) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:

| OHD04CJS | Version Info | Target |
|-------------------|------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #4 FGM/CEJ | |

| | |
|--|-------------------------|
| Source Activity | Source Component |
| OH | OH |
| English Text: Loss of Attachment: Upper right 2nd bicuspid/2nd primary molar (2B) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| | | |
|---|-------------------------|-------------------------|
| OHD04PCS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #4 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right 2nd bicuspid/2nd primary molar (2B) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | Skip To Values: | |

| | | |
|---|------------------------------|-------------------------|
| OHD04LAS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #4 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right 2nd bicuspid/2nd primary molar (2B) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| OHD05CJM | Version Info | Target |
|--|----------------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #5 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right 1st bicuspid/1st primary molar (1B) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD05PCM | Version Info | Target |
|---|-----------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #5 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right 1st bicuspid/1st primary molar (1B) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD05LAM | Version Info | Target |
|-----------------|----------------------------------|-------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #5 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper right 1st bicuspid/1st primary molar (1B) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:

Codes:

99= Calculation cannot be determined

Skip To Values:

| OHD05CJS | Version Info | Target |
|-----------------|------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #5 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper right 1st bicuspid/1st primary molar (1B) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD05PCS | Version Info | Target |
|-----------------|-------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #5 PD | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper right 1st bicuspid/1st primary molar (1B) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD05LAS | Version Info | Target |
|----------|--------------|--------|
| | | |

| | | |
|---|------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #5 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right 1st bicuspid/1st primary molar (1B) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | | Skip To Values: |

| | | |
|---|----------------------------|-------------------------|
| OHD06CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #6 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right cuspid (C) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| | | |
|--|-------------------------|-------------------------|
| OHD06PCM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #6 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right cuspid (C) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|------------------------|----------------------------------|-------------------------|
| OHD06LAM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #6 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper right cuspid (C) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:

| | | |
|------------------------|-------------------------|-------------------------|
| OHD06CJS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #6 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper right cuspid (C) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|-------------------|---------------------|-------------------------|
| OHD06PCS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |

| | |
|--|-------------------------|
| 0 to 12 | LOA: mesial #6 PD |
| Source Activity | Source Component |
| OH | OH |
| English Text: Loss of Attachment: Upper right cuspid (C) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| | | |
|--|------------------------------|-------------------------|
| OHD06LAS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #6 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right cuspid (C) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| | | |
|---|----------------------------|-------------------------|
| OHD07CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #7 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right lateral incisor (LI) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |

Codes:

99= Cannot be assessed

Skip To Values:

| OHD07PCM | Version Info | Target |
|------------------------|-------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #7 PD | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper right lateral incisor (LI) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| OHD07LAM | Version Info | Target |
|------------------------|----------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #7 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper right lateral incisor (LI) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:

| OHD07CJS | Version Info | Target |
|-------------------|------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #7 FGM/CEJ | |

| | |
|---|-------------------------|
| Source Activity | Source Component |
| OH | OH |
| English Text: Loss of Attachment: Upper right lateral incisor (LI) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| | | |
|--|-------------------------|-------------------------|
| OHD07PCS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #7 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right lateral incisor (LI) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | Skip To Values: | |

| | | |
|--|------------------------------|-------------------------|
| OHD07LAS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #7 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right lateral incisor (LI) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| OHD08CJM | Version Info | Target |
|---|----------------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #8 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right central incisor (CI) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD08PCM | Version Info | Target |
|--|-----------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #8 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right central incisor (CI) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD08LAM | Version Info | Target |
|-----------------|----------------------------------|-------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #8 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper right central incisor (CI) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:

Codes:

99= Calculation cannot be determined

Skip To Values:

| OHD08CJS | Version Info | Target |
|-----------------|------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #8 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper right central incisor (CI) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD08PCS | Version Info | Target |
|-----------------|-------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #8 PD | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper right central incisor (CI) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD08LAS | Version Info | Target |
|----------|--------------|--------|
| | | |

| | | |
|--|------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #8 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper right central incisor (CI) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | | Skip To Values: |

| | | |
|--|-----------------------------|-------------------------|
| OHD15CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #15 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left 2nd molar (2M) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| | | |
|---|-------------------------|-------------------------|
| OHD15PCM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #15 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left 2nd molar (2M) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|------------------------|-----------------------------------|-------------------------|
| OHD15LAM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #15 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper left 2nd molar (2M) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:

| | | |
|------------------------|-------------------------|-------------------------|
| OHD15CJS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #15 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper left 2nd molar (2M) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|-------------------|---------------------|-------------------------|
| OHD15PCS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |

| | |
|---|-------------------------|
| 0 to 12 | LOA: mesial #15 PD |
| Source Activity | Source Component |
| OH | OH |
| English Text: Loss of Attachment: Upper left 2nd molar (2M) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| | | |
|---|-------------------------------|-------------------------|
| OHD15LAS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #15 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left 2nd molar (2M) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| | | |
|--|-----------------------------|-------------------------|
| OHD14CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #14 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left 1st molar (1M) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |

Codes:

99= Cannot be assessed

Skip To Values:

| OHD14PCM | Version Info | Target |
|------------------------|-------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #14 PD | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper left 1st molar (1M) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| OHD14LAM | Version Info | Target |
|------------------------|-----------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #14 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper left 1st molar (1M) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:

| OHD14CJS | Version Info | Target |
|-------------------|-------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #14 FGM/CEJ | |

| Source Activity | Source Component |
|--|------------------------|
| OH | OH |
| English Text: Loss of Attachment: Upper left 1st molar (1M) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| OHD14PCS | Version Info | Target |
|---|------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #14 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left 1st molar (1M) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | Skip To Values: | |

| OHD14LAS | Version Info | Target |
|---|-------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #14 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left 1st molar (1M) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| OHD13CJM | Version Info | Target |
|---|-----------------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #13 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left 2nd bicuspid/2nd primary molar (2B) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD13PCM | Version Info | Target |
|--|------------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #13 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left 2nd bicuspid/2nd primary molar (2B) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD13LAM | Version Info | Target |
|-----------------|-----------------------------------|-------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #13 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper left 2nd bicuspid/2nd primary molar (2B) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:

Codes:

99= Calculation cannot be determined

Skip To Values:

| OHD13CJS | Version Info | Target |
|-----------------|-------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #13 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper left 2nd bicuspid/2nd primary molar (2B) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD13PCS | Version Info | Target |
|-----------------|--------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #13 PD | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper left 2nd bicuspid/2nd primary molar (2B) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD13LAS | Version Info | Target |
|----------|--------------|--------|
| | | |

| | | |
|--|-------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #13 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left 2nd bicuspid/2nd primary molar (2B) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | | Skip To Values: |

| | | |
|---|-----------------------------|-------------------------|
| OHD12CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #12 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left 1st bicuspid/1st primary molar (1B) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| | | |
|--|-------------------------|-------------------------|
| OHD12PCM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #12 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left 1st bicuspid/1st primary molar (1B) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|------------------------|-----------------------------------|-------------------------|
| OHD12LAM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #12 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper left 1st bicuspid/1st primary molar (1B) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:

| | | |
|------------------------|-------------------------|-------------------------|
| OHD12CJS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #12 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper left 1st bicuspid/1st primary molar (1B) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|-------------------|---------------------|-------------------------|
| OHD12PCS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |

| | |
|--|-------------------------|
| 0 to 12 | LOA: mesial #12 PD |
| Source Activity | Source Component |
| OH | OH |
| English Text: Loss of Attachment: Upper left 1st bicuspid/1st primary molar (1B) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| | | |
|--|-------------------------------|-------------------------|
| OHD12LAS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #12 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left 1st bicuspid/1st primary molar (1B) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| | | |
|--|-----------------------------|-------------------------|
| OHD11CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #11 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left cuspid (C) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |

Codes:

99= Cannot be assessed

Skip To Values:

| OHD11PCM | Version Info | Target |
|------------------------|-------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #11 PD | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper left cuspid (C) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| OHD11LAM | Version Info | Target |
|------------------------|-----------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #11 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper left cuspid (C) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:

| OHD11CJS | Version Info | Target |
|-------------------|-------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #11 FGM/CEJ | |

| Source Activity | Source Component |
|--|------------------------|
| OH | OH |
| English Text: Loss of Attachment: Upper left cuspid (C) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| OHD11PCS | Version Info | Target |
|---|------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #11 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left cuspid (C) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | Skip To Values: | |

| OHD11LAS | Version Info | Target |
|---|-------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #11 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left cuspid (C) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| OHD10CJM | Version Info | Target |
|--|-----------------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #10 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left lateral incisor (LI) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD10PCM | Version Info | Target |
|---|------------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #10 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left lateral incisor (LI) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD10LAM | Version Info | Target |
|-----------------|-----------------------------------|-------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #10 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper left lateral incisor (LI) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:

Codes:

99= Calculation cannot be determined

Skip To Values:

| OHD10CJS | Version Info | Target |
|-----------------|-------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #10 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper left lateral incisor (LI) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD10PCS | Version Info | Target |
|-----------------|--------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #10 PD | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper left lateral incisor (LI) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD10LAS | Version Info | Target |
|----------|--------------|--------|
| | | |

| | | |
|---|-------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #10 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left lateral incisor (LI) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | | Skip To Values: |

| | | |
|--|----------------------------|-------------------------|
| OHD09CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #9 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left central incisor (CI) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| | | |
|---|-------------------------|-------------------------|
| OHD09PCM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #9 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left central incisor (CI) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|------------------------|----------------------------------|-------------------------|
| OHD09LAM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #9 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper left central incisor (CI) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:

| | | |
|------------------------|-------------------------|-------------------------|
| OHD09CJS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #9 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Upper left central incisor (CI) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|-------------------|---------------------|-------------------------|
| OHD09PCS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |

| | |
|---|-------------------------|
| 0 to 12 | LOA: mesial #9 PD |
| Source Activity | Source Component |
| OH | OH |
| English Text: Loss of Attachment: Upper left central incisor (CI) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| | | |
|---|------------------------------|-------------------------|
| OHD09LAS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #9 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Upper left central incisor (CI) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| | | |
|--|-----------------------------|-------------------------|
| OHD18CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #18 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left 2nd molar (2M) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |

Codes:

99= Cannot be assessed

Skip To Values:**OHD18PCM****Version Info****Target**

Version 1.0

B (18 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

0 to 12

LOA: mid-facial #18 PD

Source Activity**Source Component**

OH

OH

English Text: Loss of Attachment: Lower left 2nd molar (2M) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:**OHD18LAM****Version Info****Target**

Version 1.0

B (18 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

0 to 24

LOA: mid-facial #18 calculated LA

Source Activity**Source Component**

OH

OH

English Text: Loss of Attachment: Lower left 2nd molar (2M) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:**OHD18CJS****Version Info****Target**

Version 1.0

B (18 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

-12 to 12

LOA: mesial #18 FGM/CEJ

| Source Activity | Source Component |
|--|------------------------|
| OH | OH |
| English Text: Loss of Attachment: Lower left 2nd molar (2M) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| OHD18PCS | Version Info | Target |
|---|------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #18 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left 2nd molar (2M) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | Skip To Values: | |

| OHD18LAS | Version Info | Target |
|---|-------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #18 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left 2nd molar (2M) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| OHD19CJM | Version Info | Target |
|--|-----------------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #19 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left 1st molar (1M) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD19PCM | Version Info | Target |
|---|------------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #19 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left 1st molar (1M) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD19LAM | Version Info | Target |
|-----------------|-----------------------------------|-------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #19 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower left 1st molar (1M) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:

Codes:

99= Calculation cannot be determined

Skip To Values:

| OHD19CJS | Version Info | Target |
|-----------------|-------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #19 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower left 1st molar (1M) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD19PCS | Version Info | Target |
|-----------------|--------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #19 PD | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower left 1st molar (1M) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD19LAS | Version Info | Target |
|----------|--------------|--------|
| | | |

| | | |
|---|-------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #19 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left 1st molar (1M) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | | Skip To Values: |

| | | |
|---|-----------------------------|-------------------------|
| OHD20CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #20 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| | | |
|--|-------------------------|-------------------------|
| OHD20PCM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #20 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|------------------------|-----------------------------------|-------------------------|
| OHD20LAM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #20 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:

| | | |
|------------------------|-------------------------|-------------------------|
| OHD20CJS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #20 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|-------------------|---------------------|-------------------------|
| OHD20PCS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |

| | |
|--|-------------------------|
| 0 to 12 | LOA: mesial #20 PD |
| Source Activity | Source Component |
| OH | OH |
| English Text: Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| | | |
|--|-------------------------------|-------------------------|
| OHD20LAS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #20 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| | | |
|---|-----------------------------|-------------------------|
| OHD21CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #21 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |

Codes:

99= Cannot be assessed

Skip To Values:

| OHD21PCM | Version Info | Target |
|------------------------|-------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #21 PD | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| OHD21LAM | Version Info | Target |
|------------------------|-----------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #21 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:

| OHD21CJS | Version Info | Target |
|-------------------|-------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #21 FGM/CEJ | |

| | |
|---|-------------------------|
| Source Activity | Source Component |
| OH | OH |
| English Text: Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| | | |
|--|-------------------------|-------------------------|
| OHD21PCS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #21 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | Skip To Values: | |

| | | |
|--|-------------------------------|-------------------------|
| OHD21LAS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #21 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| OHD22CJM | Version Info | Target |
|--|-----------------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #22 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left cuspid (C) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD22PCM | Version Info | Target |
|---|------------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #22 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left cuspid (C) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD22LAM | Version Info | Target |
|-----------------|-----------------------------------|-------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #22 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower left cuspid (C) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:

Codes:

99= Calculation cannot be determined

Skip To Values:

| OHD22CJS | Version Info | Target |
|-----------------|-------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #22 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower left cuspid (C) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD22PCS | Version Info | Target |
|-----------------|--------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #22 PD | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower left cuspid (C) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD22LAS | Version Info | Target |
|----------|--------------|--------|
| | | |

| | | |
|---|-------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #22 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left cuspid (C) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | | Skip To Values: |

| | | |
|--|-----------------------------|-------------------------|
| OHD23CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #23 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left lateral incisor (LI) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| | | |
|---|-------------------------|-------------------------|
| OHD23PCM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #23 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left lateral incisor (LI) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|------------------------|-----------------------------------|-------------------------|
| OHD23LAM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #23 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower left lateral incisor (LI) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:

| | | |
|------------------------|-------------------------|-------------------------|
| OHD23CJS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #23 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower left lateral incisor (LI) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|-------------------|---------------------|-------------------------|
| OHD23PCS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |

| | |
|---|-------------------------|
| 0 to 12 | LOA: mesial #23 PD |
| Source Activity | Source Component |
| OH | OH |
| English Text: Loss of Attachment: Lower left lateral incisor (LI) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| | | |
|---|-------------------------------|-------------------------|
| OHD23LAS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #23 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left lateral incisor (LI) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| | | |
|--|-----------------------------|-------------------------|
| OHD24CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #24 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left central incisor (CI) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |

Codes:

99= Cannot be assessed

Skip To Values:

| OHD24PCM | Version Info | Target |
|------------------------|-------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #24 PD | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower left central incisor (CI) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| OHD24LAM | Version Info | Target |
|------------------------|-----------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #24 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower left central incisor (CI) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:

| OHD24CJS | Version Info | Target |
|-------------------|-------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #24 FGM/CEJ | |

| Source Activity | Source Component |
|--|------------------------|
| OH | OH |
| English Text: Loss of Attachment: Lower left central incisor (CI) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| OHD24PCS | Version Info | Target |
|---|------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #24 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left central incisor (CI) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | Skip To Values: | |

| OHD24LAS | Version Info | Target |
|---|-------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #24 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower left central incisor (CI) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| OHD31CJM | Version Info | Target |
|---|-----------------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #31 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right 2nd molar (2M) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD31PCM | Version Info | Target |
|--|------------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #31 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right 2nd molar (2M) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD31LAM | Version Info | Target |
|-----------------|-----------------------------------|-------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #31 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower right 2nd molar (2M) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:

Codes:

99= Calculation cannot be determined

Skip To Values:

| OHD31CJS | Version Info | Target |
|-----------------|-------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #31 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower right 2nd molar (2M) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD31PCS | Version Info | Target |
|-----------------|--------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #31 PD | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower right 2nd molar (2M) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD31LAS | Version Info | Target |
|----------|--------------|--------|
|----------|--------------|--------|

| | | |
|--|-------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #31 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right 2nd molar (2M) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | | Skip To Values: |

| | | |
|---|-----------------------------|-------------------------|
| OHD30CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #30 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right 1st molar (1M) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| | | |
|--|-------------------------|-------------------------|
| OHD30PCM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #30 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right 1st molar (1M) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|------------------------|-----------------------------------|-------------------------|
| OHD30LAM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #30 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower right 1st molar (1M) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:

| | | |
|------------------------|-------------------------|-------------------------|
| OHD30CJS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #30 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower right 1st molar (1M) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|-------------------|---------------------|-------------------------|
| OHD30PCS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |

| | |
|--|-------------------------|
| 0 to 12 | LOA: mesial #30 PD |
| Source Activity | Source Component |
| OH | OH |
| English Text: Loss of Attachment: Lower right 1st molar (1M) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| | | |
|--|-------------------------------|-------------------------|
| OHD30LAS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #30 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right 1st molar (1M) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| | | |
|--|-----------------------------|-------------------------|
| OHD29CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #29 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |

Codes:

99= Cannot be assessed

Skip To Values:**OHD29PCM****Version Info**

Version 1.0

Target

B (18 Yrs. to 150 Yrs.)

Hard Edits

0 to 12

SAS Label

LOA: mid-facial #29 PD

Source Activity

OH

Source Component

OH

English Text: Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:**OHD29LAM****Version Info**

Version 1.0

Target

B (18 Yrs. to 150 Yrs.)

Hard Edits

0 to 24

SAS Label

LOA: mid-facial #29 calculated LA

Source Activity

OH

Source Component

OH

English Text: Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:**OHD29CJS****Version Info**

Version 1.0

Target

B (18 Yrs. to 150 Yrs.)

Hard Edits

-12 to 12

SAS Label

LOA: mesial #29 FGM/CEJ

| | |
|--|-------------------------|
| Source Activity | Source Component |
| OH | OH |
| English Text: Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| | | |
|---|-------------------------|-------------------------|
| OHD29PCS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #29 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | Skip To Values: | |

| | | |
|---|-------------------------------|-------------------------|
| OHD29LAS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #29 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| OHD28CJM | Version Info | Target |
|--|-----------------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #28 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD28PCM | Version Info | Target |
|---|------------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #28 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD28LAM | Version Info | Target |
|-----------------|-----------------------------------|-------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #28 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:

Codes:

99= Calculation cannot be determined

Skip To Values:

| OHD28CJS | Version Info | Target |
|-----------------|-------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #28 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD28PCS | Version Info | Target |
|-----------------|--------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #28 PD | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD28LAS | Version Info | Target |
|----------|--------------|--------|
| | | |

| | | |
|---|-------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #28 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | | Skip To Values: |

| | | |
|---|-----------------------------|-------------------------|
| OHD27CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #27 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right cuspid (C) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| | | |
|--|-------------------------|-------------------------|
| OHD27PCM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #27 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right cuspid (C) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|------------------------|-----------------------------------|-------------------------|
| OHD27LAM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #27 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower right cuspid (C) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:

| | | |
|------------------------|-------------------------|-------------------------|
| OHD27CJS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #27 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower right cuspid (C) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:

| | | |
|-------------------|---------------------|-------------------------|
| OHD27PCS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |

| | |
|--|-------------------------|
| 0 to 12 | LOA: mesial #27 PD |
| Source Activity | Source Component |
| OH | OH |
| English Text: Loss of Attachment: Lower right cuspid (C) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| | | |
|--|-------------------------------|-------------------------|
| OHD27LAS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #27 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right cuspid (C) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| | | |
|---|-----------------------------|-------------------------|
| OHD26CJM | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #26 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right lateral incisor (LI) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |

Codes:

99= Cannot be assessed

Skip To Values:**OHD26PCM****Version Info**

Version 1.0

Target

B (18 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

0 to 12

LOA: mid-facial #26 PD

Source Activity**Source Component**

OH

OH

English Text: Loss of Attachment: Lower right lateral incisor (LI) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:**Codes:**

99= Cannot be assessed

Skip To Values:**OHD26LAM****Version Info**

Version 1.0

Target

B (18 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

0 to 24

LOA: mid-facial #26 calculated LA

Source Activity**Source Component**

OH

OH

English Text: Loss of Attachment: Lower right lateral incisor (LI) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:**Codes:**

99= Calculation cannot be determined

Skip To Values:**OHD26CJS****Version Info**

Version 1.0

Target

B (18 Yrs. to 150 Yrs.)

Hard Edits**SAS Label**

-12 to 12

LOA: mesial #26 FGM/CEJ

| | |
|---|-------------------------|
| Source Activity | Source Component |
| OH | OH |
| English Text: Loss of Attachment: Lower right lateral incisor (LI) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | |
| English Instructions: | |
| Codes: 99= Cannot be assessed | Skip To Values: |

| | | |
|--|-------------------------|-------------------------|
| OHD26PCS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #26 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right lateral incisor (LI) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | Skip To Values: | |

| | | |
|--|-------------------------------|-------------------------|
| OHD26LAS | Version Info | Target |
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #26 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right lateral incisor (LI) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | Skip To Values: | |

| OHD25CJM | Version Info | Target |
|---|-----------------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mid-facial #25 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right central incisor (CI) mid-facial - Free gingival margin to Cemento-enamel junction measurement (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD25PCM | Version Info | Target |
|--|------------------------|------------------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mid-facial #25 PD | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right central incisor (CI) mid-facial - Free gingival margin to sulcus base (pocket depth) (mm) | | |
| English Instructions: | | |
| Codes: 99= Cannot be assessed | | Skip To Values: |

| OHD25LAM | Version Info | Target |
|-----------------|-----------------------------------|-------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mid-facial #25 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower right central incisor (CI) mid-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm)

English Instructions:

Codes:

99= Calculation cannot be determined

Skip To Values:

| OHD25CJS | Version Info | Target |
|-----------------|-------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| -12 to 12 | LOA: mesial #25 FGM/CEJ | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower right central incisor (CI) mesio-facial - Free gingival margin to Cemento-enamel junction measurement (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD25PCS | Version Info | Target |
|-----------------|--------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 12 | LOA: mesial #25 PD | |
| Source Activity | Source Component | |
| OH | OH | |

English Text: Loss of Attachment: Lower right central incisor (CI) mesio-facial - Free gingival margin to sulcus base (pocket depth) (mm)

English Instructions:

Codes:

99= Cannot be assessed

Skip To Values:

| OHD25LAS | Version Info | Target |
|----------|--------------|--------|
| | | |

| | | |
|--|-------------------------------|-------------------------|
| | Version 1.0 | B (18 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label | |
| 0 to 24 | LOA: mesial #25 calculated LA | |
| Source Activity | Source Component | |
| OH | OH | |
| English Text: Loss of Attachment: Lower right central incisor (CI) mesio-facial - Level of attachment calculation of : (Free gingival margin to sulcus base measurement) - (Free gingival margin to Cemento-enamel junction measurement) (mm) | | |
| English Instructions: | | |
| Codes: 99= Calculation cannot be determined | | Skip To Values: |