

**The
Health Consequences
of Smoking**

January 1973

INDEX
Pages 251-261

**U.S. DEPARTMENT OF HEALTH,
EDUCATION, AND WELFARE
Public Health Service**

INDEX

- Abortion, spontaneous
 - effect of maternal smoking, 123,124
- Acenaphthylene
 - in cigar, pipe, and cigarette smoke, 178
- Acetaldehyde
 - as ciliotoxic agent in cigarette smoke, 51
- Aerobic capacity
 - effect of cessation of smoking, 243
 - effect of exercise and smoking, 243,244
- Air pollution
 - and bronchitis, in smokers vs. nonsmokers, 36,37
 - effect on mortality rates from lung cancer, 73
 - as factor in lung cancer development, 72,73
 - in Osaka, Japan, 44
 - prevalence of respiratory diseases and, 44
 - and smoking in military and civilian aircraft, 45
- Alcohol consumption
 - interaction with smoking and other risk factors in CHD, 10
 - and smoking, in cancer development, 71
 - and smoking, in esophageal cancer development, 76,200
 - and smoking, in laryngeal cancer etiology, 197
 - and smoking, in oral cancer etiology, 193
- Alveolar macrophages
 - effect of cigarette smoke, 52,53
 - effect of nitrogen dioxide, 54
- Alveolar rupture
 - in pipe/cigar smokers vs. cigarette smokers and nonsmokers, 217
- Angina pectoris
 - carbon monoxide inhalation and, 17,18
 - incidence in pipe and cigar smokers, 215
- Anthracene
 - in cigar, pipe, and cigarette smoke, 178
- Arterioles
 - effect of smoking, 22,23
- Arteriosclerosis obliterans
 - smoking as cause, 19,20
- Aryl hydrocarbon hydroxylase
 - effect of benzo(a)pyrene in pregnant rats, 119
 - role in metabolism of chemical carcinogens, 82,83
- Asbestos
 - effect on pulmonary function in smokers vs. nonsmokers, 41
 - effect on radiological findings in smokers vs. nonsmokers, 41
 - effect on respiratory symptoms in smokers vs. nonsmokers, 41
 - and smoking, effect on mortality rates from lung cancer, 73
- Athletic performance
 - running, effect of smoking, 243,244
 - smokers vs. nonsmokers, 243,244
 - swimming, effect of smoking, 244
- Autopsy studies
 - COPD and smoking, 45-48
 - lung cancer in U.S. veterans, 73,74
- Bacterial flora
 - in smokers vs. nonsmokers with COPD, 54
- Benzo(a)pyrene
 - carcinogenic effect in laboratory animals, 78-80
 - in cigar, pipe, and cigarette smoke, 177,178
 - effect on DNA and RNA, 86,87
 - effects during pregnancy in laboratory animals, 117,118
- Bicarbonate
 - in pancreatic secretions, effect of smoking, 159,160
- Bicycle Ergometer performance
 - cardiovascular parameters in smokers vs. nonsmokers, 242-244
- Birth weight
 - effect of maternal smoking, 103-114, 119-122
 - effect of maternal smoking before and during current pregnancy by cigarette consumption, 107-109
 - effect of maternal smoking during previous pregnancies, 112-114
 - effect of maternal smoking, mechanism of action, 119,120
 - effect of paternal smoking, 110,111
 - effect of tobacco smoke, nicotine, or carbon monoxide in laboratory animals, 114-118
 - gestation duration in smokers vs. nonsmokers, 103-106
 - and maternal smoking, epidemiological studies, 103-114
 - timing of influence of smoking, 120,121
- Bladder cancer
 - see also Renal cancer
 - incidence in smokers vs. nonsmokers, 77,78
 - smoking in etiology of, 77,78
- Blood flow
 - effect of smoking, 19,22,23
- Blood lipids
 - effect of smoking, 11,12

- effect of smoking and relative weight, in male Parisian civil servants, 11
- effect of smoking in middle-aged patients with angina pectoris, 12
- effect of smoking in young Norwegian military recruits, 11
- elevated, as risk factor in CHD, 11
- Blood pressure
 - effect of exercise and smoking, 242,244-246
 - effect of pipe and cigar smoking, 216
 - effect of smoking in middle-aged patients with angina pectoris, 12
- Body height
 - interaction with smoking as factor in cerebrovascular disease, 19
- Body weight
 - interaction with smoking as factor in cerebrovascular disease, 19
 - and smoking, as factors in CHD incidence, 4-6
 - and smoking, effect on blood lipids, 11
- Bronchial epithelium
 - histological changes at autopsy and smoking habit, 74
 - histological changes in cigar, pipe, cigarette smokers vs. nonsmokers, 203, 204, 209
 - premalignant changes in smokers, 67
- Bronchiolo-alveolar cancer
 - smoking and, 71
- Bronchitis
 - and disability, in smokers vs. nonsmokers, 43
 - dust exposure as a factor, 44
 - mortality ratios in male pipe and cigar smokers, 217,219
 - prevalence in Duisburg, Germany, by age and cigarette consumption, 39
 - prevalence in ex-coal miners and nonminers by smoking habit, 42
 - prevalence in miners and farmers in Hungary, by smoking habit, 42
 - prevalence in pipe and cigar smokers, 220,221
 - prevalence in smokers vs. nonsmokers in Bordeaux, France, 36
 - prevalence in smokers vs. nonsmokers in mountainous or low-lying areas, 36,37
 - prevalence in smokers vs. nonsmokers in Osaka, Japan, 44
 - prevalence in smoking vs. nonsmoking yarn mill workers, 40
 - in smokers vs. nonsmokers, autopsy studies, 45,46
 - smoking vs. coal mining in etiology of, 42
 - smoking vs. dust inhalation in etiology of, 42
- Bronchitis, chronic
 - see* Bronchopulmonary diseases, chronic obstructive
- Bronchopulmonary diseases, chronic obstructive
 - see also* Emphysema and bronchitis
 - autopsy studies, 45-48
 - as cause listed on death certificates vs. at autopsy, 47
 - epidemiological studies, 36-45
 - mortality and morbidity studies, 36-39
 - mortality rates in British citizens by migration patterns, 36
 - mortality ratios in male pipe and cigar smokers, 216,217,219
 - summary of previous findings, 35,36
 - summary of recent findings, 55
- Byssinosis
 - prevalence in cotton mill employees, smokers vs. nonsmokers, 55
 - prevalence in men by index of severity and smoking habits, 40,41
 - prevalence in smoking vs. nonsmoking cotton mill workers, 39
 - smoking and, 39-41
- Cancer
 - see also* Specific site, e.g., Lung cancer
 - mortality rates in alcoholics, 71
 - recurrent primary, incidence in smokers vs. nonsmokers, 71,74
 - summary of previous findings, 67,68
 - summary of recent findings, 88
- Capillaries
 - effect of smoking, 22
- Carbon monoxide
 - cardiovascular effects, experimental studies, 17-19
 - effect on birthweight and neonatal mortality in animals, 133
 - effect on cholesterol biosynthesis, in vitro, 18
 - effect on cholesterol level in aorta in rabbits, 18
 - effect on coronary hemodynamics and ventricular function in dogs, 18
 - effect on exercise performance in smokers vs. nonsmokers, 246,247
 - effect on maximal oxygen consumption, 18
 - effect on platelet stickiness in rabbits, 18
 - effect on reflex vasoconstrictor responses, 18,23
 - effect on vascular resistance and reflex vasoconstriction, 22,23
 - effects during pregnancy in laboratory animals, 116,117
- Carboxyhemoglobin levels
 - effect on exercise performance in smokers vs. nonsmokers, 246,247
 - following smoking of non-nicotine cigarettes, 17,18

- in neonates of smoking mothers, 118,119
- Carcinogenesis
 - cell and tissue culture studies, 84-86
 - effect of tobacco curing methods, 212
 - experimental, 78-87
 - initiating and promoting agents in cigarette smoke, 68
 - mechanism of action, 78, 80-87
 - of respiratory tract in laboratory animals, 78-80
 - role of cigarette smoke condensate, 80-84
- Carcinogens
 - effect on cell transformations, 84-86
 - effect on respiratory tract in laboratory animals, 78-80
- Cardiac index
 - effect of exercise and smoking, 242-244
- Cardiovascular diseases
 - see also* Coronary heart disease
 - mortality ratios in male pipe and cigar smokers, 215,216
 - smoking and, 3-23
 - summary of previous findings, 3
 - summary of prospective epidemiological studies for cigar and pipe smokers, 216
 - summary of recent findings, 23
- Catecholamine levels
 - effect of cigar, pipe, and cigarette smoke in dogs, 216
- Cell and tissue culture studies
 - tobacco carcinogenesis and, 84-86
- Cell cultures
 - malignant transformations induced by tobacco tars on carcinogens, 84-86
- Cells, atypical
 - in ex-smokers, smokers, and nonsmokers at autopsy, 74
- Cerebrovascular disease
 - interaction of smoking and other risk factors, 19
 - mortality ratios in pipe and cigar smokers, 215,216
- Cessation of smoking
 - compared benefits in cigarette vs. pipe/cigar smokers, 172,173
 - effect on absolute aerobic power, 243
 - effect on infant birth weight, 107-109, 112-114
 - effect on pulmonary surfactant levels, 55
 - as preventive measure in occlusive disease, 21,22
- CHD
 - see* Coronary heart disease
- Chest illness
 - prevalence in pipe and cigar smokers, 220,221
- Cholesterol
 - biosynthesis, effect of carbon monoxide in vitro, 18
 - Cholesterol levels
 - effect of carbon monoxide in rabbits, 18
 - effect of smoking and body weight, 11
 - effect of smoking and clinical parameters in British business executives, 11
 - in pipe and cigar smokers, 215,216
- Chronic obstructive bronchopulmonary disease
 - see* Bronchopulmonary disease, chronic obstructive
- Cigarettes
 - definition and processing, 175
 - filtered, effect on respiratory symptoms, 55
 - modified, effect on respiratory symptoms and ventilatory capacity, 37,38
 - plain vs. filtered, effect on sputum production, 37,38
 - similarities with little cigars, 224,225
- Cigarette smoke condensate
 - effect on RNA, 86
 - N-nitrosamines in, 87,88
 - role in experimental carcinogenesis, 80-84
- Cigarettes, non-nicotine
 - effect on carboxyhemoglobin levels, 17,18
- Cigars
 - definition and processing, 175,176
- Cigars, little
 - chemical composition of, 224,225,228
 - evaluation of potential public health impact, 222-228
 - shipment for domestic consumption 1970-1972, 222-224,227
 - similarity to cigarettes, 224,225
 - sugar and pH differences with large cigars and cigarettes, 222-224
 - tar and nicotine content, 224-226,228
- Cigar smokers
 - relative risk in lung cancer development, 67,68
- Cigar smoking
 - effect on mortality and morbidity compared to cigarette smoking, 171-173
 - in esophageal cancer development, 197,200-202
 - gastrointestinal disorders and, 222
 - health consequences of, 179
 - histological effects on bronchial epithelium, 203,204,209
 - histological effects on esophagus, 200
 - histological effects on larynx, 197
 - inhalation patterns and, 184-189
 - in laryngeal cancer development, 197-199
 - in lung cancer development by amount smoked, 203-206
 - mortality ratios from cardiovascular diseases and, 215,216
 - mortality ratios from COPD and, 217,219

- mortality ratios from esophageal cancer and, 197,200
- mortality ratios from laryngeal cancer and, 193,196,197
- mortality ratios from lung cancer and 203-205
- mortality ratios from oral cancer and 191,193
- oral cancer development and, 193-195
- overall mortality rates by amount smoked, 180-182
- overall mortality rates from cancer and, 189
- prevalence in Great Britain, 173,174
- prevalence in United States, 173,174
- pulmonary histological changes and, 217
- Ciliary activity
 - effect of pipe/cigar smoke vs. cigarette smoke in cats, 217,218
- Clinical laboratory tests
 - effect of aging and smoking, in healthy male veterans, 11
- Coal dust
 - effect on pulmonary function in smokers vs. nonsmokers, 41-43
 - effect on respiratory symptoms in smokers vs. nonsmokers, 41-43
- Combustion temperature
 - effect on tumorigenic activity of pipe and cigarette tobacco, 210,211
- Congenital malformations
 - maternal smoking and, 136,137
- Coronary heart disease
 - epidemiological studies, 4-11
 - experimental studies, 13-19
 - incidence in European vs. American men, 9
 - incidence in farmers vs. nonfarmers by smoking habit, 7
 - incidence in Hawaiian men of Japanese ancestry, 10
 - incidence in male bank employees in Brussels, Belgium, 10
 - incidence in men in Yugoslavia, 9
 - incidence in miners in Sardinia, 10
 - incidence in pipe and cigar smokers, 215,216
 - incidence in white males by body weight and smoking habit, 5
 - incidence in whites vs. blacks in Evans County, Georgia, 4,5
 - in India, 11
 - interaction of smoking with other risk factors, 4-11
 - mortality rates in Japanese men and women by cigarette consumption and age at initiation of habit, 7,8
 - mortality rates in smoking men in Finland, 9
 - mortality ratios in pipe and cigar smokers, 215,216
- in Nepal, 11
- in New Zealand, 11
- smoking, in individuals under 40 years, 10
- and smoking, in myocardial ischemic patients in Italy, 10
- COPD
 - see Bronchopulmonary diseases, chronic obstructive
- Cough
 - effect of asbestos exposure in smokers vs. nonsmokers, 41
 - effect of coal dust exposure in smokers vs. nonsmokers, 41,42
 - effect of filtered cigarettes, 55
 - effect of modified cigarettes, 38
 - prevalence in pipe and cigar smokers, 220,221
 - prevalence in smoking vs. nonsmoking women in Bordeaux, France, 36
- Cresols
 - in cigar, pipe, and cigarette smoke, 177
- Curing methods
 - incidence of respiratory infections in rats and, 218,219
- Cyanide detoxification
 - in pregnant smokers vs. nonsmokers, 119
- 7H-Dibenz(c,g)carbazole
 - carcinogenic effect in laboratory animals, 79
- Diet
 - and smoking, effect on blood lipids, 12
- DNA
 - binding of polycyclic hydrocarbons to, 86,87
- Dust exposure
 - bronchitis and, 44
 - as occupational hazard, 43,44
 - smoking and, 44
- Dynamic compliance
 - in smokers vs. nonsmokers under 30, 50
- Dyspnea
 - prevalence in cigar and pipe smokers, 220,221
- Electrocardiogram
 - abnormalities, effect of smoking and other factors, 13
 - effect of smoking, in middle-aged Dutch men, 12
 - effect of smoking, in young military recruits in Poland, 12
- Emphysema
 - see also Bronchopulmonary disease, chronic obstructive

- incidence in cigar/pipe smoking coal miners vs. cigarette smokers and nonsmokers, 217
- mortality ratios in male pipe and cigar smokers, 217,219
- prevalence in males by smoking category, at autopsy, 48
- prevalence in pipe/cigar and cigarette smokers vs. nonsmokers, autopsy studies, 45,46
- prevalence in smokers vs. nonsmokers, 55
- in smokers vs. nonsmokers, autopsy studies, 45-47
- Epidemiological studies**
 - bronchopulmonary diseases and smoking, 36-45
 - coronary heart disease and smoking, 4-13,23
 - lung cancer and smoking, 68-72
 - peptic ulcer and smoking, 155-157
- Esophageal cancer**
 - alcohol consumption and smoking in development of, 200
 - inhalation patterns and, 197
 - mortality ratios for cigar, pipe, and cigarette smokers vs. nonsmokers, 197,200
 - mortality ratios in Japanese male smokers vs. nonsmokers, 76
 - relative risk in cigar, pipe, and cigarette smokers vs. nonsmokers, 197,200-202
 - smoking and alcohol consumption in development of, 76
 - summary of retrospective studies, 201,202
- Esophagus**
 - histological changes in cigar, pipe, cigarette smokers vs. nonsmokers, 200
- Exercise performance**
 - on bicycle ergometer, effect of smoking, 242,243
 - cardiac index, effect of smoking, 242,243
 - effect of smoking and smoking abstinence, 241,242,246,247
 - influencing factors, 241,246,247
 - summary of findings and mechanism of action, 246,247
 - on treadmill, effect of smoking, 243,245
- Experimental studies**
 - COPD and smoking, 48-55
 - coronary heart disease and smoking, 13-19
 - effect of carbon monoxide on pregnant animals, 132,133
 - pregnancy in laboratory animals, effect of tobacco smoke, nicotine, carbon monoxide, and polycyclic hydrocarbons, 114-118
- Ex-smokers**
 - compared mortality rates for cigarette vs. pipe/cigar smokers, 172,173
 - histological changes in bronchial epithelium at autopsy, 74
 - low birth weight infants of, 112-114
 - mortality rates from lung cancer, 71-72
 - prevalence of respiratory symptoms, 39
 - pulmonary function, 39
 - relative risk in lung cancer development, 71-72
 - survival after treatment for pharyngeal, laryngeal, or oral cancers, 75
- Fatty acid levels**
 - effect of cigar, pipe, and cigarette smoke in dogs, 216
 - effect of smoking, 12
- Fetal mortality**
 - effect of maternal smoking, 123-135
 - epidemiological studies in smokers vs. nonsmokers, 126-132
- Fibrosis**
 - in pipe/cigar smokers vs. cigarette smokers and nonsmokers, 217
- Fitness tests**
 - various, smokers vs. nonsmokers, 245
- Framingham study**
 - interaction of smoking and other risk factors in CHD, 8
- Gastric secretion**
 - effect of nicotine in laboratory animals, 158,159
 - effect of smoking in ulcer patients, 157,158
- Gastrointestinal disorders**
 - prevalence in cigarette and pipe/cigar smokers, 222
- Gestation**
 - and low birth weight infants, effect of maternal smoking, 103-106
- Gestational age**
 - effect on perinatal mortality rates in smoking vs. nonsmoking mothers, 126-132
- Glucose intolerance**
 - as a risk factor in CHD, 8
- Grip strength**
 - effect of smoking, 241,242
- Heart rate**
 - effect of exercise and smoking, 242-246
- Histological studies**
 - lung cancer in U.S. veterans, 73
- Histopathological studies**
 - in laboratory animals, 49,50
 - in smokers vs. nonsmokers, 48,49
- Honolulu Heart Study**
 - interaction of smoking and other risk factors in CHD, 8,9

- Hypercholesterolemia**
incidence in male British business executives, by smoking habit and clinical parameters, 11
as risk factor in CHD, 8,9,11
- Hypertension**
interaction with smoking as risk factor in cerebrovascular disease, 9
as risk factor in CHD, 8,9
- Hypoxia**
carbon monoxide induced, 18,23
- Infant**
small-for-date, effect of maternal smoking, 106-114
- Infant mortality**
of black vs. white smoking mothers, 129-132
causes of death by maternal smoking habit, 133
effect of genetic differences and smoking, 132
effect of maternal smoking, 123-135
effect of previous obstetrical experience and smoking, 132
effect of socioeconomic background and smoking, 131,132
epidemiological studies in smokers vs. nonsmokers, 126-132
factors other than smoking, 131,132
risk of low-birth-weight infants of smoking vs. nonsmoking mothers, 126-132
- Influenza**
prevalence in pipe and cigar smokers, 220,221
- Inhalation patterns**
effect of previous smoking habits, 186-189
frequency-per-puff in cigar and cigarette smokers, 186,187
of pipe, cigar, and cigarette smokers, 184-189
possible determining factors, 183,184
- Intermittent claudication**
smoking and, 21
- International Cooperative Study**
interaction of smoking and other risk factors in CHD, 9
- Lactate metabolism**
effect of smoking, in patients with angina pectoris, 13
- Lactation**
effect of maternal smoking, 138-141
effect of maternal smoking, summary of findings, 141
epidemiological studies, 138
experimental studies, 138,139
- Laryngeal cancer**
inhalation patterns and, 193
mortality ratios for pipe, cigar, and cigarette smokers vs. nonsmokers, 193,196,197
mortality ratios in Japanese male smokers vs. nonsmokers, 76,77
recurrent, incidence in smokers vs. ex-smokers, 71,74-77
relative risk for cigar, pipe, and cigarette smokers vs. nonsmokers, 76,77,197-199
summary of retrospective studies, 198,199
- Larynx**
histological changes in cigar, pipe, cigarette smokers vs. nonsmokers, 197
- Leukoplakia**
prevalence in tobacco chewing coal miners, 75
reverse smoking and, 76
- Lip cancer**
cigar smoking in etiology of, 190,191
cigarette smoking in etiology of, 190,191
pipe smoking in etiology of, 190,191
relative risk in pipe, cigar, and cigarette smokers vs. nonsmokers, 190,191
summary of retrospective studies, 192
- Little cigars**
see Cigars, little
- Lung cancer**
air pollution as a factor, 72
epidemiological studies, 68-72
race as a factor, smokers vs. nonsmokers, 70
incidence in smokers vs. nonsmokers in Jersey, Channel Isles, 70
incidence in smokers vs. nonsmokers in La Plata, Argentina, 70
incidence in smokers vs. nonsmokers in Philadelphia, 70
inhalation patterns and, 203
mortality rates in asbestos workers, smokers vs. nonsmokers, 73
mortality rates in British physicians vs. general population in England and Wales, 70
mortality ratios for cigar, pipe, and cigarette smokers vs. nonsmokers, 203-205
mortality ratios in Japanese by amount smoked and age at initiation of habit, 69
occupational exposures and smoking, 67
prevalence in smokers vs. nonsmokers in Czechoslovakia, 70
prospective study in Japanese adults, 68,69
relative risk in cigar, pipe, and cigarette smokers vs. nonsmokers, 203,206-208
relative risk in ex-smokers vs. continuing smokers, 72

- relative risk in pipe/cigar smokers, 67,68
 - smoking as cause, 67
 - summary of retrospective studies, 206-208
- Maternal-fetal exchange
- polycyclic hydrocarbons and, 119
- Maternal smoking
- see Smoking, maternal
- 3-Methylcholanthrene
- effects during pregnancy in laboratory animals, 117
- Morbidity
- from chronic bronchopulmonary diseases, 36-39
- Mortality
- compared rates for cigarette vs. pipe/cigar ex-smokers, 172,173
 - from chronic bronchopulmonary diseases, 36-39
 - from COPD, in cigar/pipe smokers vs. cigarette smokers and nonsmokers, 216,217
 - overall rates for cigar smokers vs. pipe smokers, 179,180
 - overall rates for pipe/cigar smokers and dose-response relationships, 180-189
 - overall rates for pipe/cigar smokers vs. nonsmokers, 179,180
 - overall rates from cancer in pipe and cigar smokers, 189
 - ratio in pipe and cigar smokers by age and inhalation, 184,187
- Mortality rates
- CHD in Japanese men and women by cigarette consumption and age at initiation of habit, 7,8
- Myocardial infarct
- incidence in European vs. American men, 9
 - incidence in men in Yugoslavia, 9
 - incidence in miners in Sardinia, 10
 - incidence in pipe and cigar smokers, 215
 - prevalence in smoking vs. nonsmoking men in Czechoslovakia, 10
 - and smoking, in patients in Leningrad hospitals, 10
- Nicotine
- in cigar, pipe, and cigarette smoke, 177
 - clinical effects on offspring of smoking mothers, 140,141
 - in duodenal ulcer induction in cats, 158,159
 - effect on cardiovascular system in dogs, 17
 - effect on gastric secretion in cats, 158,159
 - effect on gastric secretion in rats, 159
 - effect on heart blood flow in dogs, 17
 - effect on lactation in laboratory animals, 138,139
 - effect on lactation in smokers vs. non-smokers, 139,140
 - effect on lipid biosynthesis in aorta in dogs, 17
 - effect on microcirculation in atrium in cats, 17
 - effect on pancreatic secretions in animals, 161,162
 - effect on pipe/cigar smoke inhalation, 183,184
 - effect on rat and mouse fetus, site of action, 121
 - effects during pregnancy in laboratory animals, 115,116
 - experimental studies, 16,17
 - in little cigars compared to cigarettes and cigars, 223-226,228
 - in milk of laboratory animals, 138,139
 - in milk of smoking mothers, 139
 - as potentiator of duodenal ulcers in animals, 161-163
- Nicotine levels
- in blood, new assay method, 15,23
- Nicotine secretion
- effect of cigar, pipe, and cigarette smoke in dogs, 216
- Nitrogen dioxide
- effect on alveolar wall cells in guinea pigs, 50
 - effect on bacterial retention in hamsters, 54
 - effect on rat lung, 49,50
- Nitrosamines
- effect on lactating hamsters, 139
- N-Nitrosamines
- determination in cigarette and tobacco smoke condensate, 87,88
- Obesity
- as a risk factor for CHD, 9
- Occlusive disease
- smoking and, 21
- Occupation
- and smoking, as factor in CHD incidence, 5,7
- Occupational diseases
- asbestosis, 41
 - byssinosis, 39-41
 - coal workers pneumoconiosis, 42
- Occupational exposure
- pancreatic cancer and, 77
 - and smoking, bladder cancer and, 78
- Occupational hazards
- asbestos exposure, 41,73
 - coal dust exposure, 41-43
 - cotton, flax, and hemp dust exposure, 39-41

- dust exposure, 43,44
- 100% pure oxygen exposure, 43
- radiation exposure in uranium miners, 72
- smoking and, 39-44
- smoking as additive risk for COPD, 55
- Oral cancer
 - alcohol consumption and smoking in etiology of, 193
 - inhalation patterns and, 191
 - mortality rates in Japanese male smokers vs. nonsmokers, 74
 - mortality ratios for pipe, cigar, and cigarette smokers vs. nonsmokers, 191-193
 - recurrent, incidence in smokers vs. ex-smokers, 71,74,75
 - relative risk of development in pipe, cigar, and cigarette smokers vs. nonsmokers, 191,194,195
 - reverse smoking and, 76
 - smoking in etiology of, 74-76
 - summary of retrospective studies, 194,195
- Oxygen debt
 - effect of smoking, 246,247
 - exercise performance and, 246,247
- Pancreatic cancer
 - occupational exposure and, 77
 - smoking and, 77
- Pancreatic secretions
 - bicarbonate content, effect of smoking, 159,160
 - effect of nicotine in animals, 161,162
 - effect of smoking, 159,160
- Passive smoking
 - effect on cardiovascular function in dogs, 14
- Peptic ulcer
 - see Ulcer, peptic
- Perinatal mortality
 - effect of maternal smoking, summary of findings, 134,135
- Peripheral arteriosclerosis
 - smoking and, 21
- Peripheral vascular disease
 - smoking and, 19-23
- pH
 - pipe/cigar smoke inhalation and, 183
 - of smoke in cigarettes, cigars, and little cigars, 223,224,228
- Phagocytosis
 - effect of cigarette smoke in laboratory animals, 53,54
- Pharyngeal cancer
 - recurrent, incidence in smokers vs. ex-smokers, 74,75
- Pharyngeal fungi
 - smokers vs. nonsmokers in South Africa, 54
- Phenols
 - in cigar, pipe, and cigarette smoke, 177
- Phenylmethyloxadiazole (PMO)
 - protection against adverse effects of cigarette smoke in animals, 49,53
- Physical activity
 - as a factor in coronary heart disease, 4,5
- Pipe smokers
 - relative risk in lung cancer development, 67,68
- Pipe smoking
 - effect on mortality and morbidity compared to cigarette smoking, 171-173
 - in esophageal cancer development, 197,200-202
 - gastrointestinal disorders and, 222
 - health consequences of, 179
 - histological effects on bronchial epithelium, 203,204,209
 - histological effects on esophagus, 200
 - histological effects on larynx, 197
 - inhalation patterns and, 184-189
 - in laryngeal cancer development, 197-199
 - in lung cancer development by amount smoked, 203-206
 - mortality ratios from cardiovascular diseases and, 215,216
 - mortality ratios from COPD and, 217,219
 - mortality ratios from laryngeal cancer and, 193,196,197,200
 - mortality ratios from lung cancer and, 203-205
 - mortality ratios from oral cancer and, 191,193
 - oral cancer development and, 193-195
 - overall mortality rates by amount smoked, 180-182
 - overall mortality rates from cancer and, 189
 - prevalence in Great Britain, 173,174
 - prevalence in United States, 173,174
 - pulmonary histological changes and, 217
- Pipe tobacco
 - definition and processing, 176
- Plethysmogram
 - abnormalities, in smokers vs. nonsmokers, 22
- Pneumoconiosis
 - in coal miners, smokers vs. nonsmokers, 42
- Pneumothorax, spontaneous
 - smoking and, 37
- Polycyclic hydrocarbons
 - binding to DNA and RNA, 86,87
 - effects during pregnancy in laboratory animals, 117,118
 - maternal-fetal exchange and, 119
- Post-operative complications
 - in duodenal ulcer removal, smokers vs. nonsmokers, 157

- smoking, obesity, anesthesia and, 39
- Preeclampsia**
 - maternal smoking and, 142
 - in smoking vs. nonsmoking women, 142
- Pregnancy**
 - effect of maternal smoking, 103-142
 - effect of maternal smoking, mechanism of action, 119,120
 - effect of tobacco smoke, nicotine, and carbon monoxide in laboratory animals, 114-118
 - and previous smoking habits, effect on infant birth weight, 112-114
 - timing of influence of smoking on birth weight, 120,121
- Prematurity**
 - effect of smoking, 112
- Pulmonary arterioles**
 - histological effects of pipe/cigar smoking vs. cigarette smoking, 217
- Pulmonary clearance**
 - effect of heavy smoking, 52,53
 - effect of smoking, 55
 - mechanical vs. bactericidal clearance in guinea pigs, 53
 - mechanism, in smokers vs. nonsmokers, 52,53
 - in monozygotic vs. dizygotic twins, 51
 - particle deposition in smokers vs. nonsmokers, 53
- Pulmonary diffusing capacity**
 - in smokers vs. nonsmokers in Berlin, New Hampshire, 50,51
- Pulmonary emphysema**
 - see* Emphysema
- Pulmonary function**
 - in asymptomatic young men in Romania, 39
 - in coal miners, smokers vs. nonsmokers, 42,43
 - in coal miners vs. nonminers, 42
 - effect of asbestos exposure and smoking, 41
 - effect of coal dust exposure and smoking, 41-43
 - effect of lung hyperinflation in coal miners, 42,43
 - effect on exercise performance in smokers vs. nonsmokers, 246,247
 - in ex-smokers, 39
 - in jet fighter pilots, smokers vs. nonsmokers, 43
 - in pipe/cigar smokers vs. nonsmokers, 217,221
 - pulmonary hypertension and, 43
 - in smokers vs. nonsmokers, 55
 - in smokers vs. nonsmokers in Berlin, New Hampshire, 50,51
 - in smokers vs. nonsmokers, under 30 years of age, 50
 - smoking and, 38,39
- Pulmonary histology**
 - of pipe/cigar smokers vs. cigarette smokers and nonsmokers, 217
- Pulmonary macrophages**
 - effect of smoking, 55
- Pulmonary surfactant levels**
 - effect of smoking, 55
- Pulmonary tissue**
 - histopathological differences in smokers vs. nonsmokers, 48,49
- Pyrene**
 - in cigar, pipe, and cigarette smoke, 178
- Race**
 - as a factor in coronary heart disease, 4,5,23
 - as a factor in perinatal mortality in smoking vs. nonsmoking mothers, 129-132
 - as a factor in stillbirth rates, 124,125
- Radiation exposure**
 - and smoking, as cause of respiratory cancers, 72
- Radioactive particles**
 - in tobacco leaf, tobacco smoke, and smokers' lungs, 72
- Renal cancer**
 - mortality ratio in Japanese men and women, smokers vs. nonsmokers, 77
 - smoking in etiology of, 77,78
- Respiratory symptoms**
 - see also* Cough, Sputum production
 - effect of asbestos exposure in smokers vs. nonsmokers, 41
 - prevalence in Duisburg, Germany by age and cigarette consumption, 39
 - prevalence in ex-smokers, 39
 - prevalence in pipe and cigar smokers, 217,220,221
 - prevalence in smokers vs. nonsmokers, 55
 - prevalence in smokers vs. nonsmokers in Bordeaux, France, 36
 - in smokers vs. nonsmokers by amount smoked, 37
- Reverse smoking**
 - leukoplakia and, 76
 - oral cancers and, 76
- RNA**
 - binding of polycyclic hydrocarbons to, 86,87
- Running**
 - effect of smoking, 243, 244
- Sex ratio**
 - effect of maternal smoking, 135,136
- Single-breath tests**
 - smokers vs. nonsmokers, 51

- Smoke, cigar
 chemical constituents in, 177-179
 ciliotoxicity, 218
 effect of curing methods, 218,219
 effect of pH on inhalation of, 183
 tumorigenic activity in laboratory animals, 210-214
- Smoke, cigarette
 chemical constituents in, compared to pipe/cigar smoke, 177,178
 effect of curing methods, 218,219
 effect on bacterial retention in hamsters, 54
 effect on bronchial epithelium in dogs, 49
 effect on phagocytosis in laboratory animals, 53,54
 effect on pulmonary clearance, 51-53
 effect on rat and mouse fetus, site of action, 121
 effect on ventricular fibrillation threshold in dogs, 13,14
 experimental studies in dogs, 13,14
 reduction of adverse effects in animals by phenylmethyloxadiazole (PMO), 49,53
 and sulphur dioxide, effect on glands in laboratory animals, 49
- Smoke, little cigar
 pH of, compared to cigarette and cigar smoke, 224,228
- Smoke, pipe
 chemical constituents in, 177,178
 ciliotoxicity of, 218
 effect of pH on inhalation of, 183
 tumorigenic activity in laboratory animals, 210-214
- Smoke, tobacco
 effect on air pollution in aircraft, 45
 effect on nonsmokers, in aircraft, 45
 effect on stillbirth rate in laboratory animals, 125
 effects during pregnancy in laboratory animals, 114,115
 pH of, effect of leaf constituents, 224
 tumorigenic activity, 210-214
- Smoking
 effect on blood lipids, 11,12
 effect on cardiac lactate metabolism, 13
 effect on leg blood mean-flow capacity, 22
 effect on plasma nicotine levels, 15-17
 effect on precapillary sphincters, 22
 health hazards of, similarities of cigarettes with little cigars, 224,225
 interaction with other risk factors in CHD, 4-11
 as most important cause of COPD, 35,36
 prevalence in U.S. and Great Britain, 173,174
- Smoking abstinence
 effect on exercise performance, 241,242,246,247
- Smoking, maternal
 as cause of birth of small-for-dates infants, 106-111
 congenital malformations and, 136,137
 effect on birth weight, 103-114,119-122
 effect on birth weight, summary of findings, 122
 effect on gestation duration, 103-106
 effect on lactation, 138-141
 effect on neonatal carboxyhemoglobin levels, 118,119
 effect on sex ratio, 135,136
 effects during pregnancy, 103-142
 effects during pregnancy, mechanism of action, 119,120
 indirect association with small-for-dates infants, 110-114
 preeclampsia and, 142
 selective action on fetus of certain women vs. others, 131
 spontaneous abortions and, 123,124
 stillbirths and, 124,125
 timing of influence on birth weight, 120,121
- Smoking, paternal
 effect on infant birth weight, 110,111
- Sputum production
 effect of asbestos exposure in smokers vs. nonsmokers, 41
 effect of filtered cigarettes, 55
 effect of modified cigarettes, 37,38
 effect of plain vs. filtered cigarettes, 37,38
 in males by amount smoked and type of cigarette, 37,38
 prevalence in pipe and cigar smokers, 220,221
- Stillbirths
 effect of maternal smoking, 124,125
 rates in blacks vs. whites, 124,125
 in smokers vs. nonsmokers, 124,125
- Sudden death
 incidence in pipe and cigar smokers, 215
- Sulphur dioxide
 and cigarette smoke, effect on glands in laboratory animals, 49
- Swimming
 effect of smoking, 242,244
- Tar content
 effect on respiratory symptoms and ventilatory capacity, 38
- Tars
 in little cigars, compared to cigarettes and cigars, 223-226,228
- Thrombosis
 smoking and, 19
- Tobacco
 flue-cured vs. air-cured, effect on respiratory system in animals, 217,218

- Tobacco chewing
 - leukoplakia and, 75
- Tobacco leaf extracts
 - effect on cell cultures, 85,86
- Tracheal cancer
 - smoking and, 71
- Treadmill performance
 - cardiovascular parameters in smokers vs. nonsmokers, 242-245
 - effect of vitamin C, 245
 - oxygen intake in smokers vs. nonsmokers, 245
- Triglyceride levels
 - CHD and, 8
- Tumorigenic activity
 - of cigar, pipe, and cigarette smoke condensate in skin painting experiments in animals, 210-214
 - of tobacco smoke, 210-214
- Ulcer, duodenal
 - mortality ratios in male cigar and pipe smokers, 222
 - nicotine induced, in cats, 158,159
 - post-operative complications in smokers vs. nonsmokers, 157
 - potentiating action of nicotine, in animals, 161-163
 - prevalence in smokers, mechanism of action, 160
- Ulcer, peptic
 - clinical studies, 155-157
 - epidemiological studies, 155-157
 - gastric secretion in smokers vs. nonsmokers, 157,158
- increased mortality in Japanese smokers vs. nonsmokers, 155,156
- mortality ratios in Japanese adults by age at initiation of smoking habit, 155,156
- mortality ratios in male cigar and pipe smokers, 222
- predisposing factors, 157
- recurrence in smokers vs. nonsmokers, 157
- and smoking, summary of previous findings, 155
- Urinary bladder cancer
 - see* Bladder cancer
- Vascular disease, peripheral
 - smoking and, 19-23
- Vascular reconstruction
 - effect of smoking, 22,23
- Ventilatory function
 - effect of exercise and smoking, 244,245
- Ventricular fibrillation
 - effect of cigarette smoke in dogs, 13,14
- Ventricular hypertrophy
 - as a risk factor in CHD, 8
- Vitamin B₁₂
 - in pregnant smokers vs. nonsmokers, 119
- Vitamin C
 - effect on treadmill performance in smokers vs. nonsmokers, 245
 - in milk of smoking mothers, 141
 - in pregnant smokers vs. nonsmokers, 119
- Water hardness
 - and smoking as risk factors in CHD, 9,10