

9. REFERENCES

- Abu-Hilal AH, Khordagui HK. 1993. Assessment of tar pollution on the United Arab Emirates beaches. Environ Int 19:589-596.
- ACGIH. 1986. Documentation of the threshold limit values and biological exposure indices. American Conference of Governmental Industrial Hygienists, Cincinnati, OH.
- ACGIH. 1992. Threshold limit values for chemical substances and physical agents and biological exposure indices. American Conference of Governmental Industrial Hygienists, Cincinnati, OH.
- ACGIH. 1994. Threshold limit values for chemical substances and physical agents and biological exposure indices. American Conference of Governmental Industrial Hygienists, Cincinnati, OH.
- *ACGIH. 1999. Threshold limit values for chemical substances and physical agents and biological exposure indices. American Conference of Governmental Industrial Hygienists, Cincinnati, OH.
- *ACGIH. 2001. Threshold limit values for chemical substances and physical agents and biological exposure indices. American Conference of Governmental Industrial Hygienists, Cincinnati, OH.
- *Acharya P, Ives P. 1994. Incineration at Bayou Bounfouca remediation project. Waste Management 14(1):13-26.
- Adams J, Giam CS. 1984. Polynuclear azaarenes in wood preservative wastewater. Environ Sci Technol 18(5):391-394.
- *Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. Dev Med Child Neurol 27:532-537.
- *Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. Environ Health Perspect Suppl 103(7):103-112.
- Agency for Toxic Substances and Disease Registry. 1989a. Toxicological profile for pentachlorophenol. Atlanta, GA. Agency for Toxic Substances and Disease Registry.
- Agency for Toxic Substances and Disease Registry. 1989b. Toxicological profile for phenol. Atlanta, GA. Agency for Toxic Substances and Disease Registry.
- *Agency for Toxic Substances and Disease Registry. 1989c. Decision guide for identifying substance-specific data needs related to toxicological profiles. Atlanta, GA. Agency for Toxic Substances and Disease Registry, Division of Toxicology.
- *Agency for Toxic Substances and Disease Registry. 1992. Toxicological profile for creosols. Atlanta, GA. U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry.

*Cited in text

9. REFERENCES

*Agency for Toxic Substances and Disease Registry. 1993a. Polycyclic aromatic hydrocarbon toxicity; Environmental medicine. Agency for Toxic Substances and Disease Registry. Am Family Physician 47(3):623-629.

Agency for Toxic Substances and Disease Registry. 1993b. Toxicological profile for polycyclic aromatic hydrocarbons. Atlanta, GA. U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry.

*Agency for Toxic Substances and Disease Registry. 1994. Final Report: Site specific surveillance project at the Koppers Company, Inc. National Priorities List Site Texarkana, Texas.

*Agency for Toxic Substances and Disease Registry. 1995. Toxicological profile for polycyclic aromatic hydrocarbons. Atlanta, GA. Agency for Toxic Substances and Disease Registry.

*Agency for Toxic Substances and Disease Registry. 1998. Toxicological profile for phenol. Atlanta, GA. Agency for Toxic Substances and Disease Registry.

*Agency for Toxic Substances and Disease Registry. 1999. Toxicological profile for pentachlorophenol: Draft for public comment. Atlanta, GA. Agency for Toxic Substances and Disease Registry.

*Agency for Toxic Substances and Disease Registry/Centers for Disease Control and Prevention. 1990. Subcommittee report on biological indicators of organ damage. Atlanta, GA. Agency for Toxic Substances and Disease Registry/Centers for Disease Control and Prevention.

*Agurell E, Stensman C. 1992. Salmonella mutagenicity of three complex mixtures assayed with the microsuspension technique. A WHO/IPCS/CSCM study. Mutat Res 276:87-91.

Ahrens W, Jockel KH, Patzak W, et al. 1991. Alcohol, smoking, and occupational factors in cancer of the larynx: a case-control study. Bremen Institute for Prevention Research and Social Medicine, Federal Republic of Germany. Am J Ind Med 20(4):477-493.

*Akkineni KL, Zeisig M, Baranczewski P, et al. 2001. Formation of DNA adducts from oil-derived products analyzed by 32P-HPLC. Arch Toxicol 74(11):720-731.

*Alderman S, Kailas S, Goldfarb S, et al. 1994. Cholestatic hepatitis after ingestion of chaparral leaf: Confirmation by endoscopic retrograde cholangiopancreatography and liver biopsy. J Clin Gastroenterol 19(3):242-247.

Alderson MR, Clarke JA. 1983. Cancer incidence in patients with psoriasis. Br J Cancer 47:857-859.

*Altman PL, Dittmer DS. 1974. In: Biological handbooks: Biology data book. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.

*Amdur MO, Doull J, Klaasen CD. 1991. Casarett and Doull's toxicology: the basic science of poisons. 4th edition. New York, NY: Pergamon Press, 478-479.

*American Wood Preservers' Association. 1988. AWPA book of standards. Washington, DC: American Wood Preservers' Association.

American Wood Preservers Institute. 1988. Questions and answers about pressure treated wood. Vienna, VA: American Wood Preservers Institute.

9. REFERENCES

- *Amin S, LaVoie EJ, Hecht SS. 1982. Identification of metabolites of benzo[b]fluoranthene. *Carcinogenesis* 3:171-174.
- *Andersen ME, Krishnan K. 1994. Relating in vitro to in vivo exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, replacement*. New York: Marcel Dekker, Inc., 9-25.
- *Andersen ME, Clewell HJ III, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87:185-205
- *Anderson A, Dahlberg BE, Magnus K, et al. 1982. Risk of cancer in the Norwegian aluminum industry. *Int J Cancer* 29:295-298.
- *Andersson K, Levin JO, Nilsson CA. 1983. Sampling and analysis of particulate and gaseous polycyclic aromatic hydrocarbons from coal tar sources in the working environment. *Chemosphere* 12(2):197-207.
- Andersson K, Levin JO, Nilsson CA. 1992. Groundwater pollution arising from the disposal of creosote waste. *J Water Environ Manage* 6:646-652.
- Angerer J. 1999. Das Biological Monitoring bei der Beurteilung der Belastung/Beanspruchung durch PAH-Aufnahme in Wohnungen mit teerhaltigem Parkettkleber. *Umweltmed Forsch Prax* 4(2):65-72.
- Armknecht SL, Kaattari SL, Van Veld PA. 1998. An elevated glutathione S-transferase in creosote-resistant mummichog (*Fudulus heteroclitus*). *Aquat Toxicol* 41:1-16.
- Armstrong B, Theriault G. 1996. Compensating lung cancer patients occupationally exposed to coal tar pitch volatiles. *Occup Environ Med* 53:160-167.
- *Armstrong B, Tremblay C, Baris D, et al. 1994. Lung cancer mortality and polynuclear aromatic hydrocarbons: A case-cohort study of aluminum production workers in Arvida, Quebec, Canada. *Am J Epidemiol* 139(3):250-262.
- Arnold WP. 1997. Tar. *Clin Dermatol* 15:739-744.
- *Arvin E, Flyvbjerg J. 1992. Groundwater pollution arising from the disposal of creosote waste. *J Water Environ Manage* 6:646-652.
- *ATF. 2001. List of denaturants authorized for denatured spirits. Washington, DC. Bureau of Alcohol, Tobacco, and Firearms. Treasury. Code of Federal Regulations. 27 CFR 21.151.
<http://www.frwebgate.access.gpo.gov/cgi-bin/...&PART=21&SECTION=151&YEAR=2001&TYPE=TEXT>. September 17, 2001.
- *Ataka K, Ogata N, Kuge T, et al. 1996. Suppression of enterotoxin-induced intestinal fluid secretion by wood creosote. *Res Comm Chem Pathol Pharmacol* 93(2):219-224.
- Ataka H, Ogata N, Morino H. 1999. [Creosote as a chloride ion secretion inhibitor]. *Japan Kokai* 99335290, issued 7 Dec 1999. (Japanese).
- *Atkinson R. 1989. Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds. New York, NY: American Institute of Physics. 3-7.

9. REFERENCES

- *Atkinson R, Aschmann SM, Winer AM. 1987. Kinetics of the reactions of NO₃ radicals with a series of aromatic compounds. Environ Sci Technol 21:1123-1126.
- *Attalla MN. 1968. Effect of beechwood creosote and chloramine on periapical tissue of dogs. J Can Dent Assoc 34:190-195.
- *Autrup H, Seremet T. 1986. Excretion of benzo[a]pyrene-Gua adduct in the urine of benzo[a]pyrene-treated rats. Chem Biol Interact 60:217-226.
- Baileys RT, Webb DA. 1987. 1958 Cooperative creosote project--XII: an analysis of creosotes from posts after 26 years in test. Am Wood Preserve Assoc:163-171.
- *Ball J. 1987. Soil and groundwater contamination at wood preserving plants. In: Bell JM, ed. Proceedings of the 41st Industrial Waste Conference. May 1986. Purdue University. Chelsea, MI: Lewis Publishers, Inc, 347-351.
- *Ball J, Norton CM, Andrews JW. 1985. Environmental feasibility of using creosote contaminated soil and sludges in roadway paving structures. In: Bell JM, ed. Proceedings of the 39th Industrial Waste Conference. May 1984. Purdue University. Chelsea, MI: Lewis Publishers, Inc, 361-368.
- *Baranski B, Palus J, Rogaczewska T, et al. 1992. Correlation between polycyclic aromatic hydrocarbons concentration and airborne particle mutagenicity in the rubber factory. Pol J Occup Med Environ Health 5(4):357-362.
- Barbee GC, Brown KW, Thomas JC, et al. 1996. Mutagenic activity (Ames test) of wood-preserving waste sludge applied to soil. Bull Environ Contam Toxicol 57:54-62.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. Regul Toxicol Pharmacol 8:471-486.
- Barnhill RL, Wiles JC. 1989. Malignant melanoma associated with multiple therapies for psoriasis. J Am Acad Dermatol 21(1):148-50.
- *Bartosek I, Guaitani A, Modica R. 1984. Comparative kinetics of oral benz(a)anthracene, chrysene and triphenylene in rats: Study with hydrocarbon mixtures. Toxicol Lett 23:333-339.
- *BATF. 1999. List of denaturants authorized for denatured spirits. Bureau of Alcohol, Tobacco and Firearms, Treasury. 27 CFR 21.151.
- Baumann PC. 1998. Epizootics of cancer in fish associated with genotoxins in sediment and water. Mutat Res 411:227-233.
- *Becker G, Colmsjo A, Ostman C. 1999. Determination of thiaarenes and polycyclic aromatic hydrocarbons in workplace air of an aluminum reduction plant. Environ Sci Technol 33(9):1321-1327.
- *Bedient PB, Rodgers AC, Bouvette TC, et al. 1984. Groundwater quality at a creosote waste site. Groundwater 22:318-329.
- *Bender MA, Leonard RC, White O Jr, et al. 1988. Chromosomal aberrations and sister-chromatid exchanges in lymphocytes from coke oven workers. Mutat Res 206:11-16.

9. REFERENCES

- *Bennett JL, Updegraff DM, Pereira WE, et al. 1985. Isolation and identification of four species of quinoline-degrading pseudomonads from a creosote-contaminated site at Pensacola, Florida. *Microbios Letters* 29:147-154.
- *Berger GS. 1994. Epidemiology of endometriosis. In: Berger GS, ed. *Endometriosis: Advanced management and surgical techniques*. New York, NY: Springer-Verlag.
- Bermejo J, Fernandez AL, Prada V, et al. 1999. Monitoring the synthesis of new pitches from coal tar and its fractions by chromatography and related techniques. *J Chromatogr* 849:507-519.
- Berth-Jones J. 1994. Prescribing in psoriasis. *Practitioner* 238:231-234.
- *Bertrand JP, Chau N, Patris A, et al. 1987. Mortality due to respiratory cancers in the coke oven plants of the Lorraine coal mining industry (Houillères du Bassin de Lorraine). *Br J Ind Med* 44:559-565.
- *Bestari KTJ, Robinson RD, Solomon KR, et al. 1998. Distribution and composition of polycyclic aromatic hydrocarbons within experimental microcosms treated with creosote-impregnated Douglas fir pilings. *Environ Toxicol Chem* 17(12):2369-2377.
- *Bhate SM, Sharpe GR, Marks JM, et al. 1993. Prevalence of skin and other cancers in patients with psoriasis. *Clin Exp Dermatol* 18:401-404.
- *Bickers DR, Kappas A. 1978. Human skin aryl hydrocarbon hydroxylase induction by coal tar. *J Clin Invest* 62:1061-1068.
- *Bieniek G. 1997. Urinary naphthols as an indicator of exposure to naphthalene. *Scand J Work Environ Health* 23:414-420.
- *Birdwood GT. 1938. Keratitis from working with creosote. *J Brit Med* 2:18.
- *Black JJ. 1982. Movement and identification of a creosote-derived PAH complex below a river pollution point source. *Arch Environ Contam Toxicol* 11:161-166.
- *Blair A, Linos A, Stewart PA, et al. 1993. Evaluation of risks for non-Hodgkin's lymphoma by occupational and industry exposure from a case-control study. *Am J Ind Med* 23(2):301-312.
- *Blanco CG, Canga JS, Dominguez A, et al. 1992. Flame ionization detection relative response factors of some polycyclic aromatic compounds: Determination of the main components of the coal tar pitch volatile fraction. *J Chromatography* 607:295-302.
- Boffetta P, Cardis E, Vainio H, et al. 1991. Cancer risks related to electricity production. International Agency for Research on Cancer (IARC). *Eur J Cancer* 27(11):1504-1519.
- *Bolt HM, Golka K. 1993. Cases of lung cancer and tar-related skin changes in an aluminum reduction plant (letter). *Med Lav* 84(2):178-181.
- *Bonser GM, Manch MD. 1932. Tumors of the skin produced by blast-furnace tar. *Lancet April* 9,1932:775-776.
- *Bordelon NR, Donnelly KC, King LC, et al. 2000. Bioavailability of the Genotoxic Components in Coal Tar Contaminated Soils in Fischer 344 Rats. *Toxicol Sci* 56:37-48.

9. REFERENCES

- *Borden RC. 1986. Influence of adsorption and oxygen limited biodegradation on the transport and fate of a creosote plume: Field methods and simulation techniques [abstract]. Diss Abstracts Int 47:204.
- *Borthwick PW, Patrick JM. 1982. Use of aquatic toxicology and quantitative chemistry to estimate environmental deactivation of marine-grade creosote in seawater. Environ Toxicol Chem 1:281-288.
- *Bos RP, Jongeneelen FJ. 1988. Nonselective and selective methods for biological monitoring of exposure to coal-tar products. IARC Scientific Publications 89:389-395.
- *Bos RP, Hulshof CTJ, Theuws JLG. 1983. Mutagenicity of creosote in the Salmonella/microsome assay. Mutat Res 119:21-25.
- *Bos RP, Hulshof CTJ, Theuws JLG. 1984a. Genotoxic exposure of workers creosoting wood. Br J Ind Med 41:260-262.
- *Bos RP, Jongeneelen FJ, Theuws JLG. 1985. Detection of volatile mutagens in creosote and coal-tar. Mutat Res 156:195-198.
- *Bos RP, Jongeneelen FJ, Theuws JLG, et al. 1984c. Exposure to mutagenic aromatic hydrocarbons of workers creosoting wood. IARC Sci Publ, ISS59, 1984, 279-288.
- *Bos RP, Prinsen WJC, van Rooy JGM. 1987. Fluoranthene, a volatile mutagenic compound, present in creosote and coal-tar. Mutat Res 187:119-125.
- *Bos RP, Theuws JL, Leijdekkers Ch. M. 1984b. The presence of the mutagenic polycyclic aromatic hydrocarbons benzo[a]pyrene and benz[a]anthracene in creosote P₁. Mutat Res 130:153-158.
- Botello AV, Villanueva S, Diaz G. 1997. Petroleum pollution in the Gulf of Mexico and Caribbean Sea. Rev Environ Contam Toxicol 153:91-118.
- *Boutwell RK, Bosch DK. 1958. The carcinogenicity of creosote oil: Its role in the induction of skin tumors in mice. Cancer Res 18:1171-1175.
- *Bowman CE, Muhleman MF, Walters E. 1984. A fatal case of creosote poisoning. Postgrad Med J 60:499-500.
- *Bowman ED, Rothman N, Hackl C, et al. 1997. Interindividual variation in the levels of certain urinary polycyclic aromatic hydrocarbon metabolites following medicinal exposure to coal tar ointment. Biomarkers 2:321-327.
- Brender J, Suarez L, Hendricks K, et al. 1994. Health risks among residents living at the former site of a creosote wood treatment facility. Am J Epidemiol 139:S50.
- *Brooks LR, Hughes TJ, Claxton LD, et al. 1998. Bioassay-directed fractionation and chemical identification of mutagens in bioremediated soils. Environ Health Perspect Suppl 106(6):1435-1440.
- Burak W, Sroczynski J. 1992. [Assessment of the immune system in people employed at the production of carbon derivatives]. Med Pr 43(4):315-320. (Polish).
- *Burden AD, Muston H, Beck MH. 1994. Intolerance and contact allergy to tar and dithranol in psoriasis. Contact Dermatitis 31(3):185-186.

9. REFERENCES

- Bureau of the Census. 1984a. U.S. imports for consumption and general imports 1984. Washington, DC: Government Printing Office, 1-327.
- Bureau of the Census. 1984b. U.S. exports, schedule E. Washington, DC: Government Printing Office, 2-66.
- *Burgaz S, Erdem O, Karahalil B, et al. 1998. Cytogenetic biomonitoring of workers exposed to bitumen fumes. *Mutat Res* 419(1-1):123-130.
- Butala JH. 1990. Creosote council II. Written communication. Public comment on Toxicological profile for creosote. Pittsburgh, PA, Feb 16.
- *Cabot S, Shear N, Shear MJ. 1940. Studies in carcinogenesis. XI. Development of skin tumors in mice painted with 34-benzpyrene and creosote oil fractions. *Am J Pathol* 16:301-312.
- *Calabrese EJ. 1978. Pollutants and high-risk groups. The biological basis of increased human susceptibility to environmental and occupational pollutants. New York: John Wiley and Sons, 24, 79-80, 187, 193.
- Callen M, Maranon E, Mastral A, et al. 1998. Ecotoxicological assessment of ashes and particulate matter from fluidized bed combustion of coal. *Ecotoxicol Environ Saf* 41:59-61.
- *Camel V, Tambut A, Caude M. 1993. Analytical scale supercritical fluid extraction: A promising technique for the determination of pollutants in environmental matrices. *J Chromatogr* 642:263-281.
- *Cammer P. 1982. Current trends follow-up on pentachlorophenol in log homes. Morbidity and Mortality Weekly Report Transfer file. MMWR 31(13):170-171.
<http://www.cdc.gov/epo/mmwr/preview/mmwrhtml/00000238.htm>
- Casey P, Vale JA. 1994. Deaths from pesticide poisoning in England and Wales: 1945-1989. *Human Exp Toxicol* 13(2):95-101.
- CELDs. 1993. Computer-aided Environmental Legislative Database. Urbana, IL: University of Illinois at Urbana.
- *CEOH. 1997. Case-control study of lung cancer in coal-tar exposed workers. Consultants in Epidemiology and Occupational Health. FYI-OTS-0998-0385. OTS0000385-1.
- *Cernikova M, Dubsky H, Horacek J. 1983. Detection of acridine in human urine after topical coal-tar treatment. *J Chromatog* 273:202-206.
- *Chadwick RW, George SE, Kohan MJ, et al. 1995. Potentiation of 2,6-dinitrotoluene genotoxicity in Fischer 344 rats by pretreatment with coal tar creosote. *J Toxicol Environ Health* 44(3):319-336.
- *Chang F, Wang L, Zhao Q, et al. 1992. Investigation on the carcinogenic effects of coal tar pitch in rat respiratory tract by intratracheal instillations. *Carcinogenesis* 13(2):233-239.
- *Chang LH. 1943. The fecal excretion of polycyclic hydrocarbons following their administration to the rat. *J Biol Chem* 151:93-99.

9. REFERENCES

- Chasey KL, McKee RH. 1993. Evaluation of the dermal carcinogenicity of lubricant base oils by the mouse skin painting bioassay and other proposed methods. *J Appl Toxicol* 13(1):57-65.
- Cheng Y, Liu L, Huang J. 1994. [Coal tar pitch and membrane lipid peroxidation]. *Gongye Weisheng Yu Zhiyebing* 20(2):72-76. (Chinese).
- Cheng Y, Yu S, Huang J, et al. 1995. [Etiological study of rat lung cancer induced by coal tar pitch]. *Zhonghua Laodong Weiheng Zhiyebing Zazhi* 13(3):131-134. (Chinese).
- Chong JP, Haines AT, Verma DK. 1989. A pragmatic approach to standard setting--the example of coal tar products and asphalt. *Ann Occup Hyg* 33(2):197-208.
- *Clark F, Reed R. 1992. Chaparral-induced toxic hepatitis--California and Texas. *Morbidity and Mortality Weekly Report Transfer file, MMWR* 41(43):812-814.
- Claxton LD, Creason J, Lerouz B, et al. 1992. Results of the IPCS collaborative study on complex mixtures. *Mutat Res* 276:23-32.
- *Clayton GD, Clayton FE. 1981. *Patty's industrial hygiene and toxicology*. Vol. 2A, 3rd ed. New York: John Wiley Sons, 2603.
- *Clewel HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- *Clonfero E, Jongeneelen F, Zordan M, et al. 1990. Biological monitoring of human exposure to coal tar. Urinary mutagenicity assays and analytical determination of polycyclic aromatic hydrocarbon metabolites in urine. Institute of Occupational Health, University of Padua, Italy. *IARC Sci Publ* (104):215-222.
- *Clonfero E, Zordan M, Venier P, et al. 1989. Biological monitoring of human exposure to coal tar. Urinary excretion of total polycyclic hydrocarbons, 1-hydroxypyrene and mutagens in psoriatic patients. Institute of Occupational Health, University of Padua, Italy. *Int Arch Environ Health* 61:363-368.
- Cohn BNE. 1932. Absorption of compound solution of iodine from the gastro-intestinal tract. *Arch Intern Med* 49:950-956.
- *Colborn T, Clement C, eds. 1992. *Chemically-induced alterations in sexual and functional development: The wildlife-human connection*. In: *Advances in modern environmental toxicology*, Vol. XXI. Princeton, NJ: Princeton Scientific Publishing.
- Cole P, Green LC, Lash TL. 1999. Lifestyle determinants of cancer among Danish Mastic asphalt workers. *Regul Toxicol Pharmacol* 30:1-8.
- Cooke M, Dennis AJ, Fisher GL, eds. 1982. *Polynuclear aromatic hydrocarbons: Physical and biological chemistry*. New York, NY: Springer-Verlag.
- *Cookson HA. 1924. Epithelioma of the skin after prolonged exposure to creosote. *Br Med J* 68:368.
- Cordier S, Poisson M, Gerin M, et al. 1988. Gliomas and exposure to wood preservatives. *Br J Ind Med* 45:705-709

9. REFERENCES

- *Costantino JP, Redmond CK, Bearden A. 1995. Occupationally related cancer risk among coke oven workers: 30 years of follow-up. *J Occup Environ Med* 37(5):597-604.
- Crawford DW, Bonnevie NL, Wenning RJ. 1995. Sources of pollution and sediment contamination in Newark Bay, New Jersey. *Ecotoxicol Environ Saf* 30:85-100.
- *Cribb PH. 1968. Creosote poisoning in cattle (letter). *Vet Rec* 82:555.
- *Culp SJ, Beland FA. 1994. Comparison of DNA adduct formation in mice fed coal tar or benzo[a]pyrene. *Carcinogenesis* 15(2):247-252.
- *Culp SJ, Gaylor DW, Sheldon WG, et al. 1996a. DNA adduct measurements in relation to small intestine and forestomach tumor incidence during the chronic feeding of coal tar or benzo(A)pyrene to mice. *Polycyclic Aromat Compd* 11:161-168.
- *Culp SJ, Gaylor DW, Sheldon WG, et al. 1996b. Relationship between DNA adduct levels and tumor incidence in mice fed coal tar or benzo[a]pyrene for two years [Abstract]. *Proc Am Assoc Cancer Res* 37:101.
- *Culp SJ, Gaylor DW, Sheldon WG, et al. 1998. A comparison of the tumors induced by coal tar and benzo[a]pyrene in a 2-year bioassay. *Carcinogenesis* 19(1):117-124.
- Culp SJ, Kaderlik PA, Beland FA. 1992. Comparison of DNA adduct formation in mice fed benzo(a)pyrene and coal tar. *Proc Am Assoc Cancer Res* 33:147.
- Culp SJ, Warbritton AR, Norton DR, et al. 1993. Cell proliferation in mice fed coal tar or benzo(a)pyrene. *Proc Am Assoc Cancer Res* 34:159.
- *Culp SJ, Warbritton AR, Smith BA, et al. 2000. DNA adduct measurements, cell proliferation and tumor mutation induction in relation to tumor formation in B6C3F1 mice fed coal tar or benzo[a]pyrene. *Carcinogenesis* 21(7):1433-1440.
- *Cusano F, Capozzi M, Errico G. 1992. Allergic contact dermatitis from coal tar. *Contact Dermatitis* 27(1):51-52.
- *Dahl AR, Coslett DS, Bond JA. 1985. Metabolism of benzo[a]pyrene on the nasal mucosa of Syrian hamsters: Comparison to metabolism by other extrahepatic tissues and possible role of nasally produced metabolites in carcinogenesis. *J Natl Cancer Inst* 75:135-139.
- *Dao TL. 1964. Carcinogenesis of mammary gland in rats. *Prog Exp Tumor Res* 5:157-216.
- *Dao TL, Sunderland H. 1959. Mammary carcinogenesis by 3-methylcholanthrene. I. Hormonal aspects in tumor induction and growth. *J Natl Cancer Inst* 23:567-585.
- Davies GM. 1977. A mortality study of coke oven workers in two South Wales integrated steelworks. *Br J Int Med* 34:291-297.
- *Davis JW, Libke KG. 1968. Hematologic studies in pigs fed clay pigeon targets. *JAVMA* 152:382-384.

9. REFERENCES

- *Davis MW, Glaser JA, Evans JW, et al. 1993. Field evaluation of the lignin-degrading fungus Phanerochaete Sordida to treat creosote-contaminated soil. *Environ Sci Technol* 27:2572-2576.
- *Dean AG, Imrey HH, Dusich K. 1988. Adjusting morbidity ratios in two communities using risk factor prevalence in cases. *Am J Epidemiol* 127:654-662.
- *Dean BS, Lopez G, Kreyelok EP. 1992. Environmentally induced methemoglobinemia in an infant. *J. Toxicol: Clin Toxicol* 30:(1)127-133.
- *Deelman HT. 1962. Induction and other problems of tar cancer. *Laboratory of Morbid Anatomy*, University of Amsterdam, Holland, 69-73.
- *DeLeon IR, Ferrairo JB, Byrne CJ. 1988. Bioaccumulation of polynuclear aromatic hydrocarbons by the clam, Rangia Cuneata, in the vicinity of a creosote spill. *Bull Environ Contam Toxicol* 41:872-879.
- *De Meo MP, Dumenil G, Botta AH et al. 1987. Urine mutagenicity of steel workers exposed to coke oven emissions. *Carcinogenesis* 8(3):363-367.
- Dickman M, Brindle I, Benson M. 1992. Evidence of teratogens in sediments of the Niagara River watershed as reflected by chironomid (Diptera: Chironomidae) deformities. *J Great Lakes Res* 18(3):467-480.
- *Diette KM, Gange RW, Stern RS, et al. 1983. Coal tar phototoxicity: Kinetics and exposure parameters. *J Invest Derm* 81:347-350.
- DOE. 1981. Epidermal carcinogenicity of some crude fossil fuels in mice: A preliminary report. In: Mahlum DD, Gray RH, Felix WD, ed. *Coal conversion and the environment: Chemical, biomedical, and ecological considerations: Proceedings of the 20th annual Hanford Life Sciences Symposium at Richland, Washington, October 19-23, 1980*. DOE Symposium Series 54. Oakridge, TN: U.S. Department of Energy, 471-481.
- Donnelly KC, Huebner HJ. 1996. Bioassay-based risk assessment of complex mixtures. In: Hoddinott KB, ed. *Superfund risk assessment in soil contamination studies*. Conshohocken, PA: ASTM STP, 132-145.
- *Donnelly KC, Brown KW, Markiewicz KV, et al. 1993. The use of short-term bioassays to evaluate the health and environmental risk posed by an abandoned coal gasification site. *Haz Waste Haz Mater* 10(1):59-70.
- *Donnelly KC, Phillips TD, Onufrock AM, et al. 1996. Genotoxicity of model and complex mixtures of polycyclic aromatic hydrocarbons. In: Bengtson DA, Henshel DS, eds. *Environmental toxicology and risk assessment: Biomarkers and risk assessment*. ASTM STP. Conshohocken, PA: ASTM, 138-148.
- *DOT. 1985. *Chemical hazard response information system (CHRIS) hazard assessment handbook*. Washington, DC: Department of Transportation, U.S. Coast Guard.
- Druzhinin VG et al. 2000. Cytogenic disorders in workers of coal-tar chemical industry. *Medistina Truda i Promyschlennaya Ekologiya* 10:22-23.
- *Dunn BP, Stich HF. 1976. Monitoring procedures for chemical carcinogens in coastal waters. *J Fish Res Board Canada* 33:2040-2046.

9. REFERENCES

*Dusich K, Sigurdson E, Hall WN, et al. 1980. Cancer rates in a community exposed to low levels of creosote components in municipal water. Minnesota Med 803-806.

Dutton CB, Pigeon MJ, Renzi PM, et al. 1993. Lung function in workers refining phosphorus rock to obtain elementary phosphorus. J Occup Med 35(10):1028-1033.

*Ehrlich GG, Godsy EM, Goerlitz DF, et al. 1983. Microbial ecology of a creosote-contaminated aquifer at St. Louis Park, MN. Developments in industrial microbiology, Proc 39th Gen Meet Soc Ind Microbiol 24:235-245.

*Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. Environ Sci Technol 15(1):30-38.

*Eisler R. 1987. Polycyclic aromatic hydrocarbon hazards to fish, wildlife, and invertebrates: A synoptic review. Washington, DC: U.S. Fish and Wildlife Service, U.S. Department of the Interior. Biological Report 85, Contaminant Hazard Review Report No. 11.

*Elder JF, Dresler PV. 1988. Accumulation and bioconcentration of polycyclic aromatic hydrocarbons in a nearshore estuarine environment near a Pensacola (Florida) creosote contamination site. Environ Pollut 49:117-132.

Ellenhorn MJ, Barceloux DG, eds. 1988. Phenol. In: Medical toxicology: diagnosis and treatment of human poisoning. New York, NY: Elsevier, 951-952.

*Ellenhorn MJ, ed. 1997. Medical toxicology: Diagnosis and treatment of human poisoning. 2nd ed. New York, NY: Elsevier Publishing.

*Elovaara E, Heikkilä P, Pyy L, et al. 1995. Significance of dermal and respiratory uptake in creosote workers: exposure to polycyclic aromatic hydrocarbons and urinary excretion of 1-hydroxypyrene. Occup Environ Med 52(3):196-203.

*Emmett EA. 1986. Cutaneous and ocular hazards of roofers. Occupational Medicine: State of the Art Reviews. 1(2):307-322.

*Emmett EA, Bingham EM, Barkley W. 1981. A carcinogenic bioassay of certain roofing materials. Am J Ind Med 2:59-64.

EPA. 1971. Standards of performance for new stationary sources. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.

*EPA. 1975. Case study no. 20: Creosote. Production, distribution and environmental impact potential of selected pesticides. Washington, DC: U.S. Environmental Protection Agency. EPA-540/1-74-001.

*EPA. 1978a. Coal-tar, creosote, coal-tar neutral oil: Position document 1. Washington, DC: U.S. Environmental Protection Agency, Special Pesticide Review Division. EPA/SPRD-80/82.

*EPA. 1978b. Investigation of selected potential environmental contaminants: Asphalt and coal tar pitch. Final Report. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA-560/2-77-005.

9. REFERENCES

*EPA. 1980. Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.

*EPA. 1981a. Wood preservative pesticides. Creosote, pentachlorophenol and the inorganic arsenicals (wood uses). Position Document 2/3. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Programs. EPA-540/9-82-004.

*EPA. 1981b. Creosote, pentachlorophenol, and the inorganic arsenicals: Preliminary notice of determination concluding the rebuttable presumption against registration of the wood-preservative uses of pesticide products. Fed Reg 46:13020-13036.

EPA. 1981c. Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.

*EPA. 1984a. Coal tar, creosote, and coal tar neutral oil: Non-wood preservative uses. U.S. Environmental Protection Agency. EPA/540/09-87/110.

EPA. 1984b. Wood preservative pesticides: Creosote, pentachlorophenol and the inorganic arsenicals. Position document 4. U.S. Washington, DC: Environmental Protection Agency, Office of Pesticide Programs. EPA-540/9/84-003.

EPA. 1985. Designation, reportable quantities, and notification. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.

EPA. 1986a. Land disposal restrictions. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.

*EPA. 1986b. Creosote, pentachlorophenols, and inorganic arsenicals: Amendment of notice of intent to cancel registrations. U.S. Environmental Protection Agency. Fed Reg 51:1334-1348.

*EPA. 1986d. Emissions test report air toxics sampling at Wyckoff, Inc., Bainbridge Island, Washington. U.S. Environmental Protection Agency, Seattle, WA. EPA-910/9-86-149.

*EPA. 1986c. Methods 8100 and 8310. Polynuclear aromatic hydrocarbons. In: Test methods for evaluating solid waste. Volume IB: Laboratory manual physical/chemical methods. 3rd ed. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response. SW-846.

EPA. 1987a. Health effects assessment for creosote. Cincinnati, OH. U.S. Environmental Protection Agency. EPA/600/8-88/025.

*EPA. 1987b. U.S. production of manufactures gases: Assessment of past disposal practices. Research Triangle Park, NC: Research Triangle Institute prepared for U.S. Environmental Protection Agency. Hazardous Waste Engineering Research Laboratory. EPA/600/2-88/012.

*EPA. 1988a. Evaluation of the potential carcinogenicity of creosote (8001-58-9), final report. Syracuse Research Corp., NY: U.S. Environmental Protection Agency. EPA/600/8-91/096.

*EPA. 1988b. Toxic chemical release reporting: Community right-to-know. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.

9. REFERENCES

EPA. 1988c. Land disposal restrictions. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.

EPA. 1988d. Guidance for the reregistration of pesticide products containing coal tar/creosote as the active ingredient. U.S. Environmental Protection Agency. NTIS PB88-225255. EPA/540/RS-88/066.

EPA. 1989. Designation, reportable quantities, and notification. U.S. Environmental Protection Agency. 54 FR 33418.

EPA. 1990a. Interim methods for development of inhalation reference concentrations. U.S. Environmental Protection Agency. EPA/600/8-90-066A.

EPA. 1990b. National oil and hazardous substances pollution contingency plan. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 300.

*EPA. 1990c. Land disposal restrictions for third scheduled wastes. U.S. Environmental Protection Agency. Fed Reg 55(106):22520-22720.

EPA. 1992. Drinking water regulations and health advisories. U.S. Environmental Protection Agency, Office of Water. April, 1992.

*EPA. 1993. Guidance for assessing chemical contaminant data for use in fish advisories. Washington, DC: U.S. Environmental Protection Agency, Office of Water, Office of Science and Technology. EPA-823-R-93-002.

*EPA. 1995. National listing of state fish and shellfish consumption advisories. Washington DC: U. S. Environmental Protection Agency, Office of Science and Technology. EPA 823-C-95-001.

*EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA/630/R-96/012.

*EPA. 1999a. Chemicals and chemical categories to which this part applies. U.S. Environmental Protection Agency. 40 CFR 372.65.

*EPA. 1999b. Designation of hazardous substances. U.S. Environmental Protection Agency. 40 CFR 302.4.

EPA. 1999c. Discarded commercial chemical products, off-specification species, container residues, and spill residues thereof. U.S. Environmental Protection Agency. 40 CFR 261.33.

*EPA. 1999d. Special monitoring for sodium. U.S. Environmental Protection Agency. 40 CFR 141.42.

*EPA. 2001a. Compounds with Henry's law constant less than 0.1 Y/X. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 265, Appendix VI.
<http://ecfrback.access.gpo.gov/otcgi/cfr...4&RGN=BAPPCT&SUBSET=SUBSET&FROM=1&ITEM=1>. September 17, 2001

*EPA. 2001b. Designation of hazardous substances. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4. <http://frwebgate.access.gpo.gov/cgi-bin/...&PART=21&SECTION=151&YEAR=2001&TYPE=TEXT>. September 17, 2001.

9. REFERENCES

- *EPA. 2001c. Identification and listing of hazardous waste. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33. <http://frwebgate.access.gpo.gov/cgi-bin/...&PART=261&SECTION=33&YEAR=2-1&TYPE=TEXT>. Accessed September 17, 2001.
- *EPA. 2001d. Toxic chemical release report; Community right-to-know. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65. <http://ecfr.access.gpo.gov/otcgi/cfr/otf...4&RGN=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1>. September 17, 2001.
- *Ericson G, Liewenborg B, Naf C, et al. 1998. DNA adducts in perch, *Perca fluviatilis*, from a creosote contaminated site and in perch exposed to an organic solvent extract of creosote contaminated sediment. Mar Environ Res 46:341-344.
- *Ericson G, Liewenborg B, Lindesjoo E, et al. 1999. DNA adducts in perch (*Perca fluviatilis*) from a creosote contaminated site in the River Angermanalven, Sweden. Aquat Toxicol 45:181-193.
- *Evan AP, Gardner KD. 1979. Nephron obstruction in nordihydroguaiaretic acid-induced renal cystic disease. Kidney Int 15:7-19.
- Fader DJ, Metzman MS. 1994. Hazards of smoking during therapy for psoriasis. N Engl J Med 330(21):1541.
- Farant J-P, Gariepy M. 1998. Relationship between benzo[a]pyrene and individual polycyclic aromatic hydrocarbons in a Söderberg primary aluminum smelter. Am Ind Hyg Assoc J 59:758-765.
- *FDA. 1999a. Active ingredients for the control of dandruff, seborrheic dermatitis, or psoriasis. U.S. Food and Drug Administration. 21 CFR 358.710.
- *FDA. 1999b. Drug products containing certain active ingredients offered over-the-counter (OTC) for certain uses. U.S. Food and Drug Administration. 21 CFR 310.545.
- *FDA. 1999c. Drugs; Recommended warning and caution statements. U.S. Food and Drug Administration. 21 CFR 369.20.
- *FDA. 1999d. Synthetic flavoring substances and adjuvants. U.S. Food and Drug Administration. 21 CFR 172.515.
- *FDA. 2001a. Active ingredients for the control of dandruff, seborrheic dermatitis, or psoriasis. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 358.710. <http://frwebgate.access.gpo.gov/cgi-bin/...PART=358&SECTION=710&YEAR=2001&TYPE=TEXT>. September 17, 2001.
- *FDA. 2001b. Drug products containing certain active ingredients offered over-the-counter (OTC) for certain uses. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 310.545. <http://frwebgate.access.gpo.gov/cgi-bin/...SECTION=545&YEAR=2001&YEAR=2001&TYPE=TEXT>. September 17, 2001.
- *FDA. 2001c. Drugs; Recommended warning and caution statements. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 369.20. <http://frwebgate.access.gpo.gov/cgi-bin/...&PART=369&SECTION=20&YEAR=2001&TYPE=TEXT>. September 17, 2001.

9. REFERENCES

- *FDA. 2001d. Synthetic flavoring substances and adjuvants. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 172.515. <http://frwebgate.access.gpo.gov/cgi-bin/...PART=172&SECTION=515&YEAR=2001&TYPE=TEXT>. September 17, 2001.
- Federman DG, Froelich CW, Kirsner RS. 1999. Topical psoriasis therapy. *Am Fam Physician* 59(4):957-962.
- FEDRIP. 1996. Summary of federal research. Federal Research in Progress (FEDRIP) data base, 1996.
- *FEDRIP. 2000. Summary of federal research. Federal Research in Progress (FEDRIP) data base, 2000.
- *Fellows EJ. 1937. Studies on calcium creosotate: III. The elimination of volatile phenols in rabbit urine after the administration of "calcium creosotate solution" and after creosote solution. *J Pharmacol Exp Ther* 60:183-188.
- *Fellows EJ. 1939a. Studies on calcium creosotate. IV. Observations on its use in pulmonary tuberculosis. *Am J Med Sci* 197:683-690.
- *Fellows EJ. 1939b. Calcium creosotate: V. Nature of phenols eliminated in urine. *Proc Society Exp Biol Med* 42:103-107.
- *Fielden MR, Wu Z-F, Sinal CJ, et al. 2000. Estrogen receptor- and aryl hydrocarbon receptor-mediated activities of a coal-tar creosote. *Environ Toxicol Chem* 19(5):1262-1271.
- Finkelstein MM. 1989. Mortality among employees of an Ontario factory that manufactured construction materials using chrysotile asbestos and coal tar pitch. Health Studies Service, Ontario Ministry of Labour, Toronto. *Canada Am J Ind Med* 16(3):281-287.
- *Fisher REW. 1953. Occupational skin cancer in a group of tar workers. *Arch Ind Hyg Occup Med* 7:12-18.
- Flodin U, Fredriksson M, Persson B. 1987. Multiple myeloma and engine exhausts, fresh wood, and creosote: a case-referent study. *Am J Ind Med* 12:519-529.
- *Flyvbjerg J, Arvin E, Jensen BK, et al. 1993. Microbial degradation of phenols and aromatic hydrocarbons in creosote-contaminated groundwater under nitrate-reducing conditions. *J Contam Hydrol* 12:133-150.
- *Fomon SJ. 1966. Body composition of the infant: Part I: The male "reference infant". In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 239-246.
- *Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 35:1169-1175.
- *Franssen ME, van der Wilt GJ, de Jong PC, et al. 1999. A retrospective study of the teratogenicity of dermatological coal tar products. *Acta Derm Venereol (Stockh)* 79(5):390-391.
- Fraumeni JF Jr, ed. 1975. Persons at high risk of cancer. An approach to cancer etiology and control. New York, NY: Academic Press, Inc., 172, 187-189.

9. REFERENCES

- FSTRAC. 1988. Summary of state and federal drinking water standards and guidelines. Chemical Communication Subcommittee, Federal-State Toxicology and Regulatory Alliance Committee (FSTRAC) data base, Washington, DC.
- *Gabbani G, Pavanello S, Nardini B, et al. 1999. Influence of metabolic genotype GSTM1 on levels of urinary mutagens in patients treated topically with coal tar. *Mutat Res* 440:27-33.
- Gagne F, Trottier S, Blaise C, et al. 1995. Genotoxicity of sediment extracts obtained in the vicinity of a creosote-treated wharf to rainbow trout hepatocytes. *Toxicol Lett* 78:175-182.
- *Galceran MT, Curto MJ, Puignou L, et al. 1994. Determination of acridine derived compounds in charcoal-grilled meat and creosote oils by liquid chromatographic and gas chromatographic analysis. *Anal Chim Acta* 295:307-313.
- Gardosová D, Kalina I, Hejj F, et al. 1994. [Mutagenic Activity of urine of psoriatic patients with pharmaceutical black coal tar]. *Cas Lek Cesk* 133(15):463-466. (Slovak).
- Gardosova D, Mezencevova V, Kalina I, et al. 1997a. [Mutagenic effects of coal tar used in the treatment of psoriasis]. *Bratisl Lek Listy* 98(3):146-149. (Russian).
- Gaylor DW, Moolgavkar S, Krewski D, et al. 1998. Recent bioassay results on coal tars and benzo(a)pyrene: Implications for risk assessment. *Regul Toxicol Pharmacol* 28:178-179.
- *Gaylor DW, Culp SJ, Goldstein LS, et al. 2000. Cancer risk estimation for mixtures of coal tars and benzo(a)pyrene. *Risk Anal* 20(1):81-85.
- *Geddie JE, Amin S, Huie K, et al. 1987. Formation and tumorigenicity of benzo[b]fluoranthene metabolites in mouse epidermis. *Carcinogenesis* 8:1579-1584.
- *Genevois C, Brandt HCA, Bartsch H, et al. 1996. Formation of DNA adducts in skin, lung and lymphocytes after skim painting of rats with undiluted bitumen of coal-tar fume condensates. *Polycyclic Aromat Compd* 8:75-92.
- *Genevois C, Pfohl-Leszkowicz A, Boillot K, et al. 1998. Implication of cytochrome P-450 1A isoforms and the AH receptor in the genotoxicity of coal-tar fume condensate and bitumen fume condensates. *Environ Toxicol Pharmacol* 5:283-294.
- *Gevao B, Jones KC. 1998. Kinetics and potential significance of polycyclic aromatic hydrocarbon desorption from creosote-treated wood. *Environ Sci Technol* 32:640-646.
- Ghoshal S, Weber WJ, Rummel AM, et al. 1999. Epigenetic toxicity of a mixture of polycyclic aromatic hydrocarbons on gap junctional intercellular communication before and after biodegradation. *Environ Sci Technol* 33:1044-1050.
- *Gibbs GW. 1985. Mortality of aluminum reduction plant workers, 1950 through 1977. *J Occup Med* 27:761-770.
- *Gibbs GW, Horowitz I. 1979. Lung cancer mortality in aluminum reduction plant workers. *J Occup Med* 21(5):347-353.
- *Giffee JW. 1945. Clay pigeon poisoning in swine. *Vet Med* 40:97.

9. REFERENCES

- *Gile JD, Collins JC, Gillett JW. 1982. Fate and impact of wood preservatives in a terrestrial microcosm. *J Agric Food Chem* 30:295-301.
- *Gilmour JW, Vestey JP, Norval M. 1993. The effect of UV therapy on immune function in patients with psoriasis. *Br J Dermatol* 129(1):28-38.
- *Giwerzman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect Suppl* 101(2):65-71.
- *Godschalk RWL, Ostertag JU, Moonen EJC, et al. 1998. Aromatic DNA adducts in human white blood cells and skin after dermal application of coal tar. *Cancer Epidemiol Biomarkers Prev* 7:767-773.
- *Godschalk RWL, Ostertag JU, Zandsteeg AMG, et al. 2001. Impact of GSTM1 on aromatic-DNA adducts and P53 accumulation in human skin and lymphocytes. *Pharmacogenetics* 11:537-543.
- *Goerlitz DF, Troutman DE, Godsy EM, et al. 1985. Migration of wood-preserving chemicals in contaminated groundwater in a sand aquifer at Pensacola, Florida. *Environ Sci Technol* 19:955-961.
- Goldman WJ. 1995. Carcinogenicity of coal-tar shampoo. *Lancet* 345:326.
- Goldstein LS, Safe S, Weyand EH. 1994. Carcinogenicity of coal tars: A multidisciplinary approach. *Polycyclic Aromat Compd* 7:161-174.
- *Goldstein LS, Weyland EH, Safe S, et al. 1998. Tumors and DNA adducts in mice exposed to benzo[a]pyrene and coal tars: Implications for risk assessment. *Environ Health Perspect Suppl* 106(6):1325-1330.
- *Goodman T, Grice HC, Becking GC, et al. 1970. A cystic nephropathy induced by nordihydroguaiaretic acid in the rat: Light and electron microscopic investigations. *Lab Invest* 23(1):93-107.
- *Goon D, Hatoum NS, Klan MJ, et al. 1991. Oral bioavailability of *aged* soil-adsorbed benzo[a]pyrene (BaP) in rats. *Toxicologist* 11:1356.
- *Gordon DW, Rosenthal G, Hart J, et al. 1995. Chaparral ingestion: The broadening spectrum of liver injury caused by herbal medications. *JAMA* 273(6):489-490.
- Goto S, Endo O, Matsushita H. 1992. Results of a comparative study on the salmonella pre-incubation and plate incorporation assays using test samples for the IPCS collaborative study. *Mutat Res* 276:93-100.
- *Goulden CB, Stallard HB. 1933. A case of tar epithelioma of the lid margins with pathological report. *Proc Roy Soc Med* 26:1477-1478.
- Gowri MS, Reaven GM, Azhar S. 1999. Effect of masticoprocaol on glucose transport and lipolysis by isolated rat adipocytes. *Metabolism* 48(4):411-414.
- *Graham R, Hester HR, Henderson JA. 1940. Coal-tar pitch poisoning in pigs. *J Am Vet Med Assoc* 96:135-140.

9. REFERENCES

- *Granella M, Clonfero E. 1992. Sensitivity of different bacterial assays in detecting mutagens in urine of humans exposed to polycyclic aromatic hydrocarbons. *Mutat Res* 268:131-137.
- Green Associates. 1982. Residential wood combustion study, Task 5, Emissions testing of wood stoves, Vol 1 and 2. EPA-910/9-82-089G.
- *Greenwood-Van Meerveld B, Tyler K, Kuge T, et al. 1999. Anti-diarrhoeal effects of seirogan in the rat small intestine and colon examined *in vitro*. *Aliment Pharmacol Ther* 13:97-102.
- *Grimmer G, Jacob J, Dettbarn G, et al. 1997. Determination of urinary metabolites of polycyclic aromatic hydrocarbons (PAH) for the risk assessment of PAH-exposed workers. *Int Arch Occup Environ Health* 69:231-239.
- *Grosjean D. 1991. Atmospheric fate of toxic aromatic compounds. *Sci Total Environ* 100:367-414.
- Gruner S, Zwirner A, Strunk D, et al. 1992. The influence of topical dermatological treatment modalities on epidermal Langerhans cells and contact sensitization in mice. *Contact Derm* 26(4):241-247.
- *Guillen MD, Iglesias MJ, Dominguez A, et al. 1992. Polynuclear aromatic hydrocarbon retention indices on SE-54 stationary phase of the volatile components of a coal tar pitch: Relationships between chromatographic retention and thermal reactivity. *J Chromatog* 591:287-295.
- *Gunster DG, Bonnevie NL, Gillis CA, et al. 1993. Assessment of chemical loadings to Newark Bay, New Jersey from petroleum and hazardous chemical accidents occurring from 1986 to 1991.
- *Guzelian PS, Henry CJ, Olin SS, eds. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.
- *Hackett PL, Rommereim DN, Sikov MR. 1984. Developmental toxicity following oral administration of a high-boiling coal liquid to pregnant rats. *J Appl Toxicol* 4(1):57-62.
- Haddad LM. 1990. Phenol and related agents. In: Haddad LM and Winchester JF, eds. Clinical management of poisoning and drug overdose, 2nd edition. Philadelphia, PA: W.B. Saunders Company, 1290-1291.
- *Haddad LM, Shannon MW, Winchester JF, eds. 1998. Clinical management of poisoning and drug overdose, 2nd edition. Philadelphia, PA: W.B. Saunders Company, 1126,956-958.
- *Haldin-Davis H. 1935. Multiple warts in a creosote worker. *Proc Royal Soc Med* 29:89-90.
- *Hale RC, Aneiro KM. 1997. Determinatio of coal tar and creosote in the aquatic environment. *J Chromatogr* 774:79-95.
- Haller JS Jr. 1990. Creosote: short history of its medicinal uses. University of Colorado, Boulder. *Conn Med* 54(9):502-507.
- *Hanlon G. 1938. Creosote poisoning of cattle. *Aust Vet J* 14:73.
- *Hansen AM, Poulsen OM, Menne T. 1993. Longitudinal study of excretion of metabolites of polycyclic aromatic hydrocarbons in urine from two psoriatic patients. *Acta Derm Venereol* 73(3):188-190.

9. REFERENCES

- *Harris C, Vahakangas K, Newman MJ, et al. 1985. Detection of benzo[a]pyrene diol epoxide-DNA adducts in peripheral blood lymphocytes and antibodies to the adducts in serum from coke oven workers. *Proc Natl Acad Sci USA* 82:6672-6676.
- *Harrison DL. 1959. The toxicity of wood preservatives to stock. Part 2: Coal tar creosote. *New Zealand Vet J* 7:89-98.
- *Hathaway GJ, Proctor NH, Hughes. 1991. Proctor and Hughes' chemical hazards of the workplace. New York, NY: Van Nostrand Reinhold, 14-15.
- *Haugen A, Becher G, Benestad C, et al. 1986. Determination of polycyclic aromatic hydrocarbons in the urine, benzo[a]pyrene diol epoxide-DNA adducts in lymphocyte DNA, and antibodies to the adducts in sera from coke oven workers exposed to measure amounts of polycyclic aromatic hydrocarbons in the work atmosphere. *Cancer Res* 46:4178-4183.
- *Hawley GG. 1977. The condensed chemical dictionary. New York, NY: Van Nostrand Reinhold Company.
- *Hawley GG. 1981. The condensed chemical dictionary. 10th ed. New York, NY: Van Nostrand Reinhold Company.
- Hawley GG. 1987. The condensed chemical dictionary. 11th ed. New York, NY: Van Nostrand Reinhold Company.
- HazDat. 1996. Agency for Toxic Substances and Disease Registry (ATSDR), database, Atlanta, GA.
- HazDat. 2000. Agency for Toxic Substances and Disease Registry (ATSDR), database, Atlanta, GA.
- HazDat. 2001. Agency for Toxic Substances and Disease Registry (ATSDR), database, Atlanta, GA.
- *HazDat. 2002. Agency for Toxic Substances and Disease Registry (ATSDR), database, Atlanta, GA.
- *Hecht SS, Grabowski W, Groth K. 1979. Analysis of feces for benzo[a]pyrene after consumption of charcoal-broiled beef by rats and humans. *Food Cosmet Toxicol* 17:223-227.
- *Heikkilä P, Luotamo M, Pyy L, et al. 1995. Urinary 1-naphthol and 1-pyrenol as indicators of exposure to coal tar products. *Int Arch Occup Environ Health* 67(3):211-217.
- *Heikkilä PR, Hameila M, Pyy L, et al. 1987. Exposure to creosote in the impregnation and handling of impregnated wood. *Scand J Work Environ Health* 13:431-437.
- *Heikkilä PR, Luotamo M, Riihimaki V. 1997. Urinary 1-naphthalol excretion in the assessment of exposure to creosote in a impregnation facility. *Scand J Work Environ Health* 23:199-205.
- Heineman EF, Olsen JH, Pottern LM, et al. 1992. Occupational risk factors for multiple myeloma among Danish men. *Cancer Causes Control* 3:555-568.
- Heinrich U. 1994. On the carcinogenicity of soot and carbon black. *Proc Am Assoc Cancer Res* 35:162.
- *Heinrich U, Dungworth DL, Pott F, et al. 1994b. The carcinogenic effects of carbon black particles and tar-pitch condensation aerosol after inhalation exposure of rats. *Ann Occup Hyg* 38(Suppl. 1):351-356.

9. REFERENCES

- *Heinrich U, Pott F, Roller M. 1994a. Estimation of a lifetime unit lung cancer risk for benzo(a)pyrene (BAP) based on tumor rates in rats exposed to coal tar/pitch condensation aerosol (CTP). *Zentral Hyg Umwelt* 195:155-156.
- Heinrich U, Roller M, Pott F. 1994c. Estimation of a lifetime unit lung cancer risk for benzo(a)pyrene based on tumour rates in rats exposed to coal tar/pitch condensation aerosol. *Toxicol Lett* 72(1-3):155-161.
- *Hekmat M, Latawiec A, Smith R. 1994. Determination of coal tar pitch volatile materials on air sampling filters: Comparison of gravimetric and spectroscopic methods. *J Am Ind Hyg Assoc* 55(10):942-945.
- *Helmrich SP, Shapiro S, Rosenberg L, et al. 1983. Risk factors for breast cancer. *Am J Epidemiol* 117:35-45.
- Henderson HM, Eskin NAM, Pinsky C, et al. 1992. Pyridine and other coal tar constituents as inhibitors of potato polyphenol oxidase: A non-animal model for neurochemical studies. *Life Sci* 51:207-210.
- *Henningsson B. 1983. Environmental protection and health risks in connection with the use of creosote. *Holz als Roh- und Werkstoff* 41:471-475.
- *Henry SA. 1946. Cancer of the scrotum in relation to occupation. London: Humphrey Milford Oxford University Press, 8-105.
- *Henry SA. 1947. Occupational cutaneous cancer attributable to certain chemicals in industry. *Br Med Bull* 4:389-401.
- *Hernandez C, Strassman-Sundy S. 1980. Pentachlorophenol in log homes-Kentucky. *MMWR* 29(36):431-433.
- *Herod AA, Kandiyoti R. 1995. Fractionation by planar chromatography of a coal tar pitch for characterization by size exclusion chromatography, UV fluorescence and direct probe mass spectrometry. *J Chromatogr* 708:143-160.
- *Heron S, Yarnell E. 2001. The safety of low-dose Larrea tridentata (DC) Coville (creosote bush or chaparral): a retrospective clinical study. *J Altern Complement Med* 7(2):175-185.
- Heudorf U, Angerer J. 1999. Urinary levels of 1-hydroxypyrene, 1,2,3, and 4-hydroxyphenanthrene in children living in residences with high PAH-contents of adhesive used for parquet floors - additional information. *Umweltmed Forsch Prax* 4(2):97-100.
- Heudorf U, Angerer J. 2000. Humanbiomonitoring auf PAK-Metaboliten im Urin von Kindern aus Wohnungen mit PAK-haltigem Parkettkleber. *Umweltmed Forsch Prax* 5(4):218-226.
- *Hickok EA, Erdmann JB, Simonett MJ, et al. 1982. Groundwater contamination with creosote wastes. In: Johnson WK, Martenson DR, eds. National Conference on Environmental Engineering. Minneapolis, Minnesota: American Society of Civil Engineers, 430-437.
- Hochman H. 1970. Tailoring a wood treatment for the marine environment. *Proceedings of the Am Wood Preserv Assoc* 66:38-42.

9. REFERENCES

- *Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.
- Holme JA, Refsnes M, Dybing E. 1999. [Possible carcinogenic risk associated with the production and use of creosote-treated wood]. *Tidsskr Nor Laegeforen* 119(18):2664-2666. (Norwegian).
- *Hopkins RP, Brooks CJW, Young L. 1962. Biochemical studies of toxic agents. 13. The metabolism of acenaphthylene. *Biochem J* 82:457-466.
- Horton AW, Tye R, Stemmer KL. 1963. Experimental carcinogenesis of the lung, inhalation of gaseous formaldehyde or an aerosol of coal tar by C3H mice. *J Nat'l Cancer Inst* 30(1):31-43.
- Hours M, Fevotte J, Dananche B, et al. 1992. Lung cancer and occupational risk: Results of case-control study conducted in Lyon (France) 1984-1990. *Rev Epidemiol Sante Publique* 40(Suppl. 1):S90.
- HSDB. 1996. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *HSDB. 2000. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *Hueper WC, Payne WW. 1960. Carcinogenic studies on petroleum asphalt, cooling oil, and coal tar. *Arch Pathol* 70:106-118.
- *Hughes NC, Pfau W, Hewer A, et al. 1993. Covalent binding of polycyclic aromatic hydrocarbon components of coal tar to DNA in mouse skin. *Carcinogenesis* 14(1):135-144.
- Hughes TJ, Claxton LD, Brooks L, et al. 1998a. Genotoxicity of bioremediated soils from the Reilly tar site, St. Louis Park, Minnesota. *Environ Health Perspect Suppl* 106(6):1427-1433.
- Hughes TJ, Warren S, Matthews FK, et al. 1998b. Genotoxicity of bioremediated soils from two superfund sites. *Environ Mol Mutagen Suppl* 31(29):67.
- *Huntley SL, Bonnevie NL, Wenning RJ. 1995. Polycyclic aromatic hydrocarbon and petroleum hydrocarbon contamination in sediment from the Newark Bay Estuary, New Jersey. *Arch Environ Contam Toxicol* 28:93-107.
- *Huntley SL, Bonnevie NL, Wenning RJ, et al. 1993. Distribution of polycyclic aromatic hydrocarbons (PAHs) in three northern New Jersey waterways. *Bull Environ Contam Toxicol* 51:865-872.
- Hyötyläinen T, Oikari A. 1999a. Assessment of the bioactivity of creosote-contaminated sediment by liver biotransformation system of rainbow trout. *Ecotoxicol Environ Saf* 44:253-258.
- *Hyötyläinen T, Oikari A. 1999b. Assessment of toxicity hazards of dredged lake sediment contaminated by creosote. *Sci Total Environ* 243/244:97-105.
- Hyötyläinen T, Oikari A. 1999c. The toxicity and concentrations of PAHs in creosote-contaminated lake sediment. *Chemosphere* 38(5):1135-1144.

9. REFERENCES

- *IARC. 1973. Monographs on the evaluation of carcinogenic risk of chemicals to man. Certain polycyclic aromatic hydrocarbons and heterocyclic compounds. Vol. 3, Lyon, France: World Health Organization, International Agency for Research on Cancer, 22-42.
- *IARC. 1985. Monographs on the evaluation of the carcinogenic risk of chemicals to humans. Polynuclear aromatic compounds, part 4, bitumens, coal-tars and derived products, shale oils and soots. Vol. 35, Lyon, France: World Health Organization, International Agency for Research on Cancer, 104-140.
- *IARC. 1987. IARC monographs on the evaluation of carcinogenic risk to humans. International Agency for Research on Cancer, World Health Organization. Supplement 7, Vols 1 to 47.
- *IARC. 2000. Coal-tars (group 1); Creosotes (group 2a). International Agency for Research on Cancer. <http://193.51.164.11/htdocs/monographs/Suppl7/CoalTars.html>.
- *IARC. 2001. IARC monographs programme on the evaluation of carcinogenic risks to humans. Creosotes. Coal-tars. International Agency for Research on Cancer. <http://monographs.iarc.fr/>. September 17, 2001.
- *Ibbotson SH, Stenton SC, Simpson NB. 1995. Acute severe bronchoconstriction precipitation by coal tar bandages. *Clin Exp Dermatol* 20(1):58-59.
- Ikeshoji T. 1975. Chemical analysis of wood creosote for species-specific attraction of mosquito oviposition. *Appl Ent Zool* 10(4):302-308.
- *Ingram LL Jr, McGinnis GD, Gjovik LR, et al. 1982. Migration of creosote and its components from treated piling sections in a marine environment. *Proc Am Wood Preserv Assoc* 78:120-128.
- *IRIS. 1995. Integrated Risk Information System (IRIS), online. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH. June 1995.
- *IRIS. 2000. Creosote. Integrated Risk Information System. U.S. Environmental Protection Agency. <http://www.epa.gov/iris/subst/0360.htm>.
- *IRIS. 2001. Creosote. Integrated Risk Information System. U.S. Environmental Protection Agency. <http://www.epa.gov/iris/subst/0360.htm>. September 17, 2001.
- *IRIS. 2002. Creosote. Integrated Risk Information System. U.S. Environmental Protection Agency. <http://www.epa.gov/iris/subst/0360.htm>. June 6, 2002.
- *Iyer PR, Irvin TR, Martin JE. 1993. Developmental effects of petroleum creosote on mice following oral exposure. *Res Commun Chem Pathol Pharmacol* 82(3):371-374.
- Iyer P, Martin JE, Irvin TR. 1992. *In vitro* embryotoxicity of petroleum creosote monitored via mouse preimplantation embryo culture. *J Toxicol Environ Health* 37:231-245.
- Jackson EM. 1995. Strong evidence supports coal tar shampoo safety despite European controversy. *Cosmet Dermatol* 8(6):29-32.

9. REFERENCES

- *Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. *Brain Res* 190:3-16.
- *Johnston N, Sadler R, Shaw GR, et al. 1993. Environmental modification of PAH composition in coal tar containing samples. *Chemosphere* 27(7):1151-1158.
- *Jonas AD. 1943. Creosote burns. *J Ind Hyg Toxicol* 25:418-420.
- *Jones SK, Mackie RM, Hole DJ, et al. 1985. Further evidence of the safety of tar in the management of psoriasis. *Br J Dermatol* 113:97-101.
- *Jongeneelen FJ. 1992. Biological exposure limit for occupational exposure to coal tar pitch volatiles at coke ovens. *Int Arch Occup Environ Health* 63(8):511-516.
- *Jongeneelen FJ, Anzion RB, Leijdekkers Ch. M. 1988. 1-Hydroxypyrene in human urine as a biological indicator of exposure to polycyclic aromatic hydrocarbons in several work environments. *Ann Occup Hyg* 32:34-43.
- *Jongeneelen FJ, Anzion RBM, Scheepers PTJ, et al. 1985. 1-Hydroxypyrene in human urine after exposure to coal tar and a coal tar derived product. *Int Arch Occup Environ Health* 57:47-55.
- *Jongeneelen FJ, Bos RP, Anzion, RB, et al. 1986. Biological monitoring of polycyclic aromatic hydrocarbons; metabolites in urine. *Scand J Work Environ Health* 12:137-143.
- Kanzler MH, Gorsulowsky DC. 1993. Efficacy of topical 5% liquor carbonis detergens vs. its emollient base in the treatment of psoriasis. *Br J Dermatol* 129(3):310-314.
- *Karlebagen S, Andersen A, Ohlson CG. 1992. Cancer incidence among creosote-exposed workers. *Scand J Work Environ Health* 18(1):26-29.
- Karrow NA, Boermans HJ, Dixon DG, et al. 1999. Characterizing the immunotoxicity of creosote to rainbow trout (*Oncorhynchus mykiss*): a microcosm study. *Aquat Toxicol* 45:223-239.
- *Kasai K. 1908. The effect of creosote on the intestine. *Chem Abstract* 2:2583.
- *Katz M, Saibil F. 1990. Herbal hepatitis: Subacute hepatic necrosis secondary to chaparral leaf. *J Clin Gastroenterol* 12(2):203-206.
- *Kerr MA, Nasca PC, Mundt KA, et al. 2000. Parental occupational exposures and risk of neuroblastoma: a case-control study (United States). *Cancer Causes Control* 11(7):635-643.
- *Kesik K, Janik-Spiechowicz E. 1997. Comparison of the mutagenicity of chemical agents released during coke production. *Int J Occup Med Environ Health* 10(3):267-272.
- *King MWG, Barker JF. 1999. Migration and natural fate of a coal tar creosote plume: 1. Overview and plume development. *J Contam Hydrol* 39:249-279.
- *King MWG, Barker JF, Devlin JF, et al. 1999. Migration and natural fate of a coal tar creosote plume: 2. Mass balance and biodegradation indicators. *J Contam Hydrol* 39:281-307.

9. REFERENCES

- *Kligman AM, Kligman LH. 1994. Carcinogens show comedogenic activity: A potential animal screen for tumorigenic substances. *Cancer Letters* 87(2):171-178.
- *Klingner TD, McCorkle T. 1994. The application and significance of wipe samples. *AIHA Journal Short Communications* 251-254.
- *Kobayashi K, Akitake H, Manabe M. 1979. Relation between toxicity and accumulation of various chlorophenols in goldfish. *Bull Japan Soc Sci Fish* 45(2):173-175.
- Kocan RM, Matta MB, Salazar SM. 1996. Toxicity of weathered coal tar for chortnose sturgeon (*Acipenser brevirostrum*) embryos and larvae. *Arch Environ Contam Toxicol* 31:161-165.
- *Kock ND, Kock MD, Young KB. 1994. Hepatopathy in two black rhinoceroses (*diceros bicornis*) in Zimbabwe: Creosote toxicosis? *J Zoo Wild Med* 25(2):270-273.
- *Koganti A, Singh R, Ma B, et al. 2001. Comparative Analysis of PAH:DNA Adducts Formed in Lung of Mice Exposed to Neat Coal Tar and Soils Contaminated with Coal Tar. *Environ Sci Technol* 35:2704-2709.
- *Koganti A, Singh R, Rozett K, et al. 2000. 7H-benzo[c]fluorene: a major DNA adduct-forming component of coal tar. *Carcinogenesis* 21(8):1601-1609.
- Koganti A, Spina DA, Ma B-L, et al. 1999. Comparative analysis of chemical: DNA adduct formation in mouse lung following the ingestion of neat MGP tar and soils contaminated with MGP tar. *Toxicologist* 38:52.
- *Koganti A, Spina DA, Rozett K, et al. 1998. Studies on the applicability of biomarkers in estimating the systemic bioavailability of polynuclear aromatic hydrocarbons from manufactured gas plant tar-contaminated soils. *Environ Sci Technol* 32:3104-3112.
- *Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. *Biochemistry* 29:4430-4433.
- Kongerud J, Gronnesby JK, Magnus P. 1990. Respiratory symptoms and lung function of aluminum potroom workers. *Scan J Work Environ Health* 16:270-277.
- Krewski D, Leroux BG, Creason J, et al. 1992. Sources of variation in the mutagenic potency of complex chemical mixtures based on the salmonella/microsome assay. *Mutat Res* 276:33-59.
- *Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. *Principles and methods of toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.
- *Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures: Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.
- *Kromhout H, Heederik D, Dalderup LM, et al. 1992. Performance of two general job-exposure matrices in a study of lung cancer morbidity in the zutphen cohort. *Am J Epidemiol* 136(6):698-711.

9. REFERENCES

- *Kuehl DW, Ankley GT, Burkhard LP, et al. 1990. Bioassay directed characterization of the acute aquatic toxicity of a creosote leachate.
- *Kuge T, Shibata T, Willet MS, et al. 2001. Lack of oncogenicity of wood creosote, the principal active ingredient of seirogan, an herbal antidiarrheal medication, in sprague-dawley rats. *Int J Toxicol* 20:297-305.
- Kumar B, Kumar R, Kaur I. 1997. Coal tar therapy in palmoplantar psoriasis: old wine in an old bottle? *Int J Dermatol* 36:309-312.
- *Kunze E, Chang-Claude J, Frentzel-Beyme R. 1992. Life style and occupational risk factors for bladder cancer in Germany. *Cancer* 69:1776-1790.
- Landrigan PJ. 1993. Health risks of creosotes. *JAMA* 269(10):1309.
- Larrey D. 1997. Hepatotoxicity of herbal remedies. *J Hepatol* 26(Suppl. 1):47-51.
- *Leach CW, Weinert JJ. 1976. A report to the Environmental Task Group, sub-group no. 5 (creosote) of the American Wood Preservers Institute.
- Leadon SA. 1993. Production of oxidative DNA damage and DNA adducts during the metabolic activation of polycyclic aromatic hydrocarbons. *Environ Mol Mutagen* 21(Suppl. 22):38.
- *Leadon SA, Sumerel J, Minton TA, et al. 1995. Coal tar residues produce both DNA adducts and oxidative DNA damage in human mammary epithelial cells. *Carcinogenesis* 16(12):3021-3026.
- Lebwohl M, Matinez J, Weber P, et al. 1995. Effects of topical preparations on the erthemogenicity of UVB: Implications for psoriasis phototherapy. *J Am Acad Dermatol* 32:469-471.
- *Lee LS, Suresh P, Rao C, et al. 1992. Equilibrium partitioning of polycyclic aromatic hydrocarbons from coal tar into water. *Environ Sci Technol* 26:2110-2115.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatr Clin North Am* 44(1):55-77.
- Lei ZM. 1993. [The relationship between concentrations of B(a)P in blood, urine and immune function of coking workers]. *Chin J Prev Med* 27(4):212-214. (Japanese).
- *Lenson N. 1956. Multiple cutaneous carcinoma after creosote exposure. *N Engl J Med* 254:520-522.
- *Leonforte JF. 1986. Contact dermatitis from Larrea (creosote bush). *J Am Acad Dermatol* 14:202-207.
- Letzel S, Drexler H, Lehnert G. 1992. [Tar-induced preccancerous stages and malignant tumors of the skin in tar refinery workers]. *Derm Beruf Umwelt* 40(3):94-101. (German).
- *Leung H-W. 1993. Physiologically-based pharmacokinetic modeling. In: Ballentine B, Marro T, Turner P, eds. General and applied toxicology. Vol. 1. New York, NY: Stockton Press, 153-164.
- *Lewin L. 1929. *Gifte und Vergifungen*. Stilke, Berlin.

9. REFERENCES

- Lewtas J, Claxton LD, Rosenkranz HS, et al. 1992. Design and implementation of a collaborative study of the mutagenicity of complex mixtures in *Salmonella typhimurium*. *Mutat Res* 276:3-9.
- Lewtas J, Dobias L, Binkova B, et al. 1994. Exposure-dosimetry of PAH in humans using DNA adducts as the biomarker of dose and personal exposure monitors for PAH. *Proc Am Assoc Cancer Res* 35:95.
- Lewtas J, Dooley K, Von Tungeln L, et al. 1993. Comparative tumorigenicity of complex environmental mixtures in the newborn mouse and mouse skim tumor assays. *Proc Am Assoc Cancer Res* 34:117.
- *Lewtas J, Walsh D, Williams R, et al. 1997. Air pollution exposure-DNA adduct dosimetry in humans and rodents: evidence for non-linearity at high doses. *Mutat Res* 378:51-63.
- Li EE, Culp SJ, Beland FA. 1994. Tumor mutational spectrum in relation to DNA adduct profile in forestomachs of mice fed coal tar or benzo[a]pyrene. *Proc Am Assoc Cancer Res* 35:148.
- *Li X-Y, Astrom A, Duell EA, et al. 1995. Retinoic acid antagonizes basal as well as coal tar and glucocorticoid-induced cytochrome P4501A1 expression in human skin. *Carcinogenesis* 16(3):519-524.
- Li X, Wang J, Wei L, et al. 1997. The experimental study on the induction of malignant lymphoma by coal tar pitch in mice. *Proc Am Assoc Cancer Res* 38:466-467.
- *Liao W, Smith WD, Chiang TC. 1988. Rapid, low-cost cleanup procedure for determination of semivolatile organic compounds in human bovine adipose tissues. *J Assoc Off Anal Chem* 71:742-747.
- *Lijinsky W, Domsky I, Mason G, et al. 1963. The chromatographic determination of trace amounts of polynuclear hydrocarbons in petrolatum, mineral oil, and coal-tar. *Anal Chem* 35:952-956.
- *Lijinsky W, Saffiotti U, Shubik P. 1957. A study of the chemical constitution and carcinogenic action of creosote oil. *J Natl Cancer Inst* 18:687-692.
- Lin AN, Moses K. 1985. Tar revisited. *Int J Dermatol* 24:216-218.
- *Lindelof B, Sigurgeirsson B. 1993. PUVA and cancer: A case-control study. *Br J Dermatol* 129(1):39-41
- *Linder G, Bergman HL, Meyer JS. 1985. Anthracene bioconcentration in rainbow trout during single-compound and complex-mixture exposures. *Environ Toxicol Chem* 4:549-558.
- Lindhardt B, Christensen TH. 1996. Volatilisation of aromatic hydrocarbons from soil: Part II, fluxes from coal tar contaminated soils residing below the soil surface. *Water Air Soil Pollut* 92:375-389.
- *Liu N, Wang Z, Dong D, et al. 1997. Cancer mortality among carbon workers in China: Retrospective cohort study. *J Occup Health* 39(4):325-330.
- *Livingston, AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4:301-324.
- Lloyd JBF. 1975. Nitrogen heterocycle and polynuclear hydrocarbon fluorescence and adsorption effects in the presence of silica gel: Applications in high-pressure liquid and microcolumn chromatography. *Analyst* 100:529-539.

9. REFERENCES

- *Lloyd JW. 1971. Long-term mortality study of steelworkers V. Respiratory cancer in coke plant workers. *J Occup Med* 13(2):53-68.
- *Lloyd JW, Lundin FE Jr, Redmond CK, et al. 1970. Long-term mortality study of steelworkers IV. Mortality by work area. *J Occup Med* 12(5):151-157
- Loi A, Mariotti F, Turini L, et al. 1997. Oncogenic risk in a chemical plant: A methodological approach and preliminary results. *J Environ Pathol Toxicol Oncol* 16:125-132.
- *Lorenz LF, Gjovik LR. 1972. Analyzing creosote by gas chromatography: Relationship to creosote specifications. *Proc Am Wood Preserv Assoc* 68:32-42.
- *Luke D. 1954. Liver dystrophy associated with coal tar pitch poisoning in the pig. *Vet Rec* 66(43):643-645.
- *Luukkanen L, Elovaara E, Lautala P, et al. 1997. Characterization of 1-hydroxypyrene as a novel marker substrate of 3-methylcholanthrene-inducible phenol UDP-glucuronosyltransferase(s). *Pharmacol Toxicol* 80:152-158.
- *MacEwen JD, Hall A III, Scheel LD. 1977. Experimental oncogenesis in rats and mice exposed to coal tar aerosols Proceedings of the annual conference on environmental toxicology. Aerospace Medical Research Lab, Wright-Patterson AFB, OH. AMRL-TR-76-125
- *Machado ML, Beatty PW, Fetzer JC, et al. 1993. Evaluation of the relationship between PAH content and mutagenic activity of fumes from roofing and paving asphalts and coal tar pitch. *Fundam Appl Toxicol* 21:492-499.
- *Mackenzie S. 1898. Yellow pigmentary stains of hemorrhagic origin and a case of tar eruption. *Brit J Dermatol* 10:416-417.
- *Madhavan ND, Naidu KA. 1995. Polycyclic aromatic hydrocarbons in placenta, maternal blood, umbilical cord blood and milk of Indian women. *Hum Exp Toxicol* 14:503-506.
- *Madsen EL, Bilotta-Best S, Sandoli RL, et al. 1993. Final electron acceptor limitations and sorption may explain the persistence of polycyclic aromatic hydrocarbons in coal-tar contaminated surface sediments. *Abstr Gen Meet Am Soc Microbiol* 93:407.
- *Madsen EL, Mann CL, Bilotta SE. 1996. Oxygen limitations and aging as explanations for the field persistence of naphthalene in coal tar-contaminated surface sediments. *Environ Toxicol Chem* 15(11):1876-1882.
- *Mahlum DD. 1983. Initiation/promotion studies with coal-derived liquids. *J Appl Toxicol* 3(1):31-34.
- Maier M, Maier D, Lloyd BJ. 2000. Factors influencing the mobilization of polycyclic aromatic hydrocarbons (PAHS) from the coal-tar lining of water mains. *Water Res* 34(3):733-786.
- *Malkin R, Kiefer M, Tolos W. 1996. 1-hydroxypyrene levels in coal-handling workers at a coke oven. *J Occup Environ Med* 38(11):1141-1144.
- *Markel HL, Ligo RN, Lucas JB. 1977. Health hazard evaluation/toxicity determination report 75-117-372. North Little Rock, Arkansas: Koppers Company, Inc.

9. REFERENCES

- Marston CP, Baird WM. 1997. Polycyclic aromatic hydrocarbon (PAH)-DNA binding in the epidermis of mice treated with complex PAH mixtures. *Proc Am Assoc Cancer Res* 38:338.
- *Marston CP, Pereira C, Ferguson J, et al. 2001. Effect of a complex environmental mixture from coal tar containing polycyclic aromatic hydrocarbons (PAH) on the tumor initiation, PAH-DNA binding and metabolic activation of carcinogenic PAH in mouse epidermis. *Carcinogenesis* 22(7):1077-1086.
- *Martin J-C, Imbernon E, Goldberg M, et al. 2000. Occupational risk factors for lung cancer in the French electricity and gas industry: A case-control survey nested in a cohort of active employees. *Am J Epidemiol* 151(9):902-912.
- Marvin CH, Lundrigan JA, McCarry BE, et al. 1995. Determination and genotoxicity of high molecular mass polycyclic aromatic hydrocarbons isolated from coal-tar-contaminated sediment. *Environ Toxicol Chem* 14(12):2059-2066.
- Marvin CH, McCarry BE, Villella J, et al. 2000. Chemical and biological profiles of sediments as indicators of sources of contamination in Hamilton Harbour. Part II: Bioassay-directed fractionation using the Ames Salmonella/microsome assay. *Chemosphere* 41:989-999.
- *Maughan WZ, Muller SA, Perry HO. 1980. Incidence of skin cancers in patients with atopic dermatitis treated with coal-tar: A 25-year follow-up study. *J Am Acad Dermatol* 3:612-615.
- May WE, Benner BA, Wise SA, et al. 1992. Standard reference materials for chemical and biological studies of complex environmental samples. *Mutat Res* 276:11-22.
- *Mayr U, Butsch A, Schneider S. 1992. Validation of two in vitro test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* 74:135-149.
- *Mayura K, Huebner HJ, Dwyer MR, et al. 1999. Multi-bioassay approach for assessing the potency of complex mixtures of polycyclic aromatic hydrocarbons. *Chemosphere* 38(8):1721-1732.
- *Mazumdar S, Redmond C, Sollecito W, et al. 1975. An epidemiological study of exposure to coal tar pitch volatiles among coke oven workers. *J Air Pollut Control Assoc* 25(4):382-289.
- McGarry GW, Robertson JR. 1989. Scrotal carcinoma following prolonged use of crude coal tar ointment. *Br J Urol* 63(2):211.
- *McKinlay R. 1933. The creosote treatment of lobar pneumonia. *J Royal Army Med Corps* 61:54-55.
- *Menter A, Cram DL. 1983. The Goeckerman regimen in two psoriasis day care centers. *J Am Acad Dermatol* 9(1):59-65.
- *Merck. 1989. The Merck index: An encyclopedia of chemicals and drugs. 11th ed. Budavari S. ed. Rahway, NJ: Merck and Co., Inc.
- *Merck. 1996. The Merck index: An encyclopedia of chemicals and drugs. 11th ed. Budavari S. ed. Rahway, NJ: Merck and Co., Inc. 435-437.
- *Meylan WM, Howard PH. 1993. Computer estimation of the atmospheric gas-phase reaction rate of organic compounds with hydroxyl radicals and ozone. *Chemosphere* 26(12):2293-2299.

9. REFERENCES

- *Meylan WM, Howard PH. 1995. Atom/fragment contribution method for estimating octanol-water partition coefficients. *J Pharmaceut Sci* 84(1):83-92.
- *Middleton AC. 1984. Land disposal and spill site environments. *Basic Life Sci* 28:137-149.
- *Mielzynska D, Snit M. 1992. Urine mutagenicity in workers directly employed in coke production. *Pol J Occup Med Environ Health* 5(4):363-371.
- *Minnesota Department of Health. 1985. Feasibility of community-wide epidemiologic studies of drinking water and health: St. Louis Park and New Brighton: Final Report to the Minnesota Legislature.
- *Mitchell AD, Tajiri DT. 1978. *In vitro* mammalian mutagenicity assays of creosote P₁ and P₂. SRI International. Unpublished report for EPA. 68-01-2458.
- *Miyazato T, Matsumoto M, Uenishi C. 1981. Studies on the toxicity of beechwood creosote. I. Acute and subacute toxicity in mice and rats. *Oyo Yakuri Pharmacometrics* 21:899-919.
- *Miyazato T, Suzuki A, Nohno M. 1984a. Studies on the toxicity of beechwood creosote. 2. Chronic toxicity and carcinogenicity in mice. *Oyo Yakuri Pharmacometrics* 28:909-924.
- *Miyazato T, Suzuki A, Uenishi C. 1984b. Studies on the toxicity of beechwood creosote. 3. Chronic toxicity and carcinogenicity in rats. *Oyo Yakuri Pharmacometrics* 28:925-947.
- *Modica R, Fiume M, Guaitani A. 1983. Comparative kinetics of benz(a)anthracene, chrysene, and triphenylene in rats after oral administration. I. Study with single compounds. *Toxicol Lett* 18:103-109.
- *Mohammed SA, Sorensen DL, Sims DC, et al. 1998. Pentachlorophenol and phenanthrene biodegradation in creosote contaminated aquifer material. *Chemosphere* 37(1):103-111.
- Morse MA, Baird WM, Carlson GP. 1987. Distribution, covalent binding, and DNA adduct formation of 7,12-dimethylbenz(a)anthracene in SENCAR and BALB/c mice following topical and oral administration. *Cancer Res* 47:4571-4575.
- *Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. *Clin Pharmacokin* 5:485-527.
- *Mueller JG, Chapman PJ, Pritchard PH. 1989. Creosote-contaminated sites: Their potential for bioremediation. *Environ Sci Technol* 23(10):1197-1201.
- *Mueller JG, Middaugh DP, Lantz SE, et al. 1991. Biodegradation of creosote and pentachlorophenol in contaminated groundwater: Chemical and biological assessment. *Appl Environ Microbiol* 57(5):1277-1285.
- Muller C, Hausen BM. 1994. Contact allergy to a synthetic tannin in Tannosynt(r) liquid. *Contact Derm* 31:185-186.
- *NAS/NRC. 1989. Biologic markers in reproductive toxicology. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press, 15-35.

9. REFERENCES

- NATICH. 1992. National Air Toxics Information Clearing House (NATICH) Data Base Report of Federal, State, and Local Air Toxic Activities. Research Triangle Park, NC. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. EPA-453\R-92-008.
- Negri E, Franzoi MG, La Vecchia C, et al. 1993. Tar yield of cigarettes and risk of acute myocardial infarction. Br Med J 306:1567-1570.
- Nenoff P, Richter B, Will W, et al. 1997. [Longitudinal study of the excretion of 1-hydroxypyrene in urine after external treatment with coal tar]. Hautarzt 48(4):240-245. (German).
- Nersessian AK, Arutyunyan RM. 1994. The comparative clastogenic activity of mainstream tobacco smoke from cigarettes widely consumed in Armenia. Mutat Res 321(1-2):89-92.
- *Nestler FHM. 1974a. Characterization of wood-preserving coal-tar creosote by gas-liquid chromatography. Anal Chem 46:46-53.
- Nestler FHM. 1974b. The characterization of wood-preserving creosote by physical and chemical methods of analysis. U.S. Forest Service Research Paper, FPL.
- Neuman WR. 1988. Hazard review. Creosote. Health Information for Hazardous Materials Emergencies 4:1-3.
- *Newman MJ, Light BA, Weston A, et al. 1988. Detection and characterization of human serum antibodies to polycyclic aromatic diol-epoxide DNA adducts. J Clin Invest 82:145-153.
- Nicolas J-M, Vandermeulen JH. 1997. Estrogenic effect of coal-tar contamination on an estuarian population of male winter flounder (*Pleuronectes americanus*). Can Tech Rep Fish Aquat Sci 2192:10.
- *Niemeier RW, Thayer PS, Menzies KT, et al. 1988. A comparison of skin carcinogenicity of condensed roofing asphalt and coal tar pitch fumes. In: Polynuclear Aromatic hydrocarbons: A decade of progress, 609-647.
- *Nightingale SL. 1993. Instructional videos on food safety in nursing homes. JAMA 269(3):328.
- *NIOSH. 1977. Criteria for recommended standard. Occupational exposure to coal-tar products. Cincinnati, OH. SRI International for U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. NIOSH-78-107.
- NIOSH. 1979. Industrial hygiene report, preliminary survey of wood preservative treatment facility at Koppers Company, Inc, Forest Products Group, Florence, South Carolina. Cincinnati, OH. National Institute for Occupational Safety and Health, Division of Surveillance, Hazard Evaluations and Field Studies. NTIS PB86-136652.
- *NIOSH. 1980a. Health hazard evaluation determination report No. HE-79-43-663, Harbison- Walker refractories, Clearfield, Pennsylvania. Cincinnati, OH. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.
- *NIOSH. 1980b. Industrial hygiene report comprehensive survey of wood preservative treatment facility at Santa Fe Centralized Tie Plant, Somerville, Texas. Cincinnati, OH. National Institute for Occupational Safety and Health, Division of Surveillance, Hazard Evaluations and Field Studies. NTIS PB83-133892.

9. REFERENCES

- *NIOSH. 1981a. Health Hazard Evaluation: New York Port Authority, Brooklyn, New York. Cincinnati, OH. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. HHE 80-238-931.
- *NIOSH. 1981b. Industrial hygiene report, comprehensive survey of wood preservative treatment facility at Cascade Pole Company, McFarland Cascade, Tacoma, Washington. Cincinnati, OH. National Institute for Occupational Safety and Health, Division of Surveillance, Hazard Evaluations and Field Studies. NTIS PB82-174160.
- *NIOSH. 1982. Health Hazard Evaluation Report. HETA No. 80-206-1164, Mid-South Terminals Memphis, Tennessee. Cincinnati, OH. U.S. National Institute for Occupational Safety and Health.
- *NIOSH. 1983. Health Hazard Evaluation Report. HETA 82-324-1279, Chemical Leaman Tank Lines, Inc., Stockertown, Pennsylvania. Cincinnati, OH. National Institute for Occupational Safety and Health. PB84-149178.
- NIOSH. 1990. Pocket guide to chemical hazards. Cincinnati, OH. National Institute of Occupational Safety and Health. Publication No. 90-117.
- NIOSH. 1992. Recommendations for occupational safety and health. Cincinnati, OH. National Institute of Occupational Safety and Health. Compendium of Policy Documents and Statements, U.S. DHHS/NIOSH. 161-170.
- *NIOSH. 2000. Creosote. NIOSH pocket guide to chemical hazards. Cincinnati, OH. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/npgd0145.html>.
- *NIOSH. 2001. Coal tar pitch volatiles. NIOSH pocket guide to chemical hazards. Cincinnati, OH. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/npgd0145.html>. September 17, 2001.
- *NOES. 1990. National occupational exposure survey 1981-83. Cincinnati, OH. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. July 1, 1990.
- *NRC. 1993. National Research Council. Pesticides in the diets of infants and children. Washington, DC: National Academy Press.
- *NTDB. 1994. National Trade Data Bank, the export connection. U.S. Department of Commerce.
- *NTDB. 1995. National Trade Data Bank, the export connection. U.S. Department of Commerce.
- *NTP. 1998. Report on carcinogens; 8th edition; summary. Research Triangle Park, NC: National Toxicology Program. U.S. Department of Health and Human Services. 31-46.
- Nurminen T, Rantala K, Kurppa K, et al. 1995. Agricultural work during pregnancy and selected structural malformations in Finland. *Epidemiology* 6(1):23-30.
- *Ny ET, Heederik D, Kromhout H, et al. 1993. The relationship between polycyclic aromatic hydrocarbons in air and in urine of workers in a Soderberg potroom. *Am Ind Hyg Assoc J* 54 (6):277-284.

9. REFERENCES

- Nylund L, Heikkilä P, Hameila M, et al. 1992. Genotoxic effects and chemical compositions of four creosotes. *Mutat Res* 265(2):223-236.
- *Obana H, Hori S, Kashimoto T, et al. 1981. Polycyclic aromatic hydrocarbons in human fat and liver. *Bull Environ Contam Toxicol* 27:23-27.
- *O'Donovan WJ. 1920. Epitheliomatous ulceration among tar workers. *Br J Dermatol Syphilis* 32:215-252.
- Ogata N, Ataka H. 1998. [Drugs containing creosote for bacterial toxin-induced symptoms]. Japan Kokai 98147536, issued 2 Jun 1998. (Japanese).
- *Ogata N, Baba T. 1989. Analysis of beechwood creosote by gas chromatography-mass spectrometry and high-performance liquid chromatography. *Res Comm Chem Pathol Pharmacol* 66(3):411-423.
- Ogata N, Ataka H 1998. [Drugs containing creosote for bacterial toxin-induced symptoms.] Japan Kokai 98147536, issued 2 Jun 1998. (Japanese)
- *Ogata N, Ataka K, Morino H, et al. 1999. Effect of wood creosote and loperamide on propulsive motility of mouse colon and small intestine. *Pharmacology* 59:212-220.
- *Ogata N, Baba T, Shibata T. 1993. Demonstration of antidiarrheal and antimotility effects of wood creosote. *Pharmacology* 46(3):173-180
- *Ogata N, Matsushima N, Shibata T. 1995. Pharmacokinetics of wood creosote: Glucuronic acid and sulfate conjugation of phenolic compounds. *Pharmacology* 51(3):195-204.
- Ogata N, Shibata T. 2000. Binding of alkyl- and alkoxy-substituted simple phenolic compounds to human serum proteins. *Res Commun Mol Pathol Pharmacol* 107(1-2):167-173.
- *Okaygun MS. 1988. Identification of toxic components in Beechwood and Petroleum Creosotes. Thesis submitted to the Graduate College of Texas A & M University.
- Olafson P, Leutritz J Jr, 1958. The toxicity of creosote and creosote-pentachlorophenol mixtures to cattle. *Am Wood Preserv Assoc* 55:54-57.
- OSHA. 1974. Air contaminants. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.
- *OSHA. 1999a. Air contaminants. Occupational Safety and Health Administration. 29 CFR 1910.1000.
- *OSHA. 1999b. Air contaminants. Occupational Safety and Health Administration. 29 CFR 1915.1000.
- *OSHA. 1999c. Gases, vapors, fumes, dusts, and mists. Occupational Safety and Health Administration. 29 CFR 1926.55.
- *OSHA. 2001a. Air contaminants. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000. http://www.osha-slc.gov/OshStd_data/1915_1000.html. September 17, 2001.

9. REFERENCES

- *OSHA. 2001b. Limits for air contaminants. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000. http://www.osha-slc.gov/OshStd_data/1910_1000_Table_Z-1.html. September 17, 2001.
- *OSHA. 2001c. Gases, vapors, fumes, dusts, and mists. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55. <http://frwebgate.access.gpo.gov/cgi-bin/get-cfr.cgi?TITLE=29&PART=1926&SECTION=55&YEAR=2001&TYPE=TEXT>. September 17, 2001.
- *Osol A, ed. 1980. Remington's pharmaceutical sciences. 16th ed. Easton, PA: Mack Publishing Co.
- *OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment, U.S. Congress. OTA-BA-438, April 1990.
- *Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. Human development. Philadelphia, PA: WB Saunders, 222-238.
- Padma TA, Hale RC, Roberts MH. 1998. Toxicity of water-soluble fractions derived from whole creosote and creosote-contaminated sediments. Environ Toxicol Chem 17(8):1606-1610.
- *Paleologo M, van Schooten FJ, Pavanello S, et al. 1992. Detection of benzo[a]pyrene-diol-epoxide-DNA adducts in white blood cells of psoriatic patients treated with coal tar. Mutat Res 281:11-16.
- Panja D. 1941. Treatment of tuberculosis verrucosa cutis by local application of creosote and salicylic acid. Ind Med Gazette 76:70-72.
- *Park RM, Mirer FE. 1996. A survey of mortality at two automotive engine manufacturing plants. Am J Ind Med 30:664-673.
- Pauly JL, Jezewski HM, Rodriguez MI, et al. 1993. Human lung tumor immunology cigarette filter fibers identified in the lungs of patients with cancer. Joint Meeting of the American Association of Immunologists and the Clinical Immunology Society, Denver, Colorado, USA May 21-25, 1993. J Immunol 150(8)part 2:1770.
- *Pavanello S, Levis AG. 1992. Coal tar therapy does not influence in vitro benzo[a]pyrene metabolism and DNA adduct formation in peripheral blood lymphocytes of psoriatic patients. Carcinogenesis 13(9):1569-1573.
- *Pavanello S, Levis AG. 1994. Human peripheral blood lymphocytes as a cell model to evaluate the genotoxic effect of coal tar treatment. Environ Health Perspect 102(9):95-99.
- *Pereira WE, Rostad CE, Garbarino JR, et al. 1983. Groundwater contamination by organic bases derived from coal-tar wastes. Environ Toxicol Chem 2:283-294.
- *Perera FP, Hemminki K, Young TL, et al. 1988. Detection of polycyclic aromatic hydrocarbon-DNA adducts in white blood cells of foundry workers. Cancer Res 48:2288-2291.
- Perry HO, Soderstrom CW, Schulze RW. 1968. The Goeckerman Treatment of Psoriasis. Arch Dermatol 98:178-182.

9. REFERENCES

- *Persson B, Dahlander A, Fredriksson M et al. 1989. Malignant lymphomas and occupational exposures. *Br J Ind Med* 46:516-520.
- Persson B, Fredriksson M, Olsen K, et al. 1993. Some occupational exposures as risk factors for malignant lymphomas. *Cancer* 72(5):1773-1778.
- Peters CA, Knightes CD, Brown DG. 1999. Long-term composition dynamics of PAH-containing NAPLs and implications for risk assessment. *Environ Sci Technol* 33:4499-4507.
- *Petridou-Fischer J, Whaley SL, Dahl AR. 1988. *In vivo* metabolism of nasally instilled benzo[a]pyrene in dogs and monkeys. *Toxicology* 48:31-40.
- *Petsonk EL, Storey E, Becker PE , et al. 1988. Pneumoconiosis in carbon electrode workers. *J Occup Med* 30(11):887-891.
- Pfitzer EA, Gross P. 1964. Range-finding toxicity tests on creosote (64-451B) for Koppers Company, Inc. Industrial Hygiene Foundation of America, Inc., Mellon Institute, Pittsburgh, PA. (Unpublished report).
- *Pfitzer EA, Gross P, Kaschak M. 1965. Range-finding toxicity tests on creosote (64-451B) for Koppers Company, Inc. Pittsburgh: Industrial Hygiene Foundation of America, Inc. for Koppers Company, Inc.
- Phillips DH. 1993. Analysis of polycyclic aromatic hydrocarbon-DNA adducts by 32P-postlabelling. *Environ Mol Mutagen* 21(Suppl. 22):54.
- *Phillips DH, Alldrick AJ. 1994. Tumorigenicity of a combination of psoriasis therapies. *Br J Cancer* 69(6):1043-1045
- *Philips DH, Hemminki K, Alhonen A, et al. 1988. Monitoring occupational exposure to carcinogens: detection by ³²P-postlabeling of aromatic DNA adducts in white blood cells from iron foundry workers. *Mutat Res* 204:531-541.
- Phillips DH, Schoket B, Hewer A, et al. 1990. DNA adduct formation in human and mouse skin by mixtures of polycyclic aromatic hydrocarbons. *IARC Sci Publ No.104*, 223-229.
- Pickering RW. 1999. A toxicological review of polycyclic aromatic hydrocarbons. *J Toxicol Cutaneous Ocul Toxicol* 18(2):101-135.
- *Pittelkow MR, Perry HO, Muller SA. 1981. Skin cancer in patients with psoriasis treated with coal-tar. *Arch Dermatol* 117:465-468.
- Plato N, Steineck G. 1993. Methodology and utility of a job-exposure matrix. *Am J Ind Med* 23:491-502.
- *Poel WE, Kammer AG. 1957. Experimental carcinogenicity of coal-tar fractions: The carcinogenicity of creosote oils. *JNCI* 18:41-55.
- Pollard SJ, Hruday SE, Fuhr BJ, et al. 1992. Hydrocarbon wastes at petroleum- and creosote-contaminated sites: Rapid characterization of component classes by thin-layer chromatography with flame ionization detection. *Environ Sci Technol* 26(12):2528-2534.

9. REFERENCES

- *Povey AC, Brouet I, Bartsch H. 1987. Binding of benzo[a]pyrene metabolites in the rat intestinal lumen by magnetic polyethyleneimine microcapsules following an intragastric dose of [¹⁴C]benzo[a]pyrene. *Carcinogenesis* 8:825-831.
- Prichard FD, Obermeyer W, Bradlaw J, et al. 1994. Primary rat hepatocyte cultures aid in the chemical identification of toxic chaparral (*larrea tridentata*). *In Vitro Cell Develop Biol* 30A(3 PT 2):91-92.
- Prigoda YG, Obukhan EI. 1993. [Experimental substantiation of the maximum permissible concentration of a volatile fraction of coal tar STU-3]. *Gig Sanit* 4:11-14. (Russian).
- Pylev LN, Vasil'eva LA, Azarova MA, et al. 1999. [The carcinogenic activity of the pesticide kreokhin (leptocide)]. *Gig Sanit* :54-57.
- Raftos D, Hutchinson A. 1997. Effects of common estuarine pollutants on the immune reactions of tunicates. *Biol Bull* 192:62-72.
- *Rahman A, Barrowman JA, Rahimtula A. 1986. The influence of bile on the bioavailability of polynuclear aromatic hydrocarbons from the rat intestine. *Can J Physiol Pharmacol* 64:1214-1218.
- *Randerath E, Zhou G-D, Donnelly KC, et al. 1996. DNA damage induced in mouse tissues by organic wood preserving waste extracts as assayed by ³²P-postlabeling. *Arch Toxicol* 70:683-695.
- *Reddy MV, Blackburn GR, Schreiner CA, et al. 1997. Correlation of mutagenic potencies of various petroleum oils and oil coal tar mixtures with DNA adduct levels *in vitro*. *Mutat Res* 378:89-95.
- *Redmond CK. 1976. Epidemiological studies of cancer mortality in coke plant workers Proceedings of the annual conference on environmental toxicology. Aerospace Medical Research Lab, Wright-Patterson AFB, OH. AMRL-TR-76-125.
- *Redmond CK, Ciocco A, Lloyd JW, et al. 1972. Long-term mortality study of steelworkers VI. Mortality from malignant neoplasms among coke oven workers. *JOM* 14(8):621-629.
- *Redmond CK, Strobino BR, Cypess RH. 1976. Cancer experience among coke by-product workers. *Ann NY Acad Sci* 271:102-115.
- *Rees ED, Mandelstam P, Lowry JQ. 1971. A study of the mechanism of intestinal absorption of benzo(a)pyrene. *Biochim Biophys Acta* 225:96-107.
- *Reeves WR, Barhoumi R, Burghardt RC, et al. 2001. Evaluation of Methods for Predicting the Toxicity of Polycyclic Aromatic Hydrocarbon Mixtures. *Environ Sci Technol* 35:1630-1636.
- Reid DD, Buck C. 1956. Cancer in coking plant workers. *Brit J Ind Med* 13:265-269
- Rhomundstad P, Haldorsen T, Andersen A. 2000. Lung and bladder cancer among workers in a Norwegian aluminum reduction plant. *Occup Environ Med* 57(7):495-499.
- Riala R, Heikkila P, Kaverva L. 1998. A questionnaire study of road pavers' and roofers' work-related skin problems and bitumen exposure. *Int J Dermatol* 37:27-30.
- *Rice E, Hosted TJ Jr, DeFloria MC, et al. 1986. Tumor-initiating activity of major *in vivo* metabolites of indeno[1,2,3-cd]pyrene on mouse skin. *Carcinogenesis* 7:1761-1764.

9. REFERENCES

- Rittinghausen S, Dungworth DL, Dasenbrock C, et al. 1997a. Cystic squamous cell carcinoma in the lungs of Syrian golden hamsters induced by coal oven flue exhaust mixed with pyrolyzed tar pitch in combination with benzo(a)pyrene. *Exp Toxicol Pathol* 49:11-14.
- Rittinghausen S, Mohr U, Dungworth DL. 1997b. Pulmonary cystic keratinizing squamous cell lesions of rats after inhalation/instillation of different particles. *Exp Toxicol Pathol* 49(6):433-446.
- *Rivers PM. 1990. Comments on toxicological profile on creosote submitted by Paul M. Rivers, Reilly Industries, Inc., February 16, 1990.
- Roberts SJ, Hedrick HG. 1979. Degradation of creosote phenolic compounds by selected bacterial isolates. *Dev Ind Microbiol* 20:471-478.
- *Robinson SK. 1938. An instance of hypertension apparently due to the taking of creosote for a period of nine years. *ILL Med J* 74:278-279.
- *Rockette HE, Arena VC. 1983. Mortality studies of aluminum reduction plant workers: Potroom and carbon department. *J Occup Med* 25(7):549-557.
- Rodriguez LV, Dunsford HA, Steinberg M, et al. 1997. Carcinogenicity of benzo[a]pyrene and manufacture gas plant residues in infant mice. *Carcinogenesis* 18(1):127-135.
- *Roe FJC, Bosch D, Boutwell RK. 1958. The carcinogenicity of creosote oil: the induction of lung tumors in mice. *Cancer Res* 18:1176-1178.
- *Rogaczewska T, Ligocka D. 1991. Occupational exposure to polycyclic aromatic hydrocarbons (coal tar pitch volatiles) and benzo(a)pyrene in tyre production. *Sci Total Environ* 101:171.
- *Rogaczewska T, Ligocka D. 1994. Occupational exposure to coal tar pitch volatiles, benzo/a/pyrene and dust in tyre production. *Int J Occup Med Environ Health* 7(4):379-386.
- *Rojas M, Godschalk R, Alexandrov K, et al. 2001. Myeloperoxidase--463A variant reduces benzo[alpha]pyrene diol epoxide DNA adducts in skin of coal tar treated patients. *Carcinogenesis* 22(7):1015-1018.
- *Romundstad P, Haldorsen T, Andersen A. 2000. Lung and bladder cancer among workers in a Norwegian aluminium reduction plant. *Occup Environ Med* 57:495-499.
- Rönneberg A. 1995a. Mortality and cancer morbidity in workers from an aluminum smelter with prebaked carbon anodes-Part I: Exposure assessment. *Occup Environ Med* 52(4):242-249.
- *Rönneberg A. 1995b. Mortality and cancer morbidity in workers from an aluminum smelter with prebaked carbon anodes-Part III: Mortality from circulatory and respiratory diseases. *Occup Environ Med* 52(4):255-261.
- *Rönneberg A, Andersen A. 1995. Mortality and cancer morbidity in workers from an aluminum smelter with prebaked carbon anodes-Part II: Cancer morbidity. *Occup Environ Med* 52(4):250-254.
- Rönneberg A, Langmark F. 1992. Epidemiologic evidence of cancer in aluminum reduction plant workers. *Am J Ind Med* 22:573-590.

9. REFERENCES

Rooij GM, van Lieshout EMA, van Bodelier-Bade MM, et al. 1993. Effect of the reduction of skin contamination on the internal dose of creosote workers exposed to polycyclic aromatic hydrocarbons. *Scand J Work Environ Health* 19(3):200-207.

*Rostad CE, Pereira WE. 1987. Creosote compounds in snails obtained from Pensacola Bay, Florida, near an onshore hazardous-waste site. *Chemosphere* 16:10-12.

*Rostad CE, Pereira WE, Ratcliff SM. 1984. Bonded-phase extraction column isolation of organic compounds in groundwater at a hazardous waste site. *Anal Chem* 56:2856-2860.

*Rotard W, Mailahn W. 1987. Gas chromatographic-mass spectrometric analysis of creosote extracted from wooden sleepers installed in playgrounds. *Anal Chem* 59:65-69.

Roy TA, Johnson SW, Blackburn GR, et al. 1988. Correlation of mutagenic and dermal carcinogenic activities of mineral oils with polycyclic aromatic compound content. *Fundam Appl Toxicol* 10:466-476.

Roy TA, Krueger AJ, Mackerer CR, et al. 1998. SAR models for estimating the percutaneous absorption of polynuclear aromatic hydrocarbons. *Environ Res* 9(3-4):171-185.

*RTECS. 1994. Registry of Toxic Effects of Chemical Substances Database. National Institute of Occupational Safety and Health. National Library of Medicine Bethesda MD.

*RTECS. 1998. Registry of Toxic Effects of Chemical Substances Database. National Institute of Occupational Safety and Health. National Library of Medicine Bethesda MD.

*R.U.P. 1994. EPA Restricted Use Products File. Washington DC: U.S. Environmental Protection Agency, Office of Pesticide Programs (on-line BBS database).

*Sakabe H, Tsuchiya K, Takekura N, et al. 1975. Lung cancer among coke oven workers: A report to Labour Standard Bureau, Ministry of Labour, Japan Ind. Health 13:57-68.

Salim ASM (1994): Pharmaceutical compositions containing methylsulfonylmethane. (to and oxypurinol or allopurinol for skin cancer treatment) PCT Int. Appl. Patent 94 05291, issued 17 Mar 1994.

*Sall RD, Shear MJ. 1940. Studies in carcinogenesis. XII. Effect of the basic fraction of creosote oil on the production of tumors in mice by chemical carcinogens. *JNCI* 1:45-55.

*Samson JG, Limkako G. 1923. Preliminary report on creosote as an adjuvant in leprosy treatment. *Philippine J Sci* 23:515-529.

Sanders CL, Skinner C, Gelman RA. 1986. Percutaneous absorption of 7,10[¹⁴C]benzo[a]pyrene and 7,12[¹⁴C]- dimethylbenz[a]anthracene in mice. *J Environ Pathol Toxicol* 7:25-34.

Santella RM. 1993. Immunologic methods for quantitation of polycyclic aromatic hydrocarbon-DNA adducts. *Environ Mol Mutagen* 21(Suppl. 22):61.

*Santella RM, Nunes MG, Blaskovic R, et al. 1994. Quantitation of polycyclic aromatic hydrocarbons, 1-hydroxypyrene, and mutagenicity in urine of coal tar-treated psoriasis patients and untreated volunteers. *Cancer Epidemiol Biomarkers Prev* 3(2):137-140.

9. REFERENCES

- *Santella RM, Perera FP, Young TL, et al. 1995. Polycyclic aromatic hydrocarbon-DNA and protein adducts in coal tar treated patients and controls and their relationship to glutathione S-transferase genotype. *Mutat Res* 334(2):117-224.
- *Santodonato J, Bosch S, Meylan W, et al. 1985. Monographs on human exposure to chemicals in the workplace: Creosote. National Cancer Institute, Division of Cancer Etiology, Bethesda, MD. PB86-147303.
- *Sarto F, Zordan M, Tomanin R, et al. 1989. Chromosomal alterations in peripheral blood lymphocytes, urinary mutagenicity and excretion of polycyclic aromatic hydrocarbons in six psoriatic patients undergoing coal tar therapy. *Carcinogenesis* 10(2):329-341.
- *Sasser LB, Lundstrom DL, Zangar RC, et al. 1989. Elevated blood pressure and heart rate in rats exposed to a coal-derived complex organic mixture. *J Appl Toxicol* 9 (1):47-52.
- Saunders JCJ, Davis HJ, Coetzee L, et al. 1999. A Novel Skin Penetration Enhancer: Evaluation by Membrane Diffusion and Confocal Microscopy. *J Pharm Pharmaceut Sci* 2(3):99-107.
[http://www.ualberta.ca/~csp/JPPS2\(3\)/J.Saunders/microscopy.htm](http://www.ualberta.ca/~csp/JPPS2(3)/J.Saunders/microscopy.htm)
- Schabad L. 1928. [Primate pulmonary tumors in the offspring of mice treated externally with tar]. *C R Seances Soc Biol Fil* 99:1550-1551. (French).
- *Schildt E-B, Eriksson M, Hardell L, et al. 1999. Occupational exposures as risk factors for oral cancer evaluated in a Swedish case-control study. *Oncol Rep* 6:317-320.
- *Schipper IA. 1961. Toxicity of wood preservatives for swine. *Am J Vet Res* 22:401-405.
- Schirmer K, Herbrick JS, Greenberg BM, et al. 1997. An evaluation of the cytotoxicity and photocytotoxicity of intact and photomodified creosote through the use of a rainbow trout gill cell line, TRGILL-W1, and two fluorescent indicator dyes, alamar blue and 5-carboxyfluorescein diacetate acetoxymethyl ester. *Can Tech Rep Fish Aquat Sci* 2192:4.
- *Schirmer K, Herbrick J, Greenberg BM, et al. 1999. Use of fish gill cells in culture to evaluate the cytotoxicity and photocytotoxicity of intact and photomodified creosote. *Environ Toxicol Chem* 18(6):1277-1288.
- *Schoket B, Horkay I, Kosa A, et al. 1990. Formation of DNA adducts in the skin of psoriasis patients, in human skin in organ culture, and in mouse skin and lung following topical application of coal-tar and juniper tar. *J Invest Dermatol* 94(2):241-246.
- *Schwartz L. 1942. Dermatitis from creosote-treated wooden floors. *Ind Med* 11, No. 8:387.
- *Schweikert H, Schnyder UW. 1972a. [Tar-induced acanthosis of the guinea pig nipple. I. Histological observations.] *Arch Derm Forsch* 243:31-38. (German).
- *Schweikert H, Schnyder UW. 1972b. [Tar-induced acanthosis of the guinea pig nipple. II. Enzymehistochemical observations.] *Arch Derm Forsch* 243:39-46. (German).
- Scobbie E, Dabill DW, Groves JA. 1998. The development of an improved method for the determination of coal tar pitch volatiles (CTPV) in air. *Ann Occup Hyg* 42(1):45-59.

9. REFERENCES

- Scribner KA, Gadbois TM, Gowri M, et al. 2000. Masoprocol Decreases Serum Triglyceride Concentrations in Rats with Fructose-Induced Hypertriglyceridemia. *Metabolism* 49(9):1106-1110.
- Seidler A, Heiskel H, Bickeboller R, et al. 1998. Association between diesel exposure at work and prostate cancer. *Scand J Work Environ Health* 24(6):486-494.
- *Setchell BP, Waites GMH. 1975. The blood-testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. *Handbook of physiology: Endocrinology V*. Washington, DC: American Physiological Society.
- *Shambaugh P. 1935. Tar cancer of the lip in fishermen. *JAMA* 104:2326-2329.
- *Shimauchi T, Rikihisa W, Yasuda H, et al. 2000. [A case of squamous cell carcinoma that developed on chronic tar dermatosis.] *J UOEH* 22(2):183-187. (Japanese)
- *Siemiatycki J, Dewar R, Nadon L, et al. 1994. Occupational risk factors for bladder cancer: Results from a case-control study in Montreal, Quebec, Canada. *Am J Epidemiol* 140(12):1061-1080.
- *Simmon VF, Shepherd S. 1978. *In vitro* microbiological mutagenicity assay of creosote P₁ and creosote P₂. Final Report. SRI International, Menlo Park, California. Project LSU-7558. Contract No. 68-02-2947.
- Skowronski GA, Abdel-Rahman MS, Turkall RM. 1994. Effects of gender, route of administration, and soil on the bioavailability of coal tar components. In: Wise DL, Trantolo DJ, eds. *Remediation of hazardous waste contaminated soils*. New York: M. Dekker, 299-315.
- Smale BC. 1977. Coal-tar creosote and coal-tar pesticides as candidates for RPAR. Unpublished EPA report.
- *Smith AY, Feddersen RM, Gardner KD, et al. 1994. Cystic renal cell carcinoma and acquired renal cystic disease associated with consumption of chaparral tea: A case report. *J Urol* 152:2089-2091.
- *Smith GA, Nickels JS, Davis JD. 1985. Indices identifying subsurface microbial communities that are adapted to organic pollution. Ada, OK. U.S. Environmental Protection Agency, Office of Research and Development. EPA/600/D-85/055.
- *Smith LM. 1937. Dermatitis caused by creosote bush. *J Allergy* 8:187-188.
- Snit M. 1993. [Concentration of carcinoembryonic antigen, alpha-fetoprotein and beta-subunit of human chorionic gonadotropin in serum of coke oven workers]. *Med Pr* 44(1):21-28. (Polish)
- *Spinelli JJ, Band PR, Svirchev LM, et al. 1991. Mortality and cancer incidence in aluminum reduction plant workers. *J Occup Med* 33(11):1150-1155.
- *Springer DL, Hackett PL, Miller RA, et al. 1986a. Lung development and postnatal survival for rats exposed *in utero* to a high-boiling coal liquid. *J Appl Toxicol* 6:129-133.
- *Springer DL, Mann DB, Dankovic DA, et al. 1989. Influences of complex organic mixtures on tumor-initiating activity, DNA binding and adducts of benzo[a]pyrene. *Carcinogenesis* 10(1):131-137.
- *Springer DL, Miller RA, Weimer WC, et al. 1986b. Effects of inhalation exposure to a high-boiling (288 to 454°C) coal liquid. *Toxicol Appl Pharmacol* 82:112-131.

9. REFERENCES

- *Springer DL, Miller RA, Wright CW, et al. 1987. Effects of subchronic inhalation exposure of mice to a high-boiling coal liquid. *Fundam Appl Toxicol* 9:277-286.
- *Springer DL, Poston KA, Mahlum DD, et al. 1982. Teratogenicity following inhalation exposure of rats to a high-boiling coal liquid. *J Appl Toxicol* 5(2):261-265.
- *SRI. 1993. Directory of chemical producers: United States of America. SRI International, Menlo Park, CA.
- *Srivastava VK, Chauhan SS, Srivastava PK, et al. 1986. Fetal translocation and metabolism of PAH obtained from coal fly ash given intratracheally to pregnant rats. *J Toxicol Environ Health* 18:459-469.
- *Stangroom SJ, Collins CD, Lester JN. 1998. Sources of organic micropollutants to lowland rivers. *Environ Tech* 19(7):643-666.
- Stavric B, Klassen R. 1994. Dietary effects on the uptake of benzo[alpha]pyrene. *Food Chem Toxicol* 32(8):727-734.
- Steinberg MA. 1996. The role of polycyclic aromatic hydrocarbons in coal tar-induced genotoxicity and carcinogenicity. Doctor of Philosophy Thesis, Texas A & M University, College Station. 154 p.
- Steineck G, Plato N, Norell SE, et al. 1990. Urothelial cancer and some industry-related chemicals: An evaluation of the epidemiologic literature. *Am J Ind Med* 17(3):371-391.
- *Stern FB, Ruder AM, Chen G. 2000. Proportionate mortality among unionized roofers and waterproofers. *Am J Ind Med* 37(5):478-492.
- *Stern RS, Zietler S, Parrish JA. 1980. Skin cancer in outpatients treated with topical tar and artificial ultraviolet radiation. *Lancet* 1:732-734.
- *Stevens ME, Ronan AK, Sourkes TS, et al. 1943. On the expectorant action of creosote and the guaiacols. *Can Med Assoc J* 48:124-127.
- *Stjernsward J. 1966. Effect of noncarcinogenic and carcinogenic hydrocarbons on antibody-forming cells measured at the cellular level *in vitro*. *JNCI* 36:1189-1195.
- *Stjernsward J. 1969. Immunosuppression by carcinogens. *Antibiot Chemother (Basel)* 15:213-233.
- Story WC, Caruso JA. 1993. Gas chromatographic determination of phosphorus, sulfur and halogens using a water-cooled torch with reduced-pressure helium microwave-induced plasma mass spectrometry. *J Anal Atomic Spectrom* 8:571-575.
- *Strickland P, Kang D, Sithisarankul P. 1996. Polycyclic aromatic hydrocarbon metabolites in urine as biomarkers of exposure and effect. *Environ Health Perspect Suppl* 104(5):927-932.
- Stucker I, Bouyer J, Mandereau L, et al. 1993. Retrospective evaluation of the exposure to polycyclic aromatic hydrocarbons: Comparative assessments with a job exposure matrix and by experts in industrial hygiene. *Int J Epidemiol* 22(6)(Suppl. 2):S106-S112.
- *Swaen GMH, Slangen JMM. 1997. Mortality in a group of tar distillery workers and roofers. *Int Arch Occup Environ Health* 70(2):133-137.

9. REFERENCES

- *Swann RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ratio, and water solubility. *Res Rev* 85:17-28.
- *Swartz RC, Kemp PF, Schults DW, et al. 1989. Acute toxicity of sediment from Eagle Harbor, Washington, to the infaunal amphipod *Rhepoxynius abronius*. *Environ Toxicol Chem* 8:215-222.
- *Szakal A, Hanna M. 1972. Immune suppression and carcinogenesis in hamsters during topical application of 7,12-dimethylbenz(a)anthracene. Oak Ridge, TN. Conference on Immunology of Carcinogenesis at Oak Ridge National Laboratory.
- Taylor JM, Jenner PM, Jones WI. 1964. A comparison of the toxicity of some allyl, propenyl, and propyl compounds in the rat. *Toxicol Appl Pharmacol* 6:378-387.
- *Tham SN, Lun KC, Cheong WK. 1994. A comparative study of calcipotriol ointment and tar in chronic plaque psoriasis. *Br J Dermatol* 131(5):673-677.
- Theriault GP, Tremblay CG, Armstrong BG. 1990. Bladder cancer screening among primary aluminum production workers in Quebec. *J Occup Med* 32(9):869-872.
- Thompson JP, Casey PB, Vale JA. 1994. Suspected paediatric pesticide poisoning in the UK. II-Home Accident Surveillance System 1989-1991. *Hum Exp Toxicol* 13(8):534-536.
- Tigalonova M, Bjerke JR, Gallati H, et al. 1994. Serum levels of interferons and TNF- α are not correlated to psoriasis activity and therapy. *Acta Derm Venereol Suppl (Stockh)* 186:25-27.
- Todd WA. 1993. TARS. Their role in the treatment of psoriasis. *Dermatol Clin (United States)* 11(1):131-135.
- *Tolos WP, Shaw PB, Lowry LK, et al. 1990. 1-Pyrenol: A biomarker for occupational exposure to polycyclic aromatic hydrocarbons. *Appl Occup Environ Hyg* 5(5):303-309.
- *TOMA. 1979. Cross-sectional health study of workers of four forest products plants of Koppers Company Inc. Volume A. Tabershaw Occupational Medicine Associates (TOMA). EPA/OTS number: FYI-OTS 0285 0385. U.S. EPA/OPTS Public Files.
- *TOMA. 1980. Summary of health findings from the examination of 329 creosote workers. Report prepared for the Forest Products Group of Koppers Company, Inc., Pittsburgh, PA. Tabershaw Occupational Medicine Associates (TOMA). February 28, 1980.
- *TOMA. 1981. Cross-sectional health study of workers of four forest products plants of Koppers Company Inc. Volume A. Tabershaw Occupational Medicine Associates (TOMA). EPA/OTS number: FYI-OTS-0285-0385. U.S. EPA/OPTS Public Files.
- *TOMA. 1982. Mortality among Koppers workers employed at eight coal tar facilities, with cover letter dated 01/25/85. Tabershaw Occupational Medicine Associates (TOMA). EPA/OTS number FYI-OTS 0285 0385. U.S. EPA/OPTS Public Files.
- *TOMES. 1994. (Toxicology, Occupational Medicine and Environment Series) electronic database. Creosote: Phenol and related agents. Micromedex, Inc. Vol 78.

9. REFERENCES

- *Torinuki W, Tagami H. 1988. Incidence of skin cancer in Japanese psoriatic patients treated with either methoxsalen phototherapy, Goeckerman regimen, or both therapies. *J Am Acad Dermatol* 18(6):1278-1281.
- *Tremblay C, Armstrong B, Theriault G, et al. 1995. Estimation of risk of developing bladder cancer among workers exposed to coal tar pitch volatiles in the primary aluminum industry. *Am J Ind Med* 27(3):335-348.
- TRI93. 1995. Toxics Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *TRI97. 2000. Toxics Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *TRI99. 2001. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access, Offices of Environmental Information, U.S. Environmental Protection Agency. Toxic Release Inventory. <http://www.epa.gov/triexplorer/>. October 24, 2001.
- Tynes T, Jynge H, Vistnes AI. 1994. Leukemia and brain tumors in Norwegian railway workers, a nested case-control study. *Am J Epidemiology* 139(7):645-653.
- *USDA. 1980. The biologic and economic assessment of pentachlorophenol, inorganic arsenicals, creosote. Volume 1: Wood preservatives. Washington, DC: U.S. Department of Agriculture. Technical Bulletin number 1658-1, 193-227.
- *US Department of Energy. 1994. Toxicity studies of mild gasification products. Morgantown, WV: Office of Fossil Energy, U.S. Department of Energy. DOE/MC/26018-3730. DE94004113.
- USGS. 1984. Phenolic contamination in the sand-and-gravel aquifer from a surface impoundment of wood treatment wastes, Pensacola, Florida. US Geological Survey Water-Resources Investigations Report, 82-4230.
- *USGS. 1986. Investigations of organic contaminants derived from wood-treatment processes in a sand and gravel aquifer near Pensacola, Florida. Selected Papers in the Hydrologic Sciences 1986. U.S. Geological Survey, Washington, DC. U.S. Geological Survey Water-Supply Paper 2290, 65-80.
- *USGS. 1988a. Geochemistry of a shallow aquifer contaminated with creosote products. In: Ragone SE, ed. U.S. Geological Survey Program on Toxic Waste -- Ground-water Contamination: Proc. Second Technical Meeting, Cape Cod, MA, Oct. 21-25, 1985. Reston, VA: U.S. Geological Survey, Open-File Report 86-481, A17-A20.
- USGS. 1988b. Reexamination of the occurrence and distribution of creosote contaminants in the ground water at Pensacola, Fl. U.S. Geological Survey program on toxic waste--ground water contamination. Proceedings of the second technical meeting, Cape Cod, MA, Oct. 21-25, 1985. US Geological Survey open file report., 86-481.
- *USITC. 1987. Synthetic organic chemicals. United States production and sales, 1986. Washington, DC: United States International Trade Commission. USITC Publication 2009.

9. REFERENCES

*USITC. 1988. Synthetic organic chemicals. United States production and sales, 1987. Washington, DC: United States International Trade Commission. USITC Publication 2118.

USITC. 1991. Harmonized tariff schedule of the United States (1991). Washington, DC: U.S. International Trade Commission.

USITC. 1992. Preliminary report on U.S. production of selected synthetic organic chemicals (including synthetic plastics and resin materials) first quarter, second quarter, and cumulative totals, 1992. Washington, DC: U.S. International Trade Commission.

*USITC. 1994. Synthetic organic chemicals. United States production and sales, 1992. Washington, DC: United States International Trade Commission. USITC Publication 2720.

van de Kerkhof PC, Timmerman MG. 1990. The effect of clobetasol-17-propionate and crude coal tar on dithranol-induced inflammation. A clinical and biochemical study. *Acta Derm Venereol (Stockh)* 70(5):434-437.

*Van Rooij JGM, De Roos JHC, Bodelier-Bade MM et al. 1993a. Absorption of polycyclic aromatic hydrocarbons through human skin: Differences between anatomical sites and individuals. *J Toxicol Environ Health* 38(4):355-368.

*Van Rooij JGM, Van Lieshout EMA, Bodelier Bade MM, et al. 1993b. Effect of the reduction of skin contamination on the internal dose of creosote workers exposed to polycyclic aromatic hydrocarbons. *Scand J Work Environ Health* 19(3):200-207.

*Van Rooij JGM, Vinke E, De Lange J, et al. 1995. Dermal absorption of polycyclic aromatic hydrocarbons in the blood-perfused pig ear. *J Appl Toxicol* 15(3):193-200.

van Schooten F-J. 1995. Carcinogenic consequences of coal-tar shampoo. *Lancet* 345:1635.

van Schooten F-J, Godschalk R. 1996. Coal tar therapy: Is it carcinogenic? *Drug Saf* 15(6):374-377.

*van Schooten F-J, Moonen EJC, Rhijnsburger E, et al. 1994. Dermal uptake of polycyclic aromatic hydrocarbons after hairwash with coal-tar shampoo. *Lancet* 344:1505-1506.

*van Schooten FJ, Moonen EJC, van der Wal L, et al. 1997. Determination of polycyclic aromatic hydrocarbons (PAH) and their metabolites in blood, feces, and urine of rats orally exposed to PAH contaminated soils. *Arch Environ Contam Toxicol* 33:317-322.

van Schooten FJ, Van Maanen JMS, Moonen EJC, et al. 1995. High urinary excretion of 1-hydroxypyrene after dermal uptake of polycyclic aromatic hydrocarbons via a single hairwash with coal tar-containing shampoo. *Proc Am Assoc Cancer Res* 36:109.

*Viau C, Vyskocil A. 1995. Patterns of 1-hydroxypyrene excretion in volunteers exposed to pyrene by the dermal route. *Sci Total Environ* 163:187-190.

*Viau C, Vyskocil A, Martel L. 1995. Background urinary 1-hydroxypyrene levels in non-occupationally exposed individual in the province of Quebec, Canada, and comparison with its excretion in workers exposed to PAH mixtures. *Sci Total Environ* 163:191-194.

9. REFERENCES

- *Viccellio P, Bania T, Brent J, et al. 1998. Emergency toxicology. 2nd ed. Philadelphia, PA: Lippincott-Raven Publishers. 356-357.
- *Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of *CYP2E1* in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238:476-483.
- *Vogel U, Thein N, Moller P, et al. 2001. Pharmacological coal tar induces G:C to T:A transversion mutations in the skin of mutaTM mouse. *Pharmacol Toxicol* 89(1):30-34.
- Vogelbein WK. 1993. Ultrastructural and histological characterization of hepatic neoplasms in mummichog fundulus heteroclitus inhabiting a creosote-contaminated environment. *Mar Environ Res* 35:197-231.
- *Vogelbein WK, Fournie JW, Van Veld PA, et al. 1990. Hepatic neoplasms in the Mummichog Fundulus Heteroclitus from a creosote-contaminated site. *Cancer Research* 50:5978-5986.
- *von Burg R, Stout T. 1992. Creosote: Toxicology update. *J Appl Toxicol* 12(2):153-156.
- *Wallcave L, Garcia H, Feldman R, et al. 1971. Skin tumorigenesis in mice by petroleum asphalts and coal-tar pitches of known polynuclear aromatic hydrocarbon content. *Toxicol Appl Pharmacol* 18:41-52.
- Walsh D, Hudgens E, Heinrich U, et al. 1996. Characterization of DNA adducts in humans and rats resulting from inhalation of particulate matter containing polycyclic aromatic compounds. *Proc Am Assoc Cancer Res* 37:114.
- *Walter JF, Stoughton RB, Dequoy PR. 1978. Suppression of epidermal DNA synthesis by ultraviolet light, coal tar and anthralin. *Br J Dermatol* 99:89-96.
- Wang X, Chen S, Wu Y, et al. 1998a. [Detection of sister chromatid exchange in workers exposed to coal tar pitch and to coke oven volatiles]. *Wei Sheng Yen Chiu* 27(4):220-221. (Chinese).
- Wang X, Wu Y, Chen C. 1998b. Studies on the ras p21 serum levels in workers exposed to coal tar pitch and coke oven volatiles. *Wei Sheng Yen Chiu* 27(5):292-294.
- Wang X, Wu Y, Chen C. 1998. [Studies on the ras p21 serum levels in workers exposed to coal tar pitch and coke oven volatiles]. *Wei Sheng Yen Chiu* 27(5):292-294. (Chinese).
- Wang Z, Zhang W-Q, Chaloupka K, et al. 1996. H-ras activation in liver tumors induced in B6C3F1 mice by manufactured gas plant residue (MGPs). *Proc Am Assoc Cancer Res* 37:142.
- Wang Z, Zhang W-Q, Safe S, et al. 1997. Mutation frequency and spectrum in relation to dose and exposure length in coal tar carcinogenesis. *Proc Am Assoc Cancer Res* 38:461.
- *Ward JB, Jr. 1988. Sperm evaluation in human genetic monitoring. *Repro Toxicol* 12:77-182.
- *Warshawsky D, Barkley W, Bingham E. 1993. Factors affecting carcinogenic potential of mixtures. *Fundam Appl Toxicol* 20(3):376-382.
- Warshawsky D, Livingston GK, Fonouni-Fard M, et al. 1995. Induction of micronuclei and sister chromatid exchanges by polycyclic and n-heterocyclic aromatic hydrocarbons in cultured human lymphocytes. *Environ Mol Mutagen* 26:109-118.

9. REFERENCES

- *Watson AF, Mellanby E. 1930. Tar cancer in mice II: The condition of the skin when modified by external treatment or diet, as a factor in influencing the cancerous reaction. *Brit J Exp Path* 11:311-322.
- Watts P, Stables GS, Akhurst RJ, et al. 1994. Localization of transforming growth factor-alpha RNA and protein in the skin of psoriatic patients receiving therapy. *Br J Dermatol* 131(1):64-71.
- Webb DA. 1975. Some environmental aspects of creosote. *Proc Am Wood Preserv Assoc* 71:176-181.
- Wehner TA, Woodrow JE, Kim YH, et al. 1984. Multiresidue analysis of trace organic pesticides in air. *Identification & Analysis of Organic Pollutants* 273-290.
- *Weiner MA. 1986. Stomach cancer in Japan: Relationship to a common folk remedy? *Medical Hypotheses* 20:357-358.
- *Weiss G. 1986. Hazardous chemicals data book. 2nd ed. Park Ridge, NJ: Noyes Data Corp, 306.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatr* 32:10-18.
- *Weston A, Santella RM, Bowman ED. 1994. Detection of polycyclic aromatic hydrocarbon metabolites in urine from coal tar treated psoriasis patients and controls. *Polycyclic Aromat Compd* 5:241-247.
- *Weyand EH, Bevan DR. 1987. Covalent binding of benzo[a]pyrene to macromolecules in lung and liver of rats following intratracheal instillation. *Cancer Lett* 36:149-159.
- *Weyand EH, Wu Y. 1995. Covalent binding of polycyclic aromatic hydrocarbon components of manufactured gas plant residue to mouse lung and forestomach DNA. *Chem Res Toxicol* 8:955-962.
- *Weyand EH, Chen Y-C, Wu Y, et al. 1995. Differences in the tumorigenic activity of a pure hydrocarbon and a complex mixture following ingestion: Benzo[a]pyrene vs manufactured gas plant residue. *Chem Res Toxicol* 8:949-954.
- Weyand EH, Rozett K, Koganti A, et al. 1996. Effect of soil on the genotoxicity of manufactured gas plant residue. *Toxicologist* 30:1644.
- *Weyand EH, Wu Y, Patel S, et al. 1991. Urinary excretion and DNA binding of coal tar components in B6C3FI mice following ingestion. *Chem Res Toxicol* 4(4):466-473.
- *Weyand EH, Wu Y, Patel S, et al. 1994. Biochemical effects of manufactured gas plant residue following ingestion by B6C3F1 mice. *J Toxicol Env Health* 42(1):89-107.
- White PA, Rasmussen JB, Blaise C. 1996. A semi-automated, microplate version of the SOS chromotest for the analysis of complex environmental extracts. *Mutat Res* 360:51-74.
- *Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. *Mineral metabolism: An advanced treatise. Volume II: The elements Part A*. New York: Academic Press.
- *Wilson JT, McNabb JF, Cochran JW, et al. 1985. Influence of microbial adaptation on the fate of organic pollutants in ground water. *Environ Toxicol Chem* 4:721-726.

9. REFERENCES

Winston GW, Church DF, Cueto R, et al. 1993. Oxygen consumption and oxyradical production from microsomal reduction of aqueous extracts of cigarette tar. *Arch Biochem Biophys* 304(2):371-378.

*Wise SA, Sander LC, May WE. 1993. Determination of polycyclic aromatic hydrocarbons by liquid chromatography. *J Chromatogr* 642:329-349.

Wormhoudt LW, Commandeur JNM, Vermeulen NPE. 1999. Genetic polymorphisms of human N-acetyltransferase, cytochrome P450, glutathione-S-transferase, and epoxide hydrolase enzymes: Relevance to xenobiotic metabolism and toxicity. *Crit Rev Toxicol* 29(1):59-124.

*Wrench R, Britten AZ. 1975. Evaluation of coal-tar fractions for use in psoriasisform diseases using the mouse tail test. III. High boiling tar oil acids. *Br J Dermatol* 93:67-74.

*Wright CW, Later DW, Pelroy RA, et al. 1985. Comparative chemical and biological analysis of coal-tar based therapeutic agents to other coal-derived materials. *J Appl Toxicol* 5(2):80-89.

Wright MC, Kaufhold A, Hevert F, et al. 1992a. [Investigations into possible nephrotoxicity of a coal tar preparation]. *Hautarzt* 43(8):483-486. (German).

*Wright MC, Kaufhold A, Hevert F, et al. 1992b. Investigations into possible nephrotoxicity of a coal tar preparation. *Hautarzt* 43(8):483-486. (Translation).

*Wu Y, Wang X, Chen C, et al. 1998. [Serum ras P21 level and peripheral blood lymphocyte sister chromosome exchange frequency in workers exposed to coal tar pitch]. *Henan Yike Daxue Xuebao* 33(5):59-61. (Chinese).

*Yadav JS, Seth N. 1998. Effect of polycyclic aromatic hydrocarbons on somatic chromosomes of coal tar workers. *Cytobios* 93(374):165-173.

*Yamazaki H, Terada M, Tsuboi A. 1987. Distribution and binding pattern of benzo(a)pyrene in rat liver, lung and kidney constituents after oral administration. *Toxicol Environ Chem* 15:71-81.

*Zangar RC, Springer DL, Buschbom RL, et al. 1989. Comparison of fetotoxic effects of a dermally applied complex organic mixture in rats and mice. *Fundam Appl Toxicol* 13:662-669.

*Zeiger E, Anderson B, Haworth S, et al. 1992. Salmonella Mutagenicity Tests: V. Results from the Testing of 311 Chemicals. *Environ Mol Mutagen* 19(Suppl. 21):2-141.

*Zepp RG, Schlotzhauer PF. 1979. Photoreactivity of selected aromatic hydrocarbons in water. In: Jones PW, Leber P, eds. *Polynuclear aromatic hydrocarbons: Third international symposium on chemistry and biology – Carcinogenesis and mutagenesis*. Ann Arbor, MI: Ann Arbor Science Publishers Inc., 141-158.

*Zhang YJ, Li Y, DeLeo VA, et al. 1990. Detection of DNA adducts in skin biopsies of coal tar-treated psoriasis patients: Immunofluorescence and ³²P-postlabeling. *Skin Pharmacol* 3(3):171-179.

*Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12:29-34.

*Zitko V. 1975. Aromatic hydrocarbons in aquatic fauna. *Bull Environ Contam Toxicol* 14:621-631.