

District of Columbia, Commonwealth of Puerto Rico, American Samoa, U.S. Virgin Islands, Guam, Commonwealth of the Northern Mariana Islands, Baker Island, Howland Island, Jarvis Island, Johnston Atoll, Kingman Reef, Midway Atoll, Navassa Island, Palmyra Atoll, and Wake Atoll, and any other territory or possession under the jurisdiction of the United States.

*Whoever* means the same as person.

*Wildlife* means the same as fish or wildlife.

[38 FR 22015, Aug. 15, 1973, as amended at 42 FR 32377, June 24, 1977; 42 FR 59358, Nov. 16, 1977; 45 FR 56673, Aug. 25, 1980; 50 FR 52889, Dec. 26, 1985; 72 FR 48445, Aug. 23, 2007]

#### § 10.13 List of Migratory Birds.

The following is a list of all species of migratory birds protected by the Migratory Bird Treaty Act (16 U.S.C. 703-711) and subject to the regulations on migratory birds contained in this subchapter B of title 50 CFR. The species listed are those protected by the Convention for the Protection of Migratory Birds, August 16, 1916, United States-Great Britain (on behalf of Canada), 39 Stat. 1702, T.S. No. 628; the Convention for the Protection of Migratory Birds and Game Mammals, February 7, 1936, United States-Mexico, 50 Stat. 1311, T.S. No. 912; the Convention for the Protection of Migratory Birds and Birds in Danger of Extinction, and Their Environment, March 4, 1972, United States-Japan, 25 U.S.T. 3329, T.I.A.S. No. 7990; and the Convention for the Conservation of Migratory Birds and Their Environment, United States-U.S.S.R., November 26, 1976, 92 Stat. 3110, T.I.A.S. 9073, 16 U.S.C. 703, 712. The species are listed two ways. In the first part of the List species are arranged alphabetically by English (common) name groups, with the scientific name following the English (common) name. All species of ducks are listed together under the heading "DUCKS". In the second part of the List, species are listed by scientific name arranged in taxonomic order. Taxonomy and nomenclature follows the American Ornithologists' Union's Check-list of North American Birds (6th Edition, 1983).

##### I. ALPHABETICAL LISTING

Accentor, Siberian, *Prunella montanella*

##### Albatross:

Black-footed, *Diomedea nigripes*  
Laysan, *Diomedea immutabilis*  
Short-tailed, *Diomedea albatrus*  
Yellow-nosed, *Diomedea chlororhynchos*

Anhinga, *Anhinga anhinga*

##### Ani:

Groove-billed, *Crotophaga sulcirostris*  
Smooth-billed, *Crotophaga ani*

##### Auklet:

Cassin's, *Ptychoramphus aleuticus*  
Crested, *Aethia cristatella*  
Least, *Aethia pusilla*  
Parakeet, *Cyclorhynchus psittacula*  
Rhinoceros, *Cerorhinca monocerata*  
Whiskered, *Aethia pygmaea*

Avocet, American, *Recurvirostra americana*

Barn-Owl, Common, *Tyto alba*

Beardless-Tyrannulet, Northern,  
*Camptostoma imberbe*

Becard, Rose-throated, *Pachyrhamphus aglaiae*

##### Bittern:

American, *Botaurus lentiginosus*  
Chinese, *Ixobrychus sinensis*  
Least, *Ixobrychus exilis*  
Schrenk's, *Ixobrychus eurhythmus*

Black-Hawk, Common, *Buteogallus anthracinus*

##### Blackbird:

Brewer's, *Euphagus cyanocephalus*  
Red-winged, *Agelaius phoeniceus*  
Rusty, *Euphagus carolinus*  
Tawny-shouldered, *Agelaius humeralis*  
Tricolored, *Agelaius tricolor*  
Yellow-headed, *Xanthocephalus xanthocephalus*  
Yellow-shouldered, *Agelaius xanthomus*

##### Bluebird:

Eastern, *Sialia sialis*  
Mountain, *Sialia currucoides*  
Western, *Sialia mexicana*

Bluethroat, *Luscinia svecica*

Bobolink, *Dolichonyx oryzivorus*

##### Booby:

Blue-footed, *Sula nebouxii*  
Brown, *Sula leucogaster*  
Masked, *Sula dactylatra*  
Red-footed, *Sula sula*

Brambling, *Fringilla montifringilla*

Brant, *Branta bernicla*

Bufflehead (see DUCKS)

##### Bullfinch:

Eurasian, *Pyrrhula pyrrhula*  
Puerto Rican, *Loxigilla portoricensis*

##### Bunting:

Indigo, *Passerina cyanea*  
Lark, *Calamospiza melanocorys*  
Lazuli, *Passerina amoena*  
McKay's, *Plectrophenax hyperboreus*  
Painted, *Passerina ciris*  
Reed (see Reed-Bunting)  
Rustic, *Emberiza rustica*  
Snow, *Plectrophenax nivalis*  
Varied, *Passerina versicolor*

Bushtit, *Psaltriparus minimus*

Canvasback (see DUCKS)

Caracara, Crested, *Polyborus plancus*

§ 10.13

50 CFR Ch. I (10–1–07 Edition)

Cardinal, Northern, *Cardinalis cardinalis*  
 Carib, Green-throated, *Eulampis holosericeus*  
 Catbird, Gray, *Dumetella carolinensis*  
 Chat, Yellow-breasted, *Icteria virens*  
 Chickadee (see Tit):  
     Black-capped, *Parus atricapillus*  
     Boreal, *Parus hudsonicus*  
     Carolina, *Parus carolinensis*  
     Chestnut-backed, *Parus rufescens*  
     Mexican, *Parus sclateri*  
     Mountain, *Parus gambeli*  
 Chuck-will's-widow, *Caprimulgus carolinensis*  
 Condor, California, *Gymnogyps californianus*  
 Coot:  
     American, *Fulica americana*  
     Caribbean, *Fulica caribaea*  
     Eurasian, *Fulica atra*  
 Cormorant:  
     Brandt's, *Phalacrocorax penicillatus*  
     Double-crested, *Phalacrocorax auritus*  
     Great, *Phalacrocorax carbo*  
     Olivaceous, *Phalacrocorax olivaceus*  
     Pelagic, *Phalacrocorax pelagicus*  
     Red-faced, *Phalacrocorax urile*  
 Cowbird:  
     Bronzed, *Molothrus aeneus*  
     Brown-headed, *Molothrus ater*  
     Shiny, *Molothrus bonariensis*  
 Crane:  
     Corn, *Crex crex*  
     Yellow-breasted, *Porzana flaviventer*  
 Crane:  
     Common, *Grus grus*  
     Sandhill, *Grus canadensis*  
     Whooping, *Grus americana*  
 Creeper, Brown, *Certhia americana*  
 Crossbill:  
     Red, *Loxia curvirostra*  
     White-winged, *Loxia leucoptera*  
 Crow:  
     American, *Corvus brachyrhynchos*  
     Fish, *Corvus ossifragus*  
     Hawaiian, *Corvus hawaiiensis*  
     Mexican, *Corvus imparatus*  
     Northwestern, *Corvus caurinus*  
     White-necked, *Corvus leucognaphalus*  
 Cuckoo:  
     Black-billed, *Coccyzus erythrophthalmus*  
     Common, *Cuculus canorus*  
     Hawk (see Hawk-Cuckoo)  
     Lizard (see Lizard-Cuckoo)  
     Mangrove, *Coccyzus minor*  
     Oriental, *Cuculus saturatus*  
     Yellow-billed, *Coccyzus americanus*  
 Curlew (see Whimbrel):  
     Bristle-thighed, *Numenius tahitiensis*  
     Eskimo, *Numenius borealis*  
     Far Eastern, *Numenius madagascariensis*  
     Least, *Numenius minutus*  
     Long-billed, *Numenius americanus*  
 Dickcissel, *Spiza americana*  
 Dipper, American, *Cinclus mexicanus*  
 Dotterel, Eurasian, *Charadrius morinellus*  
 Dove:  
     Ground (see Ground-Dove)  
     Inca, *Columbina inca*  
     Mourning, *Zenaida macroura*

Quail (see Quail-Dove)  
 White-tipped, *Leptotila verreauxi*  
 White-winged, *Zenaida asiatica*  
 Zenaida, *Zenaida aurita*  
 Dovekie, *Alle alle*  
 Dowitcher:  
     Long-billed, *Limnodromus scolopaceus*  
     Short-billed, *Limnodromus griseus*

DUCKS

American Black Duck, *Anas rubripes*  
 Bufflehead, *Bucephala albeola*  
 Canvasback, *Aythya valisineria*  
 Eider:  
     Common, *Somateria mollissima*  
     King, *Somateria spectabilis*  
     Spectacled, *Somateria fischeri*  
     Steller's, *Polysticta stelleri*  
 Gadwall, *Anas strepera*  
 Garganey, *Anas querquedula*  
 Goldeneye:  
     Barrow's, *Bucephala islandica*  
     Common, *Bucephala clangula*  
 Harlequin Duck, *Histrionicus histrionicus*  
 Hawaiian Duck, *Anas wyvilliana*  
 Laysan Duck, *Anas laysanensis*  
 Mallard, *Anas platyrhynchos*  
 Masked Duck, *Oxyura dominica*  
 Merganser  
     Common, *Mergus merganser*  
     Hooded, *Lophodytes cucullatus*  
     Red-breasted, *Mergus serrator*  
 Mottled Duck, *Anas fulvigula*  
 Oldsquaw, *Clangula hyemalis*  
 Pintail:  
     Northern, *Anas acuta*  
     White-cheeked, *Anas bahamensis*  
 Pochard:  
     Baer's, *Aythya baeri*  
     Common, *Aythya ferina*  
 Redhead, *Aythya americana*  
 Ring-necked Duck, *Aythya collaris*  
 Ruddy Duck, *Oxyura jamaicensis*  
 Scaup:  
     Greater, *Aythya marila*  
     Lesser, *Aythya affinis*  
 Scoter:  
     Black, *Melanitta nigra*  
     Surf, *Melanitta perspicillata*  
     White-winged, *Melanitta fusca*  
 Shoveler, Northern, *Anas clypeata*  
 Smew, *Mergellus albellus*  
 Teal:  
     Baikal, *Anas formosa*  
     Blue-winged, *Anas discors*  
     Cinnamon, *Anas cyanoptera*  
     Falcated, *Anas falcata*  
     Green-winged, *Anas crecca*  
 Tufted Duck, *Aythya fuligula*  
 Whistling-Duck:  
     Black-bellied, *Dendrocygna autumnalis*  
     Fulvous, *Dendrocygna bicolor*  
     West Indian, *Dendrocygna arborea*  
 Wigeon:  
     American, *Anas americana*  
     Eurasian, *Anas penelope*  
 Wood Duck, *Aix sponsa*

U.S. Fish and Wildlife Serv., Interior

§ 10.13

END OF DUCKS

- Dunlin, *Calidris alpina*  
 Eagle:  
   Bald, *Haliaeetus leucocephalus*  
   Golden, *Aquila chrysaetos*  
   Sea (see Sea-Eagle)  
   White-tailed, *Haliaeetus albicilla*  
 Egret:  
   Cattle, *Bubulcus ibis*  
   Chinese, *Egretta eulophotes*  
   Great, *Casmerodius albus*  
   Plumed, *Egretta intermedia*  
   Reddish, *Egretta rufescens*  
   Snowy, *Egretta thula*  
 Eider (see DUCKS)  
 Elaenia, Caribbean, *Elaenia martinica*  
 Emerald, Puerto Rican, *Chlorostilbon maugaeus*  
 Euphonia, Antillean, *Euphonia musica*  
 Falcon:  
   Aplomado, *Falco femoralis*  
   Peregrine, *Falco peregrinus*  
   Prairie, *Falco mexicanus*  
 Fieldfare, *Turdus pilaris*  
 Finch:  
   Cassin's, *Carpodacus cassinii*  
   House, *Carpodacus mexicanus*  
   Purple, *Carpodacus purpureus*  
   Rosy, *Leucosticte arctoa*  
 Flamingo, Greater, *Phoenicopterus ruber*  
 Flicker, Northern, *Colaptes auratus*  
 Flycatcher:  
   Acadian, *Empidonax virescens*  
   Alder, *Empidonax alnorum*  
   Ash-throated, *Myiarchus cinerascens*  
   Brown-crested, *Myiarchus tyrannulus*  
   Buff-breasted, *Empidonax fulvifrons*  
   Dusky, *Empidonax oberholseri*  
   Dusky-capped, *Myiarchus tuberculifer*  
   Fork-tailed, *Tyrannus savana*  
   Gray, *Empidonax wrightii*  
   Gray-spotted, *Muscicapa griseisticta*  
   Great Crested, *Myiarchus crinitus*  
   Hammond's, *Empidonax hammondii*  
   Least, *Empidonax minimus*  
   Narcissus, *Muscicapa narcissina*  
   Nutting's, *Myiarchus nuttingi*  
   Olive-sided, *Contopus borealis*  
   Puerto Rican, *Myiarchus antillarum*  
   Scissor-tailed, *Tyrannus forficatus*  
   Sulphur-bellied, *Myiodynastes luteiventris*  
   Vermilion, *Pyrocephalus rubinus*  
   Western, *Empidonax difficilis*  
   Willow, *Empidonax traillii*  
   Yellow-bellied, *Empidonax flaviventris*  
 Frigatebird:  
   Great, *Fregata minor*  
   Magnificent, *Fregata magnificens*  
   Lesser, *Fregata ariel*  
 Fulmar, Northern, *Fulmarus glacialis*  
 Gadwall (see DUCKS)  
 Gallinule, Purple, *Porphyrola martinica*  
 Gannet, Northern, *Sula bassanus*  
 Garganey (see DUCKS)  
 Gnatcatcher:  
   Black-capped, *Poliophtila nigriceps*  
   Black-tailed, *Poliophtila melanura*  
   Blue-gray, *Poliophtila caerulea*  
 Godwit:  
   Bar-tailed, *Limosa lapponica*  
   Black-tailed, *Limosa limosa*  
   Hudsonian, *Limosa haemastica*  
   Marbled, *Limosa fedoa*  
 Golden-Plover, Lesser, *Pluvialis dominica*  
 Goldeneye (see DUCKS)  
 Goldfinch:  
   American, *Carduelis tristis*  
   Lawrence's, *Carduelis lawrencei*  
   Lesser, *Carduelis psaltria*  
 Goose:  
   Barnacle, *Branta leucopsis*  
   Bean, *Anser fabalis*  
   Canada, *Branta canadensis*  
   Emperor, *Chen canagica*  
   Greater White-fronted, *Anser albifrons*  
   Hawaiian, *Nesochen sandvicensis*  
   Ross', *Chen rossii*  
   Snow, *Chen caerulescens*  
 Goshawk, Northern, *Accipiter gentilis*  
 Grackle:  
   Boat-tailed, *Quiscalus major*  
   Common, *Quiscalus quiscula*  
   Great-tailed, *Quiscalus mexicanus*  
   Greater Antillean, *Quiscalus niger*  
 Grasshopper-Warbler, Middendorff's, *Locustella ochotensis*  
 Grassquit:  
   Black-faced, *Tiaris bicolor*  
   Yellow-faced, *Tiaris olivacea*  
 Grebe:  
   Eared, *Podiceps nigricollis*  
   Horned, *Podiceps auritus*  
   Least, *Tachybaptus dominicus*  
   Pied-billed, *Podilymbus podiceps*  
   Red-necked, *Podiceps grisegena*  
   Western, *Aechmophorus occidentalis*  
 Greenfinch, Oriental, *Carduelis sinica*  
 Greenshank, Common, *Tringa nebularia*  
 Grosbeak:  
   Black-headed, *Pheucticus melanocephalus*  
   Blue, *Guiraca caerulea*  
   Crimson-collared, *Rhodothraupis celaeno*  
   Evening, *Coccothraustes vespertinus*  
   Pine, *Pinicola enucleator*  
   Rose-breasted, *Pheucticus ludovicianus*  
   Yellow, *Pheucticus chrysopleus*  
 Ground-Dove:  
   Common, *Columbina passerina*  
   Ruddy, *Columbina talpacoti*  
 Guillemot:  
   Black, *Cephus grylle*  
   Pigeon, *Cephus columba*  
 Gull:  
   Bonaparte's, *Larus philadelphia*  
   California, *Larus californicus*  
   Common Black-headed, *Larus ridibundus*  
   Franklin's, *Larus pipixcan*  
   Glaucous, *Larus hyperboreus*  
   Glaucous-winged, *Larus glaucescens*  
   Great Black-backed, *Larus marinus*  
   Heermann's, *Larus heermanni*  
   Herring, *Larus argentatus*  
   Iceland, *Larus glaucoides*

§ 10.13

50 CFR Ch. I (10–1–07 Edition)

Ivory, *Pagophila eburnea*  
 Laughing, *Larus atricilla*  
 Lesser Black-backed, *Larus fuscus*  
 Little, *Larus minutus*  
 Mew, *Larus canus*  
 Ring-billed, *Larus delawarensis*  
 Ross', *Rhodostethia rosea*  
 Sabine's, *Xema sabini*  
 Slaty-backed, *Larus schistisagus*  
 Thayer's, *Larus thayeri*  
 Western, *Larus occidentalis*  
 Yellow-footed, *Larus livens*  
 Gyrfalcon, *Falco rusticolus*  
 Harrier, Northern, *Circus cyaneus*  
 Hawfinch, *Coccothraustes coccothraustes*  
 Hawk:  
   Asiatic Sparrow, *Accipiter gularis*  
   Black (see Black-Hawk)  
   Broad-winged, *Buteo platypterus*  
   Cooper's, *Accipiter cooperii*  
   Ferruginous, *Buteo regalis*  
   Gray, *Buteo nitidus*  
   Harris', *Parabuteo unicinctus*  
   Hawaiian, *Buteo solitarius*  
   Red-shouldered, *Buteo lineatus*  
   Red-tailed, *Buteo jamaicensis*  
   Rough-legged, *Buteo lagopus*  
   Sharp-shinned, *Accipiter striatus*  
   Short-tailed, *Buteo brachyurus*  
   Swainson's, *Buteo swainsoni*  
   White-tailed, *Buteo albicaudatus*  
   Zone-tailed, *Buteo albonotatus*  
 Hawk-Cuckoo, Hodgson's, *Cuculus fugax*  
 Hawk-Owl, Northern, *Surnia ulula*  
 Heron:  
   Great Blue, *Ardea herodias*  
   Green-backed, *Butorides striatus*  
   Little Blue, *Egretta caerulea*  
   Night (see Night-Heron)  
   Pacific Reef, *Egretta sacra*  
   Tricolored, *Egretta tricolor*  
 Hoopoe, *Upupa epops*  
 House-Martin, Common, *Delichon urbica*  
 Hummingbird (see Carib, Emerald, Mango,  
 Starthroat, Woodstar, Violet-ear):  
   Allen's, *Selasphorus sasin*  
   Anna's, *Calypte anna*  
   Antillean Crested, *Orthorhynchus cristatus*  
   Berylline, *Amazilia beryllina*  
   Black-chinned, *Archilochus alexandri*  
   Blue-throated, *Lampornis clemenciae*  
   Broad-billed, *Cyananthus latirostris*  
   Broad-tailed, *Selasphorus platycercus*  
   Buff-bellied, *Amazilia yucatanensis*  
   Calliope, *Stellula calliope*  
   Costa's, *Calypte costae*  
   Lucifer, *Calothorax lucifer*  
   Magnificent, *Eugenes fulgens*  
   Ruby-throated, *Archilochus colubris*  
   Rufous, *Selasphorus rufus*  
   Violet-crowned, *Amazilia violiceps*  
   White-eared, *Hylocharis leucotis*  
 Ibis:  
   Glossy, *Plegadis falcinellus*  
   Scarlet, *Eudocimus ruber*  
   White, *Eudocimus albus*  
   White-faced, *Plegadis chihi*

Jabiru, *Jabiru mycteria*  
 Jacana, Northern, *Jacana spinosa*  
 Jaeger:  
   Long-tailed, *Stercorarius longicaudus*  
   Parasitic, *Stercorarius parasiticus*  
   Pomarine, *Stercorarius pomarinus*  
 Jay:  
   Blue, *Cyanocitta cristata*  
   Brown, *Cyanocorax morio*  
   Gray, *Perisoreus canadensis*  
   Gray-breasted, *Aphelocoma ultramarina*  
   Green, *Cyanocorax yncas*  
   Pinyon, *Gymnorhinus cyanocephalus*  
   Scrub, *Aphelocoma coerulescens*  
   Steller's, *Cyanocitta stelleri*  
 Junco:  
   Dark-eyed, *Junco hyemalis*  
   Yellow-eyed, *Junco phaeonotus*  
 Kestrel:  
   American, *Falco sparverius*  
   Eurasian, *Falco tinnunculus*  
 Killdeer, *Charadrius vociferus*  
 Kingbird:  
   Cassin's, *Tyrannus vociferans*  
   Couch's, *Tyrannus couchii*  
   Eastern, *Tyrannus tyrannus*  
   Gray, *Tyrannus dominicensis*  
   Loggerhead, *Tyrannus caudifasciatus*  
   Thick-billed, *Tyrannus crassirostris*  
   Tropical, *Tyrannus melancholicus*  
   Western, *Tyrannus verticalis*  
 Kingfisher:  
   Belted, *Ceryle alcyon*  
   Green, *Chloroceryle americana*  
   Ringed, *Ceryle torquata*  
 Kinglet:  
   Golden-crowned, *Regulus satrapa*  
   Ruby-crowned, *Regulus calendula*  
 Kiskadee, Great, *Pitangus sulphuratus*  
 Kite:  
   American Swallow-tailed, *Elanoides forficatus*  
   Black, *Milvus migrans*  
   Black-shouldered, *Elanus caeruleus*  
   Hook-billed, *Chondrohierax uncinatus*  
   Mississippi, *Ictinia mississippiensis*  
   Snail, *Rostrhamus sociabilis*  
 Kittiwake:  
   Black-legged, *Larus tridactyla*  
   Red-legged, *Larus brevirostris*  
 Knot:  
   Great, *Calidris tenuirostris*  
   Red, *Calidris canutus*  
 Lapwing, Northern, *Vanellus vanellus*  
 Lark, Horned, *Eremophila alpestris*  
 Limpkin, *Aramus guarauna*  
 Lizard-Cuckoo, Puerto Rican, *Saurothera vielloti*  
 Longspur:  
   Chestnut-collared, *Calcarius ornatus*  
   Lapland, *Calcarius lapponicus*  
   McCown's, *Calcarius mccownii*  
   Smith's, *Calcarius pictus*  
 Loon:  
   Arctic, *Gavia arctica*  
   Common, *Gavia immer*  
   Red-throated, *Gavia stellata*

U.S. Fish and Wildlife Serv., Interior

§ 10.13

- Yellow-billed, *Gavia adamsii*  
 Magpie:  
     Black-billed, *Pica pica*  
     Yellow-billed, *Pica nuttalli*  
 Mallard (see DUCKS)  
 Mango:  
     Antillean, *Anthracothorax dominicus*  
     Green, *Anthracothorax viridis*  
 Martin:  
     Caribbean, *Progne dominicensis*  
     Cuban, *Progne cryptoleuca*  
     Gray-breasted, *Progne chalybea*  
     House (see House-Martin)  
     Purple, *Progne subis*  
 Meadowlark:  
     Eastern, *Sturnella magna*  
     Western, *Sturnella neglecta*  
 Merganser (see DUCKS)  
 Merlin, *Falco columbarius*  
 Mockingbird, Northern, *Mimus polyglottos*  
 Moorhen, Common, *Gallinula chloropus*  
 Murre:  
     Common, *Uria aalge*  
     Thick-billed, *Uria lomvia*  
 Murrelet:  
     Ancient, *Synthliboramphus antiquus*  
     Craveri's, *Synthliboramphus craveri*  
     Kittlitz's, *Brachyramphus brevirostris*  
     Marbled, *Brachyramphus marmoratus*  
     Xantus', *Synthliboramphus hypoleucus*  
 Needle-tail, White-throated, *Hirundapus caudacutus*  
 Night-Heron:  
     Black-crowned, *Nycticorax nycticorax*  
     Japanese, *Nycticorax goisagi*  
     Malay, *Nycticorax melanolophus*  
     Yellow-crowned, *Nycticorax violaceus*  
 Nighthawk:  
     Antillean, *Chordeiles gundlachii*  
     Common, *Chordeiles minor*  
     Lesser, *Chordeiles acutipennis*  
 Nightjar:  
     Buff-collared, *Caprimulgus ridgwayi*  
     Jungle, *Caprimulgus indicus*  
     Puerto Rican, *Caprimulgus noctitherus*  
 Noddy:  
     Black, *Anous minutus*  
     Blue-gray, *Procelsterna cerulea*  
     Brown, *Anous stolidus*  
     Lesser, *Anous tenuirostris*  
 Nutcracker, Clark's, *Nucifraga columbiana*  
 Nuthatch:  
     Brown-headed, *Sitta pusilla*  
     Pygmy, *Sitta pygmaea*  
     Red-breasted, *Sitta canadensis*  
     White-breasted, *Sitta carolinensis*  
 Oldsquaw (see DUCKS)  
 Oriole:  
     Altamira, *Icterus gularis*  
     Audubon's, *Icterus graduacauda*  
     Black-cowled, *Icterus dominicensis*  
     Black-vented, *Icterus wagleri*  
     Hooded, *Icterus cucullatus*  
     Northern, *Icterus galbula*  
     Orchard, *Icterus spurius*  
     Scott's, *Icterus parisorum*  
     Streak-backed, *Icterus pustulatus*  
 Osprey, *Pandion haliaetus*  
 Ovenbird, *Seiurus aurocapillus*  
 Owl:  
     Barn (see Barn-Owl)  
     Barred, *Strix varia*  
     Boreal, *Aegolius funereus*  
     Burrowing, *Athene cunicularia*  
     Elf, *Micrathene whitneyi*  
     Flammulated, *Otus flammeolus*  
     Great Gray, *Strix nebulosa*  
     Great Horned, *Bubo virginianus*  
     Hawk (see Hawk-Owl)  
     Long-eared, *Asio otus*  
     Pygmy (see Pygmy-Owl)  
     Saw-whet (see Saw-Whet Owl)  
     Screech (see Screech-Owl)  
     Short-eared, *Asio flammeus*  
     Snowy, *Nyctea scandiaca*  
     Spotted, *Strix occidentalis*  
 Oystercatcher:  
     American, *Haematopus palliatus*  
     Black, *Haematopus bachmani*  
 Parula:  
     Northern, *Parula americana*  
     Tropical, *Parula pitaiayumi*  
 Pauraque, Common, *Nyctidromus albigollis*  
 Pelican:  
     American White, *Pelecanus erythrorhynchos*  
     Brown, *Pelecanus occidentalis*  
 Petrel:  
     Black-capped, *Pterodroma hasitata*  
     Bonin, *Pterodroma hypoleuca*  
     Bulwer's, *Bulweria bulwerii*  
     Cook's, *Pterodroma cookii*  
     Dark-rumped, *Pterodroma phaeopygia*  
     Herald, *Pterodroma arminjoniana*  
     Kermadec, *Pterodroma neglecta*  
     Mottled, *Pterodroma inexpectata*  
     Murphy's, *Pterodroma ultima*  
     Storm (see Storm-Petrel)  
     White-necked, *Pterodroma externa*  
 Pewee:  
     Greater, *Contopus pertinax*  
     Lesser Antillean, *Contopus latirostris*  
     Wood (see Wood-Pewee)  
 Phainopepla, *Phainopepla nitens*  
 Phalarope:  
     Red, *Phalaropus fulicaria*  
     Red-necked, *Phalaropus lobatus*  
     Wilson's, *Phalaropus tricolor*  
 Phoebe:  
     Black, *Sayornis nigricans*  
     Eastern, *Sayornis phoebe*  
     Say's, *Sayornis saya*  
 Pigeon:  
     Band-tailed, *Columba fasciata*  
     Plain, *Columba inornata*  
     Red-billed, *Columba flavirostris*  
     Scaly-naped, *Columba squamosa*  
     White-crowned, *Columba leucocephala*  
 Pintail (see DUCKS)  
 Pipit:  
     Pechora, *Anthus gustavi*  
     Red-throated, *Anthus cervinus*  
     Sprague's, *Anthus spragueii*  
     Tree (see Tree-Pipit)  
     Water, *Anthus spinoletta*

## Plover:

Black-bellied, *Pluvialis squatarola*  
 Common Ringed, *Charadrius hiaticula*  
 Golden (see Golden-Plover)  
 Great Sand, *Charadrius leschenaultii*  
 Little Ringed, *Charadrius dubius*  
 Mongolian, *Charadrius mongolus*  
 Mountain, *Charadrius montanus*  
 Piping, *Charadrius melodius*  
 Semipalmated, *Charadrius semipalmatus*  
 Snowy, *Charadrius alexandrinus*  
 Wilson's, *Charadrius wilsonia*

## Pochard (see DUCKS)

Poorwill, Common, *Phalaenoptilus nuttallii*

## Puffin:

Atlantic, *Fratercula arctica*  
 Horned, *Fratercula corniculata*  
 Tufted, *Fratercula cirrhata*

## Pygmy-Owl:

Ferruginous, *Glaucidium brasilianum*  
 Northern, *Glaucidium gnoma*

Pyrrhuloxia, *Cardinalis sinuatus*

## Quail-Dove:

Bridled, *Geotrygon mystacea*  
 Key West, *Geotrygon chrysia*  
 Ruddy, *Geotrygon montana*

## Rail:

Black, *Laterallus jamaicensis*  
 Clapper, *Rallus longirostris*  
 King, *Rallus elegans*  
 Sora (see Sora)  
 Virginia, *Rallus limicola*  
 Yellow, *Coturnicops noveboracensis*

## Raven:

Chihuahuan, *Corvus cryptoleucus*  
 Common, *Corvus corax*

Razorbill, *Alca torda*

## Redhead (see DUCKS)

## Redpoll:

Common, *Carduelis flammea*  
 Hoary, *Carduelis hornemanni*  
 Redshank, Spotted, *Tringa erythropus*

## Redstart:

American, *Setophaga ruticilla*  
 Painted, *Myioborus pictus*  
 Slaty-throated, *Myioborus miniatus*

## Reed-Bunting:

Common, *Emberiza schoeniculus*  
 Pallas', *Emberiza pallasii*

Roadrunner, Greater, *Geococcyx californianus*

## Robin:

American, *Turdus migratorius*  
 Clay-colored, *Turdus grayi*  
 Rufous-backed, *Turdus rufopalliatus*

Rosefinch, Common, *Carpodacus erythrinus*

## Rough-winged Swallow, Northern,

*Stelgidopteryx serripennis*Rubythroat, Siberian, *Luscinia calliope*Ruff, *Philomachus pugnax*Sanderling, *Calidris alba*

## Sandpiper:

Baird's, *Calidris bairdii*  
 Broad-billed, *Limicola falcinellus*  
 Buff-breasted, *Tryngites subruficollis*  
 Common, *Actitis hypoleucos*  
 Curlew, *Calidris ferruginea*  
 Least, *Calidris minutilla*

Marsh, *Tringa stagnatilis*Pectoral, *Calidris melanotos*Purple, *Calidris maritima*Rock, *Calidris ptilocnemis*Semipalmated, *Calidris pusilla*Sharp-tailed, *Calidris acuminata*Solitary, *Tringa solitaria*Spoonbill, *Eurynorhynchus pygmeus*Spotted, *Actitis macularia*Stilt, *Calidris himantopus*Terek, *Xenus cinereus*Upland, *Bartramia longicauda*Western, *Calidris mauri*White-rumped, *Calidris fuscicollis*Wood, *Tringa glareola*

## Sapsucker:

Red-breasted, *Sphyrapicus ruber*  
 Williamson's, *Sphyrapicus thyroideus*  
 Yellow-bellied, *Sphyrapicus varius*

Saw-whet Owl, Northern, *Aegolius acadicus*

## Scaup (see DUCKS)

## Scoter (see DUCKS)

## Screech-Owl:

Eastern, *Otus asio*  
 Puerto Rican, *Otus nudipes*  
 Western, *Otus kennicottii*  
 Whiskered, *Otus trichopsis*

Sea-Eagle, Steller's, *Haliaeetus pelagicus*Seed-eater, White-collared, *Sporophila torqueola*

## Shearwater:

Audubon's, *Puffinus lherminieri*  
 Black-vented, *Puffinus opisthomelas*  
 Buller's, *Puffinus bulleri*  
 Christmas, *Puffinus nativitatus*  
 Cory's, *Calonectris diomedea*  
 Flesh-footed, *Puffinus carneipes*  
 Greater, *Puffinus gravis*  
 Little, *Puffinus assimilis*  
 Manx, *Puffinus puffinus*  
 Pink-footed, *Puffinus creatopus*  
 Short-tailed, *Puffinus tenuirostris*  
 Sooty, *Puffinus griseus*  
 Townsend's, *Puffinus auricularis*  
 Wedge-tailed, *Puffinus pacificus*

## Shoveler (see DUCKS)

## Shrike:

Loggerhead, *Lanius ludovicianus*  
 Northern, *Lanius excubitor*

Siskin, Pine, *Carduelis pinus*Skimmer, Black, *Rhynchops niger*

## Skua:

Great, *Catharacta skua*  
 South Polar, *Catharacta maccormicki*

Skylark, Eurasian, *Alauda arvensis*

## Smew (see DUCKS)

## Snipe:

Common, *Gallinago gallinago*  
 Jack, *Lymnocyptes minimus*  
 Pin-tailed, *Gallinago stenura*  
 Swinhoe's, *Gallinago megala*  
 Solitaire, Townsend's, *Myadestes townsendi*  
 Sora, *Porzana carolina*

## Sparrow:

American Tree, *Spizella arborea*  
 Bachman's, *Aimophila aestivalis*  
 Baird's, *Ammodramus bairdii*

U.S. Fish and Wildlife Serv., Interior

§ 10.13

- Black-chinned, *Spizella atrogularis*  
 Black-throated, *Amphispiza bilineata*  
 Botteri's, *Aimophila botterii*  
 Brewer's, *Spizella breweri*  
 Cassin's, *Aimophila cassinii*  
 Chipping, *Spizella passerina*  
 Clay-colored, *Spizella pallida*  
 Field, *Spizella pusilla*  
 Five-striped, *Amphispiza quinquestrata*  
 Fox, *Passerella iliaca*  
 Golden-crowned, *Zonotrichia atricapilla*  
 Grasshopper, *Ammodramus savannarum*  
 Harris', *Zonotrichia querula*  
 Henslow's, *Ammodramus henslowii*  
 Lark, *Chondestes grammacus*  
 Le Conte's, *Ammodramus leconteii*  
 Lincoln's, *Melospiza lincolnii*  
 Olive, *Arremonops rufivirgatus*  
 Rufous-crowned, *Aimophila ruficeps*  
 Rufous-winged, *Aimophila carpalis*  
 Sage, *Amphispiza belli*  
 Savannah, *Passerculus sandwichensis*  
 Seaside, *Ammodramus maritimus*  
 Sharp-tailed, *Ammodramus caudacutus*  
 Song, *Melospiza melodia*  
 Swamp, *Melospiza georgiana*  
 Vesper, *Pooecetes gramineus*  
 White-crowned, *Zonotrichia leucophrys*  
 White-throated, *Zonotrichia albicollis*  
 Worthen's, *Spizella wortheni*  
 Spoonbill, Roseate, *Ajaia ajaja*  
 Starling:  
     Ashy, *Sturnus cineraceus*  
     Violet-backed, *Sturnus philippensis*  
 Starthroat, Plain-capped *Heliomaster constantii*,  
 Stilt, Black-necked, *Himantopus mexicanus*  
 Stint:  
     Little, *Calidris minuta*  
     Long-toed, *Calidris subminuta*  
     Rufous-necked, *Calidris ruficollis*  
     Temminck's, *Calidris temminckii*  
 Stork, Wood, *Mycteria americana*  
 Storm-Petrel:  
     Ashy, *Oceanodroma homochroa*  
     Band-rumped, *Oceanodroma castro*  
     Black, *Oceanodroma melania*  
     Fork-tailed, *Oceanodroma furcata*  
     Leach's, *Oceanodroma leucorhoa*  
     Least, *Oceanodroma microsoma*  
     Sooty, *Oceanodroma tristrami*  
     Wedge-rumped, *Oceanodroma tethys*  
     White-faced, *Pelagodroma marina*  
     Wilson's, *Oceanites oceanicus*  
 Surfbird, *Aphriza virgata*  
 Swallow:  
     Bahama, *Tachycineta cyaneoviridis*  
     Bank, *Riparia riparia*  
     Barn, *Hirundo rustica*  
     Cave, *Hirundo fulva*  
     Cliff, *Hirundo pyrrhonota*  
     Rough-winged (see Rough-winged Swallow)  
     Tree, *Tachycineta bicolor*  
     Violet-green, *Tachycineta thalassina*  
 Swan:  
     Trumpeter, *Cygnus buccinator*  
     Tundra, *Cygnus columbianus*  
     Whooper, *Cygnus cygnus*  
 Swift:  
     Antillean Palm, *Tachornis pheonicea*  
     Black, *Cypseloides niger*  
     Chimney, *Chaetura pelagica*  
     Common, *Apus apus*  
     Fork-tailed, *Apus pacificus*  
     Needle-tailed (see Needletail)  
     Vaux's, *Chaetura vauxi*  
     White-collared, *Streptoprocne zonaris*  
     White-throated, *Aeronautes saxatalis*  
 Tanager:  
     Hepatic, *Piranga flava*  
     Puerto Rican, *Neospingus speculiferus*  
     Scarlet, *Piranga olivacea*  
     Stripe-headed, *Spindalis zena*  
     Summer, *Piranga rubra*  
     Western, *Piranga ludoviciana*  
 Tattler:  
     Gray-tailed, *Heteroscelus brevipes*  
     Wandering, *Heteroscelus incanus*  
 Teal (see DUCKS)  
 Tern:  
     Aleutian, *Sterna aleutica*  
     Arctic, *Sterna paradisaea*  
     Black, *Chlidonias niger*  
     Black-naped, *Sterna sumatrana*  
     Bridled, *Sterna anaethetus*  
     Caspian, *Sterna caspia*  
     Common, *Sterna hirundo*  
     Elegant, *Sterna elegans*  
     Forster's, *Sterna forsteri*  
     Gray-backed, *Sterna lunata*  
     Gull-billed, *Sterna nilotica*  
     Least, *Sterna antillarum*  
     Little, *Sterna albifrons*  
     Roseate, *Sterna dougallii*  
     Royal, *Sterna maxima*  
     Sandwich, *Sterna sandvicensis*  
     Sooty, *Sterna fuscata*  
     White, *Gygis alba*  
     White-winged, *Chlidonias leucopterus*  
 Thrasher:  
     Bendire's, *Toxostoma bendirei*  
     Brown, *Toxostoma rufum*  
     California, *Toxostoma redivivum*  
     Crissal, *Toxostoma crissale*  
     Curve-billed, *Toxostoma curvirostre*  
     Le Conte's, *Toxostoma lecontei*  
     Long-billed, *Toxostoma longirostre*  
     Pearly-eyed, *Margarops fuscatus*  
     Sage, *Oreoscoptes montanus*  
 Thrush:  
     Aztec, *Ridgwayia pinicola*  
     Blue Rock, *Monticola solitarius*  
     Dusky, *Turdus naumanni*  
     Eye-browed, *Turdus obscurus*  
     Gray-cheeked, *Catharus minimus*  
     Hawaiian, *Phaeornis obscurus*  
     Hermit, *Catharus guttatus*  
     Red-legged, *Turdus plumbeus*  
     Small Kauai, *Phaeornis palmeri*  
     Swainson's, *Catharus ustulatus*  
     Varied, *Ixoreus naevius*  
     Wood, *Hylocichla minima*  
     Tit, Siberian, *Parus cinctus*  
 Titmouse:

- Bridled, *Parus wollweberi*  
 Plain, *Parus inornatus*  
 Tufted, *Parus bicolor*  
 Towhee:  
 Abert's, *Pipilo aberti*  
 Brown, *Pipilo fuscus*  
 Green-tailed, *Pipilo chlorurus*  
 Rufous-sided, *Pipilo erythrophthalmus*  
 Tree-Pipit, Olive, *Anthus hodgsoni*  
 Trogon:  
 Eared, *Euptilotus neoxenus*  
 Elegant, *Trogon elegans*  
 Tropicbird:  
 Red-billed, *Phaethon aethereus*  
 Red-tailed, *Phaethon rubricauda*  
 White-tailed, *Phaethon lepturus*  
 Turnstone:  
 Black, *Arenaria melanocephala*  
 Ruddy, *Arenaria interpres*  
 Veery, *Catharus fuscescens*  
 Verdin, *Auriparus flaviceps*  
 Violet-Ear, Green, *Colibri thalassinus*  
 Vireo:  
 Bell's, *Vireo bellii*  
 Black-capped, *Vireo atricapillus*  
 Black-whiskered, *Vireo altiloquus*  
 Gray, *Vireo vicinior*  
 Hutton's, *Vireo huttoni*  
 Philadelphia, *Vireo philadelphicus*  
 Puerto Rican, *Vireo latimeri*  
 Red-eyed, *Vireo olivaceus*  
 Solitary, *Vireo solitarius*  
 Warbling, *Vireo gilvus*  
 White-eyed, *Vireo griseus*  
 Yellow-throated, *Vireo flavifrons*  
 Vulture:  
 Black, *Coragyps atratus*  
 Turkey, *Cathartes aura*  
 Wagtail:  
 Black-backed, *Motacilla lugens*  
 Gray, *Motacilla cinerea*  
 White, *Motacilla alba*  
 Yellow, *Motacilla flava*  
 Warbler:  
 Adelaide's, *Dendroica adelaidae*  
 Arctic, *Phylloscopus borealis*  
 Bachman's, *Vermivora bachmanii*  
 Bay-breasted, *Dendroica castanea*  
 Black-and-white, *Mniotilta varia*  
 Black-throated Blue, *Dendroica caerulescens*  
 Black-throated Gray, *Dendroica nigrescens*  
 Black-throated Green, *Dendroica virens*  
 Blackburnian, *Dendroica fusca*  
 Blackpoll, *Dendroica striata*  
 Blue-winged, *Vermivora pinus*  
 Canada, *Wilsonia canadensis*  
 Cape May, *Dendroica tigrina*  
 Cerulean, *Dendroica cerulea*  
 Chestnut-sided, *Dendroica pensylvanica*  
 Colima, *Vermivora crissalis*  
 Connecticut, *Oporornis agilis*  
 Elfin Woods, *Dendroica angelae*  
 Golden-cheeked, *Dendroica chrysoparia*  
 Golden-crowned, *Basileuterus culicivorus*  
 Golden-winged, *Vermivora chrysoptera*  
 Grace's, *Dendroica graciae*  
 Grasshopper (see Grasshopper-Warbler)  
 Hermit, *Dendroica occidentalis*  
 Hooded, *Wilsonia citrina*  
 Kentucky, *Oporornis formosus*  
 Kirtland's, *Dendroica kirtlandii*  
 Lucy's, *Vermivora luciae*  
 MacGillivray's, *Oporornis tolmiei*  
 Magnolia, *Dendroica magnolia*  
 Mourning, *Oporornis philadelphia*  
 Nashville, *Vermivora ruficapilla*  
 Olive, *Peucedramus taeniatus*  
 Orange-crowned, *Vermivora celata*  
 Palm, *Dendroica palmarum*  
 Parula (see Parula)  
 Pine, *Dendroica pinus*  
 Prairie, *Dendroica discolor*  
 Prothonotary, *Protonotaria citrea*  
 Red-faced, *Cardellina rubrifrons*  
 Rufous-capped, *Basileuterus rufifrons*  
 Swainson's, *Limnothlypis swainsonii*  
 Tennessee, *Vermivora peregrina*  
 Townsend's, *Dendroica townsendi*  
 Virginia's, *Vermivora virginiae*  
 Willow, *Phylloscopus trochilus*  
 Wilson's, *Wilsonia pusilla*  
 Worm-eating, *Helmitheros vermivorus*  
 Yellow, *Dendroica petechia*  
 Yellow-rumped, *Dendroica coronata*  
 Yellow-throated, *Dendroica dominica*  
 Waterthrush:  
 Louisiana, *Seiurus motacilla*  
 Northern, *Seiurus noveboracensis*  
 Waxwing:  
 Bohemian, *Bombycilla garrulus*  
 Cedar, *Bombycilla cedrorum*  
 Wheatear, Northern, *Oenanthe oenanthe*  
 Whimbrel, *Numenius phaeopus*  
 Whip-poor-will, *Caprimulgus vociferus*  
 Whistling-Duck (see DUCKS)  
 Wigeon (see DUCKS)  
 Willet, *Catoptrophorus semipalmatus*  
 Wood-Pewee:  
 Eastern, *Contopus virens*  
 Western, *Contopus sordidulus*  
 Woodcock:  
 American, *Scolopax minor*  
 Eurasian, *Scolopax rusticola*  
 Woodpecker:  
 Acorn, *Melanerpes formicivorus*  
 Black-backed, *Picoides arcticus*  
 Downy, *Picoides pubescens*  
 Gila, *Melanerpes uropygialis*  
 Golden-fronted, *Melanerpes aurifrons*  
 Hairy, *Picoides villosus*  
 Ivory-billed, *Campephilus principalis*  
 Ladder-backed, *Picoides scalaris*  
 Lewis', *Melanerpes lewis*  
 Nuttall's, *Picoides nuttallii*  
 Pileated, *Dryocopus pileatus*  
 Puerto Rican, *Melanerpes portoricensis*  
 Red-bellied, *Melanerpes carolinus*  
 Red-cockaded, *Picoides borealis*  
 Red-headed, *Melanerpes erythrocephalus*  
 Strickland's, *Picoides stricklandi*  
 Three-toed, *Picoides tridactylus*  
 White-headed, *Picoides albolarvatus*  
 Woodstar, Bahama, *Calliphlox evelynae*  
 Wren:

U.S. Fish and Wildlife Serv., Interior

§ 10.13

Bewick's *Thryomanes bewickii*  
 Cactus, *Campylorhynchus brunneicapillus*  
 Canyon, *Catherpes mexicanus*  
 Carolina, *Thryothorus ludovicianus*  
 House, *Troglodytes aedon*  
 Marsh, *Cistothorus palustris*  
 Rock, *Salpinctes obsoletus*  
 Sedge, *Cistothorus platensis*  
 Winter, *Troglodytes troglodytes*  
 Wryneck, Eurasian, *Jynx torquilla*  
 Yellowlegs:  
 Greater, *Tringa melanoleuca*  
 Lesser, *Tringa flavipes*  
 Yellowthroat:  
 Common, *Geothlypis trichas*  
 Gray-crowned, *Geothlypis poliocephala*

II. TAXONOMIC LISTING

ORDER GAVIIFORMES

FAMILY GAVIIDAE

*Gavia stellata*, Red-throated Loon  
*Gavia arctica*, Arctic Loon  
*Gavia immer*, Common Loon  
*Gavia adamsii*, Yellow-billed Loon

ORDER PODICIPEDIFORMES

FAMILY PODICIPEDIDAE

*Tachybaptus dominicus*, Least Grebe  
*Podilymbus podiceps*, Pied-billed Grebe  
*Podiceps auritus*, Horned Grebe  
*Podiceps griseigena*, Red-necked Grebe  
*Podiceps nigricollis*, Eared Grebe  
*Aechmophorus occidentalis*, Western Grebe

ORDER PROCELLARIIFORMES

FAMILY DIOMEDEIDAE

*Diomedea albatrus*, Short-tailed Albatross  
*Diomedea nigripes*, Black-footed Albatross  
*Diomedea immutabilis*, Laysan Albatross  
*Diomedea chlororhynchos*, Yellow-nosed Albatross

FAMILY PROCELLARIIDAE

*Fulmarus glacialis*, Northern Fulmar  
*Pterodroma hasitata*, Black-capped Petrel  
*Pterodroma phaeopygia*, Dark-rumped Petrel  
*Pterodroma externa*, White-necked Petrel  
*Pterodroma inexpectata*, Mottled Petrel  
*Pterodroma ultima*, Murphy's Petrel  
*Pterodroma neglecta*, Kermadec Petrel  
*Pterodroma arminjoniana*, Herald Petrel  
*Pterodroma cookii*, Cook's Petrel  
*Pterodroma hypoleuca*, Bonin Petrel  
*Bulweria bulwerii*, Bulwer's Petrel  
*Calonectris diomedea*, Cory's Shearwater  
*Puffinus creatopus*, Pink-footed Shearwater  
*Puffinus carneipes*, Flesh-footed Shearwater  
*Puffinus gravis*, Greater Shearwater  
*Puffinus pacificus*, Wedge-tailed Shearwater  
*Puffinus bulleri*, Buller's Shearwater  
*Puffinus griseus*, Sooty Shearwater  
*Puffinus tenuirostris*, Short-tailed Shearwater  
*Puffinus nativitatis*, Christmas Shearwater  
*Puffinus puffinus*, Manx Shearwater  
*Puffinus opisthomelas*, Black-vented Shearwater

*Puffinus auricularis*, Townsend's Shearwater  
*Puffinus assimilis*, Little Shearwater  
*Puffinus lherminieri*, Audubon's Shearwater

FAMILY HYDROBATIDAE

*Oceanites oceanicus*, Wilson's Storm-Petrel  
*Pelagodroma marina*, White-faced Storm-Petrel  
*Oceanodroma furcata*, Fork-tailed Storm-Petrel  
*Oceanodroma leucorhoa*, Leach's Storm-Petrel  
*Oceanodroma homochroa*, Ashy Storm-Petrel  
*Oceanodroma castro*, Band-rumped Storm-Petrel  
*Oceanodroma tethys*, Wedge-rumped Storm-Petrel  
*Oceanodroma melania*, Black Storm-Petrel  
*Oceanodroma tristrami*, Sooty Storm-Petrel  
*Oceanodroma microsoma*, Least Storm-Petrel

ORDER PELECANIFORMES

FAMILY PHAETHONTIDAE

*Phaethon lepturus*, White-tailed Tropicbird  
*Phaethon aethereus*, Red-billed Tropicbird  
*Phaethon rubricauda*, Red-tailed Tropicbird

FAMILY SULIDAE

*Sula dactylatra*, Masked Booby  
*Sula neboxii*, Blue-footed Booby  
*Sula leucogaster*, Brown Booby  
*Sula sula*, Red-footed Booby  
*Sula bassanus*, Northern Gannet

FAMILY PELECANIDAE

*Pelecanus erythrorhynchos*, American White Pelican

*Pelecanus occidentalis*, Brown Pelican

FAMILY PHALACROCORACIDAE

*Phalacrocorax carbo*, Great Cormorant  
*Phalacrocorax auritus*, Double-crested Cormorant  
*Phalacrocorax olivaceus*, Olivaceous Cormorant  
*Phalacrocorax penicillatus*, Brandt's Cormorant  
*Phalacrocorax pelagicus*, Pelagic Cormorant  
*Phalacrocorax urile*, Red-faced Cormorant

FAMILY ANHINGIDAE

*Anhinga anhinga*, Anhinga

FAMILY FREGATIDAE

*Fregata magnificens*, Magnificent Frigatebird  
*Fregata minor*, Great Frigatebird  
*Fregata ariel*, Lesser Frigatebird

ORDER CICONIIFORMES

FAMILY ARDEIDAE

*Botaurus lentiginosus*, American Bittern  
*Ixobrychus exilis*, Least Bittern  
*Ixobrychus sinensis*, Chinese Bittern  
*Ixobrychus eurhythmus*, Schrenk's Bittern  
*Ardea herodias*, Great Blue Heron  
*Casmerodius albus*, Great Egret  
*Egretta eulophotes*, Chinese Egret

§ 10.13

50 CFR Ch. I (10–1–07 Edition)

*Egretta sacra*, Pacific Reef Heron  
*Egretta intermedia*, Plumed Egret  
*Egretta thula*, Snowy Egret  
*Egretta caerulea*, Little Blue Heron  
*Egretta tricolor*, Tricolored Heron  
*Egretta rufescens*, Reddish Egret  
*Bubulcus ibis*, Cattle Egret  
*Butorides striatus*, Green-backed Heron  
*Nycticorax nycticorax*, Black-crowned Night-Heron  
*Nycticorax melanolophus*, Malay Night-Heron  
*Nycticorax goisagi*, Japanese Night-Heron  
*Nycticorax violaceus*, Yellow-crowned Night-Heron

FAMILY THRESKIORNITHIDAE  
*Eudocimus albus*, White Ibis  
*Eudocimus ruber*, Scarlet Ibis  
*Plegadis falcinellus*, Glossy Ibis  
*Plegadis chihi*, White-faced Ibis  
*Ajaia ajaja*, Roseate Spoonbill

FAMILY CICONIIDAE  
*Jabiru mycteria*, Jabiru  
*Mycteria americana*, Wood Stork

ORDER PHOENICOPTERIFORMES  
FAMILY PHOENICOPTERIDAE  
*Phoenicopterus ruber*, Greater Flamingo

ORDER ANSERIFORMES  
FAMILY ANATIDAE  
*Dendrocygna bicolor*, Fulvous Whistling-Duck  
*Dendrocygna autumnalis*, Black-bellied Whistling-Duck  
*Dendrocygna arborea*, West Indian Whistling-Duck  
*Cygnus columbianus*, Tundra Swan  
*Cygnus cygnus*, Whooper Swan  
*Cygnus buccinator*, Trumpeter Swan  
*Anser fabalis*, Bean Goose  
*Anser albifrons*, Greater White-fronted Goose  
*Chen caerulescens*, Snow Goose  
*Chen rossii*, Ross' Goose  
*Chen canagica*, Emperor Goose  
*Branta bernicla*, Brant  
*Branta leucopsis*, Barnacle Goose  
*Branta canadensis*, Canada Goose  
*Nesochen sandvicensis*, Hawaiian Goose  
*Aix sponsa*, Wood Duck  
*Anas crecca*, Green-winged Teal  
*Anas formosa*, Baikal Teal  
*Anas falcata*, Falcated Teal  
*Anas rubripes*, American Black Duck  
*Anas fulvigula*, Mottled Duck  
*Anas platyrhynchos*, Mallard  
*Anas wyvilliana*, Hawaiian Duck  
*Anas laysanensis*, Laysan Duck  
*Anas bahamensis*, White-cheeked Pintail  
*Anas acuta*, Northern Pintail  
*Anas querquedula*, Garganey  
*Anas discors*, Blue-winged Teal  
*Anas cyanoptera*, Cinnamon Teal  
*Anas clypeata*, Northern Shoveler  
*Anas strepera*, Gadwall

*Anas penelope*, Eurasian Wigeon  
*Anas americana*, American Wigeon  
*Aythya ferina*, Common Pochard  
*Aythya valisineria*, Canvasback  
*Aythya americana*, Redhead  
*Aythya baeri*, Baer's Pochard  
*Aythya collaris*, Ring-necked Duck  
*Aythya fuligula*, Tufted Duck  
*Aythya marila*, Greater Scaup  
*Aythya affinis*, Lesser Scaup  
*Somateria mollissima*, Common Eider  
*Somateria spectabilis*, King Eider  
*Somateria fischeri*, Spectacled Eider  
*Polysticta stelleri*, Steller's Eider  
*Histrionicus histrionicus*, Harlequin Duck  
*Clangula hyemalis*, Oldsquaw  
*Melanitta nigra*, Black Scoter  
*Melanitta perspicillata*, Surf Scoter  
*Melanitta fusca*, White-winged Scoter  
*Bucephala clangula*, Common Goldeneye  
*Bucephala islandica*, Barrow's Goldeneye  
*Bucephala albeola*, Bufflehead  
*Mergellus albellus*, Smew  
*Lophodytes cucullatus*, Hooded Merganser  
*Mergus merganser*, Common Merganser  
*Mergus serrator*, Red-breasted Merganser  
*Oxyura jamaicensis*, Ruddy Duck  
*Oxyura dominica*, Masked Duck

ORDER FALCONIFORMES  
FAMILY CATHARTIDAE  
*Coragyps atratus*, Black Vulture  
*Cathartes aura*, Turkey Vulture  
*Gymnogyps californianus*, California Condor

FAMILY ACCIPITRIDAE  
*Pandion haliaetus*, Osprey  
*Chondrohierax uncinatus*, Hook-billed Kite  
*Elanoides forficatus*, American Swallow-tailed Kite  
*Elanus caeruleus*, Black-shouldered Kite  
*Rostrhamus sociabilis*, Snail Kite  
*Ictinia mississippiensis*, Mississippi Kite  
*Milvus migrans*, Black Kite  
*Haliaeetus leucocephalus*, Bald Eagle  
*Haliaeetus albicilla*, White-tailed Eagle  
*Haliaeetus pelagicus*, Steller's Sea-Eagle  
*Circus cyaneus*, Northern Harrier  
*Accipiter gularis*, Asiatic Sparrow Hawk  
*Accipiter striatus*, Sharp-shinned Hawk  
*Accipiter cooperii*, Cooper's Hawk  
*Accipiter gentilis*, Northern Goshawk  
*Buteogallus anthracinus*, Common Black-Hawk  
*Parabuteo unicinctus*, Harris' Hawk  
*Buteo nitidus*, Gray Hawk  
*Buteo lineatus*, Red-shouldered Hawk  
*Buteo platypterus*, Broad-winged Hawk  
*Buteo brachyurus*, Short-tailed Hawk  
*Buteo swainsoni*, Swainson's Hawk  
*Buteo albicaudatus*, White-tailed Hawk  
*Buteo albonotatus*, Zone-tailed Hawk  
*Buteo solitarius*, Hawaiian Hawk  
*Buteo jamaicensis*, Red-tailed Hawk  
*Buteo regalis*, Ferruginous Hawk  
*Buteo lagopus*, Rough-legged Hawk  
*Aquila chrysaetos*, Golden Eagle

FAMILY FALCONIDAE

U.S. Fish and Wildlife Serv., Interior

§ 10.13

*Polyborus plancus*, Crested Caracara  
*Falco tinnunculus*, Eurasian Kestrel  
*Falco sparverius*, American Kestrel  
*Falco columbarius*, Merlin  
*Falco femoralis*, Aplomado Falcon  
*Falco peregrinus*, Peregrine Falcon  
*Falco rusticolus*, Gyrfalcon  
*Falco mexicanus*, Prairie Falcon

ORDER GRUIFORMES

FAMILY RALLIDAE

*Coturnicops noveboracensis*, Yellow Rail  
*Laterallus jamaicensis*, Black Rail  
*Crex crex*, Corn Crake  
*Rallus longirostris*, Clapper Rail  
*Rallus elegans*, King Rail  
*Rallus limicola*, Virginia Rail  
*Porzana carolina*, Sora  
*Porzana flaviventer*, Yellow-breasted Crake  
*Porphyryla martinica*, Purple Gallinule  
*Gallinula chloropus*, Common Moorhen  
*Fulica atra*, Eurasian Coot  
*Fulica americana*, American Coot  
*Fulica caribaea*, Caribbean Coot

FAMILY ARAMIDAE

*Aramus guarauna*, Limpkin

FAMILY GRUIDAE

*Grus canadensis*, Sandhill Crane  
*Grus grus*, Common Crane  
*Grus americana*, Whooping Crane

ORDER CHARADRIIFORMES

FAMILY CHARADRIIDAE

*Vanellus vanellus*, Northern Lapwing  
*Pluvialis squatarola*, Black-bellied Plover  
*Pluvialis dominica*, Lesser Golden Plover  
*Charadrius mongolus*, Mongolian Plover  
*Charadrius leschenaultii*, Great Sand Plover  
*Charadrius alexandrinus*, Snowy Plover  
*Charadrius wilsonia*, Wilson's Plover  
*Charadrius hiaticula*, Common Ringed Plover  
*Charadrius semipalmatus*, Semipalmated Plover  
*Charadrius melodus*, Piping Plover  
*Charadrius dubius*, Little Ringed Plover  
*Charadrius vociferus*, Killdeer  
*Charadrius montanus*, Mountain Plover  
*Charadrius morinellus*, Eurasian Dotterel

FAMILY HAEMATOPODIDAE

*Haematopus palliatus*, American Oystercatcher  
*Haematopus bachmani*, Black Oystercatcher

FAMILY RECURVIROSTRIDAE

*Himantopus mexicanus*, Black-necked Stilt  
*Recurvirostra americana*, American Avocet

FAMILY JACANIDAE

*Jacana spinosa*, Northern Jacana

FAMILY, SCOLOPACIDAE

*Tringa nebularia*, Common Greenshank  
*Tringa melanoleuca*, Greater Yellowlegs  
*Tringa flavipes*, Lesser Yellowlegs  
*Tringa stagnatilis*, Marsh Sandpiper  
*Tringa erythropus*, Spotted Redshank

*Tringa glareola*, Wood Sandpiper  
*Tringa solitaria*, Solitary Sandpiper  
*Catoptrophorus semipalmatus*, Willet  
*Heteroscelus incanus*, Wandering Tattler  
*Heteroscelus brevipes*, Gray-tailed Tattler  
*Actitis hypoleucos*, Common Sandpiper  
*Actitis macularia*, Spotted Sandpiper  
*Xenus cinereus*, Terek Sandpiper  
*Bartramia longicauda*, Upland Sandpiper  
*Numenius minutus*, Least Curlew  
*Numenius borealis*, Eskimo Curlew  
*Numenius phaeopus*, Whimbrel  
*Numenius tahitiensis*, Bristle-thighed Curlew  
*Numenius madagascariensis*, Far Eastern Curlew  
*Numenius americanus*, Long-billed Curlew  
*Limosa limosa*, Black-tailed Godwit  
*Limosa haemastica*, Hudsonian Godwit  
*Limosa lapponica*, Bar-tailed Godwit  
*Limosa fedoa*, Marbled Godwit  
*Arenaria interpres*, Ruddy Turnstone  
*Arenaria melanocephala*, Black Turnstone  
*Aphriza virgata*, Surf-bird  
*Calidris tenuirostris*, Great Knot  
*Calidris canutus*, Red Knot  
*Calidris alba*, Sanderling  
*Calidris pusilla*, Semipalmated Sandpiper  
*Calidris mauri*, Western Sandpiper  
*Calidris ruficollis*, Rufous-necked Stint  
*Calidris minuta*, Little Stint  
*Calidris temminckii*, Temminck's Stint  
*Calidris subminuta*, Long-toed Stint  
*Calidris minutilla*, Least Sandpiper  
*Calidris fuscicollis*, White-rumped Sandpiper  
*Calidris bairdii*, Baird's Sandpiper  
*Calidris melanotos*, Pectoral Sandpiper  
*Calidris acuminata*, Sharp-tailed Sandpiper  
*Calidris maritima*, Purple Sandpiper  
*Calidris ptilocnemis*, Rock Sandpiper  
*Calidris alpina*, Dunlin  
*Calidris ferruginea*, Curlew Sandpiper  
*Calidris himantopus*, Stilt Sandpiper  
*Eurynorhynchus pygmeus*, Spoonbill Sandpiper  
*Limicola falcinellus*, Broad-billed Sandpiper  
*Tryngites subruficollis*, Buff-breasted Sandpiper  
*Philomachus pugnax*, Ruff  
*Limnodromus griseus*, Short-billed Dowitcher  
*Limnodromus scolopaceus*, Long-billed Dowitcher  
*Lymnocyptes minimus*, Jack Snipe  
*Gallinago gallinago*, Common Snipe  
*Gallinago stenura*, Pin-tailed Snipe  
*Gallinago megalala*, Swinhoe's Snipe  
*Scolopax rusticola*, Eurasian Woodcock  
*Scolopax minor*, American Woodcock  
*Phalaropus tricolor*, Wilson's Phalarope  
*Phalaropus lobatus*, Red-necked Phalarope  
*Phalaropus fulicaria*, Red Phalarope

FAMILY LARIDAE

*Stercorarius pomarinus*, Pomarine Jaeger  
*Stercorarius parasiticus*, Parasitic Jaeger  
*Stercorarius longicaudus*, Long-tailed Jaeger

§ 10.13

50 CFR Ch. I (10–1–07 Edition)

*Catharacta skua*, Great Skua  
*Catharacta maccormicki*, South Polar Skua  
*Larus atricilla*, Laughing Gull  
*Larus pipixcan*, Franklin's Gull  
*Larus minutus*, Little Gull  
*Larus ridibundus*, Common Black-headed Gull  
*Larus philadelphia*, Bonaparte's Gull  
*Larus heermanni*, Heermann's Gull  
*Larus canus*, Mew Gull  
*Larus delawarensis*, Ring-billed Gull  
*Larus californicus*, California Gull  
*Larus argentatus*, Herring Gull  
*Larus thayeri*, Thayer's Gull  
*Larus glaucoides*, Iceland Gull  
*Larus fuscus*, Lesser Black-backed Gull  
*Larus schistisagus*, Slaty-backed Gull  
*Larus livens*, Yellow-footed Gull  
*Larus occidentalis*, Western Gull  
*Larus glaucescens*, Glaucous-winged Gull  
*Larus hyperboreus*, Glaucous Gull  
*Larus marinus*, Great Black-backed Gull  
*Rissa tridactyla*, Black-legged Kittiwake  
*Rissa brevirostris*, Red-legged Kittiwake  
*Rhodostethia rosea*, Ross' Gull  
*Xema sabini*, Sabine's Gull  
*Pagophila eburnea*, Ivory Gull  
*Sterna nilotica*, Gull-billed Tern  
*Sterna caspia*, Caspian Tern  
*Sterna maxima*, Royal Tern  
*Sterna elegans*, Elegant Tern  
*Sterna sandvicensis*, Sandwich Tern  
*Sterna dougallii*, Roseate Tern  
*Sterna hirundo*, Common Tern  
*Sterna paradisaea*, Arctic Tern  
*Sterna aleutica*, Aleutian Tern  
*Sterna forsteri*, Forster's Tern  
*Sterna antillarum*, Least Tern  
*Sterna albifrons*, Little Tern  
*Sterna sumatrana*, Black-naped Tern  
*Sterna lunata*, Gray-backed Tern  
*Sterna anaethetus*, Bridled Tern  
*Sterna fuscata*, Sooty Tern  
*Chlidonias leucopterus*, White-winged Tern  
*Chlidonias niger*, Black Tern  
*Anous stolidus*, Brown Noddy  
*Anous minutus*, Black Noddy  
*Anous tenuirostris*, Lesser Noddy  
*Procelsterna cerulea*, Blue-Gray Noddy  
*Gygis alba*, White Tern  
*Rynchops niger*, Black Skimmer

FAMILY ALCIDAE

*Alle alle*, Dovekie  
*Uria aalge*, Common Murre  
*Uria lomvia*, Thick-billed Murre  
*Alca torda*, Razorbill  
*Cephus grylle*, Black Guillemot  
*Cephus columba*, Pigeon Guillemot  
*Brachyramphus marmoratus*, Marbled Murrelet  
*Brachyramphus brevirostris*, Kittlitz's Murrelet  
*Synthliboramphus hypoleucus*, Xantus' Murrelet  
*Synthliboramphus craveri*, Craveri's Murrelet

*Synthliboramphus antiquus*, Ancient Murrelet  
*Ptychoramphus aleuticus*, Cassin's Auklet  
*Cyclorhynchus psittacula*, Parakeet Auklet  
*Aethia pusilla*, Least Auklet  
*Aethia pygmaea*, Whiskered Auklet  
*Aethia cristatella*, Crested Auklet  
*Cerorhinca monocerata*, Rhinoceros Auklet  
*Fratercula cirrhata*, Tufted Puffin  
*Fratercula arctica*, Atlantic Puffin  
*Fratercula corniculata*, Horned Puffin

ORDER COLUMBIFORMES

FAMILY COLUMBIDAE

*Columba squamosa*, Scaly-naped Pigeon  
*Columba leucocephala*, White-crowned Pigeon  
*Columba flavirostris*, Red-billed Pigeon  
*Columba inornata*, Plain Pigeon  
*Columba fasciata*, Band-tailed Pigeon  
*Zenaida asiatica*, White-winged Dove  
*Zenaida aurita*, Zenaida Dove  
*Zenaida macroura*, Mourning Dove  
*Columbina inca*, Inca Dove  
*Columbina passerina*, Common Ground-Dove  
*Columbina talpacoti*, Ruddy Ground-Dove  
*Leptotila verreauxi*, White-tipped Dove  
*Geotrygon chrysis*, Key West Quail-Dove  
*Geotrygon mystacea*, Bridled Quail-Dove  
*Geotrygon montana*, Ruddy Quail-Dove

ORDER CUCULIFORMES

FAMILY CUCULIDAE

*Cuculus canorus*, Common Cuckoo  
*Cuculus saturatus*, Oriental Cuckoo  
*Cuculus fugax*, Hodgson's Hawk-Cuckoo  
*Coccyzus erythrophthalmus*, Black-billed Cuckoo  
*Coccyzus americanus*, Yellow-billed Cuckoo  
*Coccyzus minor*, Mangrove Cuckoo  
*Geococcyx californianus*, Greater Roadrunner  
*Saurothera vieilloti*, Puerto Rican Lizard-Cuckoo  
*Crotophaga ani*, Smooth-billed Ani  
*Crotophaga sulcirostris*, Groove-billed Ani

ORDER STRIGIFORMES

FAMILY TYTONIDAE

*Tyto alba*, Common Barn-Owl

FAMILY STRIGIDAE

*Otus flammeolus*, Flammulated Owl  
*Otus asio*, Eastern Screech-Owl  
*Otus kennicottii*, Western Screech-Owl  
*Otus trichopsis*, Whiskered Screech-Owl  
*Otus nudipes*, Puerto Rican Screech-Owl  
*Bubo virginianus*, Great Horned Owl  
*Nyctea scandiaca*, Snowy Owl  
*Surnia ulula*, Northern Hawk-Owl  
*Glaucidium gnoma*, Northern Pygmy-Owl  
*Glaucidium brasilianum*, Ferruginous Pygmy-Owl  
*Micrathene whitneyi*, Elf Owl  
*Athene cunicularia*, Burrowing Owl  
*Strix occidentalis*, Spotted Owl  
*Strix varia*, Barred Owl  
*Strix nebulosa*, Great Gray Owl

U.S. Fish and Wildlife Serv., Interior

§ 10.13

*Asio otus*, Long-eared Owl  
*Asio flammeus*, Short-eared Owl  
*Aegolius funereus*, Boreal Owl  
*Aegolius acadicus*, Northern Saw-whet Owl

ORDER CAPRIMULGIFORMES

FAMILY CAPRIMULGIDAE

*Chordeiles acutipennis*, Lesser Nighthawk  
*Chordeiles minor*, Common Nighthawk  
*Chordeiles gundlachi*, Antillean Nighthawk  
*Nyctidromus albicollis*, Common Pauraque  
*Phalaenoptilus nuttallii*, Common Poorwill  
*Caprimulgus carolinensis*, Chuck-will's-widow  
*Caprimulgus ridgwayi*, Buff-collared Nightjar  
*Caprimulgus vociferus*, Whip-poor-will  
*Caprimulgus noctitherus*, Puerto Rican Nightjar  
*Caprimulgus indicus*, Jungle Nightjar

ORDER APODIFORMES

FAMILY APODIDAE

*Cypseloides niger*, Black Swift  
*Streptoprocne zonaris*, White-collared Swift  
*Chaetura pelagica*, Chimney Swift  
*Chaetura vauxi*, Vaux's Swift  
*Hirundapus caudacutus*, White-throated Needletail  
*Apus apus*, Common Swift  
*Apus pacificus*, Fork-tailed Swift  
*Aeronautes saxatalis*, White-throated Swift  
*Tachornis phoenicobia*, Antillean Palm Swift

FAMILY TROCHILIDAE

*Colibri thalassinus*, Green Violet-ear  
*Anthracothorax dominicus*, Antillean Mango  
*Anthracothorax viridis*, Green Mango  
*Eulampis holosericeus*, Green-throated Carib  
*Orthorhynchus cristatus*, Antillean Crested Hummingbird  
*Chlorostilbon maugaeus*, Puerto Rican Emerald  
*Cynanthus latirostris*, Broad-billed Hummingbird  
*Hylocharis leucotis*, White-eared Hummingbird  
*Amazilia beryllina*, Berylline Hummingbird  
*Amazilia yucatanensis*, Buff-bellied Hummingbird  
*Amazilia violiceps*, Violet-crowned Hummingbird  
*Lampornis clemenciae*, Blue-throated Hummingbird  
*Eugenes fulgens*, Magnificent Hummingbird  
*Heliomaster constantii*, Plain-capped Starthroat  
*Calliphlox evelynae*, Bahama Woodstar  
*Calothorax lucifer*, Lucifer Hummingbird  
*Archilochus colubris*, Ruby-throated Hummingbird  
*Archilochus alexandri*, Black-chinned Hummingbird  
*Calypte anna*, Anna's Hummingbird  
*Calypte costae*, Costa's Hummingbird  
*Stellula calliope*, Calliope Hummingbird

*Selasphorus platycercus*, Broad-tailed Hummingbird  
*Selasphorus rufus*, Rufous Hummingbird  
*Selasphorus sasin*, Allen's Hummingbird

ORDER TROGONIFORMES

FAMILY TROGONIDAE

*Trogon elegans*, Elegant Trogon  
*Euptilotus neoxenus*, Eared Trogon

ORDER CORACIIFORMES

FAMILY UPUPIDAE

*Upupa epops*, Hoopoe

FAMILY ALCEDINIDAE

*Ceryle torquata*, Ringed Kingfisher  
*Ceryle alcyon*, Belted Kingfisher  
*Chloroceryle americana*, Green Kingfisher

ORDER PICIFORMES

FAMILY PICIDAE

*Jynx torquilla*, Eurasian Wryneck  
*Melanerpes lewis*, Lewis' Woodpecker  
*Melanerpes erythrocephalus*, Red-headed Woodpecker  
*Melanerpes formicivorus*, Acorn Woodpecker  
*Melanerpes uropygialis*, Gila Woodpecker  
*Melanerpes aurifrons*, Golden-fronted Woodpecker  
*Melanerpes carolinus*, Red-bellied Woodpecker  
*Melanerpes portoricensis*, Puerto Rican Woodpecker  
*Sphyrapicus varius*, Yellow-bellied Sapsucker  
*Sphyrapicus ruber*, Red-breasted Sapsucker  
*Sphyrapicus thyroideus*, Williamson's Sapsucker  
*Picoides scalaris*, Ladder-Backed Woodpecker  
*Picoides nuttallii*, Nuttall's Woodpecker  
*Picoides pubescens*, Downy Woodpecker  
*Picoides villosus*, Hairy Woodpecker  
*Picoides stricklandi*, Strickland's Woodpecker  
*Picoides borealis*, Red-cockaded Woodpecker  
*Picoides albolarvatus*, White-headed Woodpecker  
*Picoides tridactylus*, Three-toed Woodpecker  
*Picoides arcticus*, Black-backed Woodpecker  
*Colaptes auratus*, Northern Flicker  
*Dryocopus pileatus*, Pileated Woodpecker  
*Campephilus principalis*, Ivory-billed Woodpecker

ORDER PASSERIFORMES

FAMILY TYRANNIDAE

*Elaenia martinica*, Caribbean Elaenia  
*Camptostoma imberbe*, Northern Beardless Tyrannulet  
*Contopus borealis*, Olive-sided Flycatcher  
*Contopus pertinax*, Greater Pewee  
*Contopus sordidulus*, Western Wood-Pewee  
*Contopus virens*, Eastern Wood-Pewee  
*Contopus latirostris*, Lesser Antillean Pewee  
*Empidonax flaviventris*, Yellow-bellied Flycatcher  
*Empidonax virescens*, Acadian Flycatcher

- Empidonax alnorum*, Alder Flycatcher  
*Empidonax traillii*, Willow Flycatcher  
*Empidonax minimus*, Least Flycatcher  
*Empidonax hammondi*, Hammond's Flycatcher  
*Empidonax oberholseri*, Dusky Flycatcher  
*Empidonax wrightii*, Gray Flycatcher  
*Empidonax difficilis*, Western Flycatcher  
*Empidonax fulvifrons*, Buff-breasted Flycatcher  
*Sayornis nigricans*, Black Phoebe  
*Sayornis phoebe*, Eastern Phoebe  
*Sayornis saya*, Say's Phoebe  
*Pyrocephalus rubinus*, Vermilion Flycatcher  
*Myiarchus tuberculifer*, Dusky-capped Flycatcher  
*Myiarchus cinerascens*, Ash-throated Flycatcher  
*Myiarchus nuttingi*, Nutting's Flycatcher  
*Myiarchus crinitus*, Great Crested Flycatcher  
*Myiarchus tyrannulus*, Brown-crested Flycatcher  
*Myiarchus antillarum*, Puerto Rican Flycatcher  
*Pitangus sulphuratus*, Great Kiskadee  
*Myiodynastes luteiventris*, Sulpher-bellied Flycatcher  
*Tyrannus melancholicus*, Tropical Kingbird  
*Tyrannus couchii*, Couch's Kingbird  
*Tyrannus vociferans*, Cassin's Kingbird  
*Tyrannus crassirostris*, Thick-billed Kingbird  
*Tyrannus verticalis*, Western Kingbird  
*Tyrannus tyrannus*, Eastern Kingbird  
*Tyrannus dominicensis*, Gray Kingbird  
*Tyrannus caudifasciatus*, Loggerhead Kingbird  
*Tyrannus forficatus*, Scissor-tailed Flycatcher  
*Tyrannus savana*, Fork-tailed Flycatcher  
*Pachyrhamphus aglaiae*, Rose-throated Becard
- FAMILY ALAUDIDAE  
*Alauda arvensis*, Eurasian Skylark  
*Eremophila alpestris*, Horned Lark
- FAMILY HIRUNDINIDAE  
*Progne subis*, Purple Martin  
*Progne cryptoleuca*, Cuban Martin  
*Progne dominicensis*, Caribbean Martin  
*Progne chalybea*, Gray-breasted Martin  
*Tachycineta bicolor*, Tree Swallow  
*Tachycineta thalassina*, Violet-green Swallow  
*Tachycineta cyaneoviridis*, Bahama Swallow  
*Stelgidopteryx serripennis*, Northern Rough-winged Swallow  
*Riparia riparia*, Bank Swallow  
*Hirundo pyrrhonota*, Cliff Swallow  
*Hirundo fulva*, Cave Swallow  
*Hirundo rustica*, Barn Swallow  
*Delichon urbica*, Common House-Martin
- FAMILY CORVIDAE  
*Perisoreus canadensis*, Gray Jay  
*Cyanocitta stelleri*, Steller's Jay  
*Cyanocitta cristata*, Blue Jay  
*Cyanocorax yncas*, Green Jay  
*Cyanocorax morio*, Brown Jay  
*Aphelocoma coerulescens*, Scrub Jay  
*Aphelocoma ultramarina*, Gray-breasted Jay  
*Gymnorhinus cyanocephalus*, Pinyon Jay  
*Nucifraga columbiana*, Clark's Nutcracker  
*Pica pica*, Black-billed Magpie  
*Pica nuttalli*, Yellow-billed Magpie  
*Corvus brachyrhynchos*, American Crow  
*Corvus caurinus*, Northwestern Crow  
*Corvus leucognaphalus*, White-necked Crow  
*Corvus imparatus*, Mexican Crow  
*Corvus ossifragus*, Fish Crow  
*Corvus hawaiiensis*, Hawaiian Crow  
*Corvus cryptoleucus*, Chihuahuan Raven  
*Corvus corax*, Common Raven
- FAMILY PARIDAE  
*Parus atricapillus*, Black-capped Chickadee  
*Parus carolinensis*, Carolina Chickadee  
*Parus sclateri*, Mexican Chickadee  
*Parus gambeli*, Mountain Chickadee  
*Parus cinctus*, Siberian Tit  
*Parus hudsonicus*, Boreal Chickadee  
*Parus rufescens*, Chestnut-backed Chickadee  
*Parus wollweberi*, Bridled Titmouse  
*Parus inornatus*, Plain Titmouse  
*Parus bicolor*, Tufted Titmouse
- FAMILY REMIZIDAE  
*Auriparus flaviceps*, Verdin
- FAMILY AEGITHALIDAE  
*Psaltriparus minimus*, Bushtit
- FAMILY SITTIDAE  
*Sitta canadensis*, Red-breasted Nuthatch  
*Sitta carolinensis*, White-breasted Nuthatch  
*Sitta pygmaea*, Pygmy Nuthatch  
*Sitta pusilla*, Brown-headed Nuthatch
- FAMILY CERCITHIIDAE  
*Certhia americana*, Brown Creeper
- FAMILY TROGLODYTIDAE  
*Campylorhynchus brunneicapillus*, Cactus Wren  
*Salpinctes obsoletus*, Rock Wren  
*Catherpes mexicanus*, Canyon Wren  
*Thryothorus ludovicianus*, Carolina Wren  
*Thryomanes bewickii*, Bewick's Wren  
*Troglodytes aedon*, House Wren  
*Troglodytes troglodytes*, Winter Wren  
*Cistothorus platensis*, Sedge Wren  
*Cistothorus palustris*, Marsh Wren
- FAMILY CINCLIDAE  
*Cinclus mexicanus*, American Dipper
- FAMILY MUSCICAPIDAE  
SUBFAMILY SYLVIINAE  
*Locustella ochotensis*, Middendorff's Grasshopper-Warbler  
*Phylloscopus borealis*, Arctic Warbler  
*Phylloscopus trochilus*, Willow Warbler  
*Regulus satrapa*, Golden-crowned Kinglet  
*Regulus calendula*, Ruby-crowned Kinglet  
*Poliophtila caerulea*, Blue-gray Gnatcatcher

U.S. Fish and Wildlife Serv., Interior

§ 10.13

- Polioptila melanura*, Black-tailed Gnatcatcher  
*Polioptila nigriceps*, Black-capped Gnatcatcher
- SUBFAMILY MUSCICAPINAE  
*Muscicapa griseisticta*, Gray-spotted Flycatcher  
*Muscicapa narcissina*, Narcissus Flycatcher
- SUBFAMILY TURDINAE  
*Luscinia calliope*, Siberian Rubythroat  
*Luscinia svecica*, Bluethroat  
*Monticola solitarius*, Blue Rock Thrush  
*Oenanthe oenanthe*, Northern Wheatear  
*Sialis sialis*, Eastern Bluebird  
*Sialis mexicana*, Western Bluebird  
*Sialis currucoides*, Mountain Bluebird  
*Myadestes townsendi*, Townsend's Solitaire  
*Phaeornis obscurus*, Hawaiian Thrush  
*Phaeornis palmeri*, Small Kauai Thrush  
*Catharus fuscescens*, Veery  
*Catharus minimus*, Gray-cheeked Thrush  
*Catharus ustulatus*, Swainson's Thrush  
*Catharus guttatus*, Hermit Thrush  
*Hylocichla mustelina*, Wood Thrush  
*Turdus plumbeus*, Red-legged Thrush  
*Turdus obscurus*, Eye-browed Thrush  
*Turdus naumanni*, Dusky Thrush  
*Turdus pilaris*, Fieldfare  
*Turdus grayi*, Clay-colored Robin  
*Turdus rufopalliatus*, Rufous-backed Robin  
*Turdus migratorius*, American Robin  
*Ixoreus naevius*, Varied Thrush  
*Ridgwayia pinicola*, Aztec Thrush
- FAMILY MIMIDAE  
*Dumetella carolinensis*, Gray Catbird  
*Mimus polyglottos*, Northern Mockingbird  
*Oreoscoptes montanus*, Sage Thrasher  
*Toxostoma rufum*, Brown Thrasher  
*Toxostoma longirostre*, Long-billed Thrasher  
*Toxostoma bendirei*, Bendire's Thrasher  
*Toxostoma curvirostre*, Curve-billed Thrasher  
*Toxostoma redivivum*, California Thrasher  
*Toxostoma crissale*, Crissal Thrasher  
*Toxostoma lecontei*, Le Conte's Thrasher  
*Margarops fuscatus*, Pearly-eyed Thrasher
- FAMILY PRUNELLIDAE  
*Prunella montanella*, Siberian Accentor
- FAMILY MOTACILLIDAE  
*Motacilla flava*, Yellow Wagtail  
*Motacilla cinerea*, Gray Wagtail  
*Motacilla alba*, White Wagtail  
*Motacilla lugens*, Black-backed Wagtail  
*Anthus hodgsoni*, Olive Tree-Pipit  
*Anthus gustavi*, Pechora Pipit  
*Anthus cervinus*, Red-throated Pipit  
*Anthus spinoletta*, Water Pipit  
*Anthus spragueii*, Sprague's Pipit
- FAMILY BOMBYCILLIDAE  
*Bombycilla garrulus*, Bohemian Waxwing  
*Bombycilla cedrorum*, Cedar Waxwing
- FAMILY PTILOGONATIDAE  
*Phainopepla nitens*, Phainopepla
- FAMILY LANIIDAE  
*Lanius excubitor*, Northern Shrike  
*Lanius ludovicianus*, Loggerhead Shrike
- FAMILY STURNIDAE  
*Sturnus philippensis*, Violet-backed Starling  
*Sturnus cineraceus*, Ashy Starling
- FAMILY VIREONIDAE  
*Vireo griseus*, White-eyed Vireo  
*Vireo latimeri*, Puerto Rican Vireo  
*Vireo bellii*, Bells' Vireo  
*Vireo atricapillus*, Black-capped Vireo  
*Vireo vicinior*, Gray Vireo  
*Vireo solitarius*, Solitary Vireo  
*Vireo flavifrons*, Yellow-throated Vireo  
*Vireo huttoni*, Hutton's Vireo  
*Vireo gilvus*, Warbling Vireo  
*Vireo philadelphicus*, Philadelphia Vireo  
*Vireo olivaceus*, Red-eyed Vireo  
*Vireo altiloquus*, Black-whiskered Vireo
- FAMILY EMBERIZIDAE  
SUBFAMILY PARULINAE  
*Vermivora bachmanii*, Bachman's Warbler  
*Vermivora pinus*, Blue-winged Warbler  
*Vermivora chrysoptera*, Golden-winged Warbler  
*Vermivora peregrina*, Tennessee Warbler  
*Vermivora celata*, Orange-crowned Warbler  
*Vermivora ruficapilla*, Nashville Warbler  
*Vermivora virginiae*, Virginia's Warbler  
*Vermivora crissalis*, Colima Warbler  
*Vermivora luciae*, Lucy's Warbler  
*Parula americana*, Northern Parula  
*Parula pitiayumi*, Tropical Parula  
*Dendroica petechia*, Yellow Warbler  
*Dendroica pensylvanica*, Chestnut-sided Warbler  
*Dendroica magnolia*, Magnolia Warbler  
*Dendroica tigrina*, Cape May Warbler  
*Dendroica caerulescens*, Black-throated Blue Warbler  
*Dendroica coronata*, Yellow-rumped Warbler  
*Dendroica nigrescens*, Black-throated Gray Warbler  
*Dendroica townsendi*, Townsend's Warbler  
*Dendroica occidentalis*, Hermit Warbler  
*Dendroica virens*, Black-throated Green Warbler  
*Dendroica chrysoparia*, Golden-cheeked Warbler  
*Dendroica fusca*, Blackburnian Warbler  
*Dendroica dominica*, Yellow-throated Warbler  
*Dendroica graciae*, Grace's Warbler  
*Dendroica adelaidae*, Adelaide's Warbler  
*Dendroica pinus*, Pine Warbler  
*Dendroica kirtlandii*, Kirtland's Warbler  
*Dendroica discolor*, Prairie Warbler  
*Dendroica palmarum*, Palm Warbler  
*Dendroica castanea*, Bay-breasted Warbler  
*Dendroica striata*, Blackpoll Warbler  
*Dendroica cerulea*, Cerulean Warbler  
*Dendroica angelae*, Elfin Woods Warbler  
*Mniotilta varia*, Black-and-White Warbler  
*Setophaga ruticilla*, American Redstart  
*Protonotaria citrea*, Prothonotary Warbler

- Helmitheros vermivorus*, Worm-eating Warbler  
*Limnothlypis swainsonii*, Swainson's Warbler  
*Seiurus aurocapillus*, Ovenbird  
*Seiurus noveboracensis*, Northern Waterthrush  
*Seiurus motacilla*, Louisiana Waterthrush  
*Oporornis formosus*, Kentucky Warbler  
*Oporornis agilis*, Connecticut Warbler  
*Oporornis philadelphia*, Mourning Warbler  
*Oporornis tolmiei*, MacGillivray's Warbler  
*Geothlypis trichas*, Common Yellowthroat  
*Geothlypis poliocephala*, Gray-crowned Yellowthroat  
*Wilsonia citrina*, Hooded Warbler  
*Wilsonia pusilla*, Wilson's Warbler  
*Wilsonia canadensis*, Canada Warbler  
*Cardellina rubrifrons*, Red-faced Warbler  
*Myioborus pictus*, Painted Redstart  
*Myioborus miniatus*, Slaty-throated Redstart  
*Basileuterus culicivorus*, Golden-crowned Warbler  
*Basileuterus rufifrons*, Rufous-capped Warbler  
*Icteria virens*, Yellow-breasted Chat  
*Peucedramus taeniatus*, Olive Warbler
- SUBFAMILY THRAUPINAE
- Spindalis zena*, Stripe-headed Tanager  
*Neospingus speculiferus*, Puerto Rican Tanager  
*Piranga flava*, Hepatic Tanager  
*Piranga rubra*, Summer Tanager  
*Piranga olivacea*, Scarlet Tanager  
*Piranga ludoviciana*, Western Tanager  
*Euphonia musica*, Antillean Euphonia
- SUBFAMILY CARDINALINAE
- Rhodothraupis celaeno*, Crimson-collared Grosbeak  
*Cardinalis cardinalis*, Northern Cardinal  
*Cardinalis sinuatus*, Pyrrhuloxia  
*Pheucticus chrysopheplus*, Yellow Grosbeak  
*Pheucticus ludovicianus*, Rose-breasted Grosbeak  
*Pheucticus melanocephalus*, Black-headed Grosbeak  
*Guiraca caerulea*, Blue Grosbeak  
*Passerina amoena*, Lazuli Bunting  
*Passerina cyanea*, Indigo Bunting  
*Passerina versicolor*, Varied Bunting  
*Passerina ciris*, Painted Bunting  
*Spiza americana*, Dickcissel
- SUBFAMILY EMBERIZINAE
- Arremonops rufivirgatus*, Olive Sparrow  
*Pipilo chlorurus*, Green-tailed Towhee  
*Pipilo erythrophthalmus*, Rufous-sided Towhee  
*Pipilo fuscus*, Brown Towhee  
*Pipilo aberti*, Abert's Towhee  
*Sporophila torqueola*, White-collared Seedeater  
*Tiaris olivacea*, Yellow-faced Grassquit  
*Tiaris bicolor*, Black-faced Grassquit  
*Loxigilla portoricensis*, Puerto Rican Bullfinch
- Aimophila aestivalis*, Bachman's Sparrow  
*Aimophila botterii*, Botteri's Sparrow  
*Aimophila cassinii*, Cassin's Sparrow  
*Aimophila carpalis*, Rufous-winged Sparrow  
*Aimophila ruficeps*, Rufous-crowned Sparrow  
*Spizella arborea*, American Tree Sparrow  
*Spizella passerina*, Chipping Sparrow  
*Spizella pallida*, Clay-colored Sparrow  
*Spizella breweri*, Brewer's Sparrow  
*Spizella pusilla*, Field Sparrow  
*Spizella wortheni*, Worthen's Sparrow  
*Spizella atrogularis*, Black-chinned Sparrow  
*Pooecetes gramineus*, Vesper Sparrow  
*Chondestes grammacus*, Lark Sparrow  
*Amphispiza bilineata*, Black-throated Sparrow  
*Amphispiza belli*, Sage Sparrow  
*Amphispiza quinquestriata*, Five-striped Sparrow  
*Calamospiza melanocorys*, Lark Bunting  
*Passerculus sandwichensis*, Savannah Sparrow  
*Ammodramus bairdii*, Baird's Sparrow  
*Ammodramus savannarum*, Grasshopper Sparrow  
*Ammodramus henslowii*, Henslow's Sparrow  
*Ammodramus leconteii*, Le Conte's Sparrow  
*Ammodramus caudacutus*, Sharp-tailed Sparrow  
*Ammodramus maritimus*, Seaside Sparrow  
*Passerella iliaca*, Fox Sparrow  
*Melospiza melodia*, Song Sparrow  
*Melospiza lincolni*, Lincoln's Sparrow  
*Melospiza georgiana*, Swamp Sparrow  
*Zonotrichia albicollis*, White-throated Sparrow  
*Zonotrichia atricapilla*, Golden-crowned Sparrow  
*Zonotrichia leucophrys*, White-crowned Sparrow  
*Zonotrichia querula*, Harris' Sparrow  
*Junco hyemalis*, Dark-eyed Junco  
*Junco phaeonotus*, Yellow-eyed Junco  
*Emberiza rustica*, Rustic Bunting  
*Emberiza pallasii*, Pallas' Reed-Bunting  
*Emberiza schoeniculus*, Common Reed-Bunting  
*Calcarius mccownii*, McCown's Longspur  
*Calcarius lapponicus*, Lapland Longspur  
*Calcarius pictus*, Smith's Longspur  
*Calcarius ornatus*, Chestnut-collared Longspur  
*Plectrophenax nivalis*, Snow Bunting  
*Plectrophenax hyperboreus*, McKay's Bunting
- SUBFAMILY ICTERINAE
- Dolichonyx oryzivorus*, Bobolink  
*Agelaius phoeniceus*, Red-winged Blackbird  
*Agelaius tricolor*, Tricolored Blackbird  
*Agelaius humeralis*, Tawny-shouldered Blackbird  
*Agelaius xanthomus*, Yellow-shouldered Blackbird  
*Sturnella magna*, Eastern Meadowlark  
*Sturnella neglecta*, Western Meadowlark

## U.S. Fish and Wildlife Serv., Interior

## § 10.22

*Xanthocephalus xanthocephalus*, Yellow-headed Blackbird  
*Euphagus carolinus*, Rusty Blackbird  
*Euphagus cyanocephalus*, Brewer's Blackbird  
*Quiscalus mexicanus*, Great-tailed Grackle  
*Quiscalus major*, Boat-tailed Grackle  
*Quiscalus quiscula*, Common Grackle  
*Quiscalus niger*, Greater Antillean Grackle  
*Molothrus bonariensis*, Shiny Cowbird  
*Molothrus aeneus*, Bronzed Cowbird  
*Molothrus ater*, Brown-headed Cowbird  
*Icterus dominicensis*, Black-cowled Oriole  
*Icterus wagleri*, Black-vented Oriole  
*Icterus spurius*, Orchard Oriole  
*Icterus cucullatus*, Hooded Oriole  
*Icterus pustulatus*, Streak-backed Oriole  
*Icterus gularis*, Altamira Oriole  
*Icterus graduacauda*, Audubon's Oriole  
*Icterus galbula*, Northern Oriole  
*Icterus parisorum*, Scott's Oriole

### FAMILY FRINGILLIDAE

#### SUBFAMILY FRINGILLINAE

*Fringilla montifringilla*, Brambling

#### SUBFAMILY CARDUELINAE

*Leucosticte arctoa*, Rosy Finch  
*Pinicola enucleator*, Pine Grosbeak  
*Carpodacus erythrinus*, Common Rosefinch  
*Carpodacus purpureus*, Purple Finch  
*Carpodacus cassinii*, Cassin's Finch  
*Carpodacus mexicanus*, House Finch  
*Loxia curvirostra*, Red Crossbill  
*Loxia leucoptera*, White-winged Crossbill  
*Carduelis flammea*, Common Redpoll  
*Carduelis hornemanni*, Hoary Redpoll  
*Carduelis pinus*, Pine Siskin  
*Carduelis psaltria*, Lesser Goldfinch  
*Carduelis lawrencei*, Lawrence's Goldfinch  
*Carduelis tristis*, American Goldfinch  
*Carduelis sinica*, Oriental Greenfinch  
*Pyrhula pyrrhula*, Eurasian Bullfinch  
*Coccothraustes vespertinus*, Evening Grosbeak  
*Coccothraustes coccothraustes*, Hawfinch

[50 FR 13710, Apr. 5, 1985]

### Subpart C—Addresses

#### § 10.21 Director.

(a) Mail forwarded to the Director for law enforcement purposes should be addressed: Chief, Division of Law Enforcement, U.S. Fish and Wildlife Service, P.O. Box 3247, Arlington, VA 22203-3247.

(b) Mail sent to the Director regarding permits for the Convention on International Trade in Endangered Species of Wild Fauna and Fauna (CITES), injurious wildlife, Wild Bird Conservation Act species, international movement of all ESA-listed endangered or threatened species, and scientific re-

search on, exhibition of, or interstate commerce in nonnative ESA-listed endangered and threatened species should be addressed to: Director, U.S. Fish and Wildlife Service, (Attention: Office of Management Authority), 4401 N. Fairfax Drive, Room 700, Arlington, VA 22203. Address mail for the following permits to the Regional Director. In the address include one of the following: for import/export licenses and exception to designated port permits (Attention: Import/export license); for native endangered and threatened species (Attention: Endangered/threatened species permit); and for migratory birds and eagles (Attention: Migratory bird permit office). You can find addresses for regional offices at 50 CFR 2.2.

[55 FR 48851, Nov. 23, 1990, as amended at 63 FR 52633, Oct. 1, 1998]

#### § 10.22 Law enforcement offices.

Service law enforcement offices and their areas of responsibility follow. Mail should be addressed: "Assistant Regional Director, Division of Law Enforcement, U.S. Fish and Wildlife Service, (appropriate address below)":

##### AREAS OF RESPONSIBILITY AND OFFICE ADDRESSES

California, Hawaii, Idaho, Nevada, Oregon, Washington, American Samoa, Guam, the Marshall Islands, Northern Mariana Islands, and the Trust Territory of the Pacific Islands (District 1):

Eastside Federal Complex, 911 N.E. 11th Avenue, Portland, OR 97232-4181, Telephone: 503-231-6125.

Arizona, New Mexico, Oklahoma, and Texas (District 2):

P.O. Box 329, Albuquerque, NM 87103, Telephone: 505-766-2091

Illinois, Indiana, Iowa, Michigan, Minnesota, Missouri, Ohio, and Wisconsin (District 3):

P.O. Box 45—Federal Building, Ft. Snelling, Twin Cities, MN 55111, Telephone: 612-725-3530.

Alabama, Arkansas, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, Tennessee, Puerto Rico, and the Virgin Islands (District 4):

P.O. Box 4839, Atlanta, GA 30302, Telephone: 404-331-5872

Connecticut, Delaware, District of Columbia, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York,