

WAUS41 KKCI 152045
WA1T
BOST WA 152045
AIRMET TANGO UPDT 3 FOR TURB VALID UNTIL 160300

.
AIRMET TURB...ME NH VT MA RI CT NY LO NJ PA OH LE WV MD DC DE VA
AND CSTL WTRS
FROM 50SE HUL TO 200SE ACK TO 160SE SIE TO ORF TO HMV TO HNN TO
CVG TO FWA TO 30SE ECK TO YOW TO YSC TO 50SE HUL
MOD TURB BTN FL210 AND FL410. CONDS CONTG BYD 03Z THRU 09Z.
.....

WAUS41 KKCI 152045
WA1Z
BOSZ WA 152045
AIRMET ZULU UPDT 3 FOR ICE AND FRZLVL VALID UNTIL 160300

.
AIRMET ICE...MA RI NY NJ PA WV MD DC DE VA NC SC GA FL AND CSTL
WTRS
FROM HTO TO 130ESE ACK TO 200SE ACK TO 160SE SIE TO 190ESE ECG TO
140SSE ILM TO 30WNW CTY TO 50SW PZD TO ATL TO 20N EKN TO HAR TO
HTO
MOD ICE BTN FRZLVL AND FL240. FRZLVL 060-140. CONDS CONTG BYD 03Z
ENDG 06-09Z.

.
FRZLVL...RANGING FROM SFC-105 ACRS AREA
SFC ALG YOW-PLB-90SSW YSJ
040 ALG 70WSW YYZ-70ENE YYZ-140ENE ACK
080 ALG 30N CVG-30S ROD-50SSE ETX-200SE ACK
.....

WAUS41 KKCI 152045
WA1S
BOSS WA 152045
AIRMET SIERRA UPDT 3 FOR IFR AND MTN OBSCN VALID UNTIL 160300

.
AIRMET IFR...MA RI NY NJ PA OH WV MD DC DE VA NC SC GA AND CSTL
WTRS
FROM 20NW HAR TO 90SSE HTO TO 130SSE ACK TO 200SE ACK TO 160SE
SIE TO 190ESE ECG TO SAV TO 40WNW PZD TO 20N LGC TO GQO TO HMV
TO HNN TO AIR TO 30SSE JST TO 20NW HAR
CIG BLW 010/VIS BLW 3SM PCPN/BR/FG. CONDS CONTG BYD 03Z THRU 09Z.

.
AIRMET MTN OBSCN...PA WV MD VA NC SC GA
FROM PSB TO HAR TO LYH TO SPA TO ATL TO GQO TO HMV TO HNN TO AIR
TO PSB
MTNS OCNL OBSC BY CLDS/PCPN/BR/FG. CONDS CONTG BYD 03Z THRU 09Z.

.
OTLK VALID 0300-0900Z...IFR NJ PA OH WV MD DC DE VA NC SC GA FL
AND CSTL WTRS
BOUNDED BY 20NE APE-20NW AIR-20S CYN-190SE ACK-160SE SIE-190ESE
ECG-20ENE SAV-70SSW TLH-40W CEW-50SW PZD-GQO-HMV-HNN-20NE APE
CIG BLW 010/VIS BLW 3SM PCPN/BR/FG. CONDS CONTG THRU 09Z.
.....

WAUS41 KKCI 160245
WA1Z

BOSZ WA 160245

AIRMET ZULU FOR ICE AND FRZLVL VALID UNTIL 160900

.
AIRMET ICE...MA RI NY NJ MD DE VA NC SC AND CSTL WTRS
FROM CYN TO 200SE ACK TO 160SE SIE TO 190ESE ECG TO 130SSE ILM TO
CHS TO RIC TO CYN
MOD ICE BTN 100 AND FL180. CONDS ENDG 06-09Z.

.
AIRMET ICE...NJ PA OH WV MD DC DE VA
FROM PSB TO ETX TO CYN TO 30W SIE TO CSN TO 50S AIR TO EWC TO PSB
MOD ICE BTN 070 AND 120. CONDS CONTG BYD 09Z ENDG 12-15Z.

.
OTLK VALID 0900-1500Z...ICE WV VA NC SC GA FL
BOUNDED BY 40W BKW-LYH-FLO-50SW PZD-GQO-HMV-40W BKW
MOD ICE BTN 110 AND FL220. CONDS DVLPG 09-12Z. CONDS CONTG THRU
15Z.

.
FRZLVL...RANGING FROM SFC-110 ACRS AREA
SFC ALG 40ESE ECK-50NE YYZ-80SW YOW-20WNW ENE-110SE BGR
040 ALG 30SSE ECK-50SSE ECK-40NW ERI-20ESE YYZ-60NW SYR-140E
ACK
080 ALG 20E CVG-60SSE ROD-20SE CYN-150SE ACK-190SE ACK
.....

WAUS41 KKCI 160245

WA1S

BOSS WA 160245

AIRMET SIERRA FOR IFR AND MTN OBSCN VALID UNTIL 160900

.
AIRMET IFR...NJ OH WV MD DC DE VA NC SC GA FL AND CSTL WTRS
FROM EMI TO SIE TO 150SE SIE TO 100E ILM TO 60SE FLO TO 30N AMG
TO 70SW TLH TO 50SW CEW TO 40W CEW TO 50SW PZD TO GQO TO HMV TO
HNN TO EMI
CIG BLW 010/VIS BLW 3SM PCPN/BR/FG. CONDS CONTG BYD 09Z THRU 15Z.

.
AIRMET MTN OBSCN...PA WV MD VA NC SC GA
FROM 40SE EWC TO HAR TO CSN TO 20S SPA TO ATL TO GQO TO HMV TO
HNN TO 40SE EWC
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 09Z THRU 15Z.

.
OTLK VALID 0900-1500Z...IFR NJ OH WV MD DC DE VA NC SC GA FL AND
CSTL WTRS
BOUNDED BY 50SW JST-EMI-SIE-150SE SIE-120SSE ECG-70SSW TLH-80SSE
CEW-50SW CEW-40W CEW-50SW PZD-GQO-HMV-HNN-50SW JST
CIG BLW 010/VIS BLW 3SM PCPN/BR/FG. CONDS CONTG THRU 15Z.
.....

WAUS41 KKCI 160245

WA1T

BOST WA 160245

AIRMET TANGO FOR TURB VALID UNTIL 160900

.
NO SGFNT TURB EXP OUTSIDE OF CNVTV ACT.

.
OTLK VALID 0900-1500Z...TURB NY PA OH LE WV MD
BOUNDED BY BUF-HNK-HAR-HNN-CVG-FWA-30SE ECK-BUF
MOD TURB BTN FL250 AND FL380. CONDS DVLPG 12-15Z. CONDS CONTG

THRU 15Z.

.....