

AGNPS References

AGNPS Modeling System References

Bingner, R. L., F.D. Theurer, R.G.Cronshey, R.W.Darden. 2001. AGNPS 2001 Web Site. Internet at <http://www.ars.usda.gov/Research/docs.htm?docid=5199>

Bingner, R. L. and F. D. Theurer. AGNPS 98: A Suite of water quality models for watershed use. In Proceedings of the Sediment: Monitoring, Modeling, and Managing, 7th Federal Interagency Sedimentation Conference, Reno, NV, 25-29 March 2001. p. VII-1 - VII-8. 2001.

Theurer, F.D., R.L. Bingner, W. Fontenot, and S.R. Kolian. 1999. Partnerships in Developing and Implementing AGNPS 98: A suite of water quality models for watershed use. In Proceedings of the Sixth National Watershed Conference, 16-19 May 1999, Austin, Texas. 10 pg.

AnnAGNPS References

Yuan, Y., Bingner, R. L., and Rebich, R. A., Application of AnnAGNPS for analysis of nitrogen loadings from a small agricultural watershed in Delta Mississippi, In Proceedings of Watershed Management to Meet Emerging TMDL Environmental Regulations Conference and Exhibition, March 11-13, 2002. p. 268-279. 2002.

Yuan, Y., Dabney, S., and Bingner, R. L. Cost/benefit analysis of agricultural BMPs for sediment reduction in the Mississippi Delta. Journal of Soil and Water Conservation 57(5): 259-267. 2002.

Yuan, Y., and Bingner, R. L. Assessment of best management practices for water quality improvement for the Deep Hollow Watershed in the Mississippi Delta MSEA project using AGNPS 2001. NSL Technical Report #28. 77 pp. 2002.

Yuan, Y., R. L. Bingner, and S. Dabney. Evaluation of agricultural BMPs for sediment reduction using AnnAGNPS. In Proceedings of Water Quality Monitoring and Modeling, AWRA Annual Spring Specialty Conference, April 30-May 2, 2001. p. 275-280. 2001.

Yuan, Y., Bingner, R. L., and Rebich, R. A., Evaluation of AnnAGNPS on Mississippi Delta MSEA Watersheds. Trans. of the ASAE , Vol. 44(5): 1183-1190. 2001.

Bingner, R.L., and F. D. Theurer. 2001. Topographic factors for RUSLE in the continuous-simulation, watershed model for predicting agricultural, non-point source pollutants (AnnAGNPS). Soil Erosion for the 21st Century - An International Symposium, January 3-5, 2001 Honolulu, Hawaii. 4 pp.

Bingner, R. L. and F. D. Theurer. AnnAGNPS: estimating sediment yield by particle size for sheet & rill erosion. In Proceedings of the Sediment: Monitoring, Modeling, and Managing, 7th Federal Interagency Sedimentation Conference, Reno, NV, 25-29 March 2001. p. I-1 - I-7. 2001.

Bosch, D., F. Theurer, R. Bingner, G. Felton and I. Chaubey. Evaluation of the AnnAGNPS Water Quality Model . ASAE Paper No. 98-2195, St. Joseph, Michigan. 12 p. 1998.

Chaubey, I., and J. M. Beck. Long-term nutrient transport assessment of animal manure from agricultural watersheds. In Proceedings of Water Quality Monitoring and Modeling, AWRA Annual Spring Specialty Conference, April 30-May 2, 2001. p. 211-216. 2001.

Cronshey, R. G. and F. G. Theurer. 1998. AnnAGNPS-Non Point Pollutant Loading Model. In Proceedings First Federal Interagency Hydrologic Modeling Conference. 19-23 April 1998, Las Vegas, NV

- Getter, W. F, and F. D. Theurer. 1998. AnnAGNPS—RUSLE sheet & rill erosion. In Proceedings First Federal Interagency Hydrologic Modeling Conference, 19-23 April 1998, Las Vegas, NV. 9 p.
- Needham, S.E.; Young, R.A. 1994. ANN-AGNPS: A Continuous Simulation Watershed Model. Proceedings of the Federal Interagency Workshop on Hydrologic Modeling Demands for the 90's. US Geological Survey Water-Resources Investigations Report 93-4018 ; 1993. p 4-32 - 4-39.
- Theurer, F.D., C.V.Alonso, & J.M.Bernard. 1996. Hydraulic Geometry for Pollutant Loading Computer Models Using Geographical Information Systems to Develop Input Data. In Proceedings of the Sixth federal interagency sedimentation conference, March 1996, 8 p.
- Theurer, F.D. and C.D.Clarke. 1991. Wash load component for sediment yield modeling. In Proceedings of the fifth federal interagency sedimentation conference, March 18-21, 1991, pg. 7-1 to 7-8.
- Theurer, F.D. and R.G.Cronshey. AnnAGNPS—Reach Routing Processes. In Proceedings First Federal Interagency Hydrologic Modeling Conference, 19-23 April 1998, Las Vegas, NV
- Yuan, Y., and Bingner, R. L. Evaluation of AnnAGNPS on Mississippi Delta MSEA Watersheds. ASAE Paper No. 00-2172, St. Joseph, Michigan, 13 p., 2000.
- Yuan, Y, R. L. Bingner, and S. Dabney. Evaluation of agricultural BMPs for sediment reduction using AnnAGNPS. In Proceedings of Water Quality Monitoring and Modeling, AWRA Annual Spring Specialty Conference, April 30-May 2, 2001. p. 275-280. 2001.

AnnAGNPS Input Data Preparation References

- Bingner, R. L., C. V. Alonso, R. W. Darden, R.G. Cronshey, F. D. Theurer, W. F. Geter. Development of a GIS-based flownet generator for AGNPS. Proceedings of the Sixth Federal Interagency Sedimentation Conference, Las Vegas, NV, March 10-14, p. Poster-52-55, 1996
- Bingner, R. L., R. W. Darden, F. D. Theurer, and J. Garbrecht. GIS-Based Generation of AGNPS Watershed Routing and Channel Parameters. ASAE Paper No. 97-2008, St. Joseph, Michigan. 4 p. 1997.
- Bingner, R. L., R.W. Darden, F.D. Theurer, C.V. Alonso, and P. Smith. AnnAGNPS Input Parameter Editor Interface. First Federal Interagency Hydrologic Modeling Conference, April 19 - 23, 1998, Las Vegas, Nevada, p. 8-15-18. 1998.

CONCEPTS References

- Bingner, R. L., E. J. Langendoen, L. Li, and C. V. Alonso. Effect of Grade Control Structures on DEC Streams. In Bathala, C. T., (ed.) Proceedings of the North American Water and Environment Congress, American Society of Civil Engineers, New York, Anaheim, CA, June 22-28, no page numbers, published as CD-ROM. 1996.
- Langendoen, E. J., R. L. Bingner, and C. V. Alonso. Distributed Flow Routing in the Goodwin Creek, Mississippi. Proceedings of the Sixth Federal Interagency Sedimentation Conference, Las Vegas, NV, March 10-14, p. II-75-82, 1996.
- Langendoen, E. J., R. L. Bingner, and C. V. Alonso. Effects of Structures on the Propagation of Flood Waves in Goodwin Creek, Mississippi. Proceedings of the Sixth Federal Interagency Sedimentation Conference, Las Vegas, NV, March 10-14, p. II-83-89, 1996.

- Langendoen, E. J., R. L. Bingner, and C. V. Alonso. Simulation of fluvial processes in evolving channel networks. ASCE International Water Resources Engineering Conference, August 3-7, 1998, Memphis, Tennessee. 1998.
- Langendoen, E. J., R. L. Bingner, C. V. Alonso, and A. Simon. Process-based stream-riparian modeling system to assess stream TMDLs. In Proceedings of the Sediment: Monitoring, Modeling, and Managing, 7th Federal Interagency Sedimentation Conference, Reno, NV, 25-29 March 20. Paper No. in press, ? pp. 2001.
- Langendoen, E. J., R. L. Bingner, and R. A. Kuhnle. Modeling of Long Term Changes of Unstable Streams. First Federal Interagency Hydrologic Modeling Conference, April 19 - 23, 1998, Las Vegas, Nevada, p. 3-79-86. 1998.
- Langendoen, E. J., Lowrance, R. R., Alonso, C. V., Bingner , R. L., and Simon, A. Integration Of USDA-ARS Stream And Riparian Modeling Technology, in Hydraulic Engineering for Sustainable Water Resources Management at the Turn of the Millennium, H. Bergmann, R. Krainer, and H. Breinbaelter (Ed.), Proceedings XXVIII IAHR Congress, Graz, Austria, CD-ROM format, August 1999.
- Li, L., R. L. Bingner, E. J. Langendoen, C. V. Alonso, and S. S. Y. Wang. Modeling Sediment Transport and Channel Evolution. Proceedings of the Sixth Federal Interagency Sedimentation Conference, Las Vegas, NV, March 10-14, p. II-98-105, 1996.
- Vieira, D., E. J. Langendoen, and R. L. Bingner. FRAME - A Modeling Environment for Watershed Processes. In Wang, S.Y., Langendoen, E. and Shields, F. D. Jr., (eds.) Management of Landscapes Disturbed by Channel Incision, Stabilization, Rehabilitation, and Restoration, University of Mississippi, University, Mississippi. p. 709-715. 1997.
- Vieira, D. A., E. J. Langendoen, and R. L. Bingner. FRAME – An Integrated Modeling System of Channel and Landscape Processes. First Federal Interagency Hydrologic Modeling Conference, April 19 - 23, 1998, Las Vegas, Nevada, p. 8-117-124. 1998.
- Thomas, R. E., Langendoen, E. J., Bingner, R. L., and Simon, A. Channel responses and management strategies in disturbed channels: A numerical simulation approach. Proceedings of the 2002 Conference on Water Resources Planning and Management, EWRI/ASCE, Roanoke, VA, May 19-22, 2002. No page numbers, published as CD-ROM. 10 pp. 2002.
- ## GEM: References
- Hanson, C.L., K.A. Cumming, D.A. Woolhiser and C.W. Richardson, 1994: Microcomputer program for daily weather simulation. U.S. Dept. Agric., Agric. Res. Svc. Pub. No. ARS-114, 38 pp.
- Hanson, C.L. and G.L. Johnson. 1998. GEM (Generation of weather Elements for Multiple applications): its application in areas of complex terrain. In: Hydrology, Water Resources and Ecology in Headwaters--Proc. HeadWater '98 Conf., Meran Italy, April 20-23, pp. 27-32. IAHS pub. no. 248.
- Hanson, C.L. and G.L. Johnson. 1998. Multivariate generation of five weather elements. Presented at ASAE Annual Intl. Meeting, Orlando, FL, July 11-16, 1998. Paper No. 982005. 8 pp.
- Johnson, G.L., C. Daly, G.H. Taylor, C.L. Hanson and Y.Y. Lu. 1997. GEM model temperature and precipitation parameter variability, and distribution using PRISM. In: Proc., 10th AMS Conf. on Applied Climatology, Reno NV, Oct. 20-24, pp 210-214.

Johnson, G.L., C.L. Hanson, S.P. Hardegree and E.B. Ballard, 1996: Stochastic weather simulation: Overview and analysis of two commonly used models. *J. Appl. Meteor.*, 35, 1878-1896.

Richardson, C.W., 1981: Stochastic simulation of daily precipitation, temperature, and solar radiation. *Water Resources Res.*, 17, 182-190.

Richardson, C.W., 1982: Dependence structure of daily precipitation, temperature and solar radiation. *Trans. ASAE*, 25, 735-739.

Richardson, C.W. and D.A. Wright. 1984. WGEN: A model for generating daily weather variables. U.S. Dept. Agric., Agric. Res. Svc. Pub. No. ARS-8, 83 pp.

Woolhiser, D.A. and G.G.S. Pegram, 1979: Maximum likelihood estimation of Fourier coefficients to describe seasonal variations of parameters in stochastic daily precipitation models . *J. Appl. Meteor.*, 18, 34-42.

Woolhiser, D.A. and J. Roldan, 1982a: Stochastic daily precipitation models 1. A comparison of occurrence processes. *Water Resources Res.*, 18, 1451-1459.

Woolhiser, D.A. and J. Roldan, 1982b: Stochastic daily precipitation models 2. A comparison of distributions of amounts. *Water Resources Res.*, 18, 1461-1468.

TOPAGNPS References

Bingner, R.L., R.W. Darden, F.D. Theurer and J. Garbrecht. GIS-Based Generation of AGNPS watershed Routing and Channel Parameters. *ASAE Paper no. 97-2008*, St. Joseph, Michigan, 4p.

Bingner, R.L., J. Garbrecht, J.G. Arnold, and R. Shrinivasam. 1997a. Effects of Watershed Subdivision on Simulated Runoff and Fine Sediment Yield. *Transactions of the American Society of Agricultural Engineers*, 40(5): 1329-1335.

Costa-Cabral, M. C., and S. J. Burges. 1994. Digital Elevation Model Networks (DEMON): A Model of Flow Over Hillslopes for Computations of Contributing and Dispersal Areas. *Water Resources Research*, 30(6):1681-1692.

Douglas, D. H. 1986. Experiments to Locate Ridges and Channels to Create a New Type of Digital Elevation Models. *Cartographica*, 23(4):29-61.

Fairfield, J., and P. Leymarie. 1991. Drainage Networks from Grid Digital Elevation Models. *Water Resources Research*, 30(6):1681-1692.

Garbrecht, J. 1988. Determination of the Execution Sequence of Channel Flow for Cascade Routing in a Drainage Network. *Hydrosoft, Software for Hydraulics, Hydrology and Hydrodynamics, Computational Mechanics Publications*, 1(3):129-138.

Garbrecht, J., and L. W. Martz. 1993. Network and Subwatershed Parameters Extracted from Digital Elevation Models: The Bills Creek Experience. *Water Resources Bulletin*, American Water Resources Association, 29(6):909-916.

Garbrecht, J., and L. W. Martz. 1994. Grid Size Dependency of Parameters Extracted from Digital Elevation Models. *Computers and Geosciences*, 20(1):85-87.

Garbrecht, J. and L.W. Martz. 1997a. The Assignment of Drainage Direction over Flat Surfaces in Raster Digital Elevation Models. *Journal of Hydrology*, 193:204-213.

- Garbrecht, J., and L.W. Martz. 1997b. Automated channel ordering and Node Indexing for Raster Channel Networks. *Computers and Geosciences* 23(a): 961-966.
- Garbrecht, J., P.J. Starks, and L.W. Martz. 1996. New Digital Landscape Parameterization Methodologies. In: Proceedings of the 32nd Annual Conference and Symposium on GIS and Water Resources, American Water Resources Association, Herndon, Virginia, TPS-96-3, 482p., 357-365, September 22-26, Ft. Lauderdale, Florida.
- Jenson, S. K., and J. O. Domingue. 1988. Extracting Topographic Structure from Digital Elevation Data for Geographic Information System Analysis. *Photogrammetric Engineering and Remote Sensing*, 54(11):1593-1600.
- Lacroix, M., and L.W. Martz. 1998. Assessing the Impact of Varying Sub-Basin Scale on Hydrological Model Response. Abstract volume, Carrefour in Earth Sciences: Joint meeting of GAC, MAC, APGGQ, IAH, CGV. Quebec City, Quebec, Canada, May 18-20, p. A-99.
- Mark, D. M. 1984. Automatic Detection of Drainage Networks from Digital Elevation Models. *Cartographica*, 21(2/3):168-178.
- Martz, L. W., and E. De Jong. 1988. Catch: a FORTRAN Program for Measuring Catchment area from Digital Elevation Models. *Computers & Geosciences*, 14(5):627-640.
- Martz, L. W., and J. Garbrecht. 1992. Numerical Definition of Drainage Network and Subcatchment Areas from Digital Elevation Models. *Computers and Geosciences*, 18(6):747-761.

Stream Network Temperature Model References

- Theurer, F.D. 1983b. Heat transport equation for the instream water temperature model. In Natural resources modeling symposium, Pingree Park, CO, October 17-21, 1983. USDA-Agricultural Research Service, Public. ARS-30, pg. 372-377.
- Theurer, F.D. 1990. Instream water temperature: physical processes and math models. In Small watershed model (SWAM) for water, sediment, and chemical movement: supporting documentation. USDA-Agricultural Research Service, Public. ARS-80, pg. 146-195.
- Theurer, F.D., I.Lines, and T.Nelson. 1984a. Interaction between riparian vegetation, water temperature, and salmonid habitat. *American Water Resources Association Bulletin*, 21(1):53-64.
- Theurer, F.D. and K.M.Theurer. 1986b. Tucannon River Offsite Study: solar radiation model and water temperature model report. USDA-Agricultural Research Service, Hydro-Ecosystem Research Unit, Ft. Collins, CO. 30 pp.
- Theurer, F.D. and K.A.Voos. 1982. IFG's instream water temperature model validation. In Conference on water and energy: technical and policy issues. ASCE Proc. of the Hydraulic Conf., Pittsburgh, PA and Ft. Collins, CO, May and June 1982, pg. 513-518.
- Theurer, F.D., K.A.Voos, and C.G.Prewitt. 1982. Application of the IFG's instream water temperature model in the Upper Colorado River. In International symposium on hydrometeorology, Denver, CO, June 13-17, 1982. American Water Resources Association, pg. 287-292.
- Theurer, F.D., K.A.Voos, and W.J.Miller. 1984b. Instream water temperature model. *Instream Flow Information Paper 16*. US Fish and Wildlife Service. FWS/OBS-84/15. 300 pp.

Salmonid and SIDO References

- Alonso, C. V., F.D.Theurer, & R.N.Havis. 1998. Simulating Sedimentation in Salmonid Redds. In Proceedings First Federal Interagency Hydrologic Modeling Conference, 19-23 April 1998, Las Vegas, NV.
- Alonso, C.V., F.D.Theurer, & D.W.Zachmann. 1996. Technical Report No. 5—Tucannon River Offsite Study: sediment intrusion and dissolved oxygen transport model. USDA-Agricultural Research Service, National Sedimentation Laboratory, PO Box 1157, Oxford, MS 38655. November 1996. 400 pp. Internet at <http://iapreview.ars.usda.gov/Business/docs.htm?docid=5226>.
- Garbrecht, J. and F.D.Theurer. 1986. A computer program simulation of the effect of upstream agricultural practices on the survival of salmonid embryos. In Proceedings, Water Forum '86: World Water Issues in Evolution, ASCE, Long Beach, CA, 2:1968-1975, August 1986.
- Garbrecht, J., K.Rojas, D.G.DeCoursey, & F.D.Theurer. 1988a. Site specific Tucannon River computer program, Part I, computer program documentation. USDA-Agricultural Research Service, Hydro-Ecosystem Research Unit, Ft. Collins, CO. 374 pp.
- Garbrecht, J., K.Rojas, D.G.DeCoursey, & F.D.Theurer. 1988b. Water and sediment yield in the Tucannon River. In Proceedings 1988 National Conference on Hydraulic Engineering, ASCE, Colorado Springs, CO August 1988. Pg. 404-410.
- Miller, W. J., F.D.Theurer, & C.V.Alonso. 1998. A Computer Model to Predict Salmonid Fry Emergence. In Proceedings First Federal Interagency Hydrologic Modeling Conference, 19-23 April 1998, Las Vegas, NV.
- Theurer, F.D. and W.J.Miller. 1986. Tucannon River Offsite Study: fry emergence model report. USDA - Agricultural Research Service, Hydro-Ecosystem Research Unit, Ft. Collins, CO. 30 pp.
- Theurer, F.D. and K.M.Theurer. 1986. Tucannon River Offsite Study: dissolved oxygen consumption model report. USDA-Agricultural Research Service, Hydro-Ecosystem Research Unit, Ft. Collins, CO. 30 pp.
- Theurer, F.D., D.G.DeCoursey, and R.A.Mashburn. 1986. Tucannon River Offsite Study: model synthesis report. USDA-Agricultural Research Service, Hydro-Ecosystem Research Unit, Ft. Collins, CO. 12 pp.
- Theurer, F.D., T.R.Harrod, and M.Theurer. 1998. Sedimentation and Salmonids in England and Wales. Report for Soil Survey and Land Research Centre, School of Agriculture, Food and Environment, Cranfield University, Silsoe, Bedfordshire MK45 4DT. 70 pg. Internet at <http://www.nhq.ncrs.usda.gov/ENG/intech.htm>.

Single-Event AGNPS References

- Arakere,-S.; Molnau,-M. 1994. Performance of AGNPS in the Pacific Northwest. Pap-A m-Soc-Agric -Eng. St. Joseph, Mich. : American Society of Agricultural Engineers,. (94-2156/94-2185) 16 p.
- Bingner, R. L., Murphree, C. E., and Mutchler, C. K. Comparison of sediment yield models on watersheds in Mississippi. Trans. of the ASAE 32(2): 529-534. 1989.

- Bingner,-R.L. 1990. Comparison of the components used in several sediment yield models. Trans-A-S-A-E. St. Joseph, Mich. : American Society of Agricultural Engineers. v. 33 (4) p. 1229-1238.
- Bingner,-R.L.; Mutchler,-C.K.; Murphree,-C.E. 1992. Predictive capabilities of erosion models for different storm sizes. Trans-A-S-A-E. St. Joseph, Mich. : American Society of Agricultural Engineers. v. 35 (2) p. 505-513.
- Bishr, Y.A.; Radwan, M.M. 1995. Preliminary design of a decision support system for watershed management. ITC journal ; Issue 1, pp. 23-28.
- Bosch,-D.D.; Onstad,-C.A.; Young,-R.A. 1983. A procedure for prioritizing water quality problem areas [Agricultural Nonpoint Source Pollution Model (AGNPS), computer simulation, Minnesota]. Pap-Am-Soc-Agric -Eng-Microfiche-Collect. St. Joseph, Mich. : The Society. Paper no. 83-2156.
- Brannan, K. 1998. Using geostatistics to select grid-cell layouts for the AGNPS model. Transactions of the American Society of Agricultural Engineers, 41(4): 1011-1018.
- Brusven, M.A.; Walker, D.J.; Painter, K.M.; Biggam, R.C. 1994. Ecological-economic assessment of a sediment-producing stream behind Lower Granite Dam on the lower Snake River. Regulated rivers research and management ; Sixth International Symposium on Regulated Streams (SISORS II); University of South Bohemia, Faculty of Biological Sciences, Ceske Budejovice, CZ. University of South Bohemia, Faculty of Biological Sciences, Ceske Budejovice, CZ.; 3 to 6 Aug 1994; Vol. 10, Issue 4, Issue 2, pp. 373-387.
- Brusven, M.A.; Walker, D.J.; Painter, K.M.; Biggam, R.C. 1995. Ecological-economic assessment of a sediment-producing stream behind Lower Granite Dam on the lower Snake River, USA. REGUL. RIVERS: RES. MANAGE. ; vol. 10, no. 3-4, pp. 373-387.
- Choi, K. S. 1999. Modeling developed coastal watersheds with the agricultural non-point source model. Journal of the American Water Resources Association, 35(2): 233-244.
- Clausen,-John-C. 1993. Post-Audit verification of the model AGNPS in Vermont agricultural watersheds : final report to Environmental Protection Agency Nonpoint Source Control Branch. Washington, D.C. : U.S. Environmental Protection Agency, Office of Water, vii, 104 p.
- Comis,-D. 1995. AGNPS tracks pollutants to their source. Agric-res. Washington, D.C. : Agricultural Research Service, United States Department of Agriculture. Feb 1995. v. 43 (2) p. 22.
- Corbett, C.W.; Wahl, M.; Porter, D.E.; Edwards, D.; Moise, C. 1997. Nonpoint source runoff modeling. A comparison of a forested watershed and an urban watershed on the South Carolina coast. J. EXP. MAR. BIOL. ECOL. ; vol. 213, no. 1, pp. 133-149.
- Evans, B.M.; Miller, D.A. 1988. Modeling Nonpoint Pollution at the Watershed Level with the Aid of a Geographic Information System. Nonpoint Pollution: 1988-Policy, Economy, Management, and Appropriate Technology. Proceedings of a Symposium. American Water Resources Association, Bethesda ; Maryland. p 283-291.
- Finney,-V.L.; Cocke,-M.A.; Moorhead,-S.T.; Klug,-J. 1995. Nutrient analysis of the Malibu watershed using the AGNPS model. Animal waste and the land-water interface /. Boca Raton : Lewis Publishers, p. 305-312.
- Fisher, P.; Abrahart, R.J.; Herbinger, W. 1997. The sensitivity of two distributed non-point source pollution models to the spatial arrangement of the landscape. Hydrological processes ; Vol. 11, Issue 3, pp. 241-252.

- Foerster, J.; Milne-Home, W.A. 1995. Application of AGNPS to model nutrient generation rates under different farming management practices at the Gunnedah Research Centre catchment. AUST. J. EXP. AGRIC. ; vol. 35, no. 7, pp. 961-967.
- Feezor,-D.R.; Hirschi,-M.C.; Lesikar,-B.J. 1989. Effect of cell size on AGNPS prediction. PAP-AMER-SOC-AGRIC-ENG. St. Joseph, Mich. : The Society. (89-2662) 11 p.
- Grunwald, S. 1999. An AGNPS-based runoff and sediment yield model for two small watersheds in Germany. Transactions of ASAE, 42(6): 1723-1731.
- He, C.; Riggs, J.F.; Kang, Y.-T. 1993. Integration of geographic information systems and a computer model to evaluate impacts of agricultural runoff on water quality. WATER RESOUR. BULL. ; vol. 29, no. 6, pp. 891-900.
- He, C.; Riggs, J.F.; Kang, Y.T. 1994. Integration of Geographic Information Systems and a Computer Model to Evaluate Impacts of Agricultural Runoff on Water Quality. Water Resources Bulletin WARBAQ; Vol. 29, No. 6, p 891-900.
- He, Chansheng; Shi, Changan; Kang, Yung-Tsung. 1995. Integration of LANDSAT data, GIS, and AGNPS on assessment of land use impact on runoff and sedimentation. 50th Annual Meeting of the Soil and Water Conservation Society, Des Moines, IA (USA).
- Hession,-W.C.; Huber,-K.L.; Mostaghimi,-S.; Shanholtz, -V.O.; McClellan,-P.W. 1989. BMP effectiveness evaluation using AGNPS and a GIS. PAP-AMER-SOC-AGRIC-ENG. St. Joseph, Mich. : The Society. (89-2566) 18 p.
- Jakubauskas, M.E.; Whistler, J.L.; Dillworth, M.E.; Martinko, E.A. 1992. Classifying remotely sensed data for use in an agricultural nonpoint-source pollution model. Journal of soil and water conservation ; Vol. 47, Issue 2, pp. 179-183.
- Kao, Jehng-Jung; Hong, Hong-Jyh. 1995. Parameter uncertainty analysis for a non-point source pollution model. J. CHIN. INST. ENVIRON. ENG. ; vol. 5, no. 2, pp. 139-148.
- Koelliker,-J.K.; Humbert,-C.E. 1989. Applicability of AGNPS model for water quality planning. PAP-AMER-SOC-AGRIC-ENG. St. Joseph, Mich. : The Society. (89-2042) 13p.
- Kozloff, K.; Taff, S.J.; Wang, Y. 1992. Microtargeting the Acquisition of Cropping Rights to Reduce Nonpoint Source Water Pollution. Water Resources Research WRERAQ ; Vol. 28, No. 3, p 623-628.
- Lee, M.T.; Terstriep, M.L. 1991. Applications of GIS for Water Quality Modeling in Agricultural and Urban Watersheds. Hydraulic Engineering. Proceedings of the 1991 National Conference. American Society of Civil Engineers ; New York. p 961-965.
- Lee, M.T.; White, D.C. 1992. Applications of GIS Databases and Water Quality Modeling for Agricultural Nonpoint Source Pollution Control. WRC Research Report No. 214 (UILU-WRC-92-214) ; December 1992. University of Illinois at Urbana-Champaign, Urbana, IL. 67p.
- Lenzi,-M.A.; Di-Luzio,-M. 1997. Surface runoff, soil erosion and water quality modelling in the Alpone watershed using AGNPS integrated with a geographic information system. Eur-J-agron. Amsterdam, The Netherlands : Elsevier Science B.V. v. 6 (1/2) p. 1-14.
- Liao, H.-H.; Tim, U.S. 1997. An interactive modeling environment for non-point source pollution control. J. AM. WATER RESOUR. ASSOC. ; vol. 33, no. 3, pp. 591-604.
- Lo,-K.F.A. 1994. Quantifying soil erosion for the Shihmen Reservoir watershed, Taiwan. Agric -syst. Oxford : Elsevier Applied Science Publishers. v. 45 (1) p. 105-116.

- Lo, Kwong Fai A. 1995. Erosion assessment of large watersheds in Taiwan. *J. SOIL WATER CONSERV.* ; vol. 50, no. 2, pp. 180-183.
- Lucord,-L.B.; Young,-R.A. 1989. An urban component for the AGNPS model. PAP-AMER-SOC-AGRIC-ENG. St. Joseph, Mich. : The Society. (89-2117) 7 p.
- Mankin, K. R. 1999. Watershed and lake water quality assessment: an integrated modeling approach. *Journal of the American Water Resources Association*, 35(5): 1069-1080.
- McIntosh, T.H.; Qiu, Huaying; Harris, H. 1993. Use of agricultural computer simulation models for water quality-land management decisions in N.E. Wisconsin. OME 36TH CONFERENCE OF THE INTERNATIONAL ASSOCIATION FOR GREAT LAKES RESEARCH, JUNE 4-10, 1993. PROGRAM AND ABSTRACTS.; p. 118.
- Mitchell, J.K.; Engel, B.A.; Srinivasan, R.; Wang, S.S.Y. 1993. Validation of AGNPS for Small Watersheds Using an Integrated AGNPS/GIS System. *Water Resources Research WRERAQ* ; Vol. 29, No. 5, p 833-842.
- Mostaghimi, S.; Park, S.W.; Cooke, R.A.; Wang, S.Y. 1997. Assessment of management alternatives on a small agricultural watershed. *Water research* ; Vol. 31, Issue 8, pp. 1867-1878.
- Panuska,-J.C.; Moore,-I.D.; Kramer,-L.A. 1991. Terrain analysis: integration into the agricultural nonpoint source (AGNPS) pollution model. *J-Soil-Water-Conserv.* Ankeny, Iowa : Soil and Water Conservation Society of America. v. 46 (1) p. 59-64.
- Prato, T.; Dauten, K. 1991. Economic Feasibility of Agricultural Management Practices for Reducing Sedimentation in a Water Supply Lake. *Agricultural Water Management AWMADF* ; Vol. 19, No. 4, p 361-370.
- Rode, M.; Frede, H.-G. 1996. Testing AGNPS for soil-erosion and water-quality modelling in Hessian uplands. [Ueberpruefung des N-A-modells AGNPS fuer erosionsbedingte Naehrstoffeintraege in hessischen Mittelgebirgseinzugsgebieten. DTSCHE. GEWAESSERKD. MITT. ; vol. 40, no. 6, pp. 244-251.
- Rode, M.; Frede, H.-G. 1997. Modification of AGNPS for agricultural land and climate conditions in central Germany. *J. ENVIRON. QUAL.* ; vol. 26, no. 1, pp. 165-172.
- Srinivasan,-R.; Engel,-B.A.; Wright,-J.R.; Lee, -J.G.; Jones,-D.D. 1994. The impact of GIS-derived topographic attributes on the simulation of erosion using AGNPS. *Appl-eng-agric.* v. 10 (4) p. 561-566.
- Sugiharto, T.; McIntosh, T.H.; Uhrig, R.C.; Lardinois, J.J. 1994. Modeling Alternatives to Reduce Dairy Farm and Watershed Nonpoint-Source Pollution. *Journal of Environmental Quality JEVQAA* ; Vol. 23, No. 1, p 18-24.
- Summer, R.M.; Alonso, C.V.; Young, R.A. 1990. Modeling Linked Watershed and Lake Processes for Water Quality Management Decisions. *Journal of Environmental Quality JEVQAA* ; Vol. 19, No. 3, p 421-427.
- Theurer, F.D. and G.H.Comer. 1992. Classification and Evaluation of Models in Support of the SCS 5 year Water Quality & Quantity Plan of Operations. USDA, SCS, Engineering Division, Washington, DC. April 1992. 100 pg.
- Theurer, F.D. and G.H.Comer. 1993a. SCS AGNPS Evaluation (4th revision). USDA, SCS, Engineering Division, Washington, DC. March 1993. 77 pg.

Tim, U.S.; Jolly, R. 1994. Evaluating Agricultural Nonpoint-Source Pollution Using Integrated Geographic Information Systems and Hydrologic/Water Quality Model. *Journal of Environmental Quality JEVQAA* ; Vol. 23, No. 1, p 25-35.

Tim, U.S.; Jolly, R.; Liao, Hsiu-Hua. 1995. Impact of landscape feature and feature placement on agricultural non-point-source-pollution control. *J. WATER RESOUR. PLANN. MANAGE.* ; vol. 121, no. 6, pp. 463-470.

Wu, T.H.; Hall, J.A.; Bonta, J.V. 1993. Evaluation of Runoff and Erosion Models. *Journal of Irrigation and Drainage Engineering (ASCE) JIDEDH* ; Vol. 119, No. 2, p 364-382.

Young,-Robert-A. 1987. AGNPS, Agricultural Non-Point-Source Pollution Model : a watershed analysis tool. [Washington, D.C.] : U.S. Dept. of Agriculture, Agricultural Research Service, 77 p.

Young,-R.A.; Onstad,-C.A.; Bosch,-D.D.; Anderson,-W.P. 1985. A method for prioritizing water quality problem areas. *Perspectives on nonpoint source pollution : proceedings of a national conference, Kansas City, Missouri, May 19-22, 1985.* Washington, D.C. : U.S. Environ Protection Agency, Office of Water Regul and Standards, p. 368-373.

Young, R.A.; Onstad, C.A.; Borsch, D.D.; Anderson, W.P. 1989. AGNPS: A Nonpoint-Source Pollution Model for Evaluating Agricultural Watersheds. *Journal of Soil and Water Conservation JSWCA3* ; Vol. 44, No. 2, p 168-173.