

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|------------|---|--|-----------------------|-----------|------------|------------------|------------------------|
| 155 | Cape Romain Shoal Buoy 6CR 500 yards outside of shoal. | 32-57-39.943N 079-17-09.304W * | | | | Red nun. | 06/09 |
| 4000 | Pelican Bank Buoy 1 | | | | | | Remove from list. * |
| 4005 | Pelican Bank Daybeacon 2 | | | | | | Remove from list. * |
| 16670 | COON KEY LIGHT | 25-52-54.210N 081-37-56.007W * | Fl W 4s | 22 | 6 | NR on pile. | 06/09 |
| 16675 | Caxambas Bay South Approach Daybeacon 2 | 25-53-06.495N 081-38-36.275W * | | | | TR on pile. | Private aid. 06/09 |
| 16680 | Caxambas Bay South Approach Daybeacon 4 | 25-53-16.155N 081-39-08.915W * | | | | TR on pile. | Private aid. 06/09 |
| 16685 | Caxambas Bay Daybeacon 1 | 25-54-00.003N 081-39-36.462W * | | | | SG on pile. | Private aid. 06/09 |
| 16690 | Caxambas Bay Daybeacon 3 | 25-53-58.260N 081-40-33.561W * | | | | SG on pile. | Private aid. 06/09 |
| 16695 | Caxambas Bay Daybeacon 5 | 25-53-58.140N 081-40-57.561W * | | | | SG on pile. | Private aid. 06/09 |
| 16905 | CAXAMBAS PASS ENTRANCE LIGHT C | 25-54-08.000N 081-44-18.000W * | | | | NR on pile. | Private aid. 06/09 |
| 16910 | Caxambas Pass Daybeacon 1 | 25-54-14.000N 081-44-05.000W * | | | | SG on pile. | Private aid. 06/09 |
| 16915 | Caxambas Pass Daybeacon 2 | 25-54-15.000N 081-44-07.000W * | | | | TR on pile. | Private aid. 06/09 |
| 16920 | Caxambas Pass Daybeacon 3 | 25-54-23.000N 081-43-52.000W * | | | | SG on pile. | Private aid. 06/09 |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|------------|--|--------------------------------------|-----------------------|-----------|------------|------------------|--------------------|
| 16925 | Caxambas Pass Daybeacon 4 | 25-54-20.000N 081-43-50.000W * | | | | TR on pile. | Private aid. 06/09 |
| 16925.5 | Caxambas Pass Daybeacon 5 | 25-54-29.000N 081-43-39.000W * | | | | SG on pile. | Private aid. 06/09 |
| 17696 | Naples Harbour Yacht Club Buoy 1 | 26-08-46.260N 081-47-10.140W * | | | | Green can. | Private aid. 06/09 |
| 17696.1 | Naples Harbour Yacht Club Buoy 2 | 26-08-46.740N 081-47-10.800W * | | | | Red nun. | Private aid. 06/09 |
| 17696.2 | Naples Harbour Yacht Club Buoy 3 | 26-08-52.560N 081-47-08.700W * | | | | Green can. | Private aid. 06/09 |
| 17696.3 | Naples Harbour Yacht Club Buoy 4 | 26-08-52.680N 081-47-09.540W * | | | | Red nun. | Private aid. 06/09 |
| 17696.4 | Naples Harbour Yacht Club Buoy 5 | 26-08-57.600N 081-47-06.900W * | | | | Green can. | Private aid. 06/09 |
| 17696.5 | Naples Harbour Yacht Club Buoy 6 | 26-08-57.840N 081-47-07.320W * | | | | Red nun. | Private aid. 06/09 |
| 17696.6 | Naples Harbour Yacht Club Buoy 7 | 26-09-01.140N 081-47-07.620W * | | | | Green can. | Private aid. 06/09 |
| 17696.7 | Naples Harbour Yacht Club Buoy 8 | 26-09-00.840N 081-47-08.100W * | | | | Red nun. | Private aid. 06/09 |
| 17696.8 | Naples Harbour Yacht Club Buoy 9 | 26-09-01.980N 081-47-09.120W * | | | | Green can. | Private aid. 06/09 |
| 17696.9 | Naples Harbour Yacht Club Buoy 10 | 26-09-01.800N 081-47-03.420W * | | | | Red nun. | Private aid. 06/09 |
| 17697 | Naples Harbour Yacht Club Buoy 11 | 26-09-02.820N 081-47-09.120W * | | | | Green can. | Private aid. 06/09 |
| 17697.1 | Naples Harbour Yacht Club Buoy 12 | 26-09-03.960N 081-47-19.020W * | | | | Red nun. | Private aid. 06/09 |
| 21577 | Big Sarasota Pass Daybeacon 18 | 27-18-32.280N 082-33-19.920W * | | | | TR on pile. | Private aid. 06/09 |
| * | * | * | * | * | * | * | * |
| 22755 | Tampa Bay Cut E Channel Lighted Buoy 1E | 27-43-38.327N 082-32-04.457W | Fl G 2.5s | | 4 | Green. | 06/09 |
| 36640 | SAPELO SOUND LIGHT 142 | 31-32-45.872N 081-13-15.109W * | Fl R 4s | 12 | 3 | TR-TY on pile. | 06/09 |
| | * Delete Heading: Miami Herald | | | | | | 06/09 |
| | * Add Heading: Matheny Creek | | | | | | 06/09 |
| 58292 | Matheny Creek Daybeacon 1 | 27-14-47.830N 082-31-09.230W | | | | SG on pile. | Private aid. 06/09 |
| * | * | * | * | * | * | * | * |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|---------------------------------------|---------------------------------|-----------------------|-----------|------------|---|----------------|-------|
| 58292.1 | Matheny Creek Daybeacon 2 | 27-14-47.510N 082-31-09.010W | | | | TR on pile. | Private aid. | 06/09 |
| * | * | * | * | * | * | * | * | |
| 58292.2 | Matheny Creek Daybeacon 3 | 27-14-48.190N 082-31-08.540W | | | | SG on pile. | Private aid. | 06/09 |
| * | * | * | * | * | * | * | * | |
| 58292.3 | Matheny Creek Daybeacon 4 | 27-14-48.300N 082-31-07.820W | | | | TR on pile. | Private aid. | 06/09 |
| * | * | * | * | * | * | * | * | |
| 7275 | Mile Point Jetty East Daybeacon | 30-22-46.796N 081-27-23.856W | | | | NW on pile worded DANGER SUBMERGED JETTY. | | 05/09 |
| | | * | | | | | | |
| 22696 | Cockroach Bay Channel Daybeacon 15 | 27-41-10.000N 082-31-28.000W | | | | SG on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | |
| 22696.1 | Cockroach Bay Channel Daybeacon 16 | 27-41-09.000N 082-31-27.000W | | | | TR on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | |
| 22696.2 | Cockroach Bay Channel Daybeacon 17 | 27-41-11.000N 082-31-24.000W | | | | SG on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | |
| 22696.3 | Cockroach Bay Channel Daybeacon 18 | 27-41-11.000N 082-31-23.000W | | | | TR on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | |
| 22696.4 | Cockroach Bay Channel Daybeacon 19 | 27-41-13.000N 082-31-18.000W | | | | SG on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|---|---------------------------------|-----------------------|-----------|------------|------------------|-------------------|-------|
| 22696.5 | Cockroach Bay Channel Daybeacon 20 | 27-41-13.000N 082-31-17.000W | | | | TR on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | * |
| 23220 | Hillsborough Cut C Channel Lighted Buoy 17 | 27-49-49.180N 082-26-49.939W | Fl G 4s | | 4 | Green. | | 05/09 |
| | | | | | * | | | |
| 23230 | Hillsborough Cut C Channel Buoy 19 | | | | | | Remove from list. | 05/09 |
| | | | | | | | * | |
| 23230 | Hillsborough Cut C Channel Lighted Buoy 19 | 27-50-18.237N 082-26-46.992W | Fl G 2.5s | | 4 | Green. | | 05/09 |
| * | * | * | * | * | * | * | * | * |
| 23235 | Hillsborough Cut C Channel Buoy 20 | | | | | | Remove from list. | 05/09 |
| | | | | | | | * | |
| 23235 | Hillsborough Cut C Channel Lighted Buoy 20 | 27-50-31.547N 082-26-38.886W | Q R | | 4 | Red. | | 05/09 |
| * | * | * | * | * | * | * | * | * |
| | * Add Heading: Simmons Park | | | | | | | 05/09 |
| 24606 | Simmons Park Channel Daybeacon 1 | 27-44-11.000N 082-28-44.000W | | | | SG on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | * |
| 24606.1 | Simmons Park Channel Daybeacon 2 | 27-44-13.000N 082-28-41.000W | | | | TR on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | * |
| 24606.2 | Simmons Park Channel Daybeacon 3 | 27-44-23.000N 082-28-54.000W | | | | SG on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | * |
| 24606.3 | Simmons Park Channel Daybeacon 4 | 27-44-25.000N 082-28-50.000W | | | | TR on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | * |
| 24606.4 | Simmons Park Channel Daybeacon 5 | 27-44-33.000N 082-29-07.000W | | | | SG on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | * |
| 24606.5 | Simmons Park Channel Daybeacon 6 | 27-44-36.000N 082-29-05.000W | | | | TR on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | * |
| 24606.6 | Simmons Park Channel Daybeacon 7 | 27-44-52.000N 082-28-50.000W | | | | SG on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | * |
| 24606.7 | Simmons Park Channel Daybeacon 8 | 27-44-49.000N 082-28-46.000W | | | | TR on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | * |
| 24606.8 | Simmons Park Channel Daybeacon 9 | 27-44-55.000N 082-28-42.000W | | | | SG on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | * |
| 24606.9 | Simmons Park Channel Daybeacon 10 | 27-44-52.000N 082-28-41.000W | | | | SG on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | * |
| 24607 | Simmons Park Channel Daybeacon 11 | 27-44-55.000N 082-28-37.000W | | | | SG on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | * |
| 24607.1 | Simmons Park Channel Daybeacon 12 | 27-44-52.000N 082-28-37.000W | | | | TR on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | * |
| 24607.2 | Simmons Park Channel Daybeacon 13 | 27-44-52.000N 082-28-34.000W | | | | SG on pile. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | * |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|--|---------------------------------|-----------------------|-----------|------------|---|-------------------|-------|
| 27987 | Bayport Entrance South Danger Daybeacon | 28-32-19.560N 082-41-39.240W | | | | NW on pile worded DANGER ROCK AREA. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | |
| | * Add Heading: Nobleton | | | | | | | 05/09 |
| 28222 | Nobleton Danger Daybeacon | 28-38-50.340N 082-15-43.680W | | | | NW on pile worded DANGER ROCK AREA. | Private aid. | 05/09 |
| * | * | * | * | * | * | * | * | |
| 38885 | TOLOMATO RIVER LIGHT 57A | 29-54-52.623N 081-17-57.652W | Fl G 4s | 16 | 4 | SG-SY on pile. | | 05/09 |
| | * Change Heading: Blind Pass Park Channel | | | | | | | 05/09 |
| 7275 | Mile Point Jetty East Daybeacon | 30-22-46.767N 081-27-23.889W | | | | NW on pile worded DANGER SUBMERGED JETTY. | | 04/09 |
| | | * | | | | | | |
| 48445 | Miami Herald Channel Buoy 1 | | | | | | Remove from list. | 04/09 |
| | | | | | | | * | |
| 48450 | Miami Herald Channel Buoy 2 | | | | | | Remove from list. | 04/09 |
| | | | | | | | * | |
| 48455 | Miami Herald Channel Buoy 3 | | | | | | Remove from list. | 04/09 |
| | | | | | | | * | |
| 48460 | Miami Herald Channel Buoy 5 | | | | | | Remove from list. | 04/09 |
| | | | | | | | * | |
| 48465 | Miami Herald Channel Buoy 6 | | | | | | Remove from list. | 04/09 |
| | | | | | | | * | |
| | * Add Heading: Blind Pass Channel Park | | | | | | | 04/09 |
| 57536 | Blind Pass Park Channel Daybeacon 1 | 26-58-04.620N 082-22-42.720W | | | | SG on pile. | Private aid. | 04/09 |
| * | * | * | * | * | * | * | * | |
| 57536.1 | Blind Pass Park Channel Daybeacon 2 | 26-58-06.720N 082-22-44.160W | | | | TR on pile. | Private aid. | 04/09 |
| * | * | * | * | * | * | * | * | |
| 57536.2 | Blind Pass Park Channel Daybeacon 3 | 26-58-04.200N 082-22-44.280W | | | | SG on pile. | Private aid. | 04/09 |
| * | * | * | * | * | * | * | * | |
| 57536.3 | Blind Pass Park Channel Daybeacon 4 | 26-58-05.640N 082-22-45.180W | | | | TR on pile. | Private aid. | 04/09 |
| * | * | * | * | * | * | * | * | |
| 57536.4 | Blind Pass Park Channel Shoal Daybeacon A | 26-57-53.760N 082-23-01.740W | | | | NW on pile worded DANGER SHOAL. | Private aid. | 04/09 |
| * | * | * | * | * | * | * | * | |
| 57536.5 | Blind Pass Park Channel Shoal Daybeacon B | 26-57-54.300N 082-23-02.160W | | | | NW on pile worded DANGER SHOAL. | Private aid. | 04/09 |
| * | * | * | * | * | * | * | * | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|---|---------------------------------|-----------------------|-----------|------------|---------------------|--|-------|
| 772.1 | BOCA RATON INLET NORTH JETTY LIGHT 2 | 26-20-09.803N 080-04-10.547W | Q R | | 14 | TR on pile. | Private aid. | 03/09 |
| | * Add Heading: Venture Out | | | | | | | 03/09 |
| 14086 | Venture Out Daybeacon 1 | 24-39-10.200N 081-28-19.260W | | | | SG on pile. | Private aid. | 03/09 |
| * | * | * | * | * | * | * | * | * |
| 14086.1 | Venture Out Daybeacon 2 | 24-39-10.560N 081-28-19.200W | | | | TR on pile. | Private aid. | 03/09 |
| * | * | * | * | * | * | * | * | * |
| 14086.2 | Venture Out Daybeacon 3 | 24-39-10.380N 081-28-19.620W | | | | SG on pile. | Private aid. | 03/09 |
| * | * | * | * | * | * | * | * | * |
| 14086.3 | Venture Out Daybeacon 4 | 24-39-10.680N 081-28-19.620W | | | | TR on pile. | Private aid. | 03/09 |
| * | * | * | * | * | * | * | * | * |
| | * Add Heading: Mullett Creek | | | | | | | 03/09 |
| 43451 | Mullett Creek Daybeacon 1 | 27-55-42.180N 080-30-22.680W | | | | SG on pile. | Local Knowledge Required. Private aid. | 03/09 |
| * | * | * | * | * | * | * | * | * |
| 43451.1 | Mullett Creek Daybeacon 2 | 27-55-41.040N 080-30-21.840W | | | | TR on pile. | Private aid. | 03/09 |
| * | * | * | * | * | * | * | * | * |
| 43451.2 | Mullett Creek Daybeacon 3 | 27-55-42.660N 080-29-54.480W | | | | SG on pile. | Private aid. | 03/09 |
| * | * | * | * | * | * | * | * | * |
| 43451.3 | Mullett Creek Daybeacon 4 | 27-55-42.300N 080-29-54.060W | | | | TR on pile. | Private aid. | 03/09 |
| * | * | * | * | * | * | * | * | * |
| 47250 | NEW RIVER SOUND LIGHT 5 | 26-07-34.258N 080-06-24.700W | FIG 4s | | 12 | 4 SG-SY on pile. | | 03/09 |
| | | * | | | | | | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|---|---------------------------------|-----------------------|-----------|------------|------------------------------------|---|-----------------------|
| 4790 | LONG ISLAND CROSSING LOWER RANGE FRONT LIGHT | 32-02-08.925N 080-55-11.608W | Q G | | 27 | KRW on skeleton tower on piles. | Visible 1.5° each side of rangeline. | 02/09 |
| | | | | | | | * | |
| 4795 | LONG ISLAND CROSSING LOWER RANGE REAR LIGHT 900 yards, 138° from front light. | 32-01-48.622N 080-54-50.864W | Iso G 6s | | 58 | KRW on skeleton tower on piles. | Visible 1.5° each side of rangeline. | 02/09 |
| | | | | | | | * | |
| 6195 | CEDAR HAMMOCK RANGE REAR LIGHT | 31-06-01.020N 081-28-05.100W | Q G | | 15 | KRW on dolphin. | Visible 2° each side of rangeline. | 02/09 |
| | | | | | | | * | |
| 8493 | Mount Royal Daybeacon 61 | 29-25-53.544N 081-40-15.516W | | | | SG on pile. | | 02/09 |
| * | * | * | * | * | * | * | * | |
| 8495 | MOUNT ROYAL LIGHT 61A | 29-25-51.497N 081-40-05.566W | Fl G 4s | | 12 | 4 | SG on pile. | 02/09 |
| | | | | | | | * | |
| 9420 | MOTHERS ARM LIGHT 2 | 28-48-59.859N 081-14-33.780W | Q R | | | 3 | TR on pile | 02/09 |
| | | | | | | | * | |
| 17705 | Doctors Pass Daybeacon 1 | 26-10-25.200N 081-48-59.340W | | | | | SG on pile. | Private aid. 02/09 |
| | | | | | | | * | |
| 17720 | Doctors Pass Daybeacon 2 | 26-10-23.640N 081-48-58.500W | | | | | TR on pile. | Private aid. 02/09 |
| | | | | | | | * | |
| 17725 | Doctors Pass Daybeacon 3 | 26-10-27.180N 081-48-52.560W | | | | | SG on pile. | Private aid. 02/09 |
| | | | | | | | * | |
| 17730 | Doctors Pass Daybeacon 4 | 26-10-26.100N 081-48-52.440W | | | | | TR on pile. | Private aid. 02/09 |
| | | | | | | | * | |
| 17735 | Doctors Pass Daybeacon 5 | 26-10-28.080N 081-48-47.880W | | | | | SG on pile. | Private aid. 02/09 |
| | | | | | | | * | |
| 17740 | Doctors Pass Daybeacon 6 | 26-10-27.240N 081-48-47.460W | | | | | TR on pile. | Private aid. 02/09 |
| | | | | | | | * | |
| 17745 | Doctors Pass Daybeacon 7 | 26-10-30.060N 081-48-43.560W | | | | | SG on pile. | Private aid. 02/09 |
| | | | | | | | * | |
| 17750 | Doctors Pass Daybeacon 8 | 26-10-28.260N 081-48-44.940W | | | | | TR on pile. | Private aid. 02/09 |
| | | | | | | | * | |
| 17755 | Doctors Pass Daybeacon 10 | 26-10-32.160N 081-48-41.820W | | | | | TR on pile. | Private aid. 02/09 |
| | | | | | | | * | |
| 17760 | Doctors Pass Daybeacon 12 | 26-10-33.780N 081-48-42.480W | | | | | TR on pile. | Private aid. 02/09 |
| | | | | | | | * | |
| 17765 | Doctors Pass Daybeacon 14 | 26-10-35.460N 081-48-42.780W | | | | | TR on pile. | Private aid. 02/09 |
| | | | | | | | * | |
| 17770 | Doctors Pass Daybeacon 16 | 26-10-37.380N 081-48-43.080W | | | | | TR on pile. | Private aid. 02/09 |
| | | | | | | | * | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|---------------------------|--|---------------------------------|-----------------------|-----------|------------|--|--|-------|
| 21600 | New Pass Channel Buoy 3A | 27-19-16.819N 082-35-28.634W | | | | Green can. | | 02/09 |
| | | * | | | | | | |
| 22305 | <i>Egmont Channel Lighted Buoy 13</i> | 27-36-35.401N 082-48-42.873W | Fl G 2.5s | | | 5 Green. | | 02/09 |
| | | | | | | * | | |
| 40503 | Ponce De Leon Cut Buoy 2A | 29-05-33.048N 080-56-58.440W | | | | Red nun with yellow triangle. | | 02/09 |
| | | * | | | | | | |
| 50700 | St Lucie River Daybeacon 6 | 27-09-54.638N 080-11-21.964W | | | | TR-TY on pile. | | 02/09 |
| | | * | | | | | | |
| No corrections this week. | | | | | | | | 01/09 |
| 6745 37860 | CUMBERLAND SOUND RANGE FRONT LIGHT A-1 | 30-43-36.387N 081-29-31.521W | Q R | | 15 | KRW-I on dolphin. | Visible all around. | 53/08 |
| | | * | | | | | | |
| 7000 | KINGS BAY LIGHT 48 | 30-47-48.289N 081-30-17.885W | Fl R 4s | | 16 | 4 TR on pile. | | 53/08 |
| | | * | | | | | | |
| 37860 6745 | CUMBERLAND SOUND RANGE FRONT LIGHT A-1 | 30-43-36.387N 081-29-31.521W | Q R | | 15 | KRW-I on dolphin. | Visible all around. | 53/08 |
| | | * | | | | | | |
| 590 | St. Augustine Light | 29-53-07.604N 081-17-18.705W | FFI W 30s | | 161 | W 24 W 19 Conical tower, white base with black cornice; black and white spirally-banded shaft; black below lantern gallery deck; red above. 165 | Fixed range is 19 miles. Flashing range is 24 miles. Private aid. | 52/08 |
| | | | | | | * | | |
| 670 | <i>Scripps Wave Lighted Buoy B</i> | 27-33-08.820N 080-13-11.100W | Fl (5)Y 20s | | | Yellow can. Marked "Wave Buoy" | Private aid. | 52/08 |
| * | * | * | * | * | * | * | * | |
| | * Add Heading: Gulf Coast - Key West to Mississippi River (Chart 11006) | | | | | | | 52/08 |
| 1367 | <i>Scripps Wave Lighted Buoy A</i> | 27-20-25.200N 084-16-30.000W | Fl (5)Y 20s | | | Yellow can. Marked "Wave Buoy" | Private aid. | 52/08 |
| * | * | * | * | * | * | * | * | |
| 1387 | <i>USF COMPS Lighted Buoy C10</i> | 27-10-09.000N 082-55-34.200W | Fl Y 12s | | | Yellow can. | Private aid. | 52/08 |
| * | * | * | * | * | * | * | * | |
| 1387.1 | <i>USF COMPS Lighted Buoy C12</i> | 27-29-54.000N 083-43-18.000W | Fl Y 12s | | | Yellow can. | Private aid. | 52/08 |
| * | * | * | * | * | * | * | * | |
| 1387.2 | <i>USF COMPS Lighted Buoy C13</i> | 26-03-19.080N 083-04-24.840W | Fl Y 12s | | | Yellow can. | Private aid. | 52/08 |
| * | * | * | * | * | * | * | * | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|--|---------------------------------|-----------------------|-----------|------------|---|------------------------------|-------|
| 1387.3 | USF COMPS Lighted Buoy C14 | 28-18-39.000N 083-18-20.340W | Fl Y 12s | | | Yellow can. | Private aid. | 52/08 |
| * | * | * | * | | * | * | * | * |
| 1387.4 | USF COMPS Lighted Buoy C16 | 27-27-29.460N 084-13-05.460W | Fl Y 12s | | | Yellow can. | Private aid. | 52/08 |
| * | * | * | * | | * | * | * | * |
| 1387.5 | USF COMPS Lighted Buoy C17 | 25-15-15.420N 082-13-11.460W | Fl Y 12s | | | Yellow can. | Private aid. | 52/08 |
| * | * | * | * | | * | * | * | * |
| 1387.6 | USF COMPS Lighted Buoy C20 | 27-17-50.640N 082-38-30.960W | Fl Y 12s | | | Yellow can. | Private aid. | 52/08 |
| * | * | * | * | | * | * | * | * |
| 9420 | MOTHERS ARM LIGHT WR2 | 28-48-59.859N 081-14-33.780W | Q R | | | 3 TR on pile | | 52/08 |
| | * | | | | | * | | |
| 14490.1 | Stock Island Obstruction Daybeacon A | | | | | | Remove from list. | 52/08 |
| | | | | | | | * | |
| 14490.2 | Stock Island Obstruction Daybeacon B | | | | | | Remove from list. | 52/08 |
| | | | | | | | * | |
| 14490.5 | Stock Island Obstruction Daybeacon E | | | | | | Remove from list. | 52/08 |
| | | | | | | | * | |
| 16670 | COON KEY LIGHT | 25-54-08.000N 081-44-18.000W | Fl W 4s | | 22 | 6 NR on pile. | | 52/08 |
| | | * | | | | | | |
| 16675 | Caxambas Bay South Approach Daybeacon 2 | 25-54-15.000N 081-44-07.000W | | | | TR on pile. | Private aid. | 52/08 |
| | * | * | | | | | | |
| 16685 | Caxambas Bay Daybeacon 1 | 25-54-14.000N 081-44-05.000W | | | | SG on pile. | Private aid. | 52/08 |
| 26233.1 | Anclote Village Marina Daybeacon 1 | 28-10-21.160N 082-47-14.580W | | | | SG on pile. | Private aid. Private aid. | 52/08 |
| | | | | | | | * | |
| 26233.55 | Anclote Village Marina Danger Daybeacon | 28-10-21.000N 082-47-12.000W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid. | 52/08 |
| * | * | * | * | | * | * | * | * |
| 7457 | Dames Point Lighted Buoy 49 | 30-23-24.535N 081-34-04.263W | Fl G 2.5s | | | 4 Green. | | 51/08 |
| * | * | * | * | | * | * | * | * |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|------------------------------------|--------------------------------------|-----------------------|-----------|------------|---|---------------------------------------|-------|
| 7459 | Trapac Turning Basin Buoy A | 30-23-25.413 N 081-34-09.190 W | | | | Yellow can. | | 51/08 |
| * | * | * | * | * | * | * | * | * |
| 7461 | Trapac Turning Basin Buoy B | 30-23-34.099N 081-34-15.642W | | | | Yellow can. | | 51/08 |
| * | * | * | * | * | * | * | * | * |
| 7463 | Trapac Turning Basin Buoy C | 30-23-42.823N 081-34-22.100W | | | | Yellow can. | | 51/08 |
| * | * | * | * | * | * | * | * | * |
| 7465 | Dames Point Cutoff Lighted Buoy 50 | | | | | | Remove from list. | 51/08 |
| | | | | | | | * | |
| 17696 | Naples Harbour Yacht Club Buoy 1 | 26-08-00.771N 081-47-00.169W | | | | Green can. | Private aid. | 51/08 |
| * | * | * | * | * | * | * | * | * |
| 17696.1 | Naples Harbour Yacht Club Buoy 2 | 26-08-00.779N 081-47-00.180W | | | | Red nun. | Private aid. | 51/08 |
| * | * | * | * | * | * | * | * | * |
| 17696.2 | Naples Harbour Yacht Club Buoy 3 | 26-08-00.876N 081-47-00.145W | | | | Green can. | Private aid. | 51/08 |
| * | * | * | * | * | * | * | * | * |
| 17696.3 | Naples Harbour Yacht Club Buoy 4 | 26-08-00.878N 081-47-00.159W | | | | Red nun. | Private aid. | 51/08 |
| * | * | * | * | * | * | * | * | * |
| 17696.4 | Naples Harbour Yacht Club Buoy 5 | 26-08-00.960N 081-47-00.115W | | | | Green can. | Private aid. | 51/08 |
| * | * | * | * | * | * | * | * | * |
| 17696.5 | Naples Harbour Yacht Club Buoy 6 | 26-08-00.964N 081-47-00.122W | | | | Red nun. | Private aid. | 51/08 |
| * | * | * | * | * | * | * | * | * |
| 17696.6 | Naples Harbour Yacht Club Buoy 7 | 26-09-00.019N 081-47-00.127W | | | | Green can. | Private aid. | 51/08 |
| * | * | * | * | * | * | * | * | * |
| 17696.7 | Naples Harbour Yacht Club Buoy 8 | 26-09-00.014N 081-47-00.135W | | | | Red nun. | Private aid. | 51/08 |
| * | * | * | * | * | * | * | * | * |
| 17696.8 | Naples Harbour Yacht Club Buoy 9 | 26-09-00.033N 081-47-00.152W | | | | Green can. | Private aid. | 51/08 |
| * | * | * | * | * | * | * | * | * |
| 17696.9 | Naples Harbour Yacht Club Buoy 10 | 26-09-00.030N 081-47-00.057W | | | | Red nun. | Private aid. | 51/08 |
| * | * | * | * | * | * | * | * | * |
| 17697 | Naples Harbour Yacht Club Buoy 11 | 26-09-00.047N 081-47-00.152W | | | | Green can. | Private aid. | 51/08 |
| * | * | * | * | * | * | * | * | * |
| 17697.1 | Naples Harbour Yacht Club Buoy 12 | 26-09-00.066N 081-47-00.167W | | | | Red nun. | Private aid. | 51/08 |
| * | * | * | * | * | * | * | * | * |
| 31708 | Vieques Island East Warning Buoy A | 18-07-06.108N 065-19-26.936W | | | | White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE. | Maintained by U.S. Navy. Private aid. | 51/08 |
| | | * | | | | | | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|------------|---|---------------------------------|-----------------------|-----------|------------|---|--|
| 31710 | Vieques Island East Warning Buoy B | 18-08-57.723N 065-18-48.693W | | | | White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE. | Maintained by U.S. Navy. 51/08 Private aid. |
| | | * | | | | | |
| 31712 | Vieques Island East Warning Buoy C | 18-09-36.517N 065-21-36.206W | | | | White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE. | Maintained by U.S. Navy. 51/08 Private aid. |
| | | * | | | | | |
| 31715 | Vieques Island East Warning Buoy D | 18-07-45.109N 065-17-07.512W | | | | White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE. | Maintained by U.S. Navy. 51/08 Private aid. |
| | | * | | | | | |
| 31716 | Vieques Island East Warning Buoy E | 18-09-08.065N 065-19-47.028W | | | | White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE. | Maintained by U.S. Navy. 51/08 Private aid. |
| | | * | | | | | |
| 31718 | Vieques Island East Warning Buoy F | 18-06-40.810N 065-20-26.428W | | | | White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE. | Maintained by U.S. Navy. 51/08 Private aid. |
| | | * | | | | | |
| 31720 | Vieques Island East Warning Buoy G | 18-07-35.368N 065-18-11.271W | | | | White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE. | Maintained by U.S. Navy. 51/08 Private aid. |
| | | * | | | | | |
| 34510 | Winyah Bay-Charleston Harbor Daybeacon 117 | 32-47-43.815N 079-47-15.163W | | | | SG-SY on pile. | 51/08 |
| | | * | | | | | |
| 36870 | Little Mud River Daybeacon 194 | 31-20-20.027N 081-19-40.922W | | | | TR-TY on pile. | 51/08 |
| | | * | | | | | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | | |
|------------|--|--------------------------------------|--|-----------|------------|------------------|---|---|-------|
| 5795 | <i>St Catherines Sound Lighted Buoy 2</i> | 31-40-20.891N 081-03-29.911W * | FIR 2.5s | | | 4 | Red. | 50/08 | |
| 9420 | <i>Mothers Arms Lighted Buoy WR2</i> | 28-48-59.859N 081-14-33.780W | | | | | TR on pile. | 50/08 | |
| 28810 | Crystal River Entrance Daybeacon 6 | 28-55-26.695N 082-43-50.187W | | | | | TR on pile. | 50/08 | |
| * | * | * | * | * | * | * | * | * | |
| 31960 | BAHIA DE PONCE RANGE FRONT LIGHT | 17-58-26.122N 066-37-18.731W | Fl W 2.5s (NIGHT) Fl W 2.5s (DAY) | | 18 21 | | On pile. | Visible 0.5° each side of rangeline during the day, and 4° each side of rangeline at night. Lighted throughout 24 hours. | 50/08 |
| 31965 | BAHIA DE PONCE RANGE REAR LIGHT 700 yards, 015° from front light. | 17-58-46.233N 066-37-13.102W | Iso W 6s (NIGHT) Iso W 6s (DAY) | | 53 50 | | On skeleton tower. | Visible 0.5° each side of rangeline during the day, and 4° each side of rangeline at night. Lighted throughout 24 hours. | 50/08 |
| * | * | * | * | * | * | * | * | * | |
| 1415 | Usf Comps Data Lighted Buoy | | | | | | Remove from list. | 49/08 | |
| | | | | | | | * | | |
| 7275 | Mile Point Jetty East Daybeacon | 30-22-44.350N 081-27-22.990W | | | | | NW on pile worded DANGER SUBMERGED JETTY. | 49/08 | |
| 9480 | St Augustine Inlet Buoy 2 | 29-54-57.356N 081-15-39.440W | | | | | Red nun. | 49/08 | |
| 22330 | <i>Egmont Channel Lighted Buoy 18</i> | 27-36-23.161N 082-45-30.845W | Fl R 4s | | | 4 | Red. | 49/08 | |
| | | | | | | * | | 49/08 | |
| | * Add Heading: Leeward Yacht Club | | | | | | | | |
| 52192 | Orange River Daybeacon 2 | 26-41-42.576N 081-47-48.551W | | | | | TR on pile. | Private aid. | 49/08 |
| * | * | * | * | * | * | * | * | * | |
| 52192.1 | Orange River Daybeacon 3 | 26-41-41.783N 081-47-48.074W | | | | | SG on pile. | Private aid. | 49/08 |
| * | * | * | * | * | * | * | * | * | |
| 52192.2 | Orange River Daybeacon 5 | 26-41-35.734N 081-47-46.931W | | | | | SG on pile. | Private aid. | 49/08 |
| * | * | * | * | * | * | * | * | * | |
| 52192.3 | Orange River Daybeacon 7 | 26-41-32.856N 081-47-49.128W | | | | | SG on pile. | Private aid. | 49/08 |
| * | * | * | * | * | * | * | * | * | |
| 52192.4 | Orange River Daybeacon 8 | 26-41-31.919N 081-47-50.494W | | | | | TR on pile. | Private aid. | 49/08 |
| * | * | * | * | * | * | * | * | * | |
| 52192.5 | Orange River Daybeacon 9 | 26-41-27.311N 081-47-49.055W | | | | | SG on pile. | Private aid. | 49/08 |
| * | * | * | * | * | * | * | * | * | |
| 52192.6 | Orange River Daybeacon 11 | 26-41-21.083N 081-47-48.227W | | | | | SG on pile. | Private aid. | 49/08 |
| * | * | * | * | * | * | * | * | * | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|---|---------------------------------|-----------------------|-----------|------------|-------------------------------|------------------------|-------|
| 568 | University Of North Florida Lighted Buoy A | | | | | | Remove from list. | 48/08 |
| | | | | | | | * | |
| 830 | NOAA Data Lighted Buoy 41002 | 32-23-03.258N 075-25-04.320W | Fl (4)Y 20s | | | Yellow boat-shaped with mast. | Aid maintained by NOAA | 48/08 |
| | | * | | | | | | |
| 2600 | Charleston Harbor North Channel Lighted Buoy 38 | 32-47-47.286N 079-54-58.116W | Fl R 4s | | 3 | Red. | | 48/08 |
| | | * | | | | | | |
| 28810 | Crystal River Entrance Daybeacon 6 | | | | | | Remove from list. | 48/08 |
| | | | | | | | * | |
| 36000 | Wilmington River Buoy 27 | 32-03-49.385N 081-01-40.721W | | | | Green with yellow triangle. | | 48/08 |
| * | * | * | * | * | * | * | * | |
| 36000 | Wilmington River Daybeacon 27 | | | | | | Remove from list. | 48/08 |
| | | | | | | | * | |
| 42555 | Banana River Buoy 15 | | | | | | Remove from list. | 48/08 |
| | | | | | | | * | |
| 42555 | Banana River Daybeacon 15 | 28-18-09.600N 080-39-11.028W | | | | SG on pile. | | 48/08 |
| * | * | * | * | * | * | * | * | |
| 42560 | Banana River Buoy 17 | | | | | | Remove from list. | 48/08 |
| | | | | | | | * | |
| 42560 | Banana River Daybeacon 17 | 28-18-32.844N 080-39-12.684W | | | | SG on pile. | | 48/08 |
| * | * | * | * | * | * | * | * | |
| 42575 | Banana River Buoy 21 | | | | | | Remove from list. | 48/08 |
| | | | | | | | * | |
| 42575 | Banana River Daybeacon 21 | 28-18-59.160N 080-39-13.771W | | | | SG on pile. | | 48/08 |
| * | * | * | * | * | * | * | * | |
| 42585 | Banana River Buoy 23 | | | | | | Remove from list. | 48/08 |
| | | | | | | | * | |
| 42585 | Banana River Daybeacon 23 | 28-19-39.600N 080-39-15.216W | | | | SG on pile. | | 48/08 |
| * | * | * | * | * | * | * | * | |
| 42590 | Banana River Buoy 24 | | | | | | Remove from list. | 48/08 |
| | | | | | | | * | |
| 42590 | Banana River Daybeacon 24 | 28-19-55.830N 080-39-16.518W | | | | TR on pile. | | 48/08 |
| * | * | * | * | * | * | * | * | |
| 42605 | Banana River Buoy 27 | | | | | | Remove from list. | 48/08 |
| | | | | | | | * | |
| 42605 | Banana River Daybeacon 27 | 28-19-55.830N 080-39-16.518W | | | | SG on pile. | | 48/08 |
| * | * | * | * | * | * | * | * | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|------------|--|--------------------------------------|-----------------------|-----------|------------|------------------|-----------------------|
| 32865 | <i>Christiansted Harbor Channel Lighted Buoy 1</i> | 17-45-47.369N 064-41-47.595W * | Fl G 2.5s | | | 4 Green. | 47/08 |
| | * Add Heading: Manchester Waterway | | | | | | 46/08 |
| 6296 | EAST RIVER TURNING BASIN LIGHT A | 31-07-39.594N 081-29-42.165W | Fl Y 2.5s | 16 | 4 | NY on pile. * | 46/08 |
| 20980.1 | Manchester Waterway Daybeacon 1 | 26-57-42.780N 082-07-49.260W | | | | SG on pile. | Private aid. 46/08 |
| * | * | * | * | * | * | * | * |
| 20980.2 | Manchester Waterway Daybeacon 2 | 26-57-40.740N 082-07-49.560W | | | | TR on pile. | Private aid. 46/08 |
| * | * | * | * | * | * | * | * |
| 20980.3 | Manchester Waterway Daybeacon 3 | 59-57-37.560N 082-07-45.720W | | | | SG on pile. | Private aid. 46/08 |
| * | * | * | * | * | * | * | * |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|--------------------------------------|---------------------------------|-----------------------|-----------|------------|------------------|----------------|-------|
| 20980.4 | Manchester Waterway Daybeacon 4 | 26-57-36.240N 082-07-45.780W | | | | TR on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20980.5 | Manchester Waterway Daybeacon 5 | 26-57-18.240N 082-07-45.480W | | | | SG on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20980.6 | Manchester Waterway Daybeacon 6 | 26-57-17.400N 082-07-46.020W | | | | TR on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20980.7 | Manchester Waterway Daybeacon 7 | 26-57-16.440N 082-07-46.260W | | | | SG on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20980.8 | Manchester Waterway Daybeacon 8 | 26-57-16.760N 082-07-48.600W | | | | TR on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20980.9 | Manchester Waterway Daybeacon 9 | 26-57-11.880N 082-07-49.920W | | | | SG on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20981 | Manchester Waterway Daybeacon 10 | 26-57-10.920N 082-07-53.820W | | | | TR on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20981.1 | Manchester Waterway Daybeacon 11 | 26-57-11.280N 082-08-11.880W | | | | SG on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20981.2 | Manchester Waterway Daybeacon 12 | 26-57-11.880N 082-08-13.020W | | | | TR on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20981.3 | Manchester Waterway Daybeacon 12B | 26-57-11.520N 082-08-15.300W | | | | TR on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20981.4 | Manchester Waterway Daybeacon 13 | 26-57-10.680N 082-08-18.000W | | | | SG on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20981.5 | Manchester Waterway Daybeacon 14 | 26-57-11.280N 082-08-19.440W | | | | TR on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20981.6 | Manchester Waterway Daybeacon 14B | 26-57-11.220N 082-08-21.420W | | | | TR on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20981.7 | Manchester Waterway Daybeacon 15 | 26-57-10.680N 082-08-23.520W | | | | SG on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20981.8 | Manchester Waterway Daybeacon 16 | 26-57-11.340N 082-08-23.520W | | | | TR on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20981.9 | Manchester Waterway Daybeacon 17 | 26-57-11.100N 082-08-24.840W | | | | SG on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20982 | Manchester Waterway Daybeacon 18 | 26-57-24.840N 082-08-25.800W | | | | TR on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20982.1 | Manchester Waterway Daybeacon 18B | 26-57-11.700N 082-08-31.920W | | | | TR on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20982.2 | Manchester Waterway Daybeacon 19 | 26-57-11.100N 082-08-40.560W | | | | SG on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20982.3 | Manchester Waterway Daybeacon 20 | 26-57-11.520N 082-08-43.140W | | | | TR on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|--|---------------------------------|-----------------------|-----------|------------|------------------|-------------------|-------|
| 20982.4 | Manchester Waterway Daybeacon 20B | 26-57-11.100N 082-08-46.680W | | | | TR on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20982.5 | Manchester Waterway Daybeacon 21 | 26-57-10.320N 082-08-48.540W | | | | SG on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20982.6 | Manchester Waterway Daybeacon 22 | 26-57-10.800N 082-08-48.960W | | | | TR on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20982.7 | Manchester Waterway Daybeacon 23 | 26-57-11.040N 082-08-51.900W | | | | SG on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20982.8 | Manchester Waterway Daybeacon 24 | 26-57-11.820N 082-08-52.440W | | | | TR on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20982.9 | Manchester Waterway Daybeacon 25 | 26-57-11.280N 082-09-05.340W | | | | SG on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20983 | Manchester Waterway Daybeacon 27 | 26-57-12.300N 082-09-25.380W | | | | SG on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20983.1 | Manchester Waterway Daybeacon 29 | 26-57-26.220N 082-09-30.000W | | | | SG on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20983.2 | Manchester Waterway Daybeacon 31 | 26-57-40.020N 082-09-53.400W | | | | SG on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 20983.3 | Manchester Waterway Daybeacon 33 | 26-57-47.100N 082-10-07.020W | | | | SG on pile. | Private aid. | 46/08 |
| * | * | * | * | * | * | * | * | * |
| 33470 | <i>Corinaso Cove Lighted Buoy 2</i> | 19-55-10.832N 075-09-11.942W | Q R | | | 3 | Red. | 46/08 |
| | | * | | | | | | |
| 20310.1 | Alligator Creek Daybeacon 24A | 26-53-15.540N 082-03-17.640W | | | | TR on pile. | Private aid. | 45/08 |
| 20310.1 | Alligator Creek Daybeacon 24a | | | | | | Remove from list. | 45/08 |
| | | | | | | | * | |
| 20985 | COUNTRYMAN WATERWAY CHANNEL LIGHT 1 | 26-57-19.860N 082-06-40.740W | Q G | | | SG on pile. | Private aid. | 45/08 |
| * | * | * | * | * | * | * | * | * |
| 20987 | Countryman Waterway Channel Daybeacon 2 | 26-57-21.300N 082-06-40.860W | | | | TR on pile. | Private aid. | 45/08 |
| * | * | * | * | * | * | * | * | * |
| 20990 | Countryman Waterway Channel Daybeacon 3 | 26-57-25.620N 082-06-46.080W | | | | SG on pile. | Private aid. | 45/08 |
| * | * | * | * | * | * | * | * | * |
| 20993 | Countryman Waterway Channel Daybeacon 4 | 26-57-27.180N 082-06-46.320W | | | | TR on pile. | Private aid. | 45/08 |
| * | * | * | * | * | * | * | * | * |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|--|---------------------------------|-----------------------|-----------|------------|------------------|----------------|-------|
| 20995 | Countryman Waterway Channel Daybeacon 5 | 26-57-30.960N 082-06-51.000W | | | | SG on pile. | Private aid. | 45/08 |
| * | * | * | * | * | * | * | * | * |
| 20997 | Countryman Waterway Channel Daybeacon 6 | 26-57-31.560N 082-06-50.400W | | | | TR on pile. | Private aid. | 45/08 |
| * | * | * | * | * | * | * | * | * |
| 21000 | Countryman Waterway Channel Daybeacon 7 | 26-57-37.140N 082-06-57.000W | | | | SG on pile. | Private aid. | 45/08 |
| * | * | * | * | * | * | * | * | * |
| 21003 | Countryman Waterway Channel Daybeacon 8 | 26-57-37.620N 082-06-56.220W | | | | TR on pile. | Private aid. | 45/08 |
| * | * | * | * | * | * | * | * | * |
| 21005 | Countryman Waterway Channel Junction Daybeacon A | 26-57-37.620N 082-06-58.740W | | | | JR on pile. | Private aid. | 45/08 |
| * | * | * | * | * | * | * | * | * |
| 21006 | Countryman Waterway Channel Daybeacon 9 | 26-57-44.760N 082-07-04.440W | | | | SG on pile. | Private aid. | 45/08 |
| * | * | * | * | * | * | * | * | * |
| 21008 | Countryman Waterway Channel Daybeacon 10 | 26-57-48.240N 082-07-06.780W | | | | TR on pile. | Private aid. | 45/08 |
| * | * | * | * | * | * | * | * | * |
| 21010 | Countryman Waterway Channel Daybeacon 11 | 26-57-48.300N 082-07-08.100W | | | | SG on pile. | Private aid. | 45/08 |
| * | * | * | * | * | * | * | * | * |
| 21011 | Countryman Waterway Channel Daybeacon 12 | 26-57-51.120N 082-07-09.840W | | | | TR on pile. | Private aid. | 45/08 |
| * | * | * | * | * | * | * | * | * |
| 21012 | Countryman Waterway Channel Daybeacon 13 | 26-57-51.600N 082-07-11.460W | | | | SG on pile. | Private aid. | 45/08 |
| * | * | * | * | * | * | * | * | * |
| 21015 | Countryman Waterway Channel Daybeacon 14 | 26-57-54.060N 082-07-12.600W | | | | TR on pile. | Private aid. | 45/08 |
| * | * | * | * | * | * | * | * | * |
| 21017 | Countryman Waterway Channel Daybeacon 15 | 26-57-55.440N 082-07-15.540W | | | | SG on pile. | Private aid. | 45/08 |
| * | * | * | * | * | * | * | * | * |
| 21019 | Countryman Waterway Channel Daybeacon 16 | 26-57-56.280N 082-07-15.120W | | | | TR on pile. | Private aid. | 45/08 |
| * | * | * | * | * | * | * | * | * |
| 1750 | Little River Inlet Daybeacon 18 | 33-51-26.196N 078-34-07.746W | | | | TR on pile. | | 44/08 |
| | | * | | | | | | |
| 7855 | SWITZERLAND LIGHT 15 | 30-05-55.587N 081-40-16.966W | Fl G 2.5s | | 16 | 3 | SG on dolphin. | 44/08 |
| | | * | | | | | | |
| 9135 | Flower Island Daybeacon 90 | 28-53-51.244N 081-21-23.375W | | | | TR on pile. | | 44/08 |
| | | * | | | | | | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | | |
|------------|--|--------------------------------------|--|-----------|------------|------------------|---|--|-------|
| 9155 | Wekiva Cutoff Daybeacon 95 | 28-52-57.395N 081-21-56.126W * | | | | SG on pile. | | 44/08 | |
| 20985 | Countryman Waterway Junction Daybeacon A | | | | | | Remove from list. * | 44/08 | |
| 20990 | Countryman Waterway Daybeacon 1 | | | | | | Remove from list. * | 44/08 | |
| 20995 | Countryman Waterway Daybeacon 1a | | | | | | Remove from list. * | 44/08 | |
| 21000 | Countryman Waterway Daybeacon 2 | | | | | | Remove from list. * | 44/08 | |
| 21005 | Countryman Waterway Daybeacon 3 | | | | | | Remove from list. * | 44/08 | |
| 21010 | Countryman Waterway Daybeacon 5 | | | | | | Remove from list. * | 44/08 | |
| 21015 | Countryman Waterway Daybeacon 6 | | | | | | Remove from list. * | 44/08 | |
| 22835 | <i>Tampa Bay Cut F Channel Lighted Buoy 7F</i> | 27-46-44.683N 082-31-25.708W | Q G | | | 4 * | Green. | 44/08 | |
| 23435 | HILLSBOROUGH CUT C CHANNEL INBOUND RANGE FRONT LIGHT | 27-54-26.289N 082-26-17.873W | Iso G 2s (NIGHT) Iso W 2s (DAY) | 23 25 | | | On skeleton tower on piles. | Visible 5° each side of rangeline. | 44/08 |
| 31708 | Vieques Island East Warning Buoy A | 18-07-30.000N 065-18-24.000W | | | | | White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE. | Maintained by U.S. Navy. Private aid. | 44/08 |
| * | * | * | * | * | * | * | * | * | |
| 31710 | Vieques Island East Warning Buoy B | 18-09-24.000N 065-18-30.000W | | | | | White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE. | Maintained by U.S. Navy. Private aid. | 44/08 |
| * | * | * | * | * | * | * | * | * | |
| 31712 | Vieques Island East Warning Buoy C | 18-09-42.000N 065-19-36.000W | | | | | White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE. | Maintained by U.S. Navy. Private aid. | 44/08 |
| * | * | * | * | * | * | * | * | * | |
| 31715 | Vieques Island East Warning Buoy D | 18-09-36.000N 065-21-36.000W | | | | | White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE. | Maintained by U.S. Navy. Private aid. | 44/08 |
| * | * | * | * | * | * | * | * | * | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|--------------|---|---------------------------------|-----------------------|-----------|------------|---|--|------------------------|
| 31716 | Vieques Island East Warning Buoy E | 18-07-36.000N 065-16-42.000W | | | | White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE. | Maintained by U.S. Navy. Private aid. | 44/08 |
| * | * | * | * | * | * | * | * | * |
| 31718 | Vieques Island East Warning Buoy F | 18-07-06.000N 065-19-12.000W | | | | White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE. | Maintained by U.S. Navy. Private aid. | 44/08 |
| * | * | * | * | * | * | * | * | * |
| 31720 | Vieques Island East Warning Buoy G | 18-06-42.000N 065-20-42.000W | | | | White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE. | Maintained by U.S. Navy. Private aid. | 44/08 |
| * | * | * | * | * | * | * | * | * |
| 51710 | Lake Okeechobee (Rt 2) Daybeacon 74 | 26-48-20.705N 080-41-51.487W | | | | TR-TY on pile. | | 44/08 |
| | | * | | | | | | |
| 56200 | Useppa Island Club Channel Daybeacon 7 | | | | | | Remove from list. | 44/08 |
| | | | | | | | * | |
| 60477 | BISHOP HARBOR OBSTRUCTION LIGHT | 27-36-29.650N 082-34-14.580W | Fl W 4s | | | | NW on pile marked DANGER for support structure and piling. Private aid. | 44/08 |
| * | * | * | * | * | * | * | * | * |
| 800 10305 | Port Everglades Lighted Buoy PE | 26-05-30.288N 080-04-45.871W | Mo (A) W | | | 7 | Red and white stripes with red spherical topmark. | RACON: T (-). 43/08 |
| | | * | | | | | | |
| 10305 800 | Port Everglades Lighted Buoy PE | 26-05-30.288N 080-04-45.871W | Mo (A) W | | | 7 | Red and white stripes with red spherical topmark. | RACON: T (-). 43/08 |
| | | * | | | | | | |
| 12178 | Founders Park Daybeacon 2 | 24-57-52.380N 080-34-10.630W | | | | | TR on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * | * |
| 20291 | Alligator Creek Daybeacon 17 | 26-52-48.000N 082-03-40.080W | | | | | SG on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * | * |
| 20291.1 | Alligator Creek Daybeacon 18 | 26-52-53.400N 082-03-38.160W | | | | | TR on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * | * |
| 20310.1 | Alligator Creek Daybeacon 24A | 26-53-15.540N 082-03-17.640W | | | | | TR on pile. | 43/08 |
| * | * | * | * | * | * | * | * | * |
| 20310.2 | Alligator Creek Daybeacon 25 | 26-53-16.260N 082-03-17.220W | | | | | SG on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * | * |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|------------|--|---------------------------------|-----------------------|-----------|------------|------------------|--------------------|
| 20320.1 | Alligator Creek Daybeacon 28A | 26-53-19.200N 082-03-08.820W | | | | TR on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * |
| 20340.1 | Alligator Creek Daybeacon 34A | 26-53-32.780N 082-03-03.060W | | | | TR on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * |
| 20340.2 | Alligator Creek Daybeacon 35 | 26-53-34.440N 082-03-02.580W | | | | SG on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * |
| 20350.1 | Alligator Creek Daybeacon 40 | 26-53-37.920N 082-02-57.360W | | | | TR on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * |
| 20350.2 | Alligator Creek Daybeacon 40A | 26-53-43.320N 082-02-56.800W | | | | TR on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * |
| 20350.3 | Alligator Creek Daybeacon 41 | 26-53-42.960N 082-02-57.540W | | | | SG on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * |
| 20350.4 | Alligator Creek Daybeacon 42 | 26-53-46.920N 082-02-56.100W | | | | TR on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * |
| 20350.5 | Alligator Creek Daybeacon 44 | 26-53-48.480N 082-02-52.800W | | | | TR on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * |
| 20350.6 | Alligator Creek Daybeacon 46 | 26-53-47.160N 082-02-48.180W | | | | TR on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * |
| 20350.7 | Alligator Creek Daybeacon 48 | 26-53-49.140N 082-02-44.640W | | | | TR on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * |
| 20350.8 | Alligator Creek Daybeacon 50 | 26-53-50.760N 082-02-43.860W | | | | TR on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * |
| 20350.9 | Alligator Creek Daybeacon 52 | 26-53-55.380N 082-02-41.460W | | | | TR on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * |
| 20352 | Alligator Creek Daybeacon 54 | 26-53-56.340N 082-02-37.800W | | | | TR on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * |
| 20352.1 | Alligator Creek Daybeacon 54A | 26-53-59.340N 082-02-31.020W | | | | TR on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * |
| 20352.2 | Alligator Creek Daybeacon 55 | 26-53-59.820N 082-02-31.620W | | | | SG on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * |
| 20352.3 | Alligator Creek Daybeacon 56 | 26-54-00.480N 082-02-31.020W | | | | TR on pile. | Private aid. 43/08 |
| * | * | * | * | * | * | * | * |
| 48325 | Biscayne Bay Daybeacon 31 | 25-49-56.166N 080-10-19.483W | | | | SG-SY on pile. | 43/08 |
| | | * | | | | | |
| 297 | <i>Ccoops Lighted Buoy E</i> | 32-16-46.269N 080-24-33.780W | Fl Y 5s | | | Yellow. | Private aid. 42/08 |
| | | | * | | | | |
| 18100 | Matanzas Pass Channel Buoy 4A | 26-27-59.542N 081-58-07.699W | | | | Red nun. | 42/08 |
| | | * | | | | | |
| 25010 | ST PETERSBURG YACHT BASIN WEST MOLE LIGHT | 27-46-18.998N 082-37-38.433W | Fl W 4s | 18 | 6 | NR on pile. | 42/08 |
| | | | | | | * | * |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|------------|--------------------------------------|--------------------------------------|-----------------------|-----------|------------|------------------|-----------------------|
| 25020 | ST PETERSBURG YACHT BASIN LIGHT 2 | 27-46-18.658N 082-37-34.433W | Fl R 4s | 10 | 5 | TR on pile. * | 42/08 * |
| 36230 | Delegal Creek Channel Buoy 2 | 31-52-30.212N 081-04-09.143W * | | | | Red nun. | Private aid. 42/08 |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|---|---------------------------------|-----------------------|-----------|------------|-------------------------------|-------------------|-------|
| 36011 | TURNER'S CREEK NORTH OBSTRUCTION LIGHT | 32-01-48.430N 080-59-19.360W | Fl W 4s | | | On pier. | Private aid. | 41/08 |
| | | * | | | | | | |
| 40500 | Ponce De Leon Cut Buoy 2 | 29-05-35.038N 080-56-57.754W | | | | Red nun with yellow triangle. | | 41/08 |
| | | * | | | | | | |
| 44138 | Indian River (South Section) Buoy 128a | | | | | | Remove from list. | 41/08 |
| | | | | | | | * | |
| 44138 | Indian River (South Section) Daybeacon 128A | 27-40-38.656N 080-23-00.600W | | | | TR-TY on pile. | | 41/08 |
| * | * | * | * | * | * | * | * | |
| 51270 | Clewiston Channel (Rt 1B) Daybeacon 4 | 26-47-01.380N 080-53-06.681W | | | | TR-TY on pile. | | 41/08 |
| | | * | | | | | | |
| 51445 | Lake Okeechobee (Rt 2) Buoy 13 | | | | | | Remove from list. | 41/08 |
| | | | | | | | * | |
| 51445 | Lake Okeechobee (Rt 2) Daybeacon 13 | 26-57-25.674N 080-36-44.295W | | | | SG-SY on pile. | | 41/08 |
| * | * | * | * | * | * | * | * | |
| 51465 | Lake Okeechobee (Rt 2) Buoy 19 | | | | | | Remove from list. | 41/08 |
| | | | | | | | * | |
| 51475 | Lake Okeechobee (Rt 2) Buoy 21 | | | | | | Remove from list. | 41/08 |
| | | | | | | | * | |
| 51475 | Lake Okeechobee (Rt 2) Daybeacon 21 | 26-55-51.357N 080-36-52.629W | | | | SG-SY on pile. | | 41/08 |
| * | * | * | * | * | * | * | * | |
| 51510 | Lake Okeechobee (Rt 2) Buoy 28 | | | | | | Remove from list. | 41/08 |
| | | | | | | | * | |
| 51510 | Lake Okeechobee (Rt 2) Daybeacon 28 | 26-54-06.966N 080-36-54.555W | | | | TR-TY on pile. | | 41/08 |
| * | * | * | * | * | * | * | * | |
| 51535 | Lake Okeechobee (Rt 2) Buoy 34 | | | | | | Remove from list. | 41/08 |
| | | | | | | | * | |
| 51565 | Lake Okeechobee (Rt 2) Buoy 41 | | | | | | Remove from list. | 41/08 |
| | | | | | | | * | |
| 51565 | Lake Okeechobee (Rt 2) Daybeacon 41 | 26-52-13.597N 080-37-49.944W | | | | SG-SY on pile. | | 41/08 |
| * | * | * | * | * | * | * | * | |
| 51600 | Lake Okeechobee (Rt 2) Buoy 53 | | | | | | Remove from list. | 41/08 |
| | | | | | | | * | |
| 51600 | Lake Okeechobee (Rt 2) Daybeacon 53 | 26-50-42.372N 080-38-51.303W | | | | SG-SY on pile. | | 41/08 |
| * | * | * | * | * | * | * | * | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|---|---------------------------------|-----------------------|-----------|------------|------------------|-------------------|-------|
| 51605 | Lake Okeechobee (Rt 2) Buoy 54 | | | | | | Remove from list. | 41/08 |
| | | | | | | | * | |
| 51605 | Lake Okeechobee (Rt 2) Daybeacon 54 | 26-50-29.292N 080-38-59.835W | | | | TR-TY on pile. | | 41/08 |
| * | * | * | * | * | * | * | * | |
| 51770 | Lake Okeechobee (Rt 2) Buoy 80 | | | | | | Remove from list. | 41/08 |
| | | | | | | | * | |
| 51770 | Lake Okeechobee (Rt 2) Daybeacon 80 | 26-47-28.230N 080-41-52.563W | | | | TR-TY on pile. | | 41/08 |
| * | * | * | * | * | * | * | * | |
| 51780 | Lake Okeechobee (Rt 2) Daybeacon 84 | 26-46-40.470N 080-41-44.073W | | | | TR-TY on pile. | | 41/08 |
| * | * | * | * | * | * | * | * | |
| 51780 | Lake Okeechobee (Rt 2) Lighted Buoy 84 | | | | | | Remove from list. | 41/08 |
| | | | | | | | * | |
| 51785 | Lake Okeechobee (Rt 2) Buoy 86 | | | | | | Remove from list. | 41/08 |
| | | | | | | | * | |
| 51795 | Lake Okeechobee (Rt 2) Buoy 89 | | | | | | Remove from list. | 41/08 |
| | | | | | | | * | |
| 51795 | Lake Okeechobee (Rt 2) Daybeacon 89 | 26-45-20.795N 080-41-09.621W | | | | SG-SY on pile. | | 41/08 |
| * | * | * | * | * | * | * | * | |
| 51800 | Lake Okeechobee (Rt 2) Buoy 91 | | | | | | Remove from list. | 41/08 |
| | | | | | | | * | |
| 51800 | Lake Okeechobee (Rt 2) Daybeacon 91 | 26-45-06.607N 080-41-03.294W | | | | SG-SY on pile. | | 41/08 |
| * | * | * | * | * | * | * | * | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|---|---------------------------------|-----------------------|-----------|------------|------------------------------------|---|---------------------------|
| 5125 | Port Wentworth Obstruction Light | | | | | | Remove from list. | 40/08 * |
| 6967 | MSF Range Sensor Daybeacon DR | 30-46-48.960N 081-29-17.123W | | | | NB on pile. * | Maintained by U.S. Navy. | 40/08 |
| 7215 | MAYPORT CUT RANGE FRONT LIGHT | 30-24-12.489N 081-25-42.325W | Q R | 21 | | KRW on skeleton tower on piles. | Visible 1.5° each side of rangeline. | 40/08 * |
| 7220 | MAYPORT CUT RANGE REAR LIGHT 170 yards, 023° from front light. | 30-24-17.173N 081-25-40.076W | Iso R 6s | 35 | | KRW on skeleton tower on piles. | Visible 1.5° each side of rangeline. | 40/08 * |
| 51270 | Clewiston Channel (Rt 1B) Buoy 4 | 26-47-01.380N 080-53-06.681W | | | | TR-TY on pile. | | 40/08 * * * * |
| 51270 | Clewiston Channel (Rt 1b) Buoy 4 | | | | | | Remove from list. | 40/08 * |
| 51285 | Clewiston Channel (Rt 1B) Daybeacon 7 | 26-47-01.380N 080-53-06.681W | | | | SG-SY on pile. | | 40/08 * * * * |
| 51285 | Clewiston Channel (Rt 1b) Buoy 7 | | | | | | Remove from list. | 40/08 * |
| 51293 | Clewiston Channel (Rt 1b) Buoy 8a | | | | | | Remove from list. | 40/08 * |
| 51355 | Clewiston Channel (Rt 1b) Daybeacon 16 | | | | | | Remove from list. | 40/08 * |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | | |
|------------|---|---------------------------------|-----------------------|-----------|------------|------------------------------------|---|--------------------------------|-------|
| 51555 | Lake Okeechobee (Rt 2) Daybeacon 39 | | | | | | Remove from list. | 40/08 | |
| | | | | | | | * | | |
| 51730 | Bacom Point Channel Buoy 2 | | | | | | Remove from list. | 40/08 | |
| | | | | | | | * | | |
| 51730 | Bacom Point Channel Daybeacon 2 | 26-47-52.956N 080-42-43.155W | | | | TR on pile. | | 40/08 | |
| * | * | * | * | * | * | * | * | | |
| 51750 | Bacom Point Channel Buoy 6 | | | | | | Remove from list. | 40/08 | |
| | | | | | | | * | | |
| 51830 | Lake Okeechobee (Rt 2) Buoy 98 | | | | | | Remove from list. | 40/08 | |
| | | | | | | | * | | |
| 55923 | Safety Harbor Channel Daybeacon 3 | 26-36-03.200N 082-12-48.970W | | | | SG on pile. | Private aid. | 40/08 | |
| * | * | * | * | * | * | * | * | | |
| 55925 | Safety Harbor Channel Daybeacon 5 | 26-36-00.971N 082-12-48.240W | | | | SG on pile. | Private aid. | 40/08 | |
| | | | | | | | | | |
| 55933 | Safety Harbor Channel Daybeacon 7 | 26-35-58.760N 082-12-46.760W | | | | SG on pile. | Private aid. | 40/08 | |
| * | * | * | * | * | * | * | * | | |
| 55935 | Safety Harbor Channel Daybeacon 9 | 26-35-54.960N 082-12-48.280W | | | | SG on pile. | Private aid. | 40/08 | |
| | | | | | | | | | |
| 55940 | Safety Harbor Channel Daybeacon 11 | 26-35-56.820N 082-12-53.880W | | | | SG on pile. | Private aid. | 40/08 | |
| | | | | | | | | | |
| 55950 | Safety Harbor Channel Daybeacon 12 | 26-35-59.471N 082-12-55.141W | | | | TR on pile. | Private aid. | 40/08 | |
| | * | | | | | | | | |
| 7165 | <i>Mayport Basin Preferred Channel Lighted Buoy</i> | 30-23-56.588N 081-23-35.471W | Fl (2+1)G 6s | | 3 | Green and red bands. | | 39/08 | |
| | | * | | | | | | | |
| 7215 | MAYPORT CUT RANGE FRONT LIGHT | 30-24-12.489N 081-25-42.325W | Q R | | 21 | KRW on skeleton tower on piles. | Visible all around; higher intensity on rangeline. | 39/08 | |
| | | * | | | | | | | |
| 21620 | NEW PASS CHANNEL LIGHT 7 | 27-19-40.886N 082-35-17.541W | Fl G 4s | | 16 | 4 | SG on pile. | 39/08 | |
| | | * | | | | | | | |
| 47285 | NEW RIVER SOUND LIGHT 16 | 26-06-41.098N 080-06-49.580W | Fl R 4s | | 12 | 3 | TR-TY on pile. | Obscured from 127° to 240°. | 39/08 |
| | | * | | | | | | | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|---|---------------------------------|-----------------------|-----------|------------|------------------|-------------------|-------|
| 19703 | South Estero Bay Daybeacon 79 | 26-20-59.700N 081-50-44.810W | | | | | Private aid. | 38/08 |
| * | * | * | * | * | * | * | * | * |
| 36012 | Turner'S Creek South Obstruction Light | | | | | | Remove from list. | 38/08 |
| | | | | | | | * | |
| 41565 | Sykes Creek Daybeacon 1 | 28-24-25.700N 080-41-37.700W | | 8 | | SG on pile. | Private aid. | 38/08 |
| | | * | | | | | | |
| 57785 | Lyons Bay Daybeacon 2 | 27-07-03.600N 082-27-51.500W | | | | TR on pile. | Private aid. | 38/08 |
| | | * | | | | | | |
| 57790 | Lyons Bay Daybeacon 3 | 27-07-06.000N 082-27-49.400W | | | | SG on pile. | Private aid. | 38/08 |
| | | * | | | | | | |
| 57795 | Lyons Bay Daybeacon 4 | 27-07-13.500N 082-27-46.400W | | | | TR on pile. | Private aid. | 38/08 |
| | | * | | | | | | |
| 57800 | Lyons Bay Daybeacon 5 | 27-07-19.800N 082-27-47.700W | | | | SG on pile. | Private aid. | 38/08 |
| | | * | | | | | | |
| 57805 | Lyons Bay Daybeacon 6 | 27-07-25.400N 082-27-49.100W | | | | TR on pile. | Private aid. | 38/08 |
| | | * | | | | | | |
| 57810 | Lyons Bay Daybeacon 7 | 27-07-26.100N 082-27-48.900W | | | | SG on pile. | Private aid. | 38/08 |
| | | * | | | | | | |
| 57815 | Lyons Bay Daybeacon 8 | 27-07-26.100N 082-27-47.400W | | | | TR on pile. | Private aid. | 38/08 |
| | | * | | | | | | |
| 57820 | Lyons Bay Daybeacon 9 | 27-07-29.200N 082-27-46.200W | | | | SG on pile. | Private aid. | 38/08 |
| | | * | | | | | | |
| 57825 | Lyons Bay Daybeacon 10 | 27-07-31.600N 082-27-43.800W | | | | TR on pile. | Private aid. | 38/08 |
| | | * | | | | | | |
| 57830 | Lyons Bay Daybeacon 11 | 27-07-32.100N 082-27-44.000W | | | | SG on pile. | Private aid. | 38/08 |
| | | * | | | | | | |
| 43546 | Sebastian Channel Daybeacon 2 | 27-52-19.000N 080-29-22.000W | | | | TR on pile. | Private aid. | 37/08 |
| * | * | * | * | * | * | * | * | * |
| 43547 | Sebastian Channel Daybeacon 3 | 27-52-17.000N 080-29-29.000W | | | | SG on pile. | Private aid. | 37/08 |
| * | * | * | * | * | * | * | * | * |
| 43548 | Sebastian Channel Daybeacon 4 | 27-52-14.000N 080-29-36.000W | | | | TR on pile. | Private aid. | 37/08 |
| * | * | * | * | * | * | * | * | * |
| 43549 | Sebastian Channel Daybeacon 5 | 27-52-14.000N 080-29-37.000W | | | | SG on pile. | Private aid. | 37/08 |
| * | * | * | * | * | * | * | * | * |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|----------------|--|--------------------------------------|-----------------------|-----------|------------|--|---|-------|
| 10440 47570 | DANIA SOUND DANGER LIGHT | 26-03-54.678N 080-06-49.924W | Fl W 2.5s * | 16 | 5 | NW on pile worded DANGER ROCKS. | | 36/08 |
| 16945 | CAPRI PASS SHOAL LIGHT | 25-58-15.372N 081-46-16.532W | Fl W 4s * | 16 | 5 | NW on pile worded DANGER SHOAL. | | 36/08 |
| 16960.1 | Capri Pass Shoal Daybeacon | | | | | | Remove from list. * | 36/08 |
| 26270 | Anclote River Cut E Range Front Light | | | | | | Remove from list. * | 36/08 |
| 26275 | Anclote River Cut E Range Rear Light | | | | | | Remove from list. * | 36/08 |
| 26297 * | ANCLOTE RIVER LIGHT 36 * | 28-09-37.972N 082-46-26.904W * | Q R * | | | 3 TR on dolphin. * | | 36/08 |
| 32070.5 | BAHIA DE GUAYANILLA RANGE FRONT PASSING LIGHT | 17-58-36.838N 066-45-49.825W * | Q R | 18 | | On same structure as Bahia De Guayannilla Entrance Front Range Light. | Visible all around. | 36/08 |
| 36826.3 | Darien River Buoy 12 | | | | | | Remove from list. * | 36/08 |
| 36826.3 * | Darien River Daybeacon 12 * | 31-22-08.367N 081-21-32.989W * | | | | TR on pile. * | | 36/08 |
| 47570 10440 | DANIA SOUND DANGER LIGHT | 26-03-54.678N 080-06-49.924W | Fl W 2.5s * | 16 | 5 | NW on pile worded DANGER ROCKS. * | | 36/08 |
| 7125 | <i>St Johns River Entrance Lighted Buoy 3</i> | 30-23-45.216N 081-21-38.264W * | Fl G 4s | | 4 | Green. | | 35/08 |
| 32070 | BAHIA DE GUAYANILLA ENTRANCE RANGE FRONT LIGHT | 17-58-36.838N 066-45-49.825W * | Q R | 16 | | KRW on dolphin. | Visible 1.5° each side of rangeline. | 35/08 |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|--|---------------------------------|-----------------------|-----------|------------|---|-----------------------|-------|
| 155 | Cape Romain Shoal Buoy 6CR 500 yards outside of shoal. * | 32-57-39.972N 079-17-09.536W | | | | Red nun. | | 34/08 |
| 568 | <i>University of North Florida Lighted Buoy A</i> * | 30-27-00.039N 081-17-59.932W | Fl (4)Y 20s | | | Yellow. | Private aid. | 34/08 |
| 860 | <i>Navy Data Lighted Buoy</i> * | 26-00-49.920N 079-59-33.960W | Fl Y 10s | | | Orange. | Aid maintained by USN | 34/08 |
| 1007.8 | <i>Looe Key Telemetering Lighted Buoy LR</i> * | 24-32-33.900N 081-24-07.800W | Fl (4)Y 20s | | | Yellow. | Private aid. | 34/08 |
| 1895 | <i>Winyah Bay Channel Lighted Buoy 6</i> * | 33-11-36.733N 079-08-02.408W | Fl R 2.5s | | 3 | Red. | | 34/08 |
| 7104 | SOAP CREEK LIGHT 1 * | 30-39-59.940N 081-30-17.220W | Fl G 4s | | | SG-SY on pile. | Private aid. | 34/08 |
| 7104.1 | SOAP CREEK LIGHT 2 * | 30-40-01.440N 081-30-18.540W | Fl R 2s | | | TR-TY on pile. | Private aid. | 34/08 |
| 7810 | MANDARIN POINT LIGHT 11 * | 30-09-18.297N 081-40-47.630W | Fl G 4s | 16 | 4 | SG on dolphin. | | 34/08 |
| 11882 | <i>Marvin D Adams Waterway Lighted Buoy 2</i> * | 25-08-13.243N 080-23-41.485W | Fl R 6s | | 3 | Red. | | 34/08 |
| 20000.1 | <i>Lee County Art Reef Lighted Buoy CP</i> * | 26-45-42.000N 082-09-37.110W | | | | Yellow. | Private aid. | 34/08 |
| 20000.2 | <i>Lee County Art Reef Lighted Buoy Ch</i> * | 26-45-53.080N 082-09-17.530W | | | | Yellow. | Private aid. | 34/08 |
| 25655 | <i>Clearwater Beach Lighted Buoy A</i> * | 27-56-35.921N 082-50-19.625W | Fl W 4s | | | White worded DANGER SUBMERGED PIPES. | Private aid. | 34/08 |
| 25660 | <i>Clearwater Beach Lighted Buoy B</i> * | 27-56-33.690N 082-50-20.579W | Fl W 4s | | | White worded DANGER SUBMERGED PIPES. * | Private aid. | 34/08 |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|--|--------------------------------------|-----------------------|-----------|------------|---|------------------------|-------|
| 25665 | <i>Clearwater Beach Lighted Buoy C</i> | 27-56-31.439N 082-50-21.533W | Fl W 4s | | | White worded DANGER SUBMERGED PIPES. * | Private aid. | 34/08 |
| 25670 | <i>Clearwater Beach Lighted Buoy D</i> | 27-56-29.098N 082-50-22.530W | Fl W 4s | | | White worded DANGER SUBMERGED PIPES. * | Private aid. | 34/08 |
| 25675 | <i>Clearwater Beach Lighted Buoy E</i> | 27-56-27.756N 082-50-23.526W | Fl W 4s | | | White worded DANGER SUBMERGED PIPES. * | Private aid. | 34/08 |
| 32680.1 | <i>Johnson Reef Lighted Buoy Jb</i> | 18-21-34.055N 064-46-16.032W | Fl Y 6s | | | Yellow. * | Private aid. | 34/08 |
| 32680.3 | <i>Johnson Reef Lighted Buoy JD</i> | 18-21-30.348N 064-46-35.292W | Fl Y 2.5s | | | Yellow. * | Private aid. | 34/08 |
| 35827 | <i>Ramshorn Creek Lighted Buoy 40</i> | 32-06-52.944N 080-53-53.486W | Fl R 2.5s | | 3 | Red. * | | 34/08 |
| 46370 | Loxahatchee River Southwest Fork Daybeacon 6 | 26-56-46.178N 080-06-43.771W | | | | TR on pile. * | Private aid. | 34/08 |
| 50635 | <i>St Lucie River Lighted Buoy 2</i> | 27-10-00.564N 080-10-54.333W | Fl R 4s | | 3 | Red. * | | 34/08 |
| 51780 | <i>Lake Okeechobee (Rt 2) Lighted Buoy 84</i> | 26-46-39.690N 080-41-44.169W | Q R | | 3 | Red. * | | 34/08 |
| 47730 | Dumbfoundling Bay Shoal Daybeacon | | | | | | Remove from list. * | 33/08 |
| 50350 | Jewfish Creek Daybeacon 34 | 25-11-17.957N 080-23-14.150W * | | | | TR-TY on pile. | | 33/08 |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|----------------|--|--------------------------------------|-----------------------|-----------|------------|------------------------------------|---|-------|
| 7125 | <i>St Johns River Entrance Lighted Buoy 3</i> | 30-23-44.933N 081-21-35.272W * | Fl G 4s | | | 4 Green. | 32/08 | |
| 8873 | Lake Dexter Buoy 11 | 29-06-55.730N 081-30-22.482W | | | | Green can. | 32/08 | |
| * | * | * | * | * | * | * | * | |
| 22455 60465 | <i>Tampa Bay Cut A Channel Lighted Buoy 5A</i> | 27-38-01.992N 082-37-40.466W | Q G | | | 4 Green with yellow square. | 32/08 | |
| 23575 | PORT SUTTON CHANNEL RANGE FRONT LIGHT | 27-53-56.697N 082-26-29.516W | Q G | | 16 | On skeleton tower on piles. | Visible 1.5° each side of rangeline. Lighted throughout 24 hours. | 32/08 |
| 36826.4 | Darien River Buoy 14 | | | | * | | Remove from list. | 32/08 |
| | | | | | | | * | |
| 36826.4 | Darien River Daybeacon 14 | 31-22-03.898N 081-21-36.944W | | | | TR on pile. | 32/08 | |
| * | * | * | * | * | * | * | * | |
| 44138 | Indian River (South Section) Buoy 128A | 27-40-38.994N 080-22-59.571W | | | | Red nun with yellow triangle. | 32/08 | |
| 47195 | Hillsboro River Daybeacon 68A | 26-16-32.280N 080-04-51.266W * | | | | TR-TY on pile. | 32/08 | |
| 60465 22455 | <i>Tampa Bay Cut A Channel Lighted Buoy 5A</i> | 27-38-01.992N 082-37-40.466W | Q G | | | 4 Green with yellow square. | 32/08 | |
| | | | | | | * | | |
| 1925 | Winyah Bay Channel Lighted Buoy 10 * | 33-11-49.998N 079-10-04.941W | Fl R 2.5s | | 4 | Red. | 31/08 | |
| 4830 | LOWER FLATS RANGE FRONT LIGHT | 32-04-16.362N 080-57-17.502W | Q R | 23 | | On dolphin. | Visible 1.5° each side of rangeline. Lighted throughout 24 hours. | 30/08 |
| 4835 | LOWER FLATS RANGE REAR LIGHT 290 yards, 100° from front light. | 32-04-15.027N 080-57-08.083W | Iso R 6s | 36 | | On skeleton tower on piles. | Visible 1.5° each side of rangeline. Lighted throughout 24 hours. | 30/08 |
| 7260 | MILE POINT LOWER RANGE FRONT LIGHT | 30-22-43.557N 081-27-09.231W | Q G | 16 | | KRW on skeleton tower on piles. | Visible 1.5° each side of rangeline. | 30/08 |
| 7265 | MILE POINT LOWER RANGE REAR LIGHT 150 yards, 244° from front light. | 30-22-41.949N 081-27-13.967W | Iso G 6s | 45 | | KRW on skeleton tower. | Visible 1.5° each side of rangeline. | 30/08 |
| * | | | | | | | * | 30/08 |
| 9815.01 | Fort Pierce Inlet Lighted Buoy 3 | | | | | | Remove from list. | 30/08 |
| 9815.02 | Fort Pierce Inlet Lighted Buoy 4 | | | | | | Remove from list. | 30/08 |
| 9815.03 | Fort Pierce Inlet Lighted Buoy 5 | | | | | | Remove from list. | 30/08 |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|--------------------|---|--------------------------------------|-----------------------|-----------|------------|---|---|
| 9815.04 | Fort Pierce Inlet Lighted Buoy 6 | | | | | | Remove from list. * 30/08 |
| 515 6030 | St Simons Lighted Buoy STS * | 31-02-48.999N 081-14-25.200W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | RACON: B (-***). 29/08 |
| 568 | University of North Florida Lighted Buoy A * | 30-27-00.039 081-17-59.932W * | Fl (4)Y 20s * | | * * | Yellow nun. * | Private aid. * 29/08 |
| 1240 17450 * | GORDON PASS SHOAL LIGHT * | 26-05-29.033N 081-48-41.264W | Fl W 2.5s | 16 | 5 * | NW on pile worded DANGER SHOAL. * | 29/08 |
| 2935 | COOPER RIVER RANGE A FRONT LIGHT | 32-54-36.626N 079-55-38.006W | Q W | 16 | | On skeleton tower on piles. * | Visible 4° each side of rangeline. Lighted throughout 24 hours. 29/08 |
| 2940 | COOPER RIVER RANGE A REAR LIGHT 300 yards, 081° from front light. | 32-54-37.926N 079-55-27.806W | Iso W 6s | 35 | | On white skeleton tower on piles. * | Visible 4° each side of rangeline. Lighted throughout 24 hours. 29/08 |
| 4675 | Lazaretto Creek Lighted Buoy WR3 Marks obstruction. * | 32-00-33.239N 080-53-11.321W | Fl G 2.5s | | 3 | Green. | 29/08 |
| 4725 | SAVANNAH RIVER SOUTH JETTY LIGHT | 32-02-04.452N 080-51-04.116W | Fl W 2.5s | 16 | 5 * | NW on dolphin worded DANGER SUBMERGED JETTY. | 29/08 |
| 6030 515 | St Simons Lighted Buoy STS * | 31-02-48.999N 081-14-25.200W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | 29/08 |
| 6780 37815 | CUMBERLAND SOUND RANGE B FRONT LIGHT | 30-44-25.616N 081-29-12.140W * | Q G | 16 | | KRW-I on pile. rangeline. | Visible 4° each side of rangeline. 29/08 |
| 7103 37983 | Amelia River Daybeacon 18 | 30-39-56.506N 081-29-03.539W * | | | | TR-TY on pile. | 29/08 |
| 7265 | MILE POINT LOWER RANGE REAR LIGHT 131 yards, 244° from front light. | 30-22-41.949N 081-27-13.967W * | Iso G 6s | 45 | | KRW on skeleton tower. | Visible all around; higher intensity on rangeline. 29/08 |
| 14845 | KEY WEST HARBOR MAIN CHANNEL CUT A RANGE FRONT LIGHT | 24-33-11.570N 081-50-02.043W | Q W | 30 | | On tower on piles. * | Visible 5° each side of rangeline. Lighted throughout 24 hours. 29/08 |
| 14850 | KEY WEST MAIN CHANNEL CUT A RANGE REAR LIGHT 1,000 yards, 325° from front light. | 24-33-35.899N 081-50-20.674W | Iso W 6s | 70 | | On tower on piles. * | Visible .5° each side of rangeline. Lighted throughout 24 hours. 29/08 |
| 14870 | KEY WEST MAIN CHANNEL CUT B RANGE | 24-33-37.589N 081-48-51.772W | Fl W 2.5s | 27 | | On tower. | Visible 1.5° each side of rangeline. Lighted |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|--------------------|---|---------------------------------|-----------------------|-----------|------------|---------------------------------|---|
| | FRONT LIGHT | | | | | * | throughout 24 hours. |
| 14875 | KEY WEST MAIN CHANNEL CUT B RANGE REAR LIGHT 300 yards, 003° from front light. | 24-33-46.448N 081-48-51.262W | Iso W 6s | 44 | | On tower. | Visible 1.5° each side of rangeline. Lighted throughout 24 hours. |
| | | | | | | * | 29/08 |
| 17450 1240 * | GORDON PASS SHOAL LIGHT * | 26-05-29.033N 081-48-41.264W | Fl W 2.5s | 16 | 5 | NW on pile worded DANGER SHOAL. | |
| | | | | | * | * | 29/08 |
| 17453 * | Gordon Pass Channel Daybeacon 1 * | 26-05-28.791N 081-48-24.418W | * | * | * | SG on pile. | * |
| | | | | | * | * | 29/08 |
| 17455 * | GORDON PASS CHANNEL LIGHT 2 * | 26-05-26.099N 081-48-24.945W | Fl R 4s | | 4 | TR on pile. | * |
| | | | * | * | * | * | 29/08 |
| 17455 | Gordon Pass Channel Daybeacon 2 | | | | | | Remove from list. |
| | | | | | | | * |
| | | | | | | | 29/08 |
| 17460 * | GORDON PASS CHANNEL LIGHT 3 * | 26-05-31.805N 081-48-17.670 | Q G | | 4 | SG on pile. | * |
| | | * | * | * | * | * | 29/08 |
| 17460 | Gordon Pass Channel Daybeacon 3 | | | | | | Remove from list. |
| | | | | | | | * |
| | | | | | | | 29/08 |
| 17465 | GORDON PASS CHANNEL LIGHT 4 | 26-05-29.623N 081-48-16.478W | Q R | 17 | 4 | TR on pile. | |
| | | | | | * | | 29/08 |
| 17495 | Gordon Pass Channel Daybeacon 7a | | | | | | Remove from list. |
| | | | | | | | * |
| | | | | | | | 29/08 |
| 22540 | Port Manatee Channel Lighted Buoy 9 | 27-38-37.785N 082-34-36.895W | Fl G 4s | | 5 | Green. | |
| | | | | | * | | 29/08 |
| 23500 | HILLSBOROUGH CUT D CHANNEL OUTBOUND RANGE FRONT LIGHT * | 27-53-55.367N 082-26-05.462W | Q W | 16 | | On dolphin. | Visible 1.5° each side of rangeline. Lighted throughout 24 hours. |
| | | * | | | | * | * |
| | | | | | | | 29/08 |
| 23505 * | HILLSBOROUGH CUT D CHANNEL OUTBOUND RANGE REAR LIGHT 636 yards, 154.1° from front light. | 27-53-38.397N 082-25-56.210W | Iso W 6s | 45 | | On skeleton tower on piles. | Visible 1.5° each side of rangeline. Lighted throughout 24 hours. |
| | | | | | | * | * |
| | | | | | | | 29/08 |
| 23575 | PORT SUTTON CHANNEL RANGE FRONT LIGHT | 27-53-56.697N 082-26-29.516W | Q G | 25 | | On skeleton tower on piles. | Visible 1.5° each side of rangeline. Lighted throughout 24 hours. |
| | | | | | | * | * |
| | | | | | | | 29/08 |
| 23580 | PORT SUTTON CHANNEL RANGE REAR LIGHT 321 yards, 232° from front light. | 27-53-51.444N 082-26-37.899W | Iso G 6s | 36 | | On skeleton tower on piles. | Visible 1.5° each side of rangeline. Lighted throughout 24 hours. |
| | | | | | | * | * |
| | | | | | | | 29/08 |
| 35735 | CALIBOGUE SOUND LIGHT 28 | 32-12-21.689N 080-47-08.867W | Fl R 4s | | 3 | TR-TY on pile. | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|---------------------------|--|---------------------------------|-----------------------|-----------|------------|--|--|
| | * | | * | | * | | 29/08 |
| 36965 | BUTTERMILK SOUND LIGHT 216 | 31-18-47.580N 081-23-34.740W | Fl R 2.5s | 12 | | TR-TY on pile. | |
| | * | | * | | | * | * 29/08 |
| 36970 | Buttermilk Sound Range A Rear Light | | | | | | Remove from list. * 29/08 |
| 37815 6780 | CUMBERLAND SOUND RANGE B FRONT LIGHT | 30-44-25.616N 081-29-12.140W | Q G | 16 | | KRW-I on pile. | Visible 4° each side of rangeline. 29/08 |
| 37983 7103 | Amelia River Daybeacon 18 | 30-39-56.506N 081-29-03.539W | | | | TR-TY on pile. | 29/08 |
| 44138 * | Indian River (South Section) Buoy 128A | 27-40-38.994N 080-22-59.571W | * | * | * | Red nun. * | * 29/08 |
| 53275 | CALOOSAHATCHEE RIVER RANGE FRONT LIGHT D | 26-35-19.034N 081-54-13.701W | Q G | 17 | | KRW-I on pile. | Visible all around; higher intensity on rangeline. 29/08 |
| 54055 | CALOOSAHATCHEE RIVER RANGE FRONT LIGHT E/F | 26-32-00.334N 081-57-04.441W | Q G | 15 | | KRW-I on dolphin. Range Front Lights E and F on same structure. | Visible all around, higher intensity on rangeline. 29/08 |
| 54780 | CALOOSAHATCHEE RIVER RANGE FRONT LIGHT I 98 | 26-31-08.038N 082-00-49.074W | Q R | 15 | | KRW-I and TR-TY on pile. | 29/08 |
| No corrections this week. | | | | | | | 28/08 |
| 845 | NOAA Data Lighted Buoy 41010 | 28-54-22.000N 078-28-16.000W | Fl(4)Y 20s * | | | Yellow boat-shaped buoy with mast. | Aid maintained by NOAA. 27/08 |
| 12501.45 * | Vaca Cut Daybeacon 9 | 24-43-31.100N 081-01-49.800W | | | | SG on pile. | Private aid. 27/08 |
| 57350.1 * | New Point Comfort Channel Daybeacon 1 | 26-55-48.057N 082-20-29.589W | * | * | * | SG on pile. * | Private aid. * 27/08 |
| 57350.2 * | New Point Comfort Channel Daybeacon 3 | 26-55-49.569N 082-20-33.547W | * | * | * | SG on pile. * | Private aid. * 27/08 |
| 57350.3 * | New Point Comfort Channel Daybeacon 5 | 26-55-58.974N 082-20-36.453W | * | * | * | SG on pile. * | Private aid. * 27/08 |
| 57350.4 * | New Point Comfort Channel Daybeacon 7 | 26-56-05.754N 082-20-36.083W | * | * | * | SG on pile. * | Private aid. * 27/08 |
| 17465 | GORDON PASS CHANNEL LIGHT 4 | 26-05-29.623N 081-48-16.478W | Q R * | 17 | 3 | TR on pile. | 26/08 |
| 23710 | TAMPA BAY CUT J CHANNEL UPPER RANGE FRONT LIGHT. | 27-49-26.967N 082-34-26.167W | Q W * | 15 | | KRW on skeleton tower on piles. | Visible all around; higher Intensity on rangeline. 26/08 |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|-------------|--|---------------------------------|-----------------------|-----------|------------|---|--|
| 23940 | TAMPA BAY CUT K CHANNEL LOWER RANGE FRONT LIGHT | 27-48-33.320N 082-34-39.406W | Fl W 2.5s | 17 | | Skeleton tower on piles. | Visible 0.5° each side of Rangeline (Day). Visible 1.5° each side of Rangeline (Night). Lighted through 24 hours. |
| | | * | | | | | 26/08 |
| 1005 | BIG PINE SHOAL LIGHT 22 On seaward edge of reef. | 24-34-06.118N 081-19-32.284W | Q R | 18 | 6 | TR on dolphin. | |
| | | * | * | * | | | 25/08 |
| 1010 | LOOE KEY LIGHT 24 | 24-32-48.528N 081-24-09.415W | Fl R 4s | 18 | 6 | TR on dolphin. | |
| | | * | | * | | | 25/08 |
| 1803 | Murrells Inlet Buoy 10A | 33-32-32.868N 079-01-39.475W | | | | Red nun. | |
| | | * | | | | | 25/08 |
| 13610 | EAST TURTLE SHOAL LIGHT 45 | 24-43-28.774N 080-55-59.001W | Q G | 20 | 5 | SG on pile. | |
| | | * | * | * | * | | 25/08 |
| 15165 | KEY WEST NORTHWEST CHANNEL LIGHT 6 | 24-37-55.955N 081-53-49.174W | Q R | 18 | 4 | TR on piles. | Visible all around. |
| | | * | | * | | | 25/08 |
| 550 6400 | St Andrew Sound Outer Entrance Buoy StA | 30-55-33.388N 081-18-58.167W | | | | Red and white striped can with red spherical topmark. | |
| | * | | | | | | 24/08 |
| 2225 | Clarks Creek Lighted Buoy 1 | 32-59-40.514N 079-28-13.119W | Fl G 2.5s | | 3 | Green. | |
| | | * | | | | | 24/08 |
| 6400 550 | St Andrew Sound Outer Entrance Buoy StA | 30-55-33.388N 081-18-58.167W | | | | Red and white striped can with red spherical topmark. | |
| | * | | | | | | 24/08 |
| 12040 | TAVERNIER KEY LIGHT 2 | 25-00-13.747N 080-28-57.290W | Fl R 4s | 16 | 3 | TR on pile. | |
| | | * | | | | | 24/08 |
| 12275 | East Key Daybeacon 78A | 24-58-51.342N 080-35-59.588W | | | | TR on pile. | |
| | | * | | | | | 24/08 |
| 12710 | Whale Harbor Channel Daybeacon 4A | 24-56-02.862N 080-36-02.651W | | | | TR on pile. | |
| | | * | | | | | 24/08 |
| 20675 | PEACE RIVER LIGHT 4 | 26-56-20.997N 082-03-54.128W | Fl R 2.5s | 15 | 3 | | |
| | | | | * | | | 24/08 |
| 34733 | Stono River Buoy 40 | 32-46-48.697N 080-07-09.143W | | | | Red nun. | |
| * | * | * | * | * | * | * | 24/08 |
| 34733 | Stono River Daybeacon 40 | | | | | | Remove from list. |
| | | | | | | | * |
| | | | | | | | 24/08 |
| 56545 | GASPARILLA SOUND CHANNEL LIGHT 8 | 26-46-32.247N 082-14-37.338W | Fl R 4s | 16 | 3 | TR-TY on pile. | |
| | | | | * | | | 24/08 |
| 845 | NOAA Data Lighted Buoy | 28-54-22.000N | Fl (4)W 20s | | | Yellow boat-shaped | Aid maintained by NOAA |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|---------------|--|---------------------------------|-----------------------|------------|--------------|---|--|
| | 41010 | 078-28-16.000W | * | | | buoy with mast. | 23/08 |
| 22505 | PORT MANATEE CHANNEL INBOUND RANGE FRONT LIGHT | 27-37-51.294N 082-33-33.027W | Q G (NIGHT) | 142 142 | | On tower. | Visible 4° each side of rangeline during the day, and 4° of rangeline at night. Lighted throughout 24 hours. |
| | * | * | F W (DAY) | * | * | * | 23/08 |
| 22510 | PORT MANATEE CHANNEL INBOUND RANGE REAR LIGHT 773 yards, 127.9° from front light. | 27-37-37.245N 082-33-12.620W | Iso G 6s (NIGHT) | 196 | | On tower. | Visible 4° each side of rangeline during the day, and visible 4° of rangeline at night. Lighted throughout 24 hours. |
| | * | * | (DAY) | F W | * | * | 23/08 |
| 22558 | PORT MANATEE CHANNEL OUTBOUND RANGE REAR LIGHT 2,800 yards, 307.9° from front light. | 27-41-07.113N 082-38-17.544W | Iso W 6s (NIGHT) | 53 50 | | On skeleton tower on piles. | Visible 0.5° each side of rangeline during the day, and 4° of rangeline at night. Lighted throughout 24 hours. |
| | * | | Iso W 6s (DAY) | | | | 23/08 |
| 23765 | TAMPA BAY CUT J-2 CHANNEL LOWER RANGE FRONT LIGHT | 27-48-04.569N 082-34-30.789W | Q R | 16 | | KRW on pile. | Visible all around. |
| | | | | * | * | | 23/08 |
| 37496.5 | Floyd Creek Daybeacon A29 | 30-56-38.863N 081-29-54.418W | | | | SG-SY on pile. | |
| | * | | | | | * | 23/08 |
| 520 | St. Simones Light | 31-08-02.823N 081-23-36.902W | FFL W 60s | 104 | W 23 W 18 | White conical tower near brick building. | Fixed range is 18 miles. Flashing range is 23 miles. |
| | | | | | * | | 22/08 |
| 590 | St Augustine Light 081-17-18.705W | 29-53-07.604N | FFL W 30s | 161 | W 24 W 19 | Conical tower, white base with black cornice; black and white spirally banded shaft; black below lantern gallery deck; red above. | Fixed range is 19 miles. Flashing range is 24 miles. Private aid. |
| | | | | | * | | 22/08 |
| 655 | SEBASTIAN INLET NORTH JETTY LIGHT | 29-51-41.087N 080-26-51.185W | Fl W 4s (R sector) | 27 | W 5 R 4 | On pile. | Red from 104° to 154°. Private aid. |
| | | | | | * | | 22/08 |
| 845 | NOAA Data Lighted Buoy 41010 | 28-54-22.000N 078-28-16.000W | Fl(5)W 20s | | | Yellow boat shaped buoy with mast. | Aid maintained by NOAA. |
| | | * | | | | | 22/08 |
| 21620 | NEW PASS CHANNEL LIGHT 7 | 27-19-40.919N 082-35-17.551W | Fl G 4s | 16 | 4 | SG on pile. | |
| | | * | | | | | 22/08 |
| 22535 | Port Manatee Channel Lighted Buoy 8 | 27-39-00.727N 082-35-17.961W | Fl R 2.5s | | 4 | Red. | |
| | | | | | * | | 22/08 |
| 29920 1625 | CEDAR KEYS NORTHWEST CHANNEL APPROACH LIGHT 2 | 29-08-29.300N 083-07-57.200W | FL R 2.5s | 16 | 4 | TR on pile. | |
| | | * | | | | | 22/08 |
| 15647 | SEA KEYS MONITOR LIGHT | 25-05-00.030N 081-05-29.968W | Fl Y 4s | | | NY on pile. | Private aid. |
| | * | | | | | | 21/08 |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|--------------|---|--|-----------------------|-----------|------------|---------------------|---|-------|
| 20453 * | Ponce de Leon Park Channel Daybeacon 3 * | 26-54-33.510N 082-05-57.820W * * | | | * * | SG on pile. * | Private aid. * | 21/08 |
| 20458 * | Ponce de Leon Park Channel Daybeacon 5 * | 26-54-33.450N 082-05-52.870W * * | | | * * | SG on pile. * | Private aid. * | 21/08 |
| 20462 * | Ponce de Leon Park Channel Daybeacon 6A * | 26-54-32.430N 082-05-46.970W * * | | | * * | TR on pile. * | Private aid. * | 21/08 |
| 20464 * | Ponce de Leon Park Channel Daybeacon 7 * | 26-54-33.270N 082-05-46.990W * * | | | * * | SG on pile. * | Private aid. * | 21/08 |
| 20471 * | Ponce de Leon Park Channel Daybeacon 10 * | 26-54-32.280N 082-05-31.600W * * | | | * * | TR on pile. * | Private aid. * | 21/08 |
| 20472 * | Ponce de Leon Park Channel Daybeacon 11 * | 26-54-31.590N 082-05-20.660W * * | | | * * | SG on pile. * | Private aid. * | 21/08 |
| 20473 * | Ponce de Leon Park Channel Daybeacon 12 * | 26-54-30.810N 082-05-20.750W * * | | | * * | TR on pile. * | Private aid. * | 21/08 |
| 20474 * | Ponce de Leon Park Channel Daybeacon 13 * | 26-54-32.910N 082-05-18.700W * * | | | * * | SG on pile. * | Private aid. * | 21/08 |
| 20474.1 * | Ponce de Leon Park Channel Daybeacon 14 * | 26-54-31.180N 082-05-19.630W * * | | | * * | TR on pile. * | Private aid. * | 21/08 |
| 20474.2 * | Ponce de Leon Park Channel Daybeacon 15 * | 26-54-34.710N 082-05-16.660W * * | | | * * | SG on pile. * | Private aid. * | 21/08 |
| 20474.3 * | Ponce de Leon Park Channel Daybeacon 16 * | 26-54-32.290N 082-05-17.920W * * | | | * * | TR on pile. * | Private aid. * | 21/08 |
| 20474.4 * | Ponce de Leon Park Channel Daybeacon 17 * | 26-54-35.200N 082-05-15.800W * * | | | * * | SG on pile. * | Private aid. * | 21/08 |
| 20474.5 * | Ponce de Leon Park Channel Daybeacon 18 * | 26-54-32.220N 082-05-16.060W * * | | | * * | TR on pile. * | Private aid. * | 21/08 |
| 23700 | Tampa Bay Cut G Channel Lighted Buoy 8G | 27-47-26.193N 082-34-00.013W | Q R | | 4 * | Red. | | 21/08 |
| 23780 | TAMPA BAY CUT K CHANNEL UPPER RANGE FRONT LIGHT | 27-52-19.583N 082-32-57.848W | FI G 2.5s * | 29 | | | Visible 0.5° each side of rangeline. Lighted throughout 24 hours. Passing light visible all around. | 21/08 |
| 31995 | Bahia De Ponce Lighted Buoy 7 | 17-58-30.690N 066-37-18.333W * | FI G 2.5s | | 4 | Green. | | 21/08 |
| 39673 * | Matanzas River Daybeacon 110 * | 29-33-54.100N 081-11-08.301W * * | | | * * | TR-TY on pile. * | Private aid. * | 21/08 |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|--------------|---|---|--|-----------|------------|---|--|
| 42435 | Banana River Buoy 5a | | | | | | Remove from list. * |
| | | | | | | | 21/08 |
| 42435 | Banana River Daybeacon 5A | 28-11-10.260N 080-37-18.946W | | | | SG on pile. | |
| * | * | * * | | * * | * | | * 21/08 |
| 42440 | Banana River Buoy 6 | | | | | | Remove from list. * |
| | | | | | | | 21/08 |
| 42440 | Banana River Daybeacon 6 | 28-11-55.386N 080-37-38.970W | | | | TR on pile. | |
| * | * | * * | | * * | * | | * 21/08 |
| 50645.5 | St Lucie Inlet Shoal Buoy 5a | | | | | | Remove from list. * |
| | | | | | | | 21/08 |
| 58210 | Venice Inlet-Siesta Key Daybeacon 48 | 27-13-20.000N 082-30-28.190W | | | | TR-TY on pile. | |
| | | * | | | | | 21/08 |
| 58490 | Siesta Key-Tampa Bay Daybeacon 8A | 27-19-35.775N 082-33-14.494W | | | | TR-TY on pile. | |
| | | * | | | | | 21/08 |
| 61155 | TREASURE ISLAND LIGHT 22 | 27-47-21.204N Fl R 4s 082-45-38.074W | | 16 | 3 | TR-TY on pile. | |
| | | * | | | | | 21/08 |
| 745 10175 | Lake Worth Lighted Buoy LW | 26-46-21.577N 080-00-36.215W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| | * | | | | | | 20/08 |
| 805 | Port Everglades Spoil Bank East Daybeacon | 26-05-51.561N 080-06-01.088W | | | | NW on pile worded DANGER SHOAL. | |
| | | * | | | | | 20/08 |
| 4013 | Egg Bank Buoy 4A | 32-25-52.398N 080-26-28.273W | | | | Red nun | |
| | | * | | | | | 20/08 |
| 4570 | Tybee Range Lighted Buoy 6 | 31-59-16.124N 080-46-02.267W | Fl R 2.5s | | 3 | Red. | |
| | | * | | | | | 20/08 |
| 10175 745 | Lake Worth Lighted Buoy LW | 26-46-21.577N 080-00-36.215W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| | * | | | | | | 20/08 |
| 22556 | PORT MANATEE CHANNEL OUTBOUND RANGE FRONT LIGHT | 27-40-16.262N 082-37-03.605W | Fl W 2.5s (NIGHT) Fl W 2.5s (DAY) Fl W 2.5s Passing Light | 21 17 | | On piles. | Visible 0.5° each side of rangeline during the day, and 4° at night. Lighted throughout 24 hours. Passing light visible all around. |
| * | * | * | * * | * * | * | | * 20/08 |
| 22558 | PORT MANATEE CHANNEL OUTBOUND RANGE REAR LIGHT | 27-41-07.113N 082-38-17.544W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 53 50 | | On skeleton tower on piles. | Visible 0.5° each side of rangeline during the day, and 4° at night. Lighted throughout 24 hours. |
| * | * | * | * * | * * | * | | * 20/08 |
| 22559 | PORT MANATEE CHANNEL OUTBOUND RANGE REAR PASSING LIGHT | 27-41-07.113N 082-38-17.544W | Fl W 2.5s | 16 | | On same structure as Range Rear Light. | Passing lights visible all around at night. NW and SE corner of the lower platform. |
| * | * | * | * | * * | * | | * 20/08 |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|------------|---|---|-----------------------|-----------|------------|---------------------------------------|--|
| 845 | NOAA Data Lighted Buoy 41010 | 28-57-10.000N 078-28-43.000W * | Fl (5) W 20S | | | Yellow boat-shaped buoy with mast. | Aid maintained by NOAA 19/08 |
| 15165 | KEY WEST NORTHWEST CHANNEL LIGHT 6 * | 24-37-55.972N 081-53-49.525W * | Q R | 24 | 4 | TR on piles. * | Visible all around. 19/08 |
| 22710 | TAMPA BAY CUT D CHANNEL RANGE FRONT LIGHT | 27-40-57.634N 082-33-55.802W * | Q W | 18 | | On piles. | Visible 2° each side of rangeline. Lighted throughout 24 hours. 19/08 |
| 23445 | Hillsborough Cut C Channel Lighted Buoy 25 | 27-52-49.764N 082-26-30.715W | Fl G 2.5s | | 5 | Green. * | 19/08 |
| 23450 | Hillsborough Cut C Channel Lighted Buoy 26 | 27-52-49.176N 082-26-24.664W | Fl R 2.5s | | 5 | Red. * | 19/08 |
| | * Add Heading: Westshore Marina | | | | | | 19/08 |
| 23814.1 | WESTSHORE YACHT CLUB LIGHT 2 * * | 27-52-58.400N 082-32-26.800W * * | Fl R 2.5s * | | | TR on pile. * * | Private aid. * 19/08 |
| 23814.2 | Westshore Yacht Club Daybeacon 4 * * | 27-53-00.700N 082-32-17.400W * * | * | | | TR on pile. * * | Private aid. * 19/08 |
| 23814.3 | WESTSHORE YACHT CLUB LIGHT 6 * * | 27-53-03.200N 082-32-07.800W * * | Fl R 2.5s * | | | TR on pile. * * | Private aid. * 19/08 |
| 23814.4 | Westshore Yacht Club Daybeacon 7 * * | 27-53-06.500N 082-31-58.500W * * | * | | | SG on pile. * * | Private aid. * 19/08 |
| 23814.5 | WESTSHORE YACHT CLUB LIGHT 8 * * | 27-53-03.100N 082-31-59.500W * * | Fl R 2.5s * | | | TR on pile. * * | Private aid. * 19/08 |
| 23814.6 | Westshore Yacht Club Daybeacon 9 * * | 27-53-01.800N 082-31-53.700W * * | * | | | SG on pile. * * | Private aid. * 19/08 |
| 23814.7 | Westshore Yacht Club Daybeacon 10 * * | 27-53-02.700N 082-31-58.800W * * | * | | | TR on pile. * * | Private aid. * 19/08 |
| 23814.8 | WESTSHORE YACHT CLUB LIGHT 12 * * | 27-52-58.700N 082-31-58.400W * * | Fl R 4s * | | | TR on pile. * * | Private aid. * 19/08 |
| 23814.9 | Westshore Yacht Club Daybeacon 14 * * | 27-52-57.300N 082-31-59.000W * * | * | | | TR on pile. * * | Private aid. * 19/08 |
| 38617 | PABLO CREEK LIGHT 49 | 30-14-26.998N 081-25-18.371W * | Q G * | | | SG-SY on pile. * | 19/08 |
| 45195 | Indian River (South Section) Daybeacon 188 | 27-27-07.517N 080-18-57.411W * | | | | TR-TY on pile. | 19/08 |
| 47170 | Hillsboro Drainage Canal | | | | | | Remove from list. |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|---------------|--|--------------------------------------|-----------------------|-----------|------------|---|------------------------|-------|
| | Daybeacon 2 | | | | | | * | 19/08 |
| 55425 | PINE ISLAND SOUND LIGHT 20 | 26-28-45.466N 082-06-37.811W * | Fl R 4s | 16 | 3 | TR-TY on pile. | | 19/08 |
| 57695 | HATCHETT CREEK CHANNEL LIGHT 5 | 27-06-17.890N 082-26-49.020W * | Q G | 16 | 3 | SG-SY on pile. | | 19/08 |
| 515 6030 | St. Simons Lighted Whistle Buoy STS | 31-02-48.999N 081-14-25.000W | Mo(A) W | | 6 | Red and white stripes with red spherical topmark. | RACON: B (-***). | |
| 1345 21585 | * NEW PASS ENTRANCE LIGHT NP * | 27-18-55.113N 082-35-53.168W | Mo(A) W | 16 | 5 | MR on pile. | | 18/08 |
| 1390 22225 | Tampa Bay Lighted Buoy T | 27-35-18.731N 083-00-42.547W * | Mo(A) W | | 6 | Red and white stripes with red spherical topmark. | RACON: T(-). | 18/08 |
| 6030 515 | St. Simons Lighted Whistle Buoy STS * | 31-02-48.999N 081-14-25.000W | Mo(A) W | | 6 | Red and white stripes with red spherical topmark. | RACON: B (-***). | 18/08 |
| 21585 1345 | NEW PASS ENTRANCE LIGHT NP * | 27-18-55.113N 082-35-53.168W | Mo(A) W | 16 | 5 | MR on pile. | | 18/08 |
| 22225 1390 | Tampa Bay Lighted Buoy T | 27-35-18.731N 083-00-42.547W * | Mo(A) W | | 6 | Red and white stripes with red spherical topmark. | RACON: T(-). | 18/08 |
| 35827 * | Ramshorn Creek Lighted Buoy 40 * | 32-06-49.200N 080-53-55.200W * | Fl R 2.5s * | | 3 * | Red nun. * | * | 18/08 |
| 35830 | NEW RIVER LIGHT 40A * | 32-06-13.273N 080-53-47.506W | Fl R 4s | 16 | 3 | TR-TY on pile. | | 18/08 |
| 38610 | PABLO CREEK LIGHT 46 | 30-15-07.729W 081-25-50.105W * | Fl R 2.5s | 16 | 3 | TR-TY on pile. * | | 18/08 |
| 39780 | Smith Creek Daybeacon 20A * | 29-26-54.011N 081-07-19.265W | | | | TR-TY on pile. | | 18/08 |
| NONE | | | | | | | | 17/08 |
| 3735.1 | Folly River Buoy 4 | 32-37-54.193N 079-59-29.377W * | | | | Red nun. | | 16/08 |
| 4580 | Bloody Point Range Lighted Bell Buoy 8 | 31-59-46.579N 080-47-00.252W * | Q R | | 3 | Red. | | 16/08 |
| 6900 | Cumberland Island Wreck Buoy Wr | | | | | | Remove from list. * | 16/08 |
| 6900 | Cumberland Island Wreck Daybeacon "Danger Wreck" | 30-45-30.786N 081-28-35.534W | | | | NW on pile worded | | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|---------------|--|--------------------------------------|-----------------------|-----------|------------|----------------------|------------------------|-------|
| * | Marks partially submerged crane. | * | * | * | * | * | * | 16/08 |
| 7165 | Mayport Basin Preferred Channel Lighted Buoy | 30-23-56.505N 081-23-36.280W * | Fl (2+1)G 6s | | 3 | Green and red bands. | | 16/08 |
| 37010 | South Altamaha River Buoy 8 | | | | | | Remove from list. | |
| | | | | | | | * | 16/08 |
| 37010 | South Altamaha River Daybeacon 8 | 31-18-42.421N 081-25-55.638W * | | | | TR on pile. | | |
| * | | | * | * | * | * | * | 16/08 |
| 1805 | Murrells Inlet Lighted Buoy 11 | 33-32-48.505N 079-01-28.687W * | Fl G 4s | | | | | 15/08 |
| | | | * | | | * | | |
| 6045 | St Simons Sound Entrance Lighted Buoy 3 | 31-04-39.924N 081-17-44.546W * | Fl G 2.5s | | 4 | Green. | | 15/08 |
| 6050 | St Simons Sound Entrance Lighted Buoy 4 | 31-04-44.136N 081-17-41.318W * | Fl R 2.5s | | 4 | Red. | | 15/08 |
| 22290 | TAMPA BAY P.O.R.T.S. MONITOR LIGHT P | 27-35-46.276N 082-51-33.438W * | Fl Y 4s | 16 | 8 | NY on pile. | Aid maintained by OGA | 15/08 |
| 1805 | Murrells Inlet Lighted Buoy 11 | 33-32-48.506N 079-01-28.687W | | | | Green can. | | |
| | | | * | * | | | | 14/08 |
| 4580 | Bloody Point Range Lighted Bell Buoy 8 | 31-59-46.579N 080-44-00.252W * | Q R | | 3 | Red. | | 14/08 |
| 4580.1 | Bloody Point Range Lighted Buoy 8A | 32-00-02.040N 080-47-17.810W * | Fl R 4s | | 3 | Red. | | 14/08 |
| 6960 37730 | KINGS BAY NAVIGATION LIGHT | 30-46-35.400N 081-29-35.100W | Fl W 4s | 16 | 5 | NW on pile. | | |
| | | | | | * | | | 14/08 |
| 9585 | Canaveral Harbor Approach Channel Lighted Buoy 3 | 28-22-32.014N 080-31-48.178W * | Fl G 2.5s | | 4 | Green. | | 14/08 |
| 23600 | Port Sutton Channel Lighted Buoy 5 | 27-54-26.506N | Fl G 4s | | 5 | Green. | | |
| | | | | | * | | | 14/08 |
| 1773 | Murrells Inlet Buoy 3 | | | | | | Remove from list. * | 13/08 |
| 1790 | Murrells Inlet Bouy 8 | | | | | | Remove from list. * | 13/08 |
| 1790 | Murrells Inlet Buoy 8 | 33-31-56.407N 079-02-05.467W | | | | Red nun. | | 13/08 |
| 1790 | Murrells Inlet Daybeacon 8 | | | | | | Remove from list. * | 13/08 |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|--|---------------------------------|-----------------------|-----------|------------|-------------------------------|-------------------------|-------|
| 1803 | Murrells Inlet Buoy 10A | 33-32-32.737N 079-01-39.559W | | | | Red nun. | | |
| * | * | * | * | * | * | * | * | 13/08 |
| 1805 | Murrells Inlet Light 11 | | | | | | Remove from list. * | 13/08 |
| 1805 | Murrells Inlet Lighted Buoy 11 | 33-32-48.505N 079-01-28.687W | Fl Y 4s | | 4 | Green can. | | |
| * | * | * | * | * | * | * | * | 13/08 |
| 1810 | Murrells Inlet Daybeacon 12 | | | | | | Remove from list. * | 13/08 |
| 25700 | CLEARWATER PASS CHANNEL LIGHT 7 | 27-57-56.985N 082-49-48.138W | Fl G 4s | 10 | 4 | SG on pile. | | 13/08 |
| 57855 | Venice Inlet-Siesta Key Daybeacon 4A | 27-06-54.357N 082-27-53.224W | | | | TR-TY on pile. | | 13/08 |
| 840 | NOAA Data Lighted Buoy 41009 | 28-30-03.000N 080-10-30.000W | Fl (4) Y 20s | | | Yellow boat shaped buoy. | Aid maintained by NOAA. | 12/08 |
| 5625 | Bull River Daybeacon 1 | 31-55-42.508N 080-55-20.094W | | | | SG on dolphin. | | 12/08 |
| 5670 | CABBAGE ISLAND SPIT LIGHT 16 | 31-55-08.864N 080-56-44.315W | Fl R 4s | 16 | 3 | TR on pile. | | 12/08 |
| 7130 | St Johns River Entrance Lighted Buoy 4 | 30-23-53.637N 081-21-36.329W | Fl R 4s | | 3 | Red. | | 12/08 |
| 9810.7 | SEBASTIAN INLET CHANNEL LIGHT 26 | 27-50-46.500N 080-27-53.000W | Fl R 2s | | | | Private aid. | 12/08 |
| | No corrections this week. | | | | | | | 11/08 |
| 2465 | Charleston Harbor Channel Lighted Buoy 23 | 32-44-33.678N 079-51-05.430W | Fl G 2.5s | | 3 | Green. | | 10/08 |
| 5945 | DOBOY SOUND LIGHT 8 | 31-22-41.802N 081-16-55.536W | Fl R 6s | 12 | 4 | TR on pile. | | 10/08 |
| 6900 | Cumberland Island Wreck Buoy "WR" Marks partially submerged crane. | 30-45-30.660N 081-28-34.380W | | | | White with orange bands; can. | | 09/08 |
| 26066 | Honeymoon Island Danger Daybeacon A | 28-03-38.123N 082-49-50.501W | | | | NW on pile worded DANGER. | Private aid. | 09/08 |
| * | * | * | * | * | * | * | * | 09/08 |
| 26068 | Honeymoon Island Danger Daybeacon B | 28-03-35.803N 082-49-48.003W | | | | NW on pile worded DANGER. | Private aid. | 09/08 |
| * | * | * | * | * | * | * | * | 09/08 |
| 30790 | Bahia De San Juan Lighted Buoy 7 | 18-27-59.981N 066-07-33.272W | Q G | | 3 | Green. | | 09/08 |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|---------------------------|---|--------------------------------------|-----------------------|-----------|------------|------------------|---|
| 33112.6 | Buck Island Reef National Monument Buoy O | 17-47-18.480N 064-34-35.580W * | | | | Yellow can. | Private aid. 09/08 |
| 36630 | Sapelo Sound Daybeacon 136A | 31-33-22.503N 081-11-36.049W | | | * * | TR on pile. | 09/08 |
| 46705 | LAKE WORTH NORTH LIGHT 42 | 26-46-24.353N 080-03-00.909W | Fl R 4s | 16 | 4 * | TR-TY on pile. | 09/08 |
| No corrections this week. | | | | | | | 08/08 |
| 3525 | Mount Pleasant Buoy 4 | 32-46-31.758N 079-52-18.294W * | * | * | * | Red nun. | * 07/08 |
| 3525 | Mount Pleasant Channel Daybeacon 4 | | | | | | Remove from list. * 07/08 |
| 3530 | Mount Pleasant Buoy 6 | 32-46-45.036N 079-52-24.294W * | * | * | * | Red nun. | * 07/08 |
| 3530 | Mount Pleasant Channel Daybeacon 6 | | | | | | Remove from list. * 07/08 |
| 4890 | ELBA ISLAND BASIN RANGE FRONT LIGHT | 32-05-49.098N 080-59-38.700W | Q W | 16 | | | Visible 4° each of rangeline. Lighted throughout 24 hours. * 07/08 |
| 4895 | ELBA ISLAND BASIN RANGE REAR LIGHT 349.4 yards, 337.1° from front light. | 32-05-58.610N 080-59-43.531W | Iso W 6s | 44 | | | Visible 4° each side of rangeline. Lighted throughout 24 hours. * 07/08 |
| 6560 | St Marys Entrance Lighted Buoy 8 | 30-42-45.246N 081-20-47.729W * | Fl R 6s | | 4 | Red. | 07/08 |
| 6575 | St Marys Entrance Lighted Buoy 11 | 30-42-38.781N 081-21-33.297W * | Fl G 2.5s | | 3 | Green. | 07/08 |
| 6605 | St Marys Entrance Lighted Buoy 17 | 30-42-33.494N 081-23-58.609W * | Fl G 2.5s | | 3 | Green. | 07/08 |
| 28950 | Salt River Daybeacon 10A * | 28-54-21.000N 082-38-19.750W | | | | TR on pile. | Private aid. 07/08 |
| 31415 | Vieques Southwest Channel Lighted Buoy 2 | 18-10-06.077N 065-36-23.050W | Fl R 2.5s | | 3 * | Red. | 07/08 |
| 51293 | Clewiston Channel (RT 1b) Buoy 8A * | 26-46-50.982N 080-53-34.341W * | * | * | * | Red nun. | * 07/08 |
| 51300 | Clewiston Channel (Rt 1b) Daybeacon 8B * | 26-46-43.580N 080-53-51.909W | | | | TR-TY on pile. | 07/08 |
| 57685 | LEMON BAY CHANNEL LIGHT 53 | 27-03-12.041N 082-26-20.255W | Q G | 16 | 3 | SG-SY on pile. | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|-------------------|--|--------------------------------------|-----------------------|-----------|------------|------------------|--|
| | | * | | | | | 07/08 |
| 1350 21755 | LONGBOAT PASS APPROACH LIGHT LP * | 27-25-58.410N 082-42-00.808W | Mo (A) W | 16 | 6 | MR on pile. | 06/08 |
| 1505.5 25680.5 | CLEARWATER PASS CHANNEL LIGHT 2 | 27-58-06.605N 082-50-18.423W | Fl R 2.5s | 16 | 4 | TR on pile. | 06/08 |
| | | | | | * | | 06/08 |
| 3735.1 | Folly River Buoy 4 | 32-37-53.034N 079-59-29.472W * | | | | Red nun. | 06/08 |
| 4035.1 | Story River Buoy 12 | 32-20-55.620N 080-28-56.496W * | | | | Red nun. | 06/08 |
| 6605 | St Marys Entrance Lighted Buoy 17 | 30-42-32.033N 081-23-58.660W * | Fl G 2.5s | | 3 | Green. | 06/08 |
| 7610 | LONG BRANCH RANGE FRONT LIGHT | 30-21-40.936N 081-36-50.046W * | Fl W 2.5s | 21 | | | Visible 5.5° each side of rangeline. Lighted throughout 24 hours. * |
| | | | * | | | * | 06/08 |
| 7615 | LONG BRANCH RANGE REAR LIGHT 90 yards, 128.9° from front light. | 30-21-39.177N 081-36-47.507W * | Iso W 6s | 30 | | | Visible 5.5° each side of rangeline. Lighted throughout 24 hours. * |
| | | | * | | | * | 06/08 |
| 21755 1350 | LONGBOAT PASS APPROACH LIGHT LP * | 27-25-58.410N 082-42-00.808W | Mo (A) W | 16 | 6 | MR on pile. | 06/08 |
| 22570 | Tampa Bay Cut B Channel Lighted Buoy 9B * | 27-39-55.510N 082-35-56.828W | Fl G 4s | | 4 | Green. | 06/08 |
| 22785 | Tampa Bay Cut E Channel Lighted Buoy 5E * | 27-45-17.407N 082-31-27.743W | Q G | | 4 | Green. | 06/08 |
| 25680.5 1505.5 | CLEARWATER PASS CHANNEL LIGHT 2 | 27-58-06.605N 082-50-18.423W | Fl R 2.5s | 16 | 4 | TR on pile. | 06/08 |
| | | | | | * | | 06/08 |
| 31965.2 | Bahia De Ponce Lighted Buoy 4 | 17-56-40.329N 066-37-43.206W | Fl R 2.5s | | 3 | Red. | 06/08 |
| | | | | | * | | 06/08 |
| 32205 | Bahia De Guanica Lighted Buoy 4 | 17-56-12.894N 066-54-25.132W * | Fl R 6s | | 3 | Red. | 06/08 |
| | | | * | | | | 06/08 |
| 34505 | Winyah Bay-Charleston Harbor Light 116 | | | | | | Remove from list. * |
| | | | | | | | 06/08 |
| 34505 * | Winyah Bay-Charleston Harbor Lighted Buoy 116 * | 32-48-31.050N 079-45-21.658W * | Fl R 4s | | 3 | Red with TY. | 06/08 |
| | | | * | * | * | * | 06/08 |
| 59570.5 | Siesta Key-Tampa Bay Daybeacon 49A * | 27-28-23.660N 082-41-39.216W | | | | SG-SY on pile. | 06/08 |
| 3320 | Wando River Terminal Lighted Buoy 6 | 32-49-38.192N 079-53-45.788W | Fl R 2.5s | | 4 | Red. | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|---------------------------|---|---------------------------------|-----------------------|-----------|------------|---|------------------------|
| | | | * | | * | | 05/08 |
| 3320.5 | Wando River Terminal Lighted Buoy 7 | 32-49-53.041N 079-53-52.157W | Fl G 2.5s | | 3 | Green | Marks Turning Basin. |
| | * | | * | | * | * | 05/08 |
| 3325 | Wando River Terminal Lighted Buoy 7A | 32-50-04.738N 079-53-45.820W | Fl G 4s | | 3 | Green. | Marks Turning Basin. |
| | * | | * | | * | * | 05/08 |
| 3330 | Wando River Terminal Lighted Buoy 8 | 32-50-16.631N 079-53-35.708W | Fl R 6s | | 3 | Red. | |
| | * | | * | | * | * | 05/08 |
| 7104 | Soap Creek Daybeacon 1 | 30-39-59.940N 081-30-17.220W | | | | SG-SY on pile. | Private aid. |
| | * | * | * | * | * | * | 05/08 |
| 7104.1 | Soap Creek Daybeacon 2 | 30-40-01.440N 081-30-18.540W | | | | TR-TY on pile. | Private aid. |
| | * | * | * | * | * | * | 05/08 |
| 7104.2 | Soap Creek Shoal Buoy A | 30-40-00.420N 081-30-16.980W | | | | Orange stripe top and bottom. Orange diamond WorDED DANGER SHOAL. | Private aid. |
| | * | * | * | * | * | * | 05/08 |
| 7104.3 | Soap Creek Shoal Buoy B | 30-40-00.960N 081-30-19.380W | | | | Orange stripe top and bottom. Orange diamond WorDED DANGER SHOAL. | Private aid. |
| | * | * | * | * | * | * | 05/08 |
| 7104.4 | OYSTER BAY YACHT CLUB DOCK LIGHT A | 30-39-59.340N 081-30-19.080W | Fl W 4s | | | Located on the end of dock. | Private aid. |
| | * | * | * | * | * | * | 05/08 |
| 7104.5 | OYSTER BAY YACHT CLUB DOCK LIGHT B | 30-39-52.860N 081-30-14.820W | Fl W 4s | | | Located on the end of dock. | Private aid. |
| | * | * | * | * | * | * | 05/08 |
| 33565 | Watergate Channel Lighted Buoy 1 | 19-56-25.980N 075-08-56.260W | Q G | | 3 | Green. | |
| | | * | | | | | 05/08 |
| No corrections this week. | | | | | | | 04/08 |
| 2240 | Clarks Creek Lighted Buoy 4 | 33-00-16.813N 079-28-21.914W | Fl R 2.5s | | 3 | Red nun. | |
| | | * | * | | * | * | 03/08 |
| 23490 | Hillsborough Cut C Channel Lighted Buoy 31 | 27-54-14.461N 082-26-21.895W | Fl G 4s | | 5 | Green. | |
| | | * | | | * | | 03/08 |
| 23590 | Port Sutton Channel Lighted Buoy 2 | 27-54-08.884N 082-26-06.939W | Fl R 4s | | 5 | Red. | |
| | | * | | | * | | 03/08 |
| 23675 | Tampa Bay Cut G Channel Lighted Buoy 3G | 27-47-08.085N 082-32-27.966W | Fl G 2.5s | | 5 | Green. | |
| | | * | | | * | | 03/08 |
| 38543 | New Pass Channel Buoy 3A | | | | | | Remove from list. * |
| | | | | | | | 03/08 |
| 44880 | Indian River (South Section) Light 172 | 27-32-05.583N 080-20-32.532W | Fl R 4s | 16 | 3 | TR-TY on pile. | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|------------|---|--------------------------------------|-----------------------|-----------|------------|---|------------------------|
| | | * | | | | | 03/08 |
| 47190 | Hillsboro River Daybeacon 68 | | | | | | Remove from list. * |
| | | | | | | | 03/08 |
| 47190 | Hillsboro River Light 68 | 26-17-20.379N 080-04-50.315W | Fl R 2.5s | 15 | 3 | TR-TY on pile. | |
| * | * | * | * | * | * | * | * |
| | | | | | | | 03/08 |
| | * Delete Heading: ABOVE LLNR 7393 (St Johns River – Lonnie Wurm Channel) | | | | | | |
| | | | | | | | 02/08 |
| 2240 | Clarks Creek Buoy 4 | | | | | | Remove from list. * |
| | | | | | | | 01/08 |
| 2240 | Clarks Creek Lighted Buoy 4 | 33-00-16.813N 079-28-21.914W | Fl R 2.5s | | | | |
| * | * | * | * | * | * | * | * |
| | | | | | | | 01/08 |
| 39063 | Matanzas River Daybeacon 10 | 29-53-16.419N 081-18-14.506W | | | | TR on pile. * | |
| | | | | | | | 01/08 |
| | No corrections this week. | | | | | | |
| | | | | | | | 52/07 |
| 7410 | Blount Island Channel Light 1 | 30-23-21.454N 081-33-15.633W * | Fl G 4s | 12 | 4 | SG on dolphin. | |
| | | | | | | | 51/07 |
| 13680 | Boat House Channel Buoy 1 | 24-43-37.980N 081-01-22.620W * | | | | Green can. | Private aid. * |
| * | * | * | * | * | * | * | * |
| | | | | | | | 51/07 |
| 13680.1 | Boat House Chanel Buoy 2 | 24-43-38.100N 081-01-21.540W * | | | | Red nun. | Private aid. * |
| * | * | * | * | * | * | * | * |
| | | | | | | | 51/07 |
| 13680.2 | Boat House Channel Buoy 3 | 24-43-41.160N 081-01-22.740W * | | | | Green can. | Private aid. * |
| * | * | * | * | * | * | * | * |
| | | | | | | | 51/07 |
| 13680.3 | Boat House Channel Buoy 4 | 24-43-40.092N 081-01-21.660W * | | | | Red nun. | Private aid. * |
| * | * | * | * | * | * | * | * |
| | | | | | | | 51/07 |
| 13680.4 | Boat House Channel Buoy 5 | 24-43-43.980N 081-01-23.100W * | | | | Green can. | Private aid. * |
| * | * | * | * | * | * | * | * |
| | | | | | | | 51/07 |
| 13680.5 | Boat House Channel Buoy 6 | 24-43-44.040N 081-01-22.200W * | | | | Red nun. | Private aid. * |
| * | * | * | * | * | * | * | * |
| | | | | | | | 51/07 |
| 13680.6 | Boat House Channel Danger Shoal Buoy | 24-43-47.160N 081-01-25.080W * | | | | White nun with orange worded DANGER SHOAL. * | Private aid. * |
| * | * | * | * | * | * | * | * |
| | | | | | | | 51/07 |
| 20490 | Punta Gorda WR Daybeacon 2X | | | | | | Remove from list. * |
| | | | | | | | 50/07 |
| 20675 | Peace River Daybeacon 4 | | | | | | Remove from list. * |
| | | | | | | | 50/07 |
| 20675 | Peace River Light 4 | 26-56-20.997N 082-03-54.128W | Fl R 2.5s | | 3 | | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|---|--------------------------------------|-----------------------|-----------|------------|--|--------------------------|-------|
| * | * | * | * | * | * | * | * | 50/07 |
| 2665 | Cooper River Degaussing East Platform Light * | 32-46-30.200N 079-55-02.300W * | Q W | 12 | | On dolphin. | Maintained by U.S. Navy. | 49/07 |
| 2670 | Cooper River Degaussing West Platform Light * | 32-46-28.700N 079-55-22.200W * | Q G | 12 | | On dolphin. | Maintained by U.S. Navy. | 49/07 |
| 2790 | Cooper River North Degaussing West Platform Light * | 32-49-58.000N 079-55-53.300W * | Q G | 12 | | White rectangular daymark on piles. | Maintained by U.S. Navy. | 49/07 |
| 32080 | Bahia de Guayanilla Lighted Buoy 1 | 17-57-46.783N 066-45-55.629W * | Fl G 2.5s | | 4 | Green. | | 49/07 |
| 40500 | Ponce de Leon Cut Buoy 2 | 29-05-36.974N 080-56-54.905W * | | | | Red nun with yellow triangle. | | 49/07 |
| 40503 | Ponce de Leon Cut Buoy 2A | 29-05-32.645N 080-56-58.067W * | | | | Red nun with yellow triangle. | | 49/07 |
| 42455 | Tortoise Island Ctr Channel Daybeacon 3 | 28-11-52.740N 080-37-09.120W * | | | 6 | SG on pile. | Private aid. | 49/07 |
| 42460 | Tortoise Island Center Channel Daybeacon 4 | 28-11-52.140N 080-37-09.060W * | | | 6 | TR on pile. | Private aid. | 49/07 |
| 42460.1 | Tortoise Island Center Channel Daybeacon 5 * | 28-11-52.740N 080-37-01.740W * | * | * | * | SG on Pile. | Private Aid. | 49/07 |
| 42460.2 | Tortoise Island Center Channel Daybeacon 6 * | 28-11-51.960N 080-37-00.960W * | * | * | * | TR on pile. | Private aid. | 49/07 |
| 42460.3 | Tortoise Island Center Channel Daybeacon 7 * | 28-11-52.980N 080-36-57.180W * | * | * | * | SG on Pile. | Private aid. | 49/07 |
| 42460.4 | Tortoise Island Center Channel Daybeacon 8 * | 28-11-52.200N 080-36-57.180W * | * | * | * | TR on pile. | Private aid. | 49/07 |
| 42463 | Tortoise Island Channel Daybeacon 1 * | 28-12-32.100N 080-37-38.040W * | * | * | * | SG on pile. | Private aid. | 49/07 |
| 42482 | Tortoise Island Channel Daybeacon 8 * | 28-12-39.360N 080-37-07.620W * | * | * | * | TR on pile. | Private aid. | 49/07 |
| 830 | NOAA Data Lighted Buoy 41002 | 32-20-24.708N 075-26-58.753W * | Fl(4)Y 20s | | | Yellow boat-shaped with mast. | Aid maintained by NOAA. | 48/07 |
| 9543 | Ponce de Leon Inlet Buoy 7A * | 29-04-30.000N 080-55-17.820W * | * | * | * | Green can. | * | 48/07 |
| 15160 | Key West Northwest Channel Entrance Lighted Bell Buoy 1 | 24-38-52.376N 081-53-57.561W * | Fl G 2.5s | | 4 | Green. | | 48/07 |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|---------------------------|--|---------------------------------|--------------------------------|-----------|-----------------|--|------------------------|
| 48395 | Biscayne Bay Light 49 | 25-47-29.456N 080-10-51.356W | Fl G 2.5s | 12 | 3 | SG-SY on pile. | |
| | | | | | * | | 48/07 |
| No corrections this week. | | | | | | | |
| 40500 | Ponce de Leon Cut Buoy 2 | 29-05-37.259N 080-56-55.908W | | | | Red nun with yellow triangle. | |
| | | * | | | | | 46/07 |
| 40505 | Ponce de Leon Cut Buoy 3 | 29-05-34.313N 080-56-54.354W | | | | Green can. | |
| | | * | | | | | 46/07 |
| 1773 | Murrells Inlet Buoy 3 | 33-31-37.530N 079-01-53.425W | | | | Green nun. | |
| | | * | | | | | 45/07 |
| 1778 | Murrells Inlet Buoy 4A | 33-31-40.766N 079-01-56.991W | | | | Red nun. | |
| | | * | | | | | 45/07 |
| 1815 | Murrells Inlet Buoy 14 | 33-32-58.368N 079-01-31.361W | | | | Red nun. | |
| | | * | | | | | 45/07 |
| 40508 | Ponce de Leon Cut Buoy 3A | 29-05-26.519N 080-56-58.848W | | | | Green can with yellow square. | |
| | | * | | | | | 45/07 |
| 47575 | Dania Sound Light 35 | 26-03-53.350N 080-06-50.799W | Fl G 4s | 16 | 4 | SG-SY on pile. | |
| | | | * | | * | | 45/07 |
| 48015 | Miami Beach Channel Light 11 | 25-50-48.225N 080-08-00.102W | Q G | 16 | 4 | SG on pile. | |
| | | | * | | | | 45/07 |
| 7335 | St Johns Bluff Light S | 30-23-13.071N 081-29-47.923W | Fl W 4s | 16 | 5 | NB on pile. | |
| | * | | | | * | | 44/07 |
| 22230 | Egmont Channel Lighted Whistle Buoy 1 | 27-35-33.583N 082-58-59.245W | Fl G 2.5s | | 5 | Green. | |
| | | | | | * | | 44/07 |
| 1290 | Mac One Fish Haven South Buoy "H" | 26-37-53.800N 082-17-06.000W | | | | Yellow can. | Private aid. |
| | | | | | | | 43/07 |
| 1310 19905 | Gasparilla Island Light | 26-44-31.275N 082-15-48.377W | Iso W 6s (NIGHT) (NIGHT) | 105 | 12 10 R 9 | White hexagonal pyramidal skeleton tower enclosing stair cylinder. | Red from 001° to 045°. |
| | | | | | | | 43/07 |
| 2555 | Charleston Harbor North Chan Lighted Buoy 35 | 32-46-58.950N 079-54-53.682W | Fl G 2.5s | | 3 | Green. | |
| | | * | | | | | 43/07 |
| 6296 | East River Turning Basin Light A | 31-07-39.594N 081-29-42.165W | Fl Y 2.5s | 16 | 4 | NY on pile. | |
| * | * | * | * | * | * | * | * |
| | | | | | | | 43/07 |
| 6297 | East River Turning Basin Light B | 31-07-43.054N 081-29-46.901W | Fl Y 6s | 16 | 5 | NY on pile. | |
| * | * | * | * | * | * | * | * |
| | | | | | | | 43/07 |
| 6298 | East River Turning Basin Light C | 31-07-51.997N 081-29-49.620W | Fl Y 6s | 16 | 5 | NY on pile. | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|---------------------------|---|---------------------------------|---|--------------|-----------------|--|--|-------|
| * | * | * | * | * | * | * | * | 43/07 |
| 6299 | East River Turning Basin Light D | 31-07-58.550N 081-29-46.137W | Fl Y 4s | 16 | 5 | NY on pile. | | |
| * | * | * | * | * | * | * | * | 43/07 |
| 7335 | St Johns Bluff Light | 30-23-13.071N 081-29-47.923W | Fl W 4s | 16 | 4 | NB on pile. | | |
| * | * | * | * | * | * | * | * | 43/07 |
| 7335 | St Johns Bluff Light 33 | | | | | | Remove from list. * | 43/07 |
| 19905 1310 | Gasparilla Island Light | 26-44-31.275N 082-15-48.377W | Iso W 6s (NIGHT) (NIGHT) | 105 | 12 10 R 9 | White hexagonal pyramidal skelton tower enclosing stair cylinder. | Red from 001° to 045.° | |
| * | * | * | * | * | * | * | * | 43/07 |
| 22700 | Tampa Bay Cut D Channel Inbound Range Front Light | 27-44-27.368N 082-31-21.870W | Fl W 2.5s (NIGHT) Fl W 2.5s Fl W 2.5s (DAY) | 21 23 | | On same structure as Cut F South Range Front Light. | Day range visible 0.5° each side of rangeline. Night range visible 1.5° each side of rangeline. Passing light visible all around. | 43/07 |
| 37623 | Cumberland River Daybeacon 63 | 30-50-47.872N 081-28-38.569W | * | | | SG on pile. | | 43/07 |
| 59525 | Siesta Key-Tampa Bay Daybeacon 43 | 27-26-50.015N 082-40-46.424W | | | | SG-SY on pile. * | | 43/07 |
| 58537 | Siesta Key-Tampa Bay Light 11 | 27-19-45.122N 082-33-19.439 | Fl G 2.5s | 16 | 3 | SG-SY on pile. | | |
| * | * | * | * | * | * | * | * | 42/07 |
| No corrections this week. | | | | | | | | 41/07 |
| 2935 | Cooper River Range A Front Light | 32-54-36.626N 079-55-38.006W | Q W | 16 | | | Visible 4° each side of rangeline. Lighted Throughout 24 hours. * | 40/07 |
| 2940 | Cooper River Range A Rear Light 500 yards, 081° from Front light. | 32-54-37-926N 079-55-27.806W | Iso W 6s | 35 | | | Visible 4° each side or rangeline. Lighted throughout 24 hours. * | 40/07 |
| 22270 | Egmont Channel Lighted Buoy 9 | 27-36-15.275N 082-52-02.770W | Fl G 4s | | 5 | Green. | | 40/07 |
| 22745 | Tampa Bay Cut E Channel Outbound Range Front Light | 37-42-45.290N 082-32-20.476W | Fl R 2.5s (Day, Night, And Passing) * | 20 23 | | | Visible 0.5° each side of rangeline. Lighted throughout 24 hours. Passing light visible all around. * | 40/07 |
| 22795 | Tampa Bay Cut F Channel Outbound Range Front Light | 27-44-27.265N 082-31-21.676W | Fl G 2.5s (Day/Night) Fl W 2.5s | 16 19 | | On same structure as Cut D Upper Range Front Light. | Day range visible 0.5° each side of rangeline. Lighted throughout 24 hours. Passing light visible all around. | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|---------------------------|--|---------------------------------|-----------------------|-----------|------------|----------------------------------|------------------------------|
| | | | (Passing) * | | | | 40/07 |
| 49693 | Sands Key Daybeacon 2A | 25-31-15.010N 080-11-35.722W | | | | TR on pile. | |
| * | * | * | * | * | * | * | * 40/07 |
| 52815 | Caloosahatchee River Daybeacon 52 | | | | | | Remove from list. * 40/07 |
| 52815 | Caloosahatchee River Light 52 | 26-38-29.414N 081-52-58.327W | Fl R 2.5s | 16 | 3 | TR-TY on platform. | |
| * | * | * | * | * | * | * | * 40/07 |
| 59525 | Siesta Key-Tampa Bay Buoy 43 | | | | | | Remove from list. * 40/07 |
| 59525 | Siesta-Key-Tampa Bay Daybeacon 43 | 27-26-50.015N 082-40-46.424W | | | | | * 40/07 |
| 11882 | Marvin D Adams Waterway Lighted Buoy 2 | 25-08-13.243N 080-23-41.495W | Fl R 6s | | 3 | Red. | 39/07 |
| 2788.3 | Charleston Marina Brkwtr Northeast Light | 32-49-59.700N 079-56-01.260W | | 4 | | On floating breakwater. | * 38/07 |
| 6295 | Brunswick Harbor Turning Basin Light 3 | | | | | | Remove from list. * 38/07 |
| 6300 | Brunswick Harbor Turning Basin Light 5 | | | | | | Remove from list. * 38/07 |
| 145 | Hector Wreck Lighted Buoy WR 4 567 yards, 105.5° from wreck. * | 32-59-55.470N 079-05-44.333W | Q R | | 4 | Red. | 37/07 |
| 22260 | Egmont Channel Lighted Buoy 7 | 27-36-04.021N 082-53-56.827W | Fl G 2.5s | | 5 | Green. | * 37/07 |
| 22265 | Egmont Channel Lighted Bell Buoy 8 | 27-35-56.828N 082-53-56.580W | Fl R 2.5s | | 5 | Red. | * 37/07 |
| 22270 | Egmont Channel Lighted Buoy 9 | 27-36-15.275N 082-52-02.770W | Fl G 4s | | 5 | Green. | * 37/07 |
| 22275 | Egmont Channel Lighted Buoy 10 | 27-36-07.611N 082-52-09.410W | Fl R 4s | | 5 | Red. | * 37/07 |
| 48395 | Biscayne Bay Light 49 | 25-47-29.456N 080-10-51.356W | Fl G 2.5s | 12 | 3 | SG-SY on pile. | * 37/07 |
| 39540 | Matanzas River Buoy 81D | 29-42-50.400N 081-14-40.000W | | | | Green can with yellow square. | * 36/07 |
| No corrections this week. | | | | | | | 35/07 |
| 825 | NOAA Data Lighted Buoy 41004 | 32-30-00.000N 079-06-00.000W | Fl (4)Y 20s | | | Yellow disc-shaped with mast. | Aid maintained by NOAA |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|---------------------------|--|--------------------------------------|-----------------------|-----------|------------|--|-----------------------------------|
| | | | | | | | * 34/07 |
| 830 | NOAA Data Lighted Buoy 41002 | 32-18-32.796N 075-21-01.182W | Fl (4)Y 20s | | | Yellow boat-shaped with mast. | Aid maintained by NOAA * 34/07 |
| 833 | NOAA Data Lighted Buoy 41008 | 31-24-00.001N 080-52-00.001W | Fl (4)Y 20s | | | Yellow disc-shaped with mast. | Aid maintained by NOAA * 34/07 |
| 840 | NOAA Data Lighted Buoy 41009 | 28-30-03.000N 080-09-55.000W | Fl (4)Y 20s | | | Yellow boat shaped buoy. | Aid maintained by NOAA * 34/07 |
| 845 | NOAA Data Lighted Buoy 41010 | 28-55-21.692N 078-28-03.402W | Fl (5) W 20S | | | Yellow boat-shaped buoy with mast. | Aid maintained by NOAA * 34/07 |
| 845.3 | NOAA Data Lighted Buoy 41012 | 30-02-29.907N 080-32-00.068W | Fl (4)Y 20s | | | Yellow disc-shaped with mast. | Aid maintained by NOAA * 34/07 |
| 850 | NOAA Data Lighted Buoy 41016 | 24-38-12.000N 076-31-18.000W | Fl Y 4s | | | Yellow disc-shaped with mast. | Aid maintained by NOAA * 34/07 |
| 855 | NOAA Data Lighted Buoy 42036 | 28-30-22.000N 084-30-37.000W | Fl (4)Y 20s | | | Yellow disc-shaped with mast. | Aid maintained by NOAA * 34/07 |
| 860 | Navy Data Lighted Buoy | 26-00-49.920N 079-59-33.960W | Fl Y 10s | | | Orange can. | Aid maintained by USN * 34/07 |
| 1063 | NOAA Data Lighted Buoy 42080 | 24-23-17.000N 081-56-55.000W | Fl (4)Y 20s | | | Yellow disc-shaped with mast. | Aid maintained by NOAA * 34/07 |
| 12501.25 | Vaca Cut Daybeacon 5A | 24-43-07.200N 081-01-48.200W | | | | SG on pile. | Private aid. * 34/07 |
| 12501.35 | Vaca Cut Daybeacon 7A | 24-43-21.300N 081-01-54.400W | | | | SG on pile. | Private aid. * 34/07 |
| 12501.45 | Vaca Cut Daybeacon 9 | 24-43-31.100N 081-01-49.800W | | | | SG on pile. | Private aid. * 34/07 |
| No corrections this week. | | | | | | | 33/07 |
| 20590 | Punta Gorda Light 2 | 26-56-10.478N 082-04-22.536W * | Fl R 4s | 16 | 3 | TR on dolphin. | 32/07 |
| 22385 | Mullet Key Shoal Daybeacon On south side of shaol. | 27-37-28.845N 082-41-06.327W * | | | | NW on piles worded DANGER PILES. * | 32/07 |
| 39153 | San Sebastian River Daybeacon 13A | 29-52-42.595N 081-18-54.687W * | | | | SG on pile. | 32/07 |
| 55610 | Captiva Channel Light 2 | 26-32-02.366N 082-10-47.394W * | Fl R 2.5s | 16 | 3 | TR on pile. | 32/07 |
| No corrections this week. | | | | | | | 31/07 |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|------------|--|--------------------------------------|------------------------|-----------|------------|---|--|
| 1190 | New Ground Rocks Light | 24-39-59.758N 082-26-38.975W * | Fl W 4s | 19 | 7 | NB on pile. | |
| | | | | | | | 30/07 |
| 7130 | St Johns River Entrance Lighted Buoy 4 | 30-23-56.407N 081-21-35.045W * | Fl R 4s | | 3 | Red. | |
| | | | | | | | 30/07 |
| 7145 | St Johns River Lighted Buoy 7 | 30-23-52.875N 081-23-04.769W * | Fl G 4s | | 4 | Green. | |
| | | | | | | | 30/07 |
| 15440 | Dry Tortugas Southeast Channel Light 1 | 24-35-37.100N 082-52-25.470W * | Fl G 2.5s | 19 | 3 | SG on pile. * | |
| | | | | | | | 30/07 |
| 22745 | Tampa Bay Cut E Channel Outbound Range Front Light * | 27-42-45.290N 082-32-20.476W | Fl R 2.5s Fl R 2.5s | 20 23 | | | Visible 0.5° each side of rangeline. Lighted throughout 24 hours. Passing light visible all around. |
| | | | | | | | 30/07 |
| 22750 | Tampa Bay Cut E Channel Outbound Range Rear Light 1,166 yards, 197.9° from front light. * | 27-42-12.344N 082-32-32.458W | Iso R 6s | 47 | | | Visible 0.5° each side of rangeline. Lighted throughout 24 hours. |
| | | | | | | | 30/07 |
| 22753 | Tampa Bay Cut E Channel Outbound Range Rear Passing Lights * | 27-42-12.344N 082-32-32.458W | Fl W 6s | 16 | | On same structure as Cut E Lower Range Rear Light. | Passing light visible all around. Located on NW and NE corners of lower platform. |
| | | | | | | | 30/07 |
| 22850 | Gadsden Point Cut/Hill Cut C Channel Outbound Range Front Light | 27-48-33.679N 082-26-54.497W | Q W | 25 | | On skeleton tower on piles. * | Visible all around with higher intensity on rangeline. |
| | | | | | | | 30/07 |
| 24481 | Little Manatee River Approach Light LM | 27-43-25.910N 082-30-00.504W * | Mo (A) W | 16 | 5 | MR on pile. | |
| | | | | | | | 30/07 |
| 24485 | Little Manatee River Shoal Daybeacon | 27-43-44.462N 082-29-53.712W * | | | | NW on pile worded DANGER SHOAL. | |
| | | | | | | | 30/07 |
| 31085 | Graving Dock Channel Lighted Buoy 4 | 18-26-34.590N 066-05-22.849W * | Q R | | 3 | Red. | |
| | | | | | | | 30/07 |
| 1015 | American Shoal Light | 24-31-30.422N 081-31-09.898W | Fl (3)W 15s | 109 | 13 W 10 | Brown, octagonal pyramidal skeleton tower, enclosing brown stair cylinder and brown octagonal dwelling; pile foundation. * | White from 270° to 067°, red from 067° to 090°, obscured from 090° to 125°, white from 125° to 242°, red from 242° to 270°. RACON Y (-*--). |
| | | | | | | | 29/07 |
| 1055 | Sand Key Light | 24-27-14.180N 081-52-39.016W | Fl (2)W 15s | 109 | 14 W 14 | White, square, pyramidal, skeleton tower enclosing stair cylinder; pile foundation. * | Red from 072° to 086°; White from 086° to 248°; Red from 248° to 270°; White from 270° to 072°. RACON: N (-*). |
| | | | | | | | 29/07 |
| 21350 | Stump Pass Buoy 3 | 26-53-36.421N 082-20-36.011W | | | | | Private aid. |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks | |
|------------|--|--------------------------------------|--|-----------|------------|--|---|-------|
| * | * | * | * | * | * | * | * | 29/07 |
| 22795 | Tampa Bay Cut F Channel Outbound Range Front Light | 27-44-27.265N 082-31-21.676W | Fl G 2.5s Fl W 2.5 (1) | 16 | | On same structure as Cut D Upper Range Front Light. | Day range visible 0.5° each side of rangeline. Lighted throughout 24 hours. Passing light visible all around. | 29/07 |
| | * | | | | | | | 29/07 |
| 22800 | Tampa Bay Cut F Channel Outbound Range Rear Light 974 yards, 179.5° from front light. * | 27-43-58.322N 082-31-21.383W | Iso G 6s (NIGHT) Iso G 6s (DAY) | 46 46 | | | Day range visible 0.5°each side of rangeline. Lighted throughout 24 hours. | 29/07 |
| 22803 | Tampa Bay Cut F Channel Outbound Range Rear Passing Lights * | 27-43-58.322N 082-31-21.383W | Fl W 4s | 16 | 5 | On same structure as Cut F South Range Rear Light. | Passing lights visible all around. Located on NW & NE corner of the lower platform. | 29/07 |
| | * | | * | | | | | 29/07 |
| 22810 | Tampa Bay Cut F Channel Inbound Range Front Light * | 27-47-43.799N 082-31-23.384W | Fl G 2.5s | 17 | | | Visible 0.5° each side of range line. Lighted throughout 24 hours. | 29/07 |
| | * | | | | | * | | 29/07 |
| 22810.5 | Tampa Bay Cut F Channel Inbound Range Front Light Passing Light * | 27-47-43.848N 082-31-23.615W | | | | On same structure as Cut F Channel North Range Front Light. | | 29/07 |
| 22815 | Tampa Bay Cut F Channel Inbound Range Rear Light * | 27-48-28.079N 082-31-23.778W | Iso G 6s | 59 | | On skeleton tower on piles. * | Visible 0.5° each side of range line. Lighted throughout 24 hours. | 29/07 |
| 22815.2 | Tampa Bay Cut F Inbound Range Rear Passing Light * | 27-48-30.000N 082-31-24.000W | Fl W 4s | 16 | | On same structure as Cut F Channel North Range Rear Light. * | | 29/07 |
| 35205.2 | Ashepoo-Coosaw Cutoff Daybeacon 185 | 32-30-38.161N 080-30-07.184W * | | | | SG-SY on pile. | | 29/07 |
| 2260 | Clarks Creek Range Front Light A | | | | | | Remove from list. * | 28/07 |
| 2265 | Clarks Creek Range Rear Light A | | | | | | Remove from list. * | 28/07 |
| 2270 | Clarks Creek Range Front Light B | | | | | | Remove from list. * | 28/07 |
| 2275 | Clarks Creek Range Rear Light B | | | | | | Remove from list. * | 28/07 |
| 6220 | Brunswick Point Cut Lighted Buoy 26 | 31-06-37.424N 081-27-59.517W * | Fl R 4s | | 3 | Red. | | 28/07 |
| 6225 | Brunswick Point Cut Lighted Buoy 27 | 31-06-32.071N 081-28-02.525W | Fl G 2.5s | | 3 | Green. | | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|------------|--|--------------------------------------|-----------------------|-----------|------------|------------------|--|
| | | * | | | | | 28/07 |
| 22500 | Tampa Bay Cut B Channel Lighted Buoy 6B | 27-39-15.065N 082-36-24.658W * | Fl R 2.5s | | 4 | Red. | 27/07 |
| 22515 | Port Manatee Channel Lighted Buoy 1 | 27-39-36.969N 082-35-57.694W * | Q G | | 3 | Green. | 27/07 |
| 22520 | Port Manatee Channel Lighted Buoy 2 | 27-39-21.245N 082-36-12.605W * | Q R | | 3 | Red. | 27/07 |
| 22522 | Port Manatee Channel Lighted Buoy 4 | 27-39-23.923N 082-35-57.945W * | Fl R 6s | | 3 | Red. | 27/07 |
| * * * | | | * | * | * | * | * |
| 22525 | Port Manatee Channel Lighted Buoy 5 | 27-39-25.548N 082-35-44.451W * | Fl G 4s | | 4 | Green. | 27/07 |
| * * * | | | * | * | * | * | * |
| 22527 | Port Manatee Channel Lighted Buoy 6 | 27-39-20.847N 082-35-48.532W * | Fl R 4s | | 3 | Green. | 27/07 |
| * * * | | | * | * | * | * | * |
| 22530 | Port Manatee Channel Lighted Buoy 7 | 27-39-04.201N 082-35-15.201W * | Fl G 2.5s | | 3 | Green. | 27/07 |
| 22535 | Port Manatee Channel Lighted Buoy 8 | 27-39-00.727N 082-35-17.961W * | Fl R 2.5s | | 3 | Red. | 27/07 |
| 22540 | Port Manatee Channel Lighted Buoy 9 | 27-38-37.785N 082-34-36.895W * | Fl G 4s | | 4 | Green. | 27/07 |
| 22545 | Port Manatee Channel Lighted Buoy 10 | 27-38-34.388N 082-34-39.230W * | Fl R 4s | | 3 | Red. | 27/07 |
| 22550 | Port Manatee Channel Light 7 | | | | | | Remove from list. * |
| 22550 | Port Manatee Lighted Buoy 11 | 27-38-14.293N 082-34-02.779W * | Q G | | 3 | Green. | 27/07 |
| * * * | | | * | * | * | * | * |
| 22555 | Port Manatee Channel Light 12 | 27-38-05.282N 082-33-58.317W * | Q R | 20 | 3 | TR on pile. | 27/07 |
| 23620 | Hillsborough River Daybeacon 1 | 27-57-31.395N 082-27-51.637W * | | | | SG on pile. | 27/07 |
| 36880 | Little Mud River Range Front Light B | 31-19-55.098N 081-19-36.132W * | Q R | 12 | | KRW-I on pile. | Visible all around; higher intensity on rangeline. 27/07 |
| 39525.5 | Matanzas River Buoy 80A | 29-43-08.925N 081-14-47.112W * | | | | Red nun. | 27/07 |
| 46530 | Lake Park Marina Daybeacon 1 | 26-47-34.051N 080-02-51.269W * | | | | SG on pile. | 27/07 |
| 51905 | Taylor Creek Daybeacon | 27-11-55.671N | | | | TR on pile. | |

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2007 edition.

| (1) No. | (2) Name and location | (3) Position | (4) Characteristic | (5) Ht | (6) Rng | (7) Structure | (8) Remarks |
|------------|--------------------------|---------------------|-----------------------|-----------|------------|------------------|----------------|
| 4 | | 080-47-38.015W * | | | | | 27/07 |
| | | | | 01/06 | | | |