## Appendix F: Projecting Future Sea Level Rise with the SLRRP Model

4 SLRRP is a PC-Windows software package designed with a user-friendly interface to 5 generate a suite of future sea level projections from various GCM models and scenario 6 outputs obtained from IPCC (2001). The SLRRP acronym stands for Sea Level Rise 7 Rectification Program. The SLRRP model allows the user to select a region-based tide station, GCM model, and SRES emission scenario to generate a graph and output file of 8 9 future sea level change. SLRRP rectifies the historic tide record and future eustatic sea 10 level rise into a common datum (default = NAVD88) to facilitate comparison with 11 landbase features and elevations. The SLRRP model generates a sea level prediction by 12 wrapping the historic mean monthly records for the period of record for all future years up 13 to year 2100. Because the historic record retains the long-term trend of local subsidence 14 and historic eustatic change, an adjustment of removing the historic eustatic rate is 15 accomplished before adding the predicted future eustatic sea level rise based on a selected 16 IPCC model and scenario. SLRRP uses a historic eustatic sea level rate of 1.8 mm/year 17 conferred by several sources as the best estimate for the global-mean since 1963 (IPCC, 18 2001, Douglas, 1997).

19 The SLRRP model uses a series of sequential pop-up windows to facilitate user selection of 20 GCM models, scenarios, and manual entries for projecting future sea levels 21 (Figures F.1-F.3). The SLRRP and CoastCLIM models generate similar eustatic 22 projections but SLRRP retains the local tidal fluctuations that will contribute to short-term 23 flooding above mean tides. The advantage of using the historic record includes the 24 retention of the local variability and seasonality of sea level heights and the interannual 25 variability and long-term climatic autocorrelation.


26 The program gives the user options for saving graphical and digital formats of SLRRP 27 predictions and generating a supplemental graph to visualize the timing and extent of 28 yearly flooding potential for a given elevation (NAVD88) for a transportation feature. 29 After generating a future sea level projection, the user can execute a seawater inundation 30 option that builds another graph that plots the timing and rate of flooding for a selected 31 land elevation (Figure F.4). In effect, the model shows the prospective data and time 32 period for which sea level will overtop a given landscape feature under a future changing 33 climate. Flooding potential is the percentage of months within a year when there is 34 inundation by seawater at a select land elevation determined by the user.

## 1 **References**


## Douglas, B.C. 1997. Global sea rise: A redetermination. *Surveys in Geophysics*, Volume 18, pages 279-292.

4 IPCC, 2001: Climate Change 2001: Impacts, Adaptation, and Vulnerability.
5 Contribution of Working Group II to the Third Assessment Report of the
6 Intergovernmental Panel on Climate Change [J.J. McCarthy, O.F. Canziani, N.A.
7 Leary, et al. (Eds.)], New York, New York: Cambridge University Press. Page 944
8 (Available on-line at http://www.ipcc.ch/).

Figure F.1 User interface and simulated graph of historic sea level rise from a sample SLRRP Model application displaying the pop-up windows for selecting tide gauge stations and constructing a sea level function based on local subsidence.



## Figure F.2 User interface and simulated graph of historic sea level rise from a sample SLRRP Model application displaying the pop-up window for selecting a GCM model and SRES emission scenario.





1

2

3

Figure F.3 User interface and simulated graph of future sea level rise from a sample SLRRP model application displaying the historic trend line (green), datum relationship (orange), and maximum historical storm surge stage for the select tide gauge location.





Figure F.4 Sample flood graph displaying flood timing and extent based on the hydroperiod or percent of days within a calendar year that flooding is likely to occur for a given land elevation and sea level rise projection.



5 6

F-6

1