Test Type: CHRONIC Route: DOSED FEED Species/Strain: RATS/F 344

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CHROMIUM PICOLINATE MONOHYDRATE

CAS Number: 27882-76-4

Date Report Reqsted: 03/16/2007

Time Report Reqsted: 08:39:18 First Dose M/F: 08/12/02 / 08/12/02 Lab: SRI

F1_R2

| C Number: | C99027 |
|----------------------|-------------|
| Lock Date: | 05/03/2005 |
| Cage Range: | ALL |
| Date Range: | ALL |
| Reasons For Removal: | ALL |
| Removal Date Range: | ALL |
| Treatment Groups: | Include ALL |
| TDMSE Version: | 1.7.0 |

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Date Report Regsted: 03/16/2007

CHROMIUM PICOLINATE MONOHYDRATE

Test Type: CHRONIC Route: DOSED FEED

Species/Strain: RATS/F 344

CAS Number: 27882-76-4

Time Report Reqsted: 08:39:18 First Dose M/F: 08/12/02 / 08/12/02 Lab: SRI

| FISCHER 344 RATS MALE | 0 PPM | 2000 PPM | 10000 PPM | 50000 PPM | |
|--------------------------------------------|--------------|-----------------|---------------|-----------------|--|
| Disposition Summary | | | | | |
| Animals Initially in Study Early Deaths | 50 | 50 | 50 | 50 | |
| Moribund Sacrifice Natural Death | 11 2 | 9 5 | 12 3 | 19 3 | |
| Survivors Natural Death | | - | 2 | - | |
| Terminal Sacrifice | 37 | 36 | 33 | 28 | |
| Animals Examined Microscopically | 50 | 50 | 50 | 50 | |
| ALIMENTARY SYSTEM | | | | | |
| Intestine Large, Cecum | (48) | (48) | (48) | (50) | |
| Intestine Large, Colon Ulcer | (48) | (46) | (46) | (48) 1 [3.0] | |
| Intestine Large, Rectum Hemorrhage | (48) | (48) 1 [2.0] | (48) | (50) | |
| Intestine Small, Duodenum | (49) | (48) | (48) | (50) | |
| Intestine Small, Ileum | (49) | (45) | (47) | (45) | |
| Liver | (50) | (50) | (50) | (50) | |
| Angiectasis Basophilic Focus | 27 | 32 | 2 [2.5] 29 | 27 | |
| Clear Cell Focus | 32 | 32 | 23 | 26 [1.0] | |
| Degeneration, Cystic | 1 [2.0] | 1 [1.0] | | 1 [1.0] | |
| Eosinophilic Focus | 1 | 3 | 5 | 1 | |
| Eosinophilic Focus, Multiple | | | | 1 | |
| Hemorrhage | 2 [2.0] | 3 [1.7] | 3 [2.0] | 1 [2.0] | |
| Hepatodiaphragmatic Nodule | 7 [2.0] | 8 [2.0] | 6 [2.0] | 3 [2.0] | |
| Inflammation, Chronic Mixed Cell Focus | 1 [2.0] 4 | | | 1 [2.0] 3 | |
| Necrosis, Focal | 4 5 [1.2] | 1 [2.0] | 4 [1.8] | 3 1 [1.0] | |
| Vacuolization Cytoplasmic | 5[1.2] | 1 [2.0] | - [1.0] | 1 [1.0] | |
| Bile Duct, Hyperplasia | 23 [2.2] | 11 [2.5] | 14 [2.5] | 9 [2.6] | |
| Centrilobular, Bile Stasis | | | | 1 [2.0] | |
| Centrilobular, Necrosis | 4 [2.0] | 3 [2.0] | 2 [2.5] | 3 [1.7] | |
| Centrilobular, Hepatocyte, Atrophy | | | | 1 [2.0] | |
| Hepatocyte, Vacuolization Cytoplasmic | 8 [2.6] | 4 [2.8] | 9 [3.0] | 6 [2.8] | |

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/F 344

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CHROMIUM PICOLINATE MONOHYDRATE

CAS Number: 27882-76-4

Date Report Reqsted: 03/16/2007

Time Report Reqsted: 08:39:18 First Dose M/F: 08/12/02 / 08/12/02 Lab: SRI

| FISCHER 344 RATS MALE | 0 PPM | 2000 PPM | 10000 PPM | 50000 PPM | |
|--------------------------------------|----------|--------------------|-----------|----------------|--|
| Portal Vein, Thrombosis, Focal | | 1 [3.0] | | | |
| Serosa, Fibrosis | 1 [3.0] | | | | |
| Serosa, Pigmentation | 1 [3.0] | | | | |
| Mesentery | (15) | (10) | (8) | (9) | |
| Accessory Spleen | 3 [2.0] | | 1 [2.0] | | |
| Hemorrhage | 1 [3.0] | | | | |
| Fat, Necrosis | 10 [2.5] | 7 [2.6] | 5 [2.4] | 6 [2.5] | |
| Oral Mucosa | (1) | (0) | (1) | (0) | |
| Hyperplasia | 1 [3.0] | | | | |
| Pancreas | (49) | (50) | (50) | (50) | |
| Atrophy | 37 [1.7] | 40 [2.0] | 35 [1.6] | 27 [1.9] | |
| Acinus, Hyperplasia, Focal | 6 [2.5] | | 2 [2.5] | 2 [3.0] | |
| Salivary Glands | (50) | (50) | (50) | (50) | |
| Atrophy | 5 [1.6] | 6 [1.0] | 7 [1.3] | 5 [1.4] | |
| Necrosis | | 1 [2.0] | (| | |
| Stomach, Forestomach | (49) | (49) | (50) | (50) | |
| Edema | 1 [3.0] | 2 [2.5] | 4 [2.8] | 1 [4.0] | |
| Erosion | 1 [1.0] | | 1 [3.0] | 1 [2.0] | |
| Hemorrhage | | | 1 [3.0] | | |
| Hyperkeratosis | 1 [2.0] | | | 1 [2.0] | |
| Inflammation, Acute | | 1 [2.0] | 4 10 01 | | |
| Inflammation, Chronic Active | 0.14.01 | 1 [1.0] | 1 [2.0] | 0 (0 71 | |
| Ulcer | 2 [4.0] | | 3 [2.7] | 3 [3.7] | |
| Vacuolization Cytoplasmic | 0.10.01 | 1 [4.0] | 4 [0, 0] | 0.10.01 | |
| Epithelium, Hyperplasia | 3 [2.3] | 5 [2.6] | 4 [3.0] | 3 [3.3] | |
| Stomach, Glandular | (49) | (49) | (50) | (50) | |
| Edema | 4 [0, 0] | 4 [0 0] | 1 [2.0] | 0.10.01 | |
| Erosion | 1 [3.0] | 1 [2.0] | 1 [2.0] | 3 [2.3] | |
| Hyperplasia, Focal Ulcer | 2 [1 0] | 1 [2 0] | 2 [4.0] | 1 [4 0] | |
| | 3 [1.0] | 1 [2.0] | 2 [3.0] | 1 [4.0] | |
| Tongue Epithelium, Hyperplasia | (1) | (2) | (0) | (1) 1 [2.0] | |
| | | 2 [2.0] | | 1 [2.0] | |
| CARDIOVASCULAR SYSTEM | | | | | |
| Heart | (50) | (50) | (50) | (50) | |
| Cardiomyopathy | 48 [1.9] | 47 [1.7] | 47 [1.5] | 45 [1.7] | |
| Fibrosis | | | | 1 [3.0] | |
| Thrombosis Artery, Mineralization | 3 [1.7] | 2 [2.0] 1 [3.0] | 4 [2.3] | 2 [2.5] | |
| | | , [0:0] | | | |

a - Number of animals examined microscopically at site and number of animals with lesion

TDMS No. 99027 - 03 Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/F 344

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a)

Date Report Regsted: 03/16/2007

WITH AVERAGE SEVERITY GRADES[b]

CHROMIUM PICOLINATE MONOHYDRATE

CAS Number: 27882-76-4

Time Report Regsted: 08:39:18 First Dose M/F: 08/12/02 / 08/12/02 Lab: SRI

| FISCHER 344 RATS MALE | 0 PPM | 2000 PPM | 10000 PPM | 50000 PPM | |
|-------------------------------------------------------------------------------------------|-------------------------|--------------------------------|-------------------------|--------------------------------|--|
| ENDOCRINE SYSTEM | | | | | |
| Adrenal Cortex Accessory Adrenal Cortical Nodule | (50) 5 [1.8] | (49) 22 [1.7] | (50) 23 [1.6] | (50) 15 [1.3] | |
| Angiectasis Degeneration, Fatty Hematopoietic Cell Proliferation | 1 [2.0] 12 [2.3] | 7 [1.9] | 8 [2.0] | 8 [2.3] 1 [1.0] | |
| Hemorrhage Hyperplasia, Focal Hypertrophy, Focal | 1 [3.0] 18 [2.0] | 2 [1.5] 22 [2.1] 1 [2.0] | 19 [1.8] | 21 [1.6] | |
| Necrosis Capsule, Hyperplasia | 1 [3.0] | י נצ.טן | 1 [2.0] | 1 [2.0] | |
| Adrenal Medulla Angiectasis | (50) 1 [2.0] | (49) | (50) | (50) | |
| Hyperplasia Islets, Pancreatic | 10 [2.0] (50) | 2 [2.0] (50) | 2 [1.5] (50) | 4 [2.3] (50) | |
| Hyperplasia Parathyroid Gland Pituitary Gland | 6 [1.8] (45) (50) | 4 [1.3] (48) (49) | 3 [2.0] (49) (50) | 2 [1.0] (47) (50) | |
| Cyst Pars Distalis, Angiectasis Pars Distalis, Cyst | 2 [3.0] | 1 [3.0] 1 [3.0] | 2 [3.0] | 1 [2.0] 3 [3.0] | |
| Pars Distalis, Hemorrhage Pars Distalis, Hyperplasia, Focal Pars Distalis, Necrosis | 15 [2.2] | 13 [2.5] | 17 [2.2] | 1 [2.0] 18 [2.4] 1 [2.0] | |
| Pars Intermedia, Cyst Rathke's Cleft, Hemorrhage Thyroid Gland | (50) | 1 [2.0] (50) | (50) | 1 [3.0] (50) | |
| Ultimobranchial Cyst C-cell, Hyperplasia Follicular Cell, Hyperplasia | 1 [1.0] 10 [1.3] | 5 [1.4] 1 [3.0] | 13 [2.2] | 6 [1.2] | |
| GENERAL BODY SYSTEM | | | | | |
| Tissue NOS Hemorrhage | (2) 1 [2.0] | (1) | (2) | (1) | |
| Necrosis, Focal | . [] | | 1 [3.0] | | |

a - Number of animals examined microscopically at site and number of animals with lesion

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Date Report Reqsted: 03/16/2007

WITH AVERAGE SEVERITY GRADES[b] CHROMIUM PICOLINATE MONOHYDRATE

Test Type: CHRONIC Route: DOSED FEED

Species/Strain: RATS/F 344

CAS Number: 27882-76-4

Time Report Reqsted: 08:39:18 First Dose M/F: 08/12/02 / 08/12/02 Lab: SRI

| FISCHER 344 RATS MALE | 0 PPM | 2000 PPM | 10000 PPM | 50000 PPM | |
|-----------------------------------------------|----------|----------|-----------|-----------|--|
| GENITAL SYSTEM | | | | | |
| Epididymis | (49) | (50) | (50) | (50) | |
| Granuloma Sperm | 1 [2.0] | | 1 [2.0] | | |
| Preputial Gland | (50) | (50) | (50) | (50) | |
| Atrophy | | | | 1 [4.0] | |
| Cyst | 4 [3.0] | 3 [3.0] | 3 [3.0] | 2 [3.0] | |
| Hyperplasia | 3 [2.7] | 1 [4.0] | | 2 [2.5] | |
| Inflammation, Chronic | 26 [2.3] | 35 [2.1] | 30 [2.0] | 25 [2.0] | |
| Prostate | (50) | (50) | (50) | (50) | |
| Cyst | ~ / | 1 [2.0] | 1 [3.0] | 1 [3.0] | |
| Inflammation, Chronic | 8 [2.5] | 12 [2.4] | 10 [2.3] | 11 [2.3] | |
| Epithelium, Hyperplasia | 4 [1.8] | 9 [1.2] | 11 [1.4] | 4 [1.5] | |
| Seminal Vesicle | (50) | (50) | (50) | (50) | |
| Inflammation, Chronic | 1 [2.0] | () | () | () | |
| Bilateral, Cyst | . [=] | | 1 [4.0] | | |
| Epithelium, Hyperplasia | | | 1 [1.0] | | |
| Testes | (50) | (50) | (50) | (50) | |
| Mineralization | 1 [4.0] | (00) | (00) | (00) | |
| Thrombosis, Focal | 1 [3.0] | | | | |
| Germinal Epithelium, Atrophy | 11 [3.5] | 9 [3.1] | 12 [3.1] | 11 [3.3] | |
| Interstitial Cell, Hyperplasia | [] | 3 [1.7] | 4 [2.3] | 5 [1.2] | |
| HEMATOPOIETIC SYSTEM | | | | | |
| Bone Marrow | (50) | (50) | (50) | (50) | |
| Depletion Cellular | | 1 [2.0] | | | |
| Myelofibrosis | 3 [1.7] | 1 [3.0] | | 3 [2.7] | |
| Lymph Node | (15) | (15) | (13) | (17) | |
| Hyperplasia, Lymphoid | | 1 [2.0] | | | |
| Mediastinal, Ectasia | | 2 [2.0] | 1 [3.0] | 1 [2.0] | |
| Mediastinal, Hemorrhage | 2 [2.5] | 2 [2.5] | 1 [3.0] | 1 [2.0] | |
| Mediastinal, Hyperplasia, Lymphoid | 1 [2.0] | | 1 [4.0] | 1 [2.0] | |
| Mediastinal, Pigmentation | 1 [3.0] | | | | |
| Pancreatic, Ectasia | 1 [2.0] | 1 [3.0] | 2 [3.0] | 4 [2.0] | |
| Pancreatic, Hemorrhage | 2 [2.5] | | 1 [2.0] | 1 [3.0] | |
| Pancreatic, Hyperplasia, Lymphoid | 1 [2.0] | | | 1 [2.0] | |
| Pancreatic, Infiltration Cellular, Histiocyte | | | | 1 [2.0] | |
| Renal, Ectasia | | 1 [3.0] | | | |
| | | | | | |

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/F 344

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Date Report Regsted: 03/16/2007

CHROMIUM PICOLINATE MONOHYDRATE

CAS Number: 27882-76-4

Time Report Regsted: 08:39:18 First Dose M/F: 08/12/02 / 08/12/02 Lab: SRI

| FISCHER 344 RATS MALE | 0 PPM | 2000 PPM | 10000 PPM | 50000 PPM | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-----------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------|--|
| Lymph Node, Mandibular | (2) | (0) | (1) | (2) | |
| Lymph Node, Mesenteric | (50) | (50) | (50) | (50) | |
| Atrophy | 1 [3.0] | | | | |
| Ectasia | 2 [3.5] | | 2 [3.0] | 5 [3.0] | |
| Hemorrhage | 1 [2.0] | 1 [2.0] | 4 10 01 | | |
| Hyperplasia, Reticulum Cell | 1 [4.0] | | 1 [2.0] | 1 [4.0] | |
| Spleen | (50) | (50) | (50) | (50) | |
| Fibrosis | 0 (0 0) | 4 [0.0] | 1 [4.0] | 1 [3.0] | |
| Hematopoietic Cell Proliferation | 3 [2.3] | 1 [2.0] | 2 [3.5] | 4 [2.8] | |
| Hemorrhage Metaplasia, Osseous | 1 [3.0] | | 1 [1.0] | | |
| Necrosis | 2 [3.0] | | 1[1.0] | | |
| Pigmentation | 2 [3.0] 26 [2.2] | 29 [2.3] | 28 [2.4] | 33 [2.2] | |
| Thrombosis | 20 [2.2] | 29 [2:0] | 20 [2.4] | 1 [1.0] | |
| Lymphoid Follicle, Hyperplasia | 20 [1.9] | 9 [1.9] | 8 [2.3] | 14 [1.6] | |
| Thymus | (48) | (45) | (48) | (48) | |
| Atrophy | 37 [3.0] | 40 [3.1] | 36 [3.2] | 35 [3.3] | |
| Hemorrhage | 01 [010] | 1 [2.0] | 00 [0.2] | 00 [0:0] | |
| INTEGUMENTARY SYSTEM Mammary Gland Cyst Hyperplasia Skin Cyst Epithelial Inclusion Hyperkeratosis Inflammation, Chronic Ulcer Epidermis, Hyperplasia Pinna, Ulcer | (49) 3 [3.0] 8 [1.6] (50) 2 [1.5] | (50) 1 [3.0] 13 [1.4] (50) 3 [4.0] 3 [3.3] | (50) 3 [3.0] 20 [1.9] (50) 1 3 [4.0] 1 [2.0] 1 [4.0] 3 [3.3] | (49) 6 [3.0] 9 [1.6] (50) 4 1 [4.0] 1 [3.0] 1 [4.0] | |
| MUSCULOSKELETAL SYSTEM Bone | (50) | (50) | (50) | (50) | |
| Osteopetrosis | (50) 2 [2.5] | (50) | (50) 1 [2.0] | (50) | |
| Skeletal Muscle Hemorrhage Necrosis | 2 [2.3] (2) 1 [4.0] 1 [3.0] | (1) | (0) | (3) | |

a - Number of animals examined microscopically at site and number of animals with lesion

TDMS No. 99027 - 03 Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/F 344

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a)

Date Report Regsted: 03/16/2007

WITH AVERAGE SEVERITY GRADES[b]

CHROMIUM PICOLINATE MONOHYDRATE

CAS Number: 27882-76-4

Time Report Reqsted: 08:39:18 First Dose M/F: 08/12/02 / 08/12/02 Lab: SRI

| FISCHER 344 RATS MALE | 0 PPM | 2000 PPM | 10000 PPM | 50000 PPM | |
|-------------------------------------------------------------------------------|----------|--------------------|-----------|---------------------|--|
| NERVOUS SYSTEM | | | | | |
| Brain | (50) | (50) | (50) | (50) | |
| Compression | 5 [2.4] | 4 [2.5] | 4 [3.0] | 5 [3.0] | |
| Edema, Focal | 0.14.01 | 0.14.19 | 5 (4 0) | 1 [1.0] | |
| Hemorrhage Metaplasia, Lipocyte, Focal | 6 [1.2] | 8 [1.4] | 5 [1.2] | 1 [1.0] 1 [2.0] | |
| Necrosis | 1 [2.0] | 2 [3.0] | 2 [3.0] | 1 [2.0] | |
| Thrombosis | . [2.0] | 1 [2.0] | 2 [0.0] | 1 [1.0] | |
| RESPIRATORY SYSTEM | | | | | |
| Lung | (50) | (50) | (50) | (50) | |
| Fibrosis | | 0 (0 0) | 0 [0 0] | 1 [2.0] | |
| Hemorrhage Infiltration Cellular, Eosinophil | 2 [1.5] | 3 [2.3] 1 [2.0] | 3 [2.3] | | |
| Infiltration Cellular, Histiocyte | 43 [1.0] | 47 [1.0] | 41 [1.0] | 43 [1.1] | |
| Inflammation, Chronic | | 1 [2.0] | 3 [1.7] | 2 [1.0] | |
| Metaplasia, Osseous | 5 [1.2] | 4 [1.0] | 3 [1.0] | 2 [2.0] | |
| Metaplasia, Squamous, Focal | | 1 [2.0] | | 40 [4 0] | |
| Alveolar Epithelium, Hyperplasia Alveolar Epithelium, Metaplasia, Squamous | 13 [1.5] | 11 [1.6] | 15 [1.7] | 19 [1.6] 1 [4.0] | |
| Nose | (50) | (50) | (50) | (50) | |
| Foreign Body | 12 [1.3] | 9 [1.6] | 6 [1.3] | 3 [2.0] | |
| Inflammation, Chronic | 11 [1.3] | 16 [1.9] | 11 [1.4] | 7 [1.9] | |
| Thrombosis | | | 1 [3.0] | | |
| Goblet Cell, Hyperplasia Respiratory Epithelium, Hyperplasia | 1 [1.0] | 1 [3.0] | 1 [2 0] | | |
| Respiratory Epithelium, Metaplasia, | | 2 [2.5] | 1 [2.0] | | |
| Squamous | | 2 [2:0] | | | |
| Trachea | (50) | (50) | (50) | (50) | |
| SPECIAL SENSES SYSTEM | | | | | |
| Ear | (1) | (0) | (0) | (0) | |
| Hemorrhage | 1 [2.0] | (*) | (*) | (*) | |
| External Ear, Inflammation, Acute | 1 [2.0] | | | | |
| Eye | (50) | (50) | (50) | (50) | |

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/F 344

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b] CHROMIUM PICOLINATE MONOHYDRATE

CAS Number: 27882-76-4

Date Report Reqsted: 03/16/2007

Time Report Reqsted: 08:39:18 First Dose M/F: 08/12/02 / 08/12/02 Lab: SRI

| FISCHER 344 RATS MALE | 0 PPM | 2000 PPM | 10000 PPM | 50000 PPM | |
|--------------------------------------------------|----------|----------|---------------------|-----------|--|
| Cataract | 1 [2.0] | 3 [2.7] | 3 [2.3] | 2 [1.0] | |
| Degeneration Pigmentation, Hemosiderin, Focal | | | 1 [3.0] | 1 [2.0] | |
| Retinal Detachment, Focal | | | | 1 [2.0] | |
| Retina, Degeneration | 1 [1.0] | 1 [4.0] | | . [=] | |
| Retina, Necrosis, Focal | | | | 1 [3.0] | |
| Harderian Gland | (50) | (50) | (50) | (50) | |
| Hyperplasia, Focal | | 1 [1.0] | | | |
| Zymbal's Gland | (0) | (1) | (0) | (0) | |
| IRINARY SYSTEM | | | | | |
| Kidney | (50) | (49) | (50) | (50) | |
| Cyst | 1 [3.0] | | | 1 [3.0] | |
| Infarct | | | 2 [2.0] | 1 [2.0] | |
| Inflammation, Suppurative | 1 [1.0] | 47 [4 7] | 47 [1 6] | 49 [4 5] | |
| Nephropathy Thrombosis | 50 [1.8] | 47 [1.7] | 47 [1.6] 1 [1.0] | 48 [1.5] | |
| Pelvis, Dilatation | | 2 [1.5] | 1 [1.0] | | |
| Renal Tubule, Hyperplasia | 3 [1.0] | =[] | 5 [1.0] | 3 [1.0] | |
| Renal Tubule, Necrosis | | 1 [1.0] | | | |
| Transitional Epithelium, Hyperplasia | 1 [1.0] | 3 [1.7] | 1 [2.0] | 1 [1.0] | |
| Urethra | (0) | (1) | (1) | (0) | |
| Angiectasis | | 1 [3.0] | 1 [2 0] | | |
| Bulbourethral Gland, Cyst Urinary Bladder | (50) | (50) | 1 [3.0] (50) | (50) | |
| Edema | 1 [2.0] | (30) | (30) | (50) | |
| Hemorrhage | 1 [2.0] | 1 [3.0] | | | |
| Inflammation, Chronic | 1 [2.0] | [0:0] | 1 [1.0] | 1 [2.0] | |

*** END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Date Report Regsted: 03/16/2007

CHROMIUM PICOLINATE MONOHYDRATE

Test Type: CHRONIC Route: DOSED FEED

Species/Strain: RATS/F 344

CAS Number: 27882-76-4

Time Report Reqsted: 08:39:18 First Dose M/F: 08/12/02 / 08/12/02 Lab: SRI

| FISCHER 344 RATS FEMALE | 0 PPM | 2000 PPM | 10000 PPM | 50000 PPM | |
|------------------------------------------------------------------|--------------------|--------------------|--------------------|--------------------|--|
| Disposition Summary | | | | | |
| Animals Initially in Study Early Deaths | 50 | 50 | 50 | 50 | |
| Moribund Sacrifice Natural Death | 11 3 | 13 2 | 11 3 | 8 2 | |
| Survivors Natural Death Terminal Sacrifice | 1 35 | 35 | 36 | 1 39 | |
| Animals Examined Microscopically | 50 | 50 | 50 | 50 | |
| ALIMENTARY SYSTEM | | | | | |
| Esophagus Infiltration Cellular, Lymphocyte | (50) | (50) | (50) | (50) 1 [3.0] | |
| Intestine Large, Colon | (47) | (48) | (50) | (48) | |
| Intestine Small, Ileum | (46) | (49) | (50) | (47) | |
| Necrosis, Lymphoid | () | () | 1 [1.0] | <i>i</i> = - 1 | |
| Liver Angiectasis | (50) | (50) | (50) | (50) 1 [1.0] | |
| Basophilic Focus | 41 [4.0] | 44 | 46 [1.0] | 44 | |
| Clear Cell Focus | 27 | 23 | 22 | 21 | |
| Degeneration, Cystic | | 1 [1.0] | | | |
| Eosinophilic Focus | | 1 | 1 | 1 | |
| Eosinophilic Focus, Multiple Hemorrhage | 1 [1.0] | 1 [1.0] | 1 [1.0] | | |
| Hepatodiaphragmatic Nodule | 8 [2.0] | 8 [2.0] | 8 [2.0] | 8 [2.0] | |
| Hypertrophy, Focal | 1 [2.0] | | | | |
| Infiltration Cellular, Lymphocyte | 0 [0 0] | 4 [2 0] | | 1 [2.0] | |
| Inflammation, Chronic Mixed Cell Focus | 3 [2.0] | 1 [2.0] 1 | 4 [2.5] 4 | 2 [1.5] 3 | |
| Necrosis, Focal | 2 [1.5] | I | 2 [1.5] | 3 [1.3] | |
| Thrombosis | 2 [3.0] | 1 [4.0] | | 1 [1.0] | |
| Bile Duct, Hyperplasia | 3 [2.3] | 6 [2.3] | 5 [2.0] | 2 [3.0] | |
| Centrilobular, Necrosis Hepatocyte, Vacuolization Cytoplasmic | 4 [2.8] 6 [3.3] | 1 [2.0] 3 [3.3] | 1 [2.0] 6 [2.3] | 1 [2.0] 5 [2.6] | |
| Mesentery | (11) | (6) | (7) | (13) | |
| Accessory Spleen | · · / | | 1 | 2 | |

a - Number of animals examined microscopically at site and number of animals with lesion

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b] CHROMIUM PICOLINATE MONOHYDRATE

CAS Number: 27882-76-4

Date Report Reqsted: 03/16/2007

Test Type: CHRONIC Route: DOSED FEED

Species/Strain: RATS/F 344

Time Report Reqsted: 08:39:18 First Dose M/F: 08/12/02 / 08/12/02 Lab: SRI

| FISCHER 344 RATS FEMALE | 0 PPM | 2000 PPM | 10000 PPM | 50000 PPM | |
|-----------------------------------|----------|------------------|-----------|-----------|--|
| Fibrosis | | | 1 [2.0] | | |
| Fat, Necrosis | 11 [3.0] | 6 [2.0] | 5 [2.8] | 12 [2.3] | |
| Oral Mucosa | (0) | (0) | (1) | (0) | |
| Pancreas | (49) | (50) | (50) | (50) | |
| Atrophy | 21 [1.5] | 27 [1.3] | 27 [1.6] | 26 [1.3] | |
| Metaplasia, Hepatocyte | | 1 [2.0] | | | |
| Necrosis | | | | 1 [3.0] | |
| Acinus, Hyperplasia, Focal | 1 [2.0] | | 1 [2.0] | 1 [2.0] | |
| Salivary Glands | (50) | (50) | (50) | (50) | |
| Atrophy | 11 [1.2] | 19 [1.1] | 19 [1.1] | 16 [1.1] | |
| Cyst | | 1 [3.0] | | | |
| Vacuolization Cytoplasmic | | | 1 [3.0] | | |
| Stomach, Forestomach | (49) | (50) | (50) | (50) | |
| Edema | 1 [2.0] | 1 [4.0] | | 1 [2.0] | |
| Erosion | | | | 1 [2.0] | |
| Inflammation, Acute | 1 [1.0] | | | | |
| Inflammation, Chronic Active | 1 [2.0] | | | | |
| Ulcer | 1 [2.0] | 2 [3.0] | 1 [4.0] | 2 [3.5] | |
| Epithelium, Hyperplasia | 2 [3.5] | 1 [2.0] | 1 [4.0] | 1 [2.0] | |
| Stomach, Glandular | (49) | (50) | (50) | (50) | |
| Edema | | 3 [2.3] | | | |
| Erosion | 2 [2.5] | 3 [1.3] | 1 [1.0] | 2 [1.0] | |
| Inflammation, Acute | | 1 [2.0] | | | |
| Ulcer | 1 [4.0] | 1 [3.0] | | (-) | |
| Tongue | (1) | (0) | (3) | (2) | |
| Hyperkeratosis | | | 1 [4.0] | | |
| Epithelium, Hyperplasia | 1 [2.0] | | 2 [3.0] | 2 [2.0] | |
| CARDIOVASCULAR SYSTEM | | | | | |
| Heart | (50) | (50) | (50) | (50) | |
| Cardiomyopathy | 44 [1.3] | (30) 44 [1.2] | 47 [1.2] | 46 [1.2] | |
| Inflammation, Chronic | 44 [1.5] | 44[1.2] | 1 [1.0] | 40[1.2] | |
| Thrombosis | 3 [2.3] | | 1 [1.0] | | |
| | 5 [2.5] | | | | |
| ENDOCRINE SYSTEM | | | | | |
| Adrenal Cortex | (50) | (50) | (50) | (50) | |
| Accessory Adrenal Cortical Nodule | 4 [1.3] | 10 [1.8] | 9 [1.8] | 9 [1.4] | |
| | + [1.0] | 10[1:0] | 5[1:0] | 5[1.7] | |

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/F 344

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CHROMIUM PICOLINATE MONOHYDRATE

CAS Number: 27882-76-4

Date Report Reqsted: 03/16/2007 Time Report Reqsted: 08:39:18

First Dose M/F: 08/12/02 / 08/12/02 Lab: SRI

| FISCHER 344 RATS FEMALE | 0 PPM | 2000 PPM | 10000 PPM | 50000 PPM | |
|---------------------------------------|----------|----------|-----------|-----------|--|
| Angiectasis | 1 [2.0] | 1 [3.0] | 2 [2.0] | | |
| Degeneration, Cystic | | 3 [2.3] | | | |
| Degeneration, Fatty | 6 [1.7] | 5 [2.2] | 2 [3.0] | 3 [2.0] | |
| Hematopoietic Cell Proliferation | | | 1 [1.0] | | |
| Hemorrhage | 1 [2.0] | 3 [1.7] | 1 [2.0] | | |
| Hyperplasia, Focal | 12 [2.0] | 20 [1.7] | 26 [1.8] | 24 [1.8] | |
| Hypertrophy | 2 [3.5] | 5 [1.8] | 3 [2.3] | 7 [2.0] | |
| Hypertrophy, Focal | | | 1 [1.0] | | |
| Necrosis | 2 [2.0] | | 1 [1.0] | 1 [1.0] | |
| Vacuolization Cytoplasmic | 1 [4.0] | 2 [3.0] | | 1 [2.0] | |
| Adrenal Medulla | (50) | (49) | (50) | (50) | |
| Hyperplasia | | 4 [1.5] | × / | 1 [2.0] | |
| Islets, Pancreatic | (49) | (50) | (50) | (50) | |
| Angiectasis, Focal | | 1 [1.0] | | (), | |
| Hyperplasia | 1 [1.0] | 2 [2.0] | 3 [3.0] | 1 [2.0] | |
| Parathyroid Gland | (48) | (49) | (48) | (43) | |
| Pituitary Gland | (49) | (50) | (50) | (50) | |
| Hemorrhage | | | 1 [1.0] | 1 [3.0] | |
| Pars Distalis, Angiectasis | 1 [3.0] | 1 [2.0] | 3 [3.0] | 1 [3.0] | |
| Pars Distalis, Cyst | 11 [3.0] | 8 [3.0] | 9 [3.0] | 11 [3.0] | |
| Pars Distalis, Hyperplasia, Focal | 15 [2.2] | 7 [2.7] | 9 [2.9] | 12 [2.6] | |
| Pars Distalis, Infiltration Cellular, | | 1 [2.0] | | | |
| Mononuclear Cell | | | | | |
| Pars Distalis, Pigmentation | | 1 [1.0] | | | |
| Pars Intermedia, Angiectasis | 1 [2.0] | | 1 [2.0] | | |
| Pars Intermedia, Cyst | 1 [3.0] | | 2 [3.0] | 1 [3.0] | |
| Rathke's Cleft, Hemorrhage | 1 [2.0] | | 1 [3.0] | | |
| Thyroid Gland | (49) | (50) | (50) | (50) | |
| Ultimobranchial Cyst | 1 [2.0] | 5 [3.0] | | (), | |
| C-cell, Hyperplasia | 25 [1.7] | 29 [1.5] | 24 [1.3] | 21 [1.1] | |
| ENERAL BODY SYSTEM | | | | | |
| None | | | | | |
| ENITAL SYSTEM | | | | | |
| | | | | | |
| Clitoral Gland | (50) | (50) | (50) | (50) | |
| Cyst | 2 [3.0] | 5 [3.0] | 2 [3.0] | 5 [3.0] | |

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/F 344

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b] CHROMIUM PICOLINATE MONOHYDRATE

CAS Number: 27882-76-4

Date Report Reqsted: 03/16/2007

Time Report Reqsted: 08:39:18 First Dose M/F: 08/12/02 / 08/12/02 Lab: SRI

| FISCHER 344 RATS FEMALE | 0 PPM | 2000 PPM | 10000 PPM | 50000 PPM | |
|-------------------------------------------------|----------|----------|-----------------|-----------|--|
| Hyperplasia | 8 [2.4] | 10 [2.6] | 11 [2.6] | 4 [2.3] | |
| Inflammation, Chronic | 4 [2.3] | 5 [2.0] | 3 [2.7] | 3 [1.7] | |
| Ovary | (50) | (50) | (50) | (50) | |
| Cyst | 8 [3.0] | 5 [3.0] | 6 [3.0] | 7 [3.0] | |
| Uterus | (50) | (50) | (50) | (50) | |
| Angiectasis | | | | 1 [3.0] | |
| Hemorrhage | 1 [4.0] | | | | |
| Hyperplasia, Cystic | 17 [2.1] | 30 [1.7] | 24 [1.6] | 19 [1.9] | |
| Inflammation, Suppurative | 1 [2.0] | 1 [3.0] | | 1 [3.0] | |
| Inflammation, Chronic | | 1 [1.0] | 1 [2.0] | | |
| Cervix, Hemorrhage | 1 [2.0] | | | | |
| Vagina | (5) | (6) | (1) | (3) | |
| Inflammation | | | | 1 [2.0] | |
| EMATOPOIETIC SYSTEM | | | | | |
| Bone Marrow | (50) | (50) | (50) | (50) | |
| Infiltration Cellular, Histiocyte | | 1 [4.0] | | | |
| Myelofibrosis | 2 [3.5] | 3 [1.3] | 1 [1.0] | | |
| Lymph Node | (9) | (10) | (11) | (7) | |
| Deep Cervical, Ectasia | 1 [2.0] | | | | |
| Deep Cervical, Hemorrhage | 1 [2.0] | | | | |
| Deep Cervical, Hyperplasia, Lymphoid | 1 [2.0] | | | | |
| Mediastinal, Ectasia | 3 [2.0] | 2 [2.5] | 1 [4.0] | 1 [2.0] | |
| Mediastinal, Hemorrhage | 2 [2.0] | 2 [3.0] | 3 [2.0] | | |
| Mediastinal, Hyperplasia | 4 [0 0] | | | 1 [2.0] | |
| Mediastinal, Hyperplasia, Lymphoid | 1 [2.0] | | 2 [2.5] | 1 [2.0] | |
| Mediastinal, Pigmentation | 2 [2.0] | 0.10.01 | | | |
| Mediastinal, Pigmentation, Hemosiderin | | 2 [2.0] | 4 [2 0] | | |
| Pancreatic, Ectasia | | 4 [4 0] | 1 [3.0] | 4 [2 0] | |
| Pancreatic, Hemorrhage | | 1 [1.0] | 1 [2.0] | 1 [2.0] | |
| Pancreatic, Hyperplasia, Lymphoid | | | 1 [2.0] | 1 [4.0] | |
| Pancreatic, Pigmentation | (1) | (2) | (1) | 1 [2.0] | |
| Lymph Node, Mandibular Ectasia | (1) | (3) | (1) | (0) | |
| | 1 [1.0] | 1 [2.0] | 1 [2.0] | | |
| Hyperplasia, Lymphoid Lymph Node, Mesenteric | 1 [2.0] | (50) | (50) | (50) | |
| Ectasia | (50) | (50) | (50) 1 [3.0] | (50) | |
| Hemorrhage | 1 [1.0] | | 1 [3.0] | | |
| Hyperplasia, Reticulum Cell | 1[1.0] | | 1 [2.0] | | |
| riyperplasia, rielloululti Cell | | | 1 [2.0] | | |

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/F 344

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Date Report Regsted: 03/16/2007

CHROMIUM PICOLINATE MONOHYDRATE

CAS Number: 27882-76-4

Time Report Reqsted: 08:39:18 First Dose M/F: 08/12/02 / 08/12/02 Lab: SRI

| FISCHER 344 RATS FEMALE | 0 PPM | 2000 PPM | 10000 PPM | 50000 PPM | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-----------------------------------------------------|----------------------------------------------------------------|--------------------------------------------------------------------------------------------|--|
| Pigmentation, Hemosiderin Spleen Fibrosis Hematopoietic Cell Proliferation Hemorrhage Hyperplasia, Lymphoid, Focal Infarct | 1 [2.0] (50) 4 [2.5] | 1 [2.0] (50) 2 [3.0] 5 [1.8] | (50) 1 [1.0] 1 [1.0] 1 [3.0] 1 [4.0] | (49) 2 [3.5] 1 [3.0] 1 [4.0] | |
| Pigmentation Thrombosis | 40 [2.8] | 43 [2.8] | 44 [2.9] | 44 [3.1] 1 [2.0] | |
| Lymphoid Follicle, Hyperplasia Thymus Atrophy Cyst | 7 [1.7] (46) 37 [3.1] | 5 [1.8] (48) 37 [3.2] | 7 [1.7] (49) 45 [3.2] 1 [3.0] | 6 [2.0] (48) 45 [3.2] | |
| INTEGUMENTARY SYSTEM | | | | | |
| Mammary Gland Cyst Hyperplasia Skin Cyst Epithelial Inclusion Fibrosis Hyperkeratosis Inflammation, Chronic Ulcer Epidermis, Hyperplasia Sebaceous Gland, Hyperplasia | (50) 8 [3.0] 37 [3.0] (50) | (49) 2 [3.0] 38 [2.8] (50) 1 2 [3.0] | (50) 33 [2.6] (50) 3 1 [4.0] 2 [1.5] 1 [3.0] | (50) 1 [3.0] 42 [2.7] (50) 2 [3.5] 2 [1.0] 1 [3.0] 1 [2.0] 1 [2.0] | |
| MUSCULOSKELETAL SYSTEM | | | | | |
| Bone Osteopetrosis | (50) | (50) 1 [1.0] | (50) | (50) | |
| NERVOUS SYSTEM | | | | | |
| Brain Compression Gliosis | (50) 9 [3.6] 1 [2.0] | (50) 10 [3.4] | (50) 11 [3.1] | (50) 13 [3.5] | |
| Hemorrhage | 2 [1.0] | 1 [1.0] | 2 [1.5] | 3 [1.3] | |

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/F 344

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CHROMIUM PICOLINATE MONOHYDRATE

CAS Number: 27882-76-4

Time Report Reqsted: 08:39:18

First Dose M/F: 08/12/02 / 08/12/02 Lab: SRI

Date Report Regsted: 03/16/2007

| | 0 PPM | 2000 PPM | 10000 PPM | 50000 PPM | |
|------------------------------------------------------------|-----------------|----------|-----------------|---------------------|--|
| Spinal Cord | (2) | (4) | (3) | (1) | |
| RESPIRATORY SYSTEM | | | | | |
| Lung | (50) | (50) | (50) | (50) | |
| Congestion | | | | 1 [2.0] | |
| Foreign Body | 0 [0 0] | 4 [2 0] | 4 [0 0] | 2 [2.0] | |
| Hemorrhage | 3 [2.0] | 1 [2.0] | 1 [2.0] | 4 [1.8] | |
| Hyperplasia, Lymphoid Infiltration Cellular, Histiocyte | 49 [1.1] | 47 [1.1] | 47 [1.1] | 1 [2.0] 46 [1.0] | |
| Inflammation, Chronic | 2 [1.5] | 4 [1.3] | 3 [1.3] | 8 [1.4] | |
| Metaplasia, Osseous | 2 [1.0] | 2 [1.0] | 1 [2.0] | 0[1.4] | |
| Metaplasia, Squamous | 2[1:0] | 1 [2.0] | 1 [2.0] | | |
| Necrosis | 1 [3.0] | . [=.0] | | | |
| Thrombosis | 1 [3.0] | | | 1 [1.0] | |
| Alveolar Epithelium, Hyperplasia | 6 [1.3] | 5 [1.2] | 6 [1.3] | 4 [2.0] | |
| Alveolar Epithelium, Metaplasia, Squamous | | 1 [2.0] | | | |
| Serosa, Hyperplasia | 1 [2.0] | | | | |
| Nose | (50) | (50) | (50) | (50) | |
| Foreign Body | | 1 [1.0] | | 1 [2.0] | |
| Inflammation, Chronic | 5 [1.6] | 4 [1.5] | 3 [1.7] | 3 [2.3] | |
| Nasolacrimal Duct, Cyst | | | 4.54.61 | 1 [3.0] | |
| Turbinate, Dysplasia | | | 1 [4.0] | | |
| SPECIAL SENSES SYSTEM | | | | | |
| Eye | (47) | (49) | (50) | (50) | |
| Cataract | 2 [2.5] | 2 [3.0] | 1 [4.0] | 2 [3.0] | |
| Edema | 1 [2.0] | | | | |
| Hemorrhage | | 1 [2.0] | | | |
| Inflammation, Chronic | | | | 1 [2.0] | |
| Retinal Detachment | 1 [2.0] | | | | |
| Bilateral, Retinal Detachment | | 1 [2.0] | | 4 [4 0] | |
| Cornea, Hyperplasia Retina, Degeneration | 1 [4 0] | 2 [2 0] | 1 [4 0] | 1 [1.0] | |
| Harderian Gland | 1 [4.0] (50) | 2 [3.0] | 1 [4.0] (50) | 1 [4.0] | |
| Hyperplasia, Focal | (50) | (50) | (50) 1 [1.0] | (50) | |
| Zymbal's Gland | (1) | (0) | (0) | (0) | |

a - Number of animals examined microscopically at site and number of animals with lesion

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Date Report Regsted: 03/16/2007

CHROMIUM PICOLINATE MONOHYDRATE

Test Type: CHRONIC Route: DOSED FEED

Species/Strain: RATS/F 344

CAS Number: 27882-76-4

Time Report Regsted: 08:39:18 First Dose M/F: 08/12/02 / 08/12/02 Lab: SRI

| FISCHER 344 RATS FEMALE | 0 PPM | 2000 PPM | 10000 PPM | 50000 PPM | |
|------------------------------------------------|----------|----------|-----------|-----------|--|
| URINARY SYSTEM | | | | | |
| Kidney | (47) | (50) | (50) | (50) | |
| Cyst | | 1 [3.0] | | | |
| Infarct, Chronic | | | 1 [2.0] | 4 70 01 | |
| Infiltration Cellular, Lymphocyte | 40 [4 0] | | | 1 [2.0] | |
| Nephropathy | 46 [1.3] | 47 [1.3] | 48 [1.2] | 50 [1.2] | |
| Thrombosis | 1 [2.0] | 1 [1.0] | | | |
| Papilla, Inflammation, Suppurative | | | 1 [2.0] | | |
| Renal Tubule, Hyperplasia | 1 [1.0] | | 1 [2.0] | 2 [1.0] | |
| Transitional Epithelium, Hyperplasia | | | 1 [1.0] | | |
| Transitional Epithelium, Mineralization, Focal | | 1 [2.0] | | | |
| Urinary Bladder | (50) | (50) | (49) | (50) | |
| Edema | | | 1 [3.0] | 1 [3.0] | |
| Hyperplasia, Lymphoid | | 1 [1.0] | | | |

*** END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion