

## Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2004 period data

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-				
	Births	Infant								
<b>All races</b>										
<b>All birthweights</b>										
All causes .....	4,112,055 677.52	27,860 452.38	18,602 360.79	14,836 91.58	3,766 22.20	9,258 39.23				
Congenital malformations (Q00-Q99).....	5,636 137.06	4,023 97.83	3,110 75.63	913 22.20	1,613 39.23					
Short gestation and low birthweight nec (P07).....	4,610 112.11	4,493 109.26	4,369 106.25	124 3.02	117 2.85					
Sudden infant death syndrome (R95).....	2,247 54.64	216 5.25	38 0.92	177 4.30	2,031 49.39					
Maternal complications of pregnancy (P01).....	1,706 41.49	1,692 41.15	1,669 40.59	23 0.56	14 *					
Accidents (unintentional injuries) (V01-X59).....	1,054 25.63	115 2.80	25 0.61	90 2.19	939 22.84					
Complications of placenta, cord, membranes (P02).....	1,032 25.10	1,022 24.85	986 23.98	36 0.88	10 *					
Respiratory distress of newborn (P22).....	878 21.35	820 19.94	628 15.27	192 4.67	57 1.39					
Bacterial sepsis of newborn (P36).....	830 20.18	783 19.04	317 7.71	466 11.33	47 1.14					
Neonatal hemorrhage (P50-P52, P54).....	619 15.05	602 14.64	400 9.73	202 4.91	17 *					
Diseases of the circulatory system (I00-I99).....	591 14.37	197 4.79	109 2.65	88 2.14	394 9.58					
All other causes.....	8,657 210.53	4,639 112.81	3,185 77.46	1,454 35.36	4,018 97.71					
<b>Less than 2,500 grams</b>										
All causes .....	333,427 5,763.78	19,218 4,673.29	15,582 3,907.30	13,028 765.98	2,554 1,090.79					
Congenital malformations (Q00-Q99).....	3,426 1,027.51	2,728 818.17	2,279 683.51	450 134.96	697 209.04					
Short gestation and low birthweight nec (P07).....	4,501 1,349.92	4,391 1,316.93	4,270 1,280.64	121 36.29	110 32.99					
Sudden infant death syndrome (R95).....	490 146.96	53 15.90	8 *	45 13.50	436 130.76					
Maternal complications of pregnancy (P01).....	1,666 499.66	1,652 495.46	1,631 489.16	21 6.30	14 *					
Accidents (unintentional injuries) (V01-X59).....	171 51.29	30 9.00	12 *	18 *	141 42.29					
Complications of placenta, cord, membranes (P02).....	927 278.02	920 275.92	896 268.72	24 7.20	7 *					
Respiratory distress of newborn (P22).....	850 254.93	799 239.63	611 183.25	188 56.38	51 15.30					
Bacterial sepsis of newborn (P36).....	756 226.74	711 213.24	282 84.58	429 128.66	44 13.20					
Neonatal hemorrhage (P50-P52, P54).....	568 170.35	555 166.45	369 110.67	185 55.48	13 *					

See footnotes at end of table.

## Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2004 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
<b>All races</b>						
Diseases of the circulatory system (I00-I99).....	316 94.77	112 33.59	66 19.79	46 13.80	204 61.18	
All other causes.....	5,548 1,663.93	3,630 1,088.69	2,604 780.98	1,026 307.71	1,918 575.24	
<b>2,500 grams or more</b>						
All causes .....	3,778,051 225.72	8,528 77.18	2,916 45.16	1,706 32.03	1,210 148.54	
Congenital malformations (Q00-Q99).....	2,205 58.36	1,290 34.14	827 21.89	463 12.25	915 24.22	
Short gestation and low birthweight nec (P07).....	46 1.22	41 1.09	38 1.01	3 *	5 *	
Sudden infant death syndrome (R95).....	1,756 46.48	162 4.29	30 0.79	132 3.49	1,594 42.19	
Maternal complications of pregnancy (P01).....	30 0.79	30 0.79	28 0.74	2 *	- -	
Accidents (unintentional injuries) (V01-X59).....	882 23.35	85 2.25	13 *	71 1.88	798 21.12	
Complications of placenta, cord, membranes (P02).....	96 2.54	93 2.46	81 2.14	12 *	3 *	
Respiratory distress of newborn (P22).....	27 0.71	21 0.56	17 *	4 *	6 *	
Bacterial sepsis of newborn (P36).....	74 1.96	71 1.88	33 0.87	37 0.98	3 *	
Neonatal hemorrhage (P50-P52, P54).....	52 1.38	48 1.27	30 0.79	17 *	4 *	
Diseases of the circulatory system (I00-I99).....	275 7.28	85 2.25	43 1.14	42 1.11	190 5.03	
All other causes.....	3,086 81.68	991 26.23	565 14.95	426 11.28	2,094 55.43	
<b>Not stated birthweight</b>						
All causes .....	577 19,584.06	113 18,024.26	104 17,677.64	102 *	2 *	9 *
Congenital malformations (Q00-Q99).....	5 *	4 *	4 *	- -	- -	1 *
Short gestation and low birthweight nec (P07).....	63 10,918.54	61 10,571.92	61 10,571.92	- -	- -	2 *
Sudden infant death syndrome (R95).....	1 *	- -	- -	- -	- -	1 *
Maternal complications of pregnancy (P01).....	11 *	11 *	11 *	- -	- -	- -
Accidents (unintentional injuries) (V01-X59).....	- -	- -	- -	- -	- -	- -
Complications of placenta, cord, membranes (P02).....	9 *	9 *	9 *	- -	- -	- -
Respiratory distress of newborn (P22).....	- -	- -	- -	- -	- -	- -

See footnotes at end of table.

## Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2004 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
<b>All races</b>						
Bacterial sepsis of newborn (P36).....	1 *	1 *	1 *	-	-	-
Neonatal hemorrhage (P50-P52, P54).....	-	-	-	-	-	-
-	-	-	-	-	-	-
Diseases of the circulatory system (I00-I99).....	-	-	-	-	-	-
-	-	-	-	-	-	-
All other causes.....	23 3,986.14	18 *	16 *	2 *	2 *	5 *
<b>White</b>						
<b>All birthweights</b>						
All causes .....	3,222,929 566.47	18,257 377.86	12,178 300.16	9,674 77.69	2,504 21.01	6,080 188.65
Congenital malformations (Q00-Q99).....	4,291 133.14	3,130 97.12	2,453 76.11	677 21.01	1,161 36.02	
Short gestation and low birthweight nec (P07).....	2,617 81.20	2,557 79.34	2,495 77.41	62 1.92	61 1.89	
Sudden infant death syndrome (R95).....	1,500 46.54	152 4.72	29 0.90	123 3.82	1,348 41.83	
Maternal complications of pregnancy (P01).....	1,003 31.12	995 30.87	981 30.44	13 *	8 *	
Accidents (unintentional injuries) (V01-X59).....	726 22.53	89 2.76	20 0.62	68 2.11	637 19.76	
Complications of placenta, cord, membranes (P02).....	682 21.16	677 21.01	654 20.29	23 0.71	5 *	
Respiratory distress of newborn (P22).....	561 17.41	527 16.35	414 12.85	113 3.51	34 1.05	
Bacterial sepsis of newborn (P36).....	510 15.82	481 14.92	199 6.17	282 8.75	29 0.90	
Neonatal hemorrhage (P50-P52, P54).....	410 12.72	398 12.35	263 8.16	135 4.19	12 *	
Diseases of the circulatory system (I00-I99).....	390 12.10	144 4.47	80 2.48	64 1.99	247 7.66	
All other causes.....	5,567 172.73	3,029 93.98	2,085 64.69	944 29.29	2,538 78.75	
<b>Less than 2,500 grams</b>						
All causes .....	228,756 5,231.78	11,968 4,318.58	9,879 3,617.83	8,276 700.75	1,603 913.20	
Congenital malformations (Q00-Q99).....	2,604 1,138.33	2,128 930.25	1,799 786.43	329 143.82	476 208.08	
Short gestation and low birthweight nec (P07).....	2,545 1,112.54	2,490 1,088.50	2,432 1,063.14	59 25.79	55 24.04	
Sudden infant death syndrome (R95).....	289 126.34	32 13.99	5 *	27 11.80	257 112.35	
Maternal complications of pregnancy (P01).....	970 424.03	962 420.54	950 415.29	12 *	8 *	

See footnotes at end of table.

## Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2004 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
<b>White</b>						
Accidents (unintentional injuries) (V01-X59).....	94 41.09	21 9.18	9 *	12 *	73 31.91	
Complications of placenta, cord, membranes (P02).....	592 258.79	588 257.04	573 250.49	15 *	4 *	
Respiratory distress of newborn (P22).....	535 233.87	507 221.63	397 173.55	110 48.09	28 12.24	
Bacterial sepsis of newborn (P36).....	451 197.15	423 184.91	170 74.31	253 110.60	27 11.80	
Neonatal hemorrhage (P50-P52, P54).....	373 163.06	365 159.56	241 105.35	124 54.21	8 *	
Diseases of the circulatory system (I00-I99).....	189 82.62	82 35.85	53 23.17	29 12.68	107 46.77	
All other causes.....	3,326 1,453.95	2,281 997.13	1,648 720.42	633 276.71	1,046 457.26	
<b>2,500 grams or more</b>						
All causes .....	2,993,755 207.53	2,230 74.49	1,330 44.43	900 30.06	3,983 133.04	
Congenital malformations (Q00-Q99).....	1,683 56.22	999 33.37	651 21.75	348 11.62	684 22.85	
Short gestation and low birthweight nec (P07).....	34 1.14	30 1.00	27 0.90	3 *	4 *	
Sudden infant death syndrome (R95).....	1,210 40.42	120 4.01	24 0.80	96 3.21	1,090 36.41	
Maternal complications of pregnancy (P01).....	24 0.80	24 0.80	23 0.77	1 *	- -	
Accidents (unintentional injuries) (V01-X59).....	632 21.11	67 2.24	11 *	56 1.87	565 18.87	
Complications of placenta, cord, membranes (P02).....	83 2.77	82 2.74	74 2.47	8 *	1 *	
Respiratory distress of newborn (P22).....	26 0.87	20 0.67	17 *	3 *	6 *	
Bacterial sepsis of newborn (P36).....	59 1.97	57 1.90	27 0.90	29 0.97	2 *	
Neonatal hemorrhage (P50-P52, P54).....	37 1.24	33 1.10	22 0.73	11 *	4 *	
Diseases of the circulatory system (I00-I99).....	201 6.71	62 2.07	27 0.90	35 1.17	139 4.64	
All other causes.....	2,223 74.25	736 24.58	426 14.23	310 10.35	1,487 49.67	
<b>Not stated birthweight</b>						
All causes .....	418 18,421.05	77 16,507.18	69 16,267.94	68 1*	1 *	8 *
Congenital malformations (Q00-Q99).....	4 *	3 *	3 *	- -	- -	1 *
Short gestation and low birthweight nec (P07).....	39 9,330.14	37 8,851.67	37 8,851.67	- -	- -	2 *

See footnotes at end of table.

## Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2004 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant				
<b>White</b>						
Sudden infant death syndrome (R95).....	-	-	-	-	-	-
	-	-	-	-	-	-
Maternal complications of pregnancy (P01).....	9 *	9 *	9 *	-	-	-
Accidents (unintentional injuries) (V01-X59).....	-	-	-	-	-	-
	-	-	-	-	-	-
Complications of placenta, cord, membranes (P02).....	7 *	7 *	7 *	-	-	-
Respiratory distress of newborn (P22).....	-	-	-	-	-	-
	-	-	-	-	-	-
Bacterial sepsis of newborn (P36).....	1 *	1 *	1 *	-	-	-
Neonatal hemorrhage (P50-P52, P54).....	-	-	-	-	-	-
	-	-	-	-	-	-
Diseases of the circulatory system (I00-I99).....	-	-	-	-	-	-
	-	-	-	-	-	-
All other causes.....	17 *	12 *	11 *	1 *	5 *	
<b>Black</b>						
All birthweights						
All causes .....	616,076	8,162	5,505	4,413	1,092	2,657
		1,324.84	893.56	716.31	177.25	431.28
Congenital malformations (Q00-Q99).....	1,018 165.24	669 108.59	478 77.59	191 31.00	349 56.65	
Short gestation and low birthweight nec (P07).....	1,790 290.55	1,740 282.43	1,685 273.51	55 8.93	49 7.95	
Sudden infant death syndrome (R95).....	648 105.18	59 9.58	9 *	50 8.12	588 95.44	
Maternal complications of pregnancy (P01).....	623 101.12	617 100.15	608 98.69	9 *	6 *	
Accidents (unintentional injuries) (V01-X59).....	280 45.45	23 3.73	4 *	19 *	257 41.72	
Complications of placenta, cord, membranes (P02).....	302 49.02	297 48.21	284 46.10	13 *	5 *	
Respiratory distress of newborn (P22).....	289 46.91	267 43.34	195 31.65	72 11.69	22 3.57	
Bacterial sepsis of newborn (P36).....	279 45.29	265 43.01	98 15.91	167 27.11	14 *	
Neonatal hemorrhage (P50-P52, P54).....	164 26.62	162 26.30	108 17.53	54 8.77	2 *	
Diseases of the circulatory system (I00-I99).....	155 25.16	44 7.14	23 3.73	21 3.41	111 18.02	
All other causes.....	2,614 424.30	1,361 220.91	921 149.49	440 71.42	1,254 203.55	
Less than 2,500 grams						
All causes .....	83,252	6,291	4,941	4,107	834	1,350
		7,556.58	5,934.99	4,933.21	1,001.78	1,621.58

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2004 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
<b>Black</b>						
Congenital malformations (Q00-Q99).....	624 749.53	451 541.73	355 426.42	95 114.11	173 207.80	
Short gestation and low birthweight nec (P07).....	1,757 2,110.46	1,709 2,052.80	1,654 1,986.74	55 66.06	48 57.66	
Sudden infant death syndrome (R95).....	189 227.02	21 25.22	3 *	18 *	168 201.80	
Maternal complications of pregnancy (P01).....	615 738.72	609 731.51	601 721.90	8 *	6 *	
Accidents (unintentional injuries) (V01-X59).....	72 86.48	8 *	2 *	6 *	64 76.88	
Complications of placenta, cord, membranes (P02).....	287 344.74	284 341.13	275 330.32	9 *	3 *	
Respiratory distress of newborn (P22).....	288 345.94	266 319.51	195 234.23	71 85.28	22 26.43	
Bacterial sepsis of newborn (P36).....	267 320.71	253 303.90	94 112.91	159 190.99	14 *	
Neonatal hemorrhage (P50-P52, P54).....	157 188.58	155 186.18	105 126.12	50 60.06	2 *	
Diseases of the circulatory system (I00-I99).....	102 122.52	25 30.03	10 *	15 *	77 92.49	
All other causes.....	1,933 2,321.87	1,160 1,393.36	814 977.75	346 415.61	773 928.51	
<b>2,500 grams or more</b>						
All causes .....	532,699 345.22	1,839 99.87	532 51.62	275 48.24	257 245.17	1,306
Congenital malformations (Q00-Q99).....	393 73.78	217 40.74	122 22.90	95 17.83	175 32.85	
Short gestation and low birthweight nec (P07).....	11 *	10 *	10 *	- -	1 *	
Sudden infant death syndrome (R95).....	458 85.98	38 7.13	6 *	32 6.01	419 78.66	
Maternal complications of pregnancy (P01).....	6 *	6 *	5 *	1 *	- -	
Accidents (unintentional injuries) (V01-X59).....	209 39.23	15 *	2 *	13 *	194 36.42	
Complications of placenta, cord, membranes (P02).....	13 *	11 *	7 *	4 *	2 *	
Respiratory distress of newborn (P22).....	1 *	1 *	- -	1 *	- -	
Bacterial sepsis of newborn (P36).....	12 *	12 *	4 *	8 *	- -	
Neonatal hemorrhage (P50-P52, P54).....	7 *	7 *	3 *	4 *	- -	
Diseases of the circulatory system (I00-I99).....	53 9.95	19 *	13 *	6 *	34 6.38	
All other causes.....	676 126.90	195 36.61	103 19.34	92 17.27	481 90.29	

See footnotes at end of table.

## Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2004 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-				
	Births	Infant								
<b>Black</b>										
Not stated birthweight										
All causes .....	125	32	31	30	1	1				
		25,600.00	24,800.00	24,000.00	*	*				
Congenital malformations (Q00-Q99).....		1	1	1	-	-				
		*	*	*	-	-				
Short gestation and low birthweight nec (P07).....		21	21	21	-	-				
		16,800.00	16,800.00	16,800.00	-	-				
Sudden infant death syndrome (R95).....		1	-	-	-	1				
		*	-	-	-	*				
Maternal complications of pregnancy (P01).....		2	2	2	-	-				
		*	*	*	-	-				
Accidents (unintentional injuries) (V01-X59).....		-	-	-	-	-				
		-	-	-	-	-				
Complications of placenta, cord, membranes (P02).....		2	2	2	-	-				
		*	*	*	-	-				
Respiratory distress of newborn (P22).....		-	-	-	-	-				
		-	-	-	-	-				
Bacterial sepsis of newborn (P36).....		-	-	-	-	-				
		-	-	-	-	-				
Neonatal hemorrhage (P50-P52, P54).....		-	-	-	-	-				
		-	-	-	-	-				
Diseases of the circulatory system (I00-I99).....		-	-	-	-	-				
		-	-	-	-	-				
All other causes.....	5	5	4	1	-	-				
	*	*	*	*	-	-				
<b>American Indian<sup>1</sup></b>										
All birthweights										
All causes .....	43,927	371	187	149	38	184				
		844.58	425.71	339.20	86.51	418.88				
Congenital malformations (Q00-Q99).....		89	57	47	10	31				
		202.61	129.76	107.00	*	70.57				
Short gestation and low birthweight nec (P07).....		29	28	25	3	1				
		66.02	63.74	56.91	*	*				
Sudden infant death syndrome (R95).....		44	2	-	2	42				
		100.17	*	-	*	95.61				
Maternal complications of pregnancy (P01).....		12	12	12	-	-				
		*	*	*	-	-				
Accidents (unintentional injuries) (V01-X59).....		21	1	-	1	20				
		47.81	*	-	*	45.53				
Complications of placenta, cord, membranes (P02).....		14	14	14	-	-				
		*	*	*	-	-				
Respiratory distress of newborn (P22).....		7	7	6	1	-				
		*	*	*	*	-				
Bacterial sepsis of newborn (P36).....		8	8	3	5	-				
		*	*	*	*	-				

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2004 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
<b>American Indian<sup>1</sup></b>						
Neonatal hemorrhage (P50-P52, P54).....	8 *	8 *	6 *	2 *	-	-
Diseases of the circulatory system (I00-I99).....	8 *	1 *	-	1 *	7 *	
All other causes.....	130 295.95	48 109.27	35 79.68	13 *	82 186.67	
Less than 2,500 grams						
All causes .....	3,295 5,857.36	193 4,522.00	149 3,823.98	126 667.68	22 1,335.36	44
Congenital malformations (Q00-Q99).....	49 1,487.10	40 1,213.96	36 1,092.56	4 *	9 *	
Short gestation and low birthweight nec (P07).....	28 849.77	27 819.42	24 728.38	3 *	1 *	
Sudden infant death syndrome (R95).....	6 *	-	-	-	6 *	
Maternal complications of pregnancy (P01).....	12 *	12 *	12 *	-	-	-
Accidents (unintentional injuries) (V01-X59).....	4 *	-	-	-	4 *	
Complications of placenta, cord, membranes (P02).....	14 *	14 *	14 *	-	-	-
Respiratory distress of newborn (P22).....	7 *	7 *	6 *	1 *	-	-
Bacterial sepsis of newborn (P36).....	8 *	8 *	3 *	5 *	-	-
Neonatal hemorrhage (P50-P52, P54).....	8 *	8 *	6 *	2 *	-	-
Diseases of the circulatory system (I00-I99).....	5 *	1 *	-	1 *	4 *	
All other causes.....	51 1,547.80	31 940.82	25 758.73	6 *	20 606.98	
2,500 grams or more						
All causes .....	40,622 438.19	178 93.55	38 54.16	22 *	16 342.18	139
Congenital malformations (Q00-Q99).....	39 96.01	17 *	11 *	6 *	22 54.16	
Short gestation and low birthweight nec (P07).....	1 *	1 *	1 *	-	-	-
Sudden infant death syndrome (R95).....	38 93.55	2 *	-	2 *	36 88.62	
Maternal complications of pregnancy (P01).....	-	-	-	-	-	-
Accidents (unintentional injuries) (V01-X59).....	17 *	1 *	-	1 *	16 *	
Complications of placenta, cord, membranes (P02).....	-	-	-	-	-	-

See footnotes at end of table.

## Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2004 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant				
<b>American Indian<sup>1</sup></b>						
Respiratory distress of newborn (P22).....	-	-	-	-	-	-
	-	-	-	-	-	-
Bacterial sepsis of newborn (P36).....	-	-	-	-	-	-
	-	-	-	-	-	-
Neonatal hemorrhage (P50-P52, P54).....	-	-	-	-	-	-
	-	-	-	-	-	-
Diseases of the circulatory system (I00-I99).....	3	-	-	-	-	3
	*	-	-	-	-	*
All other causes.....	79	17	10	7	62	
	194.48	*	*	*	152.63	
Not stated birthweight						
All causes .....	10	-	-	-	-	-
	-	-	-	-	-	-
Congenital malformations (Q00-Q99).....	-	-	-	-	-	-
	-	-	-	-	-	-
Short gestation and low birthweight nec (P07).....	-	-	-	-	-	-
	-	-	-	-	-	-
Sudden infant death syndrome (R95).....	-	-	-	-	-	-
	-	-	-	-	-	-
Maternal complications of pregnancy (P01).....	-	-	-	-	-	-
	-	-	-	-	-	-
Accidents (unintentional injuries) (V01-X59).....	-	-	-	-	-	-
	-	-	-	-	-	-
Complications of placenta, cord, membranes (P02).....	-	-	-	-	-	-
	-	-	-	-	-	-
Respiratory distress of newborn (P22).....	-	-	-	-	-	-
	-	-	-	-	-	-
Bacterial sepsis of newborn (P36).....	-	-	-	-	-	-
	-	-	-	-	-	-
Neonatal hemorrhage (P50-P52, P54).....	-	-	-	-	-	-
	-	-	-	-	-	-
Diseases of the circulatory system (I00-I99).....	-	-	-	-	-	-
	-	-	-	-	-	-
All other causes.....	-	-	-	-	-	-
	-	-	-	-	-	-
<b>Asian or Pacific Islander</b>						
All birthweights						
All causes .....	229,123	1,070	733	601	132	337
	467.00	319.92	262.30	57.61	147.08	
Congenital malformations (Q00-Q99).....	239	167	131	35	72	
	104.31	72.89	57.17	15.28	31.42	
Short gestation and low birthweight nec (P07).....	174	168	164	4	6	
	75.94	73.32	71.58	*	*	
Sudden infant death syndrome (R95).....	55	2	-	2	53	
	24.00	*	-	*	23.13	

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2004 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant				
<b>Asian or Pacific Islander</b>						
Maternal complications of pregnancy (P01).....	69 30.11	69 30.11	68 29.68	1 *	-	-
Accidents (unintentional injuries) (V01-X59).....	26 11.35	2 *	1 *	1 *	24 10.47	
Complications of placenta, cord, membranes (P02).....	34 14.84	34 14.84	34 14.84	-	-	-
Respiratory distress of newborn (P22).....	20 8.73	19 *	13 *	6 *	1 *	
Bacterial sepsis of newborn (P36).....	33 14.40	29 12.66	17 *	12 *	4 *	
Neonatal hemorrhage (P50-P52, P54).....	37 16.15	34 14.84	23 10.04	11 *	3 *	
Diseases of the circulatory system (I00-I99).....	37 16.15	8 *	6 *	2 *	29 12.66	
All other causes.....	345 150.57	201 87.73	143 62.41	57 24.88	144 62.85	
<b>Less than 2,500 grams</b>						
All causes .....	18,124 4,226.44	766 3,382.26	613 2,858.09	518 524.17	95 844.18	153
Congenital malformations (Q00-Q99).....	148 816.60	110 606.93	89 491.06	21 115.87	38 209.67	
Short gestation and low birthweight nec (P07).....	171 943.50	165 910.40	161 888.32	4 *	6 *	
Sudden infant death syndrome (R95).....	5 *	- -	- -	- -	- -	5 *
Maternal complications of pregnancy (P01).....	69 380.71	69 380.71	68 375.19	1 *	-	-
Accidents (unintentional injuries) (V01-X59).....	2 *	1 *	1 *	-	- *	
Complications of placenta, cord, membranes (P02).....	34 187.60	34 187.60	34 187.60	-	-	-
Respiratory distress of newborn (P22).....	20 110.35	19 *	13 *	6 *	1 *	
Bacterial sepsis of newborn (P36).....	30 165.53	27 148.97	15 *	12 *	3 *	
Neonatal hemorrhage (P50-P52, P54).....	29 160.01	26 143.46	17 *	9 *	3 *	
Diseases of the circulatory system (I00-I99).....	20 110.35	4 *	3 *	1 *	16 *	
All other causes.....	237 1,307.66	157 866.25	117 645.55	40 220.70	80 441.40	
<b>2,500 grams or more</b>						
All causes .....	210,975 141.72	299 54.98	116 37.45	79 17.54	37 87.21	184
Congenital malformations (Q00-Q99).....	90 42.66	57 27.02	43 20.38	14 *	34 16.12	

See footnotes at end of table.

## Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2004 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant				
<b>Asian or Pacific Islander</b>						
Short gestation and low birthweight nec (P07).....	-	-	-	-	-	-
	-	-	-	-	-	-
Sudden infant death syndrome (R95).....	50 23.70	2 *	-	2 *	48 22.75	
Maternal complications of pregnancy (P01).....	-	-	-	-	-	-
	-	-	-	-	-	-
Accidents (unintentional injuries) (V01-X59).....	24 11.38	1 *	-	1 *	23 10.90	
Complications of placenta, cord, membranes (P02).....	-	-	-	-	-	-
	-	-	-	-	-	-
Respiratory distress of newborn (P22).....	-	-	-	-	-	-
	-	-	-	-	-	-
Bacterial sepsis of newborn (P36).....	3 *	2 *	2 *	-	-	1 *
Neonatal hemorrhage (P50-P52, P54).....	7 *	7 *	5 *	2 *	-	-
Diseases of the circulatory system (I00-I99).....	17 *	4 *	3 *	1 *	13 *	
All other causes.....	107 50.72	43 20.38	25 11.85	17 *	65 30.81	
<b>Not stated birthweight</b>						
All causes .....	24	4 *	4 *	4 *	-	-
Congenital malformations (Q00-Q99).....	-	-	-	-	-	-
	-	-	-	-	-	-
Short gestation and low birthweight nec (P07).....	3 *	3 *	3 *	-	-	-
Sudden infant death syndrome (R95).....	-	-	-	-	-	-
	-	-	-	-	-	-
Maternal complications of pregnancy (P01).....	-	-	-	-	-	-
	-	-	-	-	-	-
Accidents (unintentional injuries) (V01-X59).....	-	-	-	-	-	-
	-	-	-	-	-	-
Complications of placenta, cord, membranes (P02).....	-	-	-	-	-	-
	-	-	-	-	-	-
Respiratory distress of newborn (P22).....	-	-	-	-	-	-
	-	-	-	-	-	-
Bacterial sepsis of newborn (P36).....	-	-	-	-	-	-
	-	-	-	-	-	-
Neonatal hemorrhage (P50-P52, P54).....	-	-	-	-	-	-
	-	-	-	-	-	-
Diseases of the circulatory system (I00-I99).....	-	-	-	-	-	-
	-	-	-	-	-	-
All other causes.....	1 *	1 *	1 *	-	-	-

\*/Figure does not meet standard of reliability or precision; based on fewer than 20 death in the numerator.

-/ Quality zero.

1/ Includes Aleuts and Eskimos.