

## Published Papers From LIBCSP Studies

### **Breast Cancer and the Environment on Long Island Study**

**Marilie D. Gammon, Ph.D.**

**University of North Carolina at Chapel Hill, NC**

Gammon M, Neugut A, Terry MB, Britton J, Greenebaum E, Hibshoosh H, Levin B, Wang Q, Santella R, Wolff M. Treatment for breast cancer and blood levels of chlorinated hydrocarbons. *Cancer Epidemiol Biomarkers Prev* 1996;5(6):467-71.

Gammon M, Neugut A, Terry MB, Papodopoulos K, Levin B, Wang Q, Santella R, Wolff M. Temporal variation in chlorinated hydrocarbons in health women. *Cancer Epidemiol Biomarkers Prev* 1997;6(5):327-32.

Beyea J, Hatch M. Geographic exposure modeling: a valuable extension of geographic information systems for use in environmental epidemiology. *Environ Health Persp* 1999;10 (Supplement 1):181-90.

Gammon MD, Neugut AI, Santella RM, Teitelbaum SL, Britton JA, Terry MB, Eng SM, Wolff MS, Stellman SD, Kabat GC, Levin B, Bradlow HL, Hatch M, Beyea J, Camann D, Trent M, Senie RT, Garbowski GC, Maffeo C, Montalvan P, Berkowitz GS, Kemeny M, Citron M, Schnabe F, Schuss A, Hajdu S, Vinciguerra V, Collman GW, Oubram GI. The Long Island Breast Cancer Study Project: description of a multi-institutional collaboration to identify environmental risk factors for breast cancer. *Cancer Res Treat* 2002;74(3):235-54.

Gammon MD, Santella RM, Neugut AI, Eng SM, Teitelbaum SL, Paykin A, Levin B, Terry MB, Young TL, Wang LW, Wang Q, Britton JA, Wolff MS, Stellman SD, Hatch M, Kabat GC, Senie R, Garbowski G, Maffeo C, Montalvan P, Berkowitz G, Kemeny M, Citron M, Schnabel F, Schuss A, Hajdu S, Vinciguerra V. Environmental toxins and breast cancer on Long Island. I. Polycyclic aromatic hydrocarbon (PAH)-DNA adducts. *Cancer Epidemiol Biomarkers Prev* 2002;11(8):677-85.

Gammon MD, Wolff MS, Neugut AI, Eng SM, Teitelbaum SL, Britton JA, Terry MB, Levin B, Stellman SD, Kabat GC, Hatch M, Senie R, Berkowitz G, Bradlow HL, Garbowski G, Maffeo C, Montalvan P, Kemeny M, Citron M, Schnabel F, Schuss A, Hajdu S, Vinciguerra V, Niguidula N, Ireland K, Santella RM. Environmental toxins and breast cancer on Long Island. II. Organochlorine compound levels in blood. *Cancer Epidemiol Biomarkers Prev* 2002;11(8):686-97.

Gammon MD, Eng MS, Teitelbaum SL, Britton JA, Kabat GC, Hatch M, Paykin AB, Neugut AI, Santella RM. Environmental tobacco smoke and breast cancer incidence. *Environmental Research* (in press). Available at: <http://www.sciencedirect.com/science/journal/00139351>.

## **Electromagnetic Fields and Breast Cancer on Long Island Study**

**M. Cristina Leske, M.D., M.P.H.**

**Stony Brook University, Stony Brook, NY**

Schoenfeld ER, Henderson K, O'Leary E, Grimson R, Kaune W, Leske MC. Magnetic field exposure assessment: a comparison of various methods. *Bioelectromagnetics* 1999;20(8):487-96.

Schoenfeld ER, O'Leary ES, Henderson K, Grimson R, Kabat GC, Ahnn S, Kaune WT, Gammon MD, Leske MC; EBCLIS Group. Electromagnetic fields and breast cancer on Long Island: a case-control study. *Am J Epidemiol* 2003;158(1):47-58.

O'Leary ES, Schoenfeld ER, Henderson K, Grimson R, Kabat GC, Kaune WT, Gammon MD, Leske MC (EBCLIS Group). Wire coding in the EMF and breast cancer on Long Island study: relationship to magnetic fields. *J Expo Anal Environ Epidemiol* 2003;13(4):283-93.

Kabat GC, O'Leary ES, Schoenfeld ER, Greene JM, Grimson R, Henderson K, Kaune WT, Gammon MD, Britton JA, Teitelbaum SL, Neugut AI, Leske MC (EBCLIS Group). Electric blanket use and breast cancer on Long Island. *Epidemiology* 2003;14(5):514-20.

Editorial: Sandler DP. On electric blankets and breast cancer. *Epidemiology* 2003;14(5):509.

## **Epidemiology of Breast Cancer and Serum Organochlorine and Serum Organochlorine Compounds and Breast Cancer on Long Island**

**Steven D. Stellman, Ph.D.**

**American Health Foundation, Valhalla, NY**

**(now at Columbia University, New York, NY)**

Wolff M, Camann D, Gammon M, Stellman S. Proposed PCB congener groupings for epidemiologic studies. *Environ Health Persp* 1997;105(1):13-4.

Stellman SD, Djordjevic MV, Muscat JE, Gong L, Bernstein D, Citron ML, White A, Kemeny M, Busch E, Nafziger AN. Relative abundance of organochlorine pesticides and polychlorinated biphenyls in adipose tissue and serum of women in Long Island, New York. *Cancer Epidemiol Biomarkers Prev* 1998;7(6):489-96.

Stellman SD, Djordjevic MV, Britton JA, Muscat JE, Citron ML, Kemeny M, Busch E, Gong L. Breast cancer risk in relation to adipose concentrations of organochlorine pesticides and polychlorinated biphenyls in Long Island, New York. *Cancer Epidemiol Biomarkers Prev* 2000;9(11):1241-9.

Muscat JE, Britton JA, Djordjevic MV, Citron ML, Kemeny M, Busch-Devereaux E, Pittman B, Stellman SD. Adipose concentrations of organochlorine compounds and breast cancer recurrence in Long Island, New York. *Cancer Epidemiol Biomarkers Prev* 2003;12(12):1474-78.

## **Organochlorine Compounds and Risk of Breast Cancer**

**Tongzhang Zheng, M.D., Sc.D.**

**Yale University, New Haven, CT**

Zheng T, Holford T, Mayne S, Owens P, Zhang B, Dubrow R, Ward B, Carter D. Environmental exposure to hexachlorobenzene (HCB) and risk of female breast cancer in Connecticut. *Cancer Epidemiol Biomarkers Prev* 1999;8(5):407-11.

Zheng T, Holford T, Mayne S, Owens P, Ward B, Carter D, Dubrow R, Zahm S, Boyle P, Tessari J. Beta-benzene hexachloride in breast adipose tissue and risk of breast carcinoma. *Cancer* 1999;85(10):2212-8.

Zheng T, Holford T, Mayne S, Ward B, Carter D, Owens P, Dubrow R, Zahm S, Boyle P, Tessari J. DDE and DDT in breast adipose tissue and risk of female breast cancer. *Am J Epidemiol* 1999;150(5):453-8.

Zheng T, Holford TR, Mayne ST, Tessari J, Ward B, Carter D, Owens PH, Boyle P, Dubrow R, Archibeque-Engle S, Dawood O, Zahm SH. Risk of female breast cancer associated with serum polychlorinated biphenyls and 1,1-dichloro-2,2'-bis(p-chlorophenyl)ethylene. *Cancer Epidemiol Biomarkers Prev* 2000;9(2):167-74.

Zheng T, Holford TR, Tessari J, Mayne ST, Owens PH, Ward B, Carter D, Boyle P, Dubrow R, Archibeque-Engle S, Zahm SH. Breast cancer risk associated with congeners of polychlorinated biphenyls. *Am J Epidemiol* 2000;152(1):50-8.

## **Environmental Exposures and Breast Cancer on Long Island**

**Erin O'Leary, Ph.D.**

**University of Buffalo, Buffalo, NY**

**(now at Stony Brook University, Stony Brook, NY)**

O'Leary ES, Vena JE, Freudenheim JL, Brasure J. Pesticide exposure and risk of breast cancer: a nested case-control study of residentially stable women living on Long Island. *Environmental Research* 2004;94:134-144.

## **Reducing Barriers to Use of Breast Cancer Screening**

**Dorothy S. Lane, M.D., M.P.H.**

**Stony Brook University, Stony Brook, NY**

Stoddard AM, Rimer BK, Lane D, Fox SA, Lipkus I, Luckmann R, Avrunin JS, Sprachman S, Costanza M, Urban N. Underusers of mammogram screening: stage of adoption in five U.S. subpopulations. *Prev Med* 1998;27(3):478-87.

Rakowski W, Andersen MR, Stoddard AM, Urban N, Rimer BK, Lane DS, Fox SA, Costanza, ME. Confirmatory analysis of opinions regarding the pros and cons of mammography. *Health Psychol* 1997;16(5):433-41.

Lane D, Messina CR. Current perspectives on physician barriers to breast cancer screening. *J Am Board Fam Pract* 1999;12(1):8-15.

Lane DS, Messina CR. Methodology for targeting physicians for interventions to improve breast cancer screening. *Am J Prev Med* 1999;16(4):289-97.

Lane DS, Messina CR, Grimson R. An educational approach to improving physician breast cancer screening practices and counseling skills. *Patient Educ Couns* 2001;43(3):287-99.

Stoddard AM, Fox SA, Costanza ME, Lane DS, Andersen MR, Urban N, Lipkus I, Rimer BK; NCI Breast Screening Consortium. Effectiveness of telephone counseling for mammography: Results from five randomized trials. *Prev Med* 2002;34(1):90-9.

Messina CR, Lane DS, Grimson R. Effectiveness of women's telephone counseling and physician education to improve mammography screening among women who underuse mammography. *Ann Behav Med* 2002;24(4):279-89.

### **Estrogen Metabolites as Biomarkers for Breast Cancer Risk**

**(Breast Cancer Risk and Inducibility of P450s)**

**H. Leon Bradlow, Ph.D.**

**Strang Cancer Prevention Laboratory, New York, NY**

Kabat G, Chang CJ, Sparano J, Hu XP, Khalil A, Rosenblatt R, Sepkovic D, Bradlow HL. Urinary estrogen metabolites and breast cancer: a case-control study. *Cancer Epidemiol Biomarkers Prev* 1997;6(7):505-9.

### **Regulation of Scatter Factor Expression in Breast Cancer**

**Eliot M. Rosen, M.D., Ph.D.**

**Long Island Jewish Medical Center, New Hyde Park, NY**

Yao Y, Jin L, Fuchs A, Joseph A, Hastings HM, Goldberg ID, Rosen EM. Scatter factor protein levels in human breast cancers: clinicopathological and biological correlations. *Am J Pathol* 1996;149(5):1707-17.

### **RDA Analysis of Breast Cancer**

**Michael H. Wigler, Ph.D.**

**Cold Spring Harbor Laboratory, Cold Spring Harbor, NY**

Lisitsyn NA, Lisitsina NM, Dalbagni G, Barker P, Sanchez CA, Gnarra J, Linehan WM, Wigler MH. Comparative genomic analysis of tumors: detection of DNA losses and amplification. *Proc Natl Acad Sci USA* 1995;92(1):151-5.

### **New Statistical Methodology for Determining Cancer Clusters**

**Martin Kulldorff, Ph.D.**

**National Cancer Institute, Bethesda, MD**

**(now at the University of Connecticut Health Center, Farmington, CT)**

Kulldorff M, Feuer E, Miller B, Freedman L. Breast cancer clusters in the northeast United States: a geographic analysis. *Am J Epidemiol* 1997;146(2):161-70.

**Breast Cancer and the Environment on Long Island Study**  
**Marilie D. Gammon, Ph.D.**  
**University of North Carolina at Chapel Hill, NC**

Gammon M, Neugut A, Terry MB, Britton J, Greenebaum E, Hibshoosh H, Levin B, Wang Q, Santella R, Wolff M. Treatment for breast cancer and blood levels of chlorinated hydrocarbons. *Cancer Epidemiol Biomarkers Prev* 1996;5(6):467-71.

Gammon M, Neugut A, Terry MB, Papodopoulos K, Levin B, Wang Q, Santella R, Wolff M. Temporal variation in chlorinated hydrocarbons in health women. *Cancer Epidemiol Biomarkers Prev* 1997;6(5):327-32.

Beyea J, Hatch M. Geographic exposure modeling: a valuable extension of geographic information systems for use in environmental epidemiology. *Environ Health Persp* 1999;10 (Supplement 1):181-90.

Gammon MD, Neugut AI, Santella RM, Teitelbaum SL, Britton JA, Terry MB, Eng SM, Wolff MS, Stellman SD, Kabat GC, Levin B, Bradlow HL, Hatch M, Beyea J, Camann D, Trent M, Senie RT, Garbowski GC, Maffeo C, Montalvan P, Berkowitz GS, Kemeny M, Citron M, Schnabe F, Schuss A, Hajdu S, Vinciguerra V, Collman GW, Oubram GI. The Long Island Breast Cancer Study Project: description of a multi-institutional collaboration to identify environmental risk factors for breast cancer. *Cancer Res Treat* 2002;74(3):235-54.

Gammon MD, Santella RM, Neugut AI, Eng SM, Teitelbaum SL, Paykin A, Levin B, Terry MB, Young TL, Wang LW, Wang Q, Britton JA, Wolff MS, Stellman SD, Hatch M, Kabat GC, Senie R, Garbowski G, Maffeo C, Montalvan P, Berkowitz G, Kemeny M, Citron M, Schnabel F, Schuss A, Hajdu S, Vinciguerra V. Environmental toxins and breast cancer on Long Island. I. Polycyclic aromatic hydrocarbon (PAH)-DNA adducts. *Cancer Epidemiol Biomarkers Prev* 2002;11(8):677-85.

Gammon MD, Wolff MS, Neugut AI, Eng SM, Teitelbaum SL, Britton JA, Terry MB, Levin B, Stellman SD, Kabat GC, Hatch M, Senie R, Berkowitz G, Bradlow HL, Garbowski G, Maffeo C, Montalvan P, Kemeny M, Citron M, Schnabel F, Schuss A, Hajdu S, Vinciguerra V, Niguidula N, Ireland K, Santella RM. Environmental toxins and breast cancer on Long Island. II. Organochlorine compound levels in blood. *Cancer Epidemiol Biomarkers Prev* 2002;11(8):686-97.

Gammon MD, Eng MS, Teitelbaum SL, Britton JA, Kabat GC, Hatch M, Paykin AB, Neugut AI, Santella RM. Environmental tobacco smoke and breast cancer incidence. *Environmental Research* (in press). Available at: <http://www.sciencedirect.com/science/journal/00139351>.

**Electromagnetic Fields and Breast Cancer on Long Island Study**  
**M. Cristina Leske, M.D., M.P.H.**  
**Stony Brook University, Stony Brook, NY**

Schoenfeld ER, Henderson K, O'Leary E, Grimson R, Kaune W, Leske MC. Magnetic field exposure assessment: a comparison of various methods. *Bioelectromagnetics* 1999;20(8):487-96.

Schoenfeld ER, O'Leary ES, Henderson K, Grimson R, Kabat GC, Ahnn S, Kaune WT, Gammon MD, Leske MC; EBCLIS Group. Electromagnetic fields and breast cancer on Long Island: a case-control study. *Am J Epidemiol* 2003;158(1):47-58.

O'Leary ES, Schoenfeld ER, Henderson K, Grimson R, Kabat GC, Kaune WT, Gammon MD, Leske MC (EBCLIS Group). Wire coding in the EMF and breast cancer on Long Island study: relationship to magnetic fields. *J Expo Anal Environ Epidemiol* 2003;13(4):283-93.

Kabat GC, O'Leary ES, Schoenfeld ER, Greene JM, Grimson R, Henderson K, Kaune WT, Gammon MD, Britton JA, Teitelbaum SL, Neugut AI, Leske MC (EBCLIS Group). Electric blanket use and breast cancer on Long Island. *Epidemiology* 2003;14(5):514-20.

Editorial: Sandler DP. On electric blankets and breast cancer. *Epidemiology* 2003;14(5):509.

**Epidemiology of Breast Cancer and Serum Organochlorine and  
Serum Organochlorine Compounds and Breast Cancer on Long Island**

**Steven D. Stellman, Ph.D.**

**American Health Foundation, Valhalla, NY  
(now at Columbia University, New York, NY)**

Wolff M, Camann D, Gammon M, Stellman S. Proposed PCB congener groupings for epidemiologic studies. *Environ Health Persp* 1997;105(1):13-4.

Stellman SD, Djordjevic MV, Muscat JE, Gong L, Bernstein D, Citron ML, White A, Kemeny M, Busch E, Nafziger AN. Relative abundance of organochlorine pesticides and polychlorinated biphenyls in adipose tissue and serum of women in Long Island, New York. *Cancer Epidemiol Biomarkers Prev* 1998;7(6):489-96.

Stellman SD, Djordjevic MV, Britton JA, Muscat JE, Citron ML, Kemeny M, Busch E, Gong L. Breast cancer risk in relation to adipose concentrations of organochlorine pesticides and polychlorinated biphenyls in Long Island, New York. *Cancer Epidemiol Biomarkers Prev* 2000;9(11):1241-9.

Muscat JE, Britton JA, Djordjevic MV, Citron ML, Kemeny M, Busch-Devereaux E, Pittman B, Stellman SD. Adipose concentrations of organochlorine compounds and breast cancer recurrence in Long Island, New York. *Cancer Epidemiol Biomarkers Prev* 2003;12(12):1474-78.



**Organochlorine Compounds and Risk of Breast Cancer**  
**Tongzhang Zheng, M.D., Sc.D.**  
**Yale University, New Haven, CT**

Zheng T, Holford T, Mayne S, Owens P, Zhang B, Dubrow R, Ward B, Carter D. Environmental exposure to hexachlorobenzene (HCB) and risk of female breast cancer in Connecticut. *Cancer Epidemiol Biomarkers Prev* 1999;8(5):407-11.

Zheng T, Holford T, Mayne S, Owens P, Ward B, Carter D, Dubrow R, Zahm S, Boyle P, Tessari J. Beta-benzene hexachloride in breast adipose tissue and risk of breast carcinoma. *Cancer* 1999;85(10):2212-8.

Zheng T, Holford T, Mayne S, Ward B, Carter D, Owens P, Dubrow R, Zahm S, Boyle P, Tessari J. DDE and DDT in breast adipose tissue and risk of female breast cancer. *Am J Epidemiol* 1999;150(5):453-8.

Zheng T, Holford TR, Mayne ST, Tessari J, Ward B, Carter D, Owens PH, Boyle P, Dubrow R, Archibeque-Engle S, Dawood O, Zahm SH. Risk of female breast cancer associated with serum polychlorinated biphenyls and 1,1-dichloro-2,2'-bis(p-chlorophenyl)ethylene. *Cancer Epidemiol Biomarkers Prev* 2000;9(2):167-74.

Zheng T, Holford TR, Tessari J, Mayne ST, Owens PH, Ward B, Carter D, Boyle P, Dubrow R, Archibeque-Engle S, Zahm SH. Breast cancer risk associated with congeners of polychlorinated biphenyls. *Am J Epidemiol* 2000;152(1):50-8.

**Environmental Exposures and Breast Cancer on Long Island**  
**Erin O’Leary, Ph.D.**  
**University of Buffalo, Buffalo, NY**  
**(now at Stony Brook University, Stony Brook, NY)**

O’Leary ES, Vena JE, Freudenheim JL, Brasure J. Pesticide exposure and risk of breast cancer: a nested case-control study of residentially stable women living on Long Island. *Environmental Research* 2004;94:134-144.

**Reducing Barriers to Use of Breast Cancer Screening**  
**Dorothy S. Lane, M.D., M.P.H.**  
**Stony Brook University, Stony Brook, NY**

Stoddard AM, Rimer BK, Lane D, Fox SA, Lipkus I, Luckmann R, Avrunin JS, Sprachman S, Costanza M, Urban N. Underusers of mammogram screening: stage of adoption in five U.S. subpopulations. *Prev Med* 1998;27(3):478-87.

Rakowski W, Andersen MR, Stoddard AM, Urban N, Rimer BK, Lane DS, Fox SA, Costanza ME. Confirmatory analysis of opinions regarding the pros and cons of mammography. *Health Psychol* 1997;16(5):433-41.

Lane D, Messina CR. Current perspectives on physician barriers to breast cancer screening. *J Am Board Fam Pract* 1999;12(1):8-15.

Lane DS, Messina CR. Methodology for targeting physicians for interventions to improve breast cancer screening. *Am J Prev Med* 1999;16(4):289-97.

Lane DS, Messina CR, Grimson R. An educational approach to improving physician breast cancer screening practices and counseling skills. *Patient Educ Couns* 2001;43(3):287-99.

Stoddard AM, Fox SA, Costanza ME, Lane DS, Andersen MR, Urban N, Lipkus I, Rimer BK; NCI Breast Screening Consortium. Effectiveness of telephone counseling for mammography: Results from five randomized trials. *Prev Med* 2002;34(1):90-9.

Messina CR, Lane DS, Grimson R. Effectiveness of women's telephone counseling and physician education to improve mammography screening among women who underuse mammography. *Ann Behav Med* 2002;24(4):279-89.

**Estrogen Metabolites as Biomarkers for Breast Cancer Risk  
(Breast Cancer Risk and Inducibility of P450s)  
H. Leon Bradlow, Ph.D.  
Strang Cancer Prevention Laboratory, New York, NY**

Kabat G, Chang CJ, Sparano J, Hu XP, Khalil A, Rosenblatt R, Sepkovic D, Bradlow HL. Urinary estrogen metabolites and breast cancer: a case-control study. *Cancer Epidemiol Biomarkers Prev* 1997;6(7):505-9.

**Regulation of Scatter Factor Expression in Breast Cancer**  
**Eliot M. Rosen, M.D., Ph.D.**  
**Long Island Jewish Medical Center, NY**

Yao Y, Jin L, Fuchs A, Joseph A, Hastings HM, Goldberg ID, Rosen EM. Scatter factor protein levels in human breast cancers: clinicopathological and biological correlations. *Am J Pathol* 1996;149(5):1707-17.

**RDA Analysis of Breast Cancer**  
**Michael H. Wigler, Ph.D.**  
**Cold Spring Harbor Laboratory, Cold Spring Harbor, NY**

Lisitsyn NA, Lisitsina NM, Dalbagni G, Barker P, Sanchez CA, Gnarra J, Linehan WM, Wigler MH. Comparative genomic analysis of tumors: detection of DNA losses and amplification. Proc Natl Acad Sci USA 1995;92(1):151-5.

**New Statistical Methodology for Determining Cancer Clusters**  
**Martin Kulldorff, Ph.D., National Cancer Institute, Bethesda, MD**  
**(now at the University of Connecticut Health Center, Farmington, CT)**

Kulldorff M, Feuer E, Miller B, Freedman L. Breast cancer clusters in the northeast United States: a geographic analysis. *Am J Epidemiol* 1997;146(2):161-70.