## CHAPTER 2.5.10.

# **EQUINE VIRAL ARTERITIS**

Article 2.5.10.1.

The infective period for equine viral arteritis (EVA) shall be 28 days for mares, and geldings, and all categories of equine except uncastrated sexually immature equines stallion where the infective period may be for the life of the animal. Because the infective period may be extended in the case of virus shedding in semen, tThe-health status of seropositive stallions should be checked to ensure that they do not shed equine arteritis virus in their semen.

Standards for diagnostic tests and vaccines are described in the Terrestrial Manual.

Article 2.5.10.2.

*Veterinary Administrations* of *importing countries* should require:

for uncastrated male equines imported on a temporary basis for breeding or on a permanent basis

the presentation of an international veterinary certificate attesting that the animals:

- 1. showed no clinical sign of EVA on the day of shipment and during the 28 days prior to shipment;
- 2. were subjected, to two tests a test for EVA, as prescribed in the Terrestrial Manual, carried out either diagnostic on blood samples collected at least 14 days apart with negative results, during the 28 days prior to shipment; or
  - a) on a single blood sample collected during the 28 days prior to shipment with negative result, or
  - b) on blood samples taken on two occasions at least 14 days apart within 28 days prior to shipment, which demonstrated stable or declining antibody titres; or
- 3. were subjected between 6 and 12 months of age to a diagnostic test for EVA <u>as prescribed</u> in the *Terrestrial Manual* on a blood sample with negative results, immediately vaccinated for EVA and regularly revaccinated; or

were subjected between 6 and 9 months of age to a test for EVA, as prescribed in the *Terrestrial Manual*, carried out on two blood samples collected at least 40-14 days apart with stable or decreasing titre, immediately vaccinated for EVA and regularly revaccinated according to the manufacturer's instructions; or

- 4. were subjected to a test for EVA, as prescribed in the *Terrestrial Manual*, on a blood sample with negative results, immediately vaccinated for EVA, kept for 21 days following vaccination separated from other equidae and regularly revaccinated according to the manufacturer's instructions; or
- 4<u>5</u>. have been subjected to a diagnostic test for EVA, as prescribed in the *Terrestrial Manual*, carried out on a blood sample with positive results and then: either
  - a) were subsequently test mated to two mares within 12 months prior to shipment which were subjected to two tests for EVA as prescribed in the *Terrestrial Manual* diagnostic with negative results on blood samples collected at the time of test mating and again 28 days after the mating; or
  - b) were subjected to a virus isolation test for EVA equine arteritis virus as prescribed in the *Terrestrial Manual* with negative results (under study), carried out on semen collected during the 28 days prior to shipment.

Article 2.5.10.3.

Veterinary Administrations of importing countries should require:

for uncastrated male equines imported on a temporary basis other than for breeding, and for equines other than uncastrated males

the presentation of an international veterinary certificate attesting that the animals:

- 1. showed no clinical sign of EVA on the day of shipment and were kept in an establishment where no animals have shown any signs of EVA for during the 28 days prior to shipment;
- 2. were subjected during the 28 days prior to shipment, to two diagnostic a tests for EVA, as prescribed in the Terrestrial Manual, carried out either;
  - a) on a single blood sample collected at least 14 days apart, which demonstrated during the 28 days prior to shipment with negative results, or
  - <u>on blood samples collected on two occasions at least 14 days apart within 28 days prior to shipment, which demonstrated</u> a stable or declining antibody titres;

OR

3. were subjected, between 6 and 129 months of age, to a diagnostic diagnostic test for EVA, as prescribed in the *Terrestrial Manual*, carried out on two blood samples collected at least 14 days apart, with negative results or stable or declining titre, and immediately vaccinated for EVA and regularly revaccinated.

Article 2.5.10.4.

*Veterinary Administrations of importing countries* should require:

## for fresh semen

the presentation of an *international veterinary certificate* attesting that the donor animals:

- 1. were kept for the <u>28</u> 30 days prior to semen collection in an *establishment* where no equine has shown any clinical sign of EVA during that period;
- 2. showed no clinical sign of EVA on the day of semen collection;
- 3. were subjected between 6 and 42 9 months of age to a diagnostic test for EVA as prescribed in the *Terrestrial Manual* on a blood sample with negative results, stable or decreasing titre, and immediately vaccinated for EVA and regularly revaccinated according to the manufacturer's instructions; or
- 4. were subjected to a test for EVA as prescribed in the *Terrestrial Manual* on a blood sample with negative results, immediately vaccinated for EVA, kept for 21 days following vaccination separated from other equidae and regularly revaccinated according to the manufacturer's instructions; or
- 4<u>5</u>. were subjected to a diagnostic test for EVA <u>as prescribed in the Terrestrial Manual</u> on a blood sample with negative results within 14 days prior to semen collection, and had <del>not been used for natural breeding</del> <u>been separated from other equidae</u> from the time of the taking of the blood sample to the time of semen collection; or
- 56. have been were subjected to a diagnostic test for EVA as prescribed in the *Terrestrial Manual* on a blood sample with positive results and then: either
  - a) were <u>subsequently</u> test mated <u>to two mares</u> within <u>12 months</u> one year prior to semen collection, to two mares which showed negative results to two diagnostic tests were subjected to two tests for EVA as prescribed in the <u>Terrestrial Manual</u> with <u>negative results</u> on blood samples collected at the time of test mating and again 28 days after the test mating, or
  - b) were subjected to a virus isolation test for equine arteritis virus as prescribed in the <u>Terrestrial Manual</u> with negative results (under study), carried out on semen collected within one year prior to collection of the semen to be exported.

#### Article 2.5.10.5

Veterinary Administrations of importing countries should require:

### for frozen semen

the presentation of an international veterinary certificate attesting that the donor animals:

- showed no clinical sign of EVA on the day of semen collection;
- were subjected to a diagnostic test for EVA as prescribed in the Terrestrial Manual on a blood sample with negative results not less than 14 days after semen collection; or
- 3. were subjected, between 6 and 12 months of age, to a diagnostic test for EVA as prescribed in the Terrestrial Manual on a blood sample with negative results, and immediately vaccinated for EVA and regularly revaccinated; or
- 4. were subjected to a diagnostic test for EVA as prescribed in the Terrestrial Manual on a blood sample with positive results and then: either
  - were test mated, within 12 months one year prior to or as soon as possible after semen collection, to two mares which showed negative results to two diagnostic tests as prescribed in the Terrestrial Manual on blood samples collected at the time of test mating and again 28 days after the test mating, or
  - b) were subjected to a virus isolation test as prescribed in the Terrestrial Manualc with negative results (under study), carried out on semen collected within one year prior

to collection of the semen to be exported. text deleted