- Allison, L.J., C.E. Paradzick, J.W. Rourke, and T.D. McCarthey. 2003. A characterization of vegetation in nesting and non-nesting plots for Southwestern Willow Flycatchers in Arizona. Pages 81–90 *in* Sogge, M.K., B.E. Kus, S.J. Sferra and M.J. Whitfield (eds.). Ecology and conservation of the willow flycatcher. Studies in Avian Biology No. 26. Cooper Ornithological Society.
- Austin, G.T. 1974. Nesting success of the Cactus Wren in relation to nest orientation. Condor 76:216–217.
- Austin, G.T. 1976. Behavioral adaptations of the Verdin to the desert. Auk 93:245–262.
- Bekoff, M., A.C. Scott, and D.A. Conner. 1987. Nonrandom nest-site selection in Evening Grosbeaks. Condor 89:819–829.
- Braden, G.T., and R.L. McKernan. 1998. Observations on nest cycles, vocalization rates, the probability of detection, and survey protocols for the Southwestern Willow Flycatcher. Report to the U.S. Bureau of Reclamation, Boulder City, Nevada. 38 pp.
- Brown, B.T., S.W. Carothers, and R.R. Johnson. 1987. Grand Canyon birds. The University of Arizona Press, Tucson, Arizona. 302 pp.
- Brownie, C., D.R. Anderson, K.P. Burnham, and D.S. Robson. 1985. Statistical inference from band recovery data a handbook. U.S. Department of Interior, Fish and Wildlife Service Resource Publication 156. 305 pp.
- Browning, M.R. 1993. Comments on the taxonomy of *Empidonax traillii* (willow flycatcher). Western Birds 24:241–257.
- Busch, J.D., M. P. Miller, E.P. Paxton, M.K. Sogge, and P. Keim. 2000. Genetic variation in the endangered Southwestern Willow flycatcher. Auk 117:586–595.
- Calder, W.A. 1973. Microhabitat selection during nesting of hummingbirds in the Rocky Mountains. Ecology 54:127–134.
- Cannings, R.J., and W. Threlfall. 1981. Horned Lark breeding biology at Cape St. Mary's, Newfoundland. Wilson Bulletin 93:519–530.
- Cody, M.L. 1985. An introduction to habitat selection in birds. Pages 4–56 *in* M.L. Cody (ed.). Habitat selection in birds. Academic Press, New York, NY.
- Connor, R.N. 1975. Orientation of entrances to woodpecker nest-cavities. Auk 92:371-374.

- Davidson, R.F., and L.J. Allison. 2003. Effects of monogamy and polygyny on reproductive success in Southwestern Willow Flycatchers (*Empidonax trailli extimus*) in Arizona. Pages 118–124 in Sogge, M.K., B.E. Kus, S.J. Sferra and M.J. Whitfield (eds.). Ecology and conservation of the willow flycatcher. Studies in Avian Biology No. 26. Cooper Ornithological Society.
- Finch, D.M., and J.F. Kelly. 1999. Status of management of the Southwestern Willow Flycatcher in New Mexico. Pages 197–203 in Finch, D.M., J.C. Whitney, J.F. Kelly and S.R. Loftin (eds.). Rio Grande ecosystems: linking land, water, and people. USDA Forest Service Rocky Mountain Research Station Proceedings, RMRS-P-7.
- Furtek, B., and C.R. Tomlinson. 2003. Breeding status and surveys for the Southwestern Willow Flycatcher and Yellow-billed Cuckoo at sites in southern Nevada. Edited by S. Canning and L.A. Neel. Nevada Department of Wildlife.
- Garrett, K., and J. Dunn. 1981. Birds of Southern California. Los Angeles Audubon Society, Los Angeles, California.
- Gloutney, M.L., and R.G. Clark. 1997. Nest-site selection by Mallards and Blue-winged Teal in relation to microclimate. Auk 114:381–395.
- Griffith Wildlife Biology (GWB). 1994a. Brown-headed Cowbird trapping protocol. Unpublished document prepared by J.C. Griffith and J.T. Griffith, Griffith Wildlife Biology, Calumet, Michigan.
- Griffith Wildlife Biology (GWB). 1994b. Brown-headed Cowbird removal program on Marine Corps Base Camp Pendleton, CA. Report to US Marine Corps, Camp Pendleton, California.
- Harris, J.H. 1991. Effects of Brown-headed Cowbirds on willow flycatcher nesting success along the Kern River, California. Western Birds 22:13–26.
- Hartman, C.A., and L.W. Oring. 2003. Orientation and microclimate of Horned Lark nests: The importance of shade. Condor 105:158–163.
- Howell, N.G., and S. Webb. 1995. A guide to the birds of Mexico and northern Central America. Oxford University Press, New York.
- Howlett, J.S., and B.J. Stutchbury. 1996. Nest concealment and predation in Hooded Warblers: experimental removal of nest cover.
- Inouye, D.W. 1976. Nonrandom orientation of entrance holes to woodpecker nests in aspen trees. Condor 78:101–102.
- Inouye, R.S., N.J. Huntly, and D.W. Inouye. 1981. Non-random orientation of Gila Woodpecker nest entrances in saguaro cactus. Condor 83:88–89.

- James, F.C., and H.H. Shugart, Jr. 1970. A quantitative method of habitat description. Audubon Field Notes 24:727–736.
- Johnson, M.J., and M.K. Sogge. 1997. Southwestern Willow Flycatcher surveys along portions of the San Juan River, Utah (Montezuma Creek – Mexican Hat and Clay Hills Crossing), 1997. USGS Colorado Plateau Field Station, Flagstaff, Arizona.
- Kenwood, K.E., and E.H. Paxton. 2001. Survivorship and movements of Southwestern Willow Flycatchers in Arizona – 2001. U.S. Geological Survey report to the U.S. Bureau of Reclamation, Phoenix, Arizona. 44 pp.
- Kern, M., and C. van Riper. 1984. Altitudinal variations in nests of the Hawaiian Honeycreeper *Hemignathus virens virens*. Condor 86(4):443–453.
- Kern, M.D., M.K. Sogge, and C. van Riper III. 1990. Water-vapor pressure in nests of the San Miguel Island Song Sparrow. Condor 92:761–767.
- Koronkiewicz, T.J. 2002. Intraspecific territoriality and site fidelity of wintering willow flycatchers (*Empidonax traillii*) in Costa Rica. M.S. Thesis. Northern Arizona University, Flagstaff.
- Koronkiewicz, T.J., S.N. Cardinal, M.K. Sogge, and E.H. Paxton. 2002. Survivorship and movements of Southwestern Willow Flycatchers at Roosevelt Lake, Arizona – 2002.
 Report to the U.S. Bureau of Reclamation, Phoenix, Arizona. USGS Southwest Science Center, Colorado Plateau Field Station, Flagstaff, Arizona. 43 pp.
- Lindsey, G.D., K.A. Wilson, and C. Herrmann. 1995. Color change in Hughes's Celluloid Leg Bands. Journal of Field Ornithology 66(2):289–295.
- Luff, J.A., E.H. Paxton, K.E. Kenwood, and M.K. Sogge. 2000. Survivorship and movements of Southwestern Willow Flycatchers in Arizona – 2000. USGS Forest and Rangeland Ecosystem Science Center, Colorado Plateau Field Station report to the U.S. Bureau of Reclamation, Phoenix. 46 pp.
- Lynn, J.C., T.J. Koronkiewicz, M.J. Whitfield, and M.K. Sogge. 2003. Willow flycatcher winter habitat in El Salvador, Costa Rica, and Panama: characteristics and threats. Pages 41–51 in Sogge, M.K., B.E. Kus, S.J. Sferra and M.J. Whitfield (eds.). Ecology and conservation of the willow flycatcher. Studies in Avian Biology No. 26. Cooper Ornithological Society.
- Marshall, R.M., and Stoleson S.H. 2000. Threats. Pages 13-24 *in* Status, ecology, and conservation of the Southwestern Willow Flycatcher. USDA Forest Service General Technical Report, RMRS-GTR-60.
- Martin, T.E. 1995. Avian life history evolution in relation to nest sites, nest predation, and food. Ecological Monographs 65:101–127.

- Martin, T.E., C.R Paine, C.J. Conway, W.M. Hochachka, P. Allen, and W. Jenkins. 1997. BBIRD Field Protocol. Montana Cooperative Wildlife Research Unit, University of Montana, Missoula.
- Mayfield, H. 1961. Nesting success calculated from exposure. Wilson Bulletin 73(3):255–261.
- Mayfield, H. 1975. Suggestions for calculating nest success. Wilson Bulletin 87(4):456-466.
- McArthur, A.J. 1990. Thermal interaction between animal and microclimate: Specification of a McArthur, A.J. 1990. Thermal interaction between animal and microclimate: Specification of a "standard environmental temperature" for animals outdoors. Journal of Theoretical Biology 148:331-343.
- McKernan, R.L. 1997. Status, distribution, and habitat affinities of the Southwestern Willow Flycatcher along the lower Colorado River, Year 1 1996. Unpublished report submitted to the U.S. Bureau of Reclamation, Boulder City, Nevada, [and] the U.S. Fish and Wildlife Service, Carlsbad, California by the San Bernardino County Museum, Redlands, California. 42 pp.
- McKernan, R.L., and G. Braden. 1998. Status, distribution, and habitat affinities of the Southwestern Willow Flycatcher along the lower Colorado River, Year 2 1997. Unpublished report submitted to the U.S. Bureau of Reclamation, Boulder City, Nevada [and] the U.S. Fish and Wildlife Service, Carlsbad, California, by the San Bernardino County Museum, Redlands, California. 64 pp.
- McKernan, R.L., and G. Braden. 1999. Status, distribution, and habitat affinities of the Southwestern Willow Flycatcher along the lower Colorado River, Year 3 1998. Unpublished report submitted to the U.S. Bureau of Reclamation, Boulder City, Nevada, the U.S. Fish and Wildlife Service, Carlsbad, California, and Reno, Nevada, and the U.S. Bureau of Land Management, Caliente, Nevada, by the San Bernardino County Museum, Redlands, California. 71 pp.
- McKernan, R.L., and G. Braden. 2001a. Status, distribution, and habitat affinities of the Southwestern Willow Flycatcher along the Lower Colorado River: Year 4 1999. Unpublished report submitted to the U.S. Bureau of Reclamation, Boulder City, Nevada, the U.S. Fish and Wildlife Service, Carlsbad, California, and Reno, Nevada, and the U.S. Bureau of Land Management, Caliente, Nevada, by the San Bernardino County Museum, Redlands, California. 83 pp.
- McKernan, R.L., and G. Braden. 2001b. Status, distribution, and habitat affinities of the Southwestern Willow Flycatcher along the lower Colorado River, Year 5 2000. Unpublished report submitted to the U.S. Bureau of Reclamation, Boulder City, Nevada, the U.S. Fish and Wildlife Service, Carlsbad, California, and Reno, Nevada, and the U.S. Bureau of Land Management, Caliente, Nevada, by the San Bernardino County Museum, Redlands, California. 86 pp.

McKernan, R.L., and G. Braden. 2002. Status, distribution, and habitat affinities of the Southwestern Willow Flycatcher along the lower Colorado River, Yyear 6 – 2001. Unpublished report submitted to the U.S. Bureau of Reclamation, Boulder City, Nevada, the U.S. Fish and Wildlife Service, Carlsbad, California, and Reno, Nevada by San Bernardino County Museum, Redlands, California. 58 pp.

National Weather Service. 2003. Online search at www.wrh.noaa.gov/Lasvegas/climate.shtml.

- Paradzick, C.E., T.D. McCarthey, R.F. Davidson, J.W. Rourke, M.W. Sumner, and A.B. Smith. 2001. Southwestern Willow Flycatcher 2000 survey and nest monitoring report. Nongame and Endangered Wildlife Program Technical Report 175. Arizona Game and Fish Department, Phoenix.
- Paxton, E., S. Langridge, and M.K. Sogge. 1997. Banding and population genetics of Southwestern Willow Flycatchers in Arizona - 1997 Summary Report. USGS Colorado Plateau Research Station / Northern Arizona University report. 63 pp.
- Paxton, E.H., S.N. Cardinal, and T.J. Koronkiewicz. 2003. Using radiotelemetry to determine home range size, habitat use, and movement patterns of Willow Flycatchers. Pages 185– 189 in Sogge, M.K., B.E. Kus, S.J. Sferra and M.J. Whitfield (eds.). Ecology and conservation of the willow flycatcher. Studies in Avian Biology No. 26. Cooper Ornithological Society.
- Pearson, T. 2002. Polygyny and extra-pair paternity in a population of Southwestern Willow Flycatchers (*Empidonax traillii extimus*). M.S. Thesis, Northern Arizona University, Flagstaff.
- Phillips, A., J. Marshall, and G. Monson. 1964. The birds of Arizona. University of Arizona Press, Tucson. 212 pp.
- Pyle, P. 1997. Identification guide to North American birds. Part 1. Slate Creek Press, Bolinas, California. 730 pp.
- Pyle, P. 1998. Eccentric first-year molt patterns in certain Tyrannid flycatchers. Western Birds 29:29–35.
- Ralph, C.J., G.R. Geupel, P. Pyle, T.E. Martin, and D.F. DeSante. 1993. Handbook of field methods for monitoring landbirds. General Technical Report PSW-GTR-144. U.S. Forest Service Pacific Southwest Research Station, Albany, California. 41 pp.
- Ridgely, R.S., and G. Tudor. 1994. The birds of South America; Volume II: the Suboscine passerines. University of Texas Press, Austin.
- Robinson, S.K. 1992. Population dynamics of breeding Neotropical migrants in Illinois. Pages 408–418. *In* J.M. Hagan III and D.W. Johnston [eds.]. Ecology and Conservation of Neotropical migrant landbirds. Smithsonian Institution Press, Washington D.C.

- Rotenberry, J.T. 1985. The role of habitat in avian community composition: Physiognomy or floristics? Oecologia 67:213-217.
- Rothstein, S.I., B.E. Kus, M.J. Whitfield, and S.J. Sferra. 2003. Recommendations for cowbird management in recovery efforts for the Southwestern Willow Flycatcher. Pages 157–167 *in* Sogge, M.K., B.E. Kus, S.J. Sferra and M.J. Whitfield (eds.). Ecology and conservation of the willow flycatcher. Studies in Avian Biology No. 26. Cooper Ornithological Society.
- Rourke, J.W., T.D. McCarthey, R.F. Davidson, and A.M. Santaniello. 1999. Southwestern Willow Flycatcher nest monitoring protocol. Nongame and Endangered Wildlife Program Technical Report No. 144. Arizona Game and Fish Department, Phoenix.
- SAS Institute Inc. 1999. SAS OnlineDoc®, Version 8. Cary, North Carolina.
- Sedgwick, J.A. 2000. Willow flycatcher (*Empidonax traillii*). *In* Poole, A., and F. Gill (eds.). The birds of North America, No. 533. The Birds of North America, Inc., Philadelphia, Pennsylvania.
- Sedgwick, J.A., and F.L. Knopf. 1988. A high incidence of Brown-headed Cowbird parasitism of willow flycatchers. Condor 90:253–256.
- Sedgwick, J.A., and F.L. Knopf. 1992. Describing willow flycatcher habitats: Scale perspectives and gender differences. Condor 94:720–733.
- Smith, A.B., C.E. Paradzick, A.A. Woodward, P.E.T. Dockens, and T.D. McCarthey. 2002. Southwestern Willow Flycatcher 2001 survey and nest monitoring report. Nongame and Endangered Wildlife Program Technical Report 191. Arizona Game and Fish Department, Phoenix.
- Smith, A.B., A.A. Woodward, P.E.T. Dockens, J.S. Martin, and T.D. McCarthey. 2003. Southwestern Willow Flycatcher 2002 survey and nest monitoring report. Nongame and Endangered Wildlife Program Technical Report 210. Arizona Game and Fish Department, Phoenix.
- Sogge, M.K., R.M. Marshall, S.J. Sferra, and T.J. Tibbits. 1997. A Southwestern Willow Flycatcher natural history summary and survey protocol. National Park Service Technical Report USGS/NAUCPRS/NRTR-97/12.
- Sogge, M.K., and R.M. Marshall. 2000. A survey of current breeding habitats. Pages 43–56 in Finch, D.M., and S.H. Stoleson (eds.). Status, ecology, and conservation of the Southwestern Willow Flycatcher. General Technical Report, RMRS-GTR-60. U.S. Forest Service, Rocky Mountain Research Station, Ogden, Utah. 131 pages.

- Sogge, M.K., J.C. Owen, E.H. Paxton, S.M. Langridge, and T.J. Koronkiewicz. 2001. A targeted mist net capture technique for the willow flycatcher. Western Birds 32:167– 172.
- Sogge, M.K., S.J. Sferra, T.D. McCarthey, S.O. Williams, and B.E. Kus. 2003. Distribution and characteristics of Southwestern Willow Flycatcher breeding sites and territories: 1993– 2001. Pages 5–11 *in* Sogge, M.K., B.E. Kus, S.J. Sferra and M.J. Whitfield (eds.). Ecology and conservation of the willow flycatcher. Studies in Avian Biology No. 26. Cooper Ornithological Society.
- Stiles, F.G., and A.F. Skutch. 1989. A guide to the birds of Costa Rica. Cornell University Press, New York.
- Sumner, M.E. (editor). 2000. Handbook of soil science. CRC Press, Boca Raton, Florida.
- Unitt, P. 1987. *Empidonax traillii extimus*: an endangered subspecies. Western Birds 18:137–162.
- Unitt, P. 1997. Winter range of *Empidonax traillii extimus* as documented by existing museum collections. San Diego Natural History Museum report to U.S. Bureau of Reclamation, Phoenix, Arizona.
- U.S. Bureau of Reclamation. 1999. Long-term restoration program for the historical Southwestern Willow Flycatcher (*Empidonax traillii extimus*) habitat along the lower Colorado River. Report submitted by USBR Lower Colorado Region to Lower Colorado Multi-Species Conservation Program. USBR: Boulder City, Nevada. 70 pp.
- U.S. Fish and Wildlife Service. 1995. Final rule determining endangered status for the Southwestern Willow Flycatcher. Federal Register 60:10694-10715.
- U.S. Fish and Wildlife Service. 2002. Final recovery plan Southwestern Willow Flycatcher (*Empidonax trailli extimus*). Prepared by Southwestern Willow Flycatcher Recovery Team Technical Subgroup, August 2002.
- van Riper III, C., M.D. Kern, and M.K. Sogge. 1993. Changing nest placement of Hawaiian Common Amakihi during the breeding cycle. Wilson Bulletin 105:436–447.
- Walsberg, G.E. 1981. Nest-site selection and the radiative environment of the Warbling Vireo. Condor 83:86–88.
- Walsberg, G.E. 1985. Physiological consequences of microhabitat selection. Pages 389–413 in M.L. Cody (ed.). Habitat selection in birds. Academic Press, Orlando, Florida.
- Warkentin, I.G., and N.H. West. 1990. Ecological energetics of wintering Merlins *Falco columbarius*. Physiological Zoology 63:308–333.

- Webb, D.R., and J.R. King. 1983. An analysis of the heat budgets of the eggs and nest of the White-crowned Sparrow, *Zonotrichia leucophrys*, in relation to parental attentiveness. Physiological Zoology 56:493–505.
- White, G.C. 1996. Population estimation from mark-resighting surveys. Wildlife Society Bulletin 24:50-52.
- Whitfield, M.J. 1990. Willow flycatcher reproductive response to Brown-headed Cowbird parasitism. M.S. Thesis, California State University, Chico, California. 25 pp.
- Whitfield, M.J. 2003. Southwestern Willow Flycatcher monitoring and removal of Brownheaded Cowbirds on the South Fork Kern River in 2002. Final report prepared for the U.S. Army Corps of Engineers, Sacramento District, Purchase Order DACW05-02-P-0111), Sacramento, California.
- Whitfield, M.J., and E.B. Cohen. in prep. Southwestern Willow Flycatcher monitoring and removal of Brown-headed Cowbirds on the South Fork Kern River in 2003. Final report prepared for the U.S. Army Corps of Engineers, Sacramento District, Purchase Order DACW05-03-C-0002), Sacramento, CA.
- Whitfield, M.J., and M.K. Sogge. 1999. Range-wide impacts of Brown-headed Cowbird parasitism on the Southwestern Willow Flycatcher (*Empidonax trailli extimus*). Studies in Avian Biology 18:182–190.
- Whitfield, M.J., M.K. Sogge, S.J. Sferra, and B.E. Kus. 2003. Ecology and behavior Introduction. Pages 53–55 in Sogge, M.K., B.E. Kus, S.J. Sferra and M.J. Whitfield (eds.). Ecology and conservation of the willow flycatcher. Studies in Avian Biology No. 26. Cooper Ornithological Society.
- Whitfield, M.J., K.M. Enos, and S.P. Rowe. 1998. Reproductive response of the Southwestern Willow Flycatcher (*Empidonax traillii extimus*) to removal of Brown-headed Cowbirds in 1998. Final report to the U.S. Army Corps Engineers (P.O. No. DACW05-97-P-0670) and State of California – The resources Agency (Contract No. FG6151-1WM). Kern River Research Center, Weldon, California.
- Wiens, J.A. 1989a. The ecology of bird communities. Volume 1: Foundations and patterns. Cambridge University Press, New York.
- Wiens, J.A. 1989b. The ecology of bird communities. Volume 2: Processes and variations. Cambridge University Press, New York.
- With, K.A., and D.R. Webb. 1993. Microclimate of ground nests: The relative importance of radiative cover and wind breaks for three grassland species. Condor 95:401–413.
- Yong, W., and D.M. Finch. 1997. Migration of the willow flycatcher along the Middle Rio Grande. Wilson Bulletin 109:253–268.