

8. REFERENCES

- * ACGIH. 1986. Documentation of the threshold limit values and biological exposure indices. 5th ed. American Conference of Governmental Industrial Hygienists, Inc. Cincinnati, OH.
- Bachmann A, Walet P, Wijnen P, et al. 1988. Biodegradation of alpha and beta-hexachlorocyclohexane in a soil slurry under different redox conditions. *Appl Environ Microbiol* 54:143-149.
- Baker MT, Nelson RM, Van Dyke RA. 1985. The formation of chlorobenzene and benzene by the reductive metabolism of lindane in rat liver microsomes. *Arch Biochem Biophys* 236:506-514.
- * Barkley J, Bunch J, Bursey JT, et al. 1980. Gas chromatography mass spectrometry computer analysis of volatile halogenated hydrocarbons in man and his environment - a multimedia environmental study. *Biomed Mass Spectrom* 7:139-147.
- * Barnes D, Bellin J, DeRosa C et al. 1987. Reference dose (RfD): Description and use in health risk assessments. Vol. I, Appendix A: Integrated risk information system supportive documentation. Belanger PL. 1986. Health hazard evaluation report: HETA 86-339-1741, Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86/032a.
- Bonnet P, Morele Y, Raoult G, et al. 1982. Determination of the median lethal concentration of the main aromatic hydrocarbons in the rat. *Arch Mal Prof* 43:261-265. [French]
- Bouwer EJ, McCarty PL. 1982. Removal of trace chlorinated organic compounds by activated carbon and fixed-film bacteria. *Environ Sci Technol* 16:836-843.
- Bouwer EJ, McCarty PL. 1983. Transformations of halogenated organic compounds under denitrification conditions. *Appl Environ Microbiol* 45:1295-1299.
- Bouwer EJ, McCarty PL. 1984. Modeling of trace organics biotransformation in the subsurface. *Ground Water* 22:433-440.

*= Cited in text

8. REFERENCES

Bozzelli JW, Kebbekus BB, Greenberg A. 1980. Analysis of selected toxic and carcinogenic substances in ambient air in New Jersey. Trenton, NJ: New Jersey Department of Environmental Protection, Office of Cancer and Toxic Substances Research.

* Brodzinsky R, Singh HB. 1983. Volatile organic chemicals in the atmosphere: An assessment of available data. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/3-83-027a.

Callahan MA, Slimak MW, Gabel NW, et al. 1979. Water-related environmental fate of 129 priority pollutants. Volume 1: Introduction and technical background, metals, and inorganics, pesticides and PCBs. Washington, DC: U.S. Environmental Protection Agency, Office of Water and Waste Management. EPA-440/4-79-029a.

Chambers CW, Tabak HH, Kabler PW. 1963. Degradation of aromatic compounds by phenol-adapted bacteria. J Water Pollut Control Fed 35:1517-1528.

Chiou CT. 1985. Partition of coefficients of organic compounds in lipid-water systems and correlations with fish bioconcentration factors. Environ Sci Technol 19:57-62.

Chiou CT, Porter PE, Schmedding DW. 1983. Partition equilibria of nonionic organic compounds between soil organic matter and water. Environ Sci Technol 17:227-231.

Chrostek WJ, Thoburn TW. 1976. Health hazard evaluation determination. General Electric Company, Silicone Products Department, Waterford, New York. Cincinnati, OH: U.S. Department of Health, Education, and Welfare. National Institute for Occupational Safety and Health. Report No. 74-107-279.

* Clark CS, Meyer CR, Gartside PS, et al. 1982. An environmental health survey of drinking water contamination by leachate from a pesticide waste dump in Hardeman County, Tennessee. Arch Environ Health 37:9-18.

CLC. 1988. Coordinated List of Chemicals. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.

* CLPSD. 1988. Contract Laboratory Program Statistical Database. Viar and Company, Management Services Division, Alexandria, VA. December 1988.

Cohen J. 1979. Monochlorobenzene survey report, Monsanto Chemical Intermediates Company, W.G. Krumrich Plant, Sauget, IL. Cincinnati, OH: National Institute for Occupational Safety and Health.

8. REFERENCES

Cohen JM. 1979. Monochlorobenzene Survey Report, Montrose Chemical Corporation, Henderson, NV. Cincinnati, OH: National Institute for Occupational Safety and Health.

* Cohen JM, Dawson R, Koketsu M. 1981. Extent-of-exposure survey of monochlorobenzene. Cincinnati, OH: National Institute for Occupational Safety and Health, Division of Surveillance, Hazard Evaluation, and Field Studies. NTIS PB-183963.

Coleman WE, Lingg RD, Melton RG, et al. 1975. The occurrence of volatile organics in five drinking water supplies using gas chromatography/mass spectrometry. In: Keith LH, ed: Identification and analysis of organic pollutants in water. Ann Arbor, MI: Ann Arbor Science Publishers Inc., 305-327.

Dalich GM, Larson RE. 1985. Temporal and dose-response features of monochlorobenzene hepatotoxicity in rats. *Fundam Appl Toxicol* 5:105-116.

* Dilley JV. 1977. Toxic evaluation of inhaled chlorobenzene (monochlorobenzene). Cincinnati, OH: National Institute of Occupational Safety and Health, Division of Biomedical and Behavioral Sciences. NTIS No. PB-276623.

* Dilling WL, Bredeweg CJ, Tefertiller NB. 1976. Organic photochemistry: Simulated atmospheric photodecomposition rates of methylene chloride, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other compounds. *Environ Sci Technol* 10:351-356.

Dorigan J, Fuller B, Duffy R. 1976. Preliminary scoring of organic air pollutants: chemistry, production and toxicity of selected synthetic organic chemicals (chemicals A-C): Appendix I. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. EPA-450/3-77-008b. NTIS No. PB-264443.

Eder G, Ernst W, Goerke H, et al. 1981. Organochlorine residues analyzed in invertebrates of the Dutch Wadden Sea by two methods. *Netherlands, Journal of Sea Research* 15:78-87.

Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Technol* 15:30-38.

8. REFERENCES

EMCO High Voltage Company, Sutter Creek, California. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS No. PB87-174140.

* EPA. 1980a. TSCA chemical assessment series, assessment of testing needs: chlorinated benzenes, support document for proposed health effects test rule. Washington, DC: U.S. Environmental Protection Agency. EPA 560/11-80-014. NTIS No. PB80-220296.

* EPA. 1980b. U.S. Environmental Protection Agency. Federal Register. 45:33084-33133.

* EPA. 1980c. Ambient water quality criteria for: Chlorinated benzenes. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. EPA-440/5-80-028. NTIS No. PB81-117392.

* EPA. 1982a. Test method: Purgeable halocarbons - method 601. In: Longbottom JE, Lichtenberg JJ, eds. Methods for organic chemical analysis of municipal and industrial wastewater. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory. EPA-600/4-82-057.

* EPA. 1982b. Test method: Purgeable aromatics - method 602. In: Longbottom JE, Lichtenberg JJ, eds. Methods for organic chemical analysis of municipal and industrial wastewater. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory. EPA-600/4-82-057.

* EPA. 1982c. Test method: Purgeables - method 624. In: Longbottom JE, Lichtenberg JJ, eds. Methods for organic chemical analyses of municipal and industrial wastewater. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory. EPA-600/4-82-057.

* EPA. 1982d. U.S. Environmental Protection Agency. Federal Register. 47:26992-27008.

EPA. 1983a. Reportable quantity document for monochlorobenzene. External review draft. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. ECAO-CIN-R157.

EPA. 198323. Treatability manual: Volume I. Treatability data. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/2-82-001a.

8. REFERENCES

- EPA. 1984. Health effects assessment for chlorobenzene. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA/540/i-86/040. NTIS No. PB86-134517.
- *EPA. 1985a. Health assessment document for chlorinated benzenes: Final Report. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA/600/8-84/015F.
- *EPA. 1985b. U.S. Environmental Protection Agency. Part II. Federal Register. 50:13456-13522.
- *EPA. 1985c. U.S. Environmental Protection Agency: Part IV. Federal Register. 50:46936-47022.
- *EPA. 1985d. Drinking water criteria document for chlorobenzene. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water. NTIS No. PB86-117769.
- *EPA. 1986a. Reference values for risk assessment. Final draft. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Solid Waste. ECAO-CIN-477.
- *EPA. 1986b. Method 8010: Halogenated volatile organics. In: Test methods for evaluating solid waste. 3rd ed. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.
- *EPA. 1986c. Method 8020: Aromatic volatile organics. In: Test methods for evaluating solid waste. 3rd ed. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.
- *EPA. 1986d. Method 8240: Gas chromatography/mass spectrometry for volatile organics. In: Test methods for evaluating solid waste. 3rd ed. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.
- *EPA. 1986e. U.S. Environmental Protection Agency. Federal Register. 51:24657-24667.
- EPA. 1987. Toxic air pollutant/source crosswalk: A screening tool for locating possible sources emitting toxic air pollutants. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. EPA-450/4-87-023a.
- *EPA. 1987a. U.S. Environmental Protection Agency: Part II. Federal Register. 52:25690-25717.

8. REFERENCES

*EPA. 1987b. U.S. Environmental Protection Agency: Part II. Federal Register. 52:25942-25953.

*EPA. 1987c. Chlorobenzene. Health advisory. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water.

EPA. 1988a. U.S. Environmental Protection Agency: Part II. Federal Register. 53:31138-31222.

*EPA. 1988b. U.S. Environmental Protection Agency: Part V. Federal Register. 53:38642-38654.

*EPA. 1988c. U.S. Environmental Protection Agency: Part II. Federal Register. 53:4500-4539.

*EPA. 1989a. Interim Methods for Development of Inhalation Reference Doses. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. Washington, DC. EPA 600/8-88/066F.

*EPA. 1989b. U. S. Environmental Protection Agency: Part II. Federal Register. 54:1056-1119.

*EPA. 1989c. U. S. Environmental Protection Agency: Part II. Federal Register. 54:22062-22160.

Ewing BB, Chian ES, Cook JC, et al. 1977. Monitoring to detect previously unrecognized pollutants in surface waters - Appendix: Organic analysis data. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA-560/677-015A. NTIS No. PB273350.

EXICHEM Data Base. 1988. Organization for Economic Cooperation and Development.

*Fabbri A, Crescentini G, Mangani F, et al. 1987. Advances in the determination of volatile organic solvents and other organic pollutants by gas chromatography with thermal desorption sampling and injection. Chromatographia 23:856-860.

*Fishbein L. 1985. A survey of the analysis of halogenated alkanes and alkenes in biological samples. Chap. 7. In: Fishbein L, O'Neill IK, eds. Environmental carcinogens selected methods of analysis. Vol. 7 - Some volatile halogenated hydrocarbons. Publication No. 68, International Agency for Research on Cancer (IARC), Lyon France, 141-168.

8. REFERENCES

- * FSTRAC. 1988. Summary of state and federal drinking water standards and guidelines. Washington, DC: Federal-State Toxicology and Regulatory Alliance Committee, Chemical Communication Subcommittee.
- * Garrison AW, Hill DW. 1972. Organic pollutants from mill persist in downstream waters. Am Dyestuff Rep 21-25.
- Ghess MJ, Wilbourn J, Tossavainen A, et al. 1986. Information bullet on the survey of chemicals being tested for carcinogenicity. No. 12. June 1986. Lyon, France: International Agency for Research on Cancer, 4,218.
- Girard R, Tolot F, Martin P, et al. 1969. [Serious blood disorders and exposure to chlorine derivatives of benzene (a report of seven cases).] J Med Lyon 50:771-773. (French)
- Goldstein JA, Linko P, Hahn ME, et al. 1986. Structure-activity relationships of chlorinated benzenes as inducers of hepatic cytochrome P-450 isozymes in the rat. IARC Sci Publ 77:519-526.
- Haider K, Jagnow G, Kohnen R, et al. 1974. [Degradation of chlorinated benzenes, phenols and cyclohexane derivatives by benzene and phenol utilizing soil bacteria under aerobic conditions.] Arch Microbiol 96:183-200. (German)
- *Harkov R, Gianti SJ Jr., Bozzelli JW, et al. 1985. Monitoring volatile organic compounds at hazardous and sanitary landfills in New Jersey. J Environ Sci Health A20:491-501.
- * Haworth S, Lawlor T, Mortelmans K, et al. 1983. Salmonella mutagenicity test results for 250 chemicals. Environ Mutagen [Suppl 1]:3-142.
- * Hawthorne SB. 1988. 1988 workshop on supercritical fluid chromatography. American Laboratory August:6-8.
- * Hazleton Laboratories. 1967. Three-month subacute oral study--rats: Monochlorobenzene. Final Report. Submitted to Monsanto Company. Project No. 241-104. March 9.
- Hollingsworth RL, Rowe VK, Oyen F, et al. 1956. Toxicity of paradichlorobenzene: Determinations on experimental animals and human subjects. AMA Arch Ind Health 14:138-147.
- * HSDB. 1988. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. December 1988.

8. REFERENCES

- * Hughes CS, Cox W, Kamatari O. 1983. CEH product review: Chlorobenzenes. In: Chemical economics handbook. Menlo Park, CA: SRI International.
- * Industrial Biotest Laboratory. 1977. Teratogenic study with monochlorobenzene in albino rats. Report to Monsanto Company, St. Louis, MO.
- Industrial Biotest Laboratory. 1978. 90-Day subacute vapor inhalation toxicity study with monochlorobenzene, lot no. 616 in beagle dogs and albino rats. Report to Monsanto Chemical Company, St. Louis, MO.
- * IRIS. 1989. Integrated Risk Information System. U.S. Environmental Protection Agency, Washington, DC. August 1989.
- * Irish DD. 1963. Halogenated hydrocarbons. II. Cyclic. In: Patty FA, ed. Industrial hygiene and toxicology. Vol 2. 2nd ed., New York, NY: John Wiley and Sons, 1333.
- IRPTC. 1989. IRPTC data profile: Chlorobenzene. International Register of Potentially Toxic Chemicals, United Nations Environment Programme. Geneva, Switzerland.
- * John JA, Hayes WC, Hanley TR Jr, et al. 1984. Inhalation teratology study on monochlorobenzene in rats and rabbits. Toxicol Appl Pharmacol 76:365-373.
- Khanin, AC. 1969. [Histopathological changes in the central nervous system and internal organs of experimental animals after chronic 24-hour inhalation of toxic substances.] Tr Tsent Inst Vsoversh Vrachei 135:97-106 (Russian).
- Khanno S, Nojima S. 1979. Studies on photochemistry of aromatic hydrocarbons. V. Photochemical reaction of chlorobenzene with nitrogen oxides in air. Chemosphere 8:225-232.
- Kluwe WM, Dill G, Persing R, et al. 1985. Toxic responses to acute, subchronic, and chronic oral administrations of monochlorobenzene to rodents. J Toxicol Environ Health 15:745-767.
- Knapp WK Jr, Busey WM, Kundzins W. 1971. Subacute oral toxicity of monochlorobenzene in dogs and rats. Toxicol Appl Pharmacol 19:393.
- Korte F, Klein W. 1982. Degradation of benzene in the environment. Ecotoxicol Environ Safety 6:311-327.
- * Krost KJ, Pellizzari ED, Walburn SG, et al. 1982. Collection and analysis of hazardous organic emissions. Anal Chem 54:810-817.

8. REFERENCES

- Lawlor T, Haworth SR, Voytek P. 1979. Evaluation of the genetic activity of nine chlorinated phenols, seven chlorinated benzenes, and three chlorinated hexanes. *Environ Mutagen* 1:143.
- *Lindsay-Smith JR, Shaw BAJ, Foulkes DM. 1972. Mechanisms of mammalian hydroxylation: Some novel metabolites of chlorobenzene. *Xenobiotica* 2:215-226.
- *Mabey WR, Smith JH, Podoll RT, et al. 1982. Aquatic fate process data for organic priority pollutants. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. EPA 440/4-81-014.
- *Mack GA, Stanley J. 1984. Program strategy for the National Human Adipose Tissue Survey. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances.
- Mackay D, Shiu WY, Sutherland RP. 1979. Determination of air-water Henry's law constants for hydrophobic pollutants. *Environ Sci Technol* 13:333-337.
- Mackay D, Bobra A, Shiu WY. 1980. Relationships between aqueous solubility and octanol-water partition coefficients. *Chemosphere* 9:701-711.
- Mackay D, Yeun AT. 1983. Mass transfer coefficient correlations for volatilization of organic solutes from water. *Environ Sci Technol* 17:211-217.
- McNabb JF, Smith BH, Wilson JT. 1981. Biodegradation of toluene and chlorobenzene in soil and groundwater [Abstract]. Proceedings of the 81st Annual Meeting of the American Society of Microbiology, March 1-6, 213.
- *Michael LC, Pellizzari ED, Wiseman RW. 1988. Development and evaluation of a procedure for determining volatile organics in water. *Environ Sci Technol* 22:565-570.
- *Mohtashamipur E, Triebel R, Straeter H, et al. 1987. The bone marrow clastogenicity of eight halogenated benzenes in male NMRI mice. *Mutagenesis* 2:111-113.
- *Nair RS, Barter JA, Schroeder RE, et al. 1987. A two generation reproduction study with monochlorobenzene vapor in rats. *Fundam Appl Toxicol* 9:678-686.

8. REFERENCES

- * NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- * NATICH. 1988. NATICH data base report on state, local and EPA air toxics activities. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, National Air Toxics Information Clearinghouse. EPA-450/5-88-007. NTIS No. PB89-106983.
- Neptune D. 1980. Descriptive statistic for detected priority pollutants and tabulation listings. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. TRDB-0280-001.
- * NIOSH. 1984. Hydrocarbons, halogenated-method 1003. NIOSH manual of analytical methods. 3rd ed. (2nd supplement). Cincinnati, OH: National Institute for Occupational Safety and Health, NIOSH Publication No. 84-100, 1003-1-1003-9.
- * NIOSH. 1985. NIOSH pocket guide to chemical hazards. Washington, DC: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. DHHS (NIOSH) Publication No. 85-114.
- NIOSH. 1988. National occupational hazard survey. Cincinnati, OH: National Institute for Occupational Safety and Health.
- NIOSH. 1988. National occupational exposure survey. Cincinnati, OH: National Institute for Occupational Safety and Health.
- * NLM. 1988. Chemline. National Library of Medicine, Bethesda, MD. December 1988.
- * NTP. 1982. Mutagenicity testing of chlorobenzene. Environmental Mutagen Test Development Program. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Toxicology Program. (Appendix K in NTP 1985).
- * NTP. 1985. Toxicology and carcinogenesis studies of chlorobenzene (CAS No. 108-90-70) in F344/N rats and B6C3F mice (gavage studies). Technical report series No. 261. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Toxicology Program. NIH Publication No. 86-2517.

8. REFERENCES

* Oesch F, Jerina DM, Daly JW, et al. 1973. Induction, activation and inhibition of epoxide hydrase: An anomylous prevention of chlorobenzene - induced hepatotoxicity by an inhibitor of epoxide hydrase. Chem Biol Interact 6:189-202.

* Ogata M, Shimada Y. 1983. Differences in urinary monochlorobenzene metabolites between rats and humans. Int Arch Occup Environ Health 53:51-57.

Ohio River Valley Water Sanitation Commission. 1979. Water treatment process modifications for trihalomethane control and organic substances in the Ohio River. Cincinnati, OH: Ohio River Valley Water Sanitation Commission.

Oliver BG, Nicol KD. 1982a. Chlorobenzenes in sediments, water, and selected fish from Lakes Superior, Huron, Erie, and Ontario. Environ Sci Technol 16:532-536.

* Oliver BG, Nicol KD. 1982b. Gas chromatographic determination of chlorobenzenes and other chlorinated hydrocarbons in environmental samples using fused silica capillary columns. Chromatographia 16:336-340.

Oliver BG, Niimi AJ. 1983. Bioconcentration of chlorobenzenes from water by rainbow trout: Correlations with partition coefficients and environmental residues. Environ Sci Technol 17:287-291.

* OSHA. 1989. Occupational Safety and Health Administration: Part III. Federal Register 54:2332-2983.

* Pankow, JF, Ligoeki MP, Rosen ME, et al. 1988. Adsorption/thermal desorption with small cartridges for the determination of trace aqueous semivolatle organic compounds. Anal Chem 60:40-47.

* Pellizzari ED. 1978a. Measurement of carcinogenic vapors in ambient atmospheres. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/7-78-062.

Pellizzari ED. 1978b. Quantification of chlorinated hydrocarbons in previously collected air samples. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. EPA-450/3-78-112.

Pellizzari ED, Hartwell TD, Zelon HS, et al. 1979. A preliminary assessment of halogenated organic compounds in man and environmental media - Part I. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances.

8. REFERENCES

- * Pellizzari ED, Sheldon LS, Bursey JT. 1985. GC/MS determination of volatile halocarbons in blood and tissue. Method 25. In: Fishbein L, O'Neill IK, eds. Environmental carcinogens-selected methods of analysis. Vol 7 - Some volatile halogenated hydrocarbons. Publication No. 68, International Agency for Research on Cancer, Lyon France, 435-444.
- * Perry DL, Chuang CC, Jungclaus GA, et al. 1979. Identification of organic compounds in industrial effluent discharges. Athens, GA: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/4-79-016.
- PHRED. 1988. Public Health Risk Evaluation Database. U.S. Environmental Protection Agency, Washington, DC. March 1988.
- * Prasad I. 1970. Mutagenic effects of the herbicide 3',4'-dichloropropionanilide and its degradation products. Can J Microbiol 16:369-372.
- Prasad I, Pramer D. 1968. Mutagenic activity of some chloroanilines and chlorobenzenes. Genetics 20:212-213.
- * Reich H. 1934. [Puran (monochlorobenzene) poisoning in a 2-year-old child.] Samml von Vergiftungsfallen 5:193-194. (German)
- * Reid WD. 1973. Mechanism of renal necrosis induced by bromobenzene or chlorobenzene. Exp Mol Pathol 19:197-214.
- * Reid WD, Krishna G. 1973. Centrolobular hepatic necrosis related to covalent binding of metabolites of halogenated aromatic hydrocarbons. Exp Mol Pathol 1a:ao-99.
- * Reid WD, Krishna G, Gillette JR, et al. 1973. Biochemical mechanism of hepatic necrosis induced by aromatic hydrocarbons. Pharmacol 10:193-214.
- * Rimington C, Ziegler G. 1963. Experimental porphyria in rats induced by chlorinated benzenes. Biochem Pharmacol 12:1387-1397.
- Roloff MV. 1980. Subchronic inhalation toxicity study of monochlorobenzene to male and female dogs. Report to Monsanto Chemical Intermediates, St. Louis, MO. Environmental Health Laboratory Report No. RSO-53, Project No. 790015/DMEH ML-79-025.
- * Rozenbaum ND, Blekh RS, Kremneva SN, et al. 1947. [Use of chlorobenzene as a solvent from the standpoint of industrial hygiene.] Gig Sanit 12:21-24. (Russian)

8. REFERENCES

- *SAX NI, Lewis RJ Sr. 1987. Hawley's condensed chemical dictionary. 11th ed. New York, NY: Van Nostrand Reinhold Company, 263, 596.
- Schwarzenbach RP, Westall J. 1981. Transport of nonpolar organic compounds from surface water to groundwater. Laboratory sorption studies. Environ Sci Technol 15:1360-1367.
- *Selander HG, Jerina DM, Daly JW. 1975. Metabolism of chlorobenzene with hepatic microsomes and solubilized cytochrome P-450 systems. Arch Biochem Biophys 168:309-321.
- *Shackelford WM, Keith LH. 1976. Frequency of organic compounds identified in water. Athens, GA: U.S. Environmental Protection Agency, Office of Research and Development, Environmental Research Laboratory. EPA 600/4-76-062. NTIS No. PB-265470.
- *Sheldon LS, Hites RA. 1978. Organic compounds in the Delaware River. Environ Sci Technol 12:1188-1194.
- Shen TT. 1982. Estimation of organic compound emissions from waste lagoons. J Air Pollut Control Assoc 32:79-82.
- *Shimada T, McQueen CA, Williams GM. 1983. Study of effects on cultured liver cells of three chlorinated benzenes. Final Report. American Health Foundation. Report to Chemical Manufacturer Association.
- Singh HB, Salas LJ, Smith A, et al. 1981. Atmospheric measurements of selected hazardous organic chemicals. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/3-81-032.
- Sittig M, ed. 1980. Pesticide manufacturing and toxic materials control encyclopedia. Park Ridge, NJ: Noyes Data Corporation, 448-450.
- Sittig M. 1985. Handbook of toxic and hazardous chemicals and carcinogens. 2nd ed. Park Ridge, NJ: Noyes Publications, 225-227.
- *SRI. 1985. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 489.
- *SRI. 1986. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 549.
- *SRI. 1987. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 532-533.
- *SRI. 1988. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 526.

8. REFERENCES

- * Stanley JS. 1986. Broad scan analysis of the FY82 national human adipose tissue survey specimens: Volume I - Executive summary. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA-560/5-86-035.
- * Staples CA, Werner AF, Hoogheem TJ. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. Environ Toxicol Chem 4:131-142.
- * Suitheimer C, Bost R, Sunshine I. 1982. Volatiles by headspace chromatography. In: Sunshine I, Jatlow PI, eds. Methodology for analytical technology, Vol. II. Boca Raton, FL: CRC Press, Inc, 1-9.
- * Sullivan TM, Born GS, Carlson GP, et al. 1983. The pharmacokinetics of inhaled chlorobenzene in the rat. Toxicol Appl Pharmacol 71:194-203.
- * Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. J Water Pollut Control Fed 53:1503-1518.
- Tarkova LP. 1965. [Data for substantiating the maximum permissible concentration of chlorobenzol in the atmospheric air.] Gig Sanit 30:327-333. (Russian)
- Tomson MB, Dauchy J, Hutchins S, et al. 1981. Groundwater contamination by trace level organics from a rapid infiltration site. Water Research 15:1109-1116.
- TPCDB. 1988. Testing Priority Committee Data Base. U.S. Environmental Protection Agency, Office of Toxic Substances, Washington, DC.
- * USITC. 1988. Synthetic organic chemicals: United States production and sales, 1987. Washington, DC: United States International Trade Commission. USITC Publication 2118.
- Varshavskaya SP. 1968. [Comparative toxicological characteristics of chlorobenzene and dichlorobenzene (ortho- and para- isomers) in relation to the sanitary protection of water bodies.] Gig Sanit 33:17-23. (Russian)
- Vecerek B, Kondraskin GI, Hatle K, et al. 1976. [Xenobiological characteristics of chlorobenzene.] Bratisl Lek Listy 65:9-14. (Russian)
- * Verschueren K. 1983. Handbook of environmental data on organic chemicals. 2nd Ed. New York, NY: Van Nostrand Reinhold Company, 356-359, 712-717.

8. REFERENCES

* VIEW Database. 1989. Agency for Toxic Substances and Disease Registry (ATSDR), Office of External Affairs, Exposure and Disease Registry Branch, Atlanta, GA. June 20, 1989. (Map based on VIEW Database, June 12, 1989).

Voice TC, Rice CP, Weber WJ Jr. 1983. Effect of solids concentration on the sorptive partitioning of hydrophobic pollutants in aquatic systems. *Environ Sci Technol* 17:513-518.

Wakeham SG, Davis AC, Karas JL. 1983. Mesocosm experiments to determine the fate and persistence of volatile organic compounds in coastal seawater. *Environ Sci Technol* 17:611-617.

* Walters SM. 1986. Cleanup of samples. In: Zweig G, Sherma J, eds. *Analytical methods for pesticides and plant growth regulators*. Vol 15. New York, NY: Academic Press, 67-110.

* Washall JW, Wampler TP. 1988. Purge and trap analysis of aqueous samples with cryofocusing. *American Laboratory* July:70-74.

* Weast RC, ed. 1985. *CRC handbook of chemistry and physics*. Boca Raton, FL: CRC Press, Inc., C-109, C-114.

Weisenberg E, Arad I, Grauer F, et al. 1985. Polychlorinated biphenyls and organochlorine insecticides in human milk in Israel. *Arch Environ Contam Toxicol* 14:517-521.

WHO. 1984. *Guidelines for drinking-water quality*. Volume II: Health criteria and other supporting information. Geneva, Switzerland: World Health Organization, 203-228.

Wilson JT, Enfield CJ, Dunlap WJ, et al. 1981. Transport and fate of selected organic pollutants in a sandy soil. *J Environ Qual* 10:501-506.

Wilson JT, McNabb JF, Balkwill DL, et al. 1983. Enumeration and characterization of bacteria indigenous to a shallow water-table aquifer. *Ground Water* 21:134-142.

Yalkowsky SH, Orr RJ, Valvani SC. 1979. Solubility and partitioning. 3. The solubility of halobenzenes in water. *Ind Eng Chem Fundam* 18:351-353.

Young DR, Gossett RW, Baird RB, et al. 1983. Wastewater inputs and marine bioaccumulation of priority pollutant organics off Southern California. In: Jolley RL, Brungs WA, Cotruvo JA, et al. eds. *Water chlorination: Environmental impact and health effects*. Volume 4, Book 2: Environment, health, and risk. Ann Arbor, MI: Ann Arbor Science (The Butterworth Group), 871-884.

8. REFERENCES

Zlatkis A, Kim K. 1976. Column elution and concentration of volatile compounds in biological fluids. J Chromatogr 126:475-485.

Zoeteman BC, Harmsen K, Linders JB, et al. 1980. Persistent organic pollutants in river water and groundwater of the netherlands. Chemosphere 9:231-249.

* Zub M. 1978. Reactivity of the white blood cell system to toxic action of benzene and its derivatives. Acta Biol Cracov 21:163-174.