

## APPENDIX B: INPUT FILES FOR BRAGFLO

### B.1: BRAGFLO CRA

#### B.1.1. GENMESH INPUT: Sets up grid for Bragflo

```
$ type GM_BF_CRA1.INP
TITLE: BRAGFLO 2003 CRA1 (GENMESH)
SCENARIO: S1, S2, S3, S4, S5, and S6
ANALYSTS: Joshua Stein and Bill Zelinski
CREATED: April 2003
MODIFIED: BRAGFLO GRID FOR 2003 CRA
*SETUP
DIM = 3
ORIGIN = 0., 0., 0.
IJKMAX= 69, 34,2
*GRID
DEL, COORD=X, DEL= 12203.83, INRANGE 1, 2 , FACTOR=1.0
DEL, COORD=X, DEL= 3126.85, INRANGE 2, 3 , FACTOR=1.0
DEL, COORD=X, DEL= 2156.45, INRANGE 3, 4 , FACTOR=1.0
DEL, COORD=X, DEL= 1487.21, INRANGE 4, 5 , FACTOR=1.0
DEL, COORD=X, DEL= 1025.66, INRANGE 5, 6 , FACTOR=1.0
DEL, COORD=X, DEL= 707.35, INRANGE 6, 7 , FACTOR=1.0
DEL, COORD=X, DEL= 526.68, INRANGE 7, 8 , FACTOR=1.0
DEL, COORD=X, DEL= 363.23, INRANGE 8, 9 , FACTOR=1.0
DEL, COORD=X, DEL= 250.50, INRANGE 9, 10 , FACTOR=1.0
DEL, COORD=X, DEL= 172.76, INRANGE 10, 11 , FACTOR=1.0
DEL, COORD=X, DEL= 119.15, INRANGE 11, 12 , FACTOR=1.0
DEL, COORD=X, DEL= 82.17, INRANGE 12, 13 , FACTOR=1.0
DEL, COORD=X, DEL= 56.67, INRANGE 13, 14 , FACTOR=1.0
DEL, COORD=X, DEL= 39.08, INRANGE 14, 15 , FACTOR=1.0
DEL, COORD=X, DEL= 26.95, INRANGE 15, 16 , FACTOR=1.0
DEL, COORD=X, DEL= 18.59, INRANGE 16, 17 , FACTOR=1.0
DEL, COORD=X, DEL= 12.82, INRANGE 17, 18 , FACTOR=1.0
DEL, COORD=X, DEL= 8.84, INRANGE 18, 19 , FACTOR=1.0
DEL, COORD=X, DEL= 6.10, INRANGE 19, 20 , FACTOR=1.0
DEL, COORD=X, DEL= 4.20, INRANGE 20, 21 , FACTOR=1.0
DEL, COORD=X, DEL= 2.90, INRANGE 21, 22 , FACTOR=1.0
DEL, COORD=X, DEL= 2.00, INRANGE 22, 23 , FACTOR=1.0
DEL, COORD=X, DEL= 43.80, INRANGE 23, 24 , FACTOR=1.0
DEL, COORD=X, DEL= 10.00, INRANGE 24, 25 , FACTOR=1.0
DEL, COORD=X, DEL= 2.00, INRANGE 25, 26 , FACTOR=1.0
DEL, COORD=X, DEL= 0.27575, INRANGE 26, 27 , FACTOR=1.0
DEL, COORD=X, DEL= 2.00, INRANGE 27, 28 , FACTOR=1.0
DEL, COORD=X, DEL= 10.00, INRANGE 28, 29 , FACTOR=1.0
DEL, COORD=X, DEL= 43.80, INRANGE 29, 30 , FACTOR=1.0
DEL, COORD=X, DEL= 32.10, INRANGE 30, 31 , FACTOR=1.0
DEL, COORD=X, DEL= 7.90, INRANGE 31, 32 , FACTOR=1.0
DEL, COORD=X, DEL= 140.20, INRANGE 32, 33 , FACTOR=1.0
DEL, COORD=X, DEL= 140.20, INRANGE 33, 34 , FACTOR=1.0
DEL, COORD=X, DEL= 32.10, INRANGE 34, 35 , FACTOR=1.0
DEL, COORD=X, DEL= 7.90, INRANGE 35, 36 , FACTOR=1.0
DEL, COORD=X, DEL= 140.20, INRANGE 36, 37 , FACTOR=1.0
DEL, COORD=X, DEL= 140.20, INRANGE 37, 38 , FACTOR=1.0
DEL, COORD=X, DEL= 32.10, INRANGE 38, 39 , FACTOR=1.0
```

DEL, COORD=X, DEL= 15.80, INRANGE 39, 40 , FACTOR=1.0  
DEL, COORD=X, DEL= 98.70, INRANGE 40, 41 , FACTOR=1.0  
DEL, COORD=X, DEL= 98.70, INRANGE 41, 42 , FACTOR=1.0  
DEL, COORD=X, DEL= 98.70, INRANGE 42, 43 , FACTOR=1.0  
DEL, COORD=X, DEL= 10.00, INRANGE 43, 44 , FACTOR=1.0  
DEL, COORD=X, DEL= 361.65, INRANGE 44, 45 , FACTOR=1.0  
DEL, COORD=X, DEL= 361.65, INRANGE 45, 46 , FACTOR=1.0  
DEL, COORD=X, DEL= 2.00, INRANGE 46, 47 , FACTOR=1.0  
DEL, COORD=X, DEL= 2.90, INRANGE 47, 48 , FACTOR=1.0  
DEL, COORD=X, DEL= 4.20, INRANGE 48, 49 , FACTOR=1.0  
DEL, COORD=X, DEL= 6.10, INRANGE 49, 50 , FACTOR=1.0  
DEL, COORD=X, DEL= 8.84, INRANGE 50, 51 , FACTOR=1.0  
DEL, COORD=X, DEL= 12.82, INRANGE 51, 52 , FACTOR=1.0  
DEL, COORD=X, DEL= 18.59, INRANGE 52, 53 , FACTOR=1.0  
DEL, COORD=X, DEL= 26.95, INRANGE 53, 54 , FACTOR=1.0  
DEL, COORD=X, DEL= 39.08, INRANGE 54, 55 , FACTOR=1.0  
DEL, COORD=X, DEL= 56.67, INRANGE 55, 56 , FACTOR=1.0  
DEL, COORD=X, DEL= 82.17, INRANGE 56, 57 , FACTOR=1.0  
DEL, COORD=X, DEL= 119.15, INRANGE 57, 58 , FACTOR=1.0  
DEL, COORD=X, DEL= 172.76, INRANGE 58, 59 , FACTOR=1.0  
DEL, COORD=X, DEL= 250.50, INRANGE 59, 60 , FACTOR=1.0  
DEL, COORD=X, DEL= 363.23, INRANGE 60, 61 , FACTOR=1.0  
DEL, COORD=X, DEL= 526.68, INRANGE 61, 62 , FACTOR=1.0  
DEL, COORD=X, DEL= 707.35, INRANGE 62, 63 , FACTOR=1.0  
DEL, COORD=X, DEL= 1025.66, INRANGE 63, 64 , FACTOR=1.0  
DEL, COORD=X, DEL= 1487.21, INRANGE 64, 65 , FACTOR=1.0  
DEL, COORD=X, DEL= 2156.45, INRANGE 65, 66 , FACTOR=1.0  
DEL, COORD=X, DEL= 3126.85, INRANGE 66, 67 , FACTOR=1.0  
DEL, COORD=X, DEL= 4533.94, INRANGE 67, 68 , FACTOR=1.0  
DEL, COORD=X, DEL= 7669.89, INRANGE 68, 69 , FACTOR=1.0

DEL, COORD=Y, DEL= 125.83, INRANGE 1, 2 , FACTOR=1.0  
DEL, COORD=Y, DEL= 52.27, INRANGE 2, 3 , FACTOR=1.0  
DEL, COORD=Y, DEL= 66.72, INRANGE 3, 4 , FACTOR=1.0  
DEL, COORD=Y, DEL= 66.72, INRANGE 4, 5 , FACTOR=1.0  
DEL, COORD=Y, DEL= 65.72, INRANGE 5, 6 , FACTOR=1.0  
DEL, COORD=Y, DEL= 1.00, INRANGE 6, 7 , FACTOR=1.0  
DEL, COORD=Y, DEL= 0.85, INRANGE 7, 8 , FACTOR=1.0  
DEL, COORD=Y, DEL= 0.69, INRANGE 8, 9 , FACTOR=1.0  
DEL, COORD=Y, DEL= 0.69, INRANGE 9, 10 , FACTOR=1.0  
DEL, COORD=Y, DEL= 1.32, INRANGE 10, 11 , FACTOR=1.0  
DEL, COORD=Y, DEL= 1.32, INRANGE 11, 12 , FACTOR=1.0  
DEL, COORD=Y, DEL= 1.32, INRANGE 12, 13 , FACTOR=1.0  
DEL, COORD=Y, DEL= 2.62, INRANGE 13, 14 , FACTOR=1.0  
DEL, COORD=Y, DEL= 0.27, INRANGE 14, 15 , FACTOR=1.0  
DEL, COORD=Y, DEL= 4.53, INRANGE 15, 16 , FACTOR=1.0  
DEL, COORD=Y, DEL= 4.53, INRANGE 16, 17 , FACTOR=1.0  
DEL, COORD=Y, DEL= 0.18, INRANGE 17, 18 , FACTOR=1.0  
DEL, COORD=Y, DEL= 54.73, INRANGE 18, 19 , FACTOR=1.0  
DEL, COORD=Y, DEL= 54.73, INRANGE 19, 20 , FACTOR=1.0  
DEL, COORD=Y, DEL= 54.73, INRANGE 20, 21 , FACTOR=1.0  
DEL, COORD=Y, DEL= 54.73, INRANGE 21, 22 , FACTOR=1.0  
DEL, COORD=Y, DEL= 54.73, INRANGE 22, 23 , FACTOR=1.0  
DEL, COORD=Y, DEL= 54.73, INRANGE 23, 24 , FACTOR=1.0  
DEL, COORD=Y, DEL= 54.73, INRANGE 24, 25 , FACTOR=1.0  
DEL, COORD=Y, DEL= 36.00, INRANGE 25, 26 , FACTOR=1.0  
DEL, COORD=Y, DEL= 7.70, INRANGE 26, 27 , FACTOR=1.0

DEL, COORD=Y, DEL= 24.80, INRANGE 27, 28 , FACTOR=1.0  
DEL, COORD=Y, DEL= 8.50, INRANGE 28, 29 , FACTOR=1.0  
DEL, COORD=Y, DEL= 17.30, INRANGE 29, 30 , FACTOR=1.0  
DEL, COORD=Y, DEL= 106.00, INRANGE 30, 31 , FACTOR=1.0  
DEL, COORD=Y, DEL= 43.30, INRANGE 31, 32 , FACTOR=1.0  
DEL, COORD=Y, DEL= 15.66, INRANGE 32, 33 , FACTOR=1.0  
DEL, COORD=Y, DEL= 0.10, INRANGE 33, 34 , FACTOR=1.0

\*ELEVATION\_ELEMENT, ADJUST\_Z\_COORD

LOCATION, THICK= 66177.07, ELEVATION=0.0, IRANGE= 1, 2, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 35515.71, ELEVATION=0.0, IRANGE= 2, 3, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 24949.10, ELEVATION=0.0, IRANGE= 3, 4, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 17661.78, ELEVATION=0.0, IRANGE= 4, 5, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 12636.05, ELEVATION=0.0, IRANGE= 5, 6, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 9170.02, ELEVATION=0.0, IRANGE= 6, 7, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 6701.95, ELEVATION=0.0, IRANGE= 7, 8, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 4922.12, ELEVATION=0.0, IRANGE= 8, 9, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 3694.66, ELEVATION=0.0, IRANGE= 9, 10, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 2848.13, ELEVATION=0.0, IRANGE= 10, 11, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 2264.31, ELEVATION=0.0, IRANGE= 11, 12, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 1861.68, ELEVATION=0.0, IRANGE= 12, 13, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 1584.01, ELEVATION=0.0, IRANGE= 13, 14, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 1392.51, ELEVATION=0.0, IRANGE= 14, 15, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 1260.44, ELEVATION=0.0, IRANGE= 15, 16, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 1169.36, ELEVATION=0.0, IRANGE= 16, 17, JRANGE=1, 33,  
KRANGE=1  
,2

LOCATION, THICK= 1106.54, ELEVATION=0.0, IRANGE= 17, 18, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 1063.22, ELEVATION=0.0, IRANGE= 18, 19, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 1033.34, ELEVATION=0.0, IRANGE= 19, 20, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 1012.74, ELEVATION=0.0, IRANGE= 20, 21, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 998.53, ELEVATION=0.0, IRANGE= 21, 22, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 988.73, ELEVATION=0.0, IRANGE= 22, 23, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 126.20, ELEVATION=0.0, IRANGE= 23, 24, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 28.80, ELEVATION=0.0, IRANGE= 24, 25, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 4.80, ELEVATION=0.0, IRANGE= 25, 26, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 0.27575, ELEVATION=0.0, IRANGE= 26, 27, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 4.80, ELEVATION=0.0, IRANGE= 27, 28, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 28.80, ELEVATION=0.0, IRANGE= 28, 29, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 126.20, ELEVATION=0.0, IRANGE= 29, 30, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 20.00, ELEVATION=0.0, IRANGE= 30, 31, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 20.00, ELEVATION=0.0, IRANGE= 31, 32, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 156.904, ELEVATION=0.0, IRANGE= 32, 33, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 156.904, ELEVATION=0.0, IRANGE= 33, 34, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 40.00, ELEVATION=0.0, IRANGE= 34, 35, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 40.00, ELEVATION=0.0, IRANGE= 35, 36, JRANGE=1, 33,  
KRANGE=1  
,2

LOCATION, THICK= 196.13, ELEVATION=0.0, IRANGE= 36, 37, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 196.13, ELEVATION=0.0, IRANGE= 37, 38, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 40.00, ELEVATION=0.0, IRANGE= 38, 39, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 40.00, ELEVATION=0.0, IRANGE= 39, 40, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 32.18, ELEVATION=0.0, IRANGE= 40, 41, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 32.18, ELEVATION=0.0, IRANGE= 41, 42, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 32.18, ELEVATION=0.0, IRANGE= 42, 43, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 9.50, ELEVATION=0.0, IRANGE= 43, 44, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 30.61, ELEVATION=0.0, IRANGE= 44, 45, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 30.61, ELEVATION=0.0, IRANGE= 45, 46, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 2839.58, ELEVATION=0.0, IRANGE= 46, 47, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 2849.38, ELEVATION=0.0, IRANGE= 47, 48, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 2863.59, ELEVATION=0.0, IRANGE= 48, 49, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 2884.19, ELEVATION=0.0, IRANGE= 49, 50, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 2914.07, ELEVATION=0.0, IRANGE= 50, 51, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 2957.39, ELEVATION=0.0, IRANGE= 51, 52, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 3020.20, ELEVATION=0.0, IRANGE= 52, 53, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 3111.29, ELEVATION=0.0, IRANGE= 53, 54, JRANGE=1, 33,  
KRANGE=1  
,2  
LOCATION, THICK= 3243.36, ELEVATION=0.0, IRANGE= 54, 55, JRANGE=1, 33,  
KRANGE=1  
,2

```

LOCATION, THICK= 3434.86, ELEVATION=0.0, IRANGE= 55, 56, JRANGE=1, 33,
KRANGE=1
,2
LOCATION, THICK= 3712.53, ELEVATION=0.0, IRANGE= 56, 57, JRANGE=1, 33,
KRANGE=1
,2
LOCATION, THICK= 4115.16, ELEVATION=0.0, IRANGE= 57, 58, JRANGE=1, 33,
KRANGE=1
,2
LOCATION, THICK= 4698.98, ELEVATION=0.0, IRANGE= 58, 59, JRANGE=1, 33,
KRANGE=1
,2
LOCATION, THICK= 5545.50, ELEVATION=0.0, IRANGE= 59, 60, JRANGE=1, 33,
KRANGE=1
,2
LOCATION, THICK= 6772.97, ELEVATION=0.0, IRANGE= 60, 61, JRANGE=1, 33,
KRANGE=1
,2
LOCATION, THICK= 8552.80, ELEVATION=0.0, IRANGE= 61, 62, JRANGE=1, 33,
KRANGE=1
,2
LOCATION, THICK= 11020.87, ELEVATION=0.0, IRANGE= 62, 63, JRANGE=1, 33,
KRANGE=1
,2
LOCATION, THICK= 14486.90, ELEVATION=0.0, IRANGE= 63, 64, JRANGE=1, 33,
KRANGE=1
,2
LOCATION, THICK= 19512.63, ELEVATION=0.0, IRANGE= 64, 65, JRANGE=1, 33,
KRANGE=1
,2
LOCATION, THICK= 26799.95, ELEVATION=0.0, IRANGE= 65, 66, JRANGE=1, 33,
KRANGE=1
,2
LOCATION, THICK= 37366.56, ELEVATION=0.0, IRANGE= 66, 67, JRANGE=1, 33,
KRANGE=1
,2
LOCATION, THICK= 52688.14, ELEVATION=0.0, IRANGE= 67, 68, JRANGE=1, 33,
KRANGE=1
,2
LOCATION, THICK= 77095.80, ELEVATION=0.0, IRANGE= 68, 69, JRANGE=1, 33,
KRANGE=1
,2
*REGIONS
REGION= 1, IRANGE= 1,69, JRANGE= 3, 7, KRANGE=1,2 ! S_Halite
REGION= 1, IRANGE= 1,23, JRANGE= 8,14, KRANGE=1,2 ! S_Halite
REGION= 1, IRANGE= 46,69, JRANGE= 8,14, KRANGE=1,2 ! S_Halite
REGION= 1, IRANGE= 1,23, JRANGE=15,17, KRANGE=1,2 ! S_Halite
REGION= 1, IRANGE= 46,69, JRANGE=15,17, KRANGE=1,2 ! S_Halite
REGION= 1, IRANGE= 1,43, JRANGE=18,25, KRANGE=1,2 ! S_Halite
REGION= 1, IRANGE= 44,69, JRANGE=18,25, KRANGE=1,2 ! S_Halite
REGION= 2, IRANGE= 31,32, JRANGE=15,17, KRANGE=1,2 ! DR_PCS
REGION= 2, IRANGE= 35,36, JRANGE=15,17, KRANGE=1,2 ! DRZ_PCS
REGION= 2, IRANGE= 39,40, JRANGE=15,17, KRANGE=1,2 ! DRZ_PCS
REGION= 2, IRANGE= 23,31, JRANGE= 7,10, KRANGE=1,2 ! LDRZ
REGION= 2, IRANGE= 32,35, JRANGE= 7,10, KRANGE=1,2 ! LDRZ
REGION= 2, IRANGE= 36,39, JRANGE= 7,10, KRANGE=1,2 ! LDRZ
REGION= 2, IRANGE= 40,43, JRANGE= 7,10, KRANGE=1,2 ! LDRZ

```

```

REGION= 2, IRANGE= 44,46, JRANGE= 7,10, KRANGE=1,2 ! LDRZ
REGION= 2, IRANGE= 23,31, JRANGE=13,17, KRANGE=1,2 ! UDRZ
REGION= 2, IRANGE= 32,35, JRANGE=13,17, KRANGE=1,2 ! UDRZ
REGION= 2, IRANGE= 36,39, JRANGE=13,17, KRANGE=1,2 ! UDRZ
REGION= 2, IRANGE= 40,43, JRANGE=13,17, KRANGE=1,2 ! UDRZ
REGION= 2, IRANGE= 44,46, JRANGE=13,17, KRANGE=1,2 ! UDRZ
REGION= 3, IRANGE= 1,23, JRANGE= 7, 8, KRANGE=1,2 ! MB_139
REGION= 3, IRANGE= 31,32, JRANGE= 7, 8, KRANGE=1,2 ! MB_139
REGION= 3, IRANGE= 35,36, JRANGE= 7, 8, KRANGE=1,2 ! MB_139
REGION= 3, IRANGE= 39,40, JRANGE= 7, 8, KRANGE=1,2 ! MB_139
REGION= 3, IRANGE= 43,44, JRANGE= 7, 8, KRANGE=1,2 ! MB_139
REGION= 3, IRANGE= 46,69, JRANGE= 7, 8, KRANGE=1,2 ! MB_139
REGION= 4, IRANGE= 1,23, JRANGE=14,15, KRANGE=1,2 ! ANH_AB
REGION= 4, IRANGE= 31,32, JRANGE=14,15, KRANGE=1,2 ! ANH_AB
REGION= 4, IRANGE= 35,36, JRANGE=14,15, KRANGE=1,2 ! ANH_AB
REGION= 4, IRANGE= 39,40, JRANGE=14,15, KRANGE=1,2 ! ANH_AB
REGION= 4, IRANGE= 43,44, JRANGE=14,15, KRANGE=1,2 ! ANH_AB
REGION= 4, IRANGE= 46,69, JRANGE=14,15, KRANGE=1,2 ! ANH_AB
REGION= 5, IRANGE= 1,69, JRANGE=17,18, KRANGE=1,2 ! MB_138
REGION= 6, IRANGE= 23,30, JRANGE=10,13, KRANGE=1,2 ! IP
REGION= 7, IRANGE= 32,34, JRANGE=10,13, KRANGE=1,2 ! SRoR
REGION= 7, IRANGE= 36,38, JRANGE=10,13, KRANGE=1,2 ! NRoR
REGION= 8, IRANGE= 40,43, JRANGE=10,13, KRANGE=1,2 ! OPS
REGION= 8, IRANGE= 44,46, JRANGE=10,13, KRANGE=1,2 ! EXP
REGION= 9, IRANGE= 30,31, JRANGE=10,13, KRANGE=1,2 ! DRF_PCS
REGION= 9, IRANGE= 34,35, JRANGE=10,13, KRANGE=1,2 ! DRF_PCS
REGION= 9, IRANGE= 38,39, JRANGE=10,13, KRANGE=1,2 ! DRF_PCS
REGION= 9, IRANGE= 31,32, JRANGE= 8,14, KRANGE=1,2 ! CONC_PCS
REGION= 9, IRANGE= 35,36, JRANGE= 8,14, KRANGE=1,2 ! CONC_PCS
REGION= 9, IRANGE= 39,40, JRANGE= 8,14, KRANGE=1,2 ! CONC_PCS
REGION= 9, IRANGE= 43,44, JRANGE= 8,14, KRANGE=1,2 ! CONC_MON
REGION= 9, IRANGE= 43,44, JRANGE=25,34, KRANGE=1,2 ! Shft_non
REGION= 9, IRANGE= 43,44, JRANGE=18,25, KRANGE=1,2 ! Shft_sal
REGION= 9, IRANGE= 43,44, JRANGE=15,17, KRANGE=1,2 ! Shft_sal
REGION=10, IRANGE= 1,23, JRANGE= 1, 2, KRANGE=1,2 ! Castile
REGION=10, IRANGE= 46,69, JRANGE= 1, 2, KRANGE=1,2 ! Castile
REGION=10, IRANGE= 1,69, JRANGE= 2, 3, KRANGE=1,2 ! Castile
REGION=10, IRANGE= 1,43, JRANGE=25,26, KRANGE=1,2 ! unnamed
REGION=10, IRANGE= 44,69, JRANGE=25,26, KRANGE=1,2 ! unnamed
REGION=10, IRANGE= 1,43, JRANGE=27,28, KRANGE=1,2 ! tamarisk
REGION=10, IRANGE= 44,69, JRANGE=27,28, KRANGE=1,2 ! tamarisk
REGION=10, IRANGE= 1,43, JRANGE=29,30, KRANGE=1,2 ! 49er
REGION=10, IRANGE= 44,69, JRANGE=29,30, KRANGE=1,2 ! 49er
REGION=10, IRANGE= 1,43, JRANGE=26,27, KRANGE=1,2 ! culebra
REGION=10, IRANGE= 44,69, JRANGE=26,27, KRANGE=1,2 ! culebra
REGION=10, IRANGE= 1,43, JRANGE=28,29, KRANGE=1,2 ! magenta
REGION=10, IRANGE= 44,69, JRANGE=28,29, KRANGE=1,2 ! magenta
REGION=10, IRANGE= 1,43, JRANGE=30,32, KRANGE=1,2 ! Dewey
REGION=10, IRANGE= 44,69, JRANGE=30,32, KRANGE=1,2 ! Dewey
REGION=10, IRANGE= 1,43, JRANGE=32,34, KRANGE=1,2 ! Santrosa
REGION=10, IRANGE= 44,69, JRANGE=32,34, KRANGE=1,2 ! Santrosa
REGION=11, IRANGE= 23,46, JRANGE= 1, 2, KRANGE=1,2 ! castiler

```

## B.1.2 MATSET INPUT: Parameter call out/block assignment

```

! TITLE:      BRAGFLO 2003 CRA1 (MATSET)
! SCENARIO: S1, S2, S3, S4, S5, and S6
! ANALYSTS: Joshua Stein and Bill Zelinski
! MODIFIED: 03/28/03 to include infomration formerly included in
!             the BRAGFLO executable
!=====
*PRINT_ASSIGNED_VALUES
!
*HEADING
  TITLE, BRAGFLO 2003: CRA1
  SCALE, LOCAL
  SCENARIO, DISTURBED
!
*UNITS=SI
!
*CREATE_BLOCKS
!...Create additional blocks for FLUID, WELL, and other properties
!   for modeling corrosion and biodegradation reactions
BLOCK_IDS=12
BLOCK_IDS=13
BLOCK_IDS=14
BLOCK_IDS=15
BLOCK_IDS=16
BLOCK_IDS=17
BLOCK_IDS=18
BLOCK_IDS=19
BLOCK_IDS=20
BLOCK_IDS=21
BLOCK_IDS=22
BLOCK_IDS=23
BLOCK_IDS=24
BLOCK_IDS=25
BLOCK_IDS=26
BLOCK_IDS=27
BLOCK_IDS=28
BLOCK_IDS=29
BLOCK_IDS=30
BLOCK_IDS=31
BLOCK_IDS=32
BLOCK_IDS=33
BLOCK_IDS=34
BLOCK_IDS=35
BLOCK_IDS=36
BLOCK_IDS=37
BLOCK_IDS=38
BLOCK_IDS=39
BLOCK_IDS=40
BLOCK_IDS=41
BLOCK_IDS=42
!
*RETRIEVE
  COORD, DIM=3, NAMES= X,Y,Z
!
! ...Define region names
  MATERIAL, 1=S_HALITE, &
            2=DRZ_0, &
            3=S_MB139, &

```



```

4=S_ANH_AB, &
5=S_MB138, &
6=CAVITY_1, &
7=CAVITY_2, &
8=CAVITY_3, &
9=CAVITY_4, &
10=IMPERM_Z, &
11=CASTILER, &
12=OPS_AREA, &
13=EXP_AREA, &
14=CULEBRA, &
15=MAGENTA, &
16=DEWYLAKE, &
17=SANTAROS, &
18=WAS_AREA, &
19=DRZ_1, &
20=DRZ_PCS, & !Healed DRZ above CONC_PCS
21=CONC_PCS, & !Concrete part of PCS
22=CONC_PLG, &
23=BH_OPEN, &
24=BH_SAND, &
25=BH_CREEP, &
26=BRINESAL, &
27=H2, &
28=SULFATE, &
29=NITRATE, &
30=STEEL, &
31=CELLULS, &
32=REFCON, &
33=UNNAMED, &
34=TAMARISK, &
35=FORTYNIN, &
36=BOREHOLE, &
37=DRF_PCS:WAS_AREA, &
38=REPOSIT:WAS_AREA, &
39=CONC_MON, &
40=SHFTU, &
41=SHFTL_T1, &
42=SHFTL_T2

```

!1...Define LOWER SALADO (below MB139) property names

```

PROPERTY, MAT=S_HALITE, NAMES=
PRMX_LOG, PRMY_LOG, PRMZ_LOG, &
POROSITY, PORE_DIS, SAT_RGAS, &
SAT_RBRN, COMP_RCK, CAP_MOD, &
RELP_MOD, PC_MAX, PO_MIN, &
PCT_A, PCT_EXP, KPT, &
PRESSURE

```

!2a...Define INITIAL DRZ property names

```

PROPERTY, MAT=DRZ_0, NAMES=
PRMX_LOG, PRMY_LOG, PRMZ_LOG, &
POROSITY, PORE_DIS, SAT_RGAS, &
SAT_RBRN, COMP_RCK, CAP_MOD, &
RELP_MOD, PC_MAX, PO_MIN, &
PCT_A, PCT_EXP, KPT

```

!2b...Define DRZ\_0 fracture model parameters

```

PROPERTY, MAT=DRZ_0, NAMES=
DPHIMAX, PI_DELTA, PF_DELTA, &
IFRX, IFRY, IFRZ, &
KMAXLOG

```

!3a...Define MARKER BED 139 property names

```

PROPERTY, MAT=S_MB139, NAMES=      PRMX_LOG,      PRMY_LOG,      PRMZ_LOG, &
                                     POROSITY,      PORE_DIS,      SAT_RGAS, &
                                     SAT_RBRN,      COMP_RCK,      CAP_MOD, &
                                     RELP_MOD,      PC_MAX,        PO_MIN, &
                                     PCT_A,         PCT_EXP,       KPT, &
                                     BKLINK,        EXPKLINK
!3b...Define MARKER BED 139 fracture model parameters
PROPERTY, MAT=S_MB139, NAMES=      DPHIMAX,      PI_DELTA,      PF_DELTA, &
                                     IFRX,         IFRY,         IFRZ, &
                                     KMAXLOG
!4a...Define ANHYDRITE A and B property names
PROPERTY, MAT=S_ANH_AB, NAME=      PRMX_LOG,      PRMY_LOG,      PRMZ_LOG, &
                                     POROSITY,      PORE_DIS,      SAT_RGAS, &
                                     SAT_RBRN,      COMP_RCK,      CAP_MOD, &
                                     RELP_MOD,      PC_MAX,        PO_MIN, &
                                     PCT_A,         PCT_EXP,       KPT
!4b...Define ANHYDRITE A and B fracture model parameters
PROPERTY, MAT=S_ANH_AB, NAMES=      DPHIMAX,      PI_DELTA,      PF_DELTA, &
                                     IFRX,         IFRY,         IFRZ, &
                                     KMAXLOG
!5a...Define Marker Bed 138 property names
PROPERTY, MAT=S_MB138, NAME=      PRMX_LOG,      PRMY_LOG,      PRMZ_LOG, &
                                     POROSITY,      PORE_DIS,      SAT_RGAS, &
                                     SAT_RBRN,      COMP_RCK,      CAP_MOD, &
                                     RELP_MOD,      PC_MAX,        PO_MIN, &
                                     PCT_A,         PCT_EXP,       KPT
!5b...Define Marker Bed 138 fracture model parameters
PROPERTY, MAT=S_MB138, NAMES=      DPHIMAX,      PI_DELTA,      PF_DELTA, &
                                     IFRX,         IFRY,         IFRZ, &
                                     KMAXLOG
!6...Define empty CAVITY property names (Time Period -5 to 0 years) (IP)
PROPERTY, MAT=CAVITY_1, NAMES=      PRMX_LOG,      PRMY_LOG,      PRMZ_LOG, &
                                     POROSITY,      PORE_DIS,      SAT_RGAS, &
                                     SAT_RBRN,      COMP_RCK,      CAP_MOD, &
                                     RELP_MOD,      PC_MAX,        PO_MIN, &
                                     PCT_A,         PCT_EXP,       KPT, &
                                     PRESSURE,      SAT_IBRN
!7...Define empty CAVITY property names (Time Period -5 to 0 years) (RoR)
PROPERTY, MAT=CAVITY_2, NAMES=      PRMX_LOG,      PRMY_LOG,      PRMZ_LOG, &
                                     POROSITY,      PORE_DIS,      SAT_RGAS, &
                                     SAT_RBRN,      COMP_RCK,      CAP_MOD, &
                                     RELP_MOD,      PC_MAX,        PO_MIN, &
                                     PCT_A,         PCT_EXP,       KPT, &
                                     PRESSURE,      SAT_IBRN
!8...Define empty CAVITY property names (Time Period -5 to 0 years) (OPS+EXP)
PROPERTY, MAT=CAVITY_3, NAMES=      PRMX_LOG,      PRMY_LOG,      PRMZ_LOG, &
                                     POROSITY,      PORE_DIS,      SAT_RGAS, &
                                     SAT_RBRN,      COMP_RCK,      CAP_MOD, &
                                     RELP_MOD,      PC_MAX,        PO_MIN, &
                                     PCT_A,         PCT_EXP,       KPT, &
                                     PRESSURE,      SAT_IBRN
!9...Define empty CAVITY property names (Time Period -5 to 0 years) (PCS)
PROPERTY, MAT=CAVITY_4, NAMES=      PRMX_LOG,      PRMY_LOG,      PRMZ_LOG, &
                                     POROSITY,      PORE_DIS,      SAT_RGAS, &
                                     SAT_RBRN,      COMP_RCK,      CAP_MOD, &
                                     RELP_MOD,      PC_MAX,        PO_MIN, &

```



```

!18a...Define WASTE property names
PROPERTY, MAT=WAS_AREA, NAMES=      PRMX_LOG,      PRMY_LOG,      PRMZ_LOG, &
                                      POROSITY,      PORE_DIS,      SAT_RGAS, &
                                      SAT_RBRN,      COMP_RCK,      CAP_MOD, &
                                      RELP_MOD,      PC_MAX,        PO_MIN, &
                                      PCT_A,        PCT_EXP,       KPT, &
                                      SAT_IBRN
!
!18b..Define the waste properties that will control gas generation by
! corrosion reaction and biodegradation
PROPERTY, MAT=WAS_AREA, NAMES=      GRATMICI,      GRATMICH, &
                                      DCELLRHW,     DCELLRHW,     DIRONCHW, &
                                      DIRONRHW,     DPLASCHW,     DPLASRHW, &
                                      DRUBBCHW,     DRUBBRHW,     DIRNCCHW, &
                                      DIRNCRHW,     DPLSCCHW,     DPLSCRHW, &
                                      VOLCHW,       VOLRHW,       SAT_WICK, &
                                      PROBDEG
!19...Define DRZ (Time period 2 : 0-10000 yrs)
PROPERTY, MAT=DRZ_1, NAMES=      PRMX_LOG,      PRMY_LOG,      PRMZ_LOG, &
                                      POROSITY,      PORE_DIS,      SAT_RGAS, &
                                      SAT_RBRN,      COMP_RCK,      CAP_MOD, &
                                      RELP_MOD,      PC_MAX,        PO_MIN, &
                                      PCT_A,        PCT_EXP,       KPT
PROPERTY, MAT=DRZ_1, NAMES=      DPHIMAX,      PI_DELTA,      PF_DELTA, &
                                      IFRX,        IFRY,         IFRZ, &
                                      KMAXLOG
!20...Define DRZ above concrete monolith
PROPERTY, MAT=DRZ_PCS, NAMES=      PRMX_LOG,      PRMY_LOG,      PRMZ_LOG, &
                                      POROSITY,      PORE_DIS,      SAT_RGAS, &
                                      SAT_RBRN,      COMP_RCK,      CAP_MOD, &
                                      RELP_MOD,      PC_MAX,        PO_MIN, &
                                      PCT_A,        PCT_EXP,       KPT
!21...Define PANEL CLOSURE CONCRETE SECTION
PROPERTY, MAT=CONC_PCS, NAMES=      PRMX_LOG,      PRMY_LOG,      PRMZ_LOG, &
                                      POROSITY,      PORE_DIS,      SAT_RGAS, &
                                      SAT_RBRN,      COMP_RCK,      CAP_MOD, &
                                      RELP_MOD,      PC_MAX,        PO_MIN, &
                                      PCT_A,        PCT_EXP,       KPT
!22...Define INTRUSION BOREHOLE: CONCRETE PLUG SECTION
! property names
PROPERTY, MAT=CONC_PLG, NAMES=      PRMX_LOG,      PRMY_LOG,      PRMZ_LOG, &
                                      POROSITY,      PORE_DIS,      SAT_RGAS, &
                                      SAT_RBRN,      COMP_RCK,      CAP_MOD, &
                                      RELP_MOD,      PC_MAX,        PO_MIN, &
                                      PCT_A,        PCT_EXP,       KPT
!23...Define INTRUSION BOREHOLE: OPEN BOREHOLE SECTION
! property names
PROPERTY, MAT=BH_OPEN, NAMES=      PRMX_LOG,      PRMY_LOG,      PRMZ_LOG, &
                                      POROSITY,      PORE_DIS,      SAT_RGAS, &
                                      SAT_RBRN,      COMP_RCK,      CAP_MOD, &
                                      RELP_MOD,      PC_MAX,        PO_MIN, &
                                      PCT_A,        PCT_EXP,       KPT
!24...Define INTRUSION BOREHOLE: SILTY-SAND BOREHOLE SECTION
! property names
PROPERTY, MAT=BH_SAND, NAMES=      PRMX_LOG,      PRMY_LOG,      PRMZ_LOG, &
                                      POROSITY,      PORE_DIS,      SAT_RGAS, &
                                      SAT_RBRN,      COMP_RCK,      CAP_MOD, &

```

```

REL_P_MOD,      PC_MAX,      PO_MIN, &
PCT_A,          PCT_EXP,      KPT
!25...Define INTRUSION BOREHOLE: CREEP CLOSURE SILTY SAND SECTION
! property names
PROPERTY, MAT=BH_CREEP, NAMES=      PRMX_LOG,      PRMY_LOG,      PRMZ_LOG, &
                                      POROSITY,      PORE_DIS,      SAT_RGAS, &
                                      SAT_RBRN,      COMP_RCK,      CAP_MOD, &
                                      RELP_MOD,      PC_MAX,        PO_MIN, &
                                      PCT_A,        PCT_EXP,      KPT

!26..Define BRINE property names
PROPERTY, MAT=BRINESAL, NAMES=      DNSFLUID,      WTF,           COMPRES, &
                                      VISCO,         REF_TEMP,      REF_PRES

!27..Define GAS (H2) property names
PROPERTY, MAT=H2,      NAMES=      VISCO

!28..Define SULFATE property names
PROPERTY, MAT=SULFATE, NAMES=      QINIT

!29..Define NITRATE property names
PROPERTY, MAT=NITRATE, NAMES=      QINIT

!30..Define STEEL property names
PROPERTY, MAT=STEEL,  NAMES=      CORRMCO2,      HUMCORR,      STOIFX

!31..Define CELLULS property names
PROPERTY, MAT=CELLULS, NAMES=      FBETA

!32..Define REFCON property names
PROPERTY, MAT=REFCON,  NAMES=      GRAVACC,      PI,           VPANLEX, &
                                      VROOM,        VREPOS,      DRROOM, &
                                      YRSEC,        SECYR,        ASDRUM, &
                                      ATMPA,        MW_FE,        MW_CELL, &
                                      MW_NACL,      MW_CO2,      MW_CH4, &
                                      MW_N2,        MW_H2S,      MW_O2, &
                                      MW_H2O,      MW_H2,        R, &
                                      TC_H2,        TC_CO2,      TC_CH4, &
                                      TC_N2,        TC_H2S,      TC_O2, &
                                      PC_H2,        PC_CO2,      PC_CH4, &
                                      PC_N2,        PC_H2S,      PC_O2, &
                                      ACF_H2,      ACF_CO2,      ACF_CH4, &
                                      ACF_N2,      ACF_H2S,      ACF_O2, &
                                      OMEGAA,      OMEGAB, &
                                      BIP_11,      BIP_12,      BIP_13, &
                                      BIP_14,      BIP_15,      BIP_16, &
                                      BIP_21,      BIP_22,      BIP_23, &
                                      BIP_24,      BIP_25,      BIP_26, &
                                      BIP_31,      BIP_32,      BIP_33, &
                                      BIP_34,      BIP_35,      BIP_36, &
                                      BIP_41,      BIP_42,      BIP_43, &
                                      BIP_44,      BIP_45,      BIP_46, &
                                      BIP_51,      BIP_52,      BIP_53, &
                                      BIP_54,      BIP_55,      BIP_56, &
                                      BIP_61,      BIP_62,      BIP_63, &
                                      BIP_64,      BIP_65,      BIP_66

!33...Define UNNAMED property names
PROPERTY, MAT=UNNAMED, NAMES=      PRMX_LOG,      PRMY_LOG,      PRMZ_LOG, &
                                      POROSITY,      PORE_DIS,      SAT_RGAS, &
                                      SAT_RBRN,      COMP_RCK,      CAP_MOD, &
                                      RELP_MOD,      PC_MAX,        PO_MIN, &
                                      PCT_A,        PCT_EXP,      KPT

!34...Define TAMARISK property names
PROPERTY, MAT=TAMARISK, NAMES=      PRMX_LOG,      PRMY_LOG,      PRMZ_LOG, &

```

```

POROSITY, PORE_DIS, SAT_RGAS, &
SAT_RBRN, COMP_RCK, CAP_MOD, &
RELP_MOD, PC_MAX, PO_MIN, &
PCT_A, PCT_EXP, KPT
!35...Define FORTYNIN property names
PROPERTY, MAT=FORTYNIN, NAMES=
PRMX_LOG, PRMY_LOG, PRMZ_LOG, &
POROSITY, PORE_DIS, SAT_RGAS, &
SAT_RBRN, COMP_RCK, CAP_MOD, &
RELP_MOD, PC_MAX, PO_MIN, &
PCT_A, PCT_EXP, KPT
!36...Define BOREHOLE property names
PROPERTY, MAT=BOREHOLE, NAMES=
PRMX_LOG, PRMY_LOG, PRMZ_LOG, &
POROSITY, PORE_DIS, SAT_RGAS, &
SAT_RBRN, COMP_RCK, CAP_MOD, &
RELP_MOD, PC_MAX, PO_MIN, &
PCT_A, PCT_EXP, KPT

!37...Define PANEL CLOSURE CONCRETE SECTION THAT FRACTURES
PROPERTY, MAT=DRF_PCS, NAMES=
PRMX_LOG, PRMY_LOG, PRMZ_LOG, &
POROSITY, PORE_DIS, SAT_RGAS, &
SAT_RBRN, COMP_RCK, CAP_MOD, &
RELP_MOD, PC_MAX, PO_MIN, &
PCT_A, PCT_EXP, KPT, &
SAT_IBRN
!38...Define REPOSIT property names
PROPERTY, MAT=REPOSIT, NAMES=
PRMX_LOG, PRMY_LOG, PRMZ_LOG, &
POROSITY, PORE_DIS, SAT_RGAS, &
SAT_RBRN, COMP_RCK, CAP_MOD, &
RELP_MOD, PC_MAX, PO_MIN, &
PCT_A, PCT_EXP, KPT, &
SAT_IBRN
PROPERTY, MAT=REPOSIT, NAMES=
GRATMICI, GRATMICH, &
DCELLCHW, DCELLRHW, DIRONCHW, &
DIRONRHW, DPLASCHW, DPLASRHW, &
DRUBBCHW, DRUBBRHW, DIRNCCHW, &
DIRNCRHW, DPLSCCHW, DPLSCRHW, &
VOLCHW, VOLRHW, SAT_WICK, &
PROBDEG
!39...Define Concrete Monolith property names
PROPERTY, MAT= CONC_MON, NAMES=
PRMX_LOG, PRMY_LOG, PRMZ_LOG, &
POROSITY, PORE_DIS, SAT_RGAS, &
SAT_RBRN, COMP_RCK, CAP_MOD, &
RELP_MOD, PC_MAX, PO_MIN, &
PCT_A, PCT_EXP, KPT, &
SAT_IBRN
!40...Define Shaft Upper non Salado property names
PROPERTY, MAT=SHFTU, NAMES=
COMP_POR, KPT, &
PC_MAX, PCT_A, PCT_EXP, &
PO_MIN, POROSITY, &
RELP_MOD, SAT_IBRN, SAT_RBRN, &
SAT_RGAS, PRMX_LOG
!41...Define Shaft Lower Salado t1 property names
PROPERTY, MAT=SHFTl_T1, NAMES=
COMP_POR, KPT, &
PC_MAX, PCT_A, PCT_EXP, &
PO_MIN, POROSITY, &
RELP_MOD, SAT_IBRN, PRMX_LOG

```

```

!42...Define Shaft Lower Salado t2 property names
PROPERTY, MAT=SHFT1_T2, NAMES=    COMP_POR,    KPT,&
                                PC_MAX,    PCT_A,    PCT_EXP,&
                                PO_MIN,    POROSITY,&
                                RELP_MOD,    SAT_IBRN,    PRMX_LOG

!=====
*SET
PROPERTY_VALUES, MAT= DRZ_0, NAME*VALUE: DPHIMAX = 0.0,    PI_DELTA= 0.0,&
                                PF_DELTA = 0.0,    IFRX = 0,&
                                IFRY = 0.0,    IFRZ = 0,&
                                KMAXLOG = 0.0
PROPERTY_VALUES, MAT= DRZ_1, NAME*VALUE: DPHIMAX = 0.0,    PI_DELTA= 0.0,&
                                PF_DELTA = 0.0,    IFRX = 0,&
                                IFRY = 0.0,    IFRZ = 0,&
                                KMAXLOG = 0.0
PROPERTY_VALUES, MAT= DRZ_PCS, NAME*VALUE: RELP_MOD = 4.0
*END
$

```

### B.1.3 LHS INPUT Callout of sampled parameters

```

$ type lhs1_cra1_a1.inp
! TITLE:    BRAGFLO 2003 CRA1 (LHS1)
! SCENARIO: S1, S2, S3, S4, S5, and S6
! ANALYSTS: Joshua Stein and Bill Zelinski
! CREATED:  April 2003
! MODIFIED: April 7
!
!   LHSCALC = CRA1 REALIZATION 1
!=====
!
! DESCRIPTION:
!
! WIPP 2003 Compliance Recertification Analyses (CRA)
!
! This input file to PRELHS is used to generate, as an output file, an LHS
! input file containing all distribution information and execution options
! required to create a sample for Replicate R1 for the WIPP 2003 CRA
!
! Modified for CRA analyses: LHSBLANK dummy changed to LHSBLANK and
! REFCON MATERIAL (LHSBLANK) changed to REFCON
! #59 dummy replaced with VOLSPALL
!===== No Comments Allowed between *ECHO and *ENDECHO =====
!
!=====
*ECHOLHS
TITLE 2002 TBM PA Calculation, Replicate R1 Input File for the LHS Code
NOBS      100
RANDOM SEED 921196800
CORRELATION MATRIX
3
18 19 -0.99
20 21 -0.99
28 29 -0.75
OUTPUT CORR HIST DATA
*ENDECHO

```

```
!  
!== PROPERTIES TO BE RETRIEVED FROM WIPP 1997 PA CALCULATION DATABASE ==  
!  
*RETRIEVE  
!1  
  MATERIALS,  STEEL  
  PROPERTIES, CORRMCO2  
!2  
  MATERIALS,  WAS_AREA  
  PROPERTIES, PROBDEG  
!3  
  MATERIALS,  WAS_AREA  
  PROPERTIES, GRATMICI  
!4  
  MATERIALS,  WAS_AREA  
  PROPERTIES, GRATMICH  
!5  
  MATERIALS,  CELLULS  
  PROPERTIES, FBETA  
!6  
  MATERIALS,  WAS_AREA  
  PROPERTIES, SAT_RGAS  
!7  
  MATERIALS,  WAS_AREA  
  PROPERTIES, SAT_RBRN  
!8  
  MATERIALS,  WAS_AREA  
  PROPERTIES, SAT_WICK  
!9  
  MATERIALS,  DRZ_PCS  
  PROPERTIES, PRMX_LOG  
!10  
  MATERIALS,  CONC_PCS  
  PROPERTIES, PRMX_LOG  
!11  
  MATERIALS,  SOLU4  
  PROPERTIES, SOLCIM  
!12  
  MATERIALS,  SOLTH4  
  PROPERTIES, SOLCIM  
!13 dummy placeholder  
  MATERIALS,  REFCON  
  PROPERTIES, LHSBLANK  
!14  
  MATERIALS,  CONC_PCS  
  PROPERTIES, SAT_RGAS  
!15  
  MATERIALS,  CONC_PCS  
  PROPERTIES, SAT_RBRN  
!16  
  MATERIALS,  CONC_PCS  
  PROPERTIES, PORE_DIS  
!17  
  MATERIALS,  S_HALITE  
  PROPERTIES, POROSITY  
!18  
  MATERIALS,  S_HALITE
```



PROPERTIES, PRMX\_LOG  
!19  
MATERIALS, S\_HALITE  
PROPERTIES, COMP\_RCK  
!20  
MATERIALS, S\_MB139  
PROPERTIES, PRMX\_LOG  
!21  
MATERIALS, S\_MB139  
PROPERTIES, COMP\_RCK  
!22  
MATERIALS, S\_MB139  
PROPERTIES, RELP\_MOD  
!23  
MATERIALS, S\_MB139  
PROPERTIES, SAT\_RBRN  
!24  
MATERIALS, S\_MB139  
PROPERTIES, SAT\_RGAS  
!25  
MATERIALS, S\_MB139  
PROPERTIES, PORE\_DIS  
!26  
MATERIALS, S\_HALITE  
PROPERTIES, PRESSURE  
!27  
MATERIALS, CASTILER  
PROPERTIES, PRESSURE  
!28  
MATERIALS, CASTILER  
PROPERTIES, PRMX\_LOG  
!29  
MATERIALS, CASTILER  
PROPERTIES, COMP\_RCK  
!30  
MATERIALS, BH\_SAND  
PROPERTIES, PRMX\_LOG  
!31  
MATERIALS, DRZ\_1  
PROPERTIES, PRMX\_LOG  
!32  
MATERIALS, CONC\_PLG  
PROPERTIES, PRMX\_LOG  
!33 dummy placeholder  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!34  
MATERIALS, SOLAM3  
PROPERTIES, SOLSIM  
!35  
MATERIALS, SOLAM3  
PROPERTIES, SOLCIM  
!36  
MATERIALS, SOLPU3  
PROPERTIES, SOLSIM  
!37  
MATERIALS, SOLPU3

PROPERTIES, SOLCIM  
!38  
MATERIALS, SOLPU4  
PROPERTIES, SOLSIM  
!39  
MATERIALS, SOLPU4  
PROPERTIES, SOLCIM  
!40  
MATERIALS, SOLU4  
PROPERTIES, SOLSIM  
!41  
MATERIALS, SOLU6  
PROPERTIES, SOLSIM  
!42  
MATERIALS, SOLU6  
PROPERTIES, SOLCIM  
!43  
MATERIALS, SOLTH4  
PROPERTIES, SOLSIM  
!44  
MATERIALS, PHUMOX3  
PROPERTIES, PHUMCIM  
!45  
MATERIALS, GLOBAL  
PROPERTIES, OXSTAT  
!46  
MATERIALS, CULEBRA  
PROPERTIES, MINP\_FAC  
!47  
MATERIALS, GLOBAL  
PROPERTIES, TRANSIDX  
!48  
MATERIALS, GLOBAL  
PROPERTIES, CLIMTIDX  
!49  
MATERIALS, CULEBRA  
PROPERTIES, HMBLKL  
!50  
MATERIALS, CULEBRA  
PROPERTIES, APOROS  
!51  
MATERIALS, CULEBRA  
PROPERTIES, DPOROS  
!52  
MATERIALS, U+6  
PROPERTIES, MKD\_U  
!53  
MATERIALS, U+4  
PROPERTIES, MKD\_U  
!54  
MATERIALS, PU+3  
PROPERTIES, MKD\_PU  
!55  
MATERIALS, PU+4  
PROPERTIES, MKD\_PU  
!56  
MATERIALS, TH+4

PROPERTIES, MKD\_TH  
!57  
MATERIALS, AM+3  
PROPERTIES, MKD\_AM  
!58  
MATERIALS, BOREHOLE  
PROPERTIES, TAUFAIL  
!59 dummy placeholder for VOLSPALL  
MATERIALS, WAS\_AREA  
PROPERTIES, VOLSPALL  
!60  
MATERIALS, GLOBAL  
PROPERTIES, PBRINE  
!61  
MATERIALS, BOREHOLE  
PROPERTIES, DOMEGA  
!62  
MATERIALS, SHFTU  
PROPERTIES, SAT\_RBRN  
!63  
MATERIALS, SHFTU  
PROPERTIES, SAT\_RGAS  
!64  
MATERIALS, SHFTU  
PROPERTIES, PRMX\_LOG  
!65  
MATERIALS, SHFTL\_T1  
PROPERTIES, PRMX\_LOG  
!66  
MATERIALS, SHFTL\_T2  
PROPERTIES, PRMX\_LOG  
!67  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!68  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!69  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!70  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!71  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!72  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!73  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!74  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!75  
MATERIALS, REFCON

```

PROPERTIES, LHSBLANK
!
!=====
!
*END

```

### B.1.4 IC INPUT: Sets initial conditions

```

$ type IC_BF_CRA1.INP
! TITLE: BRAGFLO 2003 CRA1 (ICSET)
! SCENARIO: S1, S2, S3, S4, S5, and S6
! ANALYSTS: Joshua Stein and Bill Zelinski
! MODIFIED: no modifications for CRA since AP106
!=====
!
*SET_NAMES
  INITIAL_NAMES TYPE=ELEMENT, NUM=4, NAMES=SATBREL, PRESEL, FECONC, &
                                CH2OCONC
!
*SET_VALUES
!Define start time = -5 years
  INITIAL_VALUE, TYPE=TIME, VALUE=-1.57785e8
!
!Define initial brine saturations: some regions will be changed below
  INITIAL_VALUE, TYPE=ELEMENT, NAME=SATBREL, IRANGE=1,69, JRANGE=1,34, &
  KRANGE=1,2, VALUE=1.0
!
!Define initial Fe concentrations
  INITIAL_VALUE, TYPE=ELEMENT, NAME=FECONC, IRANGE=1,69, JRANGE=1,34, &
  KRANGE=1,2, VALUE=0.0
!
!Define initial CH2O concentrations
  INITIAL_VALUE, TYPE=ELEMENT, NAME=CH2OCONC, IRANGE=1,69, JRANGE=1,34, &
  KRANGE=1,2, VALUE=0.0
!
!=====
!Set initial brine saturations
!=====
!
!Define initial waste brine saturation
  INITIAL_VALUE, TYPE=ELEMENT, NAME=SATBREL, MATERIAL=CAVITY_1, &
  VALUE=CAVITY_1:SAT_IBRN
  INITIAL_VALUE, TYPE=ELEMENT, NAME=SATBREL, MATERIAL=CAVITY_2, &
  VALUE=CAVITY_2:SAT_IBRN
  INITIAL_VALUE, TYPE=ELEMENT, NAME=SATBREL, MATERIAL=CAVITY_3, &
  VALUE=CAVITY_3:SAT_IBRN
!Define initial saturation in panel seal concrete <Value=PAN_SEAL:SAT_IBRN>
! CAVITY_4 was used for shaft originally defined for the shaft and(?)
! panel closures for -5 to 0 years. For consistency, we copy this practice
! here assigning initial brine saturation in CONC_PCS to 0.999999 as was
! done for the CCA and PAVT.
  INITIAL_VALUE, TYPE=ELEMENT, NAME=SATBREL, IRANGE=31,32, JRANGE=7,14, &
  KRANGE=1,2, VALUE=9.999999E-01
  INITIAL_VALUE, TYPE=ELEMENT, NAME=SATBREL, IRANGE=35,36, JRANGE=7,14, &
  KRANGE=1,2, VALUE=9.999999E-01

```

```

INITIAL_VALUE, TYPE=ELEMENT, NAME=SATBREL, IRANGE=39,40, JRANGE=7,14,&
    KRANGE=1,2, VALUE=9.999999E-01
INITIAL_VALUE, TYPE=ELEMENT, NAME=SATBREL, IRANGE=43,44, JRANGE=7,34,&
    KRANGE=1,2, VALUE=9.999999E-01
!Define initial saturation in panel seal drifts (set to value of
!WAS_AREA:SAT_IBRN= 1.5e-2)
INITIAL_VALUE, TYPE=ELEMENT, NAME=SATBREL, IRANGE=30,31, JRANGE=10,13,&
    KRANGE=1,2, VALUE=1.500000E-02
INITIAL_VALUE, TYPE=ELEMENT, NAME=SATBREL, IRANGE=34,35, JRANGE=10,13,&
    KRANGE=1,2, VALUE=1.500000E-02
INITIAL_VALUE, TYPE=ELEMENT, NAME=SATBREL, IRANGE=38,39, JRANGE=10,13,&
    KRANGE=1,2, VALUE=1.500000E-02
!Define initial saturation in upper Dewey Lake formations
INITIAL_VALUE, TYPE=ELEMENT, NAME=SATBREL, IRANGE=1,69, JRANGE=31,32,&
    KRANGE=1,2, VALUE=DEWYLAKE:SAL_USAT
!Define initial saturation in Santa Rosa formations
INITIAL_VALUE, TYPE=ELEMENT, NAME=SATBREL, IRANGE=1,69, JRANGE=32,34,&
    KRANGE=1,2, VALUE=SANTAROS:SAT_IBRN
!
*END
$

```

### B.1.5 ALGEBRA INPUT: Further definition of parameters/manipulation of parameters

```

$ type ALG1_BF_CRA1.INP
!=====
!
!TITLE:   ALGEBRACDB INPUT FILE FOR....
!         BRAGFLO CRA1 calculations
!         This ALGEBRACDB INPUT FILE is a modified version of the
!         ALGEBRACDB INPUT FILE USED FOR THE
!         BRAGFLO INIT CRA calculations
!
!ANAYLST: Joshua S. Stein, SNL and William Zelinski, RESPEC
!
!PRESENT VERSION CREATED: April 2003
!MODIFICATION HISTORY:
!         March 13,1996: added sections for new borehole plugs and fills
!         March 20,1996: modified brine pocket conceptual model. Now
!                        brine pocket only underlies excavated area.
!         April 10,1996: further modifications to brine pocket. No
!                        longer sampling the log of the product of the
!                        brine pocket perm and bulk compressibility.
!                        Now sampling log of perm and log of bulk
!                        compressibility with some correlation.
!         May 2, 1997:  Modifications for the C97. These include:
!                        1)new treatment for the brine pocket
!                        porosity and compressibility.
!                        These two are inversely related so that
!                        the maximum porosity is combined with min compr.
and
!                        vice-versa. 2) new DRZ treatment - intrinsic
!                        permeability is sampled, intact porosity is same
!                        as Halite and DRZ is allowed to fracture with
!                        fracture properties corresponding to those of
MB139.

```

```

!           Feb 26, 2002   Added line to assign DRZ_PCS/RELP_MOD equal to
!                           DRZ_1/RELP_MOD
!           12 Mar 02 CWH   Change in equation for POR_COMP to assign pore
!                           compressibility vice bulk compressibility for
!                           borehole materials.
!                           Added lines to assign values for PORE_DIS,
SAT_RGAS,
!                           and SAT_RBRN for materials CPCS_F, LDRZ_F, DRF_PCS
!           13 Mar 02 CWH   Changed all PERM_Y and PERM_Z assignments to be
!                           equal to PERM_X, done for consistency
!           13 Mar 02 TH   Changed assignment of initial pressures for CPCS_F
!                           to be determined by the Salado pressure calculation
!           28 Mar 02 JSS   rev4 Added block 40 REPOSIT:WAS_AREA to fix a
problem
!                           with having CAVITY_1 and CAVITY_2 both assigned
!                           as WASTE regions in BF.
!           14 Jan 03 WPZ   Add fracturing to upper DRZ
!
!           01 APR 03 JSS   CRA1 Setup:
!                           1. Changed COMP_RCK values to bulk
!                           compressibility for materials: CONC_MON,
!                           CONC_PLG, and CONC_PCS [ERMS# 526661].
!                           2. Changed the correlation between COMP_RCK
!                           and POROSITY for the Castile brine pocket
!                           [ERMS#      ]
!                           3. Changed gravity constant to database
!                           value (9.80665) to be consistent with
!                           other PA codes.
!
!           20 AUG 03 JSS   CRA Setup: Updated the constant to calculate
!                           the brine pocket porosity from the
!                           sampled bulk compressibility.
!
!PURPOSE: ALGEBRA file computes properties that can not be obtained
!          from CAMDAT and/or assigns properties to element blocks.
!
!NOTE:    This input file is for the waste panel located down-dip or
!          south of the rest of the repository. Only the Salado formation
!          is dipping.
!
!=====
!*****
!CHAPTER 0: DEFINE NEW VARIABLE NAMES AND SOME NEEDED CONSTANTS
!*****
!=====
!
! ***VARIABLE DEFINITION
!       DIP1 ( IN DEGREES) = ANGLE OF DIP FOR SALADO FORMATION
!       DIP2 ( IN DEGREES) = ANGLE OF DIP FOR NON-SALADO FORMATIONS =
!       THETA1 AND THETA2 ARE IN RADIANS
!=====
==
DIP1      = 1.0
DIP2      = 0.0
THETA1    = DIP1*2.0*PI[B:32]/360.0
THETA2    = DIP2*2.0*PI[B:32]/360.0
! JSS: Removed reassignment of GRAVACC for CRA1

```

```

! LIMIT BLOCK 32
! GRAVACC = 9.79
! JSS
!=====
!*****
!CHAPTER 1: DEFINE AND COMPUTE HYDROLOGIC MATERIAL PROPERTIES
!*****
!=====
!
!*****
!BLOCK 1 = S_HALITE = SALADO HALITE
!*****
!***COMMENTS: SAMPLED PARAMETERS ARE:
! PRM_X_LOG, POROSITY, COMP_RCK, PRESSURE
!*****
LIMIT BLOCK 1
!SINCE PRM_X_LOG IS SAMPLED ASSIGN PERM_Y AND PERM_Z
PERM_X = 10**PRM_X_LOG
PERM_Y = PERM_X
PERM_Z = PERM_X
SB_MIN = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY
!
!*****
!BLOCK 2 = DRZ_0 = DRZ FROM -5 YRS TO 0 YRS
!*****
!***COMMENTS: SAMPLED PARAMETERS: NONE
!1)CORRELATE DRZ_0 POROSITY TO SAMPLED S_HALITE
! Fracturing Treatment For EPA PAV Included
!*****
LIMIT BLOCK 2
PERM_X = 10**PRM_X_LOG
PERM_Y = PERM_X
PERM_Z = PERM_X
POROSITY = POROSITY[B:1] + 0.0029
SB_MIN = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY
!#####
!WPZ fracturing extended to entire DRZ (lower & upper)
!LIMIT ELEMENTS 1121 TO 1177
PI_DELTA = PI_DELTA[B:3]
PF_DELTA = PF_DELTA[B:3]
KMAXLOG = KMAXLOG[B:3]
PHIMAX = MAKEPROP(0.05)
TEMP = POROSITY*(EXP(POR_COMP*(PI_DELTA)))
PERM_EXP = LOG(10**KMAXLOG)/PERM_X/(LOG(PHIMAX/TEMP))
IFRX = IFRX[B:3]
IFRY = IFRY[B:3]
IFRZ = IFRZ[B:3]
!
!*****
!BLOCK 3 = S_MB139 = SALADO MARKER BED 139
!*****
!***COMMENTS: SAMPLED PARAMETERS: SAT_RBRN, SAT_RGAS, PORE_DIS, RELP_MOD
! COMP_RCK, PRM_X_LOG
!*****
LIMIT BLOCK 3

```

```

! THE FOLLOWING 5 LINES ARE USED TO LIMIT THE LOWER END OF THE STUDENT-T
! DISTRIBUTIONS FOR THE SAMPLED PARAMETERS TO THE MINIMUM MEASURED VALUE.
PERM_X = 10**PRMX_LOG
PERM_Y = PERM_X
PERM_Z = PERM_X
SB_MIN = 1.05*SAT_RBRN
KMAXLOG = KMAXLOG[B:3]
POR_COMP = COMP_RCK/POROSITY
PHIMAX = POROSITY + DPHIMAX
!TEMP = POROSITY AT FRACTURE INITIATION PRESSURE
!PI_DELTA = FRACTURE INITIATION PRESSURE - REFERENCE PRESSURE
TEMP = POROSITY*(EXP(POR_COMP*(PI_DELTA)))
PERM_EXP = LOG((10**KMAXLOG)/PERM_X)/(LOG(PHIMAX/TEMP))
!
!*****
!BLOCK 4 = S_ANH_AB = SALADO ANHYDRITE LAYERS A + B
!BLOCK 5 = S_MB138 = SALADO MARKER BED 138
!*****
!***COMMENTS: SAMPLED PARAMETERS: NONE
!1) USE S_MB139 SAMPLED VALUES FOR:SAT_RBRN, SAT_RGAS, PORE_DIS, RELP_MOD
! and PRMX_LOG
!*****
!
LIMIT BLOCK 4 5
PERM_X = PERM_X[B:3]
PERM_Y = PERM_Y[B:3]
PERM_Z = PERM_Z[B:3]
KMAXLOG = KMAXLOG[B:3]
RELP_MOD = RELP_MOD[B:3]
PORE_DIS = PORE_DIS[B:3]
SAT_RBRN = SAT_RBRN[B:3]
SAT_RGAS = SAT_RGAS[B:3]
SB_MIN = 1.05*SAT_RBRN
POR_COMP = COMP_RCK[B:3]/POROSITY
PHIMAX = POROSITY + DPHIMAX
!TEMP = POROSITY AT FRACTURE INITIATION PRESSURE
!PI_DELTA = FRACTURE INITIATION PRESSURE - REFERENCE PRESSURE
TEMP = POROSITY*(EXP(POR_COMP*(PI_DELTA)))
PERM_EXP = LOG((10**KMAXLOG)/PERM_X)/(LOG(PHIMAX/TEMP))
!
!*****
!BLOCK 6 = CAVITY_1 = PANEL EXCAVATION WHERE WASTE WILL BE PLACED AT T = 0
YRS
!BLOCK 7 = CAVITY_2 = REST OF REPOSITORY WHERE WASTE WILL BE PLACED AT T= 0
YEA
RS
!BLOCK 8 = CAVITY_3 = EXPERIMENTAL REGION AND BACKFILLED REGION
!BLOCK 9 = CAVITY_4 = SHAFT AND PANEL SEALS
!*****
!***COMMENTS:
!*****
LIMIT BLOCK 6 7 8 9
PERM_X = 10**PRMX_LOG
PERM_Y = PERM_X
PERM_Z = PERM_X
SB_MIN = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY

```



```

!
!*****
!BLOCK 10 = IMPERM_Z
!*****
!***COMMENTS:
!   INCLUDES THE RUSTLER, SANTA ROSA, DEWEY LAKE, AND CASTILE.
!   USED TO CONTROL DRAINAGE OF FORMATIONS ABOVE THE SALADO INTO THE
!   SHAFT PRIOR TO T=0 YEARS. IT IS ALSO USED TO PREVENT BRINE POCKET
!   FROM BECOMING DE-PRESSURIZED PRIOR TO DRILLING INTRUSION.
!*****
LIMIT BLOCK 10
PERM_X   = 10**PRMX_LOG
PERM_Y   = PERM_X
PERM_Z   = PERM_X
SB_MIN   = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY
!
!*****
!BLOCK 11 = CASTILER = BRINE POCKET
!*****
!***COMMENTS:SAMPLED PARAMETERS COMP_RCK, PRMX_LOG
! THIS SECTION IS MODIFIED TO ACCOUNT FOR A BRINE POCKET POROSITY
! TREATMENT USED IN THE 1997 C97 CALCULATIONS
!*****
LIMIT BLOCK 11
PERM_X   = 10**PRMX_LOG
PERM_Y   = PERM_X
PERM_Z   = PERM_X
SB_MIN   = 1.05*SAT_RBRN
!USE DATABASE VALUE OF "POROSITY" FOR CALCULATING PORE COMPRESSIBILITY
POR_COMP = COMP_RCK/POROSITY
! JSS: BRINE POCKET POROSITY USED BY BRAGFLO IS COMPUTED FROM...
! MIN(COMP_RCK)/MIN(POR_BKPT) = MAX(COMP_RCK)*MAX(POR_BKPT) = 1.0860E-10
POROSITY = COMP_RCK/1.0860E-10
!
!*****
!BLOCK 12 OPERATIONS REGION
!BLOCK 13 EXPERIMENTAL REGION
!*****
!***COMMENTS:
!   Operations and experimental region have same properties
!*****
LIMIT BLOCK 12 13
PERM_X   = 10**PRMX_LOG
PERM_Y   = PERM_X
PERM_Z   = PERM_X
SB_MIN   = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY
!
!*****
!*****
!BLOCK 14 CULEBRA MEMBER OF RUSTLER
!*****
!***COMMENTS:
!*****
LIMIT BLOCK 14
PERM_X   = 10**PRMX_LOG

```

```

PERM_Y = PERM_X
PERM_Z = PERM_X
SB_MIN = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY
!
!*****
!BLOCK 15 MAGENTA MEMBER OF RUSTLER
!*****
!***COMMENTS:
!*****
LIMIT BLOCK 15
PERM_X = 10**PRMX_LOG
PERM_Y = 10**PRMY_LOG
PERM_Z = 10**PRMZ_LOG
SB_MIN = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY
!
!*****
!BLOCK 16 DEWEY LAKE RED BEDS
!*****
!***COMMENTS:
!*****
LIMIT BLOCK 16
PERM_X = 10**PRMX_LOG
PERM_Y = PERM_X
PERM_Z = PERM_X
! OVERRIDE DATABASE VALUES OF PCT_A, PCT_EXP, AND PCT_FLAG
! SO THAT NO CAPILLARY EFFECTS ARE SIMULATED IN DEWEY LAKE FORMATION.
! THESE WILL THEN BE CONSISTENT WITH THE SANTA ROSA PARAMETERS ALSO.
PCT_A = 0
PCT_EXP = 0
CAP_MOD = 1
SB_MIN = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY
!
!*****
!BLOCK 17 SANTA ROSA
!*****
!***COMMENTS:
!*****
LIMIT BLOCK 17
PERM_X = 10**PRMX_LOG
PERM_Y = PERM_X
PERM_Z = PERM_X
SB_MIN = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY
!
!*****
!BLOCK 18 = WAS_AREA = WASTE MATERIAL
!*****
!***COMMENTS: HYDROLOGIC SAMPLED PARAMETERS ARE: SAT_RBRN, SAT_RGAS, SAT_WICK
!
!1) THE FOLLOWING GAS GENERATION PARAMETERS ARE PRESENTED IN TABLE 1.
! IN THE MEMO DATED 01/02/1996, FROM Y.WANG AND L BRUSH TO M. TIERNEY,
! SUBJECT: ESTIMATES OF GAS GENERATION PARAMETERS FOR THE LONG-TERM
! WIPP PERFORMANCE ASSESSMENT
!
!
```

```

!2) MODIFICATIONS INCORPORATED (FROM NMVP) BASED ON MEMO DATED
!   FEBRUARY 29,1996 FROM YIFENG WANG AND LARRY BRUSH TO PALMER VAUGHN.
!   SUBJECT: AN ADJUSTMENT FOR USING STEEL CORROSION RATES IN BRAGFLO TO
!   REFLECT REPOSITORY CHEMICAL CONDITION CHANGES DUE TO ADDING MgO AS A
!   BACKFILL
!
!3) SEVERAL MODIFICATIONS WERE MADE IN THIS VERSION TO CORRECT LOGIC ERRORS
!   IN THE NMVP VERSION.  THE NMVP VERSION COULD NOT PROPERLY HANDLE ALL
!   COMBINATIONS OF PROBDEG.  FORTUNATELY THESE ERRORS IN THE NMVP VERSION
!   HAD NO EFFECT ON THE GENERATION OF THE NMVP INPUT FILE.
!*****

```

```

LIMIT BLOCK 18

```

```

!HYDROLOGIC PARAMETERS

```

```

PERM_X   = 10**PRMX_LOG
PERM_Y   = PERM_X
PERM_Z   = PERM_X
SB_MIN   = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY
!*****

```

```

! GAS GENERATION DEFINITIONS

```

```

! SAMPLED PARAMETERS:          GRATMICI, GRATMICH, PROBDEG,
! ASSOCIATED SAMPLED PARAMETERS: CORRMCO2[B:30], FBETA[B:31]
! STOIFX[B:30]      = STOICHIOMETRIC FACTOR FOR IRON CORROSION
! CORRMCO2[B:30]   = INUNDATED STEEL CORROSION RATE [M/SEC] WITHOUT
!                   MICROBIAL GAS GENERATION
! GRATMICH         = RATE OF HUMID CELLULOSICS BIODEGRADATION [MOLE
C/KG/SEC]

! GRATMICI        = RATE OF INUNDATED CELLULOSICS BIODEGRADATION
!                   [MOLE C/KG/SEC]
! FBETA[B:31]    = SCALING FACTOR FOR THE AVERAGE STOICHIOMETRIC FACTOR Y
IN
!                   THE MICROBIAL REACTION
! PROBDEG        = FLAG TO INDICATE IF BIODEGRADATION IS ACTIVATED
!                   (0=NO,1=YES)
!                   PROBDEG = 0 => NO BIODEGRADATION
!                   PROBDEG = 1 => BIODEGRADATION BUT NO PLASTICS AND

```

```

RUBBERS

```

```

!                   PROBDEG = 2 => BIODEGRADATION WITH PLASTICS AND RUBBERS
!                   INCLUDED
!                   PROBDEG IS A SAMPLED PARAMETER DEFINED SUCH THAT
!                   IT'S VALUE IS  0  50% OF THE TIME,
!                   1  25% OF THE TIME,
!                   2  25% OF THE TIME.
!*****
!*****

```

```

! STOICOR = IRON-CORROSION STOICHIOMETRIC FACTOR (Y.WANG MEMO)
STOICOR = MAKEPROP(STOIFX[B:30])

```

```

! CORROSION STOICHIOMETRIC FACTOR FOR H2 PRODUCTION=SCOR_H2=S(1,1)
! SELL LINE 9.8 IN THE BRAGFLO INPUT MANUAL
SCOR_H2 = MAKEPROP((4 - STOICOR)/3)

```

```

! CORROSION STOICHIOMETRIC FACTOR FOR H2O CONSUMPTION=SCOR_H2O=S(1,2)
SCOR_H2O = MAKEPROP((4 + 2*STOICOR)/3)

```

```

! CORROSION STOICHIOMETRIC FACTOR FOR FE CONSUMPTION=SCOR_FE=S(1,3)

```

```

SCOR_FE = MAKEPROP(1.0)
!
! HUMID STEEL CORROSION RATES (KCGSH) ARE ZERO
! HUMCORR = HUMID STEEL CORROSION RATE
!
!*****
*
! THE FOLLOWING INVENTORY PARAMETERS ARE OBTAINED FROM THE DATA BASE
! **REMOTE HANDLED WASTE
! DIRONRHW =      100  KG/M**3
! DIRNCRHW =     2591  KG/M**3
! DCELLRHW =      17   KG/M**3
! DRUBBRHW =      3.3  KG/M**3
! DPLASRHW =      15   KG/M**3
! DPLSCRHW =      3.1  KG/M**3
! VOLRHW  =      7080  M**3
!
! **CONTACT HANDLED WASTE
! DIRONCHW =      170  KG/M**3
! DIRNCCHW =      139  KG/M**3
! DCELLCHW =      54   KG/M**3
! DRUBBCHW =      10   KG/M**3
! DPLASCHW =      34   KG/M**3
! DPLSCCHW =      26   KG/M**3
! VOLCHW  =     1.69E5  M**3
!
!*****
! COMPUTE AVERAGE DENSITIES
!
! DRH_METL =      AVERAGE DENSITY OF RH METALS
! DRH_BIO  =      AVERAGE DENSITY OF RH BIO
! DCELLRHW =      AVERAGE DENSITY OF RH CELL
! DCH_METL =      AVERAGE DENSITY OF CH METALS
! DCH_BIO  =      AVERAGE DENSITY OF CH BIO
! DCELLCHW =      AVERAGE DENSITY OF CH CELLULOSE
! DRH_RUPL =      AVERAGE DENSITY OF RH RUBBERS AND PLASTICS
! DCH_RUPL =      AVERAGE DENSITY OF CH RUBBERS AND PLASTICS
!*****
!
! BIOIDX  =  1 ==> MICROBIAL GAS GENERATION = YES
!          =  0 ==> MICROBIAL GAS GENERATION = NO
! IF BIOIDX = 1, THEN
!   PLASIDX = 1 ==> DEGRADATION OF RUBBERS, PLASTICS, AND CELLULOSICS
!           =  0 ==> DEGRADATION OF CELLULOSE ONLY
!*****
! IF PROBDEG = 0, NO BIODEGRADATION GAS GENERATION (BIOIDX = 0, PLASIDX =
0)
! IF PROBDEG = 1, DO NOT ADD IN PLASTICS AND RUBBERS (BIOIDX = 1, PLASIDX =
0)
! IF PROBDEG = 2, ADD IN PLASTICS AND RUBBERS (BIOIDX = 1, PLASIDX =
1)
!*****
PLASIDX  = IFEQ0 (PROBDEG-2,1.0,0.0)
BIOIDX   = IFGT0 (PROBDEG,1.0,0.0)
!
DRH_METL =      DIRONRHW + DIRNCRHW
DRH_RUPL =      DRUBBRHW + 1.7*(DPLASRHW+DPLSCRHW)

```

```

DRH_BIO = DCELLRHW + PLASIDX*DRH_RUPL
DCH_METL = DIRONCHW + DIRNCCHW
DCH_RUPL = DRUBBCHW + 1.7*(DPLASCHW+DPLSCCHW)
DCH_BIO = DCELLCHW + PLASIDX*DCH_RUPL
!
!*****
!
! VPANLEX = VOLUME OF EXCAVATED PANEL = 46097.65 M**3
! VROOM = VOLUME OF EXCAVATED ROOM = 3644.4 M**3
! VREPOS = VOLUME OF WASTE STORAGE AREA = 436023 M**3
! DRROOM = NUMBER OF DRUMS PER ROOM = 6804
!
! TOTAL MASS OF CORRODIBLE METAL
WTFETOT = DRH_METL*VOLRHW + DCH_METL*VOLCHW
!
! TOTAL MASS OF CELLULOSICS ONLY
WTCELTOT = DCELLRHW*VOLRHW + DCELLCHW*VOLCHW
!
! TOTAL MASS OF RUBBER AND PLASTICS
WTRPLTOT = DRH_RUPL*VOLRHW + DCH_RUPL*VOLCHW
!
! TOTAL MASS OF BIODEGRADABLE MATERIAL
WTBIOTOT = WTCELTOT + WTRPLTOT*PLASIDX
!
! INITIAL FE CONCENTRATION = CONCFE
! (APPEARS IN THE BRAGFLO INPUT INITIAL CONDITIONS (SEE LINE 5.6
! IN THE BRAGFLO INPUT MANUAL))
!
CONCFE = WTFETOT/VREPOS[B:32]
!
! INITIAL BIODEGRADABLE MATERIAL CONCENTRATION = CONCBIO
! (APPEARS IN THE BRAGFLO INPUT INITIAL CONDITIONS (SEE LINE 5.8
! IN THE BRAGFLO INPUT MANUAL))
!
CONCBIO = WTBIOTOT/VREPOS[B:32]
!
! INITIAL CELLULOSICS CONCENTRATION = CONCCEL
!
CH20CONC = WTCELTOT/VREPOS[B:32]
!
!*****
!*****
! THE FOLLOWING CALCULATIONS DETERMINE THE AVERAGE STOICHIOMETRIC
! COEFFICIENT IN THE BIODEGRADATION REACTION
!
! DRUMVOL = NO OF DRUMS PER UNIT VOL OF WASTE STORAGE
! DRPANEL = NO OF DRUMS PER PANEL
! DRUMTOT = NUMBER OF DRUMS IN REPOSITORY

DRUMVOL = MAKEPROP(DRROOM[B:32]/VROOM[B:32])
DRUMTOT = MAKEPROP(VREPOS[B:32]*DRUMVOL)
DRPANEL = MAKEPROP(DRROOM[B:32]*VPANLEX[B:32]/VROOM[B:32])
!
! CALCULATE THE MAXIMUM QUANTITIES (IN MOLES) OF CELLULOSICS AND STEEL
! THAT WILL BE POTENTIALLY CONSUMED IN 10000 YEARS
! (SEE EQUATIONS 12 AND 13 IN THE Y. WANG MEMO)
! CONVERT FROM DATABASE UNITS OF MOLES C/(KG-SEC) TO MOLES C/(KG-YR)

```

```

!*****
! 6          = 6 MOLES OF C/MOLE OF CELLULOSE C6-H10-O5
! 1000       = 1000 GRAMS/KG
! WTBIOTOT  = KG
! 162       = MW OF CELLULOSE C6-H10-O5
! A1        = 6*1000*WTBIOTOT/162
! 10000     = YEARS
! GRATMICI  = MOLES C/KG-SEC
! YRSEC     = 3.15569E7 SEC/YR
! A2        = 10000*GRATMICI*YRSEC[B:32]*WTBIOTOT
! MAX_CELL  = MIN(A1,A2)
!*****
! 10000     = GRAMS/KG
! WTFETOT   = KG
! 56        = MW OF FE
! B1        = 1000*WTFETOT/56
!*****
! 1410      = 10000 YRS* 0.141MOLES/MICROMETER/M**2
! CORRWCO2  = M/SEC
! 1000000   = MICROMETERS/M
! YRSEC     = 3.15569E7 YEARS/SEC
! ASDRUM    = M**2 STEEL/DRUM
! DRUMTOT   = DRUMS/REPOSITORY
! B2        = MOLES
! B2        = 1410*CORRMCO2[B:30]*1000000*YRSEC[B:32]*ASDRUM[B:32]*DRUMTOT
! MAX_FE    = MIN(B1,B2)
!*****
!
! CALCULATE THE MAXIMUM VALUE OF THE AVERAGE STOICHIOMETRIC COEFFICIENT
! Y IN THE BIODEGRADATION REACTION (SEE EQUATION 15 IN THE Y. WANG MEMO)
! MOL_NO3   = QINIT[B:29]
! MOL_SO4   = QINIT[B:28]
! EQUATION 15 IS NEXT
! NUM1 = MAKEPROP(2.4*MOL_NO3/4.8)
! NUM2 = MAKEPROP(3*MOL_SO4/3)
! NUM3 = MAX_CELL - 6*MOL_NO3/4.8 - 6*MOL_SO4/3
! YMAX = (NUM1+NUM2+0.5*NUM3)/MAX_CELL
!
! CALCULATE THE MINIMUM VALUE OF Y (SEE EQUATIONS 16 AND 17)
! C1      = NUM2
! C2      = MAX_FE
! G       = MIN(C1,C2)
! YMIN    = YMAX - G/MAX_CELL
!
! THE VALUE OF Y (STOIMIC) IS (EQUATION 18)
! STOIMIC = YMIN + FBETA[B:31]*(YMAX - YMIN)
!
! SBIO_H2 = S(2,1), SEE LINE 9.10 IN BRAGFLO INPUT MANUAL
! SBIO_H2 = STOIMIC
!
! BIODEGRADATION STOICHIOMETRIC FACTOR FOR H2O CONSUMPTION
! SBIO_H2O = S(2,2) = 0
!
! BIODEGRADATION STOICHIOMETRIC FACTOR FOR CELLULOSIC CONSUMPTION
! SBIO_CH2O = S(2,3) = 1
!
! DETERMINE THE INUNDATED STEEL CORROSION RATE

```

```

! FOR CCA CALCULATIONS THIS IS RATE WITHOUT CO2 BEING PRESENT
KCGSI = MAKEPROP(CORRMCO2[B:30])
!
! CONVERT REACTION RATES TO GAS GENERATION RATES REQUIRED BY PREBRAG
!
! CONVERT THE UNITS OF KCGSI FROM M/SEC TO MOLE-FE/M3-S
! KCGSI = KCGSI(M/SEC)*0.141 (MOLE-FE/MICRON-M2)*6 (M2/DRUM)
! *100000 MICRONS/M* (6804 DRUMS/3644.4 M3)
KCGSI = MAKEPROP(KCGSI*0.141*100000*ASDRUM[B:32]* &
DRROOM[B:32]/VROOM[B:32])
!
! CONVERT THE UNITS OF HUMCORR (= KCGSH) FROM M/SEC TO MOLE-FE/M3-S
KCGSH = MAKEPROP(HUMCORR[B:30]*0.141*100000*ASDRUM[B:32]* &
DRROOM[B:32]/VROOM[B:32])
!
! COMPUTE THE INUNDATED GAS (H2) PRODUCTION RATE FROM THE REACTION RATE
GRATCORI = MAKEPROP(KCGSI*VPANLEX[B:32]*SCOR_H2/ASDRUM[B:32]/DRPANEL)
!
! COMPUTE THE HUMID GAS (H2) PRODUCTION RATE FROM THE REACTION RATE
GRATCORH = MAKEPROP(KCGSH*VPANLEX[B:32]*SCOR_H2/ASDRUM[B:32]/DRPANEL)
!
! CONVERT THE UNITS OF THE INUNDATED BIODEGRADATION RATE GRATMICI
! GRATMICI = GRATMICI (MOLE-C/KG/SEC) * (KG-CELL/M3)
KBGSI = GRATMICI*CONCBIO
!
! COMPUTE THE INUNDATED GAS (CO2) PRODUCTION RATE FROM THE REACTION RATE
GRATMICI = KBGSI*STOIMIC/CONCBIO
!
! CONVERT THE UNITS OF THE HUMID BIODEGRADATION RATE GRATMICH
! GRATMICH = GRATMICH (MOLE-C/KG/SEC)
KBGSH = GRATMICH*CONCBIO
!
! NOW CONVERT KBGSH TO THE GAS GENERATION RATE REQUIRED BY PREBRAG
GRATMICH = KBGSH*STOIMIC/CONCBIO
!
! COMPUTE RATIO OF HUMID TO INUNDATED (STORE IN HUMID) FOR INPUT TO PREBRAG
GRATMICH = GRATMICH/GRATMICI
!APPLY BIOIDX FLAG TO BIO (MICROBIAL)
GRATMICH = BIOIDX*GRATMICH
GRATMICI = BIOIDX*GRATMICI
KBGSH = BIOIDX*KBGSH
KBGSI = BIOIDX*KBGSI
GRATCORH = GRATCORH/GRATCORI
!*****
!BLOCK 19 DRZ_1 Upper DRZ
!*****
!***COMMENTS:
! Time period 2 (0 - 10000 years)
!*****
LIMIT BLOCK 19
!
PERM_X = 10**PRMX_LOG
PERM_Y = PERM_X
PERM_Z = PERM_X
PI_DELTA = PI_DELTA[B:3]
PF_DELTA = PF_DELTA[B:3]
IFRX = IFRX[B:3]

```

```

IFRY = IFRY[B:3]
IFRZ = IFRZ[B:3]
KMAXLOG = KMAXLOG[B:3]
POROSITY = POROSITY[B:1] + 0.0029
SB_MIN = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY
PHIMAX = MAKEPROP(0.05)
TEMP = POROSITY*(EXP(POR_COMP*(PI_DELTA)))
PERM_EXP = LOG((10**KMAXLOG)/PERM_X)/(LOG(PHIMAX/TEMP))
#####
!BLOCK 20 DRZ_PCS = DRZ above CONC_PCS
!
LIMIT BLOCK 20
PERM_X = 10**PRMX_LOG
PERM_Y = PERM_X
PERM_Z = PERM_X
POROSITY = POROSITY[B:1] + 0.0029
SB_MIN = 1.05*SAT_RBRN
POR_COMP = COMP_RCK / POROSITY
RELP_MOD = RELP_MOD[B:19]
!
!BLOCK 21 CONC_PCS =Concrete monolith of panel closure
LIMIT BLOCK 21
PERM_X = 10**PRMX_LOG
PERM_Y = PERM_X
PERM_Z = PERM_X
PCT_A = 0
PCT_EXP = 0
CAP_MOD = 1
SB_MIN = 1.05*SAT_RBRN
POR_COMP = COMP_RCK / POROSITY
!
!*****
!BLOCK 26 = BRINESAL
LIMIT BLOCK 26
COMP = COMPRES
!
!*****
!BLOCK 22 CONC_PLG = Intrusion borehole concrete plugs
!*****
!***COMMENTS: SAMPLED PARAMETER PRMX
!*****
LIMIT BLOCK 22
PERM_X = 10**PRMX_LOG
PERM_Y = PERM_X
PERM_Z = PERM_X
SB_MIN = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY
!
!*****
!BLOCK 23 BH_OPEN = Intrusion borehole open section
!*****
LIMIT BLOCK 23
PERM_X = 10**PRMX_LOG
PERM_Y = PERM_X
PERM_Z = PERM_X
SB_MIN = 1.05*SAT_RBRN

```



```

POR_COMP = COMP_RCK/POROSITY
!
!*****
!BLOCK 24  BH_SAND = Intrusion borehole silty sand section
!*****
LIMIT BLOCK 24
PERM_X   = 10**PRMX_LOG
PERM_Y   = PERM_X
PERM_Z   = PERM_X
SB_MIN   = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY
!
!*****
!BLOCK 25  BH_CREEP = Intrusion borehole silty sand creep closure section
!*****
LIMIT BLOCK 25
PERM_X   = 0.1*PERM_X[B:24]
PERM_Y   = PERM_X
PERM_Z   = PERM_X
SB_MIN   = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY
!
!*****
!BLOCK 33  UNNAMED MEMBER OF RUSTLER
!*****
!***COMMENTS:
!*****
LIMIT BLOCK 33
PERM_X   = 10**PRMX_LOG
PERM_Y   = PERM_X
PERM_Z   = PERM_X
SB_MIN   = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY
!
!*****
!BLOCK 34  TAMARISK MEMBER OF RUSTLER
!*****
!***COMMENTS:
!*****
LIMIT BLOCK 34
PERM_X   = 10**PRMX_LOG
PERM_Y   = PERM_X
PERM_Z   = PERM_X
SB_MIN   = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY
!
!*****
!BLOCK 35  FORTY-NINER MEMBER OF THE RUSTLER
!*****
!***COMMENTS:
!*****
LIMIT BLOCK 35
PERM_X   = 10**PRMX_LOG
PERM_Y   = PERM_X
PERM_Z   = PERM_X
SB_MIN   = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY

```

```

!
!#####
!
!*****
!BLOCK 36 BOREHOLE = Intrusion borehole
!*****
!***COMMENTS:
! 12 Mar 02 CWH Change in equation for POR_COMP assign pore
! compressibility vice bulk compressibility
!*****
LIMIT BLOCK 36
PERM_X = 10**PRMX_LOG
PERM_Y = PERM_X
PERM_Z = PERM_X
SB_MIN = 1.05*SAT_RBRN
POR_COMP = COMP_RCK/POROSITY
!
!*****
!BLOCK 37 DRF_PCS DRIFT PART OF OPTION D PCS
! CWH: Added line to assign value for PORE_DIS
!*****
LIMIT BLOCK 37
!HYDROLOGIC PARAMETERS
PERM_X = 10**PRMX_LOG[B:18]
PERM_Y = PERM_X
PERM_Z = PERM_X
SB_MIN = 1.05*SAT_RBRN[B:18]
POR_COMP = COMP_RCK[B:18]/POROSITY[B:18]
SAT_RBRN = SAT_RBRN[B:18]
SAT_RGAS = SAT_RGAS[B:18]
PORE_DIS = PORE_DIS[B:18]
!*****
! BLOCK 38 REPOSIT:WAS_AREA
!*****
LIMIT BLOCK 38
!HYDROLOGIC PARAMETERS
PERM_X = 10**PRMX_LOG[B:18]
PERM_Y = PERM_X
PERM_Z = PERM_X
SB_MIN = 1.05*SAT_RBRN[B:18]
POR_COMP = COMP_RCK[B:18]/POROSITY[B:18]
SAT_RBRN = SAT_RBRN[B:18]
SAT_RGAS = SAT_RGAS[B:18]
PORE_DIS = PORE_DIS[B:18]
!*****
!
!BLOCK 39 CONC_MON concrete filled shaft
LIMIT BLOCK 39
PERM_X = 10**PRMX_LOG
PERM_Y = PERM_X
PERM_Z = PERM_X
PCT_A = 0
PCT_EXP = 0
CAP_MOD = 1
SAT_RBRN = SAT_RBRN[B:40]
SAT_RGAS = SAT_RGAS[B:40]
SB_MIN = 1.05*SAT_RBRN

```

```

POR_COMP = COMP_RCK / POROSITY
!
!*****
!BLOCK 40 = SHFTU Shaft upper
!*****
LIMIT BLOCK 40
PERM_X = 10**PRMX_LOG
PERM_Y = PERM_X
PERM_Z = PERM_X
SB_MIN = 1.05*SAT_RBRN
POR_COMP = COMP_POR
PORE_DIS = PORE_DIS[B:21]
PCT_A = 0
PCT_EXP = 0
CAP_MOD = 1
!
!*****
!BLOCK 41 = SHFTL_T1 Shaft lower FROM 0 YRS TO 200 YRS
!*****
LIMIT BLOCK 41
PERM_X = 10**PRMX_LOG
PERM_Y = PERM_X
PERM_Z = PERM_X
SB_MIN = 1.05*SAT_RBRN[B:40]
POR_COMP = COMP_POR
SAT_RGAS = SAT_RGAS[B:40]
SAT_RBRN = SAT_RBRN[B:40]
PORE_DIS = PORE_DIS[B:21]
PCT_A = 0
PCT_EXP = 0
CAP_MOD = 1
!
!*****
!BLOCK 42 = SHFTL_T2 Shaft lower FROM 200 YRS TO 10,000 YRS
!*****
LIMIT BLOCK 42
PERM_X = 10**PRMX_LOG
PERM_Y = PERM_X
PERM_Z = PERM_X
SB_MIN = 1.05*SAT_RBRN[B:40]
POR_COMP = COMP_POR
SAT_RGAS = SAT_RGAS[B:40]
SAT_RBRN = SAT_RBRN[B:40]
PORE_DIS = PORE_DIS[B:21]
PCT_A = 0
PCT_EXP = 0
CAP_MOD = 1
!
!*****
!=====
!*****
!CHAPTER 2. COMPUTE BRINE PRESSURE INITIAL CONDITIONS
!           ACCOUNTING FOR DIP IN SPECIFIED FORMATIONS
!           (THIS FORMULATION ACCOUNTS FOR COMPRESSIBILITY OF LIQUID)
!*****
!=====
! 1)      P0 IS THE INITIAL FAR FIELD PRESSURE IN SALADO

```

```

!           AND IS USED FOR DEFINING THE PRESSURE IN ALL OTHER BLOCKS
!           IN THE SALADO
! 2)       DEN0 IS THE FLUID DENSITY AT PRESSURE P0
! 3)       XPT AND YPT ARE CENTER COORDINATES OF SHAFT AT LEVEL OF MB139
!           I.E. THE REFERENCE POINT
! 4)       PHIREF IS THE TOTAL POTENTIAL RELATIVE TO XPT AND YPT
! 5)       DENND IS THE DENSITY CALCULATED AT THE GRID CELL CORNERS (NODES)
! 6)       PRESND IS THE LIQUID PRESSURE CALCULATED AT THE GRID CELL CORNERS
! 7)       DENEL IS THE DENSITY AVERAGED FROM THE CELL CORNERS
! 8)       PRESEL IS THE LIQUID PRESSURE AVERAGED FROM THE CELL CORNERS
!
P0          = PRESSURE[B:1]
DEN0       = DNSFLUID[B:26]*EXP(COMPRES[B:26]*(P0 - REF_PRES[B:26]))
PHIREF     = (1.0/DNSFLUID[B:26] - 1.0/DEN0)/(GRAVACC[B:32]*COMPRES[B:26])
!
!*****
!DEFINE PRESSURES IN SALADO
!*****
!STEP 1) CALCULATE PRESSURES AT NODES WITH COORDINATES X AND Y
!STEP 2) CONVERT FROM NODAL VALUES TO CELL VALUES
LIMIT ELEMENTS 1 TO 1406
YPT        = ( Y[N:457] + Y[N:526])/2.0
XPT        = ( X[N:457] + X[N:458])/2.0
DENND      = MAKENODE(-1.0/((GRAVACC[B:32]*COMPRES[B:26])* &
                        (PHIREF - (COS(THETA1)*(Y-YPT) + SIN(THETA1)*(X-XPT)) - &
                        1.0/(GRAVACC[B:32]*DNSFLUID[B:26]*COMPRES[B:26])))
PRESND     = (1.0/COMPRES[B:26])*LOG(DENND/DNSFLUID[B:26]) + REF_PRES[B:26]
!NOW COMPUTE THE PRESSURE AT THE ELEMENT CENTER
DENEL      = NOD2ELE(DENND)
PRESEL     = NOD2ELE(PRESND)
!*****
!DEFINE PRESSURES IN THE CASTILE FORMATION
!ASSUME NO DIP (USING THETA2) BUT USE SAME REFERENCE ELEMENT AS
!SALADO (I.E. (XPT, YPT))
!*****
LIMIT ELEMENTS 1506 TO 1618, 2222 TO 2244
!STEP 1) CALCULATE PRESSURES AT NODES WITH COORDINATES X AND Y
!STEP 2) CONVERT FROM NODAL VALUES TO CELL VAULES
!
DENND      = MAKENODE(-1.0/((GRAVACC[B:32]*COMPRES[B:26])* &
                        (PHIREF - (COS(THETA2)*(Y-YPT) + SIN(THETA2)*(X-XPT)) - &
                        1.0/(GRAVACC[B:32]*DNSFLUID[B:26]*COMPRES[B:26])))
PRESND     = (1.0/COMPRES[B:26])*LOG(DENND/DNSFLUID[B:26]) + REF_PRES[B:26]
!NOW COMPUTE THE PRESSURE AT THE ELEMENT CENTER
DENEL      = NOD2ELE(DENND)
PRESEL     = NOD2ELE(PRESND)
!
!*****
!DEFINE PRESSURES IN BRINE POCKET
!*****
LIMIT ELEMENTS 2222 TO 2244
DENEL      = DEN0*EXP(COMPRES[B:26]*(PRESSURE[B:11] - REF_PRES[B:26]))
PRESEL     = PRESSURE[B:11]
!*****
!DEFINE PRESSURES IN RUSTLER, DEWEY LAKE AND SANTA ROSA FORMATIONS
!*****
LIMIT ELEMENTS 1619 TO 2221

```

```

P1 = REF_PRES[B:26]
PHIREF2 = 0.0
!XPT AND YPT ARE CENTER COORDINATES OF A NODE AT THE TOP OF THE WATER TABLE
! IN THE DEWEY LAKE
YPT = Y[N:2112]
XPT = ( X[N:2112] + X[N:2113])/2.0
!STEP 1) CALCULATE PRESSURES AT NODES WITH COORDINATES X AND Y
!STEP 2) CONVERT FROM NODAL VALUES TO CELL VAULES
DENND = MAKENODE(-1.0/((GRAVACC[B:32]*COMPRES[B:26])* &
      (PHIREF2 - (COS(THETA2)*(Y-YPT) + SIN(THETA2)*(X-XPT)) - &
      1.0/(GRAVACC[B:32]*DNSFLUID[B:26]*COMPRES[B:26])))
PRESND = (1.0/COMPRES[B:26])*LOG(DENND/DNSFLUID[B:26]) + REF_PRES[B:26]

!NOW COMPUTE THE PRESSURE AT THE ELEMENT CENTER
DENEL = NOD2ELE(DENND)
PRESEL = NOD2ELE(PRESND)
!*****
! DEFINE THE PRESSURES IN THE CULEBRA
!*****
LIMIT ELEMENTS 1820 TO 1886
DENEL = DEN0*EXP(COMPRES[B:26]*(PRESSURE[B:14] - REF_PRES[B:26]))
PRESEL = PRESSURE[B:14]
!*****
! DEFINE THE PRESSURES IN THE MAGENTA
!*****
LIMIT ELEMENTS 1887 TO 1953
DENEL = DEN0*EXP(COMPRES[B:26]*(PRESSURE[B:15] - REF_PRES[B:26]))
PRESEL = PRESSURE[B:15]
!*****
!DEFINE PRESSURES IN CAVITIES (WASTE AREAS, NORTH END EXCAVATIONS AND SHAFTS)
!*****
!CAVITY 1
LIMIT BLOCK 6
DENEL = DNSFLUID[B:26]*EXP(COMPRES[B:26]*(PRESSURE[B:6] - REF_PRES[B:26]))
PRESEL = PRESSURE[B:6]
!CAVITY 2
LIMIT BLOCK 7
DENEL = DNSFLUID[B:26]*EXP(COMPRES[B:26]*(PRESSURE[B:7] - REF_PRES[B:26]))
PRESEL = PRESSURE[B:7]
!CAVITY 3
LIMIT BLOCK 8
DENEL = DNSFLUID[B:26]*EXP(COMPRES[B:26]*(PRESSURE[B:8] - REF_PRES[B:26]))
PRESEL = PRESSURE[B:8]
!CAVITY 4
LIMIT BLOCK 9
DENEL = DNSFLUID[B:26]*EXP(COMPRES[B:26]*(PRESSURE[B:8] - REF_PRES[B:26]))
PRESEL = PRESSURE[B:9]
! T. Hadgu (3/12/01):
! The density and pressure in BLOCK 37 (Material CPCS_F) are defined in
! the same way as for SALADO:
!
!LIMIT ELEMENTS 1493 TO 1496
!YPT = ( Y[N:457] + Y[N:526])/2.0
!XPT = ( X[N:457] + X[N:458])/2.0
!DENND = MAKENODE(-1.0/((GRAVACC[B:32]*COMPRES[B:26])* &
!      (PHIREF - (COS(THETA1)*(Y-YPT) + SIN(THETA1)*(X-XPT)) - &
!      1.0/(GRAVACC[B:32]*DNSFLUID[B:26]*COMPRES[B:26])))

```

```

!PRESND = (1.0/COMPRES[B:26])*LOG(DENND/DNSFLUID[B:26]) + REF_PRES[B:26]
!NOW COMPUTE THE PRESSURE AT THE ELEMENT CENTER
!DENEL = NOD2ELE(DENND)
!PRESEL = NOD2ELE(PRESND)
!*****
LIMIT ELEMENTS 1 TO 2244
! IF PRESSURES ARE NEGATIVE (INDICATING POINTS ABOVE THE WATERTABLE)
! SET THEM TO ATMPA[B:32] = 101325.0
PRESEL = IFGT0(PRESEL,PRESEL,ATMPA[B:32])
!
!=====
!*****
!CHAPTER 3.COMPUTE THE GRID BLOCK ELEVATIONS ACCOUNTING FOR
! 1 DEGREE DIP IN SALADO. FIRST DO ALL BLOCKS THEN
! CORRECT THOSE THAT ARE NOT DIPPING
! ALSO CALCULATE THE TOTAL POTENTIAL
!*****
!=====
LIMIT ELEMENTS 1 TO 2244
!DEFINE GRID BLOCK ELEVATIONS DUE TO DIP
! (MEASURE WITH RESPECT TO I=23+24,J=6+7,K=1) SHAFT AT ELEVATION OF MB139
YORIGIN = (Y[N:457] + Y[N:526])/2.0
XORIGIN = (X[N:457] + X[N:458])/2.0
ELEVN = MAKENODE(COS(THETA1)*(Y-YORIGIN) + SIN(THETA1)*(X-XORIGIN))
ELEVE = NOD2ELE(ELEVN) + YORIGIN
!COMPUTE GRID BLOCK POTENTIAL
POTE = ELEVE + 1.0/(GRAVACC[B:32]*DNSFLUID[B:26]*COMPRES[B:26]) - &
1.0/(GRAVACC[B:32]*DENEL*COMPRES[B:26])
!*****
!REDO CASTILE REGION (SINCE THETA2 = 0 => WITH NO DIP)
!*****
LIMIT ELEMENTS 1506 TO 1618, 2222 TO 2244
ELEVN = MAKENODE(COS(THETA2)*(Y-YORIGIN) + SIN(THETA2)*(X-XORIGIN))
ELEVE = NOD2ELE(ELEVN) + YORIGIN
POTE = ELEVE + 1.0/(GRAVACC[B:32]*DNSFLUID[B:26]*COMPRES[B:26]) - &
1.0/(GRAVACC[B:32]*DENEL*COMPRES[B:26])
!*****
!REDO REGIONS ABOVE SALADO (SINCE THETA2 = 0 => WITH NO DIP)
!*****
LIMIT ELEMENTS 1619 TO 2221
ELEVN = MAKENODE(COS(THETA2)*(Y-YORIGIN) + SIN(THETA2)*(X-XORIGIN))
ELEVE = NOD2ELE(ELEVN) + YORIGIN
POTE = ELEVE + 1.0/(GRAVACC[B:32]*DNSFLUID[B:26]*COMPRES[B:26]) - &
1.0/(GRAVACC[B:32]*DENEL*COMPRES[B:26])
!*****
DELETE THETA1,THETA2, ELEVN, XORIGIN, YORIGIN, P0,P1, DENEL, PRESND
DELETE XPT,YPT,PHIREF2
EXIT

```

ALGEBRA2 File

```
$ type alg2_bf_cra1.inp
```

```

!=====
!
! ALGEBRA file (Post-Brag) for calculating BRAGFLO sensitivity analysis
paramete
rs

```

```

!
! 21 August      2003 - fixed delete errors
! 05 August      2003 - add input parameters to output variable list
!
! 15 July        2003 - Corrected variables for flow in marker beds at land
withdr
awal
!
!                               boundaries.  Added brine flow down shaft and
acr
oss plane
!
!                               separating waste from non-waste.
!
! 04 June        2003 - Corrected variables BRNREPTC and BRNREPOC for CRA1
!
!   May          2003 - Made version for CRA1 run.
!
! 18 February    2002 - Made version for 2002 Technical Baseline Migration
!                   (TBM) run.  This involved: (1) replacing CCA BRAGFLO
!                   grid with new TBM grid; (2) removing shaft from model
!                   domain; (3) dividing RoR into two regions--south RoR
!                   and north RoR.
!
! 27 January     2003 - Pre-CRA (AP106) removed LDRZ_F and CPCS_F materials,
added
!
!                               shaft and revised element numbering
!
!
! Author of February 2002 revisions:   David L. Lord,   SNL Org. 6821
!
!
! 02 June        1997 - made version for C97 runs, for which there is no
!                   difference between undisturbed and disturbed cases as
!                   only one mesh is now used for all cases (unlike CCA
runs)
!                   However, parameter 246 no longer exists, so total
number
!                   of parameters is again 245
!
! 17 February    1997 - corrected comment labels for parameters 059 to 063
!
! 30 January     1997 - added Param number 246, which passes BRAGFLO property
!                   GRIDFLO as parameter BPMAP, and changed name of Param
!                   number 244 from BPCOMPCF to BPCOMP
!
! 02 December    1996 - revised Param number 099 to change its definition from
!                   total net brineflow in marker beds to total net inward
!                   brineflow from marker beds into DRZ (repository) region
!
! 04 September   1996 - 245 variables
!
! Authors:   Joel D. Miller, SNL Org. 9363 --> 6848
!           David A. Mc Arthur, Org. 9363 --> 2221
!
!=====
! Eliminate excess output

```

```

!
DELETE ALL
!
! SECTION 1:Calculate general parameters
!
GRIDVOL = DEL_X * DEL_Y * THICK
!
!*****
!*****
!
! Remaining inventories of steel and cellulose (kg)
!
!   Param 001: Remaining mass of steel -----> FE_KG
!   Param 002: Remaining mass of cellulose -----> CELL_KG
!
! Remaining inventories of steel and cellulose (%/100)
!
!   Param 003: Remaining fraction of steel -----> FE_REM
!   Param 004: Remaining fraction of cellulose --> CELL_REM
!
! Cumulative gas generation in waste disposal regions (moles)
!
!   Param 005: by corrosion -----> FE_MOLE
!   Param 006: by total microbial -----> CELL_MOL
!   Param 007: Total gas generation ----> GAS_MOLE
!   Param 008: by humid microbial -----> CELL_M_H
!   Param 009: by inundated microbial --> CELL_M_I
!   Param 010: by total microbial -----> C_M_HI_T (= CELL_MOL)
!
! Cumulative gas generation in waste disposal regions (moles/drum)
!
!   Param 011: by corrosion -----> FE_MOL_D
!   Param 012: by humid microbial -----> CEL_MH_D
!   Param 013: by inundated microbial --> CEL_MI_D
!   Param 014: by total microbial -----> CELMOL_D, C_MHIT_D
!   Param 016: Total gas generation ----> GASMOL_D
!
! Cumulative gas generation in waste disposal regions (m**3)
!
!   Param 017: by corrosion -----> GAS_FE_V
!   Param 018: by humid microbial -----> GAS_CMH
!   Param 019: by inundated microbial --> GAS_CMI
!   Param 020: by total microbial -----> GAS_C_V, C_MHIT_V
!   Param 022: Total gas generation ----> GAS_VOL
!
!*****
!
! Limit calculation to areas with waste (WAS_AREA + REPOSIT)
!
LIMIT ELEMENT 1407 to 1439
!
! Define molecular weights of iron, cellulosics, water and brine (kg/mol)
!
!MW_FE      = 0.055847
!*****
! MW for cellulosics is 0.027023 kg/mol (TBM value)
!   -D.Lord, 7-Mar-2002

```



```

!
MWCELL = MAKEGLOB(MW_CELL[B:32])
MWFE = MAKEGLOB(MW_FE[B:32])
!MW_CELL = 0.027023
!MW_H2O = 0.01801534
!MW_BRINE = 0.022653859
!
! Calculate mass inventories (kg) remaining
!
FE_KG = SUM(GRIDVOL*FECONC)
CELL_KG = SUM(GRIDVOL*CELLCONC)
!
! Maximum Fe and bio is at time = 0.0
!
MXFE = ENVMAX(FE_KG)
MXCELL = ENVMAX(CELL_KG)
!
! Calculate masses consumed and divide by initial amount to get fractions
gone
! Subtract fraction gone from one to get fractions remaining
!
FE_REM = 1.0 - ((MXFE - FE_KG)/MXFE)
CELL_REM = 1.0 - ((MXCELL - CELL_KG)/MXCELL)
!
! Calculate total moles of gas (H2) generated from corrosion of Fe
!
FE_MOLE = (MXFE - FE_KG)/MW_FE[B:32]*(4.0-STOICOR[B:18])/3.0
!
! Calculate total moles of gas (H2) generated from biodegradation of
cellulosics
!
CELL_MOL = (MXCELL - CELL_KG)/MW_CELL[B:32]*STOIMIC[B:18]
!
! Total moles of gas generated
!
GAS_MOLE = FE_MOLE + CELL_MOL
!
! Determine humid and inundated biodegradation components
!
! Inundated rate GRATI (moles/s)
!
SATBR = 1.0 - SATGAS
SATFAC = 1.0 - EXP(-1000*SATBR)
LSAT = SATBR + SAT_WICK[B:18]*(SATFAC)
LSAT = IFGT0(LSAT-1,1,LSAT)
GRATI = KBGSI[B:18]*(LSAT)*STOIMIC[B:18]*GRIDVOL
!
! Humid rate GRATH (moles/s)
!
GSAT = SATGAS - SAT_WICK[B:18]*SATFAC
GSAT = IFLT0(GSAT,0.0,GSAT)
GRATH = KBGSH[B:18]*(GSAT)*STOIMIC[B:18]*GRIDVOL
!
! Determine the time interval DT by integrating a non-zero function
!
! This is necessary because the input .cdb file has history variables and
! associated history time steps, which prevents using DT = TIME-TIME[T:-

```

```

1]
!
!   VAL(I) = (VAL(I-1) + D(VAL)/DT)*DT where VAL is the integral of DENGAS
!   DENGAS is the gas density and is always greater than zero
!
DENGASC = INTRIGHT(DENGAS)
DT       = (DENGASC - DENGASC[T:-1])/DENGAS
!
!   Calculate kg/m**3 of cellulose consumed as if rate is valid for entire
!   time interval (DT)
!
KGC1     = KBGSI[B:18]*LSAT*MW_CELL[B:32]*DT
KGCH     = KBGSH[B:18]*GSAT*MW_CELL[B:32]*DT
KGTOT    = KGC1 + KGCH
!
!   Adjust GRATI and GRATH for step when CELLCONC goes to zero
!   Note: KGTOT may be equal to zero if KBGSI and KBGSH are both zero
!   so to avoid dividing by zero set DENOM equal to 1, which is
!   acceptable since the coding below will use the true branch
!   for calculating GRATI and GRATIH
!
DENOM    = IFEQ0(KGTOT,1,KGTOT)
SLOPE   = CELLCONC[T:-1]/DENOM
GRATI    = IFGT0(CELLCONC,GRATI,GRATI*SLOPE)
GRATH    = IFGT0(CELLCONC,GRATH,GRATH*SLOPE)
!
!   Sum up humid and inundated over panel elements, add together for total
!
GRATHT   = SUM(GRATH)
GRATIT   = SUM(GRATI)
GRATIH   = GRATIT + GRATHT
!
!   Integrate humid, inundated, and total (note C_M_HI_T should equal
CELL_MOL)
!
CELL_M_H = INTRIGHT(GRATHT)
CELL_M_I = INTRIGHT(GRATIT)
C_M_HI_T = INTRIGHT(GRATIH)
!
! Clean up output--limit to requested quantities, delete temporary variables
!   that are not used in another calculation later
!
DELETE MXFE, MXCELL
DELETE GRATHT, GRATIT, GRATIH, GRATI, GRATH, SATBR, DT, SATFAC
DELETE LSAT, GSAT, DENGASC, KGC1, KGCH, KGTOT, DENOM, SLOPE
!
!*****
!
! Convert to units of moles per drum by dividing by total number of drums
!
FE_MOL_D = FE_MOLE / DRUMTOT[B:18]
CEL_MH_D = CELL_M_H / DRUMTOT[B:18]
CEL_MI_D = CELL_M_I / DRUMTOT[B:18]
CELMOL_D = CELL_MOL / DRUMTOT[B:18]
C_MHIT_D = C_M_HI_T / DRUMTOT[B:18]
GASMOL_D = GAS_MOLE / DRUMTOT[B:18]
!

```

```

!*****
!
! Convert to volumetric units (m**3) using PV=nRT at reference P & T
!
!   T =      300.15 K
!   P = 101325.00 Pa      = 101325 N/(m**2)
!   R = 8.3145   J/(mol*K) = 8.3145 (N*m)/(mol*K)
!   V = n*(R*T/P) m**3    = n moles * 0.024630 (m**3)/mole
!
GAS_FE_V = 0.02463 * FE_MOLE
GAS_CMH  = 0.02463 * CELL_M_H
GAS_CMI  = 0.02463 * CELL_M_I
GAS_C_V  = 0.02463 * CELL_MOL
C_MHIT_V = 0.02463 * C_M_HI_T
GAS_VOL  = 0.02463 * GAS_MOLE
!
!*****
!*****
!
! SECTION 2:Volume-averaged pressure (Pa)
!
!   Param 023: waste panel (block 18) -----> WAS_PRES
!   Param 024: south rest of repository -----> SRR_PRES
!   Param 025: north rest of repository -----> NRR_PRES
!   Param 026: rest of repository (north + south)(block RR) ---> REP_PRES
!   Param 027: operations region (block 12) -----> OPS_PRES
!   Param 028: experimental region (block 13) -----> EXP_PRES
!   Param 029: all waste regions -----> W_R_PRES
!   Param 030: Castile brine pocket (block 11) -----> B_P_PRES
!   Param 999: non-waste areas (EXP & OPS)-----> NWA_PRES
!
!*****
!
! WAS_AREA
!
LIMIT ELEMENT 1407 to 1427
!
! Total volume of waste area
!
R18VOL = SUM(GRIDVOL)
!
! Add up brine pressures weighted by element volume
!
R18PRES = SUM(GRIDVOL*PRESBRIN)
!
! Determine average pressure in waste area
!
WAS_PRES = R18PRES/R18VOL
!
!*****
!
! SOUTH REST OF REPOSITORY
!
LIMIT ELEMENT 1428 to 1433
SRRVOL  = SUM(GRIDVOL)

```

```

SRRPRES = SUM(GRIDVOL*PRESBRIN)
SRR_PRES = SRRPRES/SRRVOL
!
!*****
!
! NORTH REST OF REPOSITORY
!
LIMIT ELEMENT 1434 to 1439
NRRVOL = SUM(GRIDVOL)
NRRPRES = SUM(GRIDVOL*PRESBRIN)
NRR_PRES = NRRPRES/NRRVOL
!
!*****
!
! REST OF REPOSITORY (NORTH + SOUTH)
!
LIMIT ELEMENT 1428 to 1439
RRRVOL = SUM(GRIDVOL)
RRRPRES = SUM(GRIDVOL*PRESBRIN)
REP_PRES = RRRPRES/RRRVOL
!
!*****
!
! OPS_AREA
!
LIMIT ELEMENT 1440 to 1448
R12VOL = SUM(GRIDVOL)
R12PRES = SUM(GRIDVOL*PRESBRIN)
OPS_PRES = R12PRES/R12VOL
!
!*****
!
! EXP_AREA
!
LIMIT ELEMENT 1449 to 1454
R13VOL = SUM(GRIDVOL)
R13PRES = SUM(GRIDVOL*PRESBRIN)
EXP_PRES = R13PRES/R13VOL
!
!*****
!
! NON-WASTE AREAS (OPS + EXP)
!
LIMIT ELEMENT 1440 to 1454
RRRVOL = SUM(GRIDVOL)
NWAPRES = SUM(GRIDVOL*PRESBRIN)
NWA_PRES = NWAPRES/RRRVOL
!
!*****!
!
! Average brine pressure in waste area and rest of repository
!
W_R_PRES = (R18PRES + RRRPRES)/(R18VOL + RRRVOL)
!
!*****
!
! Brine pocket

```

```

!
LIMIT ELEMENT 2222 TO 2244
R11VOL  = SUM(GRIDVOL)
R11PRES = SUM(GRIDVOL*PRESBRIN)
B_P_PRES = R11PRES/R11VOL
!
!*****
!
! Clean up output--limit to requested quantities (regional volumes used
below)
!
DELETE R18PRES, RRRPRES, R12PRES, R13PRES, R11PRES, SRRPRES, NRRPRES, NWAPRES
!
!*****
!*****
!
! Param 031: Total pore volume in repository (m**3) --> PORVOL_T
!
!*****
!
! WAS_AREA + REPOSIT
!
LIMIT ELEMENT 1407 to 1439
!
! Pore volume = porosity (m**3 void/m**3 rock) * volume
!
PORVOL_T = SUM(POROS*GRIDVOL)
!
!*****
!*****
!
! SECTION 3: Brine volume in repository (m**3)
!
!   Param 031: waste panel (block 18) -----> BRNVOL_W
!   Param 032: south rest of repository -----> BRNVOL_S
!   Param 033: north rest of repository -----> BRNVOL_N
!   Param 034: rest of repository (north + south) (block RR) ---> BRNVOL_R
!   Param 035: all waste areas -----> BRNVOL_T
!   Param 036: operations area (block 12) -----> BRNVOL_O
!   Param 037: experimental area (block 13) -----> BRNVOL_E
!   Param 038: all excavated areas -----> BRNVOL_A
!
!*****
!
! WAS_AREA
!
LIMIT ELEMENT 1407 to 1427
!
! Brine volume      = porosity * volume * brine saturation
! Brine saturation = 1.0 - SATGAS
!
BRNVOL_W = SUM(POROS*GRIDVOL*(1.0-SATGAS))
!
!*****
!
! SOUTH REST OF REPOSITORY
!

```

```

LIMIT ELEMENT 1428 to 1433
!
BRNVOL_S = SUM(POROS*GRIDVOL*(1.0-SATGAS))
!
!*****
!
! NORTH REST OF REPOSITORY
!
LIMIT ELEMENT 1434 to 1439
!
BRNVOL_N = SUM(POROS*GRIDVOL*(1.0-SATGAS))
!
!*****
!
! REST OF REPOSITORY (NORTH + SOUTH)
!
LIMIT ELEMENT 1428 to 1439
!
BRNVOL_R = SUM(POROS*GRIDVOL*(1.0-SATGAS))
!
!*****
!
! WAS_AREA + REPOSIT
!
BRNVOL_T = BRNVOL_W + BRNVOL_R
!
!*****
!
! OPS_AREA
!
LIMIT ELEMENT 1440 to 1448
!
BRNVOL_O = SUM(POROS*GRIDVOL*(1.0-SATGAS))
!
!*****
!
! EXP_AREA
!
LIMIT ELEMENT 1449 to 1454
!
BRNVOL_E = SUM(POROS*GRIDVOL*(1.0-SATGAS))
!
!*****
!
! All repository regions
!
BRNVOL_A = BRNVOL_T + BRNVOL_O + BRNVOL_E
!
!*****
!*****
!
! SECTION 4: Volume-averaged gas saturation (dimensionless)
!
!   Param 039: waste panel (block 18) -----> WAS_SATG
!   Param 040: south rest of repository -----> SRR_SATG
!   Param 041: north rest of repository -----> NRR_SATG
!   Param 042: rest of repository (north + south) -----> REP_SATG

```

```

!   Param 043: operation region (block 12) -----> OPS_SATG
!   Param 044: experimental region (block 13) -----> EXP_SATG
!   Param 045: non-waste (OPS & EXP) -----> NWA_SATG
!   Param 046: all waste regions -----> W_R_SATG
!   Param 047: Castile brine pocket (block 11) -----> B_P_SATG
!
!*****
!
! WAS_AREA
!
LIMIT ELEMENT 1407 to 1427
!
! Add up gas saturation weighted by element volume
!
R18SATG = SUM(GRIDVOL*SATGAS)
!
! Determine average gas saturation in waste area
!
WAS_SATG = R18SATG/R18VOL
!
!*****
!
! SOUTH REST OF REPOSITORY
!
LIMIT ELEMENT 1428 to 1433
SRRSATG = SUM(GRIDVOL*SATGAS)
SRR_SATG = SRRSATG/SRRVOL
!
!*****
!
! NORTH REST OF REPOSITORY
!
LIMIT ELEMENT 1434 to 1439
NRRSATG = SUM(GRIDVOL*SATGAS)
NRR_SATG = NRRSATG/NRRVOL
!
!*****
!
! REST OF REPOSITORY (NORTH + SOUTH)
!
LIMIT ELEMENT 1428 to 1439
RRRSATG = SUM(GRIDVOL*SATGAS)
REP_SATG = RRRSATG/RRRVOL
!
!*****
!
! OPS_AREA
!
LIMIT ELEMENT 1440 to 1448
R12SATG = SUM(GRIDVOL*SATGAS)
OPS_SATG = R12SATG/R12VOL
!
!*****
!
! EXP_AREA
!
LIMIT ELEMENT 1449 to 1454

```

```

R13SATG = SUM(GRIDVOL*SATGAS)
EXP_SATG = R13SATG/R13VOL
!
!*****
!
! Average gas saturation in non_waste areas (EXP & OPS)
!
NWA_SATG = (R12SATG + R13SATG)/(R12VOL + R13VOL)
!
!*****
!
! Average gas saturation in waste area and rest of repository
!
W_R_SATG = (R18SATG + RRRSATG)/(R18VOL + RRRVOL)
!
!*****
!
! Brine pocket
!
LIMIT ELEMENT 2222 TO 2244
R11SATG = SUM(GRIDVOL*SATGAS)
B_P_SATG = R11SATG/R11VOL
!
!*****
!
! Clean up output--limit to requested quantities
!                               (R18VOL, etc. used for parameters 187-192 below)
!
DELETE R18SATG, RRRSATG, R12SATG, R13SATG, R11SATG
DELETE R11VOL, SRRSATG, NRRSATG
!
!*****
!*****
!
! SECTION 5: Volume-averaged brine saturation (dimensionless)
!
!   Param 048: waste panel (block 18) -----> WAS_SATB
!   Param 049: south rest of repository -----> SRR_SATB
!   Param 050: north rest of repository -----> NRR_SATB
!   Param 051: rest of repository (block RR) -----> REP_SATB
!   Param 052: operations region (block 12) -----> OPS_SATB
!   Param 053: experimental region (block 13) -----> EXP_SATB
!   Param 054: all waste regions -----> W_R_SATB
!   Param 055: all NON-waste regions (OPS & EXP) -----> NWA_SATB
!   Param 056: Castile brine pocket (block 11) -----> B_P_SATB
!
!*****
!
! WAS_AREA
!
WAS_SATB = 1.0 - WAS_SATG
!
!*****
!
! SOUTH REST OF REPOSITORY
!
SRR_SATB = 1.0 - SRR_SATG

```



```

!
!*****
!
! NORTH REST OF REPOSITORY
!
NRR_SATB = 1.0 - NRR_SATG
!
!*****
!
! REPOSIT
!
REP_SATB = 1.0 - REP_SATG
!
!*****
!
! OPS_AREA
!
OPS_SATB = 1.0 - OPS_SATG
!
!*****
!
! EXP_AREA
!
EXP_SATB = 1.0 - EXP_SATG
!
!*****
!
! Average brine saturation in NON-waste area (EXP & OPS)
!
NWA_SATB = 1.0 - NWA_SATG
!
!*****
!
! Average brine saturation in waste area and rest of repository
!
W_R_SATB = 1.0 - W_R_SATG
!
!*****
!
! Brine pocket
!
B_P_SATB = 1.0 - B_P_SATG
!
!*****
!
!*****
!
! SECTION 6: Volume-averaged porosity (m**3 void/m**3 rock)
!
!   Param 057: waste panel (block 18) -----> WAS_POR
!   Param 058: south rest of repository -----> SRR_POR
!   Param 059: north rest of repository -----> NRR_POR
!   Param 060: rest of repository (north + south) -----> REP_POR
!   Param 061: operations region (block 12) -----> OPS_POR
!   Param 062: experimental region (block 13) -----> EXP_POR
!   Param 063: all waste regions -----> W_R_POR

```

```

!   Param 064: all NON-waste regions (EXP & OPS)-----> NWA_POR
!
!*****
!
! WAS_AREA
!
LIMIT ELEMENT 1407 to 1427
!
WAS_POR = SUM(GRIDVOL*POROS)/SUM(GRIDVOL)
!
!*****
!
! SOUTH REST OF REPOSITORY
!
LIMIT ELEMENT 1428 to 1433
!
SRR_POR = SUM(GRIDVOL*POROS)/SUM(GRIDVOL)
!
!*****
!
! NORTH REST OF REPOSITORY
!
LIMIT ELEMENT 1434 to 1439
!
NRR_POR = SUM(GRIDVOL*POROS)/SUM(GRIDVOL)
!
!*****
!
! REST OF REPOSITORY (NORTH + SOUTH)
!
LIMIT ELEMENT 1428 to 1439
!
REP_POR = SUM(GRIDVOL*POROS)/SUM(GRIDVOL)
!
!*****
!
! OPS_AREA
!
LIMIT ELEMENT 1440 to 1448
!
OPS_POR = SUM(GRIDVOL*POROS)/SUM(GRIDVOL)
!
!*****
!
! EXP_AREA
!
LIMIT ELEMENT 1449 to 1454
!
EXP_POR = SUM(GRIDVOL*POROS)/SUM(GRIDVOL)
!
!*****
!
! Average porosity in waste area and rest of repository
!
LIMIT ELEMENT 1440 to 1454
!
NWA_POR = SUM(GRIDVOL*POROS)/SUM(GRIDVOL)

```

```

!
!*****
!
! Average porosity in waste area and rest of repository
!
LIMIT ELEMENT 1407 to 1439
!
W_R_POR = SUM(GRIDVOL*POROS)/SUM(GRIDVOL)
!
!*****
!
!*****
!*****
!
! Param 063: Brine consumed (m**3) --> BRN_RMV
!
LIMIT ELEMENT OFF
!
!   Add up consumption rates (resulting units are kg/s)
!
BRN_CR = SUM(BRINRATE*GRIDVOL)
!
!   Integrate result to get kg of brine consumed
!
BRN_CON = INTRIGHT(BRN_CR)
!
!   Convert to volumetric amount (m**3) by
!   dividing by brine density (kg/m**3) at reference conditions
!
BRN_RMV = -1.0*BRN_CON/1220.0
!
!   Delete temporary variables
!
DELETE BRN_CR, BRN_CON
!
!*****
!
!*****
!
! SECTION 7: Cumulative brineflow (m**3)
!
!   Param 065: Total brineflow into repository -----> BRNREPTC
!   Param 066: Total brineflow into all excavated areas ---> BRNEXIC
!   Param 067: Total brineflow into waste panel -----> BRNWPIC
!   Param 068: Total brineflow southward to the Waste Panel
!               across plane of PC-----> BNWPSFLW
!   Param 069: Total brineflow into south RoR -----> BRNSRRIC
!   Param 070: Total brineflow into north RoR -----> BRNNRRIC
!   Param 071: Total brineflow southward to the RoR
!               across plane of PC-----> BNRRSFLW
!   Param 072: Total brineflow into rest of repository ----> BRNRRIC
!   Param 073: Total brineflow into operations region ----> BRNORIC
!   Param 074: Total brineflow into experimental area ----> BRNEAIC
!   Param 075: Total brineflow out of repository -----> BRNREPOC
!   Param 076: Total brineflow out all excavated areas ----> BRNEXOC
!   Param 077: Net brineflow into repository -----> BRNREPNC

```

```

! Param 078: Total brineflow out of waste panel -----> BRNWPOC
! Param 079: Total brineflow northward from the
!
!           Waste Panel across plane of PC ----> BNWPNFLW
! Param 080: Net brineflow into waste panel -----> BRNWPNC
! Param 081: Total brineflow out of south RoR -----> BRNSRROC
! Param 082: Total brineflow out of north RoR -----> BRNNRROC
! Param 083: Total brineflow northward from the
!
!           RoR across plane of PC -----> BNRRNFLW
! Param 084: Net brineflow into north RoR -----> BRNNRRNC
! Param 085: Total brineflow out of rest of repository --> BRNRROC
! Param 086: Net brineflow into all excavated areas-----> BRNEXNC
! Param 087: Net brineflow into rest of repository -----> BRNNRNC
! Param 088: Total brineflow out of operations region ---> BRNOROC
! Param 089: Net brineflow into operations regions -----> BRNORNC
! Param 090: Total brineflow out of experimental area ---> BRNEAOC
! Param 091: Net brineflow into experimental area -----> BRNEANC
! Param 092: Brineflow up borehole (@element 1410) -----> BRNBHUPP
! Param 093: Brineflow up borehole (@element 1168) -----> BRNBHUPC
! Param 094: Brineflow up borehole (@element 1845) --Z---> BRNBHRCC
! Param 095: Brineflow up borehole (@element 1979) -----> BRNBHRUC
! Param 096: Brineflow up borehole (@element 2155) -----> BRNBHRSC
! Param 097: Brineflow up borehole (@element 1111) -----> BNBHLDRZ
! Param 098: Brineflow up borehole (@element 1364) -----> BNBHUDRZ
! Param 099: Brineflow DOWN borehole (@element 1410) ---> BRNBHDPP
! Param 100: Brineflow DOWN borehole (@element 1168) ---> BRNBHDPC
! Param 101: Brineflow DOWN borehole (@element 1364) ---> BNBHDDRZ
! Param 102: Brineflow DOWN borehole (@element 1845) ---> BNBHDRCC
! Param 103: Brineflow up shaft (@element 1496 Santa Rosa) ----->
BRNSHRSC
! Param 104: Brineflow up shaft (@element 1493 49er/Dewey Lake) ---->
BRNSHRUC
! Param 105: Brineflow up shaft (@element 1489 unamed/Culebra) ----->
BRNSHRCC
! Param 106: Brineflow up shaft (@element 1381 U_DRZ/Upper 138) ---->
BNSHUDRZ
! Param 107: Brineflow up shaft (@element 1315 Anhy AB/CONC_MON) --->
BRNSHABC
! Param 108: Brineflow down shaft (@element 1496 Santa Rosa) ----->
BNSHDS
CZ
! Param 109: Brineflow down shaft (@element 1493 49er/Dewey Lake) ---->
BNSHDR
UZ
! Param 110: Brineflow down shaft (@element 1489 unamed/Culebra) ----->
BNSHDR
CC
! Param 111: Brineflow down shaft (@element 1381 U_DRZ/Upper 138) ---->
BNSHDD
RZ
! Param 112: Brineflow down shaft (@element 1315 Anhy AB/CONC_MON) --->
BNSHDA
BC
!
!*****
!
! Total cumulative brineflow into repository
!
```

```

!      Comments by D.Lord, 02-14-2002:
!      The "repository" in the CCA calculation for total
!      brineflow was defined as the waste_panel+panel_seal+RoR.
!      Upon consulting with Teklu Hadgu and James Garner, I decided
!      to redefine the repository for the TBM calculation as
!      (waste_panel+panel_seal_1+south RoR+panel_seal_2+north_RoR).
!
!
!      Accumulate x-direction inward flows from left side of repository
!
BRNREPIX =          IFGT0 (FLOWBRX [E:1407],FLOWBRX [E:1407],0.0)
BRNREPIX = BRNREPIX + IFGT0 (FLOWBRX [E:1414],FLOWBRX [E:1414],0.0)
BRNREPIX = BRNREPIX + IFGT0 (FLOWBRX [E:1421],FLOWBRX [E:1421],0.0)
!
!      Add x-direction inward flow contributions from right side
!
BRNREPIX = BRNREPIX + IFLT0 (FLOWBRX [E:1461],-1.0*FLOWBRX [E:1461],0.0)
BRNREPIX = BRNREPIX + IFLT0 (FLOWBRX [E:1462],-1.0*FLOWBRX [E:1462],0.0)
BRNREPIX = BRNREPIX + IFLT0 (FLOWBRX [E:1463],-1.0*FLOWBRX [E:1463],0.0)
!
!      Accumulate y-direction inward flows from bottom of repository
!
BRNREPIY =          IFGT0 (FLOWBRY [E:1407],FLOWBRY [E:1407],0.0)
BRNREPIY = BRNREPIY + IFGT0 (FLOWBRY [E:1408],FLOWBRY [E:1408],0.0)
BRNREPIY = BRNREPIY + IFGT0 (FLOWBRY [E:1409],FLOWBRY [E:1409],0.0)
BRNREPIY = BRNREPIY + IFGT0 (FLOWBRY [E:1410],FLOWBRY [E:1410],0.0)
BRNREPIY = BRNREPIY + IFGT0 (FLOWBRY [E:1411],FLOWBRY [E:1411],0.0)
BRNREPIY = BRNREPIY + IFGT0 (FLOWBRY [E:1412],FLOWBRY [E:1412],0.0)
BRNREPIY = BRNREPIY + IFGT0 (FLOWBRY [E:1413],FLOWBRY [E:1413],0.0)
BRNREPIY = BRNREPIY + IFGT0 (FLOWBRY [E:1455],FLOWBRY [E:1455],0.0)
BRNREPIY = BRNREPIY + IFGT0 (FLOWBRY [E:1466],FLOWBRY [E:1466],0.0)
BRNREPIY = BRNREPIY + IFGT0 (FLOWBRY [E:1428],FLOWBRY [E:1428],0.0)
BRNREPIY = BRNREPIY + IFGT0 (FLOWBRY [E:1429],FLOWBRY [E:1429],0.0)
BRNREPIY = BRNREPIY + IFGT0 (FLOWBRY [E:1458],FLOWBRY [E:1458],0.0)
BRNREPIY = BRNREPIY + IFGT0 (FLOWBRY [E:1472],FLOWBRY [E:1472],0.0)
BRNREPIY = BRNREPIY + IFGT0 (FLOWBRY [E:1434],FLOWBRY [E:1434],0.0)
BRNREPIY = BRNREPIY + IFGT0 (FLOWBRY [E:1435],FLOWBRY [E:1435],0.0)
!
!      Add Y-direction inward flow contributions from top side
!
BRNREPIY = BRNREPIY + IFLT0 (FLOWBRY [E:1165],-1.0*FLOWBRY [E:1165],0.0)
BRNREPIY = BRNREPIY + IFLT0 (FLOWBRY [E:1166],-1.0*FLOWBRY [E:1166],0.0)
BRNREPIY = BRNREPIY + IFLT0 (FLOWBRY [E:1167],-1.0*FLOWBRY [E:1167],0.0)
BRNREPIY = BRNREPIY + IFLT0 (FLOWBRY [E:1168],-1.0*FLOWBRY [E:1168],0.0)
BRNREPIY = BRNREPIY + IFLT0 (FLOWBRY [E:1169],-1.0*FLOWBRY [E:1169],0.0)
BRNREPIY = BRNREPIY + IFLT0 (FLOWBRY [E:1170],-1.0*FLOWBRY [E:1170],0.0)
BRNREPIY = BRNREPIY + IFLT0 (FLOWBRY [E:1171],-1.0*FLOWBRY [E:1171],0.0)
BRNREPIY = BRNREPIY + IFLT0 (FLOWBRY [E:1172],-1.0*FLOWBRY [E:1172],0.0)
BRNREPIY = BRNREPIY + IFLT0 (FLOWBRY [E:1469],-1.0*FLOWBRY [E:1469],0.0)
BRNREPIY = BRNREPIY + IFLT0 (FLOWBRY [E:1197],-1.0*FLOWBRY [E:1197],0.0)
BRNREPIY = BRNREPIY + IFLT0 (FLOWBRY [E:1198],-1.0*FLOWBRY [E:1198],0.0)
BRNREPIY = BRNREPIY + IFLT0 (FLOWBRY [E:1199],-1.0*FLOWBRY [E:1199],0.0)
BRNREPIY = BRNREPIY + IFLT0 (FLOWBRY [E:1475],-1.0*FLOWBRY [E:1475],0.0)
BRNREPIY = BRNREPIY + IFLT0 (FLOWBRY [E:1209],-1.0*FLOWBRY [E:1209],0.0)
BRNREPIY = BRNREPIY + IFLT0 (FLOWBRY [E:1210],-1.0*FLOWBRY [E:1210],0.0)
!
!      Sum x- and y-direction inward flows, then integrate over time

```

```

!
BRNREPT = BRNREPIX + BRNREPIY
BRNREPTC = INTRIGHT(BRNREPT)
!
!   Delete flow rate temporary variables
!
DELETE BRNREPT, BRNREPIX, BRNREPIY
!
!*****
!   Accumulate x-direction inward flows from left side of repository
!
BRNEXIX =          IFGT0 (FLOWBRX [E:1407], FLOWBRX [E:1407], 0.0)
BRNEXIX = BRNEXIX + IFGT0 (FLOWBRX [E:1414], FLOWBRX [E:1414], 0.0)
BRNEXIX = BRNEXIX + IFGT0 (FLOWBRX [E:1421], FLOWBRX [E:1421], 0.0)
!
!   Add x-direction inward flow contributions from right side
!
BRNEXIX = BRNEXIX + IFLT0 (FLOWBRX [E:451], -1.0*FLOWBRX [E:451], 0.0)
BRNEXIX = BRNEXIX + IFLT0 (FLOWBRX [E:474], -1.0*FLOWBRX [E:474], 0.0)
BRNEXIX = BRNEXIX + IFLT0 (FLOWBRX [E:497], -1.0*FLOWBRX [E:497], 0.0)
!
!   Accumulate y-direction inward flows from bottom of EXository
!
BRNEXIY =          IFGT0 (FLOWBRY [E:1407], FLOWBRY [E:1407], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1408], FLOWBRY [E:1408], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1409], FLOWBRY [E:1409], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1410], FLOWBRY [E:1410], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1411], FLOWBRY [E:1411], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1412], FLOWBRY [E:1412], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1413], FLOWBRY [E:1413], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1455], FLOWBRY [E:1455], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1466], FLOWBRY [E:1466], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1428], FLOWBRY [E:1428], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1429], FLOWBRY [E:1429], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1458], FLOWBRY [E:1458], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1472], FLOWBRY [E:1472], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1434], FLOWBRY [E:1434], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1435], FLOWBRY [E:1435], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1461], FLOWBRY [E:1461], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1478], FLOWBRY [E:1478], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1440], FLOWBRY [E:1440], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1441], FLOWBRY [E:1441], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1442], FLOWBRY [E:1442], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1484], FLOWBRY [E:1484], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1449], FLOWBRY [E:1449], 0.0)
BRNEXIY = BRNEXIY + IFGT0 (FLOWBRY [E:1450], FLOWBRY [E:1450], 0.0)
!
!   Add Y-direction inward flow contributions from top side
!
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1165], -1.0*FLOWBRY [E:1165], 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1166], -1.0*FLOWBRY [E:1166], 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1167], -1.0*FLOWBRY [E:1167], 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1168], -1.0*FLOWBRY [E:1168], 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1169], -1.0*FLOWBRY [E:1169], 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1170], -1.0*FLOWBRY [E:1170], 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1171], -1.0*FLOWBRY [E:1171], 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1172], -1.0*FLOWBRY [E:1172], 0.0)

```

```

BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1469] , -1.0*FLOWBRY [E:1469] , 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1197] , -1.0*FLOWBRY [E:1197] , 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1198] , -1.0*FLOWBRY [E:1198] , 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1199] , -1.0*FLOWBRY [E:1199] , 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1475] , -1.0*FLOWBRY [E:1475] , 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1209] , -1.0*FLOWBRY [E:1209] , 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1210] , -1.0*FLOWBRY [E:1210] , 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1211] , -1.0*FLOWBRY [E:1211] , 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1481] , -1.0*FLOWBRY [E:1481] , 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1221] , -1.0*FLOWBRY [E:1221] , 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1222] , -1.0*FLOWBRY [E:1222] , 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1223] , -1.0*FLOWBRY [E:1223] , 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1487] , -1.0*FLOWBRY [E:1487] , 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1233] , -1.0*FLOWBRY [E:1233] , 0.0)
BRNEXIY = BRNEXIY + IFLT0 (FLOWBRY [E:1234] , -1.0*FLOWBRY [E:1234] , 0.0)
!
!   Sum x- and y-direction inward flows, then integrate over time
!
BRNEXI  = BRNEXIX + BRNEXIY
BRNEXIC = INTRIGHT (BRNEXI)
!
!   Delete flow rate temporary variables
!
DELETE BRNEXI, BRNEXIX, BRNEXIY
!
!*****
!
! Total cumulative brine flow into waste panel
!
!   Left side
!
BRNWPI  =          IFGT0 (FLOWBRX [E:1407] , FLOWBRX [E:1407] , 0.0)
BRNWPI  = BRNWPI + IFGT0 (FLOWBRX [E:1414] , FLOWBRX [E:1414] , 0.0)
BRNWPI  = BRNWPI + IFGT0 (FLOWBRX [E:1421] , FLOWBRX [E:1421] , 0.0)
!
!   Right side
!
BRNWPI  = BRNWPI + IFLT0 (FLOWBRX [E:1455] , -1.0*FLOWBRX [E:1455] , 0.0)
BRNWPI  = BRNWPI + IFLT0 (FLOWBRX [E:1456] , -1.0*FLOWBRX [E:1456] , 0.0)
BRNWPI  = BRNWPI + IFLT0 (FLOWBRX [E:1457] , -1.0*FLOWBRX [E:1457] , 0.0)
!
!   Bottom
!
BRNWPI  = BRNWPI + IFGT0 (FLOWBRY [E:1407] , FLOWBRY [E:1407] , 0.0)
BRNWPI  = BRNWPI + IFGT0 (FLOWBRY [E:1408] , FLOWBRY [E:1408] , 0.0)
BRNWPI  = BRNWPI + IFGT0 (FLOWBRY [E:1409] , FLOWBRY [E:1409] , 0.0)
BRNWPI  = BRNWPI + IFGT0 (FLOWBRY [E:1410] , FLOWBRY [E:1410] , 0.0)
BRNWPI  = BRNWPI + IFGT0 (FLOWBRY [E:1411] , FLOWBRY [E:1411] , 0.0)
BRNWPI  = BRNWPI + IFGT0 (FLOWBRY [E:1412] , FLOWBRY [E:1412] , 0.0)
BRNWPI  = BRNWPI + IFGT0 (FLOWBRY [E:1413] , FLOWBRY [E:1413] , 0.0)
!
!   Top
!
BRNWPI  = BRNWPI + IFLT0 (FLOWBRY [E:1165] , -1.0*FLOWBRY [E:1165] , 0.0)
BRNWPI  = BRNWPI + IFLT0 (FLOWBRY [E:1166] , -1.0*FLOWBRY [E:1166] , 0.0)
BRNWPI  = BRNWPI + IFLT0 (FLOWBRY [E:1167] , -1.0*FLOWBRY [E:1167] , 0.0)
BRNWPI  = BRNWPI + IFLT0 (FLOWBRY [E:1168] , -1.0*FLOWBRY [E:1168] , 0.0)

```

```

BRNWPI    = BRNWPI + IFLT0 (FLOWBRY [E:1169] , -1.0*FLOWBRY [E:1169] , 0.0)
BRNWPI    = BRNWPI + IFLT0 (FLOWBRY [E:1170] , -1.0*FLOWBRY [E:1170] , 0.0)
BRNWPI    = BRNWPI + IFLT0 (FLOWBRY [E:1171] , -1.0*FLOWBRY [E:1171] , 0.0)
!
!   Integrate for cumulative, delete flow rate
!
BRNWPIC   = INTRIGHT (BRNWPI)
DELETE BRNWPI
!
!*****
!
! Total cumulative brineflow into south rest of repository
!
!   Left side
!
BRNSRRI   =          IFGT0 (FLOWBRX [E:1428] , FLOWBRX [E:1428] , 0.0)
BRNSRRI   = BRNSRRI + IFGT0 (FLOWBRX [E:1430] , FLOWBRX [E:1430] , 0.0)
BRNSRRI   = BRNSRRI + IFGT0 (FLOWBRX [E:1432] , FLOWBRX [E:1432] , 0.0)
!
!   Right side
!
BRNSRRI   = BRNSRRI + IFLT0 (FLOWBRX [E:1458] , -1.0*FLOWBRX [E:1458] , 0.0)
BRNSRRI   = BRNSRRI + IFLT0 (FLOWBRX [E:1459] , -1.0*FLOWBRX [E:1459] , 0.0)
BRNSRRI   = BRNSRRI + IFLT0 (FLOWBRX [E:1460] , -1.0*FLOWBRX [E:1460] , 0.0)
!
!   Bottom
!
BRNSRRI   = BRNSRRI + IFGT0 (FLOWBRY [E:1428] , FLOWBRY [E:1428] , 0.0)
BRNSRRI   = BRNSRRI + IFGT0 (FLOWBRY [E:1429] , FLOWBRY [E:1429] , 0.0)
!
!   Top
!
BRNSRRI   = BRNSRRI + IFLT0 (FLOWBRY [E:1197] , -1.0*FLOWBRY [E:1197] , 0.0)
BRNSRRI   = BRNSRRI + IFLT0 (FLOWBRY [E:1198] , -1.0*FLOWBRY [E:1198] , 0.0)
!
!   Integrate for cumulative flow into south rest of repository
!
BRNSRRIC  = INTRIGHT (BRNSRRI)
DELETE BRNSRRI
!
!*****
!
! Total cumulative brineflow into north rest of repository
!
!   Left side
!
BRNNRRI   =          IFGT0 (FLOWBRX [E:1434] , FLOWBRX [E:1434] , 0.0)
BRNNRRI   = BRNNRRI + IFGT0 (FLOWBRX [E:1436] , FLOWBRX [E:1436] , 0.0)
BRNNRRI   = BRNNRRI + IFGT0 (FLOWBRX [E:1438] , FLOWBRX [E:1438] , 0.0)
!
!   Right side
!
BRNNRRI   = BRNNRRI + IFLT0 (FLOWBRX [E:1461] , -1.0*FLOWBRX [E:1461] , 0.0)
BRNNRRI   = BRNNRRI + IFLT0 (FLOWBRX [E:1462] , -1.0*FLOWBRX [E:1462] , 0.0)
BRNNRRI   = BRNNRRI + IFLT0 (FLOWBRX [E:1463] , -1.0*FLOWBRX [E:1463] , 0.0)
!
!   Bottom

```



```

!
BRNNRRI    = BRNNRRI + IFGT0 (FLOWBRY [E:1434],FLOWBRY [E:1434],0.0)
BRNNRRI    = BRNNRRI + IFGT0 (FLOWBRY [E:1435],FLOWBRY [E:1435],0.0)
!
!      Top
!
BRNNRRI    = BRNNRRI + IFLT0 (FLOWBRY [E:1209],-1.0*FLOWBRY [E:1209],0.0)
BRNNRRI    = BRNNRRI + IFLT0 (FLOWBRY [E:1210],-1.0*FLOWBRY [E:1210],0.0)
!
!      Integrate for cumulative flow into north rest of repository
!
BRNNRRIC   = INTRIGHT (BRNNRRI)
DELETE BRNNRRI
!
!*****
!
!      Total cumulative brineflow into RoR (north + south)
!
BRNNRRIC   = BRNSRRIC + BRNNRRIC
!
!*****
!
! Total cumulative brine flow into operations region
!
!      Left side
!
BRNORI     =          IFGT0 (FLOWBRX [E:1440],FLOWBRX [E:1440],0.0)
BRNORI     = BRNORI + IFGT0 (FLOWBRX [E:1443],FLOWBRX [E:1443],0.0)
BRNORI     = BRNORI + IFGT0 (FLOWBRX [E:1446],FLOWBRX [E:1446],0.0)
!
!      Right side
!cc
BRNORI     = BRNORI + IFLT0 (FLOWBRX [E:1484],-1.0*FLOWBRX [E:1484],0.0)
BRNORI     = BRNORI + IFLT0 (FLOWBRX [E:1485],-1.0*FLOWBRX [E:1485],0.0)
BRNORI     = BRNORI + IFLT0 (FLOWBRX [E:1486],-1.0*FLOWBRX [E:1486],0.0)
!
!      Bottom
!
BRNORI     = BRNORI + IFGT0 (FLOWBRY [E:1440],FLOWBRY [E:1440],0.0)
BRNORI     = BRNORI + IFGT0 (FLOWBRY [E:1441],FLOWBRY [E:1441],0.0)
BRNORI     = BRNORI + IFGT0 (FLOWBRY [E:1442],FLOWBRY [E:1442],0.0)
!
!      Top
!
BRNORI     = BRNORI + IFLT0 (FLOWBRY [E:1221],-1.0*FLOWBRY [E:1221],0.0)
BRNORI     = BRNORI + IFLT0 (FLOWBRY [E:1222],-1.0*FLOWBRY [E:1222],0.0)
BRNORI     = BRNORI + IFLT0 (FLOWBRY [E:1223],-1.0*FLOWBRY [E:1223],0.0)
!
!      Integrate for cumulative, delete flow rate
!
BRNORIC    = INTRIGHT (BRNORI)
DELETE BRNORI
!
!*****
!
! Total cumulative brine flow into experimental area
!

```

```

! Left side
!cc
BRNEAI = IFGT0 (FLOWBRX [E:1449], FLOWBRX [E:1449], 0.0)
BRNEAI = BRNEAI + IFGT0 (FLOWBRX [E:1451], FLOWBRX [E:1451], 0.0)
BRNEAI = BRNEAI + IFGT0 (FLOWBRX [E:1453], FLOWBRX [E:1453], 0.0)
!
! Right side
!
BRNEAI = BRNEAI + IFLT0 (FLOWBRX [E:451], -1.0*FLOWBRX [E:451], 0.0)
BRNEAI = BRNEAI + IFLT0 (FLOWBRX [E:474], -1.0*FLOWBRX [E:474], 0.0)
BRNEAI = BRNEAI + IFLT0 (FLOWBRX [E:497], -1.0*FLOWBRX [E:497], 0.0)
!
! Bottom
!
BRNEAI = BRNEAI + IFGT0 (FLOWBRY [E:1449], FLOWBRY [E:1449], 0.0)
BRNEAI = BRNEAI + IFGT0 (FLOWBRY [E:1450], FLOWBRY [E:1450], 0.0)
!
! Top
!
BRNEAI = BRNEAI + IFLT0 (FLOWBRY [E:1233], -1.0*FLOWBRY [E:1233], 0.0)
BRNEAI = BRNEAI + IFLT0 (FLOWBRY [E:1234], -1.0*FLOWBRY [E:1234], 0.0)
!
! Integrate for cumulative, delete flow rate
!
BRNEAIC = INTRIGHT (BRNEAI)
DELETE BRNEAI
!
!*****
!
! Net cumulative brineflow into repository = flow in minus flow out
! (brine consumed by waste corrosion neglected since brine consumption
! rate not available as history variable in bragflow output database)
!
! Accumulate x-direction outward flows from left side of repository
!
BRNREPOX = IFLT0 (FLOWBRX [E:1407], -1.0*FLOWBRX [E:1407], 0.0)
BRNREPOX = BRNREPOX + IFLT0 (FLOWBRX [E:1414], -1.0*FLOWBRX [E:1414], 0.0)
BRNREPOX = BRNREPOX + IFLT0 (FLOWBRX [E:1421], -1.0*FLOWBRX [E:1421], 0.0)
!
! Add x-direction outward flow contributions from right side
!
BRNREPOX = BRNREPOX + IFGT0 (FLOWBRX [E:1461], FLOWBRX [E:1461], 0.0)
BRNREPOX = BRNREPOX + IFGT0 (FLOWBRX [E:1462], FLOWBRX [E:1462], 0.0)
BRNREPOX = BRNREPOX + IFGT0 (FLOWBRX [E:1463], FLOWBRX [E:1463], 0.0)
!
! Accumulate y-direction outward flows from bottom of repository
!
BRNREPOY = IFLT0 (FLOWBRY [E:1407], -1.0*FLOWBRY [E:1407], 0.0)
BRNREPOY = BRNREPOY + IFLT0 (FLOWBRY [E:1408], -1.0*FLOWBRY [E:1408], 0.0)
BRNREPOY = BRNREPOY + IFLT0 (FLOWBRY [E:1409], -1.0*FLOWBRY [E:1409], 0.0)
BRNREPOY = BRNREPOY + IFLT0 (FLOWBRY [E:1410], -1.0*FLOWBRY [E:1410], 0.0)
BRNREPOY = BRNREPOY + IFLT0 (FLOWBRY [E:1411], -1.0*FLOWBRY [E:1411], 0.0)
BRNREPOY = BRNREPOY + IFLT0 (FLOWBRY [E:1412], -1.0*FLOWBRY [E:1412], 0.0)
BRNREPOY = BRNREPOY + IFLT0 (FLOWBRY [E:1413], -1.0*FLOWBRY [E:1413], 0.0)
BRNREPOY = BRNREPOY + IFLT0 (FLOWBRY [E:1455], -1.0*FLOWBRY [E:1455], 0.0)
BRNREPOY = BRNREPOY + IFLT0 (FLOWBRY [E:1466], -1.0*FLOWBRY [E:1466], 0.0)
BRNREPOY = BRNREPOY + IFLT0 (FLOWBRY [E:1428], -1.0*FLOWBRY [E:1428], 0.0)

```

```

BRNREPOY = BRNREPOY + IFLT0 (FLOWBRY [E:1429], -1.0*FLOWBRY [E:1429], 0.0)
BRNREPOY = BRNREPOY + IFLT0 (FLOWBRY [E:1458], -1.0*FLOWBRY [E:1458], 0.0)
BRNREPOY = BRNREPOY + IFLT0 (FLOWBRY [E:1472], -1.0*FLOWBRY [E:1472], 0.0)
BRNREPOY = BRNREPOY + IFLT0 (FLOWBRY [E:1434], -1.0*FLOWBRY [E:1434], 0.0)
BRNREPOY = BRNREPOY + IFLT0 (FLOWBRY [E:1435], -1.0*FLOWBRY [E:1435], 0.0)
!
!   Add Y-direction outward flow contributions from top side
!
BRNREPOY = BRNREPOY + IFGT0 (FLOWBRY [E:1165], FLOWBRY [E:1165], 0.0)
BRNREPOY = BRNREPOY + IFGT0 (FLOWBRY [E:1166], FLOWBRY [E:1166], 0.0)
BRNREPOY = BRNREPOY + IFGT0 (FLOWBRY [E:1167], FLOWBRY [E:1167], 0.0)
BRNREPOY = BRNREPOY + IFGT0 (FLOWBRY [E:1168], FLOWBRY [E:1168], 0.0)
BRNREPOY = BRNREPOY + IFGT0 (FLOWBRY [E:1169], FLOWBRY [E:1169], 0.0)
BRNREPOY = BRNREPOY + IFGT0 (FLOWBRY [E:1170], FLOWBRY [E:1170], 0.0)
BRNREPOY = BRNREPOY + IFGT0 (FLOWBRY [E:1171], FLOWBRY [E:1171], 0.0)
BRNREPOY = BRNREPOY + IFGT0 (FLOWBRY [E:1172], FLOWBRY [E:1172], 0.0)
BRNREPOY = BRNREPOY + IFGT0 (FLOWBRY [E:1469], FLOWBRY [E:1469], 0.0)
BRNREPOY = BRNREPOY + IFGT0 (FLOWBRY [E:1197], FLOWBRY [E:1197], 0.0)
BRNREPOY = BRNREPOY + IFGT0 (FLOWBRY [E:1198], FLOWBRY [E:1198], 0.0)
BRNREPOY = BRNREPOY + IFGT0 (FLOWBRY [E:1199], FLOWBRY [E:1199], 0.0)
BRNREPOY = BRNREPOY + IFGT0 (FLOWBRY [E:1475], FLOWBRY [E:1475], 0.0)
BRNREPOY = BRNREPOY + IFGT0 (FLOWBRY [E:1209], FLOWBRY [E:1209], 0.0)
BRNREPOY = BRNREPOY + IFGT0 (FLOWBRY [E:1210], FLOWBRY [E:1210], 0.0)
!
!   Sum x- and y-direction outward flows, then integrate over time
!
BRNREPO = BRNREPOX + BRNREPOY
BRNREPOC = INTRIGHT (BRNREPO)
!
!   Subtract outflow from inflow to obtain net inflow
!
BRNREPNC = BRNREPTC - BRNREPOC
!
!   Delete flow rate temporary variables
!
DELETE BRNREPO, BRNREPOX, BRNREPOY
!
!*****
!   Accumulate x-direction inward flows from left side of repository
!
BRNEXOX =          IFGT0 (FLOWBRX [E:1407], FLOWBRX [E:1407], 0.0)
BRNEXOX = BRNEXOX + IFGT0 (FLOWBRX [E:1414], FLOWBRX [E:1414], 0.0)
BRNEXOX = BRNEXOX + IFGT0 (FLOWBRX [E:1421], FLOWBRX [E:1421], 0.0)
!
!   Add x-direction inward flow contributions from right side
!
BRNEXOX = BRNEXOX + IFLT0 (FLOWBRX [E:451], -1.0*FLOWBRX [E:451], 0.0)
BRNEXOX = BRNEXOX + IFLT0 (FLOWBRX [E:474], -1.0*FLOWBRX [E:474], 0.0)
BRNEXOX = BRNEXOX + IFLT0 (FLOWBRX [E:497], -1.0*FLOWBRX [E:497], 0.0)
!
!   Accumulate y-direction inward flows from bottom of REPOSITORY
!
BRNEXOY =          IFGT0 (FLOWBRY [E:1407], FLOWBRY [E:1407], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1408], FLOWBRY [E:1408], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1409], FLOWBRY [E:1409], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1410], FLOWBRY [E:1410], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1411], FLOWBRY [E:1411], 0.0)

```

```

BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1412], FLOWBRY [E:1412], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1413], FLOWBRY [E:1413], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1455], FLOWBRY [E:1455], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1466], FLOWBRY [E:1466], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1428], FLOWBRY [E:1428], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1429], FLOWBRY [E:1429], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1458], FLOWBRY [E:1458], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1472], FLOWBRY [E:1472], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1434], FLOWBRY [E:1434], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1435], FLOWBRY [E:1435], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1461], FLOWBRY [E:1461], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1478], FLOWBRY [E:1478], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1440], FLOWBRY [E:1440], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1441], FLOWBRY [E:1441], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1442], FLOWBRY [E:1442], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1484], FLOWBRY [E:1484], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1449], FLOWBRY [E:1449], 0.0)
BRNEXOY = BRNEXOY + IFGT0 (FLOWBRY [E:1450], FLOWBRY [E:1450], 0.0)
!
!   Add Y-direction inward flow contributions from top side
!
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1165], -1.0*FLOWBRY [E:1165], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1166], -1.0*FLOWBRY [E:1166], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1167], -1.0*FLOWBRY [E:1167], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1168], -1.0*FLOWBRY [E:1168], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1169], -1.0*FLOWBRY [E:1169], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1170], -1.0*FLOWBRY [E:1170], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1171], -1.0*FLOWBRY [E:1171], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1172], -1.0*FLOWBRY [E:1172], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1469], -1.0*FLOWBRY [E:1469], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1197], -1.0*FLOWBRY [E:1197], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1198], -1.0*FLOWBRY [E:1198], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1199], -1.0*FLOWBRY [E:1199], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1475], -1.0*FLOWBRY [E:1475], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1209], -1.0*FLOWBRY [E:1209], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1210], -1.0*FLOWBRY [E:1210], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1211], -1.0*FLOWBRY [E:1211], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1481], -1.0*FLOWBRY [E:1481], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1221], -1.0*FLOWBRY [E:1221], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1222], -1.0*FLOWBRY [E:1222], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1223], -1.0*FLOWBRY [E:1223], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1487], -1.0*FLOWBRY [E:1487], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1233], -1.0*FLOWBRY [E:1233], 0.0)
BRNEXOY = BRNEXOY + IFLT0 (FLOWBRY [E:1234], -1.0*FLOWBRY [E:1234], 0.0)
!
!   Sum x- and y-direction inward flows, then integrate over time
!
BRNEXO  = BRNEXO  + BRNEXOY
BRNEXOC = INTRIGHT (BRNEXO)
!
!
!   Subtract outflow from inflow to obtain net inflow
!
BRNEXNC = BRNEXIC - BRNEXOC
!
!   Delete flow rate temporary variables!
DELETE BRNEXO, BRNEXOY, BRNEXOY

```

```

!
!*****
!
!   Flow from the Waste Panel across the plane of the panel closure
!   Includes DRZ, marker beds and the panel closure.
!
BNWPNFLW =          IFGT0 (FLOWBRX [E:1263],FLOWBRX [E:1263],0.0)
BNWPNFLW = BNWPNFLW + IFGT0 (FLOWBRX [E:1464],FLOWBRX [E:1464],0.0)
BNWPNFLW = BNWPNFLW + IFGT0 (FLOWBRX [E:1465],FLOWBRX [E:1465],0.0)
BNWPNFLW = BNWPNFLW + IFGT0 (FLOWBRX [E:1466],FLOWBRX [E:1466],0.0)
BNWPNFLW = BNWPNFLW + IFGT0 (FLOWBRX [E:1467],FLOWBRX [E:1467],0.0)
BNWPNFLW = BNWPNFLW + IFGT0 (FLOWBRX [E:1468],FLOWBRX [E:1468],0.0)
BNWPNFLW = BNWPNFLW + IFGT0 (FLOWBRX [E:1469],FLOWBRX [E:1469],0.0)
BNWPNFLW = BNWPNFLW + IFGT0 (FLOWBRX [E:1312],FLOWBRX [E:1312],0.0)
BNWPNFLW = BNWPNFLW + IFGT0 (FLOWBRX [E:1102],FLOWBRX [E:1102],0.0)
BNWPNFLW = BNWPNFLW + IFGT0 (FLOWBRX [E:1103],FLOWBRX [E:1103],0.0)
BNWPNFLW = BNWPNFLW + IFGT0 (FLOWBRX [E:1369],FLOWBRX [E:1369],0.0)
!
!*****
!   Flow to the Waste Panel across the plane of the panel closure
!   Includes DRZ, marker beds and the panel closure.
!
BNWPSFLW =          IFLT0 (FLOWBRX [E:1263],-1.0*FLOWBRX [E:1263],0.0)
BNWPSFLW = BNWPSFLW + IFLT0 (FLOWBRX [E:1464],-1.0*FLOWBRX [E:1464],0.0)
BNWPSFLW = BNWPSFLW + IFLT0 (FLOWBRX [E:1465],-1.0*FLOWBRX [E:1465],0.0)
BNWPSFLW = BNWPSFLW + IFLT0 (FLOWBRX [E:1466],-1.0*FLOWBRX [E:1466],0.0)
BNWPSFLW = BNWPSFLW + IFLT0 (FLOWBRX [E:1467],-1.0*FLOWBRX [E:1467],0.0)
BNWPSFLW = BNWPSFLW + IFLT0 (FLOWBRX [E:1468],-1.0*FLOWBRX [E:1468],0.0)
BNWPSFLW = BNWPSFLW + IFLT0 (FLOWBRX [E:1469],-1.0*FLOWBRX [E:1469],0.0)
BNWPSFLW = BNWPSFLW + IFLT0 (FLOWBRX [E:1312],-1.0*FLOWBRX [E:1312],0.0)
BNWPSFLW = BNWPSFLW + IFLT0 (FLOWBRX [E:1102],-1.0*FLOWBRX [E:1102],0.0)
BNWPSFLW = BNWPSFLW + IFLT0 (FLOWBRX [E:1103],-1.0*FLOWBRX [E:1103],0.0)
BNWPSFLW = BNWPSFLW + IFLT0 (FLOWBRX [E:1369],-1.0*FLOWBRX [E:1369],0.0)
!
!*****
!
!   Flow from the RoR across the plane of the panel closure to non-waste
!   Includes DRZ, marker beds and the panel closure.
!
BNRRNFLW =          IFGT0 (FLOWBRX [E:1265],FLOWBRX [E:1265],0.0)
BNRRNFLW = BNRRNFLW + IFGT0 (FLOWBRX [E:1476],FLOWBRX [E:1476],0.0)
BNRRNFLW = BNRRNFLW + IFGT0 (FLOWBRX [E:1477],FLOWBRX [E:1477],0.0)
BNRRNFLW = BNRRNFLW + IFGT0 (FLOWBRX [E:1478],FLOWBRX [E:1478],0.0)
BNRRNFLW = BNRRNFLW + IFGT0 (FLOWBRX [E:1479],FLOWBRX [E:1479],0.0)
BNRRNFLW = BNRRNFLW + IFGT0 (FLOWBRX [E:1480],FLOWBRX [E:1480],0.0)
BNRRNFLW = BNRRNFLW + IFGT0 (FLOWBRX [E:1481],FLOWBRX [E:1481],0.0)
BNRRNFLW = BNRRNFLW + IFGT0 (FLOWBRX [E:1314],FLOWBRX [E:1314],0.0)
BNRRNFLW = BNRRNFLW + IFGT0 (FLOWBRX [E:1106],FLOWBRX [E:1106],0.0)
BNRRNFLW = BNRRNFLW + IFGT0 (FLOWBRX [E:1107],FLOWBRX [E:1107],0.0)
BNRRNFLW = BNRRNFLW + IFGT0 (FLOWBRX [E:1377],FLOWBRX [E:1377],0.0)
!
!*****
!
!   Flow from the RoR across the plane of the panel closure to non-waste
!   Includes DRZ, marker beds and the panel closure.
!
BNRRSFLW =          IFGT0 (FLOWBRX [E:1265],FLOWBRX [E:1265],0.0)

```

```

BNRRSFLW = BNRRSFLW + IFGT0 (FLOWBRX [E:1476], FLOWBRX [E:1476], 0.0)
BNRRSFLW = BNRRSFLW + IFGT0 (FLOWBRX [E:1477], FLOWBRX [E:1477], 0.0)
BNRRSFLW = BNRRSFLW + IFGT0 (FLOWBRX [E:1478], FLOWBRX [E:1478], 0.0)
BNRRSFLW = BNRRSFLW + IFGT0 (FLOWBRX [E:1479], FLOWBRX [E:1479], 0.0)
BNRRSFLW = BNRRSFLW + IFGT0 (FLOWBRX [E:1480], FLOWBRX [E:1480], 0.0)
BNRRSFLW = BNRRSFLW + IFGT0 (FLOWBRX [E:1481], FLOWBRX [E:1481], 0.0)
BNRRSFLW = BNRRSFLW + IFGT0 (FLOWBRX [E:1314], FLOWBRX [E:1314], 0.0)
BNRRSFLW = BNRRSFLW + IFGT0 (FLOWBRX [E:1106], FLOWBRX [E:1106], 0.0)
BNRRSFLW = BNRRSFLW + IFGT0 (FLOWBRX [E:1107], FLOWBRX [E:1107], 0.0)
BNRRSFLW = BNRRSFLW + IFGT0 (FLOWBRX [E:1377], FLOWBRX [E:1377], 0.0)
!
!*****
!
! Net cumulative brine flow into waste panel = flow in minus flow out
!
!   Left side outward flows
!
BRNWPO   =           IFLT0 (FLOWBRX [E:1407], -1.0*FLOWBRX [E:1407], 0.0)
BRNWPO   = BRNWPO + IFLT0 (FLOWBRX [E:1414], -1.0*FLOWBRX [E:1414], 0.0)
BRNWPO   = BRNWPO + IFLT0 (FLOWBRX [E:1421], -1.0*FLOWBRX [E:1421], 0.0)
!
!   Right side
!
BRNWPO   = BRNWPO + IFGT0 (FLOWBRX [E:1455], FLOWBRX [E:1455], 0.0)
BRNWPO   = BRNWPO + IFGT0 (FLOWBRX [E:1456], FLOWBRX [E:1456], 0.0)
BRNWPO   = BRNWPO + IFGT0 (FLOWBRX [E:1457], FLOWBRX [E:1457], 0.0)
!
!   Bottom
!
BRNWPO   = BRNWPO + IFLT0 (FLOWBRY [E:1407], -1.0*FLOWBRY [E:1407], 0.0)
BRNWPO   = BRNWPO + IFLT0 (FLOWBRY [E:1408], -1.0*FLOWBRY [E:1408], 0.0)
BRNWPO   = BRNWPO + IFLT0 (FLOWBRY [E:1409], -1.0*FLOWBRY [E:1409], 0.0)
BRNWPO   = BRNWPO + IFLT0 (FLOWBRY [E:1410], -1.0*FLOWBRY [E:1410], 0.0)
BRNWPO   = BRNWPO + IFLT0 (FLOWBRY [E:1411], -1.0*FLOWBRY [E:1411], 0.0)
BRNWPO   = BRNWPO + IFLT0 (FLOWBRY [E:1412], -1.0*FLOWBRY [E:1412], 0.0)
BRNWPO   = BRNWPO + IFLT0 (FLOWBRY [E:1413], -1.0*FLOWBRY [E:1413], 0.0)
!
!   Top
!
BRNWPO   = BRNWPO + IFGT0 (FLOWBRY [E:1165], FLOWBRY [E:1165], 0.0)
BRNWPO   = BRNWPO + IFGT0 (FLOWBRY [E:1166], FLOWBRY [E:1166], 0.0)
BRNWPO   = BRNWPO + IFGT0 (FLOWBRY [E:1167], FLOWBRY [E:1167], 0.0)
BRNWPO   = BRNWPO + IFGT0 (FLOWBRY [E:1168], FLOWBRY [E:1168], 0.0)
BRNWPO   = BRNWPO + IFGT0 (FLOWBRY [E:1169], FLOWBRY [E:1169], 0.0)
BRNWPO   = BRNWPO + IFGT0 (FLOWBRY [E:1170], FLOWBRY [E:1170], 0.0)
BRNWPO   = BRNWPO + IFGT0 (FLOWBRY [E:1171], FLOWBRY [E:1171], 0.0)
!
!   Integrate for cumulative outward flow, delete flow rate
!
BRNWPOC  = INTRIGHT (BRNWPO)
DELETE BRNWPO
!
!   Subtract outflow from inflow to obtain net inflow
!
BRNWPNC  = BRNWPIC - BRNWPOC
!
!*****

```

```

!*****
!
! Total cumulative brine flow out of south rest of repository
!
!   Left side outward flows
!
BRNSRRO   =           IFLT0 (FLOWBRX [E:1428] , -1.0*FLOWBRX [E:1428] , 0.0)
BRNSRRO   = BRNSRRO + IFLT0 (FLOWBRX [E:1430] , -1.0*FLOWBRX [E:1430] , 0.0)
BRNSRRO   = BRNSRRO + IFLT0 (FLOWBRX [E:1432] , -1.0*FLOWBRX [E:1432] , 0.0)
!
!   Right side outward flows
!
BRNSRRO   = BRNSRRO + IFGT0 (FLOWBRX [E:1458] , FLOWBRX [E:1458] , 0.0)
BRNSRRO   = BRNSRRO + IFGT0 (FLOWBRX [E:1459] , FLOWBRX [E:1459] , 0.0)
BRNSRRO   = BRNSRRO + IFGT0 (FLOWBRX [E:1460] , FLOWBRX [E:1460] , 0.0)
!
!   Bottom
!
BRNSRRO   = BRNSRRO + IFLT0 (FLOWBRY [E:1428] , -1.0*FLOWBRY [E:1428] , 0.0)
BRNSRRO   = BRNSRRO + IFLT0 (FLOWBRY [E:1429] , -1.0*FLOWBRY [E:1429] , 0.0)
!
!   Top
!
BRNSRRO   = BRNSRRO + IFGT0 (FLOWBRY [E:1197] , FLOWBRY [E:1197] , 0.0)
BRNSRRO   = BRNSRRO + IFGT0 (FLOWBRY [E:1198] , FLOWBRY [E:1198] , 0.0)
!
!   Integrate for cumulative outward flow, delete flow rate
!
BRNSRROC  = INTRIGHT (BRNSRRO)
DELETE BRNSRRO
!
!   Subtract outflow from inflow to obtain net inflow
!
BRNSRRNC  = BRNSRRIC - BRNSRROC
!
!*****
!
! Total cumulative brine flow out of north rest of repository
!
!   Left side outward flows
!
BRNNRRO   =           IFLT0 (FLOWBRX [E:1434] , -1.0*FLOWBRX [E:1434] , 0.0)
BRNNRRO   = BRNNRRO + IFLT0 (FLOWBRX [E:1436] , -1.0*FLOWBRX [E:1436] , 0.0)
BRNNRRO   = BRNNRRO + IFLT0 (FLOWBRX [E:1438] , -1.0*FLOWBRX [E:1438] , 0.0)
!
!   Right side outward flows
!
BRNNRRO   = BRNNRRO + IFGT0 (FLOWBRX [E:1461] , FLOWBRX [E:1461] , 0.0)
BRNNRRO   = BRNNRRO + IFGT0 (FLOWBRX [E:1462] , FLOWBRX [E:1462] , 0.0)
BRNNRRO   = BRNNRRO + IFGT0 (FLOWBRX [E:1463] , FLOWBRX [E:1463] , 0.0)
!
!   Bottom
!
BRNNRRO   = BRNNRRO + IFLT0 (FLOWBRY [E:1434] , -1.0*FLOWBRY [E:1434] , 0.0)
BRNNRRO   = BRNNRRO + IFLT0 (FLOWBRY [E:1435] , -1.0*FLOWBRY [E:1435] , 0.0)
!
!   Top

```

```

!
BRNNRRO = BRNNRRO + IFGT0 (FLOWBRY [E:1209],FLOWBRY [E:1209],0.0)
BRNNRRO = BRNNRRO + IFGT0 (FLOWBRY [E:1210],FLOWBRY [E:1210],0.0)
!
! Integrate for cumulative outward flow, delete flow rate
!
BRNNRROC = INTRIGHT (BRNNRRO)
DELETE BRNNRRO
!
! Subtract outflow from inflow to obtain net inflow
!
BRNNRRNC = BRNNRRIC - BRNNRROC
!
!*****
! Total cumulative flow out of rest of repository (north + south)
!
BRNNRROC = BRNSRROC + BRNNRROC
!
! Net inflow into rest of repository (north + south)
!
BRNNRRNC = BRNSRRNC + BRNNRRNC
!
!*****
! Total cumulative brine flow out of operations region
!
! Left side outward flows
!
BRNORO = IFLT0 (FLOWBRX [E:1440],-1.0*FLOWBRX [E:1440],0.0)
BRNORO = BRNORO + IFLT0 (FLOWBRX [E:1443],-1.0*FLOWBRX [E:1443],0.0)
BRNORO = BRNORO + IFLT0 (FLOWBRX [E:1446],-1.0*FLOWBRX [E:1446],0.0)
!
! Right side
!cc
BRNORO = BRNORO + IFGT0 (FLOWBRX [E:1484],FLOWBRX [E:1484],0.0)
BRNORO = BRNORO + IFGT0 (FLOWBRX [E:1485],FLOWBRX [E:1485],0.0)
BRNORO = BRNORO + IFGT0 (FLOWBRX [E:1486],FLOWBRX [E:1486],0.0)
!
! Bottom
!
BRNORO = BRNORO + IFLT0 (FLOWBRY [E:1440],-1.0*FLOWBRY [E:1440],0.0)
BRNORO = BRNORO + IFLT0 (FLOWBRY [E:1441],-1.0*FLOWBRY [E:1441],0.0)
BRNORO = BRNORO + IFLT0 (FLOWBRY [E:1442],-1.0*FLOWBRY [E:1442],0.0)
!
! Top
!
BRNORO = BRNORO + IFGT0 (FLOWBRY [E:1221],FLOWBRY [E:1221],0.0)
BRNORO = BRNORO + IFGT0 (FLOWBRY [E:1222],FLOWBRY [E:1222],0.0)
BRNORO = BRNORO + IFGT0 (FLOWBRY [E:1222],FLOWBRY [E:1222],0.0)
!
! Integrate for cumulative outward flow, delete flow rate
!
BRNOROC = INTRIGHT (BRNORO)
DELETE BRNORO
!
! Subtract outflow from inflow to obtain net inflow

```



```

!
BRNORNC = BRNORIC - BRNOROC
!
!*****
!
! Total cumulative brine flow out of experimental area:
!
!   Left side outward flows
!
BRNEAO = IFLT0 (FLOWBRX [E:1449], -1.0*FLOWBRX [E:1449], 0.0)
BRNEAO = BRNEAO + IFLT0 (FLOWBRX [E:1451], -1.0*FLOWBRX [E:1451], 0.0)
BRNEAO = BRNEAO + IFLT0 (FLOWBRX [E:1453], -1.0*FLOWBRX [E:1453], 0.0)
!
!   Right side
!
BRNEAO = BRNEAO + IFGT0 (FLOWBRX [E:451], FLOWBRX [E:451], 0.0)
BRNEAO = BRNEAO + IFGT0 (FLOWBRX [E:474], FLOWBRX [E:474], 0.0)
BRNEAO = BRNEAO + IFGT0 (FLOWBRX [E:497], FLOWBRX [E:497], 0.0)
!
!   Bottom
!cc
BRNEAO = BRNEAO + IFLT0 (FLOWBRY [E:1449], -1.0*FLOWBRY [E:1449], 0.0)
BRNEAO = BRNEAO + IFLT0 (FLOWBRY [E:1450], -1.0*FLOWBRY [E:1450], 0.0)
!
!   Top
!
BRNEAO = BRNEAO + IFGT0 (FLOWBRY [E:1233], FLOWBRY [E:1233], 0.0)
BRNEAO = BRNEAO + IFGT0 (FLOWBRY [E:1234], FLOWBRY [E:1234], 0.0)
!
!   Integrate for cumulative outward flow, delete flow rate
!
BRNEAOC = INTRIGHT (BRNEAO)
DELETE BRNEAO
!
!   Subtract outflow from inflow to obtain net inflow
!
BRNEANC = BRNEAIC - BRNEAOC
!
!*****
!
! Cumulative brineflow DOWN borehole (from the panel)
!
BNBBDP = IFLT0 (FLOWBRY [E:1410], -1.0*FLOWBRY [E:1410], 0.0)
BRNBHDPP = INTRIGHT (BNBBDP)
!
DELETE BNBBDP
!
!*****
!
! Cumulative brineflow up borehole (into panel)
!
BRNB BUP = IFGT0 (FLOWBRY [E:1410], FLOWBRY [E:1410], 0.0)
BRNBHUPP = INTRIGHT (BRNB BUP)
!
DELETE BRNB BUP
!
!*****

```

```

!
! Cumulative brineflow up borehole (measured at repository top boundary)
!cc
BRNBHUP = IFGT0 (FLOWBRY [E:1168],FLOWBRY [E:1168],0.0)
BRNBHUPC = INTRIGHT (BRNBHUP)
!
DELETE BRNBHUP
!
!*****
!
! Cumulative brineflow DOWN borehole (measured at repository top boundary)
!
BRNBHDP = IFLT0 (FLOWBRY [E:1168],-1.0*FLOWBRY [E:1168],0.0)
BRNBHDPC = INTRIGHT (BRNBHDP)
!
DELETE BRNBHDP
!
!*****
!
! Cumulative brineflow up borehole (measured at Rustler/Culebra interface)
!
BRNBHRC = IFGT0 (FLOWBRY [E:1845],FLOWBRY [E:1845],0.0)
BRNBHRCC = INTRIGHT (BRNBHRC)
!
DELETE BRNBHRC
!
!*****
!
! Cumulative brineflow DOWN borehole (measured at Rustler/Culebra interface)
!
BNBHDRC = IFLT0 (FLOWBRY [E:1845],-1.0*FLOWBRY [E:1845],0.0)
BNBHDRCC = INTRIGHT (BNBHDRC)
!
DELETE BNBHDRC
!*****
!
! Cumulative brineflow up borehole (past Rustler)
!
BRNBHRU = IFGT0 (FLOWBRY [E:1979],FLOWBRY [E:1979],0.0)
BRNBHRUC = INTRIGHT (BRNBHRU)
!
DELETE BRNBHRU
!
!*****
!
! Cumulative brineflow up borehole (to surface)
!
BRNBHRS = IFGT0 (FLOWBRY [E:2155],FLOWBRY [E:2155],0.0)
BRNBHRSC = INTRIGHT (BRNBHRS)
!
DELETE BRNBHRS
!
!*****
!
! Cumulative brineflow up borehole (into lower DRZ below waste panel)
!

```

```

BNBHLDR = IFGT0 (FLOWBRY [E:1111], FLOWBRY [E:1111], 0.0)
BNBHLDRZ = INTRIGHT (BNBHLDR)
!
DELETE BNBHLDR
!
!*****
!
! Cumulative brineflow down borehole (to surface)
!
BNBHDRS = IFGT0 (FLOWBRY [E:2155], -1.0*FLOWBRY [E:2155], 0.0)
BNBHDRSC = INTRIGHT (BNBHDRS)
!
Delete BNBHDRS
!
!*****
!
! Cumulative brineflow down borehole (into lower DRZ below waste panel)
!
BNBHDLZ = IFGT0 (FLOWBRY [E:1111], -1.0*FLOWBRY [E:1111], 0.0)
BNBHDLZ = INTRIGHT (BNBHDLZ)
!
Delete BNBHDLZ
!
!*****
!
! Cumulative brineflow up borehole (at top of upper DRZ region)
!
BNBHUDR = IFGT0 (FLOWBRY [E:1364], FLOWBRY [E:1364], 0.0)
BNBHUDRZ = INTRIGHT (BNBHUDR)
!
Delete BNBHUDR
!
!*****
!
! Cumulative brineflow DOWN borehole (at top of UPPER DRZ region)
!
BNBHDDR = IFGT0 (FLOWBRY [E:1364], -1.0*FLOWBRY [E:1364], 0.0)
BNBHDDRZ = INTRIGHT (BNBHDDR)
!
DELETE BNBHDDR
!
!*****
!!!
! Cumulative brineflow up shaft (to surface)
!
BRNSHRS = IFGT0 (FLOWBRY [E:1496], FLOWBRY [E:1496], 0.0)
BRNSHRSC = INTRIGHT (BRNSHRS)
!
DELETE BRNSHRS
!
!*****
!
! Cumulative brineflow down shaft (from surface)
!
BNSHDSC = IFLT0 (FLOWBRY [E:1496], -1.0*FLOWBRY [E:1496], 0.0)
BNSHDSCZ = INTRIGHT (BNSHDSC)
!

```

```

DELETE BNSHDSC
!
!*****
!
! Cumulative brineflow up shaft (past Rustler)
!
BRNSHRU = IFGT0 (FLOWBRY [E:1493], FLOWBRY [E:1493], 0.0)
BRNSHRUC = INTRIGHT (BRNSHRU)
!
DELETE BRNSHRU
!
!*****
!
! Cumulative brineflow down shaft (past Rustler)
!
BNSHDRU = IFLT0 (FLOWBRY [E:1493], -1.0*FLOWBRY [E:1493], 0.0)
BNSHDRUZ = INTRIGHT (BNSHDRU)
!
DELETE BNSHDRU
!
!*****
! Cumulative brineflow up shaft (into Culebra from unnamed)
!
BRNSHRC = IFGT0 (FLOWBRY [E:1489], FLOWBRY [E:1489], 0.0)
BRNSHRCC = INTRIGHT (BRNSHRC)
!
DELETE BRNSHRC
!
!*****
!
! Cumulative brineflow down shaft (Culebra)
!
BNSHDRC = IFLT0 (FLOWBRY [E:1489], -1.0*FLOWBRY [E:1489], 0.0)
BNSHDRCC = INTRIGHT (BNSHDRC)
!
DELETE BNSHDRC
!
!*****
! Cumulative brineflow up shaft (measured at DRZ upper boundary)
!
BNSHUP = IFGT0 (FLOWBRY [E:1381], FLOWBRY [E:1381], 0.0)
BNSHUDRZ = INTRIGHT (BNSHUP)
!
DELETE BNSHUP
!
!*****
! Cumulative brineflow down shaft (measured at DRZ upper boundary)
!
BNSHDDR = IFLT0 (FLOWBRY [E:1481], -1.0*FLOWBRY [E:1481], 0.0)
BNSHDDRZ = INTRIGHT (BNSHDDR)
!
DELETE BNSHDDR
!
!*****
! Cumulative brineflow up shaft (into Anhydrite AB marker bed)

```

```

!
BRNSHAB = IFGT0 (FLOWBRY [E:1315],FLOWBRY [E:1315],0.0)
BRNSHABC = INTRIGHT (BRNSHAB)
!
DELETE BRNSHAB
!
!*****
!
! Cumulative brineflow down shaft) (from Anhydrite AB marker bed
!
BNSHDAB = IFLT0 (FLOWBRY [E:1315],-1.0*FLOWBRY [E:1315],0.0)
BNSHDABC = INTRIGHT (BNSHDAB)
!
DELETE BNSHDAB
!
!*****!
!
!*****
!*****
!
! SECTION 8: Total brineflow out of marker beds toward repository (m**3)
!
!   Param 113: MB 138,           North --> BRM38NIC
!   Param 114: Anhydrite A&B, North --> BRAABNIC
!   Param 115: MB 139,           North --> BRM39NIC
!   Param 116: MB 138,           South --> BRM38SIC
!   Param 117: Anhydrite A&B, South --> BRAABSIC
!   Param 118: MB 139,           South --> BRM39SIC
!   Param 119: all marker beds -----> BRAALIC
!
!*****
!
! Total inward brineflow from MB 138, north (right) side
!
BRNM38NI = IFLT0 (FLOWBRX [E:1384],-1.0*FLOWBRX [E:1384],0.0)
BRM38NIC = INTRIGHT (BRNM38NI)
!
!*****
!
! Total inward brineflow from Anhydrite A&B, north (right) side
!
BRNAABNI = IFLT0 (FLOWBRX [E:1316],-1.0*FLOWBRX [E:1316],0.0)
BRAABNIC = INTRIGHT (BRNAABNI)
!
!*****
!
! Total inward brineflow from MB 139, north (right) side
!
BRNM39NI = IFLT0 (FLOWBRX [E:1267],-1.0*FLOWBRX [E:1267],0.0)
BRM39NIC = INTRIGHT (BRNM39NI)
!
!*****
!*****
!
! Total inward brineflow from MB 138, south (left) side
!
BRNM38SI = IFGT0 (FLOWBRX [E:1361],FLOWBRX [E:1361],0.0)

```

```

BRM38SIC = INTRIGHT(BRNM38SI)
!
!*****
!
! Total inward brineflow from Anhydrite A&B, south (left) side
!
BRNAABSI = IFGT0(FLOWBRX[E:1173],FLOWBRX[E:1173],0.0)
BRAABSIC = INTRIGHT(BRNAABSI)
!
!*****
!
! Total inward brineflow from MB 139, south (left) side
!
BRNM39SI = IFGT0(FLOWBRX[E:1108],FLOWBRX[E:1108],0.0)
BRM39SIC = INTRIGHT(BRNM39SI)
!
!*****
!
! Total inward brineflow from all anhydrite layers
!
BRAALIC = BRM38NIC + BRAABNIC + BRM39NIC + BRM38SIC + BRAABSIC + BRM39SIC
!
!*****
!
! Clean up output--limit to requested quantities
!
DELETE BRNM38NI, BRNAABNI, BRNM39NI, BRNM38SI, BRNAABSI, BRNM39SI
!
!*****
!*****
!
! SECTION 9: Total brineflow into marker beds away from repository (m**3)
!
!   Param 099: MB 138,           North --> BRM38NOC
!   Param 100: Anhydrite A&B,    North --> BRAABNOC
!   Param 101: MB 139,           North --> BRM39NOC
!   Param 102: MB 138,           South --> BRM38SOC
!   Param 103: Anhydrite A&B,    South --> BRAABSOC
!   Param 104: MB 139,           South --> BRM39SOC
!   Param 105: all marker beds  -----> BRAALOC
!
!*****
!
! Total brineflow into MB 138 away from repository, north (right) side
!
BRNM38NO = IFGT0(FLOWBRX[E:1384],FLOWBRX[E:1384],0.0)
BRM38NOC = INTRIGHT(BRNM38NO)
!
!*****
!
! Total brineflow into Anhydrite A&B away from repository, north side
!
BRNAABNO = IFGT0(FLOWBRX[E:1316],FLOWBRX[E:1316],0.0)
BRAABNOC = INTRIGHT(BRNAABNO)
!
!*****
!

```

```

! Total brineflow into MB 139 away from repository, north (right) side
!
BRNM39NO = IFGT0 (FLOWBRX[E:1267],FLOWBRX[E:1267],0.0)
BRM39NOC = INTRIGHT (BRNM39NO)
!
!*****
!*****
!
! Total brineflow into MB 138 away from repository, south (left) side
!
BRNM38SO = IFLT0 (FLOWBRX[E:1361],-1.0*FLOWBRX[E:1361],0.0)
BRM38SOC = INTRIGHT (BRNM38SO)
!
!*****
!
! Total brineflow into Anhydrite A&B away from repository, south side
!
BRNAABSO = IFLT0 (FLOWBRX[E:1173],-1.0*FLOWBRX[E:1173],0.0)
BRAABSOC = INTRIGHT (BRNAABSO)
!
!*****
!
! Total brineflow into MB 139 away from repository, south (left) side
!
BRNM39SO = IFLT0 (FLOWBRX[E:1108],-1.0*FLOWBRX[E:1108],0.0)
BRM39SOC = INTRIGHT (BRNM39SO)
!
!*****
!
! Total outward brineflow into all anhydrite layers
!
BRAALOC = BRM38NOC + BRAABNOC + BRM39NOC + BRM38SOC + BRAABSOC + BRM39SOC
!
!*****
!
! Clean up output--limit to requested quantities
!
DELETE BRNM38NO, BRNAABNO, BRNM39NO, BRNM38SO, BRNAABSO, BRNM39SO
!
!*****
!*****
!
! SECTION 10: Net brineflow through marker beds (m**3)
!
!   Param 120: MB 138,           North --> BRM38NNC
!   Param 121: Anhydrite A&B, North --> BRAABNNC
!   Param 123: MB 139,           North --> BRM39NNC
!   Param 124: MB 138,           South --> BRM38SNC
!   Param 125: Anhydrite A&B, South --> BRAABSNC
!   Param 126: MB 139,           South --> BRM39SNC
!
!*****
!
! Net brineflow through MB 138, north (right) side
!
BRNM38NN = FLOWBRX[E:1384]
BRM38NNC = INTRIGHT (BRNM38NN)

```

```

!
!*****
!
! Net brineflow through Anhydrite A&B, north (right) side
!
BRNAABNN = FLOWBRX[E:1316]
BRAABNNC = INTRIGHT(BRNAABNN)
!
!*****
!
! Net brineflow through MB 139, north (right) side
!
BRNM39NN = FLOWBRX[E:1267]
BRM39NNC = INTRIGHT(BRNM39NN)
!
!*****
!*****
!
! Net brineflow through MB 138, south (left) side
!
BRNM38SN = FLOWBRX[E:1361]
BRM38SNC = INTRIGHT(BRNM38SN)
!
!*****
!
! Net brineflow through Anhydrite A&B, south (left) side
!
BRNAABSN = FLOWBRX[E:1173]
BRAABSNC = INTRIGHT(BRNAABSN)
!
!*****
!
! Net brineflow through MB 139, south (left) side
!
BRNM39SN = FLOWBRX[E:1108]
BRM39SNC = INTRIGHT(BRNM39SN)
!
!*****
!
! Clean up output--limit to requested quantities
!
DELETE BRNM38NN, BRNAABNN, BRNM39NN, BRNM38SN, BRNAABSN, BRNM39SN
!
!*****
!*****
!
! Net brineflow into DRZ through all anhydrite layers
!
!   Param 112: net brineflow into DRZ from all marker beds --> BRAALNC
!
!*****
!
! Net brineflow into DRZ through all anhydrite layers, is the total inward
!   brineflow from all anhydrite layers minus the total outward brineflow
!
BRAALNC = BRAALIC - BRAALOC
!

```



```

!*****
!*****
!
! SECTION 11: Cumulative gas flow (m**3)
!
!   Param 127: up borehole (@element 1168) -----> GASBHUPC
!   Param 128: up borehole (@element 1364) -----> GASBHUDZ
!   Param 129: into brine pocket (@element 1576) -----> GASBPDNC
!   Param 130: out of brine pocket (@element 1576) ----> GASBPUPC
!   Param 131: net into brine pocket (@element 1576) --> GASBPNTC
!
!   Param 132: Gas flow up shaft (@element 1496 Santa Rosa) ----->
GSSHUSCC
!   Param 133: Gas flow up shaft (@element 1493 49er/Dewey Lake) ---->
GSSHRRUC
!   Param 134: Gas flow up shaft (@element 1489 unnamed/Culebra) ---->
GSSHUCUC
!   Param 135: Gas flow up shaft (@element 1381 U_DRZ/Upper 138) ---->
GSSHUDRZ
!   Param 136: Gas flow up shaft (@element 1315 Anhy AB/CONC_MON) ---->
GASSHABC
!
!*****
!
! Cumulative gas flow up borehole (measured at repository top boundary)
!
GASBHUP = IFGT0 (FLOWGASY[E:1168],FLOWGASY[E:1168],0.0)
GASBHUPC = INTRIGHT (GASBHUP)
!
!*****
!
! Cumulative gas flow up borehole (measured at top of DRZ)
!
GASBHUD = IFGT0 (FLOWGASY[E:1364],FLOWGASY[E:1364],0.0)
GASBHUDZ = INTRIGHT (GASBHUD)
!
!*****
!
! Cumulative gas flow into brine pocket (at top of brine pocket)
!cc
!GASBPDN = IFLT0 (FLOWGASY[E:1576],-1.0*FLOWGASY[E:1576],0.0)
!GASBPDNC = INTRIGHT (GASBPDN)
!
!*****
!
! Cumulative gas flow out of brine pocket (at top of brine pocket)
!cc
!GASBPUP = IFGT0 (FLOWGASY[E:1576],FLOWGASY[E:1576],0.0)
!GASBPUPC = INTRIGHT (GASBPUP)
!
!*****
!
! Cumulative net gas flow into brine pocket (at top of brine pocket)
!cc
!GASBPNT = -1.0*FLOWGASY[E:1576]
!GASBPNTC = INTRIGHT (GASBPNT)
!

```

```

!*****
!!!
! Cumulative Gas flow up shaft (to surface)
!
GSSHUSC = IFGT0 (FLOWGASY[E:1496],FLOWGASY[E:1496],0.0)
GSSHUSCC = INTRIGHT(GSSHUSC)
!
!*****
!
! Cumulative brineflow up shaft (past Rustler)
!
GSSHURU = IFGT0 (FLOWGASY[E:1493],FLOWGASY[E:1493],0.0)
GSSHRRUC = INTRIGHT(GSSHURU)
!
!*****
!
! Cumulative brineflow up shaft (into Culebra from unnamed)
!
GSSHUCU = IFGT0 (FLOWGASY[E:1489],FLOWGASY[E:1489],0.0)
GSSHUCUC = INTRIGHT(GSSHUCU)
!
!*****
!
! Cumulative brineflow up shaft (measured at DRZ upper boundary)
!
GSSHUDR = IFGT0 (FLOWGASY[E:1381],FLOWGASY[E:1381],0.0)
GSSHUDRZ = INTRIGHT(GSSHUDR)
!
!*****
!
! Cumulative brineflow up shaft (into Anhydrite AB marker bed)
!
GASSHAB = IFGT0 (FLOWGASY[E:1315],FLOWGASY[E:1315],0.0)
GASSHABC = INTRIGHT(GASSHAB)
!*****
!
! Clean up output--limit to requested quantities
!
DELETE GASBHUP, GASBHUD,
DELETE GSSHUSC, GSSHURU, GSSHUCU, GSSHUDR, GASSHAB
!
!*****
!*****
!
! SECTION 12: Total gas flow through marker beds away from repository (m**3)
!
!   Param 137: MB 138,           North --> GSM38NOC
!   Param 138: Anhydrite A&B, North --> GSAABNOC
!   Param 139: MB 139,           North --> GSM39NOC
!   Param 140: MB 138,           South --> GSM38SOC
!   Param 141: Anhydrite A&B, South --> GSAABSOC
!   Param 142: MB 139,           South --> GSM39SOC
!   Param 143: all marker beds -----> GSAALOC
!
!*****
!
! Total gas flow in MB 138 away from repository, north (right) side

```

```

!
GASM38NO = IFGT0 (FLOWGASX[E:1384],FLOWGASX[E:1384],0.0)
GSM38NOC = INTRIGHT (GASM38NO)
!
!*****
!
! Total gas flow in Anhydrite A&B away from repository, north side
!
GASAABNO = IFGT0 (FLOWGASX[E:1316],FLOWGASX[E:1316],0.0)
GSAABNOC = INTRIGHT (GASAABNO)
!
!*****
!
! Total gas flow in MB 139 away from repository, north (right) side
!
GASM39NO = IFGT0 (FLOWGASX[E:1267],FLOWGASX[E:1267],0.0)
GSM39NOC = INTRIGHT (GASM39NO)
!
!*****
!*****
!
! Total gas flow in MB 138 away from repository, south (left) side
!
GASM38SO = IFLT0 (FLOWGASX[E:1361],-1.0*FLOWGASX[E:1361],0.0)
GSM38SOC = INTRIGHT (GASM38SO)
!
!*****
!
! Total gas flow in Anhydrite A&B away from repository, south side
!
GASAABSO = IFLT0 (FLOWGASX[E:1173],-1.0*FLOWGASX[E:1173],0.0)
GSAABSOC = INTRIGHT (GASAABSO)
!
!*****
!
! Total gas flow in MB 139 away from repository, south (left) side
!
GASM39SO = IFLT0 (FLOWGASX[E:1108],-1.0*FLOWGASX[E:1108],0.0)
GSM39SOC = INTRIGHT (GASM39SO)
!
!*****
!
! Total gas flow into all anhydrite layers
!
GSAALOC = GSM38NOC + GSAABNOC + GSM39NOC + GSM38SOC + GSAABSOC + GSM39SOC
!
!*****
!
! Clean up output--limit to requested quantities
!
DELETE GASM38NO, GASAABNO, GASM39NO, GASM38SO, GASAABSO, GASM39SO
!
!*****
!*****
!
! SECTION 13: Interbed fracturing: Length of fracturing zone (m)
!

```

```

!   Param 144: MB 138,           North --> FRACX38N
!   Param 145: Anhydrite A&B, North --> FRACXABN
!   Param 146: MB 139,           North --> FRACX39N
!   Param 147: MB 138,           South --> FRACX38S
!   Param 148: Anhydrite A&B, South --> FRACXABS
!   Param 149: MB 139,           South --> FRACX39S
!
!*****
!
! Fracturing in MB 138 away from repository, north (right) side
!
LIMIT ELEMENT 1384 to 1406
!
!   Define meaningful fracturing as doubling of initial permeability
!
FR_TOL38 = 2.0*PERM_X[B:5]
!
!   Set reference point for fracturing length at the north repository border
!
XREF38N = X[N:3496]
!
!   Determine average x-coordinate of element centroid as element variable
!
XECENT = NOD2ELE(X)
!
!   Compare any change in permeability against fracture criterion
!   If criterion met (i.e., permeability of an element has at least
doubled)
!   then calculate length of fracture as distance from reference point
!   to centroid of element, otherwise set fracture length to zero
!
XDIST = IFGT0(PERMBRX-FR_TOL38,XECENT-XREF38N,0.0)
!
!   Extract maximum value of fracture length at each time
!
FRACX38N = SMAX(XDIST)
!
!   Delete temporary variables (tolerance used repeated below, then deleted)
!
DELETE XREF38N, XECENT, XDIST
!
!*****
!
! Fracturing in Anhydrite A&B away from repository, north (right) side
!
LIMIT ELEMENT 1316 to 1338
!
FR_TOLAB = 2.0*PERM_X[B:4]
XREFABN = X[N:3289]
XECENT = NOD2ELE(X)
XDIST = IFGT0(PERMBRX-FR_TOLAB,XECENT-XREFABN,0.0)
FRACXABN = SMAX(XDIST)
!
DELETE XREFABN, XECENT, XDIST
!
!*****
!

```

```

! Fracturing in MB 139 away from repository, north (right) side
!
LIMIT ELEMENT 1267 to 1289
!
FR_TOL39 = 2.0*PERM_X[B:3]
XREF39N  = X[N:2806]
XECENT   = NOD2ELE(X)
XDIST    = IFGT0(PERMBRX-FR_TOL39,XECENT-XREF39N,0.0)
FRACX39N = SMAX(XDIST)
!
DELETE XREF39N, XECENT, XDIST
!
!*****
!*****
!
! Fracturing in MB 138 away from repository, south (left) side
!
LIMIT ELEMENT 1339 to 1360
!
XREF38S  = X[N:3473]
XECENT   = NOD2ELE(X)
XDIST    = IFGT0(PERMBRX-FR_TOL38,XREF38S-XECENT,0.0)
FRACX38S = SMAX(XDIST)
!
DELETE XREF38S, XECENT, XDIST
!
!*****
!
! Fracturing in Anhydrite A&B away from repository, south (left) side
!
LIMIT ELEMENT 1290 to 1311
!
XREFABS  = X[N:3266]
XECENT   = NOD2ELE(X)
XDIST    = IFGT0(PERMBRX-FR_TOLAB,XREFABS-XECENT,0.0)
FRACXABS = SMAX(XDIST)
!
DELETE XREFABS, XECENT, XDIST
!
!*****
!
! Fracturing in MB 139 away from repository, south (left) side
!
LIMIT ELEMENT 1241 to 1262
!
XREF39S  = X[N:2783]
XECENT   = NOD2ELE(X)
XDIST    = IFGT0(PERMBRX-FR_TOL39,XREF39S-XECENT,0.0)
FRACX39S = SMAX(XDIST)
!
DELETE XREF39S, XECENT, XDIST
!
!*****
!
!*****
!*****
!

```

```

! SECTION 14: Interbed fracturing: Volume of fracturing zone (m**3)
!
! Param 150: MB 138,          North -----> VFRAC38N
! Param 151: Anhydrite A&B, North -----> VFRACABN
! Param 152: MB 139,          North -----> VFRAC39N
! Param 153: MB 138,          South -----> VFRAC38S
! Param 154: Anhydrite A&B, South -----> VFRACABS
! Param 155: MB 139,          South -----> VFRAC39S
! Param 156: Total marker bed fracture volume --> VFRAC38M
!
!*****
!
! Volume of fracture zone in MB 138 away from repository, north (right) side
!
LIMIT ELEMENT 1384 to 1406
!
! Extract z-direction thickness of fractured elements, set result to zero
! for intact elements
!
EL_Z_38N = IFGT0(PERMBRX-FR_TOL38,THICK,0.0)
!
! Set flag for each fractured element to determine number of affected
elements
!
FLAG_38N = IFGT0(EL_Z_38N,1.0,0.0)
TOTF_38N = SUM(FLAG_38N)
!
! Check whether any number of elements has fractured, if none then
! set to dummy number for division step to avoid divide by zero
!
TOTF_38N = IFGT0(TOTF_38N,TOTF_38N,999.0)
!
! Obtain average fractured y-z area--note that contributions to area sum
! from intact elements will be zero and that sum will be zero if no
! elements have fractured
!
A_AVG38N = SUM(EL_Z_38N*DEL_Y)/TOTF_38N
!
! Multiply average fractured element y-z area times the total fracture
length
! to obtain fracture zone volume
!
VFRAC38N = FRACX38N * A_AVG38N
!
! Delete temporary variables except for tolerance and z-direction thickness
!
DELETE FLAG_38N, TOTF_38N, A_AVG38N
!
!*****
!
! Volume of fracture zone in Anhydrite A&B away from repository, north side
!
LIMIT ELEMENT 1316 to 1338
!
EL_Z_ABN = IFGT0(PERMBRX-FR_TOLAB,THICK,0.0)
FLAG_ABN = IFGT0(EL_Z_ABN,1.0,0.0)
TOTF_ABN = SUM(FLAG_ABN)

```

```

TOTF_ABN = IFGT0(TOTF_ABN,TOTF_ABN,999.0)
A_AVGABN = SUM(EL_Z_ABN*DEL_Y)/TOTF_ABN
VFRACABN = FRACX39N * A_AVGABN
!
DELETE FLAG_ABN, TOTF_ABN, A_AVGABN
!
!*****
!
! Volume of fracture zone in MB 139 away from repository, north (right) side
!
LIMIT ELEMENT 1267 to 1289
!
EL_Z_39N = IFGT0(PERMBRX-FR_TOL39,THICK,0.0)
FLAG_39N = IFGT0(EL_Z_39N,1.0,0.0)
TOTF_39N = SUM(FLAG_39N)
TOTF_39N = IFGT0(TOTF_39N,TOTF_39N,999.0)
A_AVG39N = SUM(EL_Z_39N*DEL_Y)/TOTF_39N
VFRAC39N = FRACX39N * A_AVG39N
!
DELETE FLAG_39N, TOTF_39N, A_AVG39N
!
!*****
!*****
!
! Volume of fracture zone in MB 138 away from repository, south (left) side
!
LIMIT ELEMENT 1339 to 1360
!
EL_Z_38S = IFGT0(PERMBRX-FR_TOL38,THICK,0.0)
FLAG_38S = IFGT0(EL_Z_38S,1.0,0.0)
TOTF_38S = SUM(FLAG_38S)
TOTF_38S = IFGT0(TOTF_38S,TOTF_38S,999.0)
A_AVG38S = SUM(EL_Z_38S*DEL_Y)/TOTF_38S
VFRAC38S = FRACX38S * A_AVG38S
!
DELETE FLAG_38S, TOTF_38S, A_AVG38S, FR_TOL38
!
!*****
!
! Volume of fracture zone in Anhydrite A&B away from repository, south side
!
LIMIT ELEMENT 1290 to 1311
!
EL_Z_ABS = IFGT0(PERMBRX-FR_TOLAB,THICK,0.0)
FLAG_ABS = IFGT0(EL_Z_ABS,1.0,0.0)
TOTF_ABS = SUM(FLAG_ABS)
TOTF_ABS = IFGT0(TOTF_ABS,TOTF_ABS,999.0)
A_AVGABS = SUM(EL_Z_ABS*DEL_Y)/TOTF_ABS
VFRACABS = FRACX39S * A_AVGABS
!
DELETE FLAG_ABS, TOTF_ABS, A_AVGABS, FR_TOLAB
!
!*****
!
! Volume of fracture zone in MB 139 away from repository, south (left) side
!
LIMIT ELEMENT 1241 to 1262

```

```

!
EL_Z_39S = IFGT0(PERMBRX-FR_TOL39,THICK,0.0)
FLAG_39S = IFGT0(EL_Z_39S,1.0,0.0)
TOTF_39S = SUM(FLAG_39S)
TOTF_39S = IFGT0(TOTF_39S,TOTF_39S,999.0)
A_AVG39S = SUM(EL_Z_39S*DEL_Y)/TOTF_39S
VFRAC39S = FRACX39S * A_AVG39S
!
DELETE FLAG_39S, TOTF_39S, A_AVG39S, FR_TOL39
!
!*****
!
! Total volume of all fracture zones in marker beds away from repository
!
VFRACTMB = VFRAC38N + VFRACABN + VFRAC39N + VFRAC38S + VFRACABS + VFRAC39S
!
!*****
!
!*****
!*****
!
! SECTION 15: Interbed fracturing: Vol-avg perm in fracturing !zone (m**2)
!
!   Param 157: MB 138,           North --> APERM38N
!   Param 158: Anhydrite A&B, North --> APERMABN
!   Param 159: MB 139,           North --> APERM39N
!   Param 160: MB 138,           South --> APERM38S
!   Param 161: Anhydrite A&B, South --> APERMABS
!   Param 162: MB 139,           South --> APERM39S
!
!*****
!
! Volume-averaged permeability in MB 138 away from repository, north side
!
LIMIT ELEMENT 1384 to 1406
!
! Calculate individual element volume using previously extracted z-
direction
!   thickness, with thickness set to zero for non-fractured elements
!
VOL_E38N = DEL_X * DEL_Y * EL_Z_38N
!
! Multiply individual element permeabilities times individual element
volume,
!   note that result will be zero for intact elements
!
VPERM38N = PERMBRX * VOL_E38N
!
! Add up total element volume of fractured elements, note that this could
! be zero if no element has fractured--if it is zero then set it to a
! dummy value to avoid divide by zero in next step
!
TVOLE38N = SUM(VOL_E38N)
TVOLE38N = IFGT0(TVOLE38N,TVOLE38N,-999.0)
!
! Calculate volume-averaged permeabilities for fractured elements only,
! for timesteps with no fracturing set average permeability to initial

```



```

value
!
APERM38N = IFGT0 (TVOLE38N, SUM (VPERM38N) /TVOLE38N, PERM_X[B:5])
!
!   Delete temporary variables which aren't used later
!
DELETE EL_Z_38N, TVOLE38N, VPERM38N
!
!*****
!
! Volume-averaged permeability in Anhydrite A&B away from repository, north
side
!
LIMIT ELEMENT 1316 to 1338
!
VOL_EABN = DEL_X * DEL_Y * EL_Z_ABN
VPERMABN = PERMBRX * VOL_EABN
TVOLEABN = SUM(VOL_EABN)
TVOLEABN = IFGT0 (TVOLEABN, TVOLEABN, -999.0)
APERMABN = IFGT0 (TVOLEABN, SUM (VPERMABN) /TVOLEABN, PERM_X[B:4])
!
DELETE EL_Z_ABN, TVOLEABN, VPERMABN
!
!*****
!
! Volume-averaged permeability in MB 139 away from repository, north side
!
LIMIT ELEMENT 1267 to 1289
!
VOL_E39N = DEL_X * DEL_Y * EL_Z_39N
VPERM39N = PERMBRX * VOL_E39N
TVOLE39N = SUM(VOL_E39N)
TVOLE39N = IFGT0 (TVOLE39N, TVOLE39N, -999.0)
APERM39N = IFGT0 (TVOLE39N, SUM (VPERM39N) /TVOLE39N, PERM_X[B:3])
!
DELETE EL_Z_39N, TVOLE39N, VPERM39N
!
!*****
!*****
!
! Volume-averaged permeability in MB 138 away from repository, south side
!
LIMIT ELEMENT 1339 to 1360
!
VOL_E38S = DEL_X * DEL_Y * EL_Z_38S
VPERM38S = PERMBRX * VOL_E38S
TVOLE38S = SUM(VOL_E38S)
TVOLE38S = IFGT0 (TVOLE38S, TVOLE38S, -999.0)
APERM38S = IFGT0 (TVOLE38S, SUM (VPERM38S) /TVOLE38S, PERM_X[B:5])
!
DELETE EL_Z_38S, TVOLE38S, VPERM38S
!
!*****
!
! Volume-averaged permeability in Anhydrite A&B away from repository, south
side
!

```

```

LIMIT ELEMENT 1290 to 1311
!
VOL_EABS = DEL_X * DEL_Y * EL_Z_ABS
VPERMABS = PERMBRX * VOL_EABS
TVOLEABS = SUM(VOL_EABS)
TVOLEABS = IFGT0(TVOLEABS, TVOLEABS, -999.0)
APERMABS = IFGT0(TVOLEABS, SUM(VPERMABS)/TVOLEABS, PERM_X[B:4])
!
DELETE EL_Z_ABS, TVOLEABS, VPERMABS
!
!*****
!
! Volume-averaged permeability in MB 139 away from repository, south side
!
LIMIT ELEMENT 1241 to 1262
!
VOL_E39S = DEL_X * DEL_Y * EL_Z_39S
VPERM39S = PERMBRX * VOL_E39S
TVOLE39S = SUM(VOL_E39S)
TVOLE39S = IFGT0(TVOLE39S, TVOLE39S, -999.0)
APERM39S = IFGT0(TVOLE39S, SUM(VPERM39S)/TVOLE39S, PERM_X[B:3])
!
DELETE EL_Z_39S, TVOLE39S, VPERM39S
!
!*****
!
!*****
!*****
!
! SECTION 16: Interbed fracturing: Increase in pore volume in fracturing zone
(m
**3)
!
!   Param 163: MB 138,           North -----> PVOLI38N
!   Param 164: Anhydrite A&B, North -----> PVOLIABN
!   Param 165: MB 139,           North -----> PVOLI39N
!   Param 166: MB 138,           South -----> PVOLI38S
!   Param 167: Anhydrite A&B, South -----> PVOLIABS
!   Param 168: MB 139,           South -----> PVOLI39S
!   Param 169: Total frac zone pore volume increase --> PVOLI_T
!
!*****
!
! Increase in pore volume in MB 138, north side
!
LIMIT ELEMENT 1384 to 1406
!
!   Calculate total current pore volumes for fractured elements, note that
!   contribution from intact elements will be zero since this measure of
!   their volume was set to zero
!
PVC38N = SUM(POROS*VOL_E38N)
!
!   Extract minimum porosity values (are these always initial values?)
!
PORMIN = ENVMIN(POROS)
!

```

```

!   Sum minimum pore volume in fractured zone
!
PVM38N = SUM(PORMIN*VOL_E38N)
!
!   Increase in pore volume is the current sum minus the minimum
!
PVOLI38N = PVC38N - PVM38N
!
!   Delete temporary variables
!
DELETE VOL_E38N, PVC38N, PVM38N, PORMIN
!
!*****
!
! Increase in pore volume in Anhydrite A&B, north side
!
LIMIT ELEMENT 1316 to 1338
!
PVCABN = SUM(POROS*VOL_EABN)
PORMIN = ENVMIN(POROS)
PVMABN = SUM(PORMIN*VOL_EABN)
PVOLIABN = PVCABN - PVMABN
!
DELETE VOL_EABN, PVCABN, PVMABN, PORMIN
!
!*****
!
! Increase in pore volume in MB 139, north side
!
LIMIT ELEMENT 1267 to 1289
!
PVC39N = SUM(POROS*VOL_E39N)
PORMIN = ENVMIN(POROS)
PVM39N = SUM(PORMIN*VOL_E39N)
PVOLI39N = PVC39N - PVM39N
!
DELETE VOL_E39N, PVC39N, PVM39N, PORMIN
!
!*****
!*****
!
! Increase in pore volume in MB 138, south side
!
LIMIT ELEMENT 1339 to 1360
!
PVC38S = SUM(POROS*VOL_E38S)
PORMIN = ENVMIN(POROS)
PVM38S = SUM(PORMIN*VOL_E38S)
PVOLI38S = PVC38S - PVM38S
!
DELETE VOL_E38S, PVC38S, PVM38S, PORMIN
!
!*****
!
! Increase in pore volume in Anhydrite A&B, south side
!
LIMIT ELEMENT 1290 to 1311

```

```

!
PVCABS   = SUM(POROS*VOL_EABS)
PORMIN   = ENVMIN(POROS)
PVMABS   = SUM(PORMIN*VOL_EABS)
PVOLIABS = PVCABS - PVMABS
!
DELETE VOL_EABS, PVCABS, PVMABS, PORMIN
!
!*****
!
! Increase in pore volume in MB 139, south side
!
LIMIT ELEMENT 1241 to 1262
!
PVC39S   = SUM(POROS*VOL_E39S)
PORMIN   = ENVMIN(POROS)
PVM39S   = SUM(PORMIN*VOL_E39S)
PVOLI39S = PVC39S - PVM39S
!
DELETE VOL_E39S, PVC39S, PVM39S, PORMIN
!
!*****
!*****
!
! Total increase in pore volume in fractured zones
!
PVOLI_T = PVOLI38N + PVOLIABN + PVOLI39N + PVOLI38S + PVOLIABS + PVOLI39S
!
!*****
!
!*****
!*****
!
! SECTION 17 miscellaneous
!
!   Param 170: Brine volume in brine pocket -----> BRNVOL_B
!   Param 171: Downward brine flow at E:658 -----> BNBHDNUZ
!   Param 172: Downward brine flow at E:1168 -----> BRNBHDNC
!   Param 173: Steel mass remaining in waste panel -----> FEKG_W
!   Param 174: Steel mass remaining in waste panel -----> FEKG_W
!   Param 175: Cellulose mass remaining in waste panel ----> CELLKG_W
!   Param 176: Fraction steel remaining in waste panel ----> FEREM_W
!   Param 177: Fraction cellulose remain in waste panel ---> CELREM_W
!   Param 178: Total molesof gas generated in waste panel -> GASMOL_W
!   Param 179: Total gas volume generated in waste panel --> GASVOL_W
!   Param 180: Total pore volume in waste panel -----> PORVOL_W
!
!*****
!
! Brine volume (m**3) in brine pocket
!
LIMIT ELEMENT 2222 TO 2244
!
! Brine volume      = porosity * volume * brine saturation
! Brine saturation = 1.0 - SATGAS
!
BRNVOL_B = SUM(POROS*GRIDVOL*(1.0-SATGAS))

```

```

!
!*****
!
! Cumulative brineflow down borehole at upper DRZ
!
BNBHDNU = IFLT0 (FLOWBRY[E:658],-1.0*FLOWBRY[E:658],0.0)
BNBHDNUZ = INTRIGHT (BNBHDNU)
!
DELETE BNBHDNU
!
!*****
!
! Cumulative brineflow down borehole (measured at repository top boundary)
!
BRNBHDN = IFLT0 (FLOWBRY[E:1168],-1.0*FLOWBRY[E:1168],0.0)
BRNBHDNC = INTRIGHT (BRNBHDN)
!
DELETE BRNBHDN
!
!*****
! Total gas volume (m**3) generated in waste panel
!
LIMIT ELEMENT 1407 to 1427
!
! Molecular weights of iron and cellulose are defined above (kg/mol)
!
! MW_FE = 0.055847
! MW_CELL = 0.027023
!
! Calculate mass inventories (kg) remaining
!
FEKG_W = SUM (GRIDVOL*FECONC)
CELLKG_W = SUM (GRIDVOL*CELLCONC)
!
! Maximum Fe and bio is at time = 0.0
!
MXFE_W = ENVMAX (FEKG_W)
MXCELL_W = ENVMAX (CELLKG_W)
!
! Calculate masses consumed and divide by initial amount to get fractions
gone
! Subtract fraction gone from one to get fractions remaining
!
FEREM_W = 1.0 - ((MXFE_W - FEKG_W)/MXFE_W)
CELREM_W = 1.0 - ((MXCELL_W - CELLKG_W)/MXCELL_W)
!
! Calculate total moles of gas (H2) generated from corrosion of Fe
!
FEMOL_W = (MXFE_W - FEKG_W)/MW_FE[B:32]*(4.0-STOICOR[B:18])/3.0
!
! Calculate total moles of gas (H2) generated from biodegradation of
cellulose
!
CELMOL_W = (MXCELL_W - CELLKG_W)/MW_CELL[B:32]*STOIMIC[B:18]
!
! Total moles of gas generated
!

```

```

GASMOL_W = FEMOL_W + CELMOL_W
!
! Convert to volumetric units (m**3) using PV=nRT at reference P & T
!
!   T =      300.15 K
!   P = 101325.00 Pa      = 101325 N/(m**2)
!   R = 8.3145   J/(mol*K) = 8.3145 (N*m)/(mol*K)
!   V = n*(R*T/P) m**3    = n moles * 0.024630 (m**3)/mole
!
GASVOL_W = 0.02463 * GASMOL_W
!
DELETE MXFE_W,    FEMOL_W
DELETE MXCELL_W, CELMOL_W
!
!*****
!
! Total pore volume (m**3) in waste panel
!
LIMIT ELEMENT 1407 to 1427
!
! Pore volume = porosity (m**3 void/m**3 rock) * volume
!
PORVOL_W = SUM(POROS*GRIDVOL)
!
!*****
!
!*****
!*****
!
! SECTION 18
!
!   Param 181: Volume avgd "brine porosity" in waste panel ----->
BRNPOR_W
!   Param 182: Volume avgd "brine porosity" in S rest of repository >
BRNPOSRR
!   Param 183: Volume avgd "brine porosity" in N rest of repository >
BRNPONRR
!   Param 184: Volume avgd "brine porosity" in RoR (north + south) ->
BRNPOR_R
!   Param 185: Volume avgd "brine porosity" in waste regions ----->
BRNPOR_T
!
!*****
!
! "Brine porosity" (dimensionless) averaged over Waste Panel
!
!LIMIT ELEMENT 1407 to 1427
!
! Brine saturation = 1.0 - SATGAS
!
!WPVOL      = SUM(GRIDVOL)
!BRNPORW    = SUM(GRIDVOL*POROS*(1.0-SATGAS))
!BRNPOR_W   = BRNPORW/WPVOL
!
!DELETE WPVOL, BRNPORW
!
!*****

```

```

!
! "Brine porosity" (dimensionless) averaged over S Rest of Repository
!
!LIMIT ELEMENT 1428 to 1433
!
! Brine saturation = 1.0 - SATGAS
!
! SRRVOL      = SUM(GRIDVOL)
!BRNPOSR     = SUM(GRIDVOL*POROS*(1.0-SATGAS))
!BRNPOSRR    = BRNPOSR/SRRVOL
!
!DELETE BRNPOSR
!*****
!
! "Brine porosity" (dimensionless) averaged over N Rest of Repository
!
!LIMIT ELEMENT 1434 to 1439
!
! Brine saturation = 1.0 - SATGAS
!
! NRRVOL      = SUM(GRIDVOL)
!BRNPONR     = SUM(GRIDVOL*POROS*(1.0-SATGAS))
!BRNPONRR    = BRNPONR/NRRVOL
!
!DELETE BRNPONR
!*****
!
! "Brine porosity" (dimensionless) averaged over Rest of Repository
!
!LIMIT ELEMENT 1428 to 1439
!
! Brine saturation = 1.0 - SATGAS
!
!RRVOL       = SUM(GRIDVOL)
!BRNPORR     = SUM(GRIDVOL*POROS*(1.0-SATGAS))
!BRNPOR_R    = BRNPORR/RRVOL
!
!DELETE RRVOL, BRNPORR
!*****
!
! "Brine porosity" (dimensionless) averaged over Waste Panel and Rest of
!                               Repository
!
!LIMIT ELEMENT 1407 to 1439
!
! Brine saturation = 1.0 - SATGAS
!
!WRVOL       = SUM(GRIDVOL)
!BRNPORT     = SUM(GRIDVOL*POROS*(1.0-SATGAS))
!BRNPOR_T    = BRNPORT/WRVOL
!
!DELETE WRVOL, BRNPORT
!*****
!

```

```

!*****
!*****
!
! SECTION 19 Total brined flow through marker beds
!
!   Param 186: Total brineflow out of MB 138 towards repository --> BRNM38I
!   Param 187: Total brineflow out of A. A&B towards repository --> BRNAABI
!   Param 188: Total brineflow out of MB 139 towards repository --> BRNM39I
!   Param 189: Total brineflow into MB 138 away from repository --> BRNM38O
!   Param 190: Total brineflow into A. A&B away from repository --> BRNAABO
!   Param 191: Total brineflow into MB 139 away from repository --> BRNM39O
!
!*****
!
! Total brineflow out of Marker Bed 138 toward repository (m**3)
!
BRNM38I = BRM38NIC + BRM38SIC
!
!*****
!
! Total brineflow out of Anhydrite A&B toward repository (m**3)
!
BRNAABI = BRAABNIC + BRAABSIC
!
!*****
!
! Total brineflow out of Anhydrite A&B toward repository (m**3)
!
BRNM39I = BRM39NIC + BRM39SIC
!
!*****
!
! Total brineflow into Marker Bed 138 away from repository (m**3)
!
BRNM38O = BRM38NOC + BRM38SOC
!
!*****
!
! Total brineflow into Anhydrite A&B away from repository (m**3)
!
BRNAABO = BRAABNOC + BRAABSOC
!
!*****
!
! Total brineflow into Marker Bed 139 away from repository (m**3)
!
BRNM39O = BRM39NOC + BRM39SOC
!
!*****
!*****
!
! Param 172: Brine consumed in Waste Panel (m**3) --> BRN_RMVW
!
LIMIT ELEMENT 1407 to 1427
!

```



```

!   Add up Consumption rates (resulting units are kg/s)
!
BRN_CRW  = SUM(BRINRATE*GRIDVOL)
!
!   Integrate result to get kg of brine consumed
!
BRN_CONW = INTRIGHT(BRN_CRW)
!
!   Convert to volumetric amount (m**3) by
!       dividing by brine density (kg/m**3) at reference conditions
!
BRN_RMVW = -1.0*BRN_CONW/1220.0
!
!   Delete temporary variables
!
DELETE BRN_CRW, BRN_CONW
!
!*****
!
! Param 173: Brine consumed in S Rest of Repository (m**3) --> BRN_RMSR
!
LIMIT ELEMENT 1428 to 1433
!
!   Add up consumption rates (resulting units are kg/s)
!
BRN_CSRR = SUM(BRINRATE*GRIDVOL)
!
!   Integrate result to get kg of brine consumed
!
BR_CONSR  = INTRIGHT(BRN_CSRR)
!
!   Convert to volumetric amount (m**3) by
!       dividing by brine density (kg/m**3) at reference conditions
!
BRN_RMSR = -1.0*BR_CONSR/1220.0
!
!   Delete temporary variables
!
DELETE BRN_CSRR, BR_CONSR
!
!*****
!
! Param 174: Brine consumed in N Rest of Repository (m**3) --> BRN_RMNR
!
LIMIT ELEMENT 1434 to 1439
!
!   Add up consumption rates (resulting units are kg/s)
!
BRN_CNRR = SUM(BRINRATE*GRIDVOL)
!
!   Integrate result to get kg of brine consumed
!
BR_CONNRR = INTRIGHT(BRN_CNRR)
!
!   Convert to volumetric amount (m**3) by
!       dividing by brine density (kg/m**3) at reference conditions
!

```

```

BRN_RMNR = -1.0*BR_CONNR/1220.0
!
!   Delete temporary variables
!
DELETE BRN_CNRR, BR_CONNR
!
!*****
!
! Param 175: Brine consumed in Rest of Repository (m**3) --> BRN_RMVR
!
LIMIT ELEMENT 1428 to 1439
!
!   Add up consumption rates (resulting units are kg/s)
!
BRN_CRR = SUM(BRINRATE*GRIDVOL)
!
!   Integrate result to get kg of brine consumed
!
BRN_CONR = INTRIGHT(BRN_CRR)
!
!   Convert to volumetric amount (m**3) by
!       dividing by brine density (kg/m**3) at reference conditions
!
BRN_RMVR = -1.0*BRN_CONR/1220.0
!
!   Delete temporary variables
!
DELETE BRN_CRR, BRN_CONR
!
!*****
!*****
!
! SECTION 20 Remaining materials for gas generation
!
!   Param 196: Remaining fraction of steel in south RoR -----> FEREM_SR
!   Param 197: Remaining fraction of steel in north RoR -----> FEREM_NR
!   Param 198: Remaining fraction of steel in Rest of Repository --> FEREM_R
!   Param 199: Remaining fraction of cellulose south RoR -----> CELREM_S
!   Param 200: Remaining fraction of cellulose north RoR -----> CELREM_N
!   Param 201: Remaining fraction of cellulose in Rest of Repos. --> CELREM_R
!
!*****
!
!           South rest of respository
!
LIMIT ELEMENT 1428 to 1433
!
! Calculate mass inventories (kg) remaining
!
FE_KGS      = SUM(GRIDVOL*FECONC)
CELL_KGS    = SUM(GRIDVOL*CELLCONC)
!
! Maximum Fe and bio is at time = 0.0
!
MXFES       = ENVMAX(FE_KGS)
MXCELLS     = ENVMAX(CELL_KGS)
!

```

```

! Calculate masses consumed and divide by initial amount to get fractions
gone
! Subtract fraction gone from one to get fractions remaining
!
FEREM_SR   = 1.0 - ((MXFES - FE_KGS)/MXFES)
CELREM_S   = 1.0 - ((MXCELLS - CELL_KGS)/MXCELLS)
!
! Delete intermediate variables:
!
DELETE FE_KGS, CELL_KGS
!
!*****
!
!           North rest of repository
!
LIMIT ELEMENT 1434 to 1439
!
! Calculate mass inventories (kg) remaining
!
FE_KGN     = SUM(GRIDVOL*FECONC)
CELL_KGN   = SUM(GRIDVOL*CELLCONC)
!
! Maximum Fe and bio is at time = 0.0
!
MXFEN      = ENVMAX(FE_KGN)
MXCELLN    = ENVMAX(CELL_KGN)
!
! Calculate masses consumed and divide by initial amount to get fractions
gone
! Subtract fraction gone from one to get fractions remaining
!
FEREM_NR   = 1.0 - ((MXFEN - FE_KGN)/MXFEN)
CELREM_N   = 1.0 - ((MXCELLN - CELL_KGN)/MXCELLN)
!
! Delete intermediate variables:
!
DELETE FE_KGN, CELL_KGN

!*****
!
!           Rest of repository (north + south)
!
LIMIT ELEMENT 1428 to 1439
!
! Calculate mass inventories (kg) remaining
!
FE_KGR     = SUM(GRIDVOL*FECONC)
CELL_KGR   = SUM(GRIDVOL*CELLCONC)
!
! Maximum Fe and bio is at time = 0.0
!
MXFER      = ENVMAX(FE_KGR)
MXCELLR    = ENVMAX(CELL_KGR)
!
! Calculate masses consumed and divide by initial amount to get fractions
gone
! Subtract fraction gone from one to get fractions remaining

```

```

!
FEREM_R = 1.0 - ((MXFER - FE_KGR)/MXFER)
CELREM_R = 1.0 - ((MXCELLR - CELL_KGR)/MXCELLR)
!
! Delete intermediate variables:
!
DELETE FE_KGR, CELL_KGR
!
!*****
!
! Calculate total moles of gas (H2) generated from corrosion of Fe
!
!       South Rest of repository
!
FEMOL_S = (MXFES - FE_KGS)/MW_FE[B:32]*(4.0-STOICOR[B:18])/3.0
!
!       North rest of repository
!
FEMOL_N = (MXFEN - FE_KGN)/MW_FE[B:32]*(4.0-STOICOR[B:18])/3.0
!
!       Rest of repository (north + south)
!
FEMOL_R = (MXFER - FE_KGR)/MW_FE[B:32]*(4.0-STOICOR[B:18])/3.0
!
! Calculate total moles of gas (H2) generated from biodegradation of
cellulosics
!
!       South rest of repository
!
CELMOL_S = (MXCELLS - CELL_KGS)/MW_CELL[B:32]*STOIMIC[B:18]
!
!       North rest of respository
!
CELMOL_N = (MXCELLN - CELL_KGN)/MW_CELL[B:32]*STOIMIC[B:18]
!
!       Rest of repository (north + south)
!
CELMOL_R = (MXCELLR - CELL_KGR)/MW_CELL[B:32]*STOIMIC[B:18]
!
! Param 182: Total moles of gas generated in S RoR -> GASMOL_S
!
GASMOL_S = FEMOL_S + CELMOL_S
!
! Param 183: Total moles of gas generated in N RoR -> GASMOL_N
!
GASMOL_N = FEMOL_N + CELMOL_N
!
! Param 184: Total moles of gas generated in RoR --> GASMOL_R
!
GASMOL_R = FEMOL_R + CELMOL_R
!
! Delete intermediate variables:
!
DELETE MXFER, FEMOL_R, MXFES, MXFEN, FEMOL_S, FEMOL_N
DELETE MXCELLR, CELMOL_R, MXCELLS, MXCELLN, CELMOL_S, CELMOL_N
!
!*****

```

```

!*****
!
! SECTION 21 Brine flow ratios
!
! Param 202: Cumulative Brineflow into Waste Panel excl. Borehole -->
BRWI_XBH
! Param 203: (Salado brine inflow)/(total brine inflow) at DRZ ----->
SAL_BR_T
! Param 204: (Salado br. inflow)/(unconsumed br. inflow) at DRZ ---->
SAL_BR_U
! Param 205: (Salado br. inflow)/(total br. in.) at Waste Panel ---->
SB_TB_WP
! Param 206: (Salado br. in.)/(unconsumed br. in.) at Waste Panel -->
SB_UB_WP
!
!*****
!
! Cumulative brine inflow into Waste Panel, excluding Borehole
!
! Bottom except for Borehole
!
BRWI_X = IFGT0 (FLOWBRY [E:1407], FLOWBRY [E:1407], 0.0)
BRWI_X = BRWI_X + IFGT0 (FLOWBRY [E:1408], FLOWBRY [E:1408], 0.0)
BRWI_X = BRWI_X + IFGT0 (FLOWBRY [E:1409], FLOWBRY [E:1409], 0.0)
BRWI_X = BRWI_X + IFGT0 (FLOWBRY [E:1411], FLOWBRY [E:1411], 0.0)
BRWI_X = BRWI_X + IFGT0 (FLOWBRY [E:1412], FLOWBRY [E:1412], 0.0)
BRWI_X = BRWI_X + IFGT0 (FLOWBRY [E:1413], FLOWBRY [E:1413], 0.0)
!
! Top except for Borehole
!
BRWI_X = BRWI_X + IFLT0 (FLOWBRY [E:1165], -1.0*FLOWBRY [E:1165], 0.0)
BRWI_X = BRWI_X + IFLT0 (FLOWBRY [E:1166], -1.0*FLOWBRY [E:1166], 0.0)
BRWI_X = BRWI_X + IFLT0 (FLOWBRY [E:1167], -1.0*FLOWBRY [E:1167], 0.0)
BRWI_X = BRWI_X + IFLT0 (FLOWBRY [E:1169], -1.0*FLOWBRY [E:1169], 0.0)
BRWI_X = BRWI_X + IFLT0 (FLOWBRY [E:1170], -1.0*FLOWBRY [E:1170], 0.0)
BRWI_X = BRWI_X + IFLT0 (FLOWBRY [E:1171], -1.0*FLOWBRY [E:1171], 0.0)
!
! Left side
!
BRWI_X = BRWI_X + IFGT0 (FLOWBRX [E:1407], FLOWBRX [E:1407], 0.0)
BRWI_X = BRWI_X + IFGT0 (FLOWBRX [E:1414], FLOWBRX [E:1414], 0.0)
BRWI_X = BRWI_X + IFGT0 (FLOWBRX [E:1421], FLOWBRX [E:1421], 0.0)
!
! Right side
!
BRWI_X = BRWI_X + IFLT0 (FLOWBRX [E:1455], -1.0*FLOWBRX [E:1455], 0.0)
BRWI_X = BRWI_X + IFLT0 (FLOWBRX [E:1456], -1.0*FLOWBRX [E:1456], 0.0)
BRWI_X = BRWI_X + IFLT0 (FLOWBRX [E:1457], -1.0*FLOWBRX [E:1457], 0.0)
!
! Accumulate over time
!
BRWI_XBH = INTRIGHT (BRWI_X)
!
DELETE BRWI_X
!
!*****
!

```

```

! (Salado brine inflow)/(total brine inflow) at DRZ
!
!   Define a dummy denominator to avoid dividing by zero
!
DENDUM05 = BRAALIC + BNBHLDRZ + BNBHDNUZ
DENDUM06 = IFEQ0(DENDUM05,1.0,DENDUM05)
!
SAL_BR_T = BRAALIC/DENDUM06
!
DELETE DENDUM05, DENDUM06
!
!*****
!
! (Salado brine inflow)/(unconsumed brine inflow) at DRZ
!
!   Define a dummy denominator to avoid dividing by zero
!
DENDUM07 = BRAALIC + BNBHLDRZ + BNBHDNUZ - BRN_RMV
DENDUM08 = IFEQ0(DENDUM07,1.0,DENDUM07)
!
SAL_BR_U = BRAALIC/DENDUM08
!
DELETE DENDUM07, DENDUM08
!
!*****
!
! (Salado brine inflow)/(total brine inflow) at Waste Panel
!
!   Define a dummy denominator to avoid dividing by zero
!
DENDUM09 = BRWI_XBH + BRNBHDNC + BRNBHUPP
DENDUM10 = IFEQ0(DENDUM09,1.0,DENDUM09)
!
SB_TB_WP = BRWI_XBH/DENDUM10
!
DELETE DENDUM09, DENDUM10
!
!*****
!
! (Salado brine inflow)/(unconsumed brine inflow) at Waste Panel
!
!   Define a dummy denominator to avoid dividing by zero
!
DENDUM11 = BRWI_XBH + BRNBHDNC + BRNBHUPP - BRN_RMV
DENDUM12 = IFEQ0(DENDUM11,1.0,DENDUM11)
!
SB_UB_WP = BRWI_XBH/DENDUM12
!
DELETE DENDUM11, DENDUM12
!
!*****
!*****
!
! Borehole Cumulative brineflow (m**3) vertically at Magenta Dolomite Member
!
!   Param 190: Brineflow up borehole (@element 1912) -----> BRNBHUMC
!
!

```

```

!*****
!
! Borehole Cumulative brineflow up borehole (at Magenta Member)
!
BRNBHUM = IFGT0 (FLOWBRY [E:1912],FLOWBRY [E:1912],0.0)
BRNBHUMC = INTRIGHT (BRNBHUM)
!
!*****
!
! Cumulative brineflow up shaft (at Magenta Member)
!
BRNSHUM = IFGT0 (FLOWBRY [E:1491],FLOWBRY [E:1491],0.0)
BRNSHUMC = INTRIGHT (BRNSHUM)
!*****
!
! Clean up output--limit to requested quantities
!

DELETE BRNBHUM, BRNSHUM
!
!*****
!*****
!
! SECTION 22 Outflow via mb's at land boundaries
!
! Total outward brineflow in marker beds across land-withdrawal boundary
(m**3)
!
!   Param 207: MB 138,           North --> BRM38NLW
!   Param 208: Anhydrite A&B, North --> BRAABNLW
!   Param 209: MB 139,           North --> BRM39NLW
!   Param 210: MB 138,           South --> BRM38SLW
!   Param 211: Anhydrite A&B, South --> BRAABSLW
!   Param 212: MB 139,           South --> BRM39SLW
!   Param 213: all marker beds -----> BRAALLWC
!
!*****
!
! Total outward brineflow in MB 138 across l-w boundary, north (right) side
!
BRNM38N0 = IFGT0 (FLOWBRX [E:1401],FLOWBRX [E:1401],0.0)
BRM38NLW = INTRIGHT (BRNM38N0)
! in Anhydrite A&B across l-w boundary, north side
!
BRNAABN0 = IFGT0 (FLOWBRX [E:1333],FLOWBRX [E:1333],0.0)
BRAABNLW = INTRIGHT (BRNAABN0)
!*****
!
! Total outward brineflow AABN0)
!
!*****
!
! Total outward brineflow in MB 139 across l-w boundary, north (right) side
!
BRNM39N0 = IFGT0 (FLOWBRX [E:1284],FLOWBRX [E:1284],0.0)
BRM39NLW = INTRIGHT (BRNM39N0)
!

```

```

!*****
!*****
!
! Total outward brineflow in MB 138 across l-w boundary, south (left) side
!
BRNM38S0 = IFLT0 (FLOWBRX[E:1344],-1.0*FLOWBRX[E:1344],0.0)
BRM38SLW = INTRIGHT (BRNM38S0)
!
!*****
!
! Total outward brineflow in Anhydrite A&B across l-w boundary, south side
!
BRNAABS0 = IFLT0 (FLOWBRX[E:1295],-1.0*FLOWBRX[E:1295],0.0)
BRAABSLW = INTRIGHT (BRNAABS0)
!
!*****
!
! Total outward brineflow in MB 139 across l-w boundary, south (left) side
!
BRNM39S0 = IFLT0 (FLOWBRX[E:1246],-1.0*FLOWBRX[E:1246],0.0)
BRM39SLW = INTRIGHT (BRNM39S0)
!
!*****
!
! Total outward brineflow in all anhydrite layers across l-w boundary
!
BRAALLWC = BRM38NLW + BRAABNLW + BRM39NLW + BRM38SLW + BRAABSLW + BRM39SLW
!
!*****
!
! Clean up output--limit to requested quantities
!
DELETE BRNM38N0, BRNAABN0, BRNM39N0, BRNM38S0, BRNAABS0, BRNM39S0
!
!*****
!*****
!
! SECTION 23: Contributions of gas generated from each source (%/100)
!
!   Param 214: Fraction of total gas due to steel corrosion ----->
FR_TG_C
!   Param 215: Fraction of total gas due to total microbial ----->
FR_TG_M
!   Param 216: Fraction of total gas due to humid microbial ----->
FR_TG_H
!   Param 217: Fraction of total gas due to inundated microbial ----->
FR_TG_I
!   Param 218: Fraction of microbial gas from humid conditions ----->
FR_MG_H
!   Param 219: Fraction of microbial gas from inundated conditions --->
FR_MG_I
!
!*****
!
! Fraction of total gas due to steel corrosion
!
!   Check total amount of gas to avoid subsequent divide by zero (if total

```



```

gas
!   is equal to zero, then divide by one since fraction will be zero)
!
GAS_SUM = IFEQ0(GAS_MOLE,1.0,GAS_MOLE)
!
!   Check total amount of microbial-generated gas to avoid divide by zero
!
GM_SUM = IFEQ0(C_M_HI_T,1.0,C_M_HI_T)
!
FR_TG_C = FE_MOLE/GAS_SUM
!
!*****
!
! Fraction of total gas due to total microbial degradation
!
FR_TG_M = 1.0 - FR_TG_C
!
!*****
!
! Fraction of total gas due to humid microbial degradation
!
FR_TG_H = FR_TG_M*(CELL_M_H/GM_SUM)
!
!*****
!
! Fraction of total gas due to inundated microbial degradation
!
FR_TG_I = FR_TG_M*(1.0 - (CELL_M_H/GM_SUM))
!
!*****
!
! Fraction of microbial gas due to humid conditions
!
FR_MG_H = CELL_M_H/GM_SUM
!
!*****
!
! Fraction of microbial gas due to inundated conditions
!
FR_MG_I = 1.0 - (CELL_M_H/GM_SUM)
!
!*****
!
! Delete temporary variables
!
DELETE GAS_SUM, GM_SUM
!
!*****
!
! SECTION 23: Total pore volumes in rest of repository (m**3)
!
! Param 220: Total pore volume in S rest of repository (m**3) --> PORVOL_S
! Param 221: Total pore volume in N rest of repository (m**3) --> PORVOL_N
! Param 222: Total pore volume in rest of repository (m**3) ----> PORVOL_R
!
!*****
!

```

```

! SOUTH REST OF REPOSITORY
!
LIMIT ELEMENT 1428 to 1433
!
! Pore volume = porosity (m**3 void/m**3 rock) * volume
!
PORVOL_S = SUM(POROS*GRIDVOL)
!
!*****
!
! NORTH REST OF REPOSITORY
!
LIMIT ELEMENT 1434 to 1439
!
PORVOL_N = SUM(POROS*GRIDVOL)
!
!*****
!
!         REST OF REPOSITORY (NORTH + SOUTH)
!
LIMIT ELEMENT 1428 to 1439
!
! Pore volume = porosity (m**3 void/m**3 rock) * volume
!
PORVOL_R = SUM(POROS*GRIDVOL)
!
LIMIT ELEMENT OFF
!
!*****
!
! SECTION 25: Element properties in database converted here to global
variables
!
!   Param 223: CORRMCO2 in STEEL      (element block 30) --> WGRCOR
!   Param 224: PROBDEG  in WAS_AREA  (element block 18) --> WMICDFLG
!   Param 225: GRATMICI in WAS_AREA  (element block 18) --> WGRMICI
!   Param 226: GRATMICH in WAS_AREA  (element block 18) --> WGRMICH
!   Param 227: FBETA    in CELLULS   (element block 31) --> WFBETCEL
!   Param 228: SAT_RGAS in WAS_AREA  (element block 18) --> WRGSSAT
!   Param 229: SAT_RBRN in WAS_AREA  (element block 18) --> WRBRNSAT
!   Param 230: SAT_WICK in WAS_AREA  (element block 18) --> WASTWICK
!   Param 231: POROSITY in S_HALITE  (element block 1)  --> HALPOR
!   Param 232: PRMX_LOG in S_HALITE  (element block 1)  --> HALPRM
!   Param 233: COMP_RCK in S_HALITE  (element block 1)  --> HALCOMP
!   Param 234: PRMX_LOG in S_MB139   (element block 3)  --> ANHPRM
!   Param 235: COMP_RCK in S_MB139   (element block 3)  --> ANHCOMP
!   Param 236: RELP_MOD in S_MB139   (element block 3)  --> ANHBCVGP
!   Param 237: SAT_RBRN in S_MB139   (element block 3)  --> ANRBRNSAT
!   Param 238: SAT_RGAS in S_MB139   (element block 3)  --> ANRGSSAT
!   Param 239: PORE_DIS in S_MB139   (element block 3)  --> ANHBCEXP
!   Param 240: PRESSURE in S_HALITE  (element block 1)  --> SALPRES
!   Param 241: PRESSURE in CASTILER  (element block 11) --> BPINTPRS
!   Param 242: PRMX_LOG in CASTILER  (element block 11) --> BPPRM
!   Param 243: COMP_RCK in CASTILER  (element block 11) --> BPCOMP
!   Param 244: PRMX_LOG in BH_SAND   (element block 24) --> BHPRM
!   Param 245: PRMX_LOG in CONC_PLG  (element block 22) --> PLGPRM
!   Param 246: PORE_DIS in CONC_PCS  (element block 21) --> CONBCEXP

```

```

!   Param 246: PRMX_LOG in SHFTL_T1 (element block 41) --> SHLPRM2
!   Param 247: PRMX_LOG in SHFTL_T2 (element block 42) --> SHLPRM3
!   Param 248: PRMX_LOG in SHFTU      (element block 40) --> SHUPRM
!   Param 249: SAT_RBRN in SHFTU      (element block 40) --> SHURBRN
!   Param 250: SAT_RGAS in SHFTU      (element block 40) --> SHURGAS
!   Param 251: PRMX_LOG in DRZ_1      (element block 19) --> DRZPRM
!
!
!*****
!
WGRCOR   = MAKEGLOB (CORRMCO2 [B:30])
WMICDFLG = MAKEGLOB (PROBDEG [B:18])
WGRMICI  = MAKEGLOB (GRATMICI [B:18])
WGRMICH  = MAKEGLOB (GRATMICH [B:18])
WFBETCEL = MAKEGLOB (FBETA [B:31])
WRGSSAT  = MAKEGLOB (SAT_RGAS [B:18])
WRBRNSAT = MAKEGLOB (SAT_RBRN [B:18])
WASTWICK = MAKEGLOB (SAT_WICK [B:18])
HALPOR   = MAKEGLOB (POROSITY [B:1])
HALPRM   = MAKEGLOB (PRMX_LOG [B:1])
HALCOMP  = MAKEGLOB (COMP_RCK [B:1])
ANHPRM   = MAKEGLOB (PRMX_LOG [B:3])
ANHCOMP  = MAKEGLOB (COMP_RCK [B:3])
ANHBCVGP = MAKEGLOB (RELP_MOD [B:3])
ANRBRNSAT = MAKEGLOB (SAT_RBRN [B:3])
ANRGSSAT = MAKEGLOB (SAT_RGAS [B:3])
ANHBCEXP = MAKEGLOB (PORE_DIS [B:3])
SALPRES  = MAKEGLOB (PRESSURE [B:1])
BPINTPRS = MAKEGLOB (PRESSURE [B:11])
BPPRM    = MAKEGLOB (PRMX_LOG [B:11])
BPCOMP   = MAKEGLOB (COMP_RCK [B:11])
BHPERM   = MAKEGLOB (PRMX_LOG [B:24])
PLGPRM   = MAKEGLOB (PRMX_LOG [B:22])
CONBCEXP = MAKEGLOB (PORE_DIS [B:21])
CONPRM   = MAKEGLOB (PRMX_LOG [B:21])
SHLPRM2  = MAKEGLOB (PRMX_LOG [B:41])
SHLPRM3  = MAKEGLOB (PRMX_LOG [B:42])
SHLPRM   = MAKEGLOB (PRMX_LOG [B:40])
SHURBRN  = MAKEGLOB (SAT_RBRN [B:40])
SHURGAS  = MAKEGLOB (SAT_RGAS [B:40])
DRZPRM   = MAKEGLOB (PRMX_LOG [B:19])
!
!*****
!*****
!
DELETE GRIDVOL
!
!*****
!*****
!
END

```

## B.1.6 PREBRAG INPUT FILES FOR SCENARIOS 1, 2, 3,4,5 AND 6.

type BF1\_CRA1\_S1.INP



```

ELEVAT, ID_ELEV =ELEVE
!=====
*STEP_CONTROL
!TIME_STEP IS REDUCED
! 1. AT 0 YEARS: WASTE IS INTRODUCED,
  TIME,BEGIN=0.0, DT=864.0
! 2. AT 200 YEARS: MATERIAL CHANGE
  TIME,BEGIN=6.311385E9, DT=864.0
!=====
*MODIFY_MAP
! ID=1 => 0 YEARS : WASTE INTRODUCED, SHAFT SEALS AND FILL INTRODUCED
! ID=2 => 200 YEARS : COMPACTED SALT (TIME PERIOD 6)
TIME,TIME_ID=1, BEGIN= 0.0
TIME,TIME_ID=2, BEGIN= 6.311385E9
!*****
! 0 YEARS
!*****
!INTRODUCE FINAL DRZ MATERIAL
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=23,30, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=32,34, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=36,38, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=40,42, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=44,45, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=23,30, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=32,34, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=36,38, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=40,42, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=44,45, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=31,31, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=35,35, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=39,39, JRANGE=15,16, KRANGE=1,1
!INTRODUCE SHFTU upper shaft
MODIFY, MAT=SHFTU, TIME_ID=1, IRANGE=43,43, JRANGE=25,33, KRANGE=1,1
!INTRODUCE SHFTL_T1 lower shaft t1
MODIFY, MAT=SHFTL_T1, TIME_ID=1, IRANGE=43,43, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=SHFTL_T1, TIME_ID=1, IRANGE=43,43, JRANGE=18,24, KRANGE=1,1
!INTRODUCE CONC-MON lowest part of shaft filled with concrete
MODIFY, MAT=CONC_MON, TIME_ID=1, IRANGE=43,43, JRANGE=8,13, KRANGE=1,1
!INTRODUCE WASTE INTO PANEL REGION
MODIFY, MAT=WAS_AREA, TIME_ID=1, IRANGE=23,29, JRANGE=10,12, KRANGE=1,1
!INTRODUCE WASTE INTO REST OF REPOSITORY
MODIFY, MAT=REPOSIT, TIME_ID=1, IRANGE=32,33, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=REPOSIT, TIME_ID=1, IRANGE=36,37, JRANGE=10,12, KRANGE=1,1
!INTRODUCE PANEL SEAL BACKFILL modeled as was_area
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=30,30, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=34,34, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=38,38, JRANGE=10,12, KRANGE=1,1
!MODIFY, MAT=OPS_AREA, TIME_ID=1, IRANGE=42,42, JRANGE=10,12, KRANGE=1,1
!INTRODUCE PANEL CLOSURE CONCRETE
MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=31,31, JRANGE=8,13, KRANGE=1,1
MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=35,35, JRANGE=8,13, KRANGE=1,1
MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=39,39, JRANGE=8,13, KRANGE=1,1
!MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=43,43, JRANGE=8,13, KRANGE=1,1
!INTRODUCE OPERATIONS REGION MATERIAL
MODIFY, MAT=OPS_AREA, TIME_ID=1, IRANGE=40,42, JRANGE=10,12, KRANGE=1,1
!INTRODUCE EXPERIMENTAL REGION MATERIAL
MODIFY, MAT=EXP_AREA, TIME_ID=1, IRANGE=44,45, JRANGE=10,12, KRANGE=1,1

```

```

!INTRODUCE UNNAMED MEMBER OF THE RUSTLER
MODIFY, MAT=UNNAMED, TIME_ID=1, IRANGE= 1,42, JRANGE=25,25, KRANGE=1,1
MODIFY, MAT=UNNAMED, TIME_ID=1, IRANGE=44,68, JRANGE=25,25, KRANGE=1,1
!INTRODUCE TRUE CULEBRA REGION TO ALLOW BRINE INFLOW TO SHAFT
MODIFY, MAT=CULEBRA, TIME_ID=1, IRANGE= 1,42, JRANGE=26,26, KRANGE=1,1
MODIFY, MAT=CULEBRA, TIME_ID=1, IRANGE=44,68, JRANGE=26,26, KRANGE=1,1
!INTRODUCE TAMARISK
MODIFY, MAT=TAMARISK, TIME_ID=1, IRANGE= 1,42, JRANGE=27,27, KRANGE=1,1
MODIFY, MAT=TAMARISK, TIME_ID=1, IRANGE=44,68, JRANGE=27,27, KRANGE=1,1
!INTRODUCE MAGENTA
MODIFY, MAT=MAGENTA, TIME_ID=1, IRANGE= 1,42, JRANGE=28,28, KRANGE=1,1
MODIFY, MAT=MAGENTA, TIME_ID=1, IRANGE=44,68, JRANGE=28,28, KRANGE=1,1
!INTRODUCE FORTY-NINER
MODIFY, MAT=FORTYNIN, TIME_ID=1, IRANGE= 1,42, JRANGE=29,29, KRANGE=1,1
MODIFY, MAT=FORTYNIN, TIME_ID=1, IRANGE= 44,68, JRANGE=29,29, KRANGE=1,1
!INTRODUCE DEWEY LAKE RED BEDS
MODIFY, MAT=DEWYLAK, TIME_ID=1, IRANGE= 1,42, JRANGE=30,31, KRANGE=1,1
MODIFY, MAT=DEWYLAK, TIME_ID=1, IRANGE= 44,68, JRANGE=30,31, KRANGE=1,1
!INTRODUCE SANTA ROSA FORMATION
MODIFY, MAT=SANTAROS, TIME_ID=1, IRANGE= 1,42, JRANGE=32,33, KRANGE=1,1
MODIFY, MAT=SANTAROS, TIME_ID=1, IRANGE= 44,68, JRANGE=32,33, KRANGE=1,1
!*****
!
!                END OF TIME PERIOD 1 MATERIAL RESETS
!*****
!*****
! 200 YEARS
!*****
!INTRODUCE CHANGE IN LOWER SHAFT MATERIAL
MODIFY, MAT=SHFTL_T2, TIME_ID=2, IRANGE=43,43, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=SHFTL_T2, TIME_ID=2, IRANGE=43,43, JRANGE=18,24, KRANGE=1,1

!*****
!
!                END OF TIME PERIOD 2 MATERIAL RESET
!=====
*GEOMETRY
COORD= CARTESIAN
!=====
*SIMULATION_CONTROL
INTEGRATION, TMAX=3.155693E11, DT_INIT=8.64,DT_MIN= 8.64E-4, DT_MAX=1.728E9,&
DT_INCR=1.25, DT_REDU= 0.5, AUTODT=YES, TSWITCH=1.0,&
MAXSTEPS=10000
!
ITERATION, DSATLIM= 2.E-1, DPRESLIM = -1.E8 , SATLIM= 1.E-3,&
SATNORM= 0.30, PRESNORM = 5.0E5,&
ITMAX= 8, IRESETMAX= 40, IJACINT= 1,&
IJACSWITCH=41, IJACMIN= 1, IJACRESET= 5,&
IUPRPFLAG =9, IUPMFFLAG= 9, IUPRPLOOSE= 9,&
IUPMFLOOSE=9
!
ITERATION, DHSAT_REL= 1.0E-8, DHPRES_REL=1.0E-8,&
DHSAT_MIN= 1.0E-10, DHPRES_MIN=1.0E-2
!
ITERATION, EPS_SAT = 3.0E+0, EPS_PRES = 1.E-2,&
R_EPS_SAT= 3.0E+0, R_EPS_PRES = 1.E-2,&
FTOL_SAT = 1.0E-2, FTOL_PRES = 1.0E-2,&
R_FTOL_SAT=1.0E-2, R_FTOL_PRES = 1.0E-2, CONV_TEST = AND
!

```

```

NUMERICS, SOLVER=LU
NUMERICS, JACSCALE= 1.0e7, VSWITCH=NO
NUMERICS, ITRAVE= HARMONIC, IMFRAVE=UPSTREAM
!
GRAVITY, MAT= REFCON, G_ACC= GRAVACC
!
!=====
*OUTPUT_CONTROL
!
UNITS= SI
MONITOR, ILOC = 26, JLOC = 12, KLOC = 1
MONITOR, ILOC = 32, JLOC = 12, KLOC = 1
MONITOR, ILOC = 36, JLOC = 12, KLOC = 1
!
STEPS, FILE= BINARY, NSTEP=20
TIMES, FILE= ASCII, VALUES= 0.0, 3.155693E09, 1.104493E10, &
                                     3.155693E10, 9.467079E10, &
                                     1.577847E11, 2.208985E11, &
                                     2.840124E11, 3.155693E11
PRIBIN, &
    PRESBRIN,  PRESGAS,  POROS,  DENGAS,  PERMBRX,  PERMGASX, &
    SATGAS,    FLOWGASX, FLOWGASY, FLOWBRX,  FLOWBRY, &
    FECONC,    CELLCONC, BRINRATE
!
PRIASC, &
    PRESBRIN,  PRESGAS,  POROS,  SATGAS,  FECONC,  CELLCONC
!
!HORIZONTAL BRINE FLOW ACROSS 2.4K SOUTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES= FLOWBRX,  IRANGE= 6,6,  JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES= FLOWBRX,  IRANGE= 6,6,  JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES= FLOWBRX,  IRANGE= 6,6,  JRANGE=17,17, KRANGE=1,1
!HORIZONTAL BRINE FLOW ACROSS 2.4K SOUTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES= FLOWBRX,  IRANGE= 6,6,  JRANGE=25,33, KRANGE=1,1
!HORIZONTAL BRINE FLOW ACROSS 2.4K NORTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES= FLOWBRX,  IRANGE= 63,63, JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES= FLOWBRX,  IRANGE= 63,63, JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES= FLOWBRX,  IRANGE= 63,63, JRANGE=17,17, KRANGE=1,1
!HORIZONTAL BRINE FLOW ACROSS 2.4K NORTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES= FLOWBRX,  IRANGE= 63,63, JRANGE=25,33, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K SOUTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES= FLOWGASX,  IRANGE= 6,6,  JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES= FLOWGASX,  IRANGE= 6,6,  JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES= FLOWGASX,  IRANGE= 6,6,  JRANGE=17,17, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K SOUTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES= FLOWGASX,  IRANGE= 6,6,  JRANGE=25,33, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K NORTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES= FLOWGASX,  IRANGE= 63,63, JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES= FLOWGASX,  IRANGE= 63,63, JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES= FLOWGASX,  IRANGE= 63,63, JRANGE=17,17, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K NORTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES= FLOWGASX,  IRANGE= 63,63, JRANGE=25,33, KRANGE=1,1
!BRINE FLOW ACROSS DRZ AND MARKER BEDS BOUNDARY
HISTORY, NAMES= FLOWBRX,  IRANGE= 23,23,  JRANGE= 7,17, KRANGE=1,1
HISTORY, NAMES= FLOWBRX,  IRANGE= 46,46,  JRANGE= 7,17, KRANGE=1,1
!GAS FLOW ACROSS DRZ AND MARKER BEDS BOUNDARY
HISTORY, NAMES= FLOWGASX,  IRANGE= 23,23,  JRANGE= 7,17, KRANGE=1,1
HISTORY, NAMES= FLOWGASX,  IRANGE= 46,46,  JRANGE= 7,17, KRANGE=1,1

```

```

!
!VERTICAL BRINE FLOW ACROSS BOTTOM OF UPPER DRZ
HISTORY, NAMES= FLOWBRY, IRANGE= 23,45, JRANGE=13,13, KRANGE=1,1
!VERTICAL BRINE FLOW ACROSS TOP OF LOWER DRZ
HISTORY, NAMES= FLOWBRY, IRANGE= 23,45, JRANGE=10,10, KRANGE=1,1
!
!VERTICAL GAS FLOW ACROSS BOTTOM OF UPPER DRZ
HISTORY, NAMES= FLOWGASY, IRANGE= 23,45, JRANGE=13,13, KRANGE=1,1
!VERTICAL GAS FLOW ACROSS TOP OF LOWER DRZ
HISTORY, NAMES= FLOWGASY, IRANGE= 23,45, JRANGE=10,10, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW SOUTH SIDE OF S_REPOSITORY
HISTORY, NAMES= FLOWBRX, IRANGE=32,32, JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW SOUTH SIDE OF S_REPOSITORY
HISTORY, NAMES= FLOWGASX, IRANGE=32,32, JRANGE= 10,12, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW NORTH SIDE OF N_REPOSITORY
HISTORY, NAMES= FLOWBRX, IRANGE=38,38, JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW NORTH SIDE OF REPOSITORY
HISTORY, NAMES= FLOWGASX, IRANGE=38,38, JRANGE= 10,12, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW SOUTH SIDE OF PANEL
HISTORY, NAMES= FLOWBRX, IRANGE= 23,23, JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW SOUTH SIDE OF PANEL
HISTORY, NAMES= FLOWGASX, IRANGE= 23,23, JRANGE= 10,12, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW NORTH SIDE OF PANEL
HISTORY, NAMES= FLOWBRX, IRANGE=30,30, JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW NORTH SIDE OF PANEL
HISTORY, NAMES= FLOWGASX, IRANGE=30,30, JRANGE= 10,12, KRANGE=1,1
!
!GAS SATURATION IN PANEL
HISTORY, NAMES= SATGAS, IRANGE=23,29, JRANGE= 10,12, KRANGE=1,1
!
!GAS SATURATION IN REPOSITORY
HISTORY, NAMES= SATGAS, IRANGE= 32,33, JRANGE= 10,12, KRANGE=1,1
HISTORY, NAMES= SATGAS, IRANGE= 36,37, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN PANEL
HISTORY, NAMES= PRESBRIN, IRANGE=23,29, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN REPOSITORY
HISTORY, NAMES= PRESBRIN, IRANGE= 32,33, JRANGE= 10,12, KRANGE=1,1
HISTORY, NAMES= PRESBRIN, IRANGE= 36,37, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN BRINE POCKET
HISTORY, NAMES= PRESBRIN, IRANGE= 26,26, JRANGE= 1,1, KRANGE=1,1
!
!BRINE PRESSURE IN INTERSECTION OF BOREHOLE AND CULEBRA
HISTORY, NAMES= PRESBRIN, IRANGE= 26,26, JRANGE= 26,26, KRANGE=1,1
!*****
!
! END OF HISTORY VARIABLES
!*****
!
*REACTION_CHEMISTRY
!
WICKING, MAT= WAS_AREA, VALUE=SAT_WICK

```



```

NUMERICS, SMOOTH=ON, ALPHARXN=-1000.0
RATES, MAT=WAS_AREA, COR_IN=GRATCORI, COR_HUM=GRATCORH, &
      MIC_IN=GRATMICI, MIC_HUM=GRATMICH, &
      SCOR_GAS=STOICOR, SMIC_GAS=STOIMIC
!
VOLUME, MAT=WAS_AREA, VOL_CHW = VOLCHW, VOL_RHW = VOLRHW
!
DENSITY, MAT=WAS_AREA, METAL_RH= DRH_METL, BIO_RH= DRH_BIO, &
      METAL_CH= DCH_METL, BIO_CH= DCH_BIO
!
SATURATION, MAT=WAS_AREA, VALUE= SAT_IBRN
!
MOLWTS, MAT= REFCON, MW_FE = MW_FE
MOLWTS, MAT= REFCON, MW_CEL = MW_CELL
!
MISC, MAT= REFCON, VREPOS = VREPOS, &
      VPANLEX = VPANLEX, &
      VROOM = VROOM, &
      ASDRUM = ASDRUM, &
      DRROOM = DRROOM
!
!
!=====
*PROPERTIES
! GET SOLID properties from CAMDAT file
!Salado Halite
SOLID, MAT=S_HALITE, &
      PRM_X = PERM_X, PRM_Y = PERM_Y, &
      PRM_Z = PERM_Z, POROSITY = POROSITY, &
      BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
      BCLAM = PORE_DIS, COMPRES = POR_COMP, &
      SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
      PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
      RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
      PCT_EXP = PCT_EXP, PCT_FLAG = KPT
!
SOLID, MAT=DRZ_0, &
      PRM_X = PERM_X, PRM_Y = PERM_Y, &
      PRM_Z = PERM_Z, POROSITY = POROSITY, &
      BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
      BCLAM = PORE_DIS, COMPRES = POR_COMP, &
      SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
      PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
      RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
      PCT_EXP = PCT_EXP, PCT_FLAG = KPT
!
SOLID, MAT=DRZ_1, &
      PRM_X = PERM_X, PRM_Y = PERM_Y, &
      PRM_Z = PERM_Z, POROSITY = POROSITY, &
      BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
      BCLAM = PORE_DIS, COMPRES = POR_COMP, &
      SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
      PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
      RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
      PCT_EXP = PCT_EXP, PCT_FLAG = KPT
!
SOLID, MAT=DRZ_PCS, &

```

```
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
```

!

SOLID, MAT=S\_MB139, &

```
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
```

!

SOLID, MAT=S\_ANH\_AB, &

```
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
```

!

SOLID, MAT=S\_MB138, &

```
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
```

!

SOLID, MAT=CAVITY\_1, &

```
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
```

!

SOLID, MAT=CAVITY\_2, &

```
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
```

```

PC_MAX      = PC_MAX,          CAP_MOD     = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A       = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG    = KPT
!
SOLID, MAT=CAVITY_3, &
PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY    = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR       = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES     = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN      = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD     = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A       = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG    = KPT
!
SOLID, MAT=CAVITY_4, &
PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY    = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR       = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES     = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN      = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD     = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A       = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG    = KPT
!
SOLID, MAT=IMPERM_Z, &
PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY    = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR       = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES     = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN      = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD     = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A       = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG    = KPT
!
SOLID, MAT=CASTILER, &
PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY    = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR       = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES     = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN      = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD     = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A       = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG    = KPT
!
SOLID, MAT=WAS_AREA, &
PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY    = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR       = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES     = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN      = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD     = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A       = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG    = KPT
!
SOLID, MAT=REPOSIT, &
PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY    = POROSITY, &

```

```

BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=DRF_PCS, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=CONC_PCS, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=UNNAMED, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=CULEBRA, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=TAMARISK, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!

```

SOLID, MAT=MAGENTA, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
REL_P_MODEL	=	REL_P_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

SOLID, MAT=FORTYNIN, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
REL_P_MODEL	=	REL_P_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

SOLID, MAT=DEWYLAKELAKE, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
REL_P_MODEL	=	REL_P_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

SOLID, MAT=SANTAROS, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
REL_P_MODEL	=	REL_P_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

SOLID, MAT=OPS\_AREA, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
REL_P_MODEL	=	REL_P_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

SOLID, MAT=EXP\_AREA, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &

```

REL_P_MODEL = REL_P_MOD,      PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,      PCT_FLAG   = KPT
!
SOLID, MAT=CONC_MON, &
    PRM_X    = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z    = PERM_Z,      POROSITY     = POROSITY, &
    BCSOR    = SAT_RBRN,    BCSGR       = SAT_RGAS, &
    BCLAM    = PORE_DIS,    COMPRES     = POR_COMP, &
    SB_MIN   = SB_MIN,      PB_MIN      = PO_MIN, &
    PC_MAX   = PC_MAX,      CAP_MOD     = CAP_MOD, &
    REL_P_MODEL = REL_P_MOD, PCT_A      = PCT_A, &
    PCT_EXP  = PCT_EXP,    PCT_FLAG   = KPT
!
SOLID, MAT=SHFTU, &
    PRM_X    = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z    = PERM_Z,      POROSITY     = POROSITY, &
    BCSOR    = SAT_RBRN,    BCSGR       = SAT_RGAS, &
    BCLAM    = PORE_DIS,    COMPRES     = POR_COMP, &
    SB_MIN   = SB_MIN,      PB_MIN      = PO_MIN, &
    PC_MAX   = PC_MAX,      CAP_MOD     = CAP_MOD, &
    REL_P_MODEL = REL_P_MOD, PCT_A      = PCT_A, &
    PCT_EXP  = PCT_EXP,    PCT_FLAG   = KPT
!
SOLID, MAT=SHFTL_T1, &
    PRM_X    = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z    = PERM_Z,      POROSITY     = POROSITY, &
    BCSOR    = SAT_RBRN,    BCSGR       = SAT_RGAS, &
    BCLAM    = PORE_DIS,    COMPRES     = POR_COMP, &
    SB_MIN   = SB_MIN,      PB_MIN      = PO_MIN, &
    PC_MAX   = PC_MAX,      CAP_MOD     = CAP_MOD, &
    REL_P_MODEL = REL_P_MOD, PCT_A      = PCT_A, &
    PCT_EXP  = PCT_EXP,    PCT_FLAG   = KPT
!
SOLID, MAT=SHFTL_T2, &
    PRM_X    = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z    = PERM_Z,      POROSITY     = POROSITY, &
    BCSOR    = SAT_RBRN,    BCSGR       = SAT_RGAS, &
    BCLAM    = PORE_DIS,    COMPRES     = POR_COMP, &
    SB_MIN   = SB_MIN,      PB_MIN      = PO_MIN, &
    PC_MAX   = PC_MAX,      CAP_MOD     = CAP_MOD, &
    REL_P_MODEL = REL_P_MOD, PCT_A      = PCT_A, &
    PCT_EXP  = PCT_EXP,    PCT_FLAG   = KPT
!
! GET FRACTURE PROPERTIES
FRACTURE, MAT= S_MB139,  FRAC_PI   = PI_DELTA,  FRAC_PF   = PF_DELTA, &
                        FRAC_PHI  = PHIMAX,    FRAC_EXP  = PERM_EXP, &
                        FRAC_PMX  = IFRX,      FRAC_PMY  = IFRY, &
                        FRAC_PMZ  = IFRZ
!
FRACTURE, MAT= S_ANH_AB, FRAC_PI   = PI_DELTA,  FRAC_PF   = PF_DELTA, &
                        FRAC_PHI  = PHIMAX,    FRAC_EXP  = PERM_EXP, &
                        FRAC_PMX  = IFRX,      FRAC_PMY  = IFRY, &
                        FRAC_PMZ  = IFRZ
!
FRACTURE, MAT= S_MB138,  FRAC_PI   = PI_DELTA,  FRAC_PF   = PF_DELTA, &
                        FRAC_PHI  = PHIMAX,    FRAC_EXP  = PERM_EXP, &
                        FRAC_PMX  = IFRX,      FRAC_PMY  = IFRY, &

```

```

FRAC_PMZ = IFRZ
!
FRACTURE, MAT= DRZ_0,   FRAC_PI   = PI_DELTA, FRAC_PF   = PF_DELTA, &
FRAC_PHI   = PHIMAX,   FRAC_EXP   = PERM_EXP, &
FRAC_PMX   = IFRX,     FRAC_PMY   = IFRY, &
FRAC_PMZ   = IFRZ
!
FRACTURE, MAT= DRZ_1,   FRAC_PI   = PI_DELTA, FRAC_PF   = PF_DELTA, &
FRAC_PHI   = PHIMAX,   FRAC_EXP   = PERM_EXP, &
FRAC_PMX   = IFRX,     FRAC_PMY   = IFRY, &
FRAC_PMZ   = IFRZ
!
! GET FLUID (brine and gas) properties from CAMDAT file
FLUID, MAT=BRINESAL, SALINITY=WTF, DEN_BR=DNSFLUID, &
COMPR_BR= COMP, REF_PRES=REF_PRES, REF_TEMP= REF_TEMP, &
INTERP = 1, VIS_BR=VISCO
FLUID, MAT=H2, VIS_GAS=VISCO, DGAS = OFF, &
H2_MOLE =1.0, CO2_MOLE=0.0, CH4_MOLE=0.0, &
N2_MOLE= 0.0, H2S_MOLE=0.0, O2_MOLE=0.0
FLUID, MAT=S_MB139, KLINK=ON, B_KLINK=BKLINK, EXP_KLINK=EXPKLINK
!
FLUID, MAT= REFCON, R_GAS = R
FLUID, MAT= REFCON, MW_H2O = MW_H2O
FLUID, MAT= REFCON, MW_SALT = MW_NACL
FLUID, MAT= REFCON, MW_H2 = MW_H2, TC_H2 = TC_H2, PC_H2 = PC_H2, &
ACEN_H2 = ACF_H2, H2_CO2 = BIP_12, H2_CH4 = BIP_13, &
H2_N2 = BIP_14, H2_H2S = BIP_15, H2_O2 = BIP_16
FLUID, MAT= REFCON, MW_CO2 = MW_CO2, TC_CO2 = TC_CO2, PC_CO2 = PC_CO2, &
ACEN_CO2 = ACF_CO2, CO2_CH4= BIP_23, CO2_N2 = BIP_24, &
CO2_H2S = BIP_25 , CO2_O2 = BIP_26
FLUID, MAT= REFCON, MW_CH4 = MW_CH4, TC_CH4 = TC_CH4, PC_CH4 = PC_CH4, &
ACEN_CH4 = ACF_CH4, CH4_N2 = BIP_34, CH4_H2S= BIP_35, &
CH4_O2 = BIP_36
FLUID, MAT= REFCON, MW_N2 = MW_N2, TC_N2 = TC_N2, PC_N2 = PC_N2, &
ACEN_N2 = ACF_N2, N2_H2S = BIP_45, N2_O2 = BIP_46
FLUID, MAT= REFCON, MW_H2S = MW_H2S, TC_H2S = TC_H2S, PC_H2S = PC_H2S, &
ACEN_H2S = ACF_H2S, H2S_O2 = BIP_56
FLUID, MAT= REFCON, MW_O2 = MW_O2, TC_O2 = TC_O2, PC_O2 = PC_O2, &
ACEN_O2 = ACF_O2
FLUID, MAT= REFCON, OMEGA_A = OMEGAA , OMEGA_B = OMEGAB
!
*DIRICHLET
DIRICHLET, MAT=CULEBRA, PRESSURE=PRESSURE, &
IRANGE=1,1, JRANGE=26,26, KRANGE=1,1
DIRICHLET, MAT=CULEBRA, PRESSURE=PRESSURE, &
IRANGE=68,68, JRANGE=26,26, KRANGE=1,1
DIRICHLET, MAT=MAGENTA, PRESSURE=PRESSURE, &
IRANGE=1,1, JRANGE=28,28, KRANGE=1,1
DIRICHLET, MAT=MAGENTA, PRESSURE=PRESSURE, &
IRANGE=68,68, JRANGE=28,28, KRANGE=1,1
DIRICHLET, MAT=SANTAROS, PRESSURE=PRESSURE, &
IRANGE=1,68, JRANGE=33,33, KRANGE=1,1
DIRICHLET, MAT=SANTAROS, SATURATION=SAT_IBRN, &
IRANGE=1,68, JRANGE=33,33, KRANGE=1,1
*END

```

**SCENARIO: S2**

```
$ type BF1_cra1_s2.inp
! TITLE: BRAGFLO 2003 CRA1 (PREBRAG)
! SCENARIO: S2
! ANALYSTS: Joshua Stein and Bill Zelinski
! MODIFIED: 01/04/03
!=====
! SCENARIO: UNDISTURBED SCENERIO
! : SINGLE CLOSURE SURFACE
! : A) CREEP CLOSURE IN WASTE AREAS
! : PANEL ON SOUTH, REST OF REPOSITORY ON NORTH
! : SHAFT ADDED
! : FRACTURING IN UPPER AND LOWER DRZ
!
! 28 Mar 02 JSS rev4 Added REPOSIT material and map to fix problem
! with WASTE materials.
! 02 Apr 02 JSS rev5 Changed DRF_PCS in the PCS adjacent to the OPS_AREA
! to be mapped as OPS_AREA, which is appropriate for
! preclosed excavated regions.
! 15 Jan 03 WPZ rev6 Added shaft. Fracturing in both upper and lower DRZ
! 01 Apr 03 WPZ rev7 modified to run with PREBRAG, Version 7.00 to produce
! input to BRAGFLO 5.0. Accomodates constants that used to
! be included in BRAGFLO code that must now be included
! in input.
!=====
*HEADING
TITLE2 = 2003 BRAGFLO: CRA BRAGFLO: DISTURBED C97 CALCULATION: E1 AT 350 YR
!=====
!CLOSURE INFORMATION
*CLOSURE
CONTROL, TYPE = PRESSURE, AVE = CELL
SURFACE, MODEL = JAN_96, PRES_LITHO = 50.0E6, TIME_OFF = 3.155693E12, &
PERM_FACTOR= WAS_AREA:PERM_X, PERM_EXP = 0.0
REGION, MAT = WAS_AREA, MODEL = JAN_96
REGION, MAT = REPOSIT, MODEL = JAN_96
REGION, MAT = DRF_PCS, MODEL = JAN_96
!=====
*RESET
!RESET REGIONS ARE GIVEN THE INITIAL PRESSURE AND SATURATION SPECIFIED IN
! THE INITIAL CONDITIONS AT THE RESET TIME
REGION, MAT=CAVITY_1
REGION, MAT=CAVITY_2
REGION, MAT=CAVITY_3
REGION, MAT=CAVITY_4
TIME=0.0
WASTE, MAT_OLD=CAVITY_1, MAT_NEW=WAS_AREA, &
PRES_BRINE=101325.0, SAT_BRINE=0.0
WASTE, MAT_OLD=CAVITY_2, MAT_NEW=REPOSIT, &
PRES_BRINE=101325.0, SAT_BRINE=0.0
!=====
*INITIAL_CONDITIONS
!BEGIN SIMULATION AT -5 YEARS
BEGIN, TIME=-1.577846E8
SATBR, ID_BRINE =SATBREL
PRESSURE, ID_PRES =PRESEL
CONFE , ID_CONFE =FECONC
```



```

CONCELL, ID_CONCEL=CH2OCONC
ELEVAT, ID_ELEV =ELEVE
!=====
*STEP_CONTROL
!TIME STEP IS REDUCED
! 1. AT 0 YEARS: WASTE IS INTRODUCED,
  TIME,BEGIN=0.0, DT=864.0
! 2. AT 200 YEARS: MATERIAL CHANGE
  TIME,BEGIN=6.311385E9, DT=864.0
! 3. AT 350 YEARS: MATERIAL CHANGE
  TIME,BEGIN=1.104492E10, DT=864.0
! 4. AT 550 YEARS: MATERIAL CHANGE
  TIME,BEGIN=1.735631E10, DT=864.0
! 5. AT 1550 YEARS: MATERIAL CHANGE
  TIME,BEGIN=4.891324E10, DT=864.0
!=====
*MODIFY_MAP
TIME,TIME_ID=1, BEGIN= 0.0
TIME,TIME_ID=2, BEGIN= 6.311385E9
TIME,TIME_ID=3, BEGIN= 1.104492E10
TIME,TIME_ID=4, BEGIN= 1.735631E10
TIME,TIME_ID=5, BEGIN= 4.891324E10
!*****
! 0 YEARS
!*****
!INTRODUCE FINAL DRZ MATERIAL
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=23,30, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=32,34, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=36,38, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=40,42, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=44,45, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=23,30, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=32,34, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=36,38, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=40,42, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=44,45, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=31,31, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=35,35, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=39,39, JRANGE=15,16, KRANGE=1,1
!INTRODUCE SHFTU upper shaft
MODIFY, MAT=SHFTU, TIME_ID=1, IRANGE=43,43, JRANGE=25,33, KRANGE=1,1
!INTRODUCE SHFTL_T1 lower shaft t1
MODIFY, MAT=SHFTL_T1, TIME_ID=1, IRANGE=43,43, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=SHFTL_T1, TIME_ID=1, IRANGE=43,43, JRANGE=18,24, KRANGE=1,1
!INTRODUCE CONC_MON lowest part of shaft filled with concrete
MODIFY, MAT=CONC_MON, TIME_ID=1, IRANGE=43,43, JRANGE=8,13, KRANGE=1,1
!INTRODUCE WASTE INTO PANEL REGION
MODIFY, MAT=WAS_AREA, TIME_ID=1, IRANGE=23,29, JRANGE=10,12, KRANGE=1,1
!INTRODUCE WASTE INTO REST OF REPOSITORY
MODIFY, MAT=REPOSIT, TIME_ID=1, IRANGE=32,33, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=REPOSIT, TIME_ID=1, IRANGE=36,37, JRANGE=10,12, KRANGE=1,1
!INTRODUCE PANEL SEAL BACKFILL modeled as was_area
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=30,30, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=34,34, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=38,38, JRANGE=10,12, KRANGE=1,1
!MODIFY, MAT=OPS_AREA, TIME_ID=1, IRANGE=42,42, JRANGE=10,12, KRANGE=1,1
!INTRODUCE PANEL CLOSURE CONCRETE

```

```

MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=31,31, JRANGE=8,13, KRANGE=1,1
MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=35,35, JRANGE=8,13, KRANGE=1,1
MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=39,39, JRANGE=8,13, KRANGE=1,1
!MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=43,43, JRANGE=8,13, KRANGE=1,1
!INTRODUCE PANEL CLOSURE CONCRETE AT MB139 LEVEL
!MODIFY, MAT=CPCS_F, TIME_ID=1, IRANGE=31,31, JRANGE=7,7, KRANGE=1,1
!MODIFY, MAT=CPCS_F, TIME_ID=1, IRANGE=35,35, JRANGE=7,7, KRANGE=1,1
!MODIFY, MAT=CPCS_F, TIME_ID=1, IRANGE=39,39, JRANGE=7,7, KRANGE=1,1
!MODIFY, MAT=CPCS_F, TIME_ID=1, IRANGE=43,43, JRANGE=7,7, KRANGE=1,1
!INTRODUCE OPERATIONS REGION MATERIAL
MODIFY, MAT=OPS_AREA, TIME_ID=1, IRANGE=40,42, JRANGE=10,12, KRANGE=1,1
!INTRODUCE EXPERIMENTAL REGION MATERIAL
MODIFY, MAT=EXP_AREA, TIME_ID=1, IRANGE=44,45, JRANGE=10,12, KRANGE=1,1
!INTRODUCE UNNAMED MEMBER OF THE RUSTLER
MODIFY, MAT=UNNAMED, TIME_ID=1, IRANGE= 1,42, JRANGE=25,25, KRANGE=1,1
MODIFY, MAT=UNNAMED, TIME_ID=1, IRANGE=44,68, JRANGE=25,25, KRANGE=1,1
!INTRODUCE TRUE CULEBRA REGION TO ALLOW BRINE INFLOW TO SHAFT
MODIFY, MAT=CULEBRA, TIME_ID=1, IRANGE= 1,42, JRANGE=26,26, KRANGE=1,1
MODIFY, MAT=CULEBRA, TIME_ID=1, IRANGE=44,68, JRANGE=26,26, KRANGE=1,1
!INTRODUCE TAMARISK
MODIFY, MAT=TAMARISK, TIME_ID=1, IRANGE= 1,42, JRANGE=27,27, KRANGE=1,1
MODIFY, MAT=TAMARISK, TIME_ID=1, IRANGE=44,68, JRANGE=27,27, KRANGE=1,1
!INTRODUCE MAGENTA
MODIFY, MAT=MAGENTA, TIME_ID=1, IRANGE= 1,42, JRANGE=28,28, KRANGE=1,1
MODIFY, MAT=MAGENTA, TIME_ID=1, IRANGE=44,68, JRANGE=28,28, KRANGE=1,1
!INTRODUCE FORTY-NINER
MODIFY, MAT=FORTYNIN, TIME_ID=1, IRANGE= 1,42, JRANGE=29,29, KRANGE=1,1
MODIFY, MAT=FORTYNIN, TIME_ID=1, IRANGE= 44,68, JRANGE=29,29, KRANGE=1,1
!INTRODUCE DEWEY LAKE RED BEDS
MODIFY, MAT=DEWYLAKELAKE, TIME_ID=1, IRANGE= 1,42, JRANGE=30,31, KRANGE=1,1
MODIFY, MAT=DEWYLAKELAKE, TIME_ID=1, IRANGE= 44,68, JRANGE=30,31, KRANGE=1,1
!INTRODUCE SANTA ROSA FORMATION
MODIFY, MAT=SANTAROS, TIME_ID=1, IRANGE= 1,42, JRANGE=32,33, KRANGE=1,1
MODIFY, MAT=SANTAROS, TIME_ID=1, IRANGE= 44,68, JRANGE=32,33, KRANGE=1,1
!*****
!
!           END OF TIME PERIOD 1 MATERIAL RESETS
!*****
!*****
! 200 YEARS
!*****
!INTRODUCE CHANGE IN LOWER SHAFT MATERIAL
MODIFY, MAT=SHFTL_T2, TIME_ID=2, IRANGE=43,43, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=SHFTL_T2, TIME_ID=2, IRANGE=43,43, JRANGE=18,24, KRANGE=1,1

!*****
!
!           END OF TIME PERIOD 2 MATERIAL RESET
!=====
!=====
! 350 years
!=====
! Introduce borehole material
!
MODIFY, MAT=BH_OPEN, TIME_ID=3, IRANGE=26,26, JRANGE=1, 24, KRANGE=1,1
MODIFY, MAT=CONC_PLG, TIME_ID=3, IRANGE=26,26, JRANGE=25,25, KRANGE=1,1
MODIFY, MAT=BH_OPEN, TIME_ID=3, IRANGE=26,26, JRANGE=26,31, KRANGE=1,1
MODIFY, MAT=CONC_PLG, TIME_ID=3, IRANGE=26,26, JRANGE=32,33, KRANGE=1,1
!

```

```

=====
! 550 years
=====
! Introduce borehole material
!
MODIFY, MAT=BH_SAND,    TIME_ID=4, IRANGE=26,26, JRANGE=1, 33, KRANGE=1,1
!
=====
! 1550 years
=====
! Introduce borehole material
!
MODIFY, MAT=BH_CREEP,    TIME_ID=5, IRANGE=26,26, JRANGE=1, 9, KRANGE=1,1
=====
*GEOMETRY
COORD= CARTESIAN
=====
*SIMULATION_CONTROL
INTEGRATION, TMAX=3.155693E11, DT_INIT=8.64,DT_MIN= 8.64E-4, DT_MAX=1.728E9,&
            DT_INCR=1.25,    DT_REDU= 0.5,    AUTODT=YES,    TSWITCH=1.0,&
            MAXSTEPS=10000
!
ITERATION, DSATLIM= 2.E-1, DPRESLIM = -1.E8 , SATLIM= 1.E-3,&
            SATNORM= 0.30,  PRESNORM = 5.0E5,&
            ITMAX= 8,      IRESETMAX= 40, IJACINT= 1,&
            IJACSWITCH=41, IJACMIN= 1,    IJACRESET= 5,&
            IUPRPFLAG =9,    IUPMFFLAG= 9,    IUPRPLOOSE= 9,&
            IUPMFLOOSE=9
!
ITERATION, DHSAT_REL= 1.0E-8,    DHPRES_REL=1.0E-8,&
            DHSAT_MIN= 1.0E-10,    DHPRES_MIN=1.0E-2
!
ITERATION, EPS_SAT  = 3.0E+0,      EPS_PRES    = 1.E-2,&
            R_EPS_SAT= 3.0E+0,      R_EPS_PRES  = 1.E-2,&
            FTOL_SAT = 1.0E-2,      FTOL_PRES   = 1.0E-2,&
            R_FTOL_SAT=1.0E-2,      R_FTOL_PRES  = 1.0E-2, CONV_TEST = AND
!
NUMERICS, SOLVER=LU
NUMERICS, JACSCALE= 1.0e7, VSWITCH=NO
NUMERICS, ITRAVE= HARMONIC, IMFRAVE=UPSTREAM
!
GRAVITY, MAT= REFCON, G_ACC= GRAVACC
!
=====
*OUTPUT_CONTROL
!
UNITS= SI
MONITOR, ILOC = 26, JLOC = 12, KLOC = 1
MONITOR, ILOC = 32, JLOC = 12, KLOC = 1
MONITOR, ILOC = 36, JLOC = 12, KLOC = 1
!
STEPS, FILE= BINARY, NSTEP=20
TIMES, FILE= ASCII,  VALUES= 0.0, 3.155693E09, 1.104493E10,&
                                     3.155693E10, 9.467079E10,&
                                     1.577847E11, 2.208985E11,&
                                     2.840124E11, 3.155693E11
PRIBIN,&

```

```

PRESBRIN,  PRES GAS,  POROS,    DENGAS,    PERMBRX,  PERMGASX, &
SATGAS,    FLOWGASX,  FLOWGASY,  FLOWBRX,   FLOWBRY, &
FECONC,    CELLCONC, BRINRATE
!
PRIASC, &
PRESBRIN,  PRES GAS,  POROS,    SATGAS,    FECONC,    CELLCONC
!
!HORIZONTAL BRINE FLOW ACROSS 2.4K SOUTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES=  FLOWBRX,  IRANGE= 6,6,   JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES=  FLOWBRX,  IRANGE= 6,6,   JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES=  FLOWBRX,  IRANGE= 6,6,   JRANGE=17,17, KRANGE=1,1
!HORIZONTAL BRINE FLOW ACROSS 2.4K SOUTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES=  FLOWBRX,  IRANGE= 6,6,   JRANGE=25,33, KRANGE=1,1
!HORIZONTAL BRINE FLOW ACROSS 2.4K NORTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES=  FLOWBRX,  IRANGE= 63,63,  JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES=  FLOWBRX,  IRANGE= 63,63,  JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES=  FLOWBRX,  IRANGE= 63,63,  JRANGE=17,17, KRANGE=1,1
!HORIZONTAL BRINE FLOW ACROSS 2.4K NORTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES=  FLOWBRX,  IRANGE= 63,63,  JRANGE=25,33, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K SOUTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES=  FLOWGASX,  IRANGE= 6,6,   JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES=  FLOWGASX,  IRANGE= 6,6,   JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES=  FLOWGASX,  IRANGE= 6,6,   JRANGE=17,17, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K SOUTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES=  FLOWGASX,  IRANGE= 6,6,   JRANGE=25,33, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K NORTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES=  FLOWGASX,  IRANGE= 63,63,  JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES=  FLOWGASX,  IRANGE= 63,63,  JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES=  FLOWGASX,  IRANGE= 63,63,  JRANGE=17,17, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K NORTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES=  FLOWGASX,  IRANGE= 63,63,  JRANGE=25,33, KRANGE=1,1
!BRINE FLOW ACROSS DRZ AND MARKER BEDS BOUNDARY
HISTORY, NAMES=  FLOWBRX,  IRANGE= 23,23,   JRANGE= 7,17, KRANGE=1,1
HISTORY, NAMES=  FLOWBRX,  IRANGE= 46,46,   JRANGE= 7,17, KRANGE=1,1
!GAS FLOW ACROSS DRZ AND MARKER BEDS BOUNDARY
HISTORY, NAMES=  FLOWGASX,  IRANGE= 23,23,   JRANGE= 7,17, KRANGE=1,1
HISTORY, NAMES=  FLOWGASX,  IRANGE= 46,46,   JRANGE= 7,17, KRANGE=1,1
!
!VERTICAL BRINE FLOW ACROSS BOTTOM OF UPPER DRZ
HISTORY, NAMES=  FLOWBRY,  IRANGE= 23,45,   JRANGE=13,13, KRANGE=1,1
!VERTICAL BRINE FLOW ACROSS TOP OF LOWER DRZ
HISTORY, NAMES=  FLOWBRY,  IRANGE= 23,45,   JRANGE=10,10, KRANGE=1,1
!
!VERTICAL GAS FLOW ACROSS BOTTOM OF UPPER DRZ
HISTORY, NAMES=  FLOWGASY,  IRANGE= 23,45,   JRANGE=13,13, KRANGE=1,1
!VERTICAL GAS FLOW ACROSS TOP OF LOWER DRZ
HISTORY, NAMES=  FLOWGASY,  IRANGE= 23,45,   JRANGE=10,10, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW SOUTH SIDE OF S_REPOSITORY
HISTORY, NAMES=  FLOWBRX,  IRANGE=32,32,   JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW SOUTH SIDE OF S_REPOSITORY
HISTORY, NAMES=  FLOWGASX, IRANGE=32,32,   JRANGE= 10,12, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW NORTH SIDE OF N_REPOSITORY
HISTORY, NAMES=  FLOWBRX,  IRANGE=38,38,   JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW NORTH SIDE OF REPOSITORY
HISTORY, NAMES=  FLOWGASX, IRANGE=38,38,   JRANGE= 10,12, KRANGE=1,1

```

```

!
!HORIZONTAL BRINE FLOW SOUTH SIDE OF PANEL
HISTORY, NAMES= FLOWBRX, IRANGE= 23,23, JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW SOUTH SIDE OF PANEL
HISTORY, NAMES= FLOWGASX, IRANGE= 23,23, JRANGE= 10,12, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW NORTH SIDE OF PANEL
HISTORY, NAMES= FLOWBRX, IRANGE=30,30, JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW NORTH SIDE OF PANEL
HISTORY, NAMES= FLOWGASX, IRANGE=30,30, JRANGE= 10,12, KRANGE=1,1
!
!GAS SATURATION IN PANEL
HISTORY, NAMES= SATGAS, IRANGE=23,29, JRANGE= 10,12, KRANGE=1,1
!
!GAS SATURATION IN REPOSITORY
HISTORY, NAMES= SATGAS, IRANGE= 32,33, JRANGE= 10,12, KRANGE=1,1
HISTORY, NAMES= SATGAS, IRANGE= 36,37, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN PANEL
HISTORY, NAMES= PRESBRIN, IRANGE=23,29, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN REPOSITORY
HISTORY, NAMES= PRESBRIN, IRANGE= 32,33, JRANGE=10,12, KRANGE=1,1
HISTORY, NAMES= PRESBRIN, IRANGE= 36,37, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN BRINE POCKET
HISTORY, NAMES= PRESBRIN, IRANGE= 26,26, JRANGE= 1,1, KRANGE=1,1
!
!BRINE PRESSURE IN INTERSECTION OF BOREHOLE AND CULEBRA
HISTORY, NAMES= PRESBRIN, IRANGE= 26,26, JRANGE= 26,26, KRANGE=1,1
!*****
!
! END OF HISTORY VARIABLES
!*****
!
*REACTION_CHEMISTRY
!
WICKING, MAT= WAS_AREA, VALUE=SAT_WICK
NUMERICS, SMOOTH=ON, ALPHARXN=-1000.0
RATES, MAT=WAS_AREA, COR_IN=GRATCORI, COR_HUM=GRATCORH, &
MIC_IN=GRATMICI, MIC_HUM=GRATMICH, &
SCOR_GAS=STOICOR, SMIC_GAS=STOIMIC
!
VOLUME, MAT=WAS_AREA, VOL_CHW = VOLCHW, VOL_RHW = VOLRHW
!
DENSITY, MAT=WAS_AREA, METAL_RH= DRH_METL, BIO_RH= DRH_BIO, &
METAL_CH= DCH_METL, BIO_CH= DCH_BIO
!
SATURATION, MAT=WAS_AREA, VALUE= SAT_IBRN
!
MOLWTS, MAT= REFCON, MW_FE = MW_FE
MOLWTS, MAT= REFCON, MW_CEL = MW_CELL
!
MISC, MAT= REFCON, VREPOS = VREPOS, &
VPANLEX = VPANLEX, &
VROOM = VROOM, &
ASDRUM = ASDRUM, &
DRROOM = DRROOM

```

!  
!  
!=====

\*PROPERTIES

! GET SOLID properties from CAMDAT file

!Salado Halite

SOLID, MAT=S\_HALITE, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
RELP_MODEL	=	RELP_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

SOLID, MAT=DRZ\_0, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
RELP_MODEL	=	RELP_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

SOLID, MAT=DRZ\_1, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
RELP_MODEL	=	RELP_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

SOLID, MAT=DRZ\_PCS, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
RELP_MODEL	=	RELP_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

SOLID, MAT=S\_MB139, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
RELP_MODEL	=	RELP_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

```

!
SOLID, MAT=S_ANH_AB, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL  = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=S_MB138, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL  = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=CAVITY_1, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL  = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=CAVITY_2, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL  = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=CAVITY_3, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL  = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=CAVITY_4, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &

```

```

PC_MAX      = PC_MAX,          CAP_MOD     = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=IMPERM_Z, &
PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY    = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR       = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES     = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN      = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD     = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=CASTILER, &
PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY    = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR       = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES     = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN      = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD     = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=WAS_AREA, &
PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY    = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR       = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES     = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN      = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD     = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=REPOSIT, &
PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY    = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR       = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES     = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN      = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD     = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=DRF_PCS, &
PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY    = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR       = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES     = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN      = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD     = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=CONC_PCS, &
PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY    = POROSITY, &

```



```

BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=UNNAMED, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=CULEBRA, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=TAMARISK, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=MAGENTA, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=FORTYNIN, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!

```

```

SOLID, MAT=DEWYLAKE, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

!

```

SOLID, MAT=SANTAROS, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

!

```

SOLID, MAT=OPS_AREA, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

!

```

SOLID, MAT=EXP_AREA, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

!

```

SOLID, MAT=CONC_MON, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

!

```

SOLID, MAT=SHFTU, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &

```

```

REL_P_MODEL = REL_P_MOD,      PCT_A      = PCT_A, &
PCT_EXP      = PCT_EXP,      PCT_FLAG   = KPT
!
SOLID, MAT=SHFTL_T1, &
PRM_X        = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z        = PERM_Z,      POROSITY   = POROSITY, &
BCSOR        = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM        = PORE_DIS,    COMPRES    = POR_COMP, &
SB_MIN       = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX       = PC_MAX,      CAP_MOD    = CAP_MOD, &
REL_P_MODEL  = REL_P_MOD,    PCT_A      = PCT_A, &
PCT_EXP      = PCT_EXP,      PCT_FLAG   = KPT
!
SOLID, MAT=SHFTL_T2, &
PRM_X        = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z        = PERM_Z,      POROSITY   = POROSITY, &
BCSOR        = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM        = PORE_DIS,    COMPRES    = POR_COMP, &
SB_MIN       = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX       = PC_MAX,      CAP_MOD    = CAP_MOD, &
REL_P_MODEL  = REL_P_MOD,    PCT_A      = PCT_A, &
PCT_EXP      = PCT_EXP,      PCT_FLAG   = KPT
!
SOLID, MAT=CONC_PLG, &
PRM_X        = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z        = PERM_Z,      POROSITY   = POROSITY, &
BCSOR        = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM        = PORE_DIS,    COMPRES    = POR_COMP, &
SB_MIN       = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX       = PC_MAX,      CAP_MOD    = CAP_MOD, &
REL_P_MODEL  = REL_P_MOD,    PCT_A      = PCT_A, &
PCT_EXP      = PCT_EXP,      PCT_FLAG   = KPT
!
SOLID, MAT=BH_OPEN, &
PRM_X        = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z        = PERM_Z,      POROSITY   = POROSITY, &
BCSOR        = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM        = PORE_DIS,    COMPRES    = POR_COMP, &
SB_MIN       = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX       = PC_MAX,      CAP_MOD    = CAP_MOD, &
REL_P_MODEL  = REL_P_MOD,    PCT_A      = PCT_A, &
PCT_EXP      = PCT_EXP,      PCT_FLAG   = KPT
SOLID, MAT=BH_SAND, &
PRM_X        = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z        = PERM_Z,      POROSITY   = POROSITY, &
BCSOR        = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM        = PORE_DIS,    COMPRES    = POR_COMP, &
SB_MIN       = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX       = PC_MAX,      CAP_MOD    = CAP_MOD, &
REL_P_MODEL  = REL_P_MOD,    PCT_A      = PCT_A, &
PCT_EXP      = PCT_EXP,      PCT_FLAG   = KPT
SOLID, MAT=BH_CREEP, &
PRM_X        = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z        = PERM_Z,      POROSITY   = POROSITY, &
BCSOR        = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM        = PORE_DIS,    COMPRES    = POR_COMP, &
SB_MIN       = SB_MIN,      PB_MIN     = PO_MIN, &

```

```

PC_MAX      = PC_MAX,          CAP_MOD     = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT
!
! GET FRACTURE PROPERTIES
FRACTURE, MAT= S_MB139,  FRAC_PI   = PI_DELTA,  FRAC_PF   = PF_DELTA, &
                        FRAC_PHI   = PHIMAX,  FRAC_EXP  = PERM_EXP, &
                        FRAC_PMX    = IFRX,    FRAC_PMY  = IFRY, &
                        FRAC_PMZ    = IFRZ
!
FRACTURE, MAT= S_ANH_AB, FRAC_PI   = PI_DELTA,  FRAC_PF   = PF_DELTA, &
                        FRAC_PHI   = PHIMAX,  FRAC_EXP  = PERM_EXP, &
                        FRAC_PMX    = IFRX,    FRAC_PMY  = IFRY, &
                        FRAC_PMZ    = IFRZ
!
FRACTURE, MAT= S_MB138,  FRAC_PI   = PI_DELTA,  FRAC_PF   = PF_DELTA, &
                        FRAC_PHI   = PHIMAX,  FRAC_EXP  = PERM_EXP, &
                        FRAC_PMX    = IFRX,    FRAC_PMY  = IFRY, &
                        FRAC_PMZ    = IFRZ
!
FRACTURE, MAT= DRZ_0,   FRAC_PI   = PI_DELTA,  FRAC_PF   = PF_DELTA, &
                        FRAC_PHI   = PHIMAX,  FRAC_EXP  = PERM_EXP, &
                        FRAC_PMX    = IFRX,    FRAC_PMY  = IFRY, &
                        FRAC_PMZ    = IFRZ
!
FRACTURE, MAT= DRZ_1,   FRAC_PI   = PI_DELTA,  FRAC_PF   = PF_DELTA, &
                        FRAC_PHI   = PHIMAX,  FRAC_EXP  = PERM_EXP, &
                        FRAC_PMX    = IFRX,    FRAC_PMY  = IFRY, &
                        FRAC_PMZ    = IFRZ
!
! GET FLUID (brine and gas) properties from CAMDAT file
FLUID, MAT=BRINESAL, SALINITY=WTF, DEN_BR=DNSFLUID, &
COMPR_BR= COMP, REF_PRES=REF_PRES, REF_TEMP= REF_TEMP, &
INTERP = 1, VIS_BR=VISCO
FLUID, MAT=H2, VIS_GAS=VISCO, DGAS = OFF, &
H2_MOLE =1.0, CO2_MOLE=0.0, CH4_MOLE=0.0, &
N2_MOLE= 0.0, H2S_MOLE=0.0, O2_MOLE=0.0
FLUID, MAT=S_MB139, KLINK=ON, B_KLINK=BKLINK, EXP_KLINK=EXPKLINK
!
FLUID, MAT= REFCON, R_GAS      = R
FLUID, MAT= REFCON, MW_H2O    = MW_H2O
FLUID, MAT= REFCON, MW_SALT   = MW_NACL
FLUID, MAT= REFCON, MW_H2     = MW_H2,   TC_H2   = TC_H2,   PC_H2   = PC_H2, &
ACEN_H2   = ACF_H2,   H2_CO2  = BIP_12,  H2_CH4  = BIP_13, &
H2_N2    = BIP_14,   H2_H2S   = BIP_15,  H2_O2   = BIP_16
FLUID, MAT= REFCON, MW_CO2    = MW_CO2,   TC_CO2  = TC_CO2,   PC_CO2  = PC_CO2, &
ACEN_CO2  = ACF_CO2,  CO2_CH4= BIP_23,   CO2_N2  = BIP_24, &
CO2_H2S   = BIP_25 , CO2_O2  = BIP_26
FLUID, MAT= REFCON, MW_CH4    = MW_CH4,   TC_CH4  = TC_CH4,   PC_CH4  = PC_CH4, &
ACEN_CH4  = ACF_CH4,  CH4_N2  = BIP_34,   CH4_H2S= BIP_35, &
CH4_O2    = BIP_36
FLUID, MAT= REFCON, MW_N2     = MW_N2,   TC_N2   = TC_N2,   PC_N2   = PC_N2, &
ACEN_N2   = ACF_N2,   N2_H2S   = BIP_45,  N2_O2   = BIP_46
FLUID, MAT= REFCON, MW_H2S    = MW_H2S,   TC_H2S  = TC_H2S,   PC_H2S  = PC_H2S, &
ACEN_H2S  = ACF_H2S,  H2S_O2  = BIP_56
FLUID, MAT= REFCON, MW_O2     = MW_O2,   TC_O2   = TC_O2,   PC_O2   = PC_O2, &
ACEN_O2   = ACF_O2

```

```

FLUID, MAT= REFCON, OMEGA_A = OMEGAA , OMEGA_B = OMEGAB
!
*DIRICHLET
DIRICHLET, MAT=CULEBRA, PRESSURE=PRESSURE,&
      IRANGE=1,1, JRANGE=26,26, KRANGE=1,1
DIRICHLET, MAT=CULEBRA, PRESSURE=PRESSURE,&
      IRANGE=68,68, JRANGE=26,26, KRANGE=1,1
DIRICHLET, MAT=MAGENTA, PRESSURE=PRESSURE,&
      IRANGE=1,1, JRANGE=28,28, KRANGE=1,1
DIRICHLET, MAT=MAGENTA, PRESSURE=PRESSURE,&
      IRANGE=68,68, JRANGE=28,28, KRANGE=1,1
DIRICHLET, MAT=SANTAROS, PRESSURE=PRESSURE,&
      IRANGE=1,68, JRANGE=33,33, KRANGE=1,1
DIRICHLET, MAT=SANTAROS, SATURATION=SAT_IBRN,&
      IRANGE=1,68, JRANGE=33,33, KRANGE=1,1
*END

```

**SCENARIO: S3**

```

$ type bfl_cra1_s3.inp
! TITLE: BRAGFLO 2003 CRA1 (PREBRAG)
! SCENARIO: S3
! ANALYSTS: Joshua Stein and Bill Zelinski
! MODIFIED: 01/04/03
!=====
! SCENARIO: UNDISTURBED SCENERIO
! : SINGLE CLOSURE SURFACE
! : A) CREEP CLOSURE IN WASTE AREAS
! : PANEL ON SOUTH, REST OF REPOSITORY ON NORTH
! : SHAFT ADDED
! : FRACTURING IN UPPER AND LOWER DRZ
!
! 28 Mar 02 JSS rev4 Added REPOSIT material and map to fix problem
! with WASTE materials.
! 02 Apr 02 JSS rev5 Changed DRF_PCS in the PCS adjacent to the OPS_AREA
! to be mapped as OPS_AREA, which is appropriate for
! preclosed excavated regions.
! 15 Jan 03 WPZ rev6 Added shaft. Fracturing in both upper and lower DRZ
! 01 Apr 03 WPZ rev7 modified to run with PREBRAG, Version 7.00 to produce
! input to BRAGFLO 5.0. Accomodates constants that used to
! be included in BRAGFLO code that must now be included
! in input.
!=====

```

```

*HEADING
TITLE2 = 2003 BRAGFLO: CRA, CALCULATION: E1 AT 1000 YRS
!=====

```

```

!CLOSURE INFORMATION
*CLOSURE
CONTROL, TYPE = PRESSURE, AVE = CELL
SURFACE, MODEL = JAN_96, PRES_LITHO = 50.0E6, TIME_OFF = 3.155693E12,&
      PERM_FACTOR= WAS_AREA:PERM_X, PERM_EXP = 0.0
REGION, MAT = WAS_AREA, MODEL = JAN_96
REGION, MAT = REPOSIT, MODEL = JAN_96
REGION, MAT = DRF_PCS, MODEL = JAN_96
!=====

```

```

*RESET
!RESET REGIONS ARE GIVEN THE INITIAL PRESSURE AND SATURATION SPECIFIED IN

```

```

! THE INITIAL CONDITIONS AT THE RESET TIME
REGION,MAT=CAVITY_1
REGION,MAT=CAVITY_2
REGION,MAT=CAVITY_3
REGION,MAT=CAVITY_4
TIME=0.0
WASTE,MAT_OLD=CAVITY_1,MAT_NEW=WAS_AREA,&
      PRES_BRINE=101325.0, SAT_BRINE=0.0
WASTE,MAT_OLD=CAVITY_2,MAT_NEW=REPOSIT,&
      PRES_BRINE=101325.0, SAT_BRINE=0.0
!=====
*INITIAL_CONDITIONS
!BEGIN SIMULATION AT -5 YEARS
BEGIN, TIME=-1.577846E8
SATBR, ID_BRINE =SATBREL
PRESSURE,ID_PRES =PRESEL
CONFE , ID_CONFE =FECONC
CONCELL, ID_CONCEL=CH2OCONC
ELEVAT, ID_ELEV =ELEVE
!=====
*STEP_CONTROL
!TIME STEP IS REDUCED
! 1. AT 0 YEARS: WASTE IS INTRODUCED,
  TIME,BEGIN=0.0, DT=864.0
! 2. AT 200 YEARS: MATERIAL CHANGE
  TIME,BEGIN=6.311385E9, DT=864.0
! 3. AT 1000 YEARS: MATERIAL CHANGE
  TIME,BEGIN=3.155693E10, DT=864.0
! 4. AT 1200 YEARS: MATERIAL CHANGE
  TIME,BEGIN=3.786831E10, DT=864.0
! 5. AT 2200 YEARS: MATERIAL CHANGE
  TIME,BEGIN=6.942524E10, DT=864.0
!=====
*MODIFY_MAP
! ID=1 => 0 YEARS : WASTE INTRODUCED, SHAFT SEALS AND FILL INTRODUCED
! ID=2 => 200 YEARS : COMPACTED SALT (TIME PERIOD 6)
TIME,TIME_ID=1, BEGIN= 0.0
TIME,TIME_ID=2, BEGIN= 6.311385E9
TIME,TIME_ID=3, BEGIN= 3.155693E10
TIME,TIME_ID=4, BEGIN= 3.786831E10
TIME,TIME_ID=5, BEGIN= 6.942524E10
!*****
! 0 YEARS
!*****
!INTRODUCE FINAL DRZ MATERIAL
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=23,30, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=32,34, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=36,38, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=40,42, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=44,45, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=23,30, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=32,34, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=36,38, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=40,42, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=44,45, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=31,31, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=35,35, JRANGE=15,16, KRANGE=1,1

```

```

MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=39,39, JRANGE=15,16, KRANGE=1,1
!INTRODUCE SHFTU upper shaft
MODIFY, MAT=SHFTU, TIME_ID=1, IRANGE=43,43, JRANGE=25,33, KRANGE=1,1
!INTRODUCE SHFTL_T1 lower shaft t1
MODIFY, MAT=SHFTL_T1, TIME_ID=1, IRANGE=43,43, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=SHFTL_T1, TIME_ID=1, IRANGE=43,43, JRANGE=18,24, KRANGE=1,1
!INTRODUCE CONC-MON lowest part of shaft filled with concrete
MODIFY, MAT=CONC_MON, TIME_ID=1, IRANGE=43,43, JRANGE=8,13, KRANGE=1,1
!INTRODUCE WASTE INTO PANEL REGION
MODIFY, MAT=WAS_AREA, TIME_ID=1, IRANGE=23,29, JRANGE=10,12, KRANGE=1,1
!INTRODUCE WASTE INTO REST OF REPOSITORY
MODIFY, MAT=REPOSIT, TIME_ID=1, IRANGE=32,33, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=REPOSIT, TIME_ID=1, IRANGE=36,37, JRANGE=10,12, KRANGE=1,1
!INTRODUCE PANEL SEAL BACKFILL modeled as was_area
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=30,30, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=34,34, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=38,38, JRANGE=10,12, KRANGE=1,1
!MODIFY, MAT=OPS_AREA, TIME_ID=1, IRANGE=42,42, JRANGE=10,12, KRANGE=1,1
!INTRODUCE PANEL CLOSURE CONCRETE
MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=31,31, JRANGE=8,13, KRANGE=1,1
MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=35,35, JRANGE=8,13, KRANGE=1,1
MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=39,39, JRANGE=8,13, KRANGE=1,1
!MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=43,43, JRANGE=8,13, KRANGE=1,1
!INTRODUCE PANEL CLOSURE CONCRETE AT MB139 LEVEL
!MODIFY, MAT=CPCS_F, TIME_ID=1, IRANGE=31,31, JRANGE=7,7, KRANGE=1,1
!MODIFY, MAT=CPCS_F, TIME_ID=1, IRANGE=35,35, JRANGE=7,7, KRANGE=1,1
!MODIFY, MAT=CPCS_F, TIME_ID=1, IRANGE=39,39, JRANGE=7,7, KRANGE=1,1
!MODIFY, MAT=CPCS_F, TIME_ID=1, IRANGE=43,43, JRANGE=7,7, KRANGE=1,1
!INTRODUCE OPERATIONS REGION MATERIAL
MODIFY, MAT=OPS_AREA, TIME_ID=1, IRANGE=40,42, JRANGE=10,12, KRANGE=1,1
!INTRODUCE EXPERIMENTAL REGION MATERIAL
MODIFY, MAT=EXP_AREA, TIME_ID=1, IRANGE=44,45, JRANGE=10,12, KRANGE=1,1
!INTRODUCE UNNAMED MEMBER OF THE RUSTLER
MODIFY, MAT=UNNAMED, TIME_ID=1, IRANGE= 1,42, JRANGE=25,25, KRANGE=1,1
MODIFY, MAT=UNNAMED, TIME_ID=1, IRANGE=44,68, JRANGE=25,25, KRANGE=1,1
!INTRODUCE TRUE CULEBRA REGION TO ALLOW BRINE INFLOW TO SHAFT
MODIFY, MAT=CULEBRA, TIME_ID=1, IRANGE= 1,42, JRANGE=26,26, KRANGE=1,1
MODIFY, MAT=CULEBRA, TIME_ID=1, IRANGE=44,68, JRANGE=26,26, KRANGE=1,1
!INTRODUCE TAMARISK
MODIFY, MAT=TAMARISK, TIME_ID=1, IRANGE= 1,42, JRANGE=27,27, KRANGE=1,1
MODIFY, MAT=TAMARISK, TIME_ID=1, IRANGE=44,68, JRANGE=27,27, KRANGE=1,1
!INTRODUCE MAGENTA
MODIFY, MAT=MAGENTA, TIME_ID=1, IRANGE= 1,42, JRANGE=28,28, KRANGE=1,1
MODIFY, MAT=MAGENTA, TIME_ID=1, IRANGE=44,68, JRANGE=28,28, KRANGE=1,1
!INTRODUCE FORTY-NINER
MODIFY, MAT=FORTYNIN, TIME_ID=1, IRANGE= 1,42, JRANGE=29,29, KRANGE=1,1
MODIFY, MAT=FORTYNIN, TIME_ID=1, IRANGE= 44,68, JRANGE=29,29, KRANGE=1,1
!INTRODUCE DEWEY LAKE RED BEDS
MODIFY, MAT=DEWYLAKE, TIME_ID=1, IRANGE= 1,42, JRANGE=30,31, KRANGE=1,1
MODIFY, MAT=DEWYLAKE, TIME_ID=1, IRANGE= 44,68, JRANGE=30,31, KRANGE=1,1
!INTRODUCE SANTA ROSA FORMATION
MODIFY, MAT=SANTAROS, TIME_ID=1, IRANGE= 1,42, JRANGE=32,33, KRANGE=1,1
MODIFY, MAT=SANTAROS, TIME_ID=1, IRANGE= 44,68, JRANGE=32,33, KRANGE=1,1
!*****
!
!          END OF TIME PERIOD 1 MATERIAL RESETS
!*****
!*****
!*****

```

```

! 200 YEARS
!*****
!INTRODUCE CHANGE IN LOWER SHAFT MATERIAL
MODIFY, MAT=SHFTL_T2, TIME_ID=2, IRANGE=43,43, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=SHFTL_T2, TIME_ID=2, IRANGE=43,43, JRANGE=18,24, KRANGE=1,1

!*****
!
!           END OF TIME PERIOD 2 MATERIAL RESET
!=====
!=====
! 1000 years
!=====
! Introduce borehole material
!
MODIFY, MAT=BH_OPEN,    TIME_ID=3, IRANGE=26,26, JRANGE=1, 24, KRANGE=1,1
MODIFY, MAT=CONC_PLG,   TIME_ID=3, IRANGE=26,26, JRANGE=25,25, KRANGE=1,1
MODIFY, MAT=BH_OPEN,    TIME_ID=3, IRANGE=26,26, JRANGE=26,31, KRANGE=1,1
MODIFY, MAT=CONC_PLG,   TIME_ID=3, IRANGE=26,26, JRANGE=32,33, KRANGE=1,1
!
!=====
! 1200 years
!=====
! Introduce borehole material
!
MODIFY, MAT=BH_SAND,    TIME_ID=4, IRANGE=26,26, JRANGE=1, 33, KRANGE=1,1
!
!=====
! 2200 years
!=====
! Introduce borehole material
!
MODIFY, MAT=BH_CREEP,   TIME_ID=5, IRANGE=26,26, JRANGE=1, 9, KRANGE=1,1
!
!=====
*GEOMETRY
COORD= CARTESIAN
!=====
*SIMULATION_CONTROL
INTEGRATION, TMAX=3.155693E11, DT_INIT=8.64,DT_MIN= 8.64E-4, DT_MAX=1.728E9,&
             DT_INCR=1.25,  DT_REDU= 0.5,  AUTODT=YES,  TSWITCH=1.0,&
             MAXSTEPS=10000
!
ITERATION, DSATLIM= 2.E-1, DPRESLIM = -1.E8 , SATLIM= 1.E-3,&
           SATNORM= 0.30,  PRESNORM = 5.0E5,&
           ITMAX= 8,      IRESETMAX= 40, IJACINT= 1,&
           IJACSWITCH=41, IJACMIN= 1,   IJACRESET= 5,&
           IUPRPFLAG =9,  IUPMFFLAG= 9,  IUPRPLOOSE= 9,&
           IUPMFLOOSE=9
!
ITERATION, DHSAT_REL= 1.0E-8,  DHPRES_REL=1.0E-8,&
           DHSAT_MIN= 1.0E-10, DHPRES_MIN=1.0E-2
!
ITERATION, EPS_SAT  = 3.0E+0,    EPS_PRES   = 1.E-2,&
           R_EPS_SAT= 3.0E+0,    R_EPS_PRES = 1.E-2,&
           FTOL_SAT  = 1.0E-2,    FTOL_PRES  = 1.0E-2,&
           R_FTOL_SAT=1.0E-2,    R_FTOL_PRES = 1.0E-2, CONV_TEST = AND
!

```



```

NUMERICS, SOLVER=LU
NUMERICS, JACSCALE= 1.0e7, VSWITCH=NO
NUMERICS, ITRAVE= HARMONIC, IMFRAVE=UPSTREAM
!
GRAVITY, MAT= REFCON, G_ACC= GRAVACC
!
!=====
*OUTPUT_CONTROL
!
UNITS= SI
MONITOR, ILOC = 26, JLOC = 12, KLOC = 1
MONITOR, ILOC = 32, JLOC = 12, KLOC = 1
MONITOR, ILOC = 36, JLOC = 12, KLOC = 1
!
STEPS, FILE= BINARY, NSTEP=20
TIMES, FILE= ASCII, VALUES= 0.0, 3.155693E09, 1.104493E10, &
                                     3.155693E10, 9.467079E10, &
                                     1.577847E11, 2.208985E11, &
                                     2.840124E11, 3.155693E11
PRIBIN, &
    PRESBRIN,  PRESGAS,  POROS,  DENGAS,  PERMBRX,  PERMGASX, &
    SATGAS,    FLOWGASX, FLOWGASY, FLOWBRX,  FLOWBRY, &
    FECONC,    CELLCONC, BRINRATE
!
PRIASC, &
    PRESBRIN,  PRESGAS,  POROS,  SATGAS,  FECONC,  CELLCONC
!
!HORIZONTAL BRINE FLOW ACROSS 2.4K SOUTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES= FLOWBRX,  IRANGE= 6,6,  JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES= FLOWBRX,  IRANGE= 6,6,  JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES= FLOWBRX,  IRANGE= 6,6,  JRANGE=17,17, KRANGE=1,1
!HORIZONTAL BRINE FLOW ACROSS 2.4K SOUTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES= FLOWBRX,  IRANGE= 6,6,  JRANGE=25,33, KRANGE=1,1
!HORIZONTAL BRINE FLOW ACROSS 2.4K NORTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES= FLOWBRX,  IRANGE= 63,63, JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES= FLOWBRX,  IRANGE= 63,63, JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES= FLOWBRX,  IRANGE= 63,63, JRANGE=17,17, KRANGE=1,1
!HORIZONTAL BRINE FLOW ACROSS 2.4K NORTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES= FLOWBRX,  IRANGE= 63,63, JRANGE=25,33, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K SOUTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES= FLOWGASX,  IRANGE= 6,6,  JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES= FLOWGASX,  IRANGE= 6,6,  JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES= FLOWGASX,  IRANGE= 6,6,  JRANGE=17,17, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K SOUTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES= FLOWGASX,  IRANGE= 6,6,  JRANGE=25,33, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K NORTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES= FLOWGASX,  IRANGE= 63,63, JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES= FLOWGASX,  IRANGE= 63,63, JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES= FLOWGASX,  IRANGE= 63,63, JRANGE=17,17, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K NORTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES= FLOWGASX,  IRANGE= 63,63, JRANGE=25,33, KRANGE=1,1
!BRINE FLOW ACROSS DRZ AND MARKER BEDS BOUNDARY
HISTORY, NAMES= FLOWBRX,  IRANGE= 23,23,  JRANGE= 7,17, KRANGE=1,1
HISTORY, NAMES= FLOWBRX,  IRANGE= 46,46,  JRANGE= 7,17, KRANGE=1,1
!GAS FLOW ACROSS DRZ AND MARKER BEDS BOUNDARY
HISTORY, NAMES= FLOWGASX,  IRANGE= 23,23,  JRANGE= 7,17, KRANGE=1,1
HISTORY, NAMES= FLOWGASX,  IRANGE= 46,46,  JRANGE= 7,17, KRANGE=1,1

```

```

!
!VERTICAL BRINE FLOW ACROSS BOTTOM OF UPPER DRZ
HISTORY, NAMES= FLOWBRY, IRANGE= 23,45, JRANGE=13,13, KRANGE=1,1
!VERTICAL BRINE FLOW ACROSS TOP OF LOWER DRZ
HISTORY, NAMES= FLOWBRY, IRANGE= 23,45, JRANGE=10,10, KRANGE=1,1
!
!VERTICAL GAS FLOW ACROSS BOTTOM OF UPPER DRZ
HISTORY, NAMES= FLOWGASY, IRANGE= 23,45, JRANGE=13,13, KRANGE=1,1
!VERTICAL GAS FLOW ACROSS TOP OF LOWER DRZ
HISTORY, NAMES= FLOWGASY, IRANGE= 23,45, JRANGE=10,10, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW SOUTH SIDE OF S_REPOSITORY
HISTORY, NAMES= FLOWBRX, IRANGE=32,32, JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW SOUTH SIDE OF S_REPOSITORY
HISTORY, NAMES= FLOWGASX, IRANGE=32,32, JRANGE= 10,12, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW NORTH SIDE OF N_REPOSITORY
HISTORY, NAMES= FLOWBRX, IRANGE=38,38, JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW NORTH SIDE OF REPOSITORY
HISTORY, NAMES= FLOWGASX, IRANGE=38,38, JRANGE= 10,12, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW SOUTH SIDE OF PANEL
HISTORY, NAMES= FLOWBRX, IRANGE= 23,23, JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW SOUTH SIDE OF PANEL
HISTORY, NAMES= FLOWGASX, IRANGE= 23,23, JRANGE= 10,12, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW NORTH SIDE OF PANEL
HISTORY, NAMES= FLOWBRX, IRANGE=30,30, JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW NORTH SIDE OF PANEL
HISTORY, NAMES= FLOWGASX, IRANGE=30,30, JRANGE= 10,12, KRANGE=1,1
!
!GAS SATURATION IN PANEL
HISTORY, NAMES= SATGAS, IRANGE=23,29, JRANGE= 10,12, KRANGE=1,1
!
!GAS SATURATION IN REPOSITORY
HISTORY, NAMES= SATGAS, IRANGE= 32,33, JRANGE= 10,12, KRANGE=1,1
HISTORY, NAMES= SATGAS, IRANGE= 36,37, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN PANEL
HISTORY, NAMES= PRESBRIN, IRANGE=23,29, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN REPOSITORY
HISTORY, NAMES= PRESBRIN, IRANGE= 32,33, JRANGE= 10,12, KRANGE=1,1
HISTORY, NAMES= PRESBRIN, IRANGE= 36,37, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN BRINE POCKET
HISTORY, NAMES= PRESBRIN, IRANGE= 26,26, JRANGE= 1,1, KRANGE=1,1
!
!BRINE PRESSURE IN INTERSECTION OF BOREHOLE AND CULEBRA
HISTORY, NAMES= PRESBRIN, IRANGE= 26,26, JRANGE= 26,26, KRANGE=1,1
!*****
!
! END OF HISTORY VARIABLES
!*****
!
*REACTION_CHEMISTRY
!
WICKING, MAT= WAS_AREA, VALUE=SAT_WICK

```

```

NUMERICS, SMOOTH=ON, ALPHARXN=-1000.0
RATES, MAT=WAS_AREA, COR_IN=GRATCORI, COR_HUM=GRATCORH, &
      MIC_IN=GRATMICI, MIC_HUM=GRATMICH, &
      SCOR_GAS=STOICOR, SMIC_GAS=STOIMIC
!
VOLUME, MAT=WAS_AREA, VOL_CHW = VOLCHW, VOL_RHW = VOLRHW
!
DENSITY, MAT=WAS_AREA, METAL_RH= DRH_METL, BIO_RH= DRH_BIO, &
      METAL_CH= DCH_METL, BIO_CH= DCH_BIO
!
SATURATION, MAT=WAS_AREA, VALUE= SAT_IBRN
!
MOLWTS, MAT= REFCON, MW_FE = MW_FE
MOLWTS, MAT= REFCON, MW_CEL = MW_CELL
!
MISC, MAT= REFCON, VREPOS = VREPOS, &
      VPANLEX = VPANLEX, &
      VROOM = VROOM, &
      ASDRUM = ASDRUM, &
      DRROOM = DRROOM
!
!
!=====
*PROPERTIES
! GET SOLID properties from CAMDAT file
!Salado Halite
SOLID, MAT=S_HALITE, &
      PRM_X = PERM_X, PRM_Y = PERM_Y, &
      PRM_Z = PERM_Z, POROSITY = POROSITY, &
      BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
      BCLAM = PORE_DIS, COMPRES = POR_COMP, &
      SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
      PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
      RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
      PCT_EXP = PCT_EXP, PCT_FLAG = KPT
!
SOLID, MAT=DRZ_0, &
      PRM_X = PERM_X, PRM_Y = PERM_Y, &
      PRM_Z = PERM_Z, POROSITY = POROSITY, &
      BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
      BCLAM = PORE_DIS, COMPRES = POR_COMP, &
      SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
      PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
      RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
      PCT_EXP = PCT_EXP, PCT_FLAG = KPT
!
SOLID, MAT=DRZ_1, &
      PRM_X = PERM_X, PRM_Y = PERM_Y, &
      PRM_Z = PERM_Z, POROSITY = POROSITY, &
      BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
      BCLAM = PORE_DIS, COMPRES = POR_COMP, &
      SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
      PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
      RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
      PCT_EXP = PCT_EXP, PCT_FLAG = KPT
!
SOLID, MAT=DRZ_PCS, &

```

```
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
```

!

SOLID, MAT=S\_MB139, &

```
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
```

!

SOLID, MAT=S\_ANH\_AB, &

```
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
```

!

SOLID, MAT=S\_MB138, &

```
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
```

!

SOLID, MAT=CAVITY\_1, &

```
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
```

!

SOLID, MAT=CAVITY\_2, &

```
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
```

```

PC_MAX      = PC_MAX,          CAP_MOD     = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT
!
SOLID, MAT=CAVITY_3, &
PRM_X       = PERM_X,          PRM_Y      = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY   = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR      = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES    = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN     = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD    = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT
!
SOLID, MAT=CAVITY_4, &
PRM_X       = PERM_X,          PRM_Y      = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY   = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR      = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES    = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN     = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD    = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT
!
SOLID, MAT=IMPERM_Z, &
PRM_X       = PERM_X,          PRM_Y      = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY   = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR      = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES    = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN     = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD    = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT
!
SOLID, MAT=CASTILER, &
PRM_X       = PERM_X,          PRM_Y      = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY   = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR      = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES    = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN     = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD    = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT
!
SOLID, MAT=WAS_AREA, &
PRM_X       = PERM_X,          PRM_Y      = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY   = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR      = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES    = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN     = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD    = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT
!
SOLID, MAT=REPOSIT, &
PRM_X       = PERM_X,          PRM_Y      = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY   = POROSITY, &

```

```

BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=DRF_PCS, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=CONC_PCS, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=UNNAMED, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=CULEBRA, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=TAMARISK, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!

```

SOLID, MAT=MAGENTA, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
REL_P_MODEL	=	REL_P_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

SOLID, MAT=FORTYNIN, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
REL_P_MODEL	=	REL_P_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

SOLID, MAT=DEWYLAKELAKE, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
REL_P_MODEL	=	REL_P_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

SOLID, MAT=SANTAROS, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
REL_P_MODEL	=	REL_P_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

SOLID, MAT=OPS\_AREA, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
REL_P_MODEL	=	REL_P_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

SOLID, MAT=EXP\_AREA, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &

```

REL_P_MODEL = REL_P_MOD,      PCT_A      = PCT_A, &
PCT_EXP      = PCT_EXP,      PCT_FLAG   = KPT
!
! SOLID, MAT=BOREHOLE, &
!           PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
!           PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
!           BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
!           BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
!           SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
!           PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
!           REL_P_MODEL = REL_P_MOD,    PCT_A      = PCT_A, &
!           PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT
!
SOLID, MAT=CONC_MON, &
           PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
           PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
           BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
           BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
           SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
           PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
           REL_P_MODEL = REL_P_MOD,    PCT_A      = PCT_A, &
           PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT
!
SOLID, MAT=SHFTU, &
           PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
           PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
           BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
           BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
           SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
           PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
           REL_P_MODEL = REL_P_MOD,    PCT_A      = PCT_A, &
           PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT
!
SOLID, MAT=SHFTL_T1, &
           PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
           PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
           BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
           BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
           SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
           PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
           REL_P_MODEL = REL_P_MOD,    PCT_A      = PCT_A, &
           PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT
!
SOLID, MAT=SHFTL_T2, &
           PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
           PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
           BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
           BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
           SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
           PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
           REL_P_MODEL = REL_P_MOD,    PCT_A      = PCT_A, &
           PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT
!
SOLID, MAT=BH_SAND, &
           PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
           PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
           BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &

```



```

        BCLAM      = PORE_DIS,      COMPRES      = POR_COMP, &
        SB_MIN     = SB_MIN,        PB_MIN       = PO_MIN, &
        PC_MAX     = PC_MAX,        CAP_MOD      = CAP_MOD, &
        RELP_MODEL = RELP_MOD,      PCT_A        = PCT_A, &
        PCT_EXP    = PCT_EXP,      PCT_FLAG     = KPT
SOLID, MAT=BH_CREEP, &
        PRM_X      = PERM_X,        PRM_Y        = PERM_Y, &
        PRM_Z      = PERM_Z,        POROSITY     = POROSITY, &
        BCSOR      = SAT_RBRN,     BCSGR        = SAT_RGAS, &
        BCLAM      = PORE_DIS,     COMPRES      = POR_COMP, &
        SB_MIN     = SB_MIN,        PB_MIN       = PO_MIN, &
        PC_MAX     = PC_MAX,        CAP_MOD      = CAP_MOD, &
        RELP_MODEL = RELP_MOD,      PCT_A        = PCT_A, &
        PCT_EXP    = PCT_EXP,      PCT_FLAG     = KPT
!
SOLID, MAT=CONC_PLG, &
        PRM_X      = PERM_X,        PRM_Y        = PERM_Y, &
        PRM_Z      = PERM_Z,        POROSITY     = POROSITY, &
        BCSOR      = SAT_RBRN,     BCSGR        = SAT_RGAS, &
        BCLAM      = PORE_DIS,     COMPRES      = POR_COMP, &
        SB_MIN     = SB_MIN,        PB_MIN       = PO_MIN, &
        PC_MAX     = PC_MAX,        CAP_MOD      = CAP_MOD, &
        RELP_MODEL = RELP_MOD,      PCT_A        = PCT_A, &
        PCT_EXP    = PCT_EXP,      PCT_FLAG     = KPT
!
SOLID, MAT=BH_OPEN, &
        PRM_X      = PERM_X,        PRM_Y        = PERM_Y, &
        PRM_Z      = PERM_Z,        POROSITY     = POROSITY, &
        BCSOR      = SAT_RBRN,     BCSGR        = SAT_RGAS, &
        BCLAM      = PORE_DIS,     COMPRES      = POR_COMP, &
        SB_MIN     = SB_MIN,        PB_MIN       = PO_MIN, &
        PC_MAX     = PC_MAX,        CAP_MOD      = CAP_MOD, &
        RELP_MODEL = RELP_MOD,      PCT_A        = PCT_A, &
        PCT_EXP    = PCT_EXP,      PCT_FLAG     = KPT
!
! GET FRACTURE PROPERTIES
FRACTURE, MAT= S_MB139,  FRAC_PI     = PI_DELTA,  FRAC_PF     = PF_DELTA, &
                        FRAC_PHI    = PHIMAX,    FRAC_EXP    = PERM_EXP, &
                        FRAC_PMX    = IFRX,      FRAC_PMY    = IFRY, &
                        FRAC_PMZ    = IFRZ
!
FRACTURE, MAT= S_ANH_AB, FRAC_PI     = PI_DELTA,  FRAC_PF     = PF_DELTA, &
                        FRAC_PHI    = PHIMAX,    FRAC_EXP    = PERM_EXP, &
                        FRAC_PMX    = IFRX,      FRAC_PMY    = IFRY, &
                        FRAC_PMZ    = IFRZ
!
FRACTURE, MAT= S_MB138,  FRAC_PI     = PI_DELTA,  FRAC_PF     = PF_DELTA, &
                        FRAC_PHI    = PHIMAX,    FRAC_EXP    = PERM_EXP, &
                        FRAC_PMX    = IFRX,      FRAC_PMY    = IFRY, &
                        FRAC_PMZ    = IFRZ
!
FRACTURE, MAT= DRZ_0,   FRAC_PI     = PI_DELTA,  FRAC_PF     = PF_DELTA, &
                        FRAC_PHI    = PHIMAX,    FRAC_EXP    = PERM_EXP, &
                        FRAC_PMX    = IFRX,      FRAC_PMY    = IFRY, &
                        FRAC_PMZ    = IFRZ
!
FRACTURE, MAT= DRZ_1,   FRAC_PI     = PI_DELTA,  FRAC_PF     = PF_DELTA, &

```

```

FRAC_PHI = PHIMAX,   FRAC_EXP = PERM_EXP, &
FRAC_PMX  = IFRX,    FRAC_PMY  = IFRY, &
FRAC_PMZ  = IFRZ

!
! GET FLUID (brine and gas) properties from CAMDAT file
FLUID, MAT=BRINESAL, SALINITY=WTF, DEN_BR=DNSFLUID, &
COMPR_BR= COMP, REF_PRES=REF_PRES, REF_TEMP= REF_TEMP, &
INTERP = 1, VIS_BR=VISCO
FLUID, MAT=H2,      VIS_GAS=VISCO, DGAS = OFF, &
H2_MOLE =1.0, CO2_MOLE=0.0, CH4_MOLE=0.0, &
N2_MOLE= 0.0, H2S_MOLE=0.0, O2_MOLE=0.0
FLUID, MAT=S_MB139, KLINK=ON, B_KLINK=BKLINK, EXP_KLINK=EXPKLINK
!
FLUID, MAT= REFCON, R_GAS      = R
FLUID, MAT= REFCON, MW_H2O     = MW_H2O
FLUID, MAT= REFCON, MW_SALT    = MW_NACL
FLUID, MAT= REFCON, MW_H2      = MW_H2,   TC_H2   = TC_H2,   PC_H2   = PC_H2, &
ACEN_H2   = ACF_H2,   H2_CO2   = BIP_12,   H2_CH4  = BIP_13, &
H2_N2     = BIP_14,   H2_H2S   = BIP_15,   H2_O2   = BIP_16
FLUID, MAT= REFCON, MW_CO2     = MW_CO2,   TC_CO2  = TC_CO2,   PC_CO2  = PC_CO2, &
ACEN_CO2  = ACF_CO2, CO2_CH4= BIP_23,   CO2_N2  = BIP_24, &
CO2_H2S   = BIP_25 , CO2_O2   = BIP_26
FLUID, MAT= REFCON, MW_CH4     = MW_CH4,   TC_CH4  = TC_CH4,   PC_CH4  = PC_CH4, &
ACEN_CH4  = ACF_CH4, CH4_N2   = BIP_34,   CH4_H2S= BIP_35, &
CH4_O2    = BIP_36
FLUID, MAT= REFCON, MW_N2      = MW_N2,   TC_N2   = TC_N2,   PC_N2   = PC_N2, &
ACEN_N2   = ACF_N2,   N2_H2S   = BIP_45,   N2_O2   = BIP_46
FLUID, MAT= REFCON, MW_H2S     = MW_H2S,   TC_H2S  = TC_H2S,   PC_H2S  = PC_H2S, &
ACEN_H2S  = ACF_H2S, H2S_O2   = BIP_56
FLUID, MAT= REFCON, MW_O2      = MW_O2,   TC_O2   = TC_O2,   PC_O2   = PC_O2, &
ACEN_O2   = ACF_O2
FLUID, MAT= REFCON, OMEGA_A    = OMEGAA , OMEGA_B = OMEGAB
!
*DIRICHLET
DIRICHLET, MAT=CULEBRA, PRESSURE=PRESSURE, &
IRANGE=1,1, JRANGE=26,26, KRANGE=1,1
DIRICHLET, MAT=CULEBRA, PRESSURE=PRESSURE, &
IRANGE=68,68, JRANGE=26,26, KRANGE=1,1
DIRICHLET, MAT=MAGENTA, PRESSURE=PRESSURE, &
IRANGE=1,1, JRANGE=28,28, KRANGE=1,1
DIRICHLET, MAT=MAGENTA, PRESSURE=PRESSURE, &
IRANGE=68,68, JRANGE=28,28, KRANGE=1,1
DIRICHLET, MAT=SANTAROS, PRESSURE=PRESSURE, &
IRANGE=1,68, JRANGE=33,33, KRANGE=1,1
DIRICHLET, MAT=SANTAROS, SATURATION=SAT_IBRN, &
IRANGE=1,68, JRANGE=33,33, KRANGE=1,1
*END
ex
$

SCENARIO: S4

$ type bf1_cra1_s4.inp
! TITLE: BRAGFLO 2003 CRA1 (PREBRAG)
! SCENARIO: S4
! ANALYSTS: Joshua Stein and Bill Zelinski
! MODIFIED: 01/04/03

```

```

=====
!
!   SCENARIO: UNDISTURBED SCENERIO
!           : SINGLE CLOSURE SURFACE
!           :   A) CREEP CLOSURE IN WASTE AREAS
!           : PANEL ON SOUTH, REST OF REPOSITORY ON NORTH
!           : SHAFT ADDED
!           : FRACTURING IN UPPER AND LOWER DRZ
!
! 28 Mar 02 JSS rev4 Added REPOSIT material and map to fix problem
!           with WASTE materials.
! 02 Apr 02 JSS rev5 Changed DRF_PCS in the PCS adjacent to the OPS_AREA
!           to be mapped as OPS_AREA, which is appropriate for
!           preclosed excavated regions.
! 15 Jan 03 WPZ rev6 Added shaft. Fracturing in both upper and lower DRZ
! 01 Apr 03 WPZ rev7 modified to run with PREBRAG, Version 7.00 to produce
!           input to BRAGFLO 5.0. Accomodates constants that used to
!           be included in BRAGFLO code that must now be included
!           in input.
=====
*HEADING
TITLE2 = 2003 BRAGFLO: CRA, E2 AT 350 YRS
=====
!CLOSURE INFORMATION
*CLOSURE
CONTROL, TYPE = PRESSURE, AVE = CELL
SURFACE, MODEL = JAN_96, PRES_LITHO = 50.0E6, TIME_OFF = 3.155693E12, &
          PERM_FACTOR= WAS_AREA:PERM_X, PERM_EXP = 0.0
REGION, MAT = WAS_AREA, MODEL = JAN_96
REGION, MAT = REPOSIT, MODEL = JAN_96
REGION, MAT = DRF_PCS, MODEL = JAN_96
=====
*RESET
!RESET REGIONS ARE GIVEN THE INITIAL PRESSURE AND SATURATION SPECIFIED IN
! THE INITIAL CONDITIONS AT THE RESET TIME
REGION, MAT=CAVITY_1
REGION, MAT=CAVITY_2
REGION, MAT=CAVITY_3
REGION, MAT=CAVITY_4
TIME=0.0
WASTE, MAT_OLD=CAVITY_1, MAT_NEW=WAS_AREA, &
          PRES_BRINE=101325.0, SAT_BRINE=0.0
WASTE, MAT_OLD=CAVITY_2, MAT_NEW=REPOSIT, &
          PRES_BRINE=101325.0, SAT_BRINE=0.0
=====
*INITIAL_CONDITIONS
!BEGIN SIMULATION AT -5 YEARS
BEGIN, TIME=-1.577846E8
SATBR, ID_BRINE =SATBREL
PRESSURE, ID_PRES =PRESEL
CONFE , ID_CONFE =FECONC
CONCELL, ID_CONCEL=CH2OCONC
ELEVAT, ID_ELEV =ELEVE
=====
*STEP_CONTROL
!TIME_STEP IS REDUCED
! 1. AT 0 YEARS: WASTE IS INTRODUCED,
TIME, BEGIN=0.0, DT=864.0

```

```

! 2. AT 200 YEARS: MATERIAL CHANGE
  TIME,BEGIN=6.311385E9, DT=864.0
! 3. AT 350 YEARS: MATERIAL CHANGE
  TIME,BEGIN=1.104492E10, DT=864.0
! 4. AT 550 YEARS: MATERIAL CHANGE
  TIME,BEGIN=1.735631E10, DT=864.0
!=====
*MODIFY_MAP
! ID=1 => 0 YEARS : WASTE INTRODUCED, SHAFT SEALS AND FILL INTRODUCED
! ID=2 => 200 YEARS : COMPACTED SALT (TIME PERIOD 6)
! ID=3 => 350 YEARS :
! ID=4 => 550 YEARS :
TIME,TIME_ID=1, BEGIN= 0.0
TIME,TIME_ID=2, BEGIN= 6.311385E9
TIME,TIME_ID=3, BEGIN= 1.104492E10
TIME,TIME_ID=4, BEGIN= 1.735631E10
!*****
! 0 YEARS
!*****
!INTRODUCE FINAL DRZ MATERIAL
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=23,30, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=32,34, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=36,38, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=40,42, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=44,45, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=23,30, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=32,34, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=36,38, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=40,42, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=44,45, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=31,31, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=35,35, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=39,39, JRANGE=15,16, KRANGE=1,1
!INTRODUCE SHFTU upper shaft
MODIFY, MAT=SHFTU, TIME_ID=1, IRANGE=43,43, JRANGE=25,33, KRANGE=1,1
!INTRODUCE SHFTL_T1 lower shaft t1
MODIFY, MAT=SHFTL_T1, TIME_ID=1, IRANGE=43,43, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=SHFTL_T1, TIME_ID=1, IRANGE=43,43, JRANGE=18,24, KRANGE=1,1
!INTRODUCE CONC-MON lowest part of shaft filled with concrete
MODIFY, MAT=CONC_MON, TIME_ID=1, IRANGE=43,43, JRANGE=8,13, KRANGE=1,1
!INTRODUCE WASTE INTO PANEL REGION
MODIFY, MAT=WAS_AREA, TIME_ID=1, IRANGE=23,29, JRANGE=10,12, KRANGE=1,1
!INTRODUCE WASTE INTO REST OF REPOSITORY
MODIFY, MAT=REPOSIT, TIME_ID=1, IRANGE=32,33, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=REPOSIT, TIME_ID=1, IRANGE=36,37, JRANGE=10,12, KRANGE=1,1
!INTRODUCE PANEL SEAL BACKFILL modeled as was_area
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=30,30, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=34,34, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=38,38, JRANGE=10,12, KRANGE=1,1
!MODIFY, MAT=OPS_AREA, TIME_ID=1, IRANGE=42,42, JRANGE=10,12, KRANGE=1,1
!INTRODUCE PANEL CLOSURE CONCRETE
MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=31,31, JRANGE=8,13, KRANGE=1,1
MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=35,35, JRANGE=8,13, KRANGE=1,1
MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=39,39, JRANGE=8,13, KRANGE=1,1
!MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=43,43, JRANGE=8,13, KRANGE=1,1
!INTRODUCE PANEL CLOSURE CONCRETE AT MB139 LEVEL
!MODIFY, MAT=CPCS_F, TIME_ID=1, IRANGE=31,31, JRANGE=7,7, KRANGE=1,1

```

```

!MODIFY, MAT=CPCS_F, TIME_ID=1, IRANGE=35,35, JRANGE=7,7, KRANGE=1,1
!MODIFY, MAT=CPCS_F, TIME_ID=1, IRANGE=39,39, JRANGE=7,7, KRANGE=1,1
!MODIFY, MAT=CPCS_F, TIME_ID=1, IRANGE=43,43, JRANGE=7,7, KRANGE=1,1
!INTRODUCE OPERATIONS REGION MATERIAL
MODIFY, MAT=OPS_AREA, TIME_ID=1, IRANGE=40,42, JRANGE=10,12, KRANGE=1,1
!INTRODUCE EXPERIMENTAL REGION MATERIAL
MODIFY, MAT=EXP_AREA, TIME_ID=1, IRANGE=44,45, JRANGE=10,12, KRANGE=1,1
!INTRODUCE UNNAMED MEMBER OF THE RUSTLER
MODIFY, MAT=UNNAMED, TIME_ID=1, IRANGE= 1,42, JRANGE=25,25, KRANGE=1,1
MODIFY, MAT=UNNAMED, TIME_ID=1, IRANGE=44,68, JRANGE=25,25, KRANGE=1,1
!INTRODUCE TRUE CULEBRA REGION TO ALLOW BRINE INFLOW TO SHAFT
MODIFY, MAT=CULEBRA, TIME_ID=1, IRANGE= 1,42, JRANGE=26,26, KRANGE=1,1
MODIFY, MAT=CULEBRA, TIME_ID=1, IRANGE=44,68, JRANGE=26,26, KRANGE=1,1
!INTRODUCE TAMARISK
MODIFY, MAT=TAMARISK, TIME_ID=1, IRANGE= 1,42, JRANGE=27,27, KRANGE=1,1
MODIFY, MAT=TAMARISK, TIME_ID=1, IRANGE=44,68, JRANGE=27,27, KRANGE=1,1
!INTRODUCE MAGENTA
MODIFY, MAT=MAGENTA, TIME_ID=1, IRANGE= 1,42, JRANGE=28,28, KRANGE=1,1
MODIFY, MAT=MAGENTA, TIME_ID=1, IRANGE=44,68, JRANGE=28,28, KRANGE=1,1
!INTRODUCE FORTY-NINER
MODIFY, MAT=FORTYNIN, TIME_ID=1, IRANGE= 1,42, JRANGE=29,29, KRANGE=1,1
MODIFY, MAT=FORTYNIN, TIME_ID=1, IRANGE= 44,68, JRANGE=29,29, KRANGE=1,1
!INTRODUCE DEWEY LAKE RED BEDS
MODIFY, MAT=DEWYLAK, TIME_ID=1, IRANGE= 1,42, JRANGE=30,31, KRANGE=1,1
MODIFY, MAT=DEWYLAK, TIME_ID=1, IRANGE= 44,68, JRANGE=30,31, KRANGE=1,1
!INTRODUCE SANTA ROSA FORMATION
MODIFY, MAT=SANTAROS, TIME_ID=1, IRANGE= 1,42, JRANGE=32,33, KRANGE=1,1
MODIFY, MAT=SANTAROS, TIME_ID=1, IRANGE= 44,68, JRANGE=32,33, KRANGE=1,1
!*****
!
!           END OF TIME PERIOD 1 MATERIAL RESETS
!*****
!*****
! 200 YEARS
!*****
!INTRODUCE CHANGE IN LOWER SHAFT MATERIAL
MODIFY, MAT=SHFTL_T2, TIME_ID=2, IRANGE=43,43, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=SHFTL_T2, TIME_ID=2, IRANGE=43,43, JRANGE=18,24, KRANGE=1,1

!*****
!
!           END OF TIME PERIOD 2 MATERIAL RESET
!=====
!=====
! 350 years
!=====
! Introduce borehole material
!
MODIFY, MAT=BH_OPEN, TIME_ID=3, IRANGE=26,26, JRANGE=10,24, KRANGE=1,1
MODIFY, MAT=CONC_PLG, TIME_ID=3, IRANGE=26,26, JRANGE=25,25, KRANGE=1,1
MODIFY, MAT=BH_OPEN, TIME_ID=3, IRANGE=26,26, JRANGE=26,31, KRANGE=1,1
MODIFY, MAT=CONC_PLG, TIME_ID=3, IRANGE=26,26, JRANGE=32,33, KRANGE=1,1
!
!=====
! 550 years
!=====
! Introduce borehole material
!
MODIFY, MAT=BH_SAND, TIME_ID=4, IRANGE=26,26, JRANGE=10,33, KRANGE=1,1

```

```

!
!=====
*GEOMETRY
COORD= CARTESIAN
!=====
*SIMULATION_CONTROL
INTEGRATION, TMAX=3.155693E11, DT_INIT=8.64,DT_MIN= 8.64E-4, DT_MAX=1.728E9,&
      DT_INCR=1.25, DT_REDŪ= 0.5, AUTODT=YES, TSWITCH=1.0,&
      MAXSTEPS=10000
!
ITERATION, DSATLIM= 2.E-1, DPRESLIM = -1.E8 , SATLIM= 1.E-3,&
      SATNORM= 0.30, PRESNORM = 5.0E5,&
      ITMAX= 8, IRESETMAX= 40, IJACINT= 1,&
      IJACSWITCH=41, IJACMIN= 1, IJACRESET= 5,&
      IUPRPFLAG =9, IUPMFFLAG= 9, IUPRPLOOSE= 9,&
      IUPMFLOOSE=9
!
ITERATION, DHSAT_REL= 1.0E-8, DHPRES_REL=1.0E-8,&
      DHSAT_MIN= 1.0E-10, DHPRES_MIN=1.0E-2
!
ITERATION, EPS_SAT = 3.0E+0, EPS_PRES = 1.E-2,&
      R_EPS_SAT= 3.0E+0, R_EPS_PRES = 1.E-2,&
      FTOL_SAT = 1.0E-2, FTOL_PRES = 1.0E-2,&
      R_FTOL_SAT=1.0E-2, R_FTOL_PRES = 1.0E-2, CONV_TEST = AND
!
NUMERICS, SOLVER=LU
NUMERICS, JACSCALE= 1.0e7, VSWITCH=NO
NUMERICS, ITRAVE= HARMONIC, IMFRAVE=UPSTREAM
!
GRAVITY, MAT= REFCON, G_ACC= GRAVACC
!
!=====
*OUTPUT_CONTROL
!
UNITS= SI
MONITOR, ILOC = 26, JLOC = 12, KLOC = 1
MONITOR, ILOC = 32, JLOC = 12, KLOC = 1
MONITOR, ILOC = 36, JLOC = 12, KLOC = 1
!
STEPS, FILE= BINARY, NSTEP=20
TIMES, FILE= ASCII, VALUES= 0.0, 3.155693E09, 1.104493E10,&
      3.155693E10, 9.467079E10,&
      1.577847E11, 2.208985E11,&
      2.840124E11, 3.155693E11
PRIBIN, &
      PRESBRIN, PRESGAS, POROS, DENGAS, PERMBRX, PERMGASX, &
      SATGAS, FLOWGASX, FLOWGASY, FLOWBRX, FLOWBRY, &
      FECONC, CELLCONC, BRINRATE
!
PRIASC, &
      PRESBRIN, PRESGAS, POROS, SATGAS, FECONC, CELLCONC
!
!HORIZONTAL BRINE FLOW ACROSS 2.4K SOUTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES= FLOWBRX, IRANGE= 6,6, JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES= FLOWBRX, IRANGE= 6,6, JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES= FLOWBRX, IRANGE= 6,6, JRANGE=17,17, KRANGE=1,1
!HORIZONTAL BRINE FLOW ACROSS 2.4K SOUTH BOUNDARY (ABOVE SALADO)

```

HISTORY, NAMES= FLOWBRX, IRANGE= 6,6, JRANGE=25,33, KRANGE=1,1  
 !HORIZONTAL BRINE FLOW ACROSS 2.4K NORTH BOUNDARY (MARKER BEDS)  
 HISTORY, NAMES= FLOWBRX, IRANGE= 63,63, JRANGE= 7, 7, KRANGE=1,1  
 HISTORY, NAMES= FLOWBRX, IRANGE= 63,63, JRANGE=14,14, KRANGE=1,1  
 HISTORY, NAMES= FLOWBRX, IRANGE= 63,63, JRANGE=17,17, KRANGE=1,1  
 !HORIZONTAL BRINE FLOW ACROSS 2.4K NORTH BOUNDARY (ABOVE SALADO)  
 HISTORY, NAMES= FLOWBRX, IRANGE= 63,63, JRANGE=25,33, KRANGE=1,1  
 !HORIZONTAL GAS FLOW ACROSS 2.4K SOUTH BOUNDARY (MARKER BEDS)  
 HISTORY, NAMES= FLOWGASX, IRANGE= 6,6, JRANGE= 7, 7, KRANGE=1,1  
 HISTORY, NAMES= FLOWGASX, IRANGE= 6,6, JRANGE=14,14, KRANGE=1,1  
 HISTORY, NAMES= FLOWGASX, IRANGE= 6,6, JRANGE=17,17, KRANGE=1,1  
 !HORIZONTAL GAS FLOW ACROSS 2.4K SOUTH BOUNDARY (ABOVE SALADO)  
 HISTORY, NAMES= FLOWGASX, IRANGE= 6,6, JRANGE=25,33, KRANGE=1,1  
 !HORIZONTAL GAS FLOW ACROSS 2.4K NORTH BOUNDARY (MARKER BEDS)  
 HISTORY, NAMES= FLOWGASX, IRANGE= 63,63, JRANGE= 7, 7, KRANGE=1,1  
 HISTORY, NAMES= FLOWGASX, IRANGE= 63,63, JRANGE=14,14, KRANGE=1,1  
 HISTORY, NAMES= FLOWGASX, IRANGE= 63,63, JRANGE=17,17, KRANGE=1,1  
 !HORIZONTAL GAS FLOW ACROSS 2.4K NORTH BOUNDARY (ABOVE SALADO)  
 HISTORY, NAMES= FLOWGASX, IRANGE= 63,63, JRANGE=25,33, KRANGE=1,1  
 !BRINE FLOW ACROSS DRZ AND MARKER BEDS BOUNDARY  
 HISTORY, NAMES= FLOWBRX, IRANGE= 23,23, JRANGE= 7,17, KRANGE=1,1  
 HISTORY, NAMES= FLOWBRX, IRANGE= 46,46, JRANGE= 7,17, KRANGE=1,1  
 !GAS FLOW ACROSS DRZ AND MARKER BEDS BOUNDARY  
 HISTORY, NAMES= FLOWGASX, IRANGE= 23,23, JRANGE= 7,17, KRANGE=1,1  
 HISTORY, NAMES= FLOWGASX, IRANGE= 46,46, JRANGE= 7,17, KRANGE=1,1  
 !  
 !VERTICAL BRINE FLOW ACROSS BOTTOM OF UPPER DRZ  
 HISTORY, NAMES= FLOWBRY, IRANGE= 23,45, JRANGE=13,13, KRANGE=1,1  
 !VERTICAL BRINE FLOW ACROSS TOP OF LOWER DRZ  
 HISTORY, NAMES= FLOWBRY, IRANGE= 23,45, JRANGE=10,10, KRANGE=1,1  
 !  
 !VERTICAL GAS FLOW ACROSS BOTTOM OF UPPER DRZ  
 HISTORY, NAMES= FLOWGASY, IRANGE= 23,45, JRANGE=13,13, KRANGE=1,1  
 !VERTICAL GAS FLOW ACROSS TOP OF LOWER DRZ  
 HISTORY, NAMES= FLOWGASY, IRANGE= 23,45, JRANGE=10,10, KRANGE=1,1  
 !  
 !HORIZONTAL BRINE FLOW SOUTH SIDE OF S\_REPOSITORY  
 HISTORY, NAMES= FLOWBRX, IRANGE=32,32, JRANGE= 10,12, KRANGE=1,1  
 !HORIZONTAL GAS FLOW SOUTH SIDE OF S\_REPOSITORY  
 HISTORY, NAMES= FLOWGASX, IRANGE=32,32, JRANGE= 10,12, KRANGE=1,1  
 !  
 !HORIZONTAL BRINE FLOW NORTH SIDE OF N\_REPOSITORY  
 HISTORY, NAMES= FLOWBRX, IRANGE=38,38, JRANGE= 10,12, KRANGE=1,1  
 !HORIZONTAL GAS FLOW NORTH SIDE OF REPOSITORY  
 HISTORY, NAMES= FLOWGASX, IRANGE=38,38, JRANGE= 10,12, KRANGE=1,1  
 !  
 !HORIZONTAL BRINE FLOW SOUTH SIDE OF PANEL  
 HISTORY, NAMES= FLOWBRX, IRANGE= 23,23, JRANGE= 10,12, KRANGE=1,1  
 !HORIZONTAL GAS FLOW SOUTH SIDE OF PANEL  
 HISTORY, NAMES= FLOWGASX, IRANGE= 23,23, JRANGE= 10,12, KRANGE=1,1  
 !  
 !HORIZONTAL BRINE FLOW NORTH SIDE OF PANEL  
 HISTORY, NAMES= FLOWBRX, IRANGE=30,30, JRANGE= 10,12, KRANGE=1,1  
 !HORIZONTAL GAS FLOW NORTH SIDE OF PANEL  
 HISTORY, NAMES= FLOWGASX, IRANGE=30,30, JRANGE= 10,12, KRANGE=1,1  
 !  
 !GAS SATURATION IN PANEL

```

HISTORY, NAMES= SATGAS, IRANGE=23,29, JRANGE= 10,12, KRANGE=1,1
!
!GAS SATURATION IN REPOSITORY
HISTORY, NAMES= SATGAS, IRANGE= 32,33, JRANGE= 10,12, KRANGE=1,1
HISTORY, NAMES= SATGAS, IRANGE= 36,37, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN PANEL
HISTORY, NAMES= PRESBRIN, IRANGE=23,29, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN REPOSITORY
HISTORY, NAMES= PRESBRIN, IRANGE= 32,33, JRANGE= 10,12, KRANGE=1,1
HISTORY, NAMES= PRESBRIN, IRANGE= 36,37, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN BRINE POCKET
HISTORY, NAMES= PRESBRIN, IRANGE= 26,26, JRANGE= 1,1, KRANGE=1,1
!
!BRINE PRESSURE IN INTERSECTION OF BOREHOLE AND CULEBRA
HISTORY, NAMES= PRESBRIN, IRANGE= 26,26, JRANGE= 26,26, KRANGE=1,1
!*****
!
! END OF HISTORY VARIABLES
!*****
!
*REACTION_CHEMISTRY
!
WICKING, MAT= WAS_AREA, VALUE=SAT_WICK
NUMERICS, SMOOTH=ON, ALPHARXN=-1000.0
RATES, MAT=WAS_AREA, COR_IN=GRATCORI, COR_HUM=GRATCORH, &
MIC_IN=GRATMICI, MIC_HUM=GRATMICH, &
SCOR_GAS=STOICOR, SMIC_GAS=STOIMIC
!
VOLUME, MAT=WAS_AREA, VOL_CHW = VOLCHW, VOL_RHW = VOLRHW
!
DENSITY, MAT=WAS_AREA, METAL_RH= DRH_METL, BIO_RH= DRH_BIO, &
METAL_CH= DCH_METL, BIO_CH= DCH_BIO
!
SATURATION, MAT=WAS_AREA, VALUE= SAT_IBRN
!
MOLWTS, MAT= REFCON, MW_FE = MW_FE
MOLWTS, MAT= REFCON, MW_CEL = MW_CELL
!
MISC, MAT= REFCON, VREPOS = VREPOS, &
VPANLEX = VPANLEX, &
VROOM = VROOM, &
ASDRUM = ASDRUM, &
DRROOM = DRROOM
!
!
!=====
*PROPERTIES
! GET SOLID properties from CAMDAT file
!Salado Halite
SOLID, MAT=S_HALITE, &
PRM_X = PERM_X, PRM_Y = PERM_Y, &
PRM_Z = PERM_Z, POROSITY = POROSITY, &
BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
BCLAM = PORE_DIS, COMPRES = POR_COMP, &
SB_MIN = SB_MIN, PB_MIN = PO_MIN, &

```



```

PC_MAX      = PC_MAX,          CAP_MOD     = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=DRZ_0, &
PRM_X       = PERM_X,          PRM_Y      = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY   = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR      = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES    = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN     = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD    = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=DRZ_1, &
PRM_X       = PERM_X,          PRM_Y      = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY   = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR      = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES    = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN     = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD    = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=DRZ_PCS, &
PRM_X       = PERM_X,          PRM_Y      = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY   = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR      = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES    = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN     = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD    = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=S_MB139, &
PRM_X       = PERM_X,          PRM_Y      = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY   = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR      = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES    = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN     = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD    = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=S_ANH_AB, &
PRM_X       = PERM_X,          PRM_Y      = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY   = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR      = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES    = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN     = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD    = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=S_MB138, &

```

```

PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
REL_P_MODEL = REL_P_MOD,  PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

!
SOLID, MAT=CAVITY_1, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
REL_P_MODEL = REL_P_MOD,  PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

!
SOLID, MAT=CAVITY_2, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
REL_P_MODEL = REL_P_MOD,  PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

!
SOLID, MAT=CAVITY_3, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
REL_P_MODEL = REL_P_MOD,  PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

!
SOLID, MAT=CAVITY_4, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
REL_P_MODEL = REL_P_MOD,  PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

!
SOLID, MAT=IMPERM_Z, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
REL_P_MODEL = REL_P_MOD,  PCT_A      = PCT_A, &

```

```

                PCT_EXP      = PCT_EXP,          PCT_FLAG      = KPT
!
SOLID, MAT=CASTILER, &
    PRM_X        = PERM_X,          PRM_Y          = PERM_Y, &
    PRM_Z        = PERM_Z,          POROSITY       = POROSITY, &
    BCSOR        = SAT_RBRN,       BCSGR         = SAT_RGAS, &
    BCLAM        = PORE_DIS,       COMPRES       = POR_COMP, &
    SB_MIN       = SB_MIN,         PB_MIN        = PO_MIN, &
    PC_MAX       = PC_MAX,         CAP_MOD       = CAP_MOD, &
    RELP_MODEL   = RELP_MOD,       PCT_A        = PCT_A, &
    PCT_EXP     = PCT_EXP,         PCT_FLAG     = KPT
!
SOLID, MAT=WAS_AREA, &
    PRM_X        = PERM_X,          PRM_Y          = PERM_Y, &
    PRM_Z        = PERM_Z,          POROSITY       = POROSITY, &
    BCSOR        = SAT_RBRN,       BCSGR         = SAT_RGAS, &
    BCLAM        = PORE_DIS,       COMPRES       = POR_COMP, &
    SB_MIN       = SB_MIN,         PB_MIN        = PO_MIN, &
    PC_MAX       = PC_MAX,         CAP_MOD       = CAP_MOD, &
    RELP_MODEL   = RELP_MOD,       PCT_A        = PCT_A, &
    PCT_EXP     = PCT_EXP,         PCT_FLAG     = KPT
!
SOLID, MAT=REPOSIT, &
    PRM_X        = PERM_X,          PRM_Y          = PERM_Y, &
    PRM_Z        = PERM_Z,          POROSITY       = POROSITY, &
    BCSOR        = SAT_RBRN,       BCSGR         = SAT_RGAS, &
    BCLAM        = PORE_DIS,       COMPRES       = POR_COMP, &
    SB_MIN       = SB_MIN,         PB_MIN        = PO_MIN, &
    PC_MAX       = PC_MAX,         CAP_MOD       = CAP_MOD, &
    RELP_MODEL   = RELP_MOD,       PCT_A        = PCT_A, &
    PCT_EXP     = PCT_EXP,         PCT_FLAG     = KPT
!
SOLID, MAT=DRF_PCS, &
    PRM_X        = PERM_X,          PRM_Y          = PERM_Y, &
    PRM_Z        = PERM_Z,          POROSITY       = POROSITY, &
    BCSOR        = SAT_RBRN,       BCSGR         = SAT_RGAS, &
    BCLAM        = PORE_DIS,       COMPRES       = POR_COMP, &
    SB_MIN       = SB_MIN,         PB_MIN        = PO_MIN, &
    PC_MAX       = PC_MAX,         CAP_MOD       = CAP_MOD, &
    RELP_MODEL   = RELP_MOD,       PCT_A        = PCT_A, &
    PCT_EXP     = PCT_EXP,         PCT_FLAG     = KPT
!
SOLID, MAT=CONC_PCS, &
    PRM_X        = PERM_X,          PRM_Y          = PERM_Y, &
    PRM_Z        = PERM_Z,          POROSITY       = POROSITY, &
    BCSOR        = SAT_RBRN,       BCSGR         = SAT_RGAS, &
    BCLAM        = PORE_DIS,       COMPRES       = POR_COMP, &
    SB_MIN       = SB_MIN,         PB_MIN        = PO_MIN, &
    PC_MAX       = PC_MAX,         CAP_MOD       = CAP_MOD, &
    RELP_MODEL   = RELP_MOD,       PCT_A        = PCT_A, &
    PCT_EXP     = PCT_EXP,         PCT_FLAG     = KPT
!
SOLID, MAT=UNNAMED, &
    PRM_X        = PERM_X,          PRM_Y          = PERM_Y, &
    PRM_Z        = PERM_Z,          POROSITY       = POROSITY, &
    BCSOR        = SAT_RBRN,       BCSGR         = SAT_RGAS, &
    BCLAM        = PORE_DIS,       COMPRES       = POR_COMP, &

```

```

        SB_MIN      = SB_MIN,          PB_MIN      = PO_MIN, &
        PC_MAX      = PC_MAX,          CAP_MOD     = CAP_MOD, &
        RELP_MODEL  = RELP_MOD,        PCT_A       = PCT_A, &
        PCT_EXP     = PCT_EXP,          PCT_FLAG    = KPT
!
SOLID, MAT=CULEBRA, &
        PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &
        PRM_Z       = PERM_Z,          POROSITY    = POROSITY, &
        BCSOR       = SAT_RBRN,        BCSGR       = SAT_RGAS, &
        BCLAM       = PORE_DIS,        COMPRES     = POR_COMP, &
        SB_MIN      = SB_MIN,          PB_MIN      = PO_MIN, &
        PC_MAX      = PC_MAX,          CAP_MOD     = CAP_MOD, &
        RELP_MODEL  = RELP_MOD,        PCT_A       = PCT_A, &
        PCT_EXP     = PCT_EXP,          PCT_FLAG    = KPT
!
SOLID, MAT=TAMARISK, &
        PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &
        PRM_Z       = PERM_Z,          POROSITY    = POROSITY, &
        BCSOR       = SAT_RBRN,        BCSGR       = SAT_RGAS, &
        BCLAM       = PORE_DIS,        COMPRES     = POR_COMP, &
        SB_MIN      = SB_MIN,          PB_MIN      = PO_MIN, &
        PC_MAX      = PC_MAX,          CAP_MOD     = CAP_MOD, &
        RELP_MODEL  = RELP_MOD,        PCT_A       = PCT_A, &
        PCT_EXP     = PCT_EXP,          PCT_FLAG    = KPT
!
SOLID, MAT=MAGENTA, &
        PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &
        PRM_Z       = PERM_Z,          POROSITY    = POROSITY, &
        BCSOR       = SAT_RBRN,        BCSGR       = SAT_RGAS, &
        BCLAM       = PORE_DIS,        COMPRES     = POR_COMP, &
        SB_MIN      = SB_MIN,          PB_MIN      = PO_MIN, &
        PC_MAX      = PC_MAX,          CAP_MOD     = CAP_MOD, &
        RELP_MODEL  = RELP_MOD,        PCT_A       = PCT_A, &
        PCT_EXP     = PCT_EXP,          PCT_FLAG    = KPT
!
SOLID, MAT=FORTYNIN, &
        PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &
        PRM_Z       = PERM_Z,          POROSITY    = POROSITY, &
        BCSOR       = SAT_RBRN,        BCSGR       = SAT_RGAS, &
        BCLAM       = PORE_DIS,        COMPRES     = POR_COMP, &
        SB_MIN      = SB_MIN,          PB_MIN      = PO_MIN, &
        PC_MAX      = PC_MAX,          CAP_MOD     = CAP_MOD, &
        RELP_MODEL  = RELP_MOD,        PCT_A       = PCT_A, &
        PCT_EXP     = PCT_EXP,          PCT_FLAG    = KPT
!
SOLID, MAT=DEWYLAKE, &
        PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &
        PRM_Z       = PERM_Z,          POROSITY    = POROSITY, &
        BCSOR       = SAT_RBRN,        BCSGR       = SAT_RGAS, &
        BCLAM       = PORE_DIS,        COMPRES     = POR_COMP, &
        SB_MIN      = SB_MIN,          PB_MIN      = PO_MIN, &
        PC_MAX      = PC_MAX,          CAP_MOD     = CAP_MOD, &
        RELP_MODEL  = RELP_MOD,        PCT_A       = PCT_A, &
        PCT_EXP     = PCT_EXP,          PCT_FLAG    = KPT
!
SOLID, MAT=SANTAROS, &
        PRM_X       = PERM_X,          PRM_Y       = PERM_Y, &

```

```

PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
!
SOLID, MAT=OPS_AREA, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
!
SOLID, MAT=EXP_AREA, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
!
! SOLID, MAT=BOREHOLE, &
! PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
! PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
! BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
! BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
! SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
! PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
! RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
! PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
!
SOLID, MAT=CONC_MON, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
!
SOLID, MAT=SHFTU, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=SHFTL_T1, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=SHFTL_T2, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=CONC_PLG, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=BH_OPEN, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

SOLID, MAT=BH_SAND, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

SOLID, MAT=BH_CREEP, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &

```

```

          PCT_EXP      = PCT_EXP,          PCT_FLAG      = KPT
!
! GET FRACTURE PROPERTIES
FRACTURE, MAT= S_MB139,  FRAC_PI   = PI_DELTA,  FRAC_PF   = PF_DELTA, &
                        FRAC_PHI   = PHIMAX,    FRAC_EXP  = PERM_EXP, &
                        FRAC_PMX   = IFRX,      FRAC_PMY  = IFRY, &
                        FRAC_PMZ   = IFRZ
!
FRACTURE, MAT= S_ANH_AB, FRAC_PI   = PI_DELTA,  FRAC_PF   = PF_DELTA, &
                        FRAC_PHI   = PHIMAX,    FRAC_EXP  = PERM_EXP, &
                        FRAC_PMX   = IFRX,      FRAC_PMY  = IFRY, &
                        FRAC_PMZ   = IFRZ
!
FRACTURE, MAT= S_MB138,  FRAC_PI   = PI_DELTA,  FRAC_PF   = PF_DELTA, &
                        FRAC_PHI   = PHIMAX,    FRAC_EXP  = PERM_EXP, &
                        FRAC_PMX   = IFRX,      FRAC_PMY  = IFRY, &
                        FRAC_PMZ   = IFRZ
!
FRACTURE, MAT= DRZ_0,   FRAC_PI   = PI_DELTA,  FRAC_PF   = PF_DELTA, &
                        FRAC_PHI   = PHIMAX,    FRAC_EXP  = PERM_EXP, &
                        FRAC_PMX   = IFRX,      FRAC_PMY  = IFRY, &
                        FRAC_PMZ   = IFRZ
!
FRACTURE, MAT= DRZ_1,   FRAC_PI   = PI_DELTA,  FRAC_PF   = PF_DELTA, &
                        FRAC_PHI   = PHIMAX,    FRAC_EXP  = PERM_EXP, &
                        FRAC_PMX   = IFRX,      FRAC_PMY  = IFRY, &
                        FRAC_PMZ   = IFRZ
!
! GET FLUID (brine and gas) properties from CAMDAT file
FLUID, MAT=BRINESAL, SALINITY=WTF, DEN_BR=DNSFLUID, &
      COMPR_BR= COMP, REF_PRES=REF_PRES, REF_TEMP= REF_TEMP, &
      INTERP = 1, VIS_BR=VISCO
FLUID, MAT=H2,      VIS_GAS=VISCO, DGAS = OFF, &
      H2_MOLE =1.0, CO2_MOLE=0.0, CH4_MOLE=0.0, &
      N2_MOLE= 0.0, H2S_MOLE=0.0, O2_MOLE=0.0
FLUID, MAT=S_MB139, KLINK=ON, B_KLINK=BKLINK, EXP_KLINK=EXPKLINK
!
FLUID, MAT= REFCON, R_GAS      = R
FLUID, MAT= REFCON, MW_H2O    = MW_H2O
FLUID, MAT= REFCON, MW_SALT   = MW_NACL
FLUID, MAT= REFCON, MW_H2     = MW_H2,   TC_H2   = TC_H2,   PC_H2   = PC_H2, &
      ACEN_H2   = ACF_H2,   H2_CO2  = BIP_12,  H2_CH4  = BIP_13, &
      H2_N2    = BIP_14,   H2_H2S  = BIP_15,  H2_O2   = BIP_16
FLUID, MAT= REFCON, MW_CO2    = MW_CO2,   TC_CO2  = TC_CO2,   PC_CO2  = PC_CO2, &
      ACEN_CO2  = ACF_CO2,  CO2_CH4= BIP_23,  CO2_N2  = BIP_24, &
      CO2_H2S  = BIP_25 , CO2_O2  = BIP_26
FLUID, MAT= REFCON, MW_CH4    = MW_CH4,   TC_CH4  = TC_CH4,   PC_CH4  = PC_CH4, &
      ACEN_CH4  = ACF_CH4,  CH4_N2  = BIP_34,  CH4_H2S= BIP_35, &
      CH4_O2   = BIP_36
FLUID, MAT= REFCON, MW_N2     = MW_N2,   TC_N2   = TC_N2,   PC_N2   = PC_N2, &
      ACEN_N2   = ACF_N2,   N2_H2S  = BIP_45,  N2_O2   = BIP_46
FLUID, MAT= REFCON, MW_H2S    = MW_H2S,   TC_H2S  = TC_H2S,   PC_H2S  = PC_H2S, &
      ACEN_H2S  = ACF_H2S,  H2S_O2  = BIP_56
FLUID, MAT= REFCON, MW_O2     = MW_O2,   TC_O2   = TC_O2,   PC_O2   = PC_O2, &
      ACEN_O2   = ACF_O2
FLUID, MAT= REFCON, OMEGA_A   = OMEGAA , OMEGA_B = OMEGAB
!

```

```

*DIRICHLET
DIRICHLET, MAT=CULEBRA, PRESSURE=PRESSURE, &
        IRANGE=1,1, JRANGE=26,26, KRANGE=1,1
DIRICHLET, MAT=CULEBRA, PRESSURE=PRESSURE, &
        IRANGE=68,68, JRANGE=26,26, KRANGE=1,1
DIRICHLET, MAT=MAGENTA, PRESSURE=PRESSURE, &
        IRANGE=1,1, JRANGE=28,28, KRANGE=1,1
DIRICHLET, MAT=MAGENTA, PRESSURE=PRESSURE, &
        IRANGE=68,68, JRANGE=28,28, KRANGE=1,1
DIRICHLET, MAT=SANTAROS, PRESSURE=PRESSURE, &
        IRANGE=1,68, JRANGE=33,33, KRANGE=1,1
DIRICHLET, MAT=SANTAROS, SATURATION=SAT_IBRN, &
        IRANGE=1,68, JRANGE=33,33, KRANGE=1,1
*END
ex
$

```

**SCENARIO: S5**

```

$ type bfl_cra1_s5.inp
! TITLE: BRAGFLO 2003 CRA1 (PREBRAG)
! SCENARIO: S5
! ANALYSTS: Joshua Stein and Bill Zelinski
! MODIFIED: 01/04/03
!=====
! SCENARIO: UNDISTURBED SCENERIO
! : SINGLE CLOSURE SURFACE
! : A) CREEP CLOSURE IN WASTE AREAS
! : PANEL ON SOUTH, REST OF REPOSITORY ON NORTH
! : SHAFT ADDED
! : FRACTURING IN UPPER AND LOWER DRZ
!
! 28 Mar 02 JSS rev4 Added REPOSIT material and map to fix problem
! with WASTE materials.
! 02 Apr 02 JSS rev5 Changed DRF_PCS in the PCS adjacent to the OPS_AREA
! to be mapped as OPS_AREA, which is appropriate for
! preclosed excavated regions.
! 15 Jan 03 WPZ rev6 Added shaft. Fracturing in both upper and lower DRZ
! 01 Apr 03 WPZ rev7 modified to run with PREBRAG, Version 7.00 to produce
! input to BRAGFLO 5.0. Accomodates constants that used to
! be included in BRAGFLO code that must now be included
! in input.
!=====

```

```

*HEADING
TITLE2 = 2003 BRAGFLO: CRA E2 AT 1000 YRS
!=====

```

!CLOSURE INFORMATION

```

*CLOSURE
CONTROL, TYPE = PRESSURE, AVE = CELL
SURFACE, MODEL = JAN_96, PRES_LITHO = 50.0E6, TIME_OFF = 3.155693E12, &
        PERM_FACTOR= WAS_AREA:PERM_X, PERM_EXP = 0.0
REGION, MAT = WAS_AREA, MODEL = JAN_96
REGION, MAT = REPOSIT, MODEL = JAN_96
REGION, MAT = DRF_PCS, MODEL = JAN_96
!=====

```

\*RESET

```

!RESET REGIONS ARE GIVEN THE INITIAL PRESSURE AND SATURATION SPECIFIED IN

```



```

! THE INITIAL CONDITIONS AT THE RESET TIME
REGION,MAT=CAVITY_1
REGION,MAT=CAVITY_2
REGION,MAT=CAVITY_3
REGION,MAT=CAVITY_4
TIME=0.0
WASTE,MAT_OLD=CAVITY_1,MAT_NEW=WAS_AREA,&
      PRES_BRINE=101325.0, SAT_BRINE=0.0
WASTE,MAT_OLD=CAVITY_2,MAT_NEW=REPOSIT,&
      PRES_BRINE=101325.0, SAT_BRINE=0.0
!=====
*INITIAL_CONDITIONS
!BEGIN SIMULATION AT -5 YEARS
BEGIN, TIME=-1.577846E8
SATBR,   ID_BRINE =SATBREL
PRESSURE,ID_PRES  =PRESEL
CONFE   , ID_CONFE =FECONC
CONCELL, ID_CONCEL=CH2OCONC
ELEVAT,  ID_ELEV  =ELEVE
!=====
*STEP_CONTROL
!TIME STEP IS REDUCED
! 1. AT 0 YEARS: WASTE IS INTRODUCED,
   TIME,BEGIN=0.0, DT=864.0
! 2. AT 200 YEARS: MATERIAL CHANGE
   TIME,BEGIN=6.311385E9, DT=864.0
! 3. AT 1000 YEARS: MATERIAL CHANGE
   TIME,BEGIN=3.155693E10, DT=864.0
! 4. AT 1200 YEARS: MATERIAL CHANGE
   TIME,BEGIN=3.786831E10, DT=864.0
!=====
*MODIFY_MAP
! ID=1 => 0 YEARS : WASTE INTRODUCED, SHAFT SEALS AND FILL INTRODUCED
! ID=2 => 200 YEARS : COMPACTED SALT (TIME PERIOD 6)
! ID=3 => 1000 YEARS :
! ID=4 => 1200 YEARS :
TIME,TIME_ID=1, BEGIN= 0.0
TIME,TIME_ID=2, BEGIN= 6.311385E9
TIME,TIME_ID=3, BEGIN= 3.155693E10
TIME,TIME_ID=4, BEGIN= 3.786831E10
!*****
! 0 YEARS
!*****
!INTRODUCE FINAL DRZ MATERIAL
MODIFY, MAT=DRZ_1,   TIME_ID=1, IRANGE=23,30, JRANGE=7,9,   KRANGE=1,1
MODIFY, MAT=DRZ_1,   TIME_ID=1, IRANGE=32,34, JRANGE=7,9,   KRANGE=1,1
MODIFY, MAT=DRZ_1,   TIME_ID=1, IRANGE=36,38, JRANGE=7,9,   KRANGE=1,1
MODIFY, MAT=DRZ_1,   TIME_ID=1, IRANGE=40,42, JRANGE=7,9,   KRANGE=1,1
MODIFY, MAT=DRZ_1,   TIME_ID=1, IRANGE=44,45, JRANGE=7,9,   KRANGE=1,1
MODIFY, MAT=DRZ_1,   TIME_ID=1, IRANGE=23,30, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1,   TIME_ID=1, IRANGE=32,34, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1,   TIME_ID=1, IRANGE=36,38, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1,   TIME_ID=1, IRANGE=40,42, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1,   TIME_ID=1, IRANGE=44,45, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=31,31, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=35,35, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=39,39, JRANGE=15,16, KRANGE=1,1

```

```

!INTRODUCE SHFTU upper shaft
MODIFY, MAT=SHFTU, TIME_ID=1, IRANGE=43,43, JRANGE=25,33, KRANGE=1,1
!INTRODUCE SHFTL_T1 lower shaft t1
MODIFY, MAT=SHFTL_T1, TIME_ID=1, IRANGE=43,43, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=SHFTL_T1, TIME_ID=1, IRANGE=43,43, JRANGE=18,24, KRANGE=1,1
!INTRODUCE CONC-MON lowest part of shaft filled with concrete
MODIFY, MAT=CONC_MON, TIME_ID=1, IRANGE=43,43, JRANGE=8,13, KRANGE=1,1
!INTRODUCE WASTE INTO PANEL REGION
MODIFY, MAT=WAS_AREA, TIME_ID=1, IRANGE=23,29, JRANGE=10,12, KRANGE=1,1
!INTRODUCE WASTE INTO REST OF REPOSITORY
MODIFY, MAT=REPOSIT, TIME_ID=1, IRANGE=32,33, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=REPOSIT, TIME_ID=1, IRANGE=36,37, JRANGE=10,12, KRANGE=1,1
!INTRODUCE PANEL SEAL BACKFILL modeled as was_area
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=30,30, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=34,34, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=38,38, JRANGE=10,12, KRANGE=1,1
!MODIFY, MAT=OPS_AREA, TIME_ID=1, IRANGE=42,42, JRANGE=10,12, KRANGE=1,1
!INTRODUCE PANEL CLOSURE CONCRETE
MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=31,31, JRANGE=8,13, KRANGE=1,1
MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=35,35, JRANGE=8,13, KRANGE=1,1
MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=39,39, JRANGE=8,13, KRANGE=1,1
!MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=43,43, JRANGE=8,13, KRANGE=1,1
!INTRODUCE PANEL CLOSURE CONCRETE AT MB139 LEVEL
!MODIFY, MAT=CPCS_F, TIME_ID=1, IRANGE=31,31, JRANGE=7,7, KRANGE=1,1
!MODIFY, MAT=CPCS_F, TIME_ID=1, IRANGE=35,35, JRANGE=7,7, KRANGE=1,1
!MODIFY, MAT=CPCS_F, TIME_ID=1, IRANGE=39,39, JRANGE=7,7, KRANGE=1,1
!MODIFY, MAT=CPCS_F, TIME_ID=1, IRANGE=43,43, JRANGE=7,7, KRANGE=1,1
!INTRODUCE OPERATIONS REGION MATERIAL
MODIFY, MAT=OPS_AREA, TIME_ID=1, IRANGE=40,42, JRANGE=10,12, KRANGE=1,1
!INTRODUCE EXPERIMENTAL REGION MATERIAL
MODIFY, MAT=EXP_AREA, TIME_ID=1, IRANGE=44,45, JRANGE=10,12, KRANGE=1,1
!INTRODUCE UNNAMED MEMBER OF THE RUSTLER
MODIFY, MAT=UNNAMED, TIME_ID=1, IRANGE= 1,42, JRANGE=25,25, KRANGE=1,1
MODIFY, MAT=UNNAMED, TIME_ID=1, IRANGE=44,68, JRANGE=25,25, KRANGE=1,1
!INTRODUCE TRUE CULEBRA REGION TO ALLOW BRINE INFLOW TO SHAFT
MODIFY, MAT=CULEBRA, TIME_ID=1, IRANGE= 1,42, JRANGE=26,26, KRANGE=1,1
MODIFY, MAT=CULEBRA, TIME_ID=1, IRANGE=44,68, JRANGE=26,26, KRANGE=1,1
!INTRODUCE TAMARISK
MODIFY, MAT=TAMARISK, TIME_ID=1, IRANGE= 1,42, JRANGE=27,27, KRANGE=1,1
MODIFY, MAT=TAMARISK, TIME_ID=1, IRANGE=44,68, JRANGE=27,27, KRANGE=1,1
!INTRODUCE MAGENTA
MODIFY, MAT=MAGENTA, TIME_ID=1, IRANGE= 1,42, JRANGE=28,28, KRANGE=1,1
MODIFY, MAT=MAGENTA, TIME_ID=1, IRANGE=44,68, JRANGE=28,28, KRANGE=1,1
!INTRODUCE FORTY-NINER
MODIFY, MAT=FORTYNIN, TIME_ID=1, IRANGE= 1,42, JRANGE=29,29, KRANGE=1,1
MODIFY, MAT=FORTYNIN, TIME_ID=1, IRANGE= 44,68, JRANGE=29,29, KRANGE=1,1
!INTRODUCE DEWEY LAKE RED BEDS
MODIFY, MAT=DEWYLAKE, TIME_ID=1, IRANGE= 1,42, JRANGE=30,31, KRANGE=1,1
MODIFY, MAT=DEWYLAKE, TIME_ID=1, IRANGE= 44,68, JRANGE=30,31, KRANGE=1,1
!INTRODUCE SANTA ROSA FORMATION
MODIFY, MAT=SANTAROS, TIME_ID=1, IRANGE= 1,42, JRANGE=32,33, KRANGE=1,1
MODIFY, MAT=SANTAROS, TIME_ID=1, IRANGE= 44,68, JRANGE=32,33, KRANGE=1,1
!*****
!
!          END OF TIME PERIOD 1 MATERIAL RESETS
!*****
!*****
! 200 YEARS

```

```

!*****
!INTRODUCE CHANGE IN LOWER SHAFT MATERIAL
MODIFY, MAT=SHFTL_T2, TIME_ID=2, IRANGE=43,43, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=SHFTL_T2, TIME_ID=2, IRANGE=43,43, JRANGE=18,24, KRANGE=1,1

!*****
!
!           END OF TIME PERIOD 2 MATERIAL RESET
!=====
!=====
! 1000 years
!=====
! Introduce borehole material
!
MODIFY, MAT=BH_OPEN,    TIME_ID=3, IRANGE=26,26, JRANGE=10,24, KRANGE=1,1
MODIFY, MAT=CONC_PLG,  TIME_ID=3, IRANGE=26,26, JRANGE=25,25, KRANGE=1,1
MODIFY, MAT=BH_OPEN,    TIME_ID=3, IRANGE=26,26, JRANGE=26,31, KRANGE=1,1
MODIFY, MAT=CONC_PLG,  TIME_ID=3, IRANGE=26,26, JRANGE=32,33, KRANGE=1,1
!
!=====
! 1200 years
!=====
! Introduce borehole material
!
MODIFY, MAT=BH_SAND,    TIME_ID=4, IRANGE=26,26, JRANGE=10,33, KRANGE=1,1
!
!=====
*GEOMETRY
COORD= CARTESIAN
!=====
*SIMULATION_CONTROL
INTEGRATION, TMAX=3.155693E11, DT_INIT=8.64,DT_MIN= 8.64E-4, DT_MAX=1.728E9,&
             DT_INCR=1.25,   DT_REDÜ= 0.5,   AUTODT=YES,   TSWITCH=1.0,&
             MAXSTEPS=10000
!
ITERATION, DSATLIM= 2.E-1, DPRESLIM = -1.E8 , SATLIM= 1.E-3,&
           SATNORM= 0.30,  PRESNORM = 5.0E5,&
           ITMAX= 8,      IRESETMAX= 40, IJACINT= 1,&
           IJACSWITCH=41, IJACMIN= 1,   IJACRESET= 5,&
           IUPRPFLAG =9,   IUPMFFLAG= 9,   IUPRPLOOSE= 9,&
           IUPMFLOOSE=9
!
ITERATION, DHSAT_REL= 1.0E-8,  DHPRES_REL=1.0E-8,&
           DHSAT_MIN= 1.0E-10,  DHPRES_MIN=1.0E-2
!
ITERATION, EPS_SAT  = 3.0E+0,    EPS_PRES   = 1.E-2,&
           R_EPS_SAT= 3.0E+0,    R_EPS_PRES = 1.E-2,&
           FTOL_SAT  = 1.0E-2,    FTOL_PRES  = 1.0E-2,&
           R_FTOL_SAT=1.0E-2,    R_FTOL_PRES = 1.0E-2, CONV_TEST = AND
!
NUMERICS, SOLVER=LU
NUMERICS, JACSCALE= 1.0e7, VSWITCH=NO
NUMERICS, ITRAVE= HARMONIC, IMFRAVE=UPSTREAM
!
GRAVITY, MAT= REFCON, G_ACC= GRAVACC
!
!=====
*OUTPUT_CONTROL

```

```

!
UNITS= SI
MONITOR, ILOC = 26, JLOC = 12, KLOC = 1
MONITOR, ILOC = 32, JLOC = 12, KLOC = 1
MONITOR, ILOC = 36, JLOC = 12, KLOC = 1
!
STEPS, FILE= BINARY, NSTEP=20
TIMES, FILE= ASCII, VALUES= 0.0, 3.155693E09, 1.104493E10, &
                                     3.155693E10, 9.467079E10, &
                                     1.577847E11, 2.208985E11, &
                                     2.840124E11, 3.155693E11
PRIBIN, &
    PRESBRIN,  PRESGAS,  POROS,      DENGAS,      PERMBRX,  PERMGASX, &
    SATGAS,    FLOWGASX, FLOWGASY, FLOWBRX,    FLOWBRY, &
    FECONC,    CELLCONC, BRINRATE
!
PRIASC, &
    PRESBRIN,  PRESGAS,  POROS,      SATGAS,      FECONC,    CELLCONC
!
!HORIZONTAL BRINE FLOW ACROSS 2.4K SOUTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES= FLOWBRX,  IRANGE= 6,6,  JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES= FLOWBRX,  IRANGE= 6,6,  JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES= FLOWBRX,  IRANGE= 6,6,  JRANGE=17,17, KRANGE=1,1
!HORIZONTAL BRINE FLOW ACROSS 2.4K SOUTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES= FLOWBRX,  IRANGE= 6,6,  JRANGE=25,33, KRANGE=1,1
!HORIZONTAL BRINE FLOW ACROSS 2.4K NORTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES= FLOWBRX,  IRANGE= 63,63, JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES= FLOWBRX,  IRANGE= 63,63, JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES= FLOWBRX,  IRANGE= 63,63, JRANGE=17,17, KRANGE=1,1
!HORIZONTAL BRINE FLOW ACROSS 2.4K NORTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES= FLOWBRX,  IRANGE= 63,63, JRANGE=25,33, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K SOUTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES= FLOWGASX,  IRANGE= 6,6,  JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES= FLOWGASX,  IRANGE= 6,6,  JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES= FLOWGASX,  IRANGE= 6,6,  JRANGE=17,17, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K SOUTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES= FLOWGASX,  IRANGE= 6,6,  JRANGE=25,33, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K NORTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES= FLOWGASX,  IRANGE= 63,63, JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES= FLOWGASX,  IRANGE= 63,63, JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES= FLOWGASX,  IRANGE= 63,63, JRANGE=17,17, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K NORTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES= FLOWGASX,  IRANGE= 63,63, JRANGE=25,33, KRANGE=1,1
!BRINE FLOW ACROSS DRZ AND MARKER BEDS BOUNDARY
HISTORY, NAMES= FLOWBRX,  IRANGE= 23,23, JRANGE= 7,17, KRANGE=1,1
HISTORY, NAMES= FLOWBRX,  IRANGE= 46,46, JRANGE= 7,17, KRANGE=1,1
!GAS FLOW ACROSS DRZ AND MARKER BEDS BOUNDARY
HISTORY, NAMES= FLOWGASX,  IRANGE= 23,23, JRANGE= 7,17, KRANGE=1,1
HISTORY, NAMES= FLOWGASX,  IRANGE= 46,46, JRANGE= 7,17, KRANGE=1,1
!
!VERTICAL BRINE FLOW ACROSS BOTTOM OF UPPER DRZ
HISTORY, NAMES= FLOWBRY,  IRANGE= 23,45, JRANGE=13,13, KRANGE=1,1
!VERTICAL BRINE FLOW ACROSS TOP OF LOWER DRZ
HISTORY, NAMES= FLOWBRY,  IRANGE= 23,45, JRANGE=10,10, KRANGE=1,1
!
!VERTICAL GAS FLOW ACROSS BOTTOM OF UPPER DRZ
HISTORY, NAMES= FLOWGASY,  IRANGE= 23,45, JRANGE=13,13, KRANGE=1,1

```

```

!VERTICAL GAS FLOW ACROSS TOP OF LOWER DRZ
HISTORY, NAMES= FLOWGASY, IRANGE= 23,45, JRANGE=10,10, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW SOUTH SIDE OF S_REPOSITORY
HISTORY, NAMES= FLOWBRX, IRANGE=32,32, JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW SOUTH SIDE OF S_REPOSITORY
HISTORY, NAMES= FLOWGASX, IRANGE=32,32, JRANGE= 10,12, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW NORTH SIDE OF N_REPOSITORY
HISTORY, NAMES= FLOWBRX, IRANGE=38,38, JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW NORTH SIDE OF REPOSITORY
HISTORY, NAMES= FLOWGASX, IRANGE=38,38, JRANGE= 10,12, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW SOUTH SIDE OF PANEL
HISTORY, NAMES= FLOWBRX, IRANGE= 23,23, JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW SOUTH SIDE OF PANEL
HISTORY, NAMES= FLOWGASX, IRANGE= 23,23, JRANGE= 10,12, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW NORTH SIDE OF PANEL
HISTORY, NAMES= FLOWBRX, IRANGE=30,30, JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW NORTH SIDE OF PANEL
HISTORY, NAMES= FLOWGASX, IRANGE=30,30, JRANGE= 10,12, KRANGE=1,1
!
!GAS SATURATION IN PANEL
HISTORY, NAMES= SATGAS, IRANGE=23,29, JRANGE= 10,12, KRANGE=1,1
!
!GAS SATURATION IN REPOSITORY
HISTORY, NAMES= SATGAS, IRANGE= 32,33, JRANGE= 10,12, KRANGE=1,1
HISTORY, NAMES= SATGAS, IRANGE= 36,37, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN PANEL
HISTORY, NAMES= PRESBRIN, IRANGE=23,29, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN REPOSITORY
HISTORY, NAMES= PRESBRIN, IRANGE= 32,33, JRANGE= 10,12, KRANGE=1,1
HISTORY, NAMES= PRESBRIN, IRANGE= 36,37, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN BRINE POCKET
HISTORY, NAMES= PRESBRIN, IRANGE= 26,26, JRANGE= 1,1, KRANGE=1,1
!
!BRINE PRESSURE IN INTERSECTION OF BOREHOLE AND CULEBRA
HISTORY, NAMES= PRESBRIN, IRANGE= 26,26, JRANGE= 26,26, KRANGE=1,1
!*****
!
! END OF HISTORY VARIABLES
!*****
!
*REACTION_CHEMISTRY
!
WICKING, MAT= WAS_AREA, VALUE=SAT_WICK
NUMERICS, SMOOTH=ON, ALPHARXN=-1000.0
RATES, MAT=WAS_AREA, COR_IN=GRATCORI, COR_HUM=GRATCORH, &
MIC_IN=GRATMICI, MIC_HUM=GRATMICH, &
SCOR_GAS=STOICOR, SMIC_GAS=STOIMIC
!
VOLUME, MAT=WAS_AREA, VOL_CHW = VOLCHW, VOL_RHW = VOLRHW
!
DENSITY, MAT=WAS_AREA, METAL_RH= DRH_METL, BIO_RH= DRH_BIO, &

```

```

METAL_CH= DCH_METL, BIO_CH= DCH_BIO
!
SATURATION, MAT=WAS_AREA, VALUE= SAT_IBRN
!
MOLWTS, MAT= REFCON, MW_FE = MW_FE
MOLWTS, MAT= REFCON, MW_CEL = MW_CELL
!
MISC, MAT= REFCON, VREPOS = VREPOS, &
VPANLEX = VPANLEX, &
VROOM = VROOM, &
ASDRUM = ASDRUM, &
DRROOM = DRROOM
!
!
!=====
*PROPERTIES
! GET SOLID properties from CAMDAT file
!Salado Halite
SOLID, MAT=S_HALITE, &
PRM_X = PERM_X, PRM_Y = PERM_Y, &
PRM_Z = PERM_Z, POROSITY = POROSITY, &
BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
BCLAM = PORE_DIS, COMPRES = POR_COMP, &
SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
PCT_EXP = PCT_EXP, PCT_FLAG = KPT
!
SOLID, MAT=DRZ_0, &
PRM_X = PERM_X, PRM_Y = PERM_Y, &
PRM_Z = PERM_Z, POROSITY = POROSITY, &
BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
BCLAM = PORE_DIS, COMPRES = POR_COMP, &
SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
PCT_EXP = PCT_EXP, PCT_FLAG = KPT
!
SOLID, MAT=DRZ_1, &
PRM_X = PERM_X, PRM_Y = PERM_Y, &
PRM_Z = PERM_Z, POROSITY = POROSITY, &
BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
BCLAM = PORE_DIS, COMPRES = POR_COMP, &
SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
PCT_EXP = PCT_EXP, PCT_FLAG = KPT
!
SOLID, MAT=DRZ_PCS, &
PRM_X = PERM_X, PRM_Y = PERM_Y, &
PRM_Z = PERM_Z, POROSITY = POROSITY, &
BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
BCLAM = PORE_DIS, COMPRES = POR_COMP, &
SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
PCT_EXP = PCT_EXP, PCT_FLAG = KPT

```

```

!
SOLID, MAT=S_MB139, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL  = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=S_ANH_AB, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL  = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=S_MB138, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL  = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=CAVITY_1, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL  = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=CAVITY_2, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL  = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=CAVITY_3, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &

```

```

        BCLAM      = PORE_DIS,      COMPRES      = POR_COMP, &
        SB_MIN     = SB_MIN,        PB_MIN      = PO_MIN, &
        PC_MAX     = PC_MAX,        CAP_MOD     = CAP_MOD, &
        RELP_MODEL = RELP_MOD,      PCT_A       = PCT_A, &
        PCT_EXP    = PCT_EXP,      PCT_FLAG    = KPT
!
SOLID, MAT=CAVITY_4, &
        PRM_X      = PERM_X,        PRM_Y       = PERM_Y, &
        PRM_Z      = PERM_Z,        POROSITY    = POROSITY, &
        BCSOR     = SAT_RBRN,      BCSGR       = SAT_RGAS, &
        BCLAM     = PORE_DIS,      COMPRES     = POR_COMP, &
        SB_MIN    = SB_MIN,        PB_MIN      = PO_MIN, &
        PC_MAX    = PC_MAX,        CAP_MOD     = CAP_MOD, &
        RELP_MODEL = RELP_MOD,      PCT_A       = PCT_A, &
        PCT_EXP    = PCT_EXP,      PCT_FLAG    = KPT
!
SOLID, MAT=IMPERM_Z, &
        PRM_X      = PERM_X,        PRM_Y       = PERM_Y, &
        PRM_Z      = PERM_Z,        POROSITY    = POROSITY, &
        BCSOR     = SAT_RBRN,      BCSGR       = SAT_RGAS, &
        BCLAM     = PORE_DIS,      COMPRES     = POR_COMP, &
        SB_MIN    = SB_MIN,        PB_MIN      = PO_MIN, &
        PC_MAX    = PC_MAX,        CAP_MOD     = CAP_MOD, &
        RELP_MODEL = RELP_MOD,      PCT_A       = PCT_A, &
        PCT_EXP    = PCT_EXP,      PCT_FLAG    = KPT
!
SOLID, MAT=CASTILER, &
        PRM_X      = PERM_X,        PRM_Y       = PERM_Y, &
        PRM_Z      = PERM_Z,        POROSITY    = POROSITY, &
        BCSOR     = SAT_RBRN,      BCSGR       = SAT_RGAS, &
        BCLAM     = PORE_DIS,      COMPRES     = POR_COMP, &
        SB_MIN    = SB_MIN,        PB_MIN      = PO_MIN, &
        PC_MAX    = PC_MAX,        CAP_MOD     = CAP_MOD, &
        RELP_MODEL = RELP_MOD,      PCT_A       = PCT_A, &
        PCT_EXP    = PCT_EXP,      PCT_FLAG    = KPT
!
SOLID, MAT=WAS_AREA, &
        PRM_X      = PERM_X,        PRM_Y       = PERM_Y, &
        PRM_Z      = PERM_Z,        POROSITY    = POROSITY, &
        BCSOR     = SAT_RBRN,      BCSGR       = SAT_RGAS, &
        BCLAM     = PORE_DIS,      COMPRES     = POR_COMP, &
        SB_MIN    = SB_MIN,        PB_MIN      = PO_MIN, &
        PC_MAX    = PC_MAX,        CAP_MOD     = CAP_MOD, &
        RELP_MODEL = RELP_MOD,      PCT_A       = PCT_A, &
        PCT_EXP    = PCT_EXP,      PCT_FLAG    = KPT
!
SOLID, MAT=REPOSIT, &
        PRM_X      = PERM_X,        PRM_Y       = PERM_Y, &
        PRM_Z      = PERM_Z,        POROSITY    = POROSITY, &
        BCSOR     = SAT_RBRN,      BCSGR       = SAT_RGAS, &
        BCLAM     = PORE_DIS,      COMPRES     = POR_COMP, &
        SB_MIN    = SB_MIN,        PB_MIN      = PO_MIN, &
        PC_MAX    = PC_MAX,        CAP_MOD     = CAP_MOD, &
        RELP_MODEL = RELP_MOD,      PCT_A       = PCT_A, &
        PCT_EXP    = PCT_EXP,      PCT_FLAG    = KPT
!
SOLID, MAT=DRF_PCS, &

```



```

PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD     = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

!
SOLID, MAT=CONC_PCS, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD     = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

!
SOLID, MAT=UNNAMED, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD     = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

!
SOLID, MAT=CULEBRA, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD     = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

!
SOLID, MAT=TAMARISK, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD     = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

!
SOLID, MAT=MAGENTA, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD     = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &

```

```

                PCT_EXP      = PCT_EXP,          PCT_FLAG      = KPT
!
SOLID, MAT=FORTYNIN, &
                PRM_X        = PERM_X,          PRM_Y          = PERM_Y, &
                PRM_Z        = PERM_Z,          POROSITY       = POROSITY, &
                BCSOR        = SAT_RBRN,        BCSGR          = SAT_RGAS, &
                BCLAM        = PORE_DIS,        COMPRES        = POR_COMP, &
                SB_MIN        = SB_MIN,          PB_MIN         = PO_MIN, &
                PC_MAX        = PC_MAX,          CAP_MOD        = CAP_MOD, &
                RELP_MODEL    = RELP_MOD,        PCT_A          = PCT_A, &
                PCT_EXP      = PCT_EXP,          PCT_FLAG      = KPT
!
SOLID, MAT=DEWYLAKE, &
                PRM_X        = PERM_X,          PRM_Y          = PERM_Y, &
                PRM_Z        = PERM_Z,          POROSITY       = POROSITY, &
                BCSOR        = SAT_RBRN,        BCSGR          = SAT_RGAS, &
                BCLAM        = PORE_DIS,        COMPRES        = POR_COMP, &
                SB_MIN        = SB_MIN,          PB_MIN         = PO_MIN, &
                PC_MAX        = PC_MAX,          CAP_MOD        = CAP_MOD, &
                RELP_MODEL    = RELP_MOD,        PCT_A          = PCT_A, &
                PCT_EXP      = PCT_EXP,          PCT_FLAG      = KPT
!
SOLID, MAT=SANTAROS, &
                PRM_X        = PERM_X,          PRM_Y          = PERM_Y, &
                PRM_Z        = PERM_Z,          POROSITY       = POROSITY, &
                BCSOR        = SAT_RBRN,        BCSGR          = SAT_RGAS, &
                BCLAM        = PORE_DIS,        COMPRES        = POR_COMP, &
                SB_MIN        = SB_MIN,          PB_MIN         = PO_MIN, &
                PC_MAX        = PC_MAX,          CAP_MOD        = CAP_MOD, &
                RELP_MODEL    = RELP_MOD,        PCT_A          = PCT_A, &
                PCT_EXP      = PCT_EXP,          PCT_FLAG      = KPT
!
SOLID, MAT=OPS_AREA, &
                PRM_X        = PERM_X,          PRM_Y          = PERM_Y, &
                PRM_Z        = PERM_Z,          POROSITY       = POROSITY, &
                BCSOR        = SAT_RBRN,        BCSGR          = SAT_RGAS, &
                BCLAM        = PORE_DIS,        COMPRES        = POR_COMP, &
                SB_MIN        = SB_MIN,          PB_MIN         = PO_MIN, &
                PC_MAX        = PC_MAX,          CAP_MOD        = CAP_MOD, &
                RELP_MODEL    = RELP_MOD,        PCT_A          = PCT_A, &
                PCT_EXP      = PCT_EXP,          PCT_FLAG      = KPT
!
SOLID, MAT=EXP_AREA, &
                PRM_X        = PERM_X,          PRM_Y          = PERM_Y, &
                PRM_Z        = PERM_Z,          POROSITY       = POROSITY, &
                BCSOR        = SAT_RBRN,        BCSGR          = SAT_RGAS, &
                BCLAM        = PORE_DIS,        COMPRES        = POR_COMP, &
                SB_MIN        = SB_MIN,          PB_MIN         = PO_MIN, &
                PC_MAX        = PC_MAX,          CAP_MOD        = CAP_MOD, &
                RELP_MODEL    = RELP_MOD,        PCT_A          = PCT_A, &
                PCT_EXP      = PCT_EXP,          PCT_FLAG      = KPT
!
! SOLID, MAT=BOREHOLE, &
!                 PRM_X        = PERM_X,          PRM_Y          = PERM_Y, &
!                 PRM_Z        = PERM_Z,          POROSITY       = POROSITY, &
!                 BCSOR        = SAT_RBRN,        BCSGR          = SAT_RGAS, &
!                 BCLAM        = PORE_DIS,        COMPRES        = POR_COMP, &

```

```

!           SB_MIN      = SB_MIN,           PB_MIN      = PO_MIN, &
!           PC_MAX       = PC_MAX,           CAP_MOD     = CAP_MOD, &
!           RELP_MODEL   = RELP_MOD,        PCT_A       = PCT_A, &
!           PCT_EXP      = PCT_EXP,         PCT_FLAG    = KPT
!
SOLID, MAT=CONC_MON, &
           PRM_X         = PERM_X,           PRM_Y       = PERM_Y, &
           PRM_Z         = PERM_Z,           POROSITY    = POROSITY, &
           BCSOR         = SAT_RBRN,        BCSGR       = SAT_RGAS, &
           BCLAM         = PORE_DIS,        COMPRES     = POR_COMP, &
           SB_MIN        = SB_MIN,          PB_MIN      = PO_MIN, &
           PC_MAX        = PC_MAX,          CAP_MOD     = CAP_MOD, &
           RELP_MODEL    = RELP_MOD,        PCT_A       = PCT_A, &
           PCT_EXP       = PCT_EXP,        PCT_FLAG    = KPT
!
SOLID, MAT=SHFTU, &
           PRM_X         = PERM_X,           PRM_Y       = PERM_Y, &
           PRM_Z         = PERM_Z,           POROSITY    = POROSITY, &
           BCSOR         = SAT_RBRN,        BCSGR       = SAT_RGAS, &
           BCLAM         = PORE_DIS,        COMPRES     = POR_COMP, &
           SB_MIN        = SB_MIN,          PB_MIN      = PO_MIN, &
           PC_MAX        = PC_MAX,          CAP_MOD     = CAP_MOD, &
           RELP_MODEL    = RELP_MOD,        PCT_A       = PCT_A, &
           PCT_EXP       = PCT_EXP,        PCT_FLAG    = KPT
!
SOLID, MAT=SHFTL_T1, &
           PRM_X         = PERM_X,           PRM_Y       = PERM_Y, &
           PRM_Z         = PERM_Z,           POROSITY    = POROSITY, &
           BCSOR         = SAT_RBRN,        BCSGR       = SAT_RGAS, &
           BCLAM         = PORE_DIS,        COMPRES     = POR_COMP, &
           SB_MIN        = SB_MIN,          PB_MIN      = PO_MIN, &
           PC_MAX        = PC_MAX,          CAP_MOD     = CAP_MOD, &
           RELP_MODEL    = RELP_MOD,        PCT_A       = PCT_A, &
           PCT_EXP       = PCT_EXP,        PCT_FLAG    = KPT
!
SOLID, MAT=SHFTL_T2, &
           PRM_X         = PERM_X,           PRM_Y       = PERM_Y, &
           PRM_Z         = PERM_Z,           POROSITY    = POROSITY, &
           BCSOR         = SAT_RBRN,        BCSGR       = SAT_RGAS, &
           BCLAM         = PORE_DIS,        COMPRES     = POR_COMP, &
           SB_MIN        = SB_MIN,          PB_MIN      = PO_MIN, &
           PC_MAX        = PC_MAX,          CAP_MOD     = CAP_MOD, &
           RELP_MODEL    = RELP_MOD,        PCT_A       = PCT_A, &
           PCT_EXP       = PCT_EXP,        PCT_FLAG    = KPT
!
SOLID, MAT=BH_SAND, &
           PRM_X         = PERM_X,           PRM_Y       = PERM_Y, &
           PRM_Z         = PERM_Z,           POROSITY    = POROSITY, &
           BCSOR         = SAT_RBRN,        BCSGR       = SAT_RGAS, &
           BCLAM         = PORE_DIS,        COMPRES     = POR_COMP, &
           SB_MIN        = SB_MIN,          PB_MIN      = PO_MIN, &
           PC_MAX        = PC_MAX,          CAP_MOD     = CAP_MOD, &
           RELP_MODEL    = RELP_MOD,        PCT_A       = PCT_A, &
           PCT_EXP       = PCT_EXP,        PCT_FLAG    = KPT
SOLID, MAT=BH_CREEP, &
           PRM_X         = PERM_X,           PRM_Y       = PERM_Y, &
           PRM_Z         = PERM_Z,           POROSITY    = POROSITY, &

```

```

BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=CONC_PLG, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=BH_OPEN, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
! GET FRACTURE PROPERTIES
FRACTURE, MAT= S_MB139, FRAC_PI  = PI_DELTA, FRAC_PF  = PF_DELTA, &
FRAC_PHI   = PHIMAX,    FRAC_EXP = PERM_EXP, &
FRAC_PMX   = IFRX,      FRAC_PMY = IFRY, &
FRAC_PMZ   = IFRZ

!
FRACTURE, MAT= S_ANH_AB, FRAC_PI  = PI_DELTA, FRAC_PF  = PF_DELTA, &
FRAC_PHI   = PHIMAX,    FRAC_EXP = PERM_EXP, &
FRAC_PMX   = IFRX,      FRAC_PMY = IFRY, &
FRAC_PMZ   = IFRZ

!
FRACTURE, MAT= S_MB138, FRAC_PI  = PI_DELTA, FRAC_PF  = PF_DELTA, &
FRAC_PHI   = PHIMAX,    FRAC_EXP = PERM_EXP, &
FRAC_PMX   = IFRX,      FRAC_PMY = IFRY, &
FRAC_PMZ   = IFRZ

!
FRACTURE, MAT= DRZ_0,   FRAC_PI  = PI_DELTA, FRAC_PF  = PF_DELTA, &
FRAC_PHI   = PHIMAX,    FRAC_EXP = PERM_EXP, &
FRAC_PMX   = IFRX,      FRAC_PMY = IFRY, &
FRAC_PMZ   = IFRZ

!
FRACTURE, MAT= DRZ_1,   FRAC_PI  = PI_DELTA, FRAC_PF  = PF_DELTA, &
FRAC_PHI   = PHIMAX,    FRAC_EXP = PERM_EXP, &
FRAC_PMX   = IFRX,      FRAC_PMY = IFRY, &
FRAC_PMZ   = IFRZ

!
! GET FLUID (brine and gas) properties from CAMDAT file
FLUID, MAT=BRINESAL, SALINITY=WTF, DEN_BR=DNSFLUID, &
COMPR_BR= COMP, REF_PRES=REF_PRES, REF_TEMP= REF_TEMP, &
INTERP = 1, VIS_BR=VISCO

```

```

FLUID, MAT=H2,          VIS_GAS=VISCO,DGAS = OFF,&
                        H2_MOLE =1.0, CO2_MOLE=0.0, CH4_MOLE=0.0,&
                        N2_MOLE= 0.0, H2S_MOLE=0.0, O2_MOLE=0.0
FLUID, MAT=S_MB139,    KLINK=ON, B_KLINK=BKLINK, EXP_KLINK=EXPKLINK
!
FLUID, MAT= REFCON,    R_GAS      = R
FLUID, MAT= REFCON,    MW_H2O     = MW_H2O
FLUID, MAT= REFCON,    MW_SALT    = MW_NACL
FLUID, MAT= REFCON,    MW_H2      = MW_H2,      TC_H2 = TC_H2,      PC_H2 = PC_H2,&
                        ACEN_H2    = ACF_H2,      H2_CO2 = BIP_12,      H2_CH4 = BIP_13,&
                        H2_N2      = BIP_14,      H2_H2S = BIP_15,      H2_O2  = BIP_16
FLUID, MAT= REFCON,    MW_CO2     = MW_CO2,      TC_CO2 = TC_CO2,      PC_CO2 = PC_CO2,&
                        ACEN_CO2   = ACF_CO2,      CO2_CH4= BIP_23,      CO2_N2 = BIP_24,&
                        CO2_H2S    = BIP_25 ,      CO2_O2 = BIP_26
FLUID, MAT= REFCON,    MW_CH4     = MW_CH4,      TC_CH4 = TC_CH4,      PC_CH4 = PC_CH4,&
                        ACEN_CH4   = ACF_CH4,      CH4_N2 = BIP_34,      CH4_H2S= BIP_35,&
                        CH4_O2     = BIP_36
FLUID, MAT= REFCON,    MW_N2      = MW_N2,      TC_N2  = TC_N2,      PC_N2  = PC_N2,&
                        ACEN_N2    = ACF_N2,      N2_H2S = BIP_45,      N2_O2  = BIP_46
FLUID, MAT= REFCON,    MW_H2S     = MW_H2S,      TC_H2S = TC_H2S,      PC_H2S = PC_H2S,&
                        ACEN_H2S   = ACF_H2S,      H2S_O2 = BIP_56
FLUID, MAT= REFCON,    MW_O2      = MW_O2,      TC_O2  = TC_O2,      PC_O2  = PC_O2,&
                        ACEN_O2    = ACF_O2
FLUID, MAT= REFCON,    OMEGA_A    = OMEGAA ,      OMEGA_B = OMEGAB
!
*DIRICHLET
DIRICHLET, MAT=CULEBRA, PRESSURE=PRESSURE,&
            IRANGE=1,1, JRANGE=26,26, KRANGE=1,1
DIRICHLET, MAT=CULEBRA, PRESSURE=PRESSURE,&
            IRANGE=68,68, JRANGE=26,26, KRANGE=1,1
DIRICHLET, MAT=MAGENTA, PRESSURE=PRESSURE,&
            IRANGE=1,1, JRANGE=28,28, KRANGE=1,1
DIRICHLET, MAT=MAGENTA, PRESSURE=PRESSURE,&
            IRANGE=68,68, JRANGE=28,28, KRANGE=1,1
DIRICHLET, MAT=SANTAROS, PRESSURE=PRESSURE,&
            IRANGE=1,68, JRANGE=33,33, KRANGE=1,1
DIRICHLET, MAT=SANTAROS, SATURATION=SAT_IBRN,&
            IRANGE=1,68, JRANGE=33,33, KRANGE=1,1
*END
ex
$

```

**SCENARIO: S6**

```

$ type bf1_cra1_s6.inp
! TITLE: BRAGFLO 2003 CRA1 (PREBRAG)
! SCENARIO: S6
! ANALYSTS: Joshua Stein and Bill Zelinski
! MODIFIED: 01/04/03
!=====
! SCENARIO: UNDISTURBED SCENERIO
! : SINGLE CLOSURE SURFACE
! : A) CREEP CLOSURE IN WASTE AREAS
! : PANEL ON SOUTH, REST OF REPOSITORY ON NORTH
! : SHAFT ADDED
! : FRACTURING IN UPPER AND LOWER DRZ
!

```

! 28 Mar 02 JSS rev4 Added REPOSIT material and map to fix problem  
! with WASTE materials.  
! 02 Apr 02 JSS rev5 Changed DRF\_PCS in the PCS adjacent to the OPS\_AREA  
! to be mapped as OPS\_AREA, which is appropriate for  
! preclosed excavated regions.  
! 15 Jan 03 WPZ rev6 Added shaft. Fracturing in both upper and lower DRZ  
! 01 Apr 03 WPZ rev7 modified to run with PREBRAG, Version 7.00 to produce  
! input to BRAGFLO 5.0. Accomodates constants that used to  
! be included in BRAGFLO code that must now be included  
! in input.  
!  
! NOTE:E1 does not consider concrete plugs because fluid can migrate through  
! repository and up the old borehole where the plugs have failed.  
!

!=====  
\*HEADING

TITLE2 = 2003 BRAGFLO: CRA E2 @ 1000 YRS,E1 @ 2000 YRS  
!=====

!CLOSURE INFORMATION

\*CLOSURE

CONTROL, TYPE = PRESSURE, AVE = CELL  
SURFACE, MODEL = JAN\_96, PRES\_LITHO = 50.0E6, TIME\_OFF = 3.155693E12,&  
PERM\_FACTOR= WAS\_AREA:PERM\_X, PERM\_EXP = 0.0  
REGION, MAT = WAS\_AREA, MODEL = JAN\_96  
REGION, MAT = REPOSIT, MODEL = JAN\_96  
REGION, MAT = DRF\_PCS, MODEL = JAN\_96  
!=====

\*RESET

!RESET REGIONS ARE GIVEN THE INITIAL PRESSURE AND SATURATION SPECIFIED IN  
! THE INITIAL CONDITIONS AT THE RESET TIME

REGION,MAT=CAVITY\_1  
REGION,MAT=CAVITY\_2  
REGION,MAT=CAVITY\_3  
REGION,MAT=CAVITY\_4  
TIME=0.0  
WASTE,MAT\_OLD=CAVITY\_1,MAT\_NEW=WAS\_AREA,&  
PRES\_BRINE=101325.0, SAT\_BRINE=0.0  
WASTE,MAT\_OLD=CAVITY\_2,MAT\_NEW=REPOSIT,&  
PRES\_BRINE=101325.0, SAT\_BRINE=0.0  
!=====

\*INITIAL\_CONDITIONS

!BEGIN SIMULATION AT -5 YEARS  
BEGIN, TIME=-1.577846E8  
SATBR, ID\_BRINE =SATBREL  
PRESSURE, ID\_PRES =PRESEL  
CONFE , ID\_CONFE =FECONC  
CONCELL, ID\_CONCEL=CH2OCONC  
ELEVAT, ID\_ELEV =ELEV  
!=====

\*STEP\_CONTROL

!TIME\_STEP IS REDUCED  
! 1. AT 0 YEARS: WASTE IS INTRODUCED,  
TIME,BEGIN=0.0, DT=864.0  
! 2. AT 200 YEARS: MATERIAL CHANGE  
TIME,BEGIN=6.311385E9, DT=864.0  
! 3. AT 1000 YEARS: MATERIAL CHANGE  
TIME,BEGIN=3.155693E10, DT=864.0

```

! 4. AT 2000 YEARS: MATERIAL CHANGE
TIME,BEGIN=6.311385E10, DT=864.0
! 5. AT 2200 YEARS: MATERIAL CHANGE
TIME,BEGIN=6.942524E10, DT=864.0
! 6. AT 3200 YEARS: MATERIAL CHANGE
TIME,BEGIN=1.009822E11, DT=864.0
!=====
*MODIFY_MAP
! ID=1 => 0 YEARS : WASTE INTRODUCED, SHAFT SEALS AND FILL INTRODUCED
! ID=2 => 200 YEARS : MATERIAL CHANGE
! ID=3 => 1000 YEARS : BOREHOLE INTRUSION (E2) WITH SILTY SAND PROPERTIES
! ID=4 => 2000 YEARS : BOREHOLE INTRUSION (E1) modeled without plugs
! ID=5 => 2200 YEARS : BOREHOLES WITH SILTY SAND PROPERTIES
! ID=6 => 3200 YEARS : LOWER PORTION OF E1 INTRUSION CREEPS TO REDUCE PERM
!
! ONE ORDER OF MAGNITUDE
TIME,TIME_ID=1, BEGIN= 0.0
TIME,TIME_ID=2, BEGIN= 3.155693E9
TIME,TIME_ID=3, BEGIN= 3.155693E10
TIME,TIME_ID=4, BEGIN= 6.311385E10
TIME,TIME_ID=5, BEGIN= 6.942524E10
TIME,TIME_ID=6, BEGIN= 1.009822E11
!*****
! 0 YEARS
!*****
!INTRODUCE FINAL DRZ MATERIAL
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=23,30, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=32,34, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=36,38, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=40,42, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=44,45, JRANGE=7,9, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=23,30, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=32,34, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=36,38, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=40,42, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_1, TIME_ID=1, IRANGE=44,45, JRANGE=13,16, KRANGE=1,1
MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=31,31, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=35,35, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=DRZ_PCS, TIME_ID=1, IRANGE=39,39, JRANGE=15,16, KRANGE=1,1
!INTRODUCE SHFTU upper shaft
MODIFY, MAT=SHFTU, TIME_ID=1, IRANGE=43,43, JRANGE=25,33, KRANGE=1,1
!INTRODUCE SHFTL_T1 lower shaft t1
MODIFY, MAT=SHFTL_T1, TIME_ID=1, IRANGE=43,43, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=SHFTL_T1, TIME_ID=1, IRANGE=43,43, JRANGE=18,24, KRANGE=1,1
!INTRODUCE CONC-MON lowest part of shaft filled with concrete
MODIFY, MAT=CONC_MON, TIME_ID=1, IRANGE=43,43, JRANGE=8,13, KRANGE=1,1
!INTRODUCE WASTE INTO PANEL REGION
MODIFY, MAT=WAS_AREA, TIME_ID=1, IRANGE=23,29, JRANGE=10,12, KRANGE=1,1
!INTRODUCE WASTE INTO REST OF REPOSITORY
MODIFY, MAT=REPOSIT, TIME_ID=1, IRANGE=32,33, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=REPOSIT, TIME_ID=1, IRANGE=36,37, JRANGE=10,12, KRANGE=1,1
!INTRODUCE PANEL SEAL BACKFILL modeled as was_area
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=30,30, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=34,34, JRANGE=10,12, KRANGE=1,1
MODIFY, MAT=DRF_PCS, TIME_ID=1, IRANGE=38,38, JRANGE=10,12, KRANGE=1,1
!MODIFY, MAT=OPS_AREA, TIME_ID=1, IRANGE=42,42, JRANGE=10,12, KRANGE=1,1
!INTRODUCE PANEL CLOSURE CONCRETE
MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=31,31, JRANGE=8,13, KRANGE=1,1

```

```

MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=35,35, JRANGE=8,13, KRANGE=1,1
MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=39,39, JRANGE=8,13, KRANGE=1,1
!MODIFY, MAT=CONC_PCS, TIME_ID=1, IRANGE=43,43, JRANGE=8,13, KRANGE=1,1
!INTRODUCE OPERATIONS REGION MATERIAL
MODIFY, MAT=OPS_AREA, TIME_ID=1, IRANGE=40,42, JRANGE=10,12, KRANGE=1,1
!INTRODUCE EXPERIMENTAL REGION MATERIAL
MODIFY, MAT=EXP_AREA, TIME_ID=1, IRANGE=44,45, JRANGE=10,12, KRANGE=1,1
!INTRODUCE UNNAMED MEMBER OF THE RUSTLER
MODIFY, MAT=UNNAMED, TIME_ID=1, IRANGE= 1,42, JRANGE=25,25, KRANGE=1,1
MODIFY, MAT=UNNAMED, TIME_ID=1, IRANGE=44,68, JRANGE=25,25, KRANGE=1,1
!INTRODUCE TRUE CULEBRA REGION TO ALLOW BRINE INFLOW TO SHAFT
MODIFY, MAT=CULEBRA, TIME_ID=1, IRANGE= 1,42, JRANGE=26,26, KRANGE=1,1
MODIFY, MAT=CULEBRA, TIME_ID=1, IRANGE=44,68, JRANGE=26,26, KRANGE=1,1
!INTRODUCE TAMARISK
MODIFY, MAT=TAMARISK, TIME_ID=1, IRANGE= 1,42, JRANGE=27,27, KRANGE=1,1
MODIFY, MAT=TAMARISK, TIME_ID=1, IRANGE=44,68, JRANGE=27,27, KRANGE=1,1
!INTRODUCE MAGENTA
MODIFY, MAT=MAGENTA, TIME_ID=1, IRANGE= 1,42, JRANGE=28,28, KRANGE=1,1
MODIFY, MAT=MAGENTA, TIME_ID=1, IRANGE=44,68, JRANGE=28,28, KRANGE=1,1
!INTRODUCE FORTY-NINER
MODIFY, MAT=FORTYNIN, TIME_ID=1, IRANGE= 1,42, JRANGE=29,29, KRANGE=1,1
MODIFY, MAT=FORTYNIN, TIME_ID=1, IRANGE= 44,68, JRANGE=29,29, KRANGE=1,1
!INTRODUCE DEWEY LAKE RED BEDS
MODIFY, MAT=DEWYLAK, TIME_ID=1, IRANGE= 1,42, JRANGE=30,31, KRANGE=1,1
MODIFY, MAT=DEWYLAK, TIME_ID=1, IRANGE= 44,68, JRANGE=30,31, KRANGE=1,1
!INTRODUCE SANTA ROSA FORMATION
MODIFY, MAT=SANTAROS, TIME_ID=1, IRANGE= 1,42, JRANGE=32,33, KRANGE=1,1
MODIFY, MAT=SANTAROS, TIME_ID=1, IRANGE= 44,68, JRANGE=32,33, KRANGE=1,1
!*****
!
!           END OF TIME PERIOD 1 MATERIAL RESETS
!*****
!*****
! 200 YEARS
!*****
!INTRODUCE CHANGE IN LOWER SHAFT MATERIAL
MODIFY, MAT=SHFTL_T2, TIME_ID=2, IRANGE=43,43, JRANGE=15,16, KRANGE=1,1
MODIFY, MAT=SHFTL_T2, TIME_ID=2, IRANGE=43,43, JRANGE=18,24, KRANGE=1,1

!*****
!
!           END OF TIME PERIOD 2 MATERIAL RESET
!=====
!*****
!*****
!1000 YEARS
!*****
!INTRODUCE INTRUSION BOREHOLE MATERIALS
MODIFY, MAT=BH_SAND, TIME_ID=3, IRANGE=26,26, JRANGE=10,33, KRANGE=1,1
!*****
!
!           END OF TIME PERIOD 3 MATERIAL RESETS
!*****
!*****
! 2000 YEARS
!*****
!INTRODUCE E1 BOREHOLE PROPERTIES 1000 YEARS AFTER FIRST INTRUSION
!ONLY THE BOREHOLE PORTION THAT CONNECTS THE BRINE POCKET TO THE PANEL
!IS MODIFIED.
MODIFY, MAT=BH_OPEN, TIME_ID=4, IRANGE=26,26, JRANGE=1,9, KRANGE=1,1

```



```

!*****
!           END OF TIME PERIOD 4 MATERIAL RESETS
!*****
!*****
! 2200 YEARS
!*****
!NOW BOTH BOREHOLES HAVE THE SAME PROPERTIES (OF SILTY SAND)
MODIFY, MAT=BH_SAND, TIME_ID=5, IRANGE=26,26, JRANGE=1,9, KRANGE=1,1
!*****
!           END OF TIME PERIOD 5 MATERIAL RESETS
!*****
!*****
! 3200 YEARS
!*****
!PORTION OF E1 BOREHOLE BELOW PANEL CLOSES (PERM REDUCED 1 ORDER OF
!MAGNITUDE)
MODIFY, MAT=BH_CREEP, TIME_ID=6, IRANGE=26,26, JRANGE=1,9, KRANGE=1,1
!*****
!           END OF TIME PERIOD 6 MATERIAL RESETS
!*****
!=====
*GEOMETRY
COORD= CARTESIAN
!=====
*SIMULATION_CONTROL
INTEGRATION, TMAX=3.155693E11, DT_INIT=8.64,DT_MIN= 8.64E-4, DT_MAX=1.728E9,&
DT_INCR=1.25, DT_REDÜ= 0.5, AUTODT=YES, TSWITCH=1.0,&
MAXSTEPS=10000
!
ITERATION, DSATLIM= 2.E-1, DPRESLIM = -1.E8 , SATLIM= 1.E-3,&
SATNORM= 0.30, PRESNORM = 5.0E5,&
ITMAX= 8, IRESETMAX= 40, IJACINT= 1,&
IJACSWITCH=41, IJACMIN= 1, IJACRESET= 5,&
IUPRPFLAG =9, IUPMFFLAG= 9, IUPRPLOOSE= 9,&
IUPMFLOOSE=9
!
ITERATION, DHSAT_REL= 1.0E-8, DHPRES_REL=1.0E-8,&
DHSAT_MIN= 1.0E-10, DHPRES_MIN=1.0E-2
!
ITERATION, EPS_SAT = 3.0E+0, EPS_PRES = 1.E-2,&
R_EPS_SAT= 3.0E+0, R_EPS_PRES = 1.E-2,&
FTOL_SAT = 1.0E-2, FTOL_PRES = 1.0E-2,&
R_FTOL_SAT=1.0E-2, R_FTOL_PRES = 1.0E-2, CONV_TEST = AND
!
NUMERICS, SOLVER=LU
NUMERICS, JACSCALE= 1.0e7, VSWITCH=NO
NUMERICS, ITRAVE= HARMONIC, IMFRAVE=UPSTREAM
!
GRAVITY, MAT= REFCON, G_ACC= GRAVACC
!
!=====
*OUTPUT_CONTROL
!
UNITS= SI
MONITOR, ILOC = 26, JLOC = 12, KLOC = 1
MONITOR, ILOC = 32, JLOC = 12, KLOC = 1
MONITOR, ILOC = 36, JLOC = 12, KLOC = 1

```

```

!
STEPS, FILE= BINARY, NSTEP=20
TIMES, FILE= ASCII, VALUES= 0.0, 3.155693E09, 1.104493E10,&
                                     3.155693E10, 9.467079E10,&
                                     1.577847E11, 2.208985E11,&
                                     2.840124E11, 3.155693E11

PRIBIN, &
    PRESBRIN,  PRESGAS,  POROS,      DENGAS,      PERMBRX,  PERMGASX, &
    SATGAS,    FLOWGASX, FLOWGASY, FLOWBRX,    FLOWBRY, &
    FECONC,    CELLCONC, BRINRATE

!
PRIASC, &
    PRESBRIN,  PRESGAS,  POROS,      SATGAS,      FECONC,    CELLCONC

!
!HORIZONTAL BRINE FLOW ACROSS 2.4K SOUTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES=  FLOWBRX,  IRANGE= 6,6,  JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES=  FLOWBRX,  IRANGE= 6,6,  JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES=  FLOWBRX,  IRANGE= 6,6,  JRANGE=17,17, KRANGE=1,1
!HORIZONTAL BRINE FLOW ACROSS 2.4K SOUTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES=  FLOWBRX,  IRANGE= 6,6,  JRANGE=25,33, KRANGE=1,1
!HORIZONTAL BRINE FLOW ACROSS 2.4K NORTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES=  FLOWBRX,  IRANGE= 63,63, JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES=  FLOWBRX,  IRANGE= 63,63, JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES=  FLOWBRX,  IRANGE= 63,63, JRANGE=17,17, KRANGE=1,1
!HORIZONTAL BRINE FLOW ACROSS 2.4K NORTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES=  FLOWBRX,  IRANGE= 63,63, JRANGE=25,33, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K SOUTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES=  FLOWGASX,  IRANGE= 6,6,  JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES=  FLOWGASX,  IRANGE= 6,6,  JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES=  FLOWGASX,  IRANGE= 6,6,  JRANGE=17,17, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K SOUTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES=  FLOWGASX,  IRANGE= 6,6,  JRANGE=25,33, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K NORTH BOUNDARY (MARKER BEDS)
HISTORY, NAMES=  FLOWGASX,  IRANGE= 63,63, JRANGE= 7, 7, KRANGE=1,1
HISTORY, NAMES=  FLOWGASX,  IRANGE= 63,63, JRANGE=14,14, KRANGE=1,1
HISTORY, NAMES=  FLOWGASX,  IRANGE= 63,63, JRANGE=17,17, KRANGE=1,1
!HORIZONTAL GAS FLOW ACROSS 2.4K NORTH BOUNDARY (ABOVE SALADO)
HISTORY, NAMES=  FLOWGASX,  IRANGE= 63,63, JRANGE=25,33, KRANGE=1,1
!BRINE FLOW ACROSS DRZ AND MARKER BEDS BOUNDARY
HISTORY, NAMES=  FLOWBRX,  IRANGE= 23,23,  JRANGE= 7,17, KRANGE=1,1
HISTORY, NAMES=  FLOWBRX,  IRANGE= 46,46,  JRANGE= 7,17, KRANGE=1,1
!GAS FLOW ACROSS DRZ AND MARKER BEDS BOUNDARY
HISTORY, NAMES=  FLOWGASX,  IRANGE= 23,23,  JRANGE= 7,17, KRANGE=1,1
HISTORY, NAMES=  FLOWGASX,  IRANGE= 46,46,  JRANGE= 7,17, KRANGE=1,1

!
!VERTICAL BRINE FLOW ACROSS BOTTOM OF UPPER DRZ
HISTORY, NAMES=  FLOWBRY,  IRANGE= 23,45,  JRANGE=13,13, KRANGE=1,1
!VERTICAL BRINE FLOW ACROSS TOP OF LOWER DRZ
HISTORY, NAMES=  FLOWBRY,  IRANGE= 23,45,  JRANGE=10,10, KRANGE=1,1

!
!VERTICAL GAS FLOW ACROSS BOTTOM OF UPPER DRZ
HISTORY, NAMES=  FLOWGASY,  IRANGE= 23,45,  JRANGE=13,13, KRANGE=1,1
!VERTICAL GAS FLOW ACROSS TOP OF LOWER DRZ
HISTORY, NAMES=  FLOWGASY,  IRANGE= 23,45,  JRANGE=10,10, KRANGE=1,1

!
!HORIZONTAL BRINE FLOW SOUTH SIDE OF S_REPOSITORY
HISTORY, NAMES=  FLOWBRX,  IRANGE=32,32,  JRANGE= 10,12, KRANGE=1,1

```

```

!HORIZONTAL GAS FLOW SOUTH SIDE OF S_REPOSITORY
HISTORY, NAMES= FLOWGASX, IRANGE=32,32, JRANGE= 10,12, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW NORTH SIDE OF N_REPOSITORY
HISTORY, NAMES= FLOWBRX, IRANGE=38,38, JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW NORTH SIDE OF REPOSITORY
HISTORY, NAMES= FLOWGASX, IRANGE=38,38, JRANGE= 10,12, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW SOUTH SIDE OF PANEL
HISTORY, NAMES= FLOWBRX, IRANGE= 23,23, JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW SOUTH SIDE OF PANE0
HISTORY, NAMES= FLOWGASX, IRANGE= 23,23, JRANGE= 10,12, KRANGE=1,1
!
!HORIZONTAL BRINE FLOW NORTH SIDE OF PANEL
HISTORY, NAMES= FLOWBRX, IRANGE=30,30, JRANGE= 10,12, KRANGE=1,1
!HORIZONTAL GAS FLOW NORTH SIDE OF PANEL
HISTORY, NAMES= FLOWGASX, IRANGE=30,30, JRANGE= 10,12, KRANGE=1,1
!
!GAS SATURATION IN PANEL
HISTORY, NAMES= SATGAS, IRANGE=23,29, JRANGE= 10,12, KRANGE=1,1
!
!GAS SATURATION IN REPOSITORY
HISTORY, NAMES= SATGAS, IRANGE= 32,33, JRANGE=10,12, KRANGE=1,1
HISTORY, NAMES= SATGAS, IRANGE= 36,37, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN PANEL
HISTORY, NAMES= PRESBRIN, IRANGE=23,29, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN REPOSITORY
HISTORY, NAMES= PRESBRIN, IRANGE= 32,33, JRANGE= 10,12, KRANGE=1,1
HISTORY, NAMES= PRESBRIN, IRANGE= 36,37, JRANGE= 10,12, KRANGE=1,1
!
!BRINE PRESSURE IN BRINE POCKET
HISTORY, NAMES= PRESBRIN, IRANGE= 26,26, JRANGE= 1,1, KRANGE=1,1
!
!BRINE PRESSURE IN INTERSECTION OF BOREHOLE AND CULEBRA
HISTORY, NAMES= PRESBRIN, IRANGE= 26,26, JRANGE= 26,26, KRANGE=1,1
!*****
!
! END OF HISTORY VARIABLES
!*****
!
*REACTION_CHEMISTRY
!
WICKING, MAT= WAS_AREA, VALUE=SAT_WICK
NUMERICS, SMOOTH=ON, ALPHARXN=-1000.0
RATES, MAT=WAS_AREA, COR_IN=GRATCORI, COR_HUM=GRATCORH, &
MIC_IN=GRATMICI, MIC_HUM=GRATMICH, &
SCOR_GAS=STOICOR, SMIC_GAS=STOIMIC
!
VOLUME, MAT=WAS_AREA, VOL_CHW = VOLCHW, VOL_RHW = VOLRHW
!
DENSITY, MAT=WAS_AREA, METAL_RH= DRH_METL, BIO_RH= DRH_BIO, &
METAL_CH= DCH_METL, BIO_CH= DCH_BIO
!
SATURATION, MAT=WAS_AREA, VALUE= SAT_IBRN
!
MOLWTS, MAT= REFCON, MW_FE = MW_FE

```

```
MOLWTS, MAT= REFCON, MW_CEL = MW_CELL
!
MISC, MAT= REFCON, VREPOS = VREPOS, &
VPANLEX = VPANLEX, &
VROOM = VROOM, &
ASDRUM = ASDRUM, &
DRROOM = DRROOM
```

```
!
!
!=====
```

```
*PROPERTIES
```

```
! GET SOLID properties from CAMDAT file
```

```
!Salado Halite
```

```
SOLID, MAT=S_HALITE, &
```

```
PRM_X = PERM_X, PRM_Y = PERM_Y, &
PRM_Z = PERM_Z, POROSITY = POROSITY, &
BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
BCLAM = PORE_DIS, COMPRES = POR_COMP, &
SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
PCT_EXP = PCT_EXP, PCT_FLAG = KPT
```

```
!
```

```
SOLID, MAT=DRZ_0, &
```

```
PRM_X = PERM_X, PRM_Y = PERM_Y, &
PRM_Z = PERM_Z, POROSITY = POROSITY, &
BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
BCLAM = PORE_DIS, COMPRES = POR_COMP, &
SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
PCT_EXP = PCT_EXP, PCT_FLAG = KPT
```

```
!
```

```
SOLID, MAT=DRZ_1, &
```

```
PRM_X = PERM_X, PRM_Y = PERM_Y, &
PRM_Z = PERM_Z, POROSITY = POROSITY, &
BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
BCLAM = PORE_DIS, COMPRES = POR_COMP, &
SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
PCT_EXP = PCT_EXP, PCT_FLAG = KPT
```

```
!
```

```
SOLID, MAT=DRZ_PCS, &
```

```
PRM_X = PERM_X, PRM_Y = PERM_Y, &
PRM_Z = PERM_Z, POROSITY = POROSITY, &
BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
BCLAM = PORE_DIS, COMPRES = POR_COMP, &
SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
PCT_EXP = PCT_EXP, PCT_FLAG = KPT
```

```
!
```

```
SOLID, MAT=S_MB139, &
```

```
PRM_X = PERM_X, PRM_Y = PERM_Y, &
```

```

PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

!
SOLID, MAT=S_ANH_AB, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

!
SOLID, MAT=S_MB138, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

!
SOLID, MAT=CAVITY_1, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

!
SOLID, MAT=CAVITY_2, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

!
SOLID, MAT=CAVITY_3, &
PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=CAVITY_4, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=IMPERM_Z, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=CASTILER, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=WAS_AREA, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=REPOSIT, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

!
SOLID, MAT=DRF_PCS, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &

```

```

PC_MAX      = PC_MAX,          CAP_MOD     = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=CONC_PCS, &
PRM_X       = PERM_X,          PRM_Y      = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY   = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR      = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES    = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN     = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD    = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=UNNAMED, &
PRM_X       = PERM_X,          PRM_Y      = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY   = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR      = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES    = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN     = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD    = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=CULEBRA, &
PRM_X       = PERM_X,          PRM_Y      = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY   = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR      = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES    = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN     = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD    = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=TAMARISK, &
PRM_X       = PERM_X,          PRM_Y      = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY   = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR      = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES    = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN     = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD    = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=MAGENTA, &
PRM_X       = PERM_X,          PRM_Y      = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY   = POROSITY, &
BCSOR       = SAT_RBRN,       BCSGR      = SAT_RGAS, &
BCLAM       = PORE_DIS,       COMPRES    = POR_COMP, &
SB_MIN      = SB_MIN,         PB_MIN     = PO_MIN, &
PC_MAX      = PC_MAX,         CAP_MOD    = CAP_MOD, &
RELP_MODEL  = RELP_MOD,       PCT_A      = PCT_A, &
PCT_EXP     = PCT_EXP,       PCT_FLAG   = KPT

!
SOLID, MAT=FORTYNIN, &
PRM_X       = PERM_X,          PRM_Y      = PERM_Y, &
PRM_Z       = PERM_Z,          POROSITY   = POROSITY, &

```

```

BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=DEWYLAKE, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=SANTAROS, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=OPS_AREA, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=EXP_AREA, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=CONC_MON, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!

```



```

SOLID, MAT=SHFTU, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
!
! SOLID, MAT=SHFTL_T1, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
!
! SOLID, MAT=SHFTL_T2, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
!
! SOLID, MAT=CONC_PLG, &
!     PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
!     PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
!     BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
!     BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
!     SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
!     PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
!     RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
!     PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
!
SOLID, MAT=BH_OPEN, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
!
SOLID, MAT=BH_SAND, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY   = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT

```

```

SOLID, MAT=BH_CREEP, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
!
! GET FRACTURE PROPERTIES
FRACTURE, MAT= S_MB139, FRAC_PI = PI_DELTA, FRAC_PF = PF_DELTA, &
    FRAC_PHI   = PHIMAX,    FRAC_EXP = PERM_EXP, &
    FRAC_PMX   = IFRX,      FRAC_PMY = IFRY, &
    FRAC_PMZ   = IFRZ
!
FRACTURE, MAT= S_ANH_AB, FRAC_PI = PI_DELTA, FRAC_PF = PF_DELTA, &
    FRAC_PHI   = PHIMAX,    FRAC_EXP = PERM_EXP, &
    FRAC_PMX   = IFRX,      FRAC_PMY = IFRY, &
    FRAC_PMZ   = IFRZ
!
FRACTURE, MAT= S_MB138, FRAC_PI = PI_DELTA, FRAC_PF = PF_DELTA, &
    FRAC_PHI   = PHIMAX,    FRAC_EXP = PERM_EXP, &
    FRAC_PMX   = IFRX,      FRAC_PMY = IFRY, &
    FRAC_PMZ   = IFRZ
!
FRACTURE, MAT= DRZ_0,   FRAC_PI = PI_DELTA, FRAC_PF = PF_DELTA, &
    FRAC_PHI   = PHIMAX,    FRAC_EXP = PERM_EXP, &
    FRAC_PMX   = IFRX,      FRAC_PMY = IFRY, &
    FRAC_PMZ   = IFRZ
!
FRACTURE, MAT= DRZ_1,   FRAC_PI = PI_DELTA, FRAC_PF = PF_DELTA, &
    FRAC_PHI   = PHIMAX,    FRAC_EXP = PERM_EXP, &
    FRAC_PMX   = IFRX,      FRAC_PMY = IFRY, &
    FRAC_PMZ   = IFRZ
!
! GET FLUID (brine and gas) properties from CAMDAT file
FLUID, MAT=BRINESAL, SALINITY=WTF, DEN_BR=DNSFLUID, &
    COMPR_BR= COMP, REF_PRES=REF_PRES, REF_TEMP= REF_TEMP, &
    INTERP = 1, VIS_BR=VISCO
FLUID, MAT=H2, VIS_GAS=VISCO, DGAS = OFF, &
    H2_MOLE =1.0, CO2_MOLE=0.0, CH4_MOLE=0.0, &
    N2_MOLE= 0.0, H2S_MOLE=0.0, O2_MOLE=0.0
FLUID, MAT=S_MB139, KLINK=ON, B_KLINK=BKLINK, EXP_KLINK=EXPKLINK
!
FLUID, MAT= REFCON, R_GAS      = R
FLUID, MAT= REFCON, MW_H2O    = MW_H2O
FLUID, MAT= REFCON, MW_SALT   = MW_NACL
FLUID, MAT= REFCON, MW_H2     = MW_H2,   TC_H2   = TC_H2,   PC_H2   = PC_H2, &
    ACEN_H2    = ACF_H2,   H2_CO2  = BIP_12,   H2_CH4  = BIP_13, &
    H2_N2     = BIP_14,   H2_H2S  = BIP_15,   H2_O2   = BIP_16
FLUID, MAT= REFCON, MW_CO2    = MW_CO2,   TC_CO2  = TC_CO2,   PC_CO2  = PC_CO2, &
    ACEN_CO2  = ACF_CO2,   CO2_CH4 = BIP_23,   CO2_N2  = BIP_24, &
    CO2_H2S   = BIP_25,   CO2_O2  = BIP_26
FLUID, MAT= REFCON, MW_CH4    = MW_CH4,   TC_CH4  = TC_CH4,   PC_CH4  = PC_CH4, &
    ACEN_CH4  = ACF_CH4,   CH4_N2  = BIP_34,   CH4_H2S = BIP_35, &
    CH4_O2    = BIP_36

```

```

FLUID, MAT= REFCON, MW_N2 = MW_N2, TC_N2 = TC_N2, PC_N2 = PC_N2, &
ACEN_N2 = ACF_N2, N2_H2S = BIP_45, N2_O2 = BIP_46
FLUID, MAT= REFCON, MW_H2S = MW_H2S, TC_H2S = TC_H2S, PC_H2S = PC_H2S, &
ACEN_H2S = ACF_H2S, H2S_O2 = BIP_56
FLUID, MAT= REFCON, MW_O2 = MW_O2, TC_O2 = TC_O2, PC_O2 = PC_O2, &
ACEN_O2 = ACF_O2
FLUID, MAT= REFCON, OMEGA_A = OMEGAA , OMEGA_B = OMEGAB
!
*DIRICHLET
DIRICHLET, MAT=CULEBRA, PRESSURE=PRESSURE, &
IRANGE=1,1, JRANGE=26,26, KRANGE=1,1
DIRICHLET, MAT=CULEBRA, PRESSURE=PRESSURE, &
IRANGE=68,68, JRANGE=26,26, KRANGE=1,1
DIRICHLET, MAT=MAGENTA, PRESSURE=PRESSURE, &
IRANGE=1,1, JRANGE=28,28, KRANGE=1,1
DIRICHLET, MAT=MAGENTA, PRESSURE=PRESSURE, &
IRANGE=68,68, JRANGE=28,28, KRANGE=1,1
DIRICHLET, MAT=SANTAROS, PRESSURE=PRESSURE, &
IRANGE=1,68, JRANGE=33,33, KRANGE=1,1
DIRICHLET, MAT=SANTAROS, SATURATION=SAT_IBRN, &
IRANGE=1,68, JRANGE=33,33, KRANGE=1,1
*END
ex

```

## B.2 INPUT FILES FOR BRAGFLO: DIRECT BRINE RELEASE ANALYSES

### B.2.1 GENMESH INPUT FILE: Establishes grid for BRAGFLO

```

$ type gm_dbr_cra1_dir_rel.inp
!=====
!
! TITLE:      GENMESH Input.  FEP blowout calculations.
! ANALYST:    Daniel M. Stoelzel, SNL
! NOTES:      This is a new Blowout model. The waste region has been gridded
up
!             discretely, with the actual dimensions if the drifts, pillars,
!             and rooms. This will be a 2-D areal model with dip (done in
!             ALGEBRA). A 3-D modification may follow. Grid size = 40x40x2
!             nodes.
!
! CREATED:    Nov 2, 1995
!
! MODIFIED:   Nov 20, 1995
!             Changed del_x and thickness dimensions to 2 meters to represent
!             actual crushed thickness. Porosity will be doubled in algebra
!             to represent "real" porosities.
!
!             MARCH 20, 1996
!             FIRST DRAFT CCA MESH.... WILL BE THE SAME AS USED IN FEP CALCS
!             ACCEPT DRZ "THICKNESS IS BEING CHANGED TO CONTAIN SAME VOLUME
!             AS THE DRZ (BOTH ABOVE AND BELOW) IN THE 10,000 YR RUN. THIS
!             CHANGE WILL BE MADE IN THE ALGEBRA STEP
!
!             May 14, 1996
!             Made salt pillars between rooms the DRZ region instead of
halite.

```

!  
!  
! 6/25/97 DMS  
! EPA VERIF. RUNS - WILL MAKE PILLARS EQUAL TO INITIAL DRZ,  
! DRZ AROUND ROOMS WILL HAVE FRACTURED PERM AT INTRUSION TIME:  
! WILL REQUIRE NEW MAT REGION.  
!  
!  
! 5/31/02 T. HADGU  
! Changes were made for TBM calculations. The changes include  
! treating all pillars as Intact Salado Halite and addition of  
! Option D panel closure.  
!  
!

=====

! \*SETUP

DIM= 3  
ORIGIN= 0.0, 0.0, 380.49  
IJKMAX= 40, 40, 2

! \*GRID

DEL, COORD = X, DEL = 5.12, INRANGE = 1,2, FACTOR = 1  
DEL, COORD = X, DEL = 10.00, INRANGE = 2,3, FACTOR = 1  
DEL, COORD = X, DEL = 30.50, INRANGE = 3,4, FACTOR = 1  
DEL, COORD = X, DEL = 10.00, INRANGE = 4,5, FACTOR = 1  
DEL, COORD = X, DEL = 30.50, INRANGE = 5,6, FACTOR = 1  
DEL, COORD = X, DEL = 10.00, INRANGE = 6,7, FACTOR = 1  
DEL, COORD = X, DEL = 30.50, INRANGE = 7,8, FACTOR = 1  
DEL, COORD = X, DEL = 10.00, INRANGE = 8,9, FACTOR = 1  
DEL, COORD = X, DEL = 30.50, INRANGE = 9,10, FACTOR = 1  
DEL, COORD = X, DEL = 10.00, INRANGE = 10,11, FACTOR = 1  
DEL, COORD = X, DEL = 30.50, INRANGE = 11,12, FACTOR = 1  
DEL, COORD = X, DEL = 10.00, INRANGE = 12,13, FACTOR = 1  
DEL, COORD = X, DEL = 30.50, INRANGE = 13,14, FACTOR = 1  
DEL, COORD = X, DEL = 10.00, INRANGE = 14,15, FACTOR = 1  
DEL, COORD = X, DEL = 21.00, INRANGE = 15,16, FACTOR = 1  
DEL, COORD = X, DEL = 40.00, INRANGE = 16,17, FACTOR = 1  
DEL, COORD = X, DEL = 4.30, INRANGE = 17,18, FACTOR = 1  
DEL, COORD = X, DEL = 42.20, INRANGE = 18,19, FACTOR = 1  
DEL, COORD = X, DEL = 4.30, INRANGE = 19,20, FACTOR = 1  
DEL, COORD = X, DEL = 46.50, INRANGE = 20,21, FACTOR = 1  
DEL, COORD = X, DEL = 7.60, INRANGE = 21,22, FACTOR = 1  
DEL, COORD = X, DEL = 38.00, INRANGE = 22,23, FACTOR = 1  
DEL, COORD = X, DEL = 4.30, INRANGE = 23,24, FACTOR = 1  
DEL, COORD = X, DEL = 40.00, INRANGE = 24,25, FACTOR = 1  
DEL, COORD = X, DEL = 21.00, INRANGE = 25,26, FACTOR = 1  
DEL, COORD = X, DEL = 10.00, INRANGE = 26,27, FACTOR = 1  
DEL, COORD = X, DEL = 30.50, INRANGE = 27,28, FACTOR = 1  
DEL, COORD = X, DEL = 10.00, INRANGE = 28,29, FACTOR = 1  
DEL, COORD = X, DEL = 30.50, INRANGE = 29,30, FACTOR = 1  
DEL, COORD = X, DEL = 10.00, INRANGE = 30,31, FACTOR = 1  
DEL, COORD = X, DEL = 30.50, INRANGE = 31,32, FACTOR = 1  
DEL, COORD = X, DEL = 10.00, INRANGE = 32,33, FACTOR = 1  
DEL, COORD = X, DEL = 30.50, INRANGE = 33,34, FACTOR = 1  
DEL, COORD = X, DEL = 10.00, INRANGE = 34,35, FACTOR = 1  
DEL, COORD = X, DEL = 30.50, INRANGE = 35,36, FACTOR = 1  
DEL, COORD = X, DEL = 10.00, INRANGE = 36,37, FACTOR = 1  
DEL, COORD = X, DEL = 30.50, INRANGE = 37,38, FACTOR = 1  
DEL, COORD = X, DEL = 10.00, INRANGE = 38,39, FACTOR = 1



```

REGION=1,  IRANGE= 6,7, JRANGE= 2,9, KRANGE=1,2
REGION=1,  IRANGE= 7,8, JRANGE= 2,4, KRANGE=1,2
REGION=1,  IRANGE= 7,8, JRANGE= 7,9, KRANGE=1,2
REGION=1,  IRANGE= 8,9, JRANGE= 2,9, KRANGE=1,2
REGION=1,  IRANGE= 9,10, JRANGE= 2,4, KRANGE=1,2
REGION=1,  IRANGE= 9,10, JRANGE= 7,9, KRANGE=1,2
REGION=1,  IRANGE= 10,11, JRANGE= 2,9, KRANGE=1,2
REGION=1,  IRANGE= 11,12, JRANGE= 2,4, KRANGE=1,2
REGION=1,  IRANGE= 11,12, JRANGE= 7,9, KRANGE=1,2
REGION=1,  IRANGE= 12,13, JRANGE= 2,9, KRANGE=1,2
REGION=1,  IRANGE= 13,14, JRANGE= 2,4, KRANGE=1,2
REGION=1,  IRANGE= 13,14, JRANGE= 7,9, KRANGE=1,2
REGION=1,  IRANGE= 14,15, JRANGE= 2,9, KRANGE=1,2
REGION=1,  IRANGE= 15,16, JRANGE= 3,4, KRANGE=1,2
REGION=1,  IRANGE= 15,16, JRANGE= 7,8, KRANGE=1,2
! -- PANEL 4
REGION=1,  IRANGE= 38,39, JRANGE= 2,9, KRANGE=1,2
REGION=1,  IRANGE= 37,38, JRANGE= 2,4, KRANGE=1,2
REGION=1,  IRANGE= 37,38, JRANGE= 7,9, KRANGE=1,2
REGION=1,  IRANGE= 36,37, JRANGE= 2,9, KRANGE=1,2
REGION=1,  IRANGE= 35,36, JRANGE= 2,4, KRANGE=1,2
REGION=1,  IRANGE= 35,36, JRANGE= 7,9, KRANGE=1,2
REGION=1,  IRANGE= 34,35, JRANGE= 2,9, KRANGE=1,2
REGION=1,  IRANGE= 33,34, JRANGE= 2,4, KRANGE=1,2
REGION=1,  IRANGE= 33,34, JRANGE= 7,9, KRANGE=1,2
REGION=1,  IRANGE= 32,33, JRANGE= 2,9, KRANGE=1,2
REGION=1,  IRANGE= 31,32, JRANGE= 2,4, KRANGE=1,2
REGION=1,  IRANGE= 31,32, JRANGE= 7,9, KRANGE=1,2
REGION=1,  IRANGE= 30,31, JRANGE= 2,9, KRANGE=1,2
REGION=1,  IRANGE= 29,30, JRANGE= 2,4, KRANGE=1,2
REGION=1,  IRANGE= 29,30, JRANGE= 7,9, KRANGE=1,2
REGION=1,  IRANGE= 28,29, JRANGE= 2,9, KRANGE=1,2
REGION=1,  IRANGE= 27,28, JRANGE= 2,4, KRANGE=1,2
REGION=1,  IRANGE= 27,28, JRANGE= 7,9, KRANGE=1,2
REGION=1,  IRANGE= 26,27, JRANGE= 2,9, KRANGE=1,2
REGION=1,  IRANGE= 25,26, JRANGE= 3,4, KRANGE=1,2
REGION=1,  IRANGE= 25,26, JRANGE= 7,8, KRANGE=1,2
! -- PANEL 6
REGION=1,  IRANGE= 2,3, JRANGE= 12,19, KRANGE=1,2
REGION=1,  IRANGE= 3,4, JRANGE= 12,14, KRANGE=1,2
REGION=1,  IRANGE= 3,4, JRANGE= 17,19, KRANGE=1,2
REGION=1,  IRANGE= 4,5, JRANGE= 12,19, KRANGE=1,2
REGION=1,  IRANGE= 5,6, JRANGE= 12,14, KRANGE=1,2
REGION=1,  IRANGE= 5,6, JRANGE= 17,19, KRANGE=1,2
REGION=1,  IRANGE= 6,7, JRANGE= 12,19, KRANGE=1,2
REGION=1,  IRANGE= 7,8, JRANGE= 12,14, KRANGE=1,2
REGION=1,  IRANGE= 7,8, JRANGE= 17,19, KRANGE=1,2
REGION=1,  IRANGE= 8,9, JRANGE= 12,19, KRANGE=1,2
REGION=1,  IRANGE= 9,10, JRANGE= 12,14, KRANGE=1,2
REGION=1,  IRANGE= 9,10, JRANGE= 17,19, KRANGE=1,2
REGION=1,  IRANGE= 10,11, JRANGE= 12,19, KRANGE=1,2
REGION=1,  IRANGE= 11,12, JRANGE= 12,14, KRANGE=1,2
REGION=1,  IRANGE= 11,12, JRANGE= 17,19, KRANGE=1,2
REGION=1,  IRANGE= 12,13, JRANGE= 12,19, KRANGE=1,2
REGION=1,  IRANGE= 13,14, JRANGE= 12,14, KRANGE=1,2
REGION=1,  IRANGE= 13,14, JRANGE= 17,19, KRANGE=1,2
REGION=1,  IRANGE= 14,15, JRANGE= 12,19, KRANGE=1,2

```

```

REGION=1,  IRANGE= 15,16, JRANGE= 13,14, KRANGE=1,2
REGION=1,  IRANGE= 15,16, JRANGE= 17,18, KRANGE=1,2
! -- PANEL 3
REGION=1,  IRANGE= 38,39, JRANGE= 12,19, KRANGE=1,2
REGION=1,  IRANGE= 37,38, JRANGE= 12,14, KRANGE=1,2
REGION=1,  IRANGE= 37,38, JRANGE= 17,19, KRANGE=1,2
REGION=1,  IRANGE= 36,37, JRANGE= 12,19, KRANGE=1,2
REGION=1,  IRANGE= 35,36, JRANGE= 12,14, KRANGE=1,2
REGION=1,  IRANGE= 35,36, JRANGE= 17,19, KRANGE=1,2
REGION=1,  IRANGE= 34,35, JRANGE= 12,19, KRANGE=1,2
REGION=1,  IRANGE= 33,34, JRANGE= 12,14, KRANGE=1,2
REGION=1,  IRANGE= 33,34, JRANGE= 17,19, KRANGE=1,2
REGION=1,  IRANGE= 32,33, JRANGE= 12,19, KRANGE=1,2
REGION=1,  IRANGE= 31,32, JRANGE= 12,14, KRANGE=1,2
REGION=1,  IRANGE= 31,32, JRANGE= 17,19, KRANGE=1,2
REGION=1,  IRANGE= 30,31, JRANGE= 12,19, KRANGE=1,2
REGION=1,  IRANGE= 29,30, JRANGE= 12,14, KRANGE=1,2
REGION=1,  IRANGE= 29,30, JRANGE= 17,19, KRANGE=1,2
REGION=1,  IRANGE= 28,29, JRANGE= 12,19, KRANGE=1,2
REGION=1,  IRANGE= 27,28, JRANGE= 12,14, KRANGE=1,2
REGION=1,  IRANGE= 27,28, JRANGE= 17,19, KRANGE=1,2
REGION=1,  IRANGE= 26,27, JRANGE= 12,19, KRANGE=1,2
REGION=1,  IRANGE= 25,26, JRANGE= 13,14, KRANGE=1,2
REGION=1,  IRANGE= 25,26, JRANGE= 17,18, KRANGE=1,2
! -- PANEL 7
REGION=1,  IRANGE=  2,3,  JRANGE= 22,29, KRANGE=1,2
REGION=1,  IRANGE=  3,4,  JRANGE= 22,24, KRANGE=1,2
REGION=1,  IRANGE=  3,4,  JRANGE= 27,29, KRANGE=1,2
REGION=1,  IRANGE=  4,5,  JRANGE= 22,29, KRANGE=1,2
REGION=1,  IRANGE=  5,6,  JRANGE= 22,24, KRANGE=1,2
REGION=1,  IRANGE=  5,6,  JRANGE= 27,29, KRANGE=1,2
REGION=1,  IRANGE=  6,7,  JRANGE= 22,29, KRANGE=1,2
REGION=1,  IRANGE=  7,8,  JRANGE= 22,24, KRANGE=1,2
REGION=1,  IRANGE=  7,8,  JRANGE= 27,29, KRANGE=1,2
REGION=1,  IRANGE=  8,9,  JRANGE= 22,29, KRANGE=1,2
REGION=1,  IRANGE=  9,10, JRANGE= 22,24, KRANGE=1,2
REGION=1,  IRANGE=  9,10, JRANGE= 27,29, KRANGE=1,2
REGION=1,  IRANGE= 10,11, JRANGE= 22,29, KRANGE=1,2
REGION=1,  IRANGE= 11,12, JRANGE= 22,24, KRANGE=1,2
REGION=1,  IRANGE= 11,12, JRANGE= 27,29, KRANGE=1,2
REGION=1,  IRANGE= 12,13, JRANGE= 22,29, KRANGE=1,2
REGION=1,  IRANGE= 13,14, JRANGE= 22,24, KRANGE=1,2
REGION=1,  IRANGE= 13,14, JRANGE= 27,29, KRANGE=1,2
REGION=1,  IRANGE= 14,15, JRANGE= 22,29, KRANGE=1,2
REGION=1,  IRANGE= 15,16, JRANGE= 23,24, KRANGE=1,2
REGION=1,  IRANGE= 15,16, JRANGE= 27,28, KRANGE=1,2
! -- PANEL 2
REGION=1,  IRANGE= 38,39, JRANGE= 22,29, KRANGE=1,2
REGION=1,  IRANGE= 37,38, JRANGE= 22,24, KRANGE=1,2
REGION=1,  IRANGE= 37,38, JRANGE= 27,29, KRANGE=1,2
REGION=1,  IRANGE= 36,37, JRANGE= 22,29, KRANGE=1,2
REGION=1,  IRANGE= 35,36, JRANGE= 22,24, KRANGE=1,2
REGION=1,  IRANGE= 35,36, JRANGE= 27,29, KRANGE=1,2
REGION=1,  IRANGE= 34,35, JRANGE= 22,29, KRANGE=1,2
REGION=1,  IRANGE= 33,34, JRANGE= 22,24, KRANGE=1,2
REGION=1,  IRANGE= 33,34, JRANGE= 27,29, KRANGE=1,2
REGION=1,  IRANGE= 32,33, JRANGE= 22,29, KRANGE=1,2

```

```

REGION=1,  IRANGE= 31,32, JRANGE= 22,24, KRANGE=1,2
REGION=1,  IRANGE= 31,32, JRANGE= 27,29, KRANGE=1,2
REGION=1,  IRANGE= 30,31, JRANGE= 22,29, KRANGE=1,2
REGION=1,  IRANGE= 29,30, JRANGE= 22,24, KRANGE=1,2
REGION=1,  IRANGE= 29,30, JRANGE= 27,29, KRANGE=1,2
REGION=1,  IRANGE= 28,29, JRANGE= 22,29, KRANGE=1,2
REGION=1,  IRANGE= 27,28, JRANGE= 22,24, KRANGE=1,2
REGION=1,  IRANGE= 27,28, JRANGE= 27,29, KRANGE=1,2
REGION=1,  IRANGE= 26,27, JRANGE= 22,29, KRANGE=1,2
REGION=1,  IRANGE= 25,26, JRANGE= 23,24, KRANGE=1,2
REGION=1,  IRANGE= 25,26, JRANGE= 27,28, KRANGE=1,2
! -- PANEL 8
REGION=1,  IRANGE=  2,3,  JRANGE= 32,39, KRANGE=1,2
REGION=1,  IRANGE=  3,4,  JRANGE= 32,34, KRANGE=1,2
REGION=1,  IRANGE=  3,4,  JRANGE= 37,39, KRANGE=1,2
REGION=1,  IRANGE=  4,5,  JRANGE= 32,39, KRANGE=1,2
REGION=1,  IRANGE=  5,6,  JRANGE= 32,34, KRANGE=1,2
REGION=1,  IRANGE=  5,6,  JRANGE= 37,39, KRANGE=1,2
REGION=1,  IRANGE=  6,7,  JRANGE= 32,39, KRANGE=1,2
REGION=1,  IRANGE=  7,8,  JRANGE= 32,34, KRANGE=1,2
REGION=1,  IRANGE=  7,8,  JRANGE= 37,39, KRANGE=1,2
REGION=1,  IRANGE=  8,9,  JRANGE= 32,39, KRANGE=1,2
REGION=1,  IRANGE=  9,10, JRANGE= 32,34, KRANGE=1,2
REGION=1,  IRANGE=  9,10, JRANGE= 37,39, KRANGE=1,2
REGION=1,  IRANGE= 10,11, JRANGE= 32,39, KRANGE=1,2
REGION=1,  IRANGE= 11,12, JRANGE= 32,34, KRANGE=1,2
REGION=1,  IRANGE= 11,12, JRANGE= 37,39, KRANGE=1,2
REGION=1,  IRANGE= 12,13, JRANGE= 32,39, KRANGE=1,2
REGION=1,  IRANGE= 13,14, JRANGE= 32,34, KRANGE=1,2
REGION=1,  IRANGE= 13,14, JRANGE= 37,39, KRANGE=1,2
REGION=1,  IRANGE= 14,15, JRANGE= 32,39, KRANGE=1,2
REGION=1,  IRANGE= 15,16, JRANGE= 33,34, KRANGE=1,2
REGION=1,  IRANGE= 15,16, JRANGE= 37,38, KRANGE=1,2
! -- PANEL 1
REGION=1,  IRANGE= 38,39, JRANGE= 32,39, KRANGE=1,2
REGION=1,  IRANGE= 37,38, JRANGE= 32,34, KRANGE=1,2
REGION=1,  IRANGE= 37,38, JRANGE= 37,39, KRANGE=1,2
REGION=1,  IRANGE= 36,37, JRANGE= 32,39, KRANGE=1,2
REGION=1,  IRANGE= 35,36, JRANGE= 32,34, KRANGE=1,2
REGION=1,  IRANGE= 35,36, JRANGE= 37,39, KRANGE=1,2
REGION=1,  IRANGE= 34,35, JRANGE= 32,39, KRANGE=1,2
REGION=1,  IRANGE= 33,34, JRANGE= 32,34, KRANGE=1,2
REGION=1,  IRANGE= 33,34, JRANGE= 37,39, KRANGE=1,2
REGION=1,  IRANGE= 32,33, JRANGE= 32,39, KRANGE=1,2
REGION=1,  IRANGE= 31,32, JRANGE= 32,34, KRANGE=1,2
REGION=1,  IRANGE= 31,32, JRANGE= 37,39, KRANGE=1,2
REGION=1,  IRANGE= 30,31, JRANGE= 32,39, KRANGE=1,2
REGION=1,  IRANGE= 29,30, JRANGE= 32,34, KRANGE=1,2
REGION=1,  IRANGE= 29,30, JRANGE= 37,39, KRANGE=1,2
REGION=1,  IRANGE= 28,29, JRANGE= 32,39, KRANGE=1,2
REGION=1,  IRANGE= 27,28, JRANGE= 32,34, KRANGE=1,2
REGION=1,  IRANGE= 27,28, JRANGE= 37,39, KRANGE=1,2
REGION=1,  IRANGE= 26,27, JRANGE= 32,39, KRANGE=1,2
REGION=1,  IRANGE= 25,26, JRANGE= 33,34, KRANGE=1,2
REGION=1,  IRANGE= 25,26, JRANGE= 37,38, KRANGE=1,2
! PANEL 9 & 0 (DRIFTS AND CENTRAL ACCESS)
REGION=1,  IRANGE= 17,18, JRANGE=  3,20, KRANGE=1,2

```



REGION=1, IRANGE= 17,18, JRANGE= 21,38, KRANGE=1,2  
REGION=1, IRANGE= 18,19, JRANGE= 3, 4, KRANGE=1,2  
REGION=1, IRANGE= 18,19, JRANGE= 7, 8, KRANGE=1,2  
REGION=1, IRANGE= 18,19, JRANGE= 13,14, KRANGE=1,2  
REGION=1, IRANGE= 18,19, JRANGE= 17,18, KRANGE=1,2  
REGION=1, IRANGE= 18,19, JRANGE= 23,24, KRANGE=1,2  
REGION=1, IRANGE= 18,19, JRANGE= 27,28, KRANGE=1,2  
REGION=1, IRANGE= 18,19, JRANGE= 33,34, KRANGE=1,2  
REGION=1, IRANGE= 18,19, JRANGE= 37,38, KRANGE=1,2  
!  
REGION=1, IRANGE= 19,20, JRANGE= 3,20, KRANGE=1,2  
REGION=1, IRANGE= 19,20, JRANGE= 21,38, KRANGE=1,2  
REGION=1, IRANGE= 20,21, JRANGE= 3, 4, KRANGE=1,2  
REGION=1, IRANGE= 20,21, JRANGE= 7, 8, KRANGE=1,2  
REGION=1, IRANGE= 20,21, JRANGE= 13,14, KRANGE=1,2  
REGION=1, IRANGE= 20,21, JRANGE= 17,18, KRANGE=1,2  
REGION=1, IRANGE= 20,21, JRANGE= 23,24, KRANGE=1,2  
REGION=1, IRANGE= 20,21, JRANGE= 27,28, KRANGE=1,2  
REGION=1, IRANGE= 20,21, JRANGE= 33,34, KRANGE=1,2  
REGION=1, IRANGE= 20,21, JRANGE= 37,38, KRANGE=1,2  
!  
REGION=1, IRANGE= 21,22, JRANGE= 3,20, KRANGE=1,2  
REGION=1, IRANGE= 21,22, JRANGE= 21,38, KRANGE=1,2  
REGION=1, IRANGE= 22,23, JRANGE= 3, 4, KRANGE=1,2  
REGION=1, IRANGE= 22,23, JRANGE= 7, 8, KRANGE=1,2  
REGION=1, IRANGE= 22,23, JRANGE= 13,14, KRANGE=1,2  
REGION=1, IRANGE= 22,23, JRANGE= 17,18, KRANGE=1,2  
REGION=1, IRANGE= 22,23, JRANGE= 23,24, KRANGE=1,2  
REGION=1, IRANGE= 22,23, JRANGE= 27,28, KRANGE=1,2  
REGION=1, IRANGE= 22,23, JRANGE= 33,34, KRANGE=1,2  
REGION=1, IRANGE= 22,23, JRANGE= 37,38, KRANGE=1,2  
!  
REGION=1, IRANGE= 23,24, JRANGE= 3,20, KRANGE=1,2  
REGION=1, IRANGE= 23,24, JRANGE= 21,38, KRANGE=1,2  
!  
! DRZ  
!  
REGION=2, IRANGE= 1,16, JRANGE= 1, 2, KRANGE=1,2  
REGION=2, IRANGE= 15,16, JRANGE= 2, 3, KRANGE=1,2  
REGION=2, IRANGE= 17,24, JRANGE= 2, 3, KRANGE=1,2  
REGION=2, IRANGE= 25,26, JRANGE= 2, 3, KRANGE=1,2  
REGION=2, IRANGE= 25,40, JRANGE= 1, 2, KRANGE=1,2  
  
REGION=2, IRANGE= 1,15, JRANGE= 9,10, KRANGE=1,2  
REGION=2, IRANGE= 26,40, JRANGE= 9,10, KRANGE=1,2  
  
REGION=2, IRANGE= 1,15, JRANGE= 11,12, KRANGE=1,2  
REGION=2, IRANGE= 26,40, JRANGE= 11,12, KRANGE=1,2  
  
REGION=2, IRANGE= 1,15, JRANGE= 19,20, KRANGE=1,2  
REGION=2, IRANGE= 26,40, JRANGE= 19,20, KRANGE=1,2  
  
REGION=2, IRANGE= 1,15, JRANGE= 21,22, KRANGE=1,2  
REGION=2, IRANGE= 26,40, JRANGE= 21,22, KRANGE=1,2  
  
REGION=2, IRANGE= 1,15, JRANGE= 29,30, KRANGE=1,2  
REGION=2, IRANGE= 26,40, JRANGE= 29,30, KRANGE=1,2

REGION=2, IRANGE= 1, 15, JRANGE= 31, 32, KRANGE=1, 2  
REGION=2, IRANGE= 26, 40, JRANGE= 31, 32, KRANGE=1, 2

REGION=2, IRANGE= 15, 16, JRANGE= 38, 39, KRANGE=1, 2  
REGION=2, IRANGE= 17, 24, JRANGE= 38, 39, KRANGE=1, 2  
REGION=2, IRANGE= 25, 26, JRANGE= 38, 39, KRANGE=1, 2  
REGION=2, IRANGE= 1, 16, JRANGE= 39, 40, KRANGE=1, 2  
REGION=2, IRANGE= 25, 40, JRANGE= 39, 40, KRANGE=1, 2

REGION=2, IRANGE= 1, 2, JRANGE= 2, 9, KRANGE=1, 2  
REGION=2, IRANGE= 1, 2, JRANGE= 12, 19, KRANGE=1, 2  
REGION=2, IRANGE= 1, 2, JRANGE= 22, 29, KRANGE=1, 2  
REGION=2, IRANGE= 1, 2, JRANGE= 32, 39, KRANGE=1, 2

REGION=2, IRANGE= 39, 40, JRANGE= 2, 9, KRANGE=1, 2  
REGION=2, IRANGE= 39, 40, JRANGE= 12, 19, KRANGE=1, 2  
REGION=2, IRANGE= 39, 40, JRANGE= 22, 29, KRANGE=1, 2  
REGION=2, IRANGE= 39, 40, JRANGE= 32, 39, KRANGE=1, 2

!  
! INTACT SALADO HALITE  
! SALT BETWEEN PANELS  
!

REGION=3, IRANGE= 16, 25, JRANGE= 1, 2, KRANGE=1, 2  
REGION=3, IRANGE= 16, 25, JRANGE= 39, 40, KRANGE=1, 2

REGION=3, IRANGE= 1, 15, JRANGE= 10, 11, KRANGE=1, 2  
REGION=3, IRANGE= 26, 40, JRANGE= 10, 11, KRANGE=1, 2

REGION=3, IRANGE= 1, 15, JRANGE= 20, 21, KRANGE=1, 2  
REGION=3, IRANGE= 26, 40, JRANGE= 20, 21, KRANGE=1, 2

REGION=3, IRANGE= 1, 15, JRANGE= 30, 31, KRANGE=1, 2  
REGION=3, IRANGE= 26, 40, JRANGE= 30, 31, KRANGE=1, 2

!  
! PILLARS WITHIN AND BETWEEN PANELS  
! TREATED AS INTACT SALADO (T. HADGU - 5/31/02)  
!

REGION=3, IRANGE= 3, 4, JRANGE= 4, 7, KRANGE=1, 2  
REGION=3, IRANGE= 3, 4, JRANGE= 14, 17, KRANGE=1, 2  
REGION=3, IRANGE= 3, 4, JRANGE= 24, 27, KRANGE=1, 2  
REGION=3, IRANGE= 3, 4, JRANGE= 34, 37, KRANGE=1, 2

REGION=3, IRANGE= 5, 6, JRANGE= 4, 7, KRANGE=1, 2  
REGION=3, IRANGE= 5, 6, JRANGE= 14, 17, KRANGE=1, 2  
REGION=3, IRANGE= 5, 6, JRANGE= 24, 27, KRANGE=1, 2  
REGION=3, IRANGE= 5, 6, JRANGE= 34, 37, KRANGE=1, 2

REGION=3, IRANGE= 7, 8, JRANGE= 4, 7, KRANGE=1, 2  
REGION=3, IRANGE= 7, 8, JRANGE= 14, 17, KRANGE=1, 2  
REGION=3, IRANGE= 7, 8, JRANGE= 24, 27, KRANGE=1, 2  
REGION=3, IRANGE= 7, 8, JRANGE= 34, 37, KRANGE=1, 2

REGION=3, IRANGE= 9, 10, JRANGE= 4, 7, KRANGE=1, 2  
REGION=3, IRANGE= 9, 10, JRANGE= 14, 17, KRANGE=1, 2  
REGION=3, IRANGE= 9, 10, JRANGE= 24, 27, KRANGE=1, 2  
REGION=3, IRANGE= 9, 10, JRANGE= 34, 37, KRANGE=1, 2

REGION=3, IRANGE= 11,12, JRANGE= 4, 7, KRANGE=1,2  
REGION=3, IRANGE= 11,12, JRANGE= 14,17, KRANGE=1,2  
REGION=3, IRANGE= 11,12, JRANGE= 24,27, KRANGE=1,2  
REGION=3, IRANGE= 11,12, JRANGE= 34,37, KRANGE=1,2

REGION=3, IRANGE= 13,14, JRANGE= 4, 7, KRANGE=1,2  
REGION=3, IRANGE= 13,14, JRANGE= 14,17, KRANGE=1,2  
REGION=3, IRANGE= 13,14, JRANGE= 24,27, KRANGE=1,2  
REGION=3, IRANGE= 13,14, JRANGE= 34,37, KRANGE=1,2

REGION=3, IRANGE= 18,19, JRANGE= 4, 7, KRANGE=1,2  
REGION=3, IRANGE= 18,19, JRANGE= 8,13, KRANGE=1,2  
REGION=3, IRANGE= 18,19, JRANGE= 14,17, KRANGE=1,2  
REGION=3, IRANGE= 18,19, JRANGE= 18,23, KRANGE=1,2  
REGION=3, IRANGE= 18,19, JRANGE= 24,27, KRANGE=1,2  
REGION=3, IRANGE= 18,19, JRANGE= 28,33, KRANGE=1,2  
REGION=3, IRANGE= 18,19, JRANGE= 34,37, KRANGE=1,2

REGION=3, IRANGE= 20,21, JRANGE= 4, 7, KRANGE=1,2  
REGION=3, IRANGE= 20,21, JRANGE= 8,13, KRANGE=1,2  
REGION=3, IRANGE= 20,21, JRANGE= 14,17, KRANGE=1,2  
REGION=3, IRANGE= 20,21, JRANGE= 18,23, KRANGE=1,2  
REGION=3, IRANGE= 20,21, JRANGE= 24,27, KRANGE=1,2  
REGION=3, IRANGE= 20,21, JRANGE= 28,33, KRANGE=1,2  
REGION=3, IRANGE= 20,21, JRANGE= 34,37, KRANGE=1,2

REGION=3, IRANGE= 22,23, JRANGE= 4, 7, KRANGE=1,2  
REGION=3, IRANGE= 22,23, JRANGE= 8,13, KRANGE=1,2  
REGION=3, IRANGE= 22,23, JRANGE= 14,17, KRANGE=1,2  
REGION=3, IRANGE= 22,23, JRANGE= 18,23, KRANGE=1,2  
REGION=3, IRANGE= 22,23, JRANGE= 24,27, KRANGE=1,2  
REGION=3, IRANGE= 22,23, JRANGE= 28,33, KRANGE=1,2  
REGION=3, IRANGE= 22,23, JRANGE= 34,37, KRANGE=1,2

REGION=3, IRANGE= 27,28, JRANGE= 4, 7, KRANGE=1,2  
REGION=3, IRANGE= 27,28, JRANGE= 14,17, KRANGE=1,2  
REGION=3, IRANGE= 27,28, JRANGE= 24,27, KRANGE=1,2  
REGION=3, IRANGE= 27,28, JRANGE= 34,37, KRANGE=1,2

REGION=3, IRANGE= 29,30, JRANGE= 4, 7, KRANGE=1,2  
REGION=3, IRANGE= 29,30, JRANGE= 14,17, KRANGE=1,2  
REGION=3, IRANGE= 29,30, JRANGE= 24,27, KRANGE=1,2  
REGION=3, IRANGE= 29,30, JRANGE= 34,37, KRANGE=1,2

REGION=3, IRANGE= 31,32, JRANGE= 4, 7, KRANGE=1,2  
REGION=3, IRANGE= 31,32, JRANGE= 14,17, KRANGE=1,2  
REGION=3, IRANGE= 31,32, JRANGE= 24,27, KRANGE=1,2  
REGION=3, IRANGE= 31,32, JRANGE= 34,37, KRANGE=1,2

REGION=3, IRANGE= 33,34, JRANGE= 4, 7, KRANGE=1,2  
REGION=3, IRANGE= 33,34, JRANGE= 14,17, KRANGE=1,2  
REGION=3, IRANGE= 33,34, JRANGE= 24,27, KRANGE=1,2  
REGION=3, IRANGE= 33,34, JRANGE= 34,37, KRANGE=1,2

REGION=3, IRANGE= 35,36, JRANGE= 4, 7, KRANGE=1,2  
REGION=3, IRANGE= 35,36, JRANGE= 14,17, KRANGE=1,2

REGION=3, IRANGE= 35,36, JRANGE= 24,27, KRANGE=1,2  
REGION=3, IRANGE= 35,36, JRANGE= 34,37, KRANGE=1,2

REGION=3, IRANGE= 37,38, JRANGE= 4, 7, KRANGE=1,2  
REGION=3, IRANGE= 37,38, JRANGE= 14,17, KRANGE=1,2  
REGION=3, IRANGE= 37,38, JRANGE= 24,27, KRANGE=1,2  
REGION=3, IRANGE= 37,38, JRANGE= 34,37, KRANGE=1,2

REGION=3, IRANGE= 15,17, JRANGE= 4, 7, KRANGE=1,2  
REGION=3, IRANGE= 15,17, JRANGE= 8,13, KRANGE=1,2  
REGION=3, IRANGE= 15,17, JRANGE= 14,17, KRANGE=1,2  
REGION=3, IRANGE= 15,17, JRANGE= 18,23, KRANGE=1,2  
REGION=3, IRANGE= 15,17, JRANGE= 24,27, KRANGE=1,2  
REGION=3, IRANGE= 15,17, JRANGE= 28,33, KRANGE=1,2  
REGION=3, IRANGE= 15,17, JRANGE= 34,37, KRANGE=1,2

REGION=3, IRANGE= 24,26, JRANGE= 4, 7, KRANGE=1,2  
REGION=3, IRANGE= 24,26, JRANGE= 8,13, KRANGE=1,2  
REGION=3, IRANGE= 24,26, JRANGE= 14,17, KRANGE=1,2  
REGION=3, IRANGE= 24,26, JRANGE= 18,23, KRANGE=1,2  
REGION=3, IRANGE= 24,26, JRANGE= 24,27, KRANGE=1,2  
REGION=3, IRANGE= 24,26, JRANGE= 28,33, KRANGE=1,2  
REGION=3, IRANGE= 24,26, JRANGE= 34,37, KRANGE=1,2

!  
! Equivalent PANEL SEALS FOR OPTION D PANEL CLOSURE (1)  
!

REGION=4, IRANGE= 16,17, JRANGE= 3, 4, KRANGE=1,2  
REGION=4, IRANGE= 16,17, JRANGE= 7, 8, KRANGE=1,2  
REGION=4, IRANGE= 16,17, JRANGE= 13,14, KRANGE=1,2  
REGION=4, IRANGE= 16,17, JRANGE= 17,18, KRANGE=1,2  
REGION=4, IRANGE= 16,17, JRANGE= 23,24, KRANGE=1,2  
REGION=4, IRANGE= 16,17, JRANGE= 27,28, KRANGE=1,2  
REGION=4, IRANGE= 16,17, JRANGE= 33,34, KRANGE=1,2  
REGION=4, IRANGE= 16,17, JRANGE= 37,38, KRANGE=1,2  
REGION=4, IRANGE= 24,25, JRANGE= 3, 4, KRANGE=1,2  
REGION=4, IRANGE= 24,25, JRANGE= 7, 8, KRANGE=1,2  
REGION=4, IRANGE= 24,25, JRANGE= 13,14, KRANGE=1,2  
REGION=4, IRANGE= 24,25, JRANGE= 17,18, KRANGE=1,2  
REGION=4, IRANGE= 24,25, JRANGE= 23,24, KRANGE=1,2  
REGION=4, IRANGE= 24,25, JRANGE= 27,28, KRANGE=1,2  
REGION=4, IRANGE= 24,25, JRANGE= 33,34, KRANGE=1,2  
REGION=4, IRANGE= 24,25, JRANGE= 37,38, KRANGE=1,2

!  
! EQUIVALENT DRZ/CONCRETE AT CONCRETE EXTENSION INTO DRZ (FOR OPTION D)  
!

REGION=5, IRANGE= 16,17, JRANGE= 2, 3, KRANGE=1,2  
REGION=5, IRANGE= 24,25, JRANGE= 2, 3, KRANGE=1,2  
REGION=5, IRANGE= 16,17, JRANGE= 38,39, KRANGE=1,2  
REGION=5, IRANGE= 24,25, JRANGE= 38,39, KRANGE=1,2

!  
! Equivalent PANEL SEALS FOR OPTION D PANEL CLOSURE (2 - Middle Panel Seals)  
!

REGION=6, IRANGE= 17,18, JRANGE= 20,21, KRANGE=1,2  
REGION=6, IRANGE= 19,20, JRANGE= 20,21, KRANGE=1,2  
REGION=6, IRANGE= 21,22, JRANGE= 20,21, KRANGE=1,2  
REGION=6, IRANGE= 23,24, JRANGE= 20,21, KRANGE=1,2

!

\*END  
\$

## B.2.2 MATSET INPUT FILE: Parameter callout/definitions

```
$ type ms_dbr_cra1_dir_rel.inp
!=====
!TITLE:    BRAGFLO DIRECT RELEASE MODEL (New repository scale grid)
! ANALYST: Daniel M. Stoelzel ,SNL
!CREATED:  Nov. 2, 1995
! PURPOSE: Define material and property names and selected values that
!           are not in the PROPERTY.SDB
!           May, 1996
!           Updated to add needed params for CCA analysis.
!
!MODIFIED 6/6/96
!           CHANGED SO BLOWOUT PARAMETERS CAN BE READ FROM DATABASE
!
!           6/25/97
!           CHANGES TO ALLOW FOR DRZ_INIT REGION
!
!           5/29/02 T. Hadgu
!           Removed any reference to Region 4, because the repository has now
been
!           subdivided into three instead of four for TBM calculations.
!
!           6/01/02 T. Hadgu
!           The materials DRZ_1 and DRZ_INIT have been changed for TBM
calculations.
!           DRZ_INIT has been removed. DRZ surrounding panels has been assigned
!           the property name DRZ_1. Pillars between rooms and between panels are
!           now treated as Salado Halite. DRZ next to concrete panel closure is
!           treated as an equivalent DRZ using the material name DRZ_CONC.
!
!           T. Hadgu 6/10/02:
!           Material CONC_PCS represents Option D panel closure (which comprises
!           of a drift and a concrete part). It's properties, with the exception
!           of permeability and porosity, will be that of WAS_AREA. This was done
!           with the assumption that the drift part will dominate for those
!           properties. Permeability and porosity are assigned in ALGEBRA. Note
!           that the name CONC_PCS was used to pull permeability and porosity of
the
!           concrete panel closure from the BRAGFLO 10,000-year calculations.
!
!           The center panel seals have been assigned Material PAN_SL2 to allow
!           different equivalent permeabilities because of their orientation.
!
!           J. Stein 4/30/2003
!           Changed the initial height of the DRZ from 8.98 m to 44 m.
!           This change is due to the area of the DRZ in the DBR grid
!           decreasing as a result of the material map changes made
!           for the 2003 Salado Flow Peer Review. This change is necessary
!           in order to conserve pore volume between the BRAGFLO and DBR
!           grids.
!
!           J. Stein 7/31/2003
```

! Changed the initial height of the panel closure materials to  
! be consistent with the dimensions of these features in the  
! 10,000 year BRAGFLO grid. These changes are in preparation for  
! the 2003 CRA PA Calculations.  
!  
!=====

\*PRINT\_ASSIGNED\_VALUES

\*HEADING

TITLE, BRAGFLO: 2003 CRA1:DBR Model  
SCALE, LOCAL  
SCENARIO, DISTURBED

\*UNITS=SI

\*CREATE\_IDS

BLOCK\_IDS=7  
BLOCK\_IDS=8  
BLOCK\_IDS=9  
BLOCK\_IDS=10  
BLOCK\_IDS=11

\*RETRIEVE

COORD, DIM=3, NAMES= X,Y,Z

! ...Define region names

MATERIAL, 1=WAS\_AREA, 2=DRZ\_1, 3=S\_HALITE, 4=CONC\_PCS:WAS\_AREA, &  
5=DRZ\_CONC:DRZ\_1, 6=PAN\_SL2:WAS\_AREA, 7=BRINESAL, 8=H2, &  
9=WELLBORE, 10=REFCON, 11=BLOWOUT

! 1...Define WASTE property names

PROPERTY, MAT=WAS\_AREA, NAMES= PRMX\_LOG, PRMY\_LOG, PRMZ\_LOG, &  
POROSITY, PORE\_DIS, SAT\_RGAS, &  
SAT\_RBRN, COMP\_RCK, CAP\_MOD, &  
REL\_P\_MOD, PC\_MAX, PO\_MIN, &  
PCT\_A, PCT\_EXP, KPT, &  
SAT\_IBRN, HEIGHT, &  
PRES PAN1, GPRSPAN1, BSATPAN1, GSATPAN1, &  
PRES PAN2, GPRSPAN2, BSATPAN2, GSATPAN2, &  
PRES PAN3, GPRSPAN3, BSATPAN3, GSATPAN3

! 2...Define DRZ (Time period 2 : 0-10000 yrs)

! property names

PROPERTY, MAT=DRZ\_1, NAMES= PERM\_X, PERM\_Y, PERM\_Z, &  
POROSITY, PORE\_DIS, SAT\_RGAS, &  
SAT\_RBRN, COMP\_RCK, CAP\_MOD, &  
REL\_P\_MOD, PC\_MAX, PO\_MIN, &  
PCT\_A, PCT\_EXP, KPT, &  
HEIGHT, PERMBRX, POR\_INTR

! 3 ...Define SALADO HALITE property names,

PROPERTY, MAT=S\_HALITE, NAMES= PRMX\_LOG, PRMY\_LOG, PRMZ\_LOG, &  
POROSITY, PORE\_DIS, SAT\_RGAS, &  
SAT\_RBRN, COMP\_RCK, CAP\_MOD, &  
REL\_P\_MOD, PC\_MAX, PO\_MIN, &  
PCT\_A, PCT\_EXP, KPT, &  
PRESSURE, HEIGHT

! 4...Define Panel Seal (Time period 1 : 0-10000 yrs) property names

PROPERTY, MAT=CONC\_PCS, NAMES= PRMX\_LOG, PRMY\_LOG, PRMZ\_LOG, &  
POROSITY, PORE\_DIS, SAT\_RGAS, &

```

SAT_RBRN,      COMP_RCK,      CAP_MOD, &
REL_P_MOD,     PC_MAX,          PO_MIN, &
PCT_A,         PCT_EXP,         KPT, &
SAT_IBRN,      HEIGHT

! 5...Define Equivalent DRZ/Concrete (Time period 2 : 0-10000 yrs)
! property names
PROPERTY, MAT=DRZ_CONC, NAMES= PERM_X,      PERM_Y,      PERM_Z, &
POROSITY,      PORE_DIS,      SAT_RGAS, &
SAT_RBRN,      COMP_RCK,      CAP_MOD, &
REL_P_MOD,     PC_MAX,          PO_MIN, &
PCT_A,         PCT_EXP,         KPT, &
HEIGHT,        PERMBRX,       POR_INTR

! 6...Define Middle Panel Seal (Time period 1 : 0-10000 yrs) property names
PROPERTY, MAT=PAN_SL2, NAMES= PRM_X_LOG,   PRM_Y_LOG,   PRM_Z_LOG, &
POROSITY,      PORE_DIS,      SAT_RGAS, &
SAT_RBRN,      COMP_RCK,      CAP_MOD, &
REL_P_MOD,     PC_MAX,          PO_MIN, &
PCT_A,         PCT_EXP,         KPT, &
SAT_IBRN,      HEIGHT

! 7...Define brine props
PROPERTY, MAT=BRINESAL, NAMES= DNSFLUID,    WTF,          COMPRES, &
VISCO,         REF_TEMP,      REF_PRES

! 8..Define GAS (H2) property names
PROPERTY, MAT=H2,      NAMES= VISCO

! 9..DEFINE WELLBORE PROP NAMES: Some props will be changed or added in
ALGEBRA
! & RELATE steps
PROPERTY, MAT=WELLBORE, NAMES = &
INTR_TME, &
BITSIZE, &
SKIN, &
WELLPI, &
DRAINRAD, &
PRM_OPEN, &
PRM_SAND, &
PRM_CREP, &
AREA_TOT, &
VOLU_TOT, &
CAST_RE, &
CAST_WB, &
PRM_CAST, &
WELL_PAN

! 10... Define Constants
PROPERTY, MAT=REFCON, NAMES = &
PI, &
GRAVACC, &
PSIPA, &
YRSEC, &
DARM2, &
DAYSEC, &
FTM, &
DIP_DEG, &
MW_FE,      MW_CELL, &
MW_NACL,    MW_CO2,      MW_CH4, &
MW_N2,      MW_H2S,      MW_O2, &
MW_H2O,     MW_H2,        R, &

```

```

TC_H2,          TC_CO2,          TC_CH4, &
TC_N2,          TC_H2S,          TC_O2, &
PC_H2,          PC_CO2,          PC_CH4, &
PC_N2,          PC_H2S,          PC_O2, &
ACF_H2,         ACF_CO2,          ACF_CH4, &
ACF_N2,         ACF_H2S,          ACF_O2, &
OMEGAA,         OMEGAB, &
BIP_11,         BIP_12,          BIP_13, &
BIP_14,         BIP_15,          BIP_16, &
BIP_21,         BIP_22,          BIP_23, &
BIP_24,         BIP_25,          BIP_26, &
BIP_31,         BIP_32,          BIP_33, &
BIP_34,         BIP_35,          BIP_36, &
BIP_41,         BIP_42,          BIP_43, &
BIP_44,         BIP_45,          BIP_46, &
BIP_51,         BIP_52,          BIP_53, &
BIP_54,         BIP_55,          BIP_56, &
BIP_61,         BIP_62,          BIP_63, &
BIP_64,         BIP_65,          BIP_66

```

! 11.. Define flow durations of blowout

```
PROPERTY,MAT=BLOWOUT,NAMES = &
```

```

MINFLOW, &
MAXFLOW, &
GAS_MIN, &
THCK_CAS, &
RE_CAST

```

```
*SET
```

```
PROPERTY,MAT=WAS_AREA,NAME*VALUE: &
```

```

HEIGHT=1.5, &
PRESpan1=0.0,  GPRSPAN1=0.0,  BSATPAN1=0.0,  GSATPAN1=0.0, &
PRESpan2=0.0,  GPRSPAN2=0.0,  BSATPAN2=0.0,  GSATPAN2=0.0, &
PRESpan3=0.0,  GPRSPAN3=0.0,  BSATPAN3=0.0,  GSATPAN3=0.0

```

```
!
```

```
! JSS 43.60 = height of DRZ in DBR grid that results in the same volume of
!           DRZ in the the BF grid.
```

```
! DRZAreaBF x porosity x DRZheightBF = DRZAreaDBR x porosity x DRZheightDBR
```

```
! DRZAreaBF=110,641 m2, porosity=0.0129, DRZheightBF=14.23 m
```

```
! DRZAreaDBR=36,107 m2, DRZheightDBR = 43.60
```

```
!
```

```
PROPERTY,MAT=DRZ_1,NAME*VALUE: &
```

```
HEIGHT=43.6, PERMBRX=0.0, PERM_X=0, PERM_Y=0, PERM_Z=0, POR_INTR=0
```

```
PROPERTY,MAT=S_HALITE,NAME*VALUE: &
```

```
HEIGHT=8.98
```

```
!
```

```
! JSS 7.96 = height of CONC_PCS in BF grid {2(0.69)+3(1.3208)+2.6176}
```

```
!
```

```
PROPERTY,MAT=CONC_PCS,NAME*VALUE: &
```

```
HEIGHT=7.96
```

```
!
```

```
! JSS 9.06 = height of DRZ_PCS in BF grid {2(4.53)}
```

```
!
```

```
PROPERTY,MAT=DRZ_CONC,NAME*VALUE: &
```

```
HEIGHT=9.06, PERMBRX=0.0, PERM_X=0, PERM_Y=0, PERM_Z=0, POR_INTR=0
```

```
!
```



```

! JSS 7.96 = height of CONC_PCS in BF grid {2(0.69)+3(1.3208)+2.6176}
!
PROPERTY,MAT=PAN_SL2,NAME*VALUE: &
  HEIGHT=7.96

PROPERTY,MAT=WELLBORE,NAME*VALUE: &
  INTR_TME=0.0,&
  BITSIZE=0.0,&
  SKIN=0.0,&
  WELLPI=0.0,&
  DRAINRAD=0.0,&
  PRM_OPEN=0.0,&
  PRM_SAND=0.0,&
  PRM_CREP=0.0,&
  AREA_TOT=0.0,&
  VOLU_TOT=0.0,&
  CAST_RE=17e6,&
  CAST_WB=17e6,&
  PRM_CAST=1E-12,&
  WELL_PAN=14e6
PROPERTY,MAT=REFCON,NAME*VALUE: &
  DIP_DEG=1.0
*END

```

B.2.3 LHS INPUT FILE: Callout of sampled parameters

NOT USED

## B.2.4 IC INPUT FILE: Sets initial conditions

```
$ type ic_dbr_cra1_dir_rel_S1.inp
```

```
=====
TITLE:   INITIAL CONDITIONS FOR BRAGFLO 1995 SIDEBAR CALCS
ANALYST: D.M. STOELZEL
DATE:    NOV 2,1995

```

MODIFIED 11/30/95

MADE STARTING TIME AT 0, RE-INITIALIZED EACH OF THE FOUR PANEL  
REGIONS TO MATCH PORE-VOLUME AVERAGED SAT, PRES FROM BASELINE RUN

MAY 29, 1996

RENAMED FILE ICSET\_DIRECT\_RELEASE\_S1\_WELL?.INP FOR ALL UNDISTURBED  
(FIRST INTRUSION) SCENARIOS

MAY 29, 2002, T. Hadgu

REDUCED THE NUMBER OF REGIONS FROM 4 TO 3. REORGANIZED GRID BLOCKS TO  
FIT TO THE THREE REGIONS.

```
=====
SET_NAMES
```

```
INITIAL_NAMES TYPE=ELEMENT, NUM=4, NAMES=SATBREL, PRESEL, FECONC,&
                                         CH2OCONC
```

```
SET_VALUES
```

```
Define start time = 0 DAYS
```

```

INITIAL_VALUE, TYPE=TIME, VALUE=0.0

Define initial Fe concentrations
INITIAL_VALUE, TYPE=ELEMENT, NAME=FECONC, IRANGE=1,40, JRANGE=1,40,&
    KRANGE=1,2, VALUE=0.0

Define initial CH2O concentrations
INITIAL_VALUE, TYPE=ELEMENT, NAME=CH2OCONC, IRANGE=1,40, JRANGE=1,40,&
    KRANGE=1,2, VALUE=0.0

RE-DEFINE REGIONS FOR THE THREE PANELS (I.E. REGIONS)
PANEL 1
INITIAL_VALUE, TYPE=ELEMENT, NAME=SATBREL, IRANGE=1,40, JRANGE=21,40,&
    KRANGE=1,2, VALUE=WAS_AREA:BSATPAN1

INITIAL_VALUE, TYPE=ELEMENT, NAME=PRESEL, IRANGE=1,40, JRANGE=21,40,&
    KRANGE=1,2, VALUE=WAS_AREA:PRESPAN1
PANEL 2
INITIAL_VALUE, TYPE=ELEMENT, NAME=SATBREL, IRANGE=16,40, JRANGE=1,11,&
    KRANGE=1,2, VALUE=WAS_AREA:BSATPAN2

INITIAL_VALUE, TYPE=ELEMENT, NAME=PRESEL, IRANGE=16,40, JRANGE=1,11,&
    KRANGE=1,2, VALUE=WAS_AREA:PRESPAN2

INITIAL_VALUE, TYPE=ELEMENT, NAME=SATBREL, IRANGE=1,40, JRANGE=11,21,&
    KRANGE=1,2, VALUE=WAS_AREA:BSATPAN2

INITIAL_VALUE, TYPE=ELEMENT, NAME=PRESEL, IRANGE=1,40, JRANGE=11,21,&
    KRANGE=1,2, VALUE=WAS_AREA:PRESPAN2
PANEL 3
INITIAL_VALUE, TYPE=ELEMENT, NAME=SATBREL, IRANGE=1,16, JRANGE= 1,11,&
    KRANGE=1,2, VALUE=WAS_AREA:BSATPAN3

INITIAL_VALUE, TYPE=ELEMENT, NAME=PRESEL, IRANGE=1,16, JRANGE= 1,11,&
    KRANGE=1,2, VALUE=WAS_AREA:PRESPAN3

END
$

```

## B.2.5 ALGEBRA INPUT FILES: Parameter definition and manipulation.

There are two ALGEBRA input files used in the DBR analyses, a PRECUSP input file and a DBR input file. The DBR input file varies with each of 5 scenarios.

### **ALBEGRA PRECUSP FILE:**

```

$ type alg_dbr_cra1_precusp_dir_rel.inp
!   T. Hadgu: May 29/2002 Modified to account for new BRAGFLO TBM grid.
!   The repository is now subdivided into 3 regions instead of 4.

delete all
TIMEHIS = TIME
DELETE TIMEHIS
limit block 1
tmin 4e11
INTR_TME = MAKEPROP(TIMEHIS[T:1])

```

```

area_tot = makeprop(area_t[t:1])
volu_tot = makeprop(vol_t[t:1])
bitsize = makeprop(drildiam[t:1])
!
poro_1   = makeprop(poros1[t:1])
height1  = makeprop(hfinal_1[t:1])
brnpres1 = makeprop(presbri1[t:1])
gaspres1 = makeprop(presgas1[t:1])
brn_sat1 = makeprop(satbrin1[t:1])
gas_sat1 = makeprop(satgas1[t:1])
!
poro_2   = makeprop(poros2[t:1])
height2  = makeprop(hfinal_2[t:1])
brnpres2 = makeprop(presbri2[t:1])
gaspres2 = makeprop(presgas2[t:1])
brn_sat2 = makeprop(satbrin2[t:1])
gas_sat2 = makeprop(satgas2[t:1])
!
poro_3   = makeprop(poros0[t:1])
height3  = makeprop(hfinal_0[t:1])
brnpres3 = makeprop(presbri0[t:1])
gaspres3 = makeprop(presgas0[t:1])
brn_sat3 = makeprop(satbrin0[t:1])
gas_sat3 = makeprop(satgas0[t:1])
!
cast_wb  = makeprop(presbri3[t:1])
cast_re  = makeprop(presbri4[t:1])
well_pan = makeprop(presbri6[t:1])
!
porosity = (poro_1+poro_2+poro_3)/3
height   = (height1+height2+height3)/3
!
por_drz  = makeprop(poros7[t:1])
hght_drz = makeprop(hfinal_7[t:1])
bpresdrz = makeprop(presbri7[t:1])
gpresdrz = makeprop(presgas7[t:1])
bsatdrz  = makeprop(satbrin7[t:1])
gsatdrz  = makeprop(satgas7[t:1])
permdrz  = makeprop(permbrx7[t:1])
exit
$

```

## ALGEBRA DBR FILES

### Scenario: S1

```

$ type alg_dbr_cra1_pre_dir_rel_s1.inp
!=====
!
!TITLE:BRAGFLO 1996 CCA CALCULATIONS: REPOSITORY SCALE BLOWOUT
!ANAYLST: Dan Stoelzel, SNL
!CREATED: NOV 2, 1995
!PURPOSE: ALGEBRA file computes properties that can not be obtained
!          from CAMDAT and/or assigns properties to element blocks.
!          THIS FILE PREPARES A .CDB FILE FOR PREBRAG TO READ
!IMPORTANT: This file originates from J.E. Bean's algebra file for his FEP
!           model. The methodologies to calculate dip were copied from his

```

```

!           file, with minor changes
!           made to account for the differences in the meshes.
!           ALGEBRA TO CALC. DIP IN REPOSITORY - SCALE BLOWOUT MODEL.
!           new version of bragflo
!
!
!     MODIFIED:
!           MARCH 26, 1996
!           BLOWOUT MODEL STRUGGLING IN PANEL SEAL REGION: TURNED OFF
!           CAP PRESSURE IN PANEL SEAL AND HALITE BY SETTING EQUAL TO
!           CAP PRESSURE IN WASTE REGION
!
!           MAY 17, 1996
!           ADDED BOUNDARY CONDITION WELL CALCULATION FOR E1-E2 SCEN.
!           NEW CHANGES FOR LATEST CCA ANALYSIS
!
!           June 29/1999   T. Hadgu
!           Corrected productivity index of intrusion borehole by
!           multiplying WELLPI by 2*PI.
!
!           July 22/1999   T. Hadgu
!           Changed the curve fit equations for Flowing Bottomhole
Pressure.
!           The new curve fits reflect the addition of 2*PI to WELLPI,
!           and were based on actual data from the 96 CCA 10,000 year
runs.
!
!           May 15/2002   T. Hadgu
!           Used equivalent permeabilities and porosities for panel
closure
!           (materials CONC_PCS AND PAN_S2) and DRZ next to panel closure
!           (material DRZ_PCS), to deal with Option D panel closure
!           implementation in the TBM vertical BRAGFLO grid.
!
!           May 28/2002   T. Hadgu
!           Subdivided the repository into 3 regions instead of 4
!           to account for new BRAGFLO TBM grid and Option D.
!
!           June 10/2002  T. Hadgu
!           Removed waste area properties that have been assigned to
other
!           materials. Proper material properties are now transferred
from
!           the 10,000-year BRAGFLO runs.
!
!           July 31,2003  J. Stein
!           Fixed AREA_TOT to represent the maximum spall volume of
!           4.0 m^3. Changed the way initial porosity is calculated
!           for the panel closure materials.
!
!=====
!*****
!CHAPTER 0:  DEFINE NEW VARIABLE NAMES AND SOME NEEDED CONSTANTS
!*****
!=====
!
!
!   SET CONSTANTS AND PUT IN WASTE REGION (WAS_AREA)
LIMIT BLOCK 1

```

```

THETA1 = MAKEPROP(DIP_DEG[ID:10]*2.0*PI[ID:10]/360.0)
THETA2 = MAKEPROP(0.0)
!
!
PERM_X = 10**PRMX_LOG
PERM_Y = 10**PRMY_LOG
PERM_Z = 10**PRMZ_LOG
SB_MIN = SAT_RBRN * 1.05
POR_COMP = COMP_RCK/POROSITY
!
! CALCULATE PROPERTIES FOR DRZ (DRZ_1)
LIMIT BLOCK 2
PERM_X = PERMBRX
PERM_Y = PERMBRX
PERM_Z = PERMBRX
SB_MIN = SAT_RBRN * 1.05
! NOW ADJUST POROSITY AND PORE COMPRESSIBILITY TO EQ. PORE VOL WITH CRUSHED
! ROOM HEIGHT
POROSITY = HEIGHT * POR_INTR / HEIGHT[ID:1]
POR_COMP = COMP_RCK/POROSITY
!
! CALCULATE PROPERTIES FOR SALADO HALITE (!S_HALITE)
LIMIT BLOCK 3
PERM_X = 10**PRMX_LOG
PERM_Y = 10**PRMY_LOG
PERM_Z = 10**PRMZ_LOG
SB_MIN = SAT_RBRN * 1.05
! NOW ADJUST POROSITY AND PORE COMPRESSIBILITY TO EQ. PORE VOL WITH CRUSHED
! ROOM HEIGHT
POROSITY = HEIGHT * POROSITY / HEIGHT[ID:1]
POR_COMP = COMP_RCK/POROSITY
!
! CALC PROPERTIES FOR PANEL SEALS (CONC_PCS)
LIMIT BLOCK 4
!PERM_X = 10**PRMX_LOG
!PERM_Y = 10**PRMY_LOG
!
D1 = 32.1
D2 = 7.9
DE = 40.
PERM1_X = 10**PRMX_LOG[ID:1]
PERM2_X = 10**PRMX_LOG
PERM_X = DE*PERM1_X*PERM2_X/(D1*PERM2_X + D2*PERM1_X)
PERM_Y = D1*PERM1_X/DE + D2*PERM2_X/DE
!
PERM_Z = 10**PRMZ_LOG
!
! JSS Define porosity of panel closures as length weighted mean porosity
! of CONC_PCS and WAS_AREA. First define PORO_CONC for DRZ_CONC material.
PORO_CONC = POROSITY
POROSITY = (PORO_CONC*D2+POROSITY[ID:1]*D1)/DE
!
SB_MIN = SAT_RBRN * 1.05
POR_COMP = COMP_RCK/POROSITY
!
PORE_DIS = PORE_DIS[ID:1]
SAT_RGAS = SAT_RGAS[ID:1]

```

```

SAT_RBRN = SAT_RBRN[ID:1]
CAP_MOD  = CAP_MOD[ID:1]
RELP_MOD = RELP_MOD[ID:1]
PC_MAX   = PC_MAX[ID:1]
PO_MIN   = PO_MIN[ID:1]
SB_MIN   = SAT_RBRN[ID:1]* 1.05
PCT_A    = PCT_A[ID:1]
PCT_EXP  = PCT_EXP[ID:1]
KPT      = KPT[ID:1]
!
! CALC PROPERTIES FOR DRZ/EXTENDED CONCRETE (DRZ_CONC):
!
LIMIT BLOCK 5
!
D1 = 32.1
D2 = 7.9
DE = 40.
PERM1_X = PERMBRX[ID:2]
PERM2_X = 10**PRMX_LOG[ID:4]
PERM_X  = DE*PERM1_X*PERM2_X/(D1*PERM2_X + D2*PERM1_X)
PERM_Y  = D1*PERM1_X/DE + D2*PERM2_X/DE
!
PERM_Z  = PERM_Z[ID:2]
!
!JSS Define porosity as length weighted mean porosity of DRZ and CONC_PCS
!
POROSITY = (POR_INTR[ID:2]*D2+PORO_CONC[ID:4]*D1)/DE
!
PORE_DIS = PORE_DIS[ID:2]
SAT_RGAS = SAT_RGAS[ID:2]
SAT_RBRN = SAT_RBRN[ID:2]
CAP_MOD  = CAP_MOD[ID:2]
RELP_MOD = RELP_MOD[ID:2]
PC_MAX   = PC_MAX[ID:2]
PO_MIN   = PO_MIN[ID:2]
SB_MIN   = SAT_RBRN[ID:2]* 1.05
KPT      = KPT[ID:2]
POR_INTR = POR_INTR[ID:2]
!
POR_COMP = COMP_RCK[ID:2]/POROSITY
!
! CALC PROPERTIES FOR CENTER PANEL SEALS (PAN_SL2)
!
LIMIT BLOCK 6
!
PERM_X  = PERM_Y[ID:4]
PERM_Y  = PERM_X[ID:4]
PERM_Z  = PERM_Z[ID:4]
!
POROSITY = POROSITY[ID:4]
!
PORE_DIS = PORE_DIS[ID:4]
SAT_RGAS = SAT_RGAS[ID:4]
SAT_RBRN = SAT_RBRN[ID:4]
CAP_MOD  = CAP_MOD[ID:4]
RELP_MOD = RELP_MOD[ID:4]
PC_MAX   = PC_MAX[ID:4]

```

```

PO_MIN    = PO_MIN[ID:4]
PCT_A     = PCT_A[ID:4]
PCT_EXP   = PCT_EXP[ID:4]
KPT       = KPT[ID:4]
HEIGHT    = HEIGHT[ID:4]
!
SB_MIN    = SB_MIN[ID:4]
POR_COMP  = POR_COMP[ID:4]
!
!=====
! SET WELLBORE PROPS
LIMIT BLOCK 9
SEBRINE1  = MAKEPROP(0.0)
SEGAS1    = MAKEPROP(0.0)
KRW1      = MAKEPROP(0.0)
KRG1      = MAKEPROP(0.0)
SEBRINE2  = MAKEPROP(0.0)
SEGAS2    = MAKEPROP(0.0)
KRW2      = MAKEPROP(0.0)
KRG2      = MAKEPROP(0.0)
SEBRINE3  = MAKEPROP(0.0)
SEGAS3    = MAKEPROP(0.0)
KRW3      = MAKEPROP(0.0)
KRG3      = MAKEPROP(0.0)
!
! DEFINE CONSTANTS FOR THE THREE EQUATIONS TO BE USED TO CALCULATE FBHP
! EQUATION 1: (FOR BRINE FLOW ONLY, KRG = 0)
! FBHP = A + BX + CY + DX^2 + EY^2 + FXY + GX^3 + HY^3 + IXY^2 + JYX^2
!   X = LOG10(BRINE CONST) LOG M^3/pA-S
!   Y = PANEL PRESSURE (Pa)
!   8.00739E6 Pa < FBHP < 8.04391E6 Pa
EQ1_A     = MAKEPROP(3.2279346E+11)
EQ1_B     = MAKEPROP(9.4816648E+10)
EQ1_C     = MAKEPROP(-6200.2715)
EQ1_D     = MAKEPROP(9.2450601E+09)
EQ1_E     = MAKEPROP(4.1464475E-06)
EQ1_F     = MAKEPROP(-1288.6068)
EQ1_G     = MAKEPROP(2.9905582E+08)
EQ1_H     = MAKEPROP(1.0857041E-14)
EQ1_I     = MAKEPROP(4.7119798E-07)
EQ1_J     = MAKEPROP(-66.90712)
!
! EQUATION 2: (FOR LOG10(KRG/KRW) < 0 BRINE DOMINATED FLOW)
! FBHP = (A + BX + CX^2 + DY)/(1 + EX + FX^2 + GX^3 + HY)
!   X = LOG10(KRG/KRB)
!   Y = PANEL PRESSURE (Pa)
!   7.42886E5 Pa < FBHP < 8.04353E6 Pa
EQ2_A     = MAKEPROP(1606507.7)
EQ2_B     = MAKEPROP(2624339.7)
EQ2_C     = MAKEPROP(2476889.9)
EQ2_D     = MAKEPROP(-0.053635476)
EQ2_E     = MAKEPROP(0.70815693)
EQ2_F     = MAKEPROP(0.38012696)
EQ2_G     = MAKEPROP(0.0041916956)
EQ2_H     = MAKEPROP(-2.4887085E-08)
!
! EQUATION 3: (FOR LOG10(KRG/KRW) > 0 GAS DOMINATED FLOW)

```

```

! FBHP = A + B/X + CY + D/X^2 + EY^2 + FY/X + G/X^3 + HY^3 + IY^2/X + JY/X^2
! X = LOG10(GAS CONST) LOG M^3/pA-S
! Y = PANEL PRESSURE (Pa)
! 2.07363E5 Pa < FBHP < 1.66394E6 Pa
EQ3_A = MAKEPROP(-1.0098405E+09)
EQ3_B = MAKEPROP(-2.3044622E+10)
EQ3_C = MAKEPROP(9.8039146)
EQ3_D = MAKEPROP(-1.7426466E+11)
EQ3_E = MAKEPROP(1.8309137E-07)
EQ3_F = MAKEPROP(174.97064)
EQ3_G = MAKEPROP(-4.3698224E+11)
EQ3_H = MAKEPROP(-1.4891198E-16)
EQ3_I = MAKEPROP(1.3006196E-06)
EQ3_J = MAKEPROP(757.44833)
!
! CALCULATE SKIN FROM SPALL REMOVED, & WELL PRODUCTIVITY INDEX
! ELEMENT 26 IS LOCATION OF WELL1 (1ST INTRUSION DOWN DIP)
!
! JSS: Setting AREA_TOT to a constant. AREA_TOT=MAX[SPALL VOL]/Initial
Height
! JSS: AREA_TOT=4.0/3.96 = 1.01
!
AREA_TOT = 1.01
WELLRAD = BITSIZE/2
!
DRNRAD_L = SQRT(DEL_X[E:26]*DEL_Y[E:26]/PI[ID:10])
!DRNRAD_M = SQRT(DEL_X[E:240]*DEL_Y[E:240]/PI[ID:10])
!DRNRAD_U = SQRT(DEL_X[E:708]*DEL_Y[E:708]/PI[ID:10])
!
SKIN = -1.0*LOG(SQRT(AREA_TOT/PI[ID:10])/WELLRAD)
SKIN = IFLT0(SKIN,SKIN,0)
! CHECK TO BE SURE WELLPI IS NOT 0 OR NEG, & SET TO 1.0 IF IT IS
! WELLPI = PERM_X[ID:1] * HEIGHT[ID:1] / (LOG(DRAINRAD/WELLRAD) + SKIN -
0.5)
!JSS
WELLPI_L = IFGT0(LOG(DRNRAD_L/WELLRAD) + SKIN - 0.5,PERM_X[ID:1]* &
HEIGHT[ID:1] &
/ (LOG(DRNRAD_L/WELLRAD) + SKIN - 0.5),1.0)
!WELLPI_M = IFGT0(LOG(DRNRAD_M/WELLRAD) + SKIN - 0.5,PERM_X[ID:1]* &
!
HEIGHT[ID:1] &
!
/ (LOG(DRNRAD_M/WELLRAD) + SKIN - 0.5),1.0)
!WELLPI_U = IFGT0(LOG(DRNRAD_U/WELLRAD) + SKIN - 0.5,PERM_X[ID:1]* &
!
HEIGHT[ID:1] &
!
/ (LOG(DRNRAD_U/WELLRAD) + SKIN - 0.5),1.0)
!JSS
! WELLPI has been modified by T. Hadgu on 06/29/99 as follows:
!JSS
WELLPI_L = WELLPI_L*2.*PI[ID:10]
!WELLPI_M = WELLPI_M*2.*PI[ID:10]
!WELLPI_U = WELLPI_U*2.*PI[ID:10]
!JSS
! CALCULATE CONSTANTS NEEDED FOR WELLBORE MODEL:
! CALCULATE EFFECTIVE SATURATION USING KRP = 4 (BROOKS - COREY MODIFIED,
! WITH LAMBDA (PORE_DIS) = 2.89, NO CAP PRESSURE). DO FOR 3 COUPLED REGIONS
! REGION NO 1 (PANELS 1,2,7,8 & 9)
BRINE1 = IFLT0((BSATPAN1[ID:1]-
SAT_RBRN[ID:1]),SAT_RBRN[ID:1],BSATPAN1[ID:1])

```



```

SEBRINE1 = (BRINE1 - SAT_RBRN[ID:1]) / (1.0 - SAT_RBRN[ID:1])
SEGAS1   = (BRINE1 - SAT_RBRN[ID:1]) / (1.0 - SAT_RBRN[ID:1] - SAT_RGAS[ID:1])
SEGAS1   = IFLT0((1.0 - SEGAS1), 1.0, SEGAS1)
KRW1     = SEBRINE1 ** ((2 + 3 * PORE_DIS[ID:1]) / PORE_DIS[ID:1])
KRG1     = (1.0 - SEGAS1) ** 2 * (1.0 - SEGAS1 ** ((2 +
PORE_DIS[ID:1]) / PORE_DIS[ID:1]))
! NOW CALCULATE CONSTANT FOR BRINE AND GAS
!JSS
CONBR1_L = WELLPI_L * KRW1 / VISCO[ID:7]
!CONBR1_M = WELLPI_M * KRW1 / VISCO[ID:7]
!CONBR1_U = WELLPI_U * KRW1 / VISCO[ID:7]
congs1_L = WELLPI_L * KRG1 / VISCO[ID:8]
!congs1_M = WELLPI_M * KRG1 / VISCO[ID:8]
!congs1_U = WELLPI_U * KRG1 / VISCO[ID:8]
!JSS
! NOW TAKE LOG BASE 10 OF PARAMETERS NEEDED FOR FBHP EQUATIONS
!JSS
LOG_B1_L = IFEQ0(KRW1, -10, LOG10(CONBR1_L + 1E-24))
!LOG_B1_M = IFEQ0(KRW1, -10, LOG10(CONBR1_M + 1E-24))
!LOG_B1_U = IFEQ0(KRW1, -10, LOG10(CONBR1_U + 1E-24))
!JSS
LOG_KR1 = IFEQ0(KRW1, 10, LOG10((KRG1 + 1E-24) / (KRW1 + 1E-24)))
! INTRODUCE A TERM FOR GAS DOMINATED FLOW
!JSS
LOG_G1_L = IFEQ0(KRG1, -10, LOG10(congs1_L + 1E-24))
!LOG_G1_M = IFEQ0(KRG1, -10, LOG10(congs1_M + 1E-24))
!LOG_G1_U = IFEQ0(KRG1, -10, LOG10(congs1_U + 1E-24))
!
! CALCULATE FBHP's AND SET WITHIN LIMITS
!
PR1_E1_L = EQ1_A + EQ1_B * LOG_B1_L + EQ1_C * PRES PAN1[ID:1] + EQ1_D * LOG_B1_L ** 2 + &
EQ1_E * PRES PAN1[ID:1] ** 2 + EQ1_F * LOG_B1_L * PRES PAN1[ID:1] + &
EQ1_G * LOG_B1_L ** 3 + EQ1_H * PRES PAN1[ID:1] ** 3 + &
EQ1_I * LOG_B1_L * PRES PAN1[ID:1] ** 2 + EQ1_J * LOG_B1_L ** 2 * PRES PAN1[ID:1]
PR1_E1_L = IFLT0(8007390.0 - PR1_E1_L, IFLT0(8043910.0 - PR1_E1_L, 8043910.0,
&
PR1_E1_L), 8007390.0)
!PR1_E1_M = EQ1_A + EQ1_B * LOG_B1_M + EQ1_C * PRES PAN1[ID:1] + EQ1_D * LOG_B1_M ** 2 + &
!
EQ1_E * PRES PAN1[ID:1] ** 2 + EQ1_F * LOG_B1_M * PRES PAN1[ID:1] + &
!
EQ1_G * LOG_B1_M ** 3 + EQ1_H * PRES PAN1[ID:1] ** 3 + &
!
EQ1_I * LOG_B1_M * PRES PAN1[ID:1] ** 2 + EQ1_J * LOG_B1_M ** 2 * PRES PAN1[ID:1]
!PR1_E1_M = IFLT0(8007390.0 - PR1_E1_M, IFLT0(8043910.0 - PR1_E1_M, 8043910.0,
&
PR1_E1_M), 8007390.0)
!PR1_E1_U = EQ1_A + EQ1_B * LOG_B1_U + EQ1_C * PRES PAN1[ID:1] + EQ1_D * LOG_B1_U ** 2 + &
!
EQ1_E * PRES PAN1[ID:1] ** 2 + EQ1_F * LOG_B1_U * PRES PAN1[ID:1] + &
!
EQ1_G * LOG_B1_U ** 3 + EQ1_H * PRES PAN1[ID:1] ** 3 + &
!
EQ1_I * LOG_B1_U * PRES PAN1[ID:1] ** 2 + EQ1_J * LOG_B1_U ** 2 * PRES PAN1[ID:1]
!PR1_E1_U = IFLT0(8007390.0 - PR1_E1_U, IFLT0(8043910.0 - PR1_E1_U, 8043910.0,
&
PR1_E1_U), 8007390.0)
!!JSS
!
PR1_E2 = (EQ2_A + EQ2_B * LOG_KR1 + EQ2_C * LOG_KR1 ** 2 + EQ2_D * PRES PAN1[ID:1]) / &
(1.0 + EQ2_E * LOG_KR1 + EQ2_F * LOG_KR1 ** 2 + EQ2_G * LOG_KR1 ** 3 + &
EQ2_H * PRES PAN1[ID:1])
PR1_E2 = IFLT0(742886.0 - PR1_E2, IFLT0(8043530.0 - PR1_E2, 8043530.0, &

```

```

PR1_E2),742886.0)
!JSS
PR1_E3_L = EQ3_A+EQ3_B/LOG_G1_L+EQ3_C*PRES PAN1[ID:1]+EQ3_D/LOG_G1_L**2+ &
EQ3_E*PRES PAN1[ID:1]**2+EQ3_F*PRES PAN1[ID:1]/LOG_G1_L+ &
EQ3_G/LOG_G1_L**3+ EQ3_H*PRES PAN1[ID:1]**3+ &
EQ3_I*PRES PAN1[ID:1]**2/LOG_G1_L+ &
EQ3_J*PRES PAN1[ID:1]/LOG_G1_L**2
!PR1_E3_M = EQ3_A+EQ3_B/LOG_G1_M+EQ3_C*PRES PAN1[ID:1]+EQ3_D/LOG_G1_M**2+ &
!
EQ3_E*PRES PAN1[ID:1]**2+EQ3_F*PRES PAN1[ID:1]/LOG_G1_M+ &
!
EQ3_G/LOG_G1_M**3+ EQ3_H*PRES PAN1[ID:1]**3+ &
!
EQ3_I*PRES PAN1[ID:1]**2/LOG_G1_M+ &
!
EQ3_J*PRES PAN1[ID:1]/LOG_G1_M**2
!PR1_E3_U = EQ3_A+EQ3_B/LOG_G1_U+EQ3_C*PRES PAN1[ID:1]+EQ3_D/LOG_G1_U**2+ &
!
EQ3_E*PRES PAN1[ID:1]**2+EQ3_F*PRES PAN1[ID:1]/LOG_G1_U+ &
!
EQ3_G/LOG_G1_U**3+ EQ3_H*PRES PAN1[ID:1]**3+ &
!
EQ3_I*PRES PAN1[ID:1]**2/LOG_G1_U+ &
!
EQ3_J*PRES PAN1[ID:1]/LOG_G1_U**2
!
PR1_E3_L = IFLT0(207363.0 - PR1_E3_L,IFLT0(1663940.0 - PR1_E3_L,1663940.0, &
PR1_E3_L),207363.0)
!PR1_E3_M = IFLT0(207363.0 - PR1_E3_M,IFLT0(1663940.0 - PR1_E3_M,1663940.0,
&
PR1_E3_M),207363.0)
!PR1_E3_U = IFLT0(207363.0 - PR1_E3_U,IFLT0(1663940.0 - PR1_E3_U,1663940.0,
&
PR1_E3_U),207363.0)
!JSS
!
! RESET FBHP TO 0 IF NO BRINE BLOWOUT (KRW = 0 OR PRESSURE < 8 MPa)
!JSS
FBHP1_L = IFEQ0(KRW1,0,IFLT0(PRES PAN1[ID:1]-8.0E6,0, &
IFEQ0(KRG1,PR1_E1_L,IFLT0(LOG_KR1,PR1_E2,PR1_E3_L))))
!FBHP1_M = IFEQ0(KRW1,0,IFLT0(PRES PAN1[ID:1]-8.0E6,0, &
!
IFEQ0(KRG1,PR1_E1_M,IFLT0(LOG_KR1,PR1_E2,PR1_E3_M))))
!FBHP1_U = IFEQ0(KRW1,0,IFLT0(PRES PAN1[ID:1]-8.0E6,0, &
!
IFEQ0(KRG1,PR1_E1_U,IFLT0(LOG_KR1,PR1_E2,PR1_E3_U))))
!JSS
!
! IF NO BLOWOUT, SET NUMBER OF BRAGFLO STEPS TO 1, ELSE 1000
!JSS
nstep1_L = MAKEPROP(IFEQ0(FBHP1_L,1,1000))
!nstep1_M = MAKEPROP(IFEQ0(FBHP1_M,1,1000))
!nstep1_U = MAKEPROP(IFEQ0(FBHP1_U,1,1000))
!JSS
! REGION NO 2 (PANELS 3,4,6 &10)
BRINE2 = IFLT0((BSATPAN2[ID:1]-
SAT_RBRN[ID:1]),SAT_RBRN[ID:1],BSATPAN2[ID:1])
SEBRINE2 = (BRINE2 - SAT_RBRN[ID:1])/(1.0 - SAT_RBRN[ID:1])
SEGAS2 = (BRINE2 - SAT_RBRN[ID:1])/(1.0-SAT_RBRN[ID:1]-SAT_RGAS[ID:1])
SEGAS2 = IFLT0((1.0 - SEGAS2),1.0,SEGAS2)
KRW2 = SEBRINE2**((2+3*PORE_DIS[ID:1])/PORE_DIS[ID:1])
KRG2 = (1.0-SEGAS2)**2*(1.0-SEGAS2**((2 +
PORE_DIS[ID:1])/PORE_DIS[ID:1]))
! NOW CALCULATE CONSTANT FOR BRINE AND GAS
!JSS
CONBR2_L = WELLPI_L * KRW2 / VISCO[ID:7]
!CONBR2_M = WELLPI_M * KRW2 / VISCO[ID:7]

```

```

!CONBR2_U = WELLPI_U * KRW2 / VISCO[ID:7]
congs2_L = WELLPI_L * KRG2 / VISCO[ID:8]
!congs2_M = WELLPI_M * KRG2 / VISCO[ID:8]
!congs2_U = WELLPI_U * KRG2 / VISCO[ID:8]
!
! NOW TAKE LOG BASE 10 OF PARAMETERS NEEDED FOR FBHP EQUATIONS
!JSS
LOG_B2_L = IFEQ0(KRW2,-10,LOG10(CONBR2_L+1E-24))
!LOG_B2_M = IFEQ0(KRW2,-10,LOG10(CONBR2_M+1E-24))
!LOG_B2_U = IFEQ0(KRW2,-10,LOG10(CONBR2_U+1E-24))
!
LOG_KR2 = IFEQ0(KRW2,10,LOG10((KRG2+1E-24)/(KRW2+1E-24)))
! INTRODUCE A TERM FOR GAS DOMINATED FLOW
!JSS
LOG_G2_L = IFEQ0(KRG2,-10,LOG10(congs2_L+1E-24))
!LOG_G2_M = IFEQ0(KRG2,-10,LOG10(congs2_M+1E-24))
!LOG_G2_U = IFEQ0(KRG2,-10,LOG10(congs2_U+1E-24))
!
! CALCULATE FBHP's AND SET WITHIN LIMITS
!
PR2_E1_L = EQ1_A+EQ1_B*LOG_B2_L+EQ1_C*PRESpan2[ID:1]+EQ1_D*LOG_B2_L**2+ &
EQ1_E*PRESpan2[ID:1]**2+EQ1_F*LOG_B2_L*PRESpan2[ID:1]+ &
EQ1_G*LOG_B2_L**3+EQ1_H*PRESpan2[ID:1]**3+ &
EQ1_I*LOG_B2_L*PRESpan2[ID:1]**2+EQ1_J*LOG_B2_L**2*PRESpan2[ID:1]
PR2_E1_L = IFLT0(8007390.0 - PR2_E1_L,IFLT0(8043910.0 - PR2_E1_L,8043910.0,&
PR2_E1_L),8007390.0)
!PR2_E1_M = EQ1_A+EQ1_B*LOG_B2_M+EQ1_C*PRESpan2[ID:1]+EQ1_D*LOG_B2_M**2+ &
! EQ1_E*PRESpan2[ID:1]**2+EQ1_F*LOG_B2_M*PRESpan2[ID:1]+ &
! EQ1_G*LOG_B2_M**3+EQ1_H*PRESpan2[ID:1]**3+ &
! EQ1_I*LOG_B2_M*PRESpan2[ID:1]**2+EQ1_J*LOG_B2_M**2*PRESpan2[ID:1]
!PR2_E1_M = IFLT0(8007390.0 - PR2_E1_M,IFLT0(8043910.0 -
PR2_E1_M,8043910.0,&
PR2_E1_M),8007390.0)
!PR2_E1_U = EQ1_A+EQ1_B*LOG_B2_U+EQ1_C*PRESpan2[ID:1]+EQ1_D*LOG_B2_U**2+ &
! EQ1_E*PRESpan2[ID:1]**2+EQ1_F*LOG_B2_U*PRESpan2[ID:1]+ &
! EQ1_G*LOG_B2_U**3+EQ1_H*PRESpan2[ID:1]**3+ &
! EQ1_I*LOG_B2_U*PRESpan2[ID:1]**2+EQ1_J*LOG_B2_U**2*PRESpan2[ID:1]
!PR2_E1_U = IFLT0(8007390.0 - PR2_E1_U,IFLT0(8043910.0 -
PR2_E1_U,8043910.0,&
PR2_E1_U),8007390.0)
!
!
PR2_E2 = (EQ2_A+EQ2_B*LOG_KR2+EQ2_C*LOG_KR2**2+EQ2_D*PRESpan2[ID:1])/ &
(1.0+EQ2_E*LOG_KR2+EQ2_F*LOG_KR2**2+EQ2_G*LOG_KR2**3+ &
EQ2_H*PRESpan2[ID:1])
PR2_E2 = IFLT0(742886.0 - PR2_E2,IFLT0(8043530.0 - PR2_E2,8043530.0, &
PR2_E2),742886.0)
!
!
PR2_E3_L = EQ3_A+EQ3_B/LOG_G2_L+EQ3_C*PRESpan2[ID:1]+EQ3_D/LOG_G2_L**2+ &
EQ3_E*PRESpan2[ID:1]**2+EQ3_F*PRESpan2[ID:1]/LOG_G2_L+ &
EQ3_G/LOG_G2_L**3+ EQ3_H*PRESpan2[ID:1]**3+ &
EQ3_I*PRESpan2[ID:1]**2/LOG_G2_L+ &
EQ3_J*PRESpan2[ID:1]/LOG_G2_L**2
!PR2_E3_M = EQ3_A+EQ3_B/LOG_G2_M+EQ3_C*PRESpan2[ID:1]+EQ3_D/LOG_G2_M**2+ &
! EQ3_E*PRESpan2[ID:1]**2+EQ3_F*PRESpan2[ID:1]/LOG_G2_M+ &
! EQ3_G/LOG_G2_M**3+ EQ3_H*PRESpan2[ID:1]**3+ &
! EQ3_I*PRESpan2[ID:1]**2/LOG_G2_M+ &
! EQ3_J*PRESpan2[ID:1]/LOG_G2_M**2

```

```

!PR2_E3_U = EQ3_A+EQ3_B/LOG_G2_U+EQ3_C*PRESpan2[ID:1]+EQ3_D/LOG_G2_U**2+ &
!
! EQ3_E*PRESpan2[ID:1]**2+EQ3_F*PRESpan2[ID:1]/LOG_G2_U+ &
! EQ3_G/LOG_G2_U**3+ EQ3_H*PRESpan2[ID:1]**3+ &
! EQ3_I*PRESpan2[ID:1]**2/LOG_G2_U+ &
! EQ3_J*PRESpan2[ID:1]/LOG_G2_U**2
!!
PR2_E3_L = IFLT0(207363.0 - PR2_E3_L, IFLT0(1663940.0 - PR2_E3_L, 1663940.0, &
PR2_E3_L), 207363.0)
!PR2_E3_M = IFLT0(207363.0 - PR2_E3_M, IFLT0(1663940.0 - PR2_E3_M, 1663940.0,
&
PR2_E3_M), 207363.0)
!PR2_E3_U = IFLT0(207363.0 - PR2_E3_U, IFLT0(1663940.0 - PR2_E3_U, 1663940.0,
&
PR2_E3_U), 207363.0)
!
! RESET FBHP TO 0 IF NO BRINE BLOWOUT (KRW = 0 OR PRESSURE < 8 MPa)
FBHP2_L = IFEQ0(KRW2, 0, IFLT0(PRESpan2[ID:1]-8.0E6, 0, &
IFEQ0(KRG2, PR2_E1_L, IFLT0(LOG_KR2, PR2_E2, PR2_E3_L))))
!FBHP2_M = IFEQ0(KRW2, 0, IFLT0(PRESpan2[ID:1]-8.0E6, 0, &
IFEQ0(KRG2, PR2_E1_M, IFLT0(LOG_KR2, PR2_E2, PR2_E3_M))))
!FBHP2_U = IFEQ0(KRW2, 0, IFLT0(PRESpan2[ID:1]-8.0E6, 0, &
IFEQ0(KRG2, PR2_E1_U, IFLT0(LOG_KR2, PR2_E2, PR2_E3_U))))
!
!
! IF NO BLOWOUT, SET NUMBER OF BRAGFLO STEPS TO 1, ELSE 1000
NSTEP2_L = MAKEPROP(IFEQ0(FBHP2_L, 1, 1000))
!NSTEP2_M = MAKEPROP(IFEQ0(FBHP2_M, 1, 1000))
!NSTEP2_U = MAKEPROP(IFEQ0(FBHP2_U, 1, 1000))
!
! REGION NO 3 (PANEL 5)
BRINE3 = IFLT0((BSATPAN3[ID:1]-
SAT_RBRN[ID:1]), SAT_RBRN[ID:1], BSATPAN3[ID:1])
SEBRINE3 = (BRINE3 - SAT_RBRN[ID:1]) / (1.0 - SAT_RBRN[ID:1])
SEGAS3 = (BRINE3 - SAT_RBRN[ID:1]) / (1.0 - SAT_RBRN[ID:1] - SAT_RGAS[ID:1])
SEGAS3 = IFLT0((1.0 - SEGAS3), 1.0, SEGAS3)
KRW3 = SEBRINE3**((2+3*PORE_DIS[ID:1])/PORE_DIS[ID:1])
KRG3 = (1.0-SEGAS3)**2*(1.0-SEGAS3**((2 +
PORE_DIS[ID:1])/PORE_DIS[ID:1]))
! NOW CALCULATE CONSTANT FOR BRINE AND GAS
!JSS
CONBR3_L = WELLPI_L * KRW3 / VISCO[ID:7]
!CONBR3_M = WELLPI_M * KRW3 / VISCO[ID:7]
!CONBR3_U = WELLPI_U * KRW3 / VISCO[ID:7]
congs3_L = WELLPI_L * KRG3 / VISCO[ID:8]
!congs3_M = WELLPI_M * KRG3 / VISCO[ID:8]
!congs3_U = WELLPI_U * KRG3 / VISCO[ID:8]
!JSS
! NOW TAKE LOG BASE 10 OF PARAMETERS NEEDED FOR FBHP EQUATIONS
!JSS
LOG_B3_L = IFEQ0(KRW3, -10, LOG10(CONBR3_L+1E-24))
!LOG_B3_M = IFEQ0(KRW3, -10, LOG10(CONBR3_M+1E-24))
!LOG_B3_U = IFEQ0(KRW3, -10, LOG10(CONBR3_U+1E-24))
!
LOG_KR3 = IFEQ0(KRW3, 10, LOG10((KRG3+1E-24)/(KRW3+1E-24)))
! INTRODUCE A TERM FOR GAS DOMINATED FLOW
!JSS
LOG_G3_L = IFEQ0(KRG3, -10, LOG10(congs3_L+1E-24))

```

```

!LOG_G3_M = IFEQ0(KRG3,-10,LOG10(congs3_M+1E-24))
!LOG_G3_U = IFEQ0(KRG3,-10,LOG10(congs3_U+1E-24))
!
!
! CALCULATE FBHP's AND SET WITHIN LIMITS
!
!
PR3_E1_L = EQ1_A+EQ1_B*LOG_B3_L+EQ1_C*PRESPAN3[ID:1]+EQ1_D*LOG_B3_L**2+ &
EQ1_E*PRESPAN3[ID:1]**2+EQ1_F*LOG_B3_L*PRESPAN3[ID:1]+ &
EQ1_G*LOG_B3_L**3+EQ1_H*PRESPAN3[ID:1]**3+ &
EQ1_I*LOG_B3_L*PRESPAN3[ID:1]**2+EQ1_J*LOG_B3_L**2*PRESPAN3[ID:1]
PR3_E1_L = IFLT0(8007390.0 - PR3_E1_L, IFLT0(8043910.0 - PR3_E1_L, 8043910.0, &
PR3_E1_L), 8007390.0)
!PR3_E1_M = EQ1_A+EQ1_B*LOG_B3_M+EQ1_C*PRESPAN3[ID:1]+EQ1_D*LOG_B3_M**2+ &
! EQ1_E*PRESPAN3[ID:1]**2+EQ1_F*LOG_B3_M*PRESPAN3[ID:1]+ &
! EQ1_G*LOG_B3_M**3+EQ1_H*PRESPAN3[ID:1]**3+ &
! EQ1_I*LOG_B3_M*PRESPAN3[ID:1]**2+EQ1_J*LOG_B3_M**2*PRESPAN3[ID:1]
!PR3_E1_M = IFLT0(8007390.0 - PR3_E1_M, IFLT0(8043910.0 -
PR3_E1_M, 8043910.0, &
PR3_E1_M), 8007390.0)
!PR3_E1_U = EQ1_A+EQ1_B*LOG_B3_U+EQ1_C*PRESPAN3[ID:1]+EQ1_D*LOG_B3_U**2+ &
! EQ1_E*PRESPAN3[ID:1]**2+EQ1_F*LOG_B3_U*PRESPAN3[ID:1]+ &
! EQ1_G*LOG_B3_U**3+EQ1_H*PRESPAN3[ID:1]**3+ &
! EQ1_I*LOG_B3_U*PRESPAN3[ID:1]**2+EQ1_J*LOG_B3_U**2*PRESPAN3[ID:1]
!PR3_E1_U = IFLT0(8007390.0 - PR3_E1_U, IFLT0(8043910.0 -
PR3_E1_U, 8043910.0, &
PR3_E1_U), 8007390.0)
!!
PR3_E2 = (EQ2_A+EQ2_B*LOG_KR3+EQ2_C*LOG_KR3**2+EQ2_D*PRESPAN3[ID:1])/ &
(1.0+EQ2_E*LOG_KR3+EQ2_F*LOG_KR3**2+EQ2_G*LOG_KR3**3+ &
EQ2_H*PRESPAN3[ID:1])
PR3_E2 = IFLT0(742886.0 - PR3_E2, IFLT0(8043530.0 - PR3_E2, 8043530.0, &
PR3_E2), 742886.0)
!
PR3_E3_L = EQ3_A+EQ3_B/LOG_G3_L+EQ3_C*PRESPAN3[ID:1]+EQ3_D/LOG_G3_L**2+ &
EQ3_E*PRESPAN3[ID:1]**2+EQ3_F*PRESPAN3[ID:1]/LOG_G3_L+ &
EQ3_G/LOG_G3_L**3+ EQ3_H*PRESPAN3[ID:1]**3+ &
EQ3_I*PRESPAN3[ID:1]**2/LOG_G3_L+ &
EQ3_J*PRESPAN3[ID:1]/LOG_G3_L**2
!PR3_E3_M = EQ3_A+EQ3_B/LOG_G3_M+EQ3_C*PRESPAN3[ID:1]+EQ3_D/LOG_G3_M**2+ &
! EQ3_E*PRESPAN3[ID:1]**2+EQ3_F*PRESPAN3[ID:1]/LOG_G3_M+ &
! EQ3_G/LOG_G3_M**3+ EQ3_H*PRESPAN3[ID:1]**3+ &
! EQ3_I*PRESPAN3[ID:1]**2/LOG_G3_M+ &
! EQ3_J*PRESPAN3[ID:1]/LOG_G3_M**2
!PR3_E3_U = EQ3_A+EQ3_B/LOG_G3_U+EQ3_C*PRESPAN3[ID:1]+EQ3_D/LOG_G3_U**2+ &
! EQ3_E*PRESPAN3[ID:1]**2+EQ3_F*PRESPAN3[ID:1]/LOG_G3_U+ &
! EQ3_G/LOG_G3_U**3+ EQ3_H*PRESPAN3[ID:1]**3+ &
! EQ3_I*PRESPAN3[ID:1]**2/LOG_G3_U+ &
! EQ3_J*PRESPAN3[ID:1]/LOG_G3_U**2
!
PR3_E3_L = IFLT0(207363.0 - PR3_E3_L, IFLT0(1663940.0 - PR3_E3_L, 1663940.0, &
PR3_E3_L), 207363.0)
!PR3_E3_M = IFLT0(207363.0 - PR3_E3_M, IFLT0(1663940.0 - PR3_E3_M, 1663940.0,
&
PR3_E3_M), 207363.0)
!PR3_E3_U = IFLT0(207363.0 - PR3_E3_U, IFLT0(1663940.0 - PR3_E3_U, 1663940.0,
&

```

```

!          PR3_E3_U),207363.0)
!
! RESET FBHP TO 0 IF NO BRINE BLOWOUT (KRW = 0 OR PRESSURE < 8 MPa)
FBHP3_L   = IFEQ0(KRW3,0,IFLT0(PRESPAN3[ID:1]-8.0E6,0, &
      IFEQ0(KRG3,PR3_E1_L,IFLT0(LOG_KR3,PR3_E2,PR3_E3_L))))
!FBHP3_M   = IFEQ0(KRW3,0,IFLT0(PRESPAN3[ID:1]-8.0E6,0, &
      IFEQ0(KRG3,PR3_E1_M,IFLT0(LOG_KR3,PR3_E2,PR3_E3_L))))
!FBHP3_U   = IFEQ0(KRW3,0,IFLT0(PRESPAN3[ID:1]-8.0E6,0, &
      IFEQ0(KRG3,PR3_E1_U,IFLT0(LOG_KR3,PR3_E2,PR3_E3_L))))

! IF NO BLOWOUT, SET NUMBER OF BRAGFLO STEPS TO 1, ELSE 1000
nstep3_L = MAKEPROP(IFEQ0(FBHP3_L,1,1000))
!nstep3_M = MAKEPROP(IFEQ0(FBHP3_M,1,1000))
!nstep3_U = MAKEPROP(IFEQ0(FBHP3_U,1,1000))
DELETE BRINE1, BRINE2, BRINE3
!=====
!*****
!CHAPTER 3. COMPUTE DIP IN REPOSITORY
!*****
!*****
!=====
!=====
LIMIT ELEMENT OFF
!COMPUTE THE GRID BLOCK ELEVATIONS ACCOUNTING FOR 1 DEGREE DIP IN SALADO
!DEFINE GRID BLOCK ELEVATIONS DUE TO DIP
! USE ELEVATION OF SHAFT AT MID-REPOSITORY
ZORIGIN   = 382.671
YORIGIN   = 1000.0
ELEVN     = MAKENODE(COS(THETA1[ID:1])*(Z-ZORIGIN) &
      + SIN(THETA1[ID:1])*(Y-YORIGIN))
ELEVE     = NOD2ELE(ELEVN) + ZORIGIN
!COMPUTE GRID BLOCK POTENTIAL ASSUMING BRINE IS INCOMPRESSIBLE
(APPROXIMATELY)
POTE      = PRESEL/(DNSFLUID[ID:7]*GRAVACC[ID:10]) + ELEVE
!
! NOW SET GRID THICKNESS FOR ALL ELEMENTS TO CRUSHED PANEL HEIGHT
THICK     = MAKEATTR(HEIGHT[ID:1])
!
DELETE ELEVN, YORIGIN, ZORIGIN
EXIT
$

```

**SCENARIO: S2**

```

$ type alg_dbr_cra1_pre_dir_rel_s2.inp
!=====
!
!TITLE:BRAGFLO 1996 CCA CALCULATIONS: REPOSITORY SCALE BLOWOUT
!ANAYLST: Dan Stoelzel, SNL
!CREATED: NOV 2, 1995
!PURPOSE: ALGEBRA file computes properties that can not be obtained
!          from CAMDAT and/or assigns properties to element blocks.
!          THIS FILE PREPARES A .CDB FILE FOR PREBRAG TO READ
!IMPORTANT: This file originates from J.E. Bean's algebra file for his FEP
!           model. The methodologies to calculate dip were copied from his
!           file, with minor changes
!           made to account for the differences in the meshes.

```

! ALGEBRA TO CALC. DIP IN REPOSITORY - SCALE BLOWOUT MODEL.  
! new version of bragflo  
!  
! MODIFIED:  
! MARCH 26, 1996  
! BLOWOUT MODEL STRUGGLING IN PANEL SEAL REGION: TURNED OFF  
! CAP PRESSURE IN PANEL SEAL AND HALITE BY SETTING EQUAL TO  
! CAP PRESSURE IN WASTE REGION  
!  
! MAY 17, 1996  
! ADDED BOUNDARY CONDITION WELL CALCULATION FOR E1-E2 SCEN.  
! NEW CHANGES FOR LATEST CCA ANALYSIS  
!  
! MAY 20. 1996  
! WELL 2 INPUT FILE TO ACCOUNT FOR E1-E2 SAME PANEL BOUNDARY  
! COND.  
!  
! MAY 30,1996  
! ADDED LOGIC TO ACCOUNT FOR CHANGES IN ABANDONED WELLBORE PERM  
! FOR BOUNDARY CONDITION WELL:  
! SCENARIO 2 AND 4 FILE, FIRST INTRUSION AT 350 YEARS  
!  
! June 29/1999 T. Hadgu  
! Corrected productivity index of intrusion borehole by  
! multiplying WELLPI by 2\*PI.  
!  
! July 22/1999 T. Hadgu  
! Changed the curve fit equations for Flowing Bottomhole  
Pressure.  
! The new curve fits reflect the addition of 2\*PI to WELLPI,  
! and were based on actual data from the 96 CCA 10,000 year  
runs.  
!  
! May 15/2002 T. Hadgu  
! Used equivalent permeabilities and porosities for panel  
closure  
! (materials CONC\_PCS AND PAN\_S2) and DRZ next to panel closure  
! (material DRZ\_PCS), to deal with Option D panel closure  
! implementation in the TBM vertical BRAGFLO grid.  
!  
! May 28/2002 T. Hadgu  
! Subdivided the repository into 3 regions instead of 4  
! to account for new BRAGFLO TBM grid and Option D.  
!  
! June 10/2002 T. Hadgu  
! Removed waste area properties that have been assigned to  
other  
! materials. Proper material properties are now transferred  
from  
! the 10,000-year BRAGFLO runs.  
!  
! July 31,2003 J. Stein  
! Fixed AREA\_TOT to represent the maximum spall volume of  
! 4.0 m^3. Changed the way initial porosity is calculated  
! for the panel closure materials.  
!  
!=====

```

!*****
!CHAPTER 0:  DEFINE NEW VARIABLE NAMES AND SOME NEEDED CONSTANTS
!*****
!=====
!
!  SET CONSTANTS AND PUT IN WASTE REGION
LIMIT BLOCK 1
THETA1  = MAKEPROP(DIP_DEG[ID:10]*2.0*PI[ID:10]/360.0)
THETA2  = MAKEPROP(0.0)
!
!
PERM_X  = 10**PRMX_LOG
PERM_Y  = 10**PRMY_LOG
PERM_Z  = 10**PRMZ_LOG
SB_MIN  = SAT_RBRN * 1.05
POR_COMP = COMP_RCK/POROSITY
!
! CALCULATE PROPERTIES FOR DRZ (DRZ_1)
LIMIT BLOCK 2
PERM_X  = PERMBRX
PERM_Y  = PERMBRX
PERM_Z  = PERMBRX
SB_MIN  = SAT_RBRN * 1.05
! NOW ADJUST POROSITY AND PORE COMPRESSIBILITY TO EQ. PORE VOL WITH CRUSHED
! ROOM HEIGHT
POROSITY = HEIGHT * POR_INTR / HEIGHT[ID:1]
POR_COMP = COMP_RCK/POROSITY
!
! CALCULATE PROPERTIES FOR SALADO HALITE (S_HALITE)
LIMIT BLOCK 3
PERM_X  = 10**PRMX_LOG
PERM_Y  = 10**PRMY_LOG
PERM_Z  = 10**PRMZ_LOG
SB_MIN  = SAT_RBRN * 1.05
! NOW ADJUST POROSITY AND PORE COMPRESSIBILITY TO EQ. PORE VOL WITH CRUSHED
! ROOM HEIGHT
POROSITY = HEIGHT * POROSITY / HEIGHT[ID:1]
POR_COMP = COMP_RCK/POROSITY
!
! CALC PROPERTIES FOR PANEL SEALS (CONC_PCS)
LIMIT BLOCK 4
! Changes made by T. Hadgu to introduce equivalent permeabilities (4/23/02):
!PERM_X  = 10**PRMX_LOG
!PERM_Y  = 10**PRMY_LOG
!
! Additions by T. Hadgu (04/23/02)
D1 = 32.1
D2 = 7.9
DE = 40.
PERM1_X = 10**PRMX_LOG[ID:1]
PERM2_X = 10**PRMX_LOG
PERM_X  = DE*PERM1_X*PERM2_X/(D1*PERM2_X + D2*PERM1_X)
PERM_Y  = D1*PERM1_X/DE + D2*PERM2_X/DE
!
PERM_Z  = 10**PRMZ_LOG
!
! JSS Define porosity of panel closures as length weighted mean porosity

```



```

!      of CONC_PCS and WAS_AREA. First define PORO_CONC for DRZ_CONC material.
PORO_CONC = POROSITY
POROSITY = (PORO_CONC*D2+POROSITY[ID:1]*D1)/DE
!
SB_MIN   = SAT_RBRN * 1.05
POR_COMP = COMP_RCK/POROSITY
!
PORE_DIS = PORE_DIS[ID:1]
SAT_RGAS = SAT_RGAS[ID:1]
SAT_RBRN = SAT_RBRN[ID:1]
CAP_MOD  = CAP_MOD[ID:1]
RELP_MOD = RELP_MOD[ID:1]
PC_MAX   = PC_MAX[ID:1]
PO_MIN   = PO_MIN[ID:1]
SB_MIN   = SAT_RBRN[ID:1]* 1.05
PCT_A    = PCT_A[ID:1]
PCT_EXP  = PCT_EXP[ID:1]
KPT      = KPT[ID:1]
!
! CALC PROPERTIES FOR DRZ/EXTENDED CONCRETE (DRZ_CONC):
!
LIMIT BLOCK 5
!
D1 = 32.1
D2 = 7.9
DE = 40.
PERM1_X = PERMBRX[ID:2]
PERM2_X = 10**PRMX_LOG[ID:4]
PERM_X  = DE*PERM1_X*PERM2_X/(D1*PERM2_X + D2*PERM1_X)
PERM_Y  = D1*PERM1_X/DE + D2*PERM2_X/DE
!
PERM_Z  = PERM_Z[ID:2]
!
!JSS Define porosity as length weighted mean porosity of DRZ and CONC_PCS
!
POROSITY = (POR_INTR[ID:2]*D2+PORO_CONC[ID:4]*D1)/DE
!
PORE_DIS = PORE_DIS[ID:2]
SAT_RGAS = SAT_RGAS[ID:2]
SAT_RBRN = SAT_RBRN[ID:2]
CAP_MOD  = CAP_MOD[ID:2]
RELP_MOD = RELP_MOD[ID:2]
PC_MAX   = PC_MAX[ID:2]
PO_MIN   = PO_MIN[ID:2]
SB_MIN   = SAT_RBRN[ID:2]* 1.05
KPT      = KPT[ID:2]
POR_INTR = POR_INTR[ID:2]
!
POR_COMP = COMP_RCK[ID:2]/POROSITY
!
! CALC PROPERTIES FOR CENTER PANEL SEALS (PAN_SL2)
!
LIMIT BLOCK 6
!
PERM_X  = PERM_Y[ID:4]
PERM_Y  = PERM_X[ID:4]
PERM_Z  = PERM_Z[ID:4]

```

```

!
POROSITY = POROSITY[ID:4]
!
PORE_DIS = PORE_DIS[ID:4]
SAT_RGAS = SAT_RGAS[ID:4]
SAT_RBRN = SAT_RBRN[ID:4]
CAP_MOD = CAP_MOD[ID:4]
RELP_MOD = RELP_MOD[ID:4]
PC_MAX = PC_MAX[ID:4]
PO_MIN = PO_MIN[ID:4]
PCT_A = PCT_A[ID:4]
PCT_EXP = PCT_EXP[ID:4]
KPT = KPT[ID:4]
HEIGHT = HEIGHT[ID:4]
!
SB_MIN = SB_MIN[ID:4]
POR_COMP = POR_COMP[ID:4]
!
!=====
! SET WELLBORE PROPS
LIMIT BLOCK 9
SEBRINE1 = MAKEPROP(0.0)
SEGAS1 = MAKEPROP(0.0)
KRW1 = MAKEPROP(0.0)
KRG1 = MAKEPROP(0.0)
SEBRINE2 = MAKEPROP(0.0)
SEGAS2 = MAKEPROP(0.0)
KRW2 = MAKEPROP(0.0)
KRG2 = MAKEPROP(0.0)
SEBRINE3 = MAKEPROP(0.0)
SEGAS3 = MAKEPROP(0.0)
KRW3 = MAKEPROP(0.0)
KRG3 = MAKEPROP(0.0)
! EQUATION 1: (FOR BRINE FLOW ONLY, KRG = 0)
! FBHP = A + BX + CY + DX^2 + EY^2 + FXY + GX^3 + HY^3 + IXY^2 + JYX^2
! X = LOG10(BRINE CONST) LOG M^3/pA-S
! Y = PANEL PRESSURE (Pa)
! 8.00739E6 Pa < FBHP < 8.04391E6 Pa
EQ1_A = MAKEPROP(3.2279346E+11)
EQ1_B = MAKEPROP(9.4816648E+10)
EQ1_C = MAKEPROP(-6200.2715)
EQ1_D = MAKEPROP(9.2450601E+09)
EQ1_E = MAKEPROP(4.1464475E-06)
EQ1_F = MAKEPROP(-1288.6068)
EQ1_G = MAKEPROP(2.9905582E+08)
EQ1_H = MAKEPROP(1.0857041E-14)
EQ1_I = MAKEPROP(4.7119798E-07)
EQ1_J = MAKEPROP(-66.90712)
!
! EQUATION 2: (FOR LOG10(KRG/KRW) < 0 BRINE DOMINATED FLOW)
! FBHP = (A + BX + CX^2 + DY/(1 + EX + FX^2 + GX^3 + HY)
! X = LOG10(KRG/KRB)
! Y = PANEL PRESSURE (Pa)
! 7.42886E5 Pa < FBHP < 8.04353E6 Pa
EQ2_A = MAKEPROP(1606507.7)
EQ2_B = MAKEPROP(2624339.7)
EQ2_C = MAKEPROP(2476889.9)

```

```

EQ2_D = MAKEPROP(-0.053635476)
EQ2_E = MAKEPROP(0.70815693)
EQ2_F = MAKEPROP(0.38012696)
EQ2_G = MAKEPROP(0.0041916956)
EQ2_H = MAKEPROP(-2.4887085E-08)
!
! EQUATION 3: (FOR LOG10(KRG/KRW) > 0 GAS DOMINATED FLOW)
! FBHP = A + B/X + CY + D/X^2 + EY^2 + FY/X + G/X^3 + HY^3 + IY^2/X + JY/X^2
! X = LOG10(GAS CONST) LOG M^3/pA-S
! Y = PANEL PRESSURE (Pa)
! 2.07363E5 Pa < FBHP < 1.66394E6 Pa
EQ3_A = MAKEPROP(-1.0098405E+09)
EQ3_B = MAKEPROP(-2.3044622E+10)
EQ3_C = MAKEPROP(9.8039146)
EQ3_D = MAKEPROP(-1.7426466E+11)
EQ3_E = MAKEPROP(1.8309137E-07)
EQ3_F = MAKEPROP(174.97064)
EQ3_G = MAKEPROP(-4.3698224E+11)
EQ3_H = MAKEPROP(-1.4891198E-16)
EQ3_I = MAKEPROP(1.3006196E-06)
EQ3_J = MAKEPROP(757.44833)
!
! CALCULATE SKIN FROM SPALL REMOVED, & WELL PRODUCTIVITY INDEX
! ELEMENT 59 IS LOCATION OF WELL2 (2ND INTRUSION DOWN DIP)
!
! JSS: Setting AREA_TOT to a constant. AREA_TOT=MAX[SPALL VOL]/Initial
Height
! JSS: AREA_TOT=4.0/3.96 = 1.01
!
AREA_TOT = 1.01
!
WELLRAD = BITSIZE/2
!
DRNRAD_L = SQRT(DEL_X[E:59]*DEL_Y[E:59]/PI[ID:10])
!DRNRAD_M = SQRT(DEL_X[E:240]*DEL_Y[E:240]/PI[ID:10])
!DRNRAD_U = SQRT(DEL_X[E:708]*DEL_Y[E:708]/PI[ID:10])
!
SKIN = -1.0*LOG(SQRT(AREA_TOT/PI[ID:10])/WELLRAD)
SKIN = IFLT0(SKIN,SKIN,0)
! CHECK TO BE SURE WELLPI IS NOT 0 OR NEG, & SET TO 1.0 IF IT IS
! WELLPI = PERM_X[ID:1] * HEIGHT[ID:1] / (LOG(DRNRAD/WELLRAD) + SKIN - 0.5)
!JSS
WELLPI_L = IFGT0(LOG(DRNRAD_L/WELLRAD) + SKIN - 0.5,PERM_X[ID:1]* &
HEIGHT[ID:1] &
/ (LOG(DRNRAD_L/WELLRAD) + SKIN - 0.5),1.0)
!WELLPI_M = IFGT0(LOG(DRNRAD_M/WELLRAD) + SKIN - 0.5,PERM_X[ID:1]* &
HEIGHT[ID:1] &
/ (LOG(DRNRAD_M/WELLRAD) + SKIN - 0.5),1.0)
!WELLPI_U = IFGT0(LOG(DRNRAD_U/WELLRAD) + SKIN - 0.5,PERM_X[ID:1]* &
HEIGHT[ID:1] &
/ (LOG(DRNRAD_U/WELLRAD) + SKIN - 0.5),1.0)
!JSS
! WELLPI has been modified by T. Hadgu on 06/29/99 as follows:
!JSS
WELLPI_L = WELLPI_L*2.*PI[ID:10]
!WELLPI_M = WELLPI_M*2.*PI[ID:10]
!WELLPI_U = WELLPI_U*2.*PI[ID:10]

```

```

!JSS
! CALCULATE CONSTANTS NEEDED FOR WELLBORE MODEL:
! CALCULATE EFFECTIVE SATURATION USING KRP = 4 (BROOKS - COREY MODIFIED,
! WITH LAMBDA (PORE_DIS) = 2.89, NO CAP PRESSURE). DO FOR 3 COUPLED REGIONS
! REGION NO 1 (PANELS 1,2,7,8 & 9)
BRINE1 = IFLT0((BSATPAN1[ID:1]-
SAT_RBRN[ID:1]),SAT_RBRN[ID:1],BSATPAN1[ID:1])
SEBRINE1 = (BRINE1 - SAT_RBRN[ID:1])/(1.0 - SAT_RBRN[ID:1])
SEGAS1 = (BRINE1 - SAT_RBRN[ID:1])/(1.0-SAT_RBRN[ID:1]-SAT_RGAS[ID:1])
SEGAS1 = IFLT0((1.0 - SEGAS1),1.0,SEGAS1)
KRW1 = SEBRINE1**((2+3*PORE_DIS[ID:1])/PORE_DIS[ID:1])
KRG1 = (1.0-SEGAS1)**2*(1.0-SEGAS1)**((2 +
PORE_DIS[ID:1])/PORE_DIS[ID:1])
! NOW CALCULATE CONSTANT FOR BRINE AND GAS
!JSS
CONBR1_L = WELLPI_L * KRW1 / VISCO[ID:7]
!CONBR1_M = WELLPI_M * KRW1 / VISCO[ID:7]
!CONBR1_U = WELLPI_U * KRW1 / VISCO[ID:7]
congsl_L = WELLPI_L * KRG1 / VISCO[ID:8]
!congsl_M = WELLPI_M * KRG1 / VISCO[ID:8]
!congsl_U = WELLPI_U * KRG1 / VISCO[ID:8]
!JSS
! NOW TAKE LOG BASE 10 OF PARAMETERS NEEDED FOR FBHP EQUATIONS
!JSS
LOG_B1_L = IFEQ0(KRW1,-10,LOG10(CONBR1_L+1E-24))
!LOG_B1_M = IFEQ0(KRW1,-10,LOG10(CONBR1_M+1E-24))
!LOG_B1_U = IFEQ0(KRW1,-10,LOG10(CONBR1_U+1E-24))
!JSS
LOG_KR1 = IFEQ0(KRW1,10,LOG10((KRG1+1E-24)/(KRW1+1E-24)))
! INTRODUCE A TERM FOR GAS DOMINATED FLOW
!JSS
LOG_G1_L = IFEQ0(KRG1,-10,LOG10(congsl_L+1E-24))
!LOG_G1_M = IFEQ0(KRG1,-10,LOG10(congsl_M+1E-24))
!LOG_G1_U = IFEQ0(KRG1,-10,LOG10(congsl_U+1E-24))
!
! CALCULATE FBHP's AND SET WITHIN LIMITS
!
PR1_E1_L = EQ1_A+EQ1_B*LOG_B1_L+EQ1_C*PRES PAN1[ID:1]+EQ1_D*LOG_B1_L**2+ &
EQ1_E*PRES PAN1[ID:1]**2+EQ1_F*LOG_B1_L*PRES PAN1[ID:1]+ &
EQ1_G*LOG_B1_L**3+EQ1_H*PRES PAN1[ID:1]**3+&
EQ1_I*LOG_B1_L*PRES PAN1[ID:1]**2+EQ1_J*LOG_B1_L**2*PRES PAN1[ID:1]
PR1_E1_L = IFLT0(8007390.0 - PR1_E1_L,IFLT0(8043910.0 - PR1_E1_L,8043910.0,
&
PR1_E1_L),8007390.0)
!PR1_E1_M = EQ1_A+EQ1_B*LOG_B1_M+EQ1_C*PRES PAN1[ID:1]+EQ1_D*LOG_B1_M**2+ &
! EQ1_E*PRES PAN1[ID:1]**2+EQ1_F*LOG_B1_M*PRES PAN1[ID:1]+ &
! EQ1_G*LOG_B1_M**3+EQ1_H*PRES PAN1[ID:1]**3+&
! EQ1_I*LOG_B1_M*PRES PAN1[ID:1]**2+EQ1_J*LOG_B1_M**2*PRES PAN1[ID:1]
!PR1_E1_M = IFLT0(8007390.0 - PR1_E1_M,IFLT0(8043910.0 - PR1_E1_M,8043910.0,
&
PR1_E1_M),8007390.0)
!PR1_E1_U = EQ1_A+EQ1_B*LOG_B1_U+EQ1_C*PRES PAN1[ID:1]+EQ1_D*LOG_B1_U**2+ &
! EQ1_E*PRES PAN1[ID:1]**2+EQ1_F*LOG_B1_U*PRES PAN1[ID:1]+ &
! EQ1_G*LOG_B1_U**3+EQ1_H*PRES PAN1[ID:1]**3+&
! EQ1_I*LOG_B1_U*PRES PAN1[ID:1]**2+EQ1_J*LOG_B1_U**2*PRES PAN1[ID:1]
!PR1_E1_U = IFLT0(8007390.0 - PR1_E1_U,IFLT0(8043910.0 - PR1_E1_U,8043910.0,
&

```

```

!          PR1_E1_U),8007390.0)
!JSS
!
PR1_E2 = (EQ2_A+EQ2_B*LOG_KR1+EQ2_C*LOG_KR1**2+EQ2_D*PRESPAN1[ID:1])/ &
(1.0+EQ2_E*LOG_KR1+EQ2_F*LOG_KR1**2+EQ2_G*LOG_KR1**3+ &
EQ2_H*PRESPAN1[ID:1])
PR1_E2 = IFLT0(742886.0 - PR1_E2,IFLT0(8043530.0 - PR1_E2,8043530.0, &
PR1_E2),742886.0)
!JSS
PR1_E3_L = EQ3_A+EQ3_B/LOG_G1_L+EQ3_C*PRESPAN1[ID:1]+EQ3_D/LOG_G1_L**2+ &
EQ3_E*PRESPAN1[ID:1]**2+EQ3_F*PRESPAN1[ID:1]/LOG_G1_L+ &
EQ3_G/LOG_G1_L**3+ EQ3_H*PRESPAN1[ID:1]**3+ &
EQ3_I*PRESPAN1[ID:1]**2/LOG_G1_L+ &
EQ3_J*PRESPAN1[ID:1]/LOG_G1_L**2
!PR1_E3_M = EQ3_A+EQ3_B/LOG_G1_M+EQ3_C*PRESPAN1[ID:1]+EQ3_D/LOG_G1_M**2+ &
!
EQ3_E*PRESPAN1[ID:1]**2+EQ3_F*PRESPAN1[ID:1]/LOG_G1_M+ &
!
EQ3_G/LOG_G1_M**3+ EQ3_H*PRESPAN1[ID:1]**3+ &
!
EQ3_I*PRESPAN1[ID:1]**2/LOG_G1_M+ &
!
EQ3_J*PRESPAN1[ID:1]/LOG_G1_M**2
!PR1_E3_U = EQ3_A+EQ3_B/LOG_G1_U+EQ3_C*PRESPAN1[ID:1]+EQ3_D/LOG_G1_U**2+ &
!
EQ3_E*PRESPAN1[ID:1]**2+EQ3_F*PRESPAN1[ID:1]/LOG_G1_U+ &
!
EQ3_G/LOG_G1_U**3+ EQ3_H*PRESPAN1[ID:1]**3+ &
!
EQ3_I*PRESPAN1[ID:1]**2/LOG_G1_U+ &
!
EQ3_J*PRESPAN1[ID:1]/LOG_G1_U**2
!
PR1_E3_L = IFLT0(207363.0 - PR1_E3_L,IFLT0(1663940.0 - PR1_E3_L,1663940.0, &
PR1_E3_L),207363.0)
!PR1_E3_M = IFLT0(207363.0 - PR1_E3_M,IFLT0(1663940.0 - PR1_E3_M,1663940.0,
&
PR1_E3_M),207363.0)
!PR1_E3_U = IFLT0(207363.0 - PR1_E3_U,IFLT0(1663940.0 - PR1_E3_U,1663940.0,
&
PR1_E3_U),207363.0)
!JSS
!
! RESET FBHP TO 0 IF NO BRINE BLOWOUT (KRW = 0 OR PRESSURE < 8 MPa)
!JSS
FBHP1_L = IFEQ0(KRW1,0,IFLT0(PRESPAN1[ID:1]-8.0E6,0, &
IFEQ0(KRG1,PR1_E1_L,IFLT0(LOG_KR1,PR1_E2,PR1_E3_L))))
!FBHP1_M = IFEQ0(KRW1,0,IFLT0(PRESPAN1[ID:1]-8.0E6,0, &
IFEQ0(KRG1,PR1_E1_M,IFLT0(LOG_KR1,PR1_E2,PR1_E3_M))))
!FBHP1_U = IFEQ0(KRW1,0,IFLT0(PRESPAN1[ID:1]-8.0E6,0, &
IFEQ0(KRG1,PR1_E1_U,IFLT0(LOG_KR1,PR1_E2,PR1_E3_U))))
!JSS
!
! IF NO BLOWOUT, SET NUMBER OF BRAGFLO STEPS TO 1, ELSE 1000
!JSS
NSTEP1_L = MAKEPROP(IFEQ0(FBHP1_L,1,1000))
!NSTEP1_M = MAKEPROP(IFEQ0(FBHP1_M,1,1000))
!NSTEP1_U = MAKEPROP(IFEQ0(FBHP1_U,1,1000))
!JSS
! REGION NO 2 (PANELS 3,4,6 & 10)
BRINE2 = IFLT0((BSATPAN2[ID:1]-
SAT_RBRN[ID:1]),SAT_RBRN[ID:1],BSATPAN2[ID:1])
SEBRINE2 = (BRINE2 - SAT_RBRN[ID:1])/(1.0 - SAT_RBRN[ID:1])
SEGAS2 = (BRINE2 - SAT_RBRN[ID:1])/(1.0-SAT_RBRN[ID:1]-SAT_RGAS[ID:1])
SEGAS2 = IFLT0((1.0 - SEGAS2),1.0,SEGAS2)

```

```

KRW2      = SEBRINE2**((2+3*PORE_DIS[ID:1])/PORE_DIS[ID:1])
KRG2      = (1.0-SEGAS2)**2*(1.0-SEGAS2**((2 +
PORE_DIS[ID:1])/PORE_DIS[ID:1]))
! NOW CALCULATE CONSTANT FOR BRINE AND GAS
!JSS
CONBR2_L  = WELLPI_L * KRW2 / VISCO[ID:7]
!CONBR2_M  = WELLPI_M * KRW2 / VISCO[ID:7]
!CONBR2_U  = WELLPI_U * KRW2 / VISCO[ID:7]
congs2_L  = WELLPI_L * KRG2 / VISCO[ID:8]
!congs2_M  = WELLPI_M * KRG2 / VISCO[ID:8]
!congs2_U  = WELLPI_U * KRG2 / VISCO[ID:8]
!
! NOW TAKE LOG BASE 10 OF PARAMETERS NEEDED FOR FBHP EQUATIONS
!JSS
LOG_B2_L  = IFEQ0(KRW2,-10,LOG10(CONBR2_L+1E-24))
!LOG_B2_M  = IFEQ0(KRW2,-10,LOG10(CONBR2_M+1E-24))
!LOG_B2_U  = IFEQ0(KRW2,-10,LOG10(CONBR2_U+1E-24))
!
LOG_KR2   = IFEQ0(KRW2,10,LOG10((KRG2+1E-24)/(KRW2+1E-24)))
! INTRODUCE A TERM FOR GAS DOMINATED FLOW
!JSS
LOG_G2_L  = IFEQ0(KRG2,-10,LOG10(congs2_L+1E-24))
!LOG_G2_M  = IFEQ0(KRG2,-10,LOG10(congs2_M+1E-24))
!LOG_G2_U  = IFEQ0(KRG2,-10,LOG10(congs2_U+1E-24))
! CALCULATE FBHP's AND SET WITHIN LIMITS
!
PR2_E1_L  = EQ1_A+EQ1_B*LOG_B2_L+EQ1_C*PRESpan2[ID:1]+EQ1_D*LOG_B2_L**2+ &
EQ1_E*PRESpan2[ID:1]**2+EQ1_F*LOG_B2_L*PRESpan2[ID:1]+ &
EQ1_G*LOG_B2_L**3+EQ1_H*PRESpan2[ID:1]**3+ &
EQ1_I*LOG_B2_L*PRESpan2[ID:1]**2+EQ1_J*LOG_B2_L**2*PRESpan2[ID:1]
PR2_E1_L  = IFLT0(8007390.0 - PR2_E1_L, IFLT0(8043910.0 - PR2_E1_L, 8043910.0, &
PR2_E1_L), 8007390.0)
!PR2_E1_M  = EQ1_A+EQ1_B*LOG_B2_M+EQ1_C*PRESpan2[ID:1]+EQ1_D*LOG_B2_M**2+ &
!
EQ1_E*PRESpan2[ID:1]**2+EQ1_F*LOG_B2_M*PRESpan2[ID:1]+ &
!
EQ1_G*LOG_B2_M**3+EQ1_H*PRESpan2[ID:1]**3+ &
!
EQ1_I*LOG_B2_M*PRESpan2[ID:1]**2+EQ1_J*LOG_B2_M**2*PRESpan2[ID:1]
!PR2_E1_M  = IFLT0(8007390.0 - PR2_E1_M, IFLT0(8043910.0 -
PR2_E1_M, 8043910.0, &
PR2_E1_M), 8007390.0)
!
!PR2_E1_U  = EQ1_A+EQ1_B*LOG_B2_U+EQ1_C*PRESpan2[ID:1]+EQ1_D*LOG_B2_U**2+ &
!
EQ1_E*PRESpan2[ID:1]**2+EQ1_F*LOG_B2_U*PRESpan2[ID:1]+ &
!
EQ1_G*LOG_B2_U**3+EQ1_H*PRESpan2[ID:1]**3+ &
!
EQ1_I*LOG_B2_U*PRESpan2[ID:1]**2+EQ1_J*LOG_B2_U**2*PRESpan2[ID:1]
!PR2_E1_U  = IFLT0(8007390.0 - PR2_E1_U, IFLT0(8043910.0 -
PR2_E1_U, 8043910.0, &
PR2_E1_U), 8007390.0)
!!
PR2_E2    = (EQ2_A+EQ2_B*LOG_KR2+EQ2_C*LOG_KR2**2+EQ2_D*PRESpan2[ID:1])/ &
(1.0+EQ2_E*LOG_KR2+EQ2_F*LOG_KR2**2+EQ2_G*LOG_KR2**3+ &
EQ2_H*PRESpan2[ID:1])
PR2_E2    = IFLT0(742886.0 - PR2_E2, IFLT0(8043530.0 - PR2_E2, 8043530.0, &
PR2_E2), 742886.0)
!
PR2_E3_L  = EQ3_A+EQ3_B/LOG_G2_L+EQ3_C*PRESpan2[ID:1]+EQ3_D/LOG_G2_L**2+ &
EQ3_E*PRESpan2[ID:1]**2+EQ3_F*PRESpan2[ID:1]/LOG_G2_L+ &
EQ3_G/LOG_G2_L**3+ EQ3_H*PRESpan2[ID:1]**3+ &
EQ3_I*PRESpan2[ID:1]**2/LOG_G2_L+ &

```

```

EQ3_J*PRESpan2[ID:1]/LOG_G2_L**2
!PR2_E3_M = EQ3_A+EQ3_B/LOG_G2_M+EQ3_C*PRESpan2[ID:1]+EQ3_D/LOG_G2_M**2+ &
! EQ3_E*PRESpan2[ID:1]**2+EQ3_F*PRESpan2[ID:1]/LOG_G2_M+ &
! EQ3_G/LOG_G2_M**3+ EQ3_H*PRESpan2[ID:1]**3+ &
! EQ3_I*PRESpan2[ID:1]**2/LOG_G2_M+ &
! EQ3_J*PRESpan2[ID:1]/LOG_G2_M**2
!PR2_E3_U = EQ3_A+EQ3_B/LOG_G2_U+EQ3_C*PRESpan2[ID:1]+EQ3_D/LOG_G2_U**2+ &
! EQ3_E*PRESpan2[ID:1]**2+EQ3_F*PRESpan2[ID:1]/LOG_G2_U+ &
! EQ3_G/LOG_G2_U**3+ EQ3_H*PRESpan2[ID:1]**3+ &
! EQ3_I*PRESpan2[ID:1]**2/LOG_G2_U+ &
! EQ3_J*PRESpan2[ID:1]/LOG_G2_U**2
!
PR2_E3_L = IFLT0(207363.0 - PR2_E3_L, IFLT0(1663940.0 - PR2_E3_L, 1663940.0, &
PR2_E3_L), 207363.0)
!PR2_E3_M = IFLT0(207363.0 - PR2_E3_M, IFLT0(1663940.0 - PR2_E3_M, 1663940.0,
&
PR2_E3_M), 207363.0)
!PR2_E3_U = IFLT0(207363.0 - PR2_E3_U, IFLT0(1663940.0 - PR2_E3_U, 1663940.0,
&
PR2_E3_U), 207363.0)
!
! RESET FBHP TO 0 IF NO BRINE BLOWOUT (KRW = 0 OR PRESSURE < 8 MPa)
FBHP2_L = IFEQ0(KRW2, 0, IFLT0(PRESpan2[ID:1]-8.0E6, 0, &
IFEQ0(KRG2, PR2_E1_L, IFLT0(LOG_KR2, PR2_E2, PR2_E3_L))))
!FBHP2_M = IFEQ0(KRW2, 0, IFLT0(PRESpan2[ID:1]-8.0E6, 0, &
IFEQ0(KRG2, PR2_E1_M, IFLT0(LOG_KR2, PR2_E2, PR2_E3_M))))
!FBHP2_U = IFEQ0(KRW2, 0, IFLT0(PRESpan2[ID:1]-8.0E6, 0, &
IFEQ0(KRG2, PR2_E1_U, IFLT0(LOG_KR2, PR2_E2, PR2_E3_U))))
!
! IF NO BLOWOUT, SET NUMBER OF BRAGFLO STEPS TO 1, ELSE 1000
NSTEP2_L = MAKEPROP(IFEQ0(FBHP2_L, 1, 1000))
!NSTEP2_M = MAKEPROP(IFEQ0(FBHP2_M, 1, 1000))
!NSTEP2_U = MAKEPROP(IFEQ0(FBHP2_U, 1, 1000))
!
! REGION NO 3 (PANEL 5)
BRINE3 = IFLT0((BSATPAN3[ID:1]-
SAT_RBRN[ID:1]), SAT_RBRN[ID:1], BSATPAN3[ID:1])
SEBRINE3 = (BRINE3 - SAT_RBRN[ID:1])/(1.0 - SAT_RBRN[ID:1])
SEGAS3 = (BRINE3 - SAT_RBRN[ID:1])/(1.0-SAT_RBRN[ID:1]-SAT_RGAS[ID:1])
SEGAS3 = IFLT0((1.0 - SEGAS3), 1.0, SEGAS3)
KRW3 = SEBRINE3**((2+3*PORE_DIS[ID:1])/PORE_DIS[ID:1])
KRG3 = (1.0-SEGAS3)**2*(1.0-SEGAS3**((2 +
PORE_DIS[ID:1])/PORE_DIS[ID:1]))
! NOW CALCULATE CONSTANT FOR BRINE AND GAS
!JSS
CONBR3_L = WELLPI_L * KRW3 / VISCO[ID:7]
!CONBR3_M = WELLPI_M * KRW3 / VISCO[ID:7]
!CONBR3_U = WELLPI_U * KRW3 / VISCO[ID:7]
congs3_L = WELLPI_L * KRG3 / VISCO[ID:8]
!congs3_M = WELLPI_M * KRG3 / VISCO[ID:8]
!congs3_U = WELLPI_U * KRG3 / VISCO[ID:8]
!JSS
! NOW TAKE LOG BASE 10 OF PARAMETERS NEEDED FOR FBHP EQUATIONS
!JSS
LOG_B3_L = IFEQ0(KRW3, -10, LOG10(CONBR3_L+1E-24))
!LOG_B3_M = IFEQ0(KRW3, -10, LOG10(CONBR3_M+1E-24))

```

```

!LOG_B3_U = IFEQ0(KRW3,-10,LOG10(CONBR3_U+1E-24))
!
LOG_KR3 = IFEQ0(KRW3,10,LOG10((KRG3+1E-24)/(KRW3+1E-24)))
! INTRODUCE A TERM FOR GAS DOMINATED FLOW
!JSS
LOG_G3_L = IFEQ0(KRG3,-10,LOG10(congs3_L+1E-24))
!LOG_G3_M = IFEQ0(KRG3,-10,LOG10(congs3_M+1E-24))
!LOG_G3_U = IFEQ0(KRG3,-10,LOG10(congs3_U+1E-24))
!
!
! CALCULATE FBHP's AND SET WITHIN LIMITS
!
!
PR3_E1_L = EQ1_A+EQ1_B*LOG_B3_L+EQ1_C*PRESPAN3[ID:1]+EQ1_D*LOG_B3_L**2+ &
EQ1_E*PRESPAN3[ID:1]**2+EQ1_F*LOG_B3_L*PRESPAN3[ID:1]+ &
EQ1_G*LOG_B3_L**3+EQ1_H*PRESPAN3[ID:1]**3+ &
EQ1_I*LOG_B3_L*PRESPAN3[ID:1]**2+EQ1_J*LOG_B3_L**2*PRESPAN3[ID:1]
PR3_E1_L = IFLT0(8007390.0 - PR3_E1_L, IFLT0(8043910.0 - PR3_E1_L, 8043910.0, &
PR3_E1_L), 8007390.0)
!PR3_E1_M = EQ1_A+EQ1_B*LOG_B3_M+EQ1_C*PRESPAN3[ID:1]+EQ1_D*LOG_B3_M**2+ &
! EQ1_E*PRESPAN3[ID:1]**2+EQ1_F*LOG_B3_M*PRESPAN3[ID:1]+ &
! EQ1_G*LOG_B3_M**3+EQ1_H*PRESPAN3[ID:1]**3+ &
! EQ1_I*LOG_B3_M*PRESPAN3[ID:1]**2+EQ1_J*LOG_B3_M**2*PRESPAN3[ID:1]
!PR3_E1_M = IFLT0(8007390.0 - PR3_E1_M, IFLT0(8043910.0 -
PR3_E1_M, 8043910.0, &
PR3_E1_M), 8007390.0)
!PR3_E1_U = EQ1_A+EQ1_B*LOG_B3_U+EQ1_C*PRESPAN3[ID:1]+EQ1_D*LOG_B3_U**2+ &
! EQ1_E*PRESPAN3[ID:1]**2+EQ1_F*LOG_B3_U*PRESPAN3[ID:1]+ &
! EQ1_G*LOG_B3_U**3+EQ1_H*PRESPAN3[ID:1]**3+ &
! EQ1_I*LOG_B3_U*PRESPAN3[ID:1]**2+EQ1_J*LOG_B3_U**2*PRESPAN3[ID:1]
!PR3_E1_U = IFLT0(8007390.0 - PR3_E1_U, IFLT0(8043910.0 -
PR3_E1_U, 8043910.0, &
PR3_E1_U), 8007390.0)
!
!
PR3_E2 = (EQ2_A+EQ2_B*LOG_KR3+EQ2_C*LOG_KR3**2+EQ2_D*PRESPAN3[ID:1])/ &
(1.0+EQ2_E*LOG_KR3+EQ2_F*LOG_KR3**2+EQ2_G*LOG_KR3**3+ &
EQ2_H*PRESPAN3[ID:1])
PR3_E2 = IFLT0(742886.0 - PR3_E2, IFLT0(8043530.0 - PR3_E2, 8043530.0, &
PR3_E2), 742886.0)
!
!
PR3_E3_L = EQ3_A+EQ3_B/LOG_G3_L+EQ3_C*PRESPAN3[ID:1]+EQ3_D/LOG_G3_L**2+ &
EQ3_E*PRESPAN3[ID:1]**2+EQ3_F*PRESPAN3[ID:1]/LOG_G3_L+ &
EQ3_G/LOG_G3_L**3+ EQ3_H*PRESPAN3[ID:1]**3+ &
EQ3_I*PRESPAN3[ID:1]**2/LOG_G3_L+ &
EQ3_J*PRESPAN3[ID:1]/LOG_G3_L**2
!PR3_E3_M = EQ3_A+EQ3_B/LOG_G3_M+EQ3_C*PRESPAN3[ID:1]+EQ3_D/LOG_G3_M**2+ &
! EQ3_E*PRESPAN3[ID:1]**2+EQ3_F*PRESPAN3[ID:1]/LOG_G3_M+ &
! EQ3_G/LOG_G3_M**3+ EQ3_H*PRESPAN3[ID:1]**3+ &
! EQ3_I*PRESPAN3[ID:1]**2/LOG_G3_M+ &
! EQ3_J*PRESPAN3[ID:1]/LOG_G3_M**2
!PR3_E3_U = EQ3_A+EQ3_B/LOG_G3_U+EQ3_C*PRESPAN3[ID:1]+EQ3_D/LOG_G3_U**2+ &
! EQ3_E*PRESPAN3[ID:1]**2+EQ3_F*PRESPAN3[ID:1]/LOG_G3_U+ &
! EQ3_G/LOG_G3_U**3+ EQ3_H*PRESPAN3[ID:1]**3+ &
! EQ3_I*PRESPAN3[ID:1]**2/LOG_G3_U+ &
! EQ3_J*PRESPAN3[ID:1]/LOG_G3_U**2
!!
PR3_E3_L = IFLT0(207363.0 - PR3_E3_L, IFLT0(1663940.0 - PR3_E3_L, 1663940.0, &

```



```

PR3_E3_L),207363.0)
!PR3_E3_M = IFLT0(207363.0 - PR3_E3_M,IFLT0(1663940.0 - PR3_E3_M,1663940.0,
&
!
PR3_E3_M),207363.0)
!PR3_E3_U = IFLT0(207363.0 - PR3_E3_U,IFLT0(1663940.0 - PR3_E3_U,1663940.0,
&
!
PR3_E3_U),207363.0)
!
! RESET FBHP TO 0 IF NO BRINE BLOWOUT (KRW = 0 OR PRESSURE < 8 MPa)
FBHP3_L = IFEQ0(KRW3,0,IFLT0(PRESPAN3[ID:1]-8.0E6,0, &
IFEQ0(KRG3,PR3_E1_L,IFLT0(LOG_KR3,PR3_E2,PR3_E3_L))))
!FBHP3_M = IFEQ0(KRW3,0,IFLT0(PRESPAN3[ID:1]-8.0E6,0, &
IFEQ0(KRG3,PR3_E1_M,IFLT0(LOG_KR3,PR3_E2,PR3_E3_L))))
!FBHP3_U = IFEQ0(KRW3,0,IFLT0(PRESPAN3[ID:1]-8.0E6,0, &
IFEQ0(KRG3,PR3_E1_U,IFLT0(LOG_KR3,PR3_E2,PR3_E3_L))))

! IF NO BLOWOUT, SET NUMBER OF BRAGFLO STEPS TO 1, ELSE 1000
NSTEP3_L = MAKEPROP(IFEQ0(FBHP3_L,1,1000))
!NSTEP3_M = MAKEPROP(IFEQ0(FBHP3_M,1,1000))
!NSTEP3_U = MAKEPROP(IFEQ0(FBHP3_U,1,1000))
DELETE BRINE1, BRINE2, BRINE3
!=====
!*****
!SET UP BOUNDARY CONDITIONS FOR PREVIOUS INTRUSIONS HERE
!*****
! SET UP NEEDED CONSTANTS (NOTE: BOREHOLE LENGTH FROM PANEL TO CASTILE B.P.
! IS 247 METERS -- USED IN CON_SAND & CON_CREP)
! MODIFICATIONS MADE 5/30/96
LEN_BC = MAKEPROP(247.0)
DRAIN_BC = MAKEPROP(SQRT(DEL_X[E:26]*DEL_Y[E:26]/PI[ID:10]))
WELPI_BC = PERM_X[ID:1] * HEIGHT[ID:1] / (LOG(DRAIN_BC/WELLRAD) + 0.0 - 0.5)
! JSS Adding 2PI term
WELPI_BC = WELPI_BC * 2 * PI[ID:10]
RHO_G_H = MAKEPROP(DNSFLUID[ID:7]*GRAVACC[ID:10]*LEN_BC)
CON_OPEN = MAKEPROP((PRM_CAST*THCK_CAS[ID:11]*(LOG(DRAIN_BC/WELLRAD)-0.5)) &
/ (PERM_X[ID:1]*HEIGHT[ID:1]*(LOG(RE_CAST[ID:11]/WELLRAD)-0.5)))
CON_SAND = MAKEPROP((PRM_SAND*PI[ID:10]*WELLRAD*WELLRAD* &
(LOG(DRAIN_BC/WELLRAD)-0.5)) / (PERM_X[ID:1]*HEIGHT[ID:1]*LEN_BC))
! JSS Adding 2PI term to solution
CON_SAND = CON_SAND / (2 * PI[ID:10])
CON_CREP = MAKEPROP((PRM_CREP*PI[ID:10]*WELLRAD*WELLRAD* &
(LOG(DRAIN_BC/WELLRAD)-0.5)) / (PERM_X[ID:1]*HEIGHT[ID:1]*LEN_BC))
! JSS Adding 2PI term to solution
CON_CREP = CON_CREP / (2 * PI[ID:10])
! SOLVE FOR OPEN BOREHOLE TO CASTILE B.C. (WITHIN 200 YEARS AFTER FIRST
INTR.)
! USE FBHP3 SINCE BOUNDARY CONDITION WELL IS ASSUMED TO BE IN PANEL 5 (DOWN-
! DIP) FOR ALL SUBSEQUENT INTRUSIONS
BHP_OPEN = (FBHP3_L+CON_OPEN*(CAST_RE-RHO_G_H))/(1.0+CON_OPEN)
! SOLVE FOR SAND-FILLED BH CONDITION (200 TO 1200 YEARS AFTER 1ST INTRUSION)
BHP_SAND = (FBHP3_L+CON_SAND*(CAST_WB-RHO_G_H))/(1.0+CON_SAND)
! SOLVE FOR CREEP-CLOSED BH CONDITION (1200 YEARS AFTER 1ST INTRUSION)
BHP_CREP = (FBHP3_L+CON_CREP*(CAST_WB-RHO_G_H))/(1.0+CON_CREP)
!ASSIGN ABANDONED BH PRESSURE BASED ON INTRUSION TIME
PREV_TME = MAKEPROP(350.0)
DELT_TME = INTR_TME/YRSEC[ID:10] - PREV_TME
BHP_ABAN = IFGT0(DELT_TME - 200.1,IFGT0(DELT_TME -

```

```

1200.1,BHP_CREP,BHP_SAND), &
      BHP_OPEN)
!*****
!=====
!=====
!*****
!CHAPTER 3. COMPUTE DIP IN REPOSITORY
!*****
!*****
!=====
!=====
LIMIT ELEMENT OFF
!COMPUTE THE GRID BLOCK ELEVATIONS ACCOUNTING FOR 1 DEGREE DIP IN SALADO
!DEFINE GRID BLOCK ELEVATIONS DUE TO DIP
! USE ELEVATION OF SHAFT AT MID-REPOSITORY
ZORIGIN   = 382.671
YORIGIN   = 1000.0
ELEVN     = MAKENODE(COS(THETA1[ID:1])*(Z-ZORIGIN) &
      + SIN(THETA1[ID:1])*(Y-YORIGIN))
ELEVE     = NOD2ELE(ELEVN) + ZORIGIN
!COMPUTE GRID BLOCK POTENTIAL ASSUMING BRINE IS INCOMPRESSIBLE
(APPROXIMATELY)
POTE      = PRESEL/(DNSFLUID[ID:7]*GRAVACC[ID:10]) + ELEVE
!
! NOW SET GRID THICKNESS FOR ALL ELEMENTS TO CRUSHED PANEL HEIGHT
THICK     = MAKEATTR(HEIGHT[ID:1])
!
DELETE ELEVN, YORIGIN, ZORIGIN
EXIT

```

**SCENARIO: S3**

```

$ type alg_dbr_cra1_pre_dir_rel_s3.inp
!=====
!
!TITLE:BRAGFLO 1996 CCA CALCULATIONS: REPOSITORY SCALE BLOWOUT
!ANAYLST: Dan Stoelzel, SNL
!CREATED: NOV 2, 1995
!PURPOSE: ALGEBRA file computes properties that can not be obtained
!         from CAMDAT and/or assigns properties to element blocks.
!         THIS FILE PREPARES A .CDB FILE FOR PREBRAG TO READ
!IMPORTANT: This file originates from J.E. Bean's algebra file for his FEP
!           model. The methodologies to calculate dip were copied from his
!           file, with minor changes
!           made to account for the differences in the meshes.
!           ALGEBRA TO CALC. DIP IN REPOSITORY - SCALE BLOWOUT MODEL.
!           new version of bragflo
!
!           MODIFIED:
!           MARCH 26, 1996
!           BLOWOUT MODEL STRUGGLING IN PANEL SEAL REGION: TURNED OFF
!           CAP PRESSURE IN PANEL SEAL AND HALITE BY SETTING EQUAL TO
!           CAP PRESSURE IN WASTE REGION
!
!           MAY 17, 1996
!           ADDED BOUNDARY CONDITION WELL CALCULATION FOR E1-E2 SCEN.
!           NEW CHANGES FOR LATEST CCA ANALYSIS

```



```

PERM_Y = 10**PRMY_LOG
PERM_Z = 10**PRMZ_LOG
SB_MIN = SAT_RBRN * 1.05
POR_COMP = COMP_RCK/POROSITY
!
! CALCULATE PROPERTIES FOR DRZ (DRZ_1)
LIMIT BLOCK 2
PERM_X = PERMBRX
PERM_Y = PERMBRX
PERM_Z = PERMBRX
SB_MIN = SAT_RBRN * 1.05
! NOW ADJUST POROSITY AND PORE COMPRESSIBILITY TO EQ. PORE VOL WITH CRUSHED
! ROOM HEIGHT
POROSITY = HEIGHT * POR_INTR / HEIGHT[ID:1]
POR_COMP = COMP_RCK/POROSITY
!
! CALCULATE PROPERTIES FOR SALADO HALITE (S_HALITE)
LIMIT BLOCK 3
PERM_X = 10**PRMX_LOG
PERM_Y = 10**PRMY_LOG
PERM_Z = 10**PRMZ_LOG
SB_MIN = SAT_RBRN * 1.05
! NOW ADJUST POROSITY AND PORE COMPRESSIBILITY TO EQ. PORE VOL WITH CRUSHED
! ROOM HEIGHT
POROSITY = HEIGHT * POROSITY / HEIGHT[ID:1]
POR_COMP = COMP_RCK/POROSITY
!
! CALC PROPERTIES FOR PANEL SEALS (CONC_PCS)
LIMIT BLOCK 4
! Changes made by T. Hadgu to introduce equivalent permeabilities (4/23/02):
!PERM_X = 10**PRMX_LOG
!PERM_Y = 10**PRMY_LOG
!
! Additions by T. Hadgu (04/23/02)
D1 = 32.1
D2 = 7.9
DE = 40.
PERM1_X = 10**PRMX_LOG[ID:1]
PERM2_X = 10**PRMX_LOG
PERM_X = DE*PERM1_X*PERM2_X/(D1*PERM2_X + D2*PERM1_X)
PERM_Y = D1*PERM1_X/DE + D2*PERM2_X/DE
!
PERM_Z = 10**PRMZ_LOG
!
! JSS Define porosity of panel closures as length weighted mean porosity
! of CONC_PCS and WAS_AREA. First define PORO_CONC for DRZ_CONC material.
PORO_CONC = POROSITY
POROSITY = (PORO_CONC*D2+POROSITY[ID:1]*D1)/DE
!
SB_MIN = SAT_RBRN * 1.05
POR_COMP = COMP_RCK/POROSITY
!
PORE_DIS = PORE_DIS[ID:1]
SAT_RGAS = SAT_RGAS[ID:1]
SAT_RBRN = SAT_RBRN[ID:1]
CAP_MOD = CAP_MOD[ID:1]
RELP_MOD = RELP_MOD[ID:1]

```

```

PC_MAX    = PC_MAX[ID:1]
PO_MIN    = PO_MIN[ID:1]
SB_MIN    = SAT_RBRN[ID:1]* 1.05
PCT_A     = PCT_A[ID:1]
PCT_EXP   = PCT_EXP[ID:1]
KPT       = KPT[ID:1]
!
! CALC PROPERTIES FOR DRZ/EXTENDED CONCRETE (DRZ_CONC):
!
LIMIT BLOCK 5
!
D1 = 32.1
D2 = 7.9
DE = 40.
PERM1_X = PERMBRX[ID:2]
PERM2_X = 10**PRMX_LOG[ID:4]
PERM_X = DE*PERM1_X*PERM2_X/(D1*PERM2_X + D2*PERM1_X)
PERM_Y = D1*PERM1_X/DE + D2*PERM2_X/DE
!
PERM_Z    = PERM_Z[ID:2]
!
!JSS Define porosity as length weighted mean porosity of DRZ and CONC_PCS
!
POROSITY = (POR_INTR[ID:2]*D2+PORO_CONC[ID:4]*D1)/DE
!
PORE_DIS = PORE_DIS[ID:2]
SAT_RGAS = SAT_RGAS[ID:2]
SAT_RBRN = SAT_RBRN[ID:2]
CAP_MOD  = CAP_MOD[ID:2]
RELP_MOD = RELP_MOD[ID:2]
PC_MAX   = PC_MAX[ID:2]
PO_MIN   = PO_MIN[ID:2]
SB_MIN   = SAT_RBRN[ID:2]* 1.05
KPT      = KPT[ID:2]
POR_INTR = POR_INTR[ID:2]
!
POR_COMP = COMP_RCK[ID:2]/POROSITY
!
! CALC PROPERTIES FOR CENTER PANEL SEALS (PAN_SL2)
!
LIMIT BLOCK 6
!
PERM_X    = PERM_Y[ID:4]
PERM_Y    = PERM_X[ID:4]
PERM_Z    = PERM_Z[ID:4]
!
POROSITY = POROSITY[ID:4]
!
PORE_DIS = PORE_DIS[ID:4]
SAT_RGAS = SAT_RGAS[ID:4]
SAT_RBRN = SAT_RBRN[ID:4]
CAP_MOD  = CAP_MOD[ID:4]
RELP_MOD = RELP_MOD[ID:4]
PC_MAX   = PC_MAX[ID:4]
PO_MIN   = PO_MIN[ID:4]
PCT_A    = PCT_A[ID:4]
PCT_EXP  = PCT_EXP[ID:4]

```

```

KPT      = KPT[ID:4]
HEIGHT   = HEIGHT[ID:4]
!
SB_MIN   = SB_MIN[ID:4]
POR_COMP = POR_COMP[ID:4]
!
!=====
! SET WELLBORE PROPS
LIMIT BLOCK 9
SEBRINE1 = MAKEPROP(0.0)
SEGAS1   = MAKEPROP(0.0)
KRW1     = MAKEPROP(0.0)
KRG1     = MAKEPROP(0.0)
SEBRINE2 = MAKEPROP(0.0)
SEGAS2   = MAKEPROP(0.0)
KRW2     = MAKEPROP(0.0)
KRG2     = MAKEPROP(0.0)
SEBRINE3 = MAKEPROP(0.0)
SEGAS3   = MAKEPROP(0.0)
KRW3     = MAKEPROP(0.0)
KRG3     = MAKEPROP(0.0)
! EQUATION 1: (FOR BRINE FLOW ONLY, KRG = 0)
! FBHP = A + BX + CY + DX^2 + EY^2 + FXY + GX^3 + HY^3 + IXY^2 + JYX^2
! X = LOG10(BRINE CONST) LOG M^3/pA-S
! Y = PANEL PRESSURE (Pa)
! 8.00739E6 Pa < FBHP < 8.04391E6 Pa
EQ1_A = MAKEPROP(3.2279346E+11)
EQ1_B = MAKEPROP(9.4816648E+10)
EQ1_C = MAKEPROP(-6200.2715)
EQ1_D = MAKEPROP(9.2450601E+09)
EQ1_E = MAKEPROP(4.1464475E-06)
EQ1_F = MAKEPROP(-1288.6068)
EQ1_G = MAKEPROP(2.9905582E+08)
EQ1_H = MAKEPROP(1.0857041E-14)
EQ1_I = MAKEPROP(4.7119798E-07)
EQ1_J = MAKEPROP(-66.90712)
!
! EQUATION 2: (FOR LOG10(KRG/KRW) < 0 BRINE DOMINATED FLOW)
! FBHP = (A + BX + CX^2 + DY/(1 + EX + FX^2 + GX^3 + HY)
! X = LOG10(KRG/KRB)
! Y = PANEL PRESSURE (Pa)
! 7.42886E5 Pa < FBHP < 8.04353E6 Pa
EQ2_A = MAKEPROP(1606507.7)
EQ2_B = MAKEPROP(2624339.7)
EQ2_C = MAKEPROP(2476889.9)
EQ2_D = MAKEPROP(-0.053635476)
EQ2_E = MAKEPROP(0.70815693)
EQ2_F = MAKEPROP(0.38012696)
EQ2_G = MAKEPROP(0.0041916956)
EQ2_H = MAKEPROP(-2.4887085E-08)
!
! EQUATION 3: (FOR LOG10(KRG/KRW) > 0 GAS DOMINATED FLOW)
! FBHP = A + B/X + CY + D/X^2 + EY^2 + FY/X + G/X^3 + HY^3 + IY^2/X + JY/X^2
! X = LOG10(GAS CONST) LOG M^3/pA-S
! Y = PANEL PRESSURE (Pa)
! 2.07363E5 Pa < FBHP < 1.66394E6 Pa
EQ3_A = MAKEPROP(-1.0098405E+09)

```

```

EQ3_B = MAKEPROP(-2.3044622E+10)
EQ3_C = MAKEPROP(9.8039146)
EQ3_D = MAKEPROP(-1.7426466E+11)
EQ3_E = MAKEPROP(1.8309137E-07)
EQ3_F = MAKEPROP(174.97064)
EQ3_G = MAKEPROP(-4.3698224E+11)
EQ3_H = MAKEPROP(-1.4891198E-16)
EQ3_I = MAKEPROP(1.3006196E-06)
EQ3_J = MAKEPROP(757.44833)
!
! CALCULATE SKIN FROM SPALL REMOVED, & WELL PRODUCTIVITY INDEX
! ELEMENT 59 IS LOCATION OF WELL2 (2ND INTRUSION DOWN DIP)
!
! JSS: Setting AREA_TOT to a constant. AREA_TOT=MAX[SPALL VOL]/Initial
Height
! JSS: AREA_TOT=4.0/3.96 = 1.01
!
AREA_TOT = 1.01
!
WELLRAD = BITSIZE/2
!
DRNRAD_L = SQRT(DEL_X[E:59]*DEL_Y[E:59]/PI[ID:10])
!DRNRAD_M = SQRT(DEL_X[E:240]*DEL_Y[E:240]/PI[ID:10])
!DRNRAD_U = SQRT(DEL_X[E:708]*DEL_Y[E:708]/PI[ID:10])
!
SKIN = -1.0*LOG(SQRT(AREA_TOT/PI[ID:10])/WELLRAD)
SKIN = IFLT0(SKIN,SKIN,0)
! CHECK TO BE SURE WELLPI IS NOT 0 OR NEG, & SET TO 1.0 IF IT IS
! WELLPI = PERM_X[ID:1] * HEIGHT[ID:1] / (LOG(DRNRAD/WELLRAD) + SKIN - 0.5)
!JSS
WELLPI_L = IFGT0(LOG(DRNRAD_L/WELLRAD) + SKIN - 0.5,PERM_X[ID:1]* &
HEIGHT[ID:1] &
/ (LOG(DRNRAD_L/WELLRAD) + SKIN - 0.5),1.0)
!WELLPI_M = IFGT0(LOG(DRNRAD_M/WELLRAD) + SKIN - 0.5,PERM_X[ID:1]* &
!
HEIGHT[ID:1] &
!
/ (LOG(DRNRAD_M/WELLRAD) + SKIN - 0.5),1.0)
!WELLPI_U = IFGT0(LOG(DRNRAD_U/WELLRAD) + SKIN - 0.5,PERM_X[ID:1]* &
!
HEIGHT[ID:1] &
!
/ (LOG(DRNRAD_U/WELLRAD) + SKIN - 0.5),1.0)
!JSS
! WELLPI has been modified by T. Hadgu on 06/29/99 as follows:
!JSS
WELLPI_L = WELLPI_L*2.*PI[ID:10]
!WELLPI_M = WELLPI_M*2.*PI[ID:10]
!WELLPI_U = WELLPI_U*2.*PI[ID:10]
!JSS
! CALCULATE CONSTANTS NEEDED FOR WELLBORE MODEL:
! CALCULATE EFFECTIVE SATURATION USING KRP = 4 (BROOKS - COREY MODIFIED,
! WITH LAMBDA (PORE_DIS) = 2.89, NO CAP PRESSURE). DO FOR 3 COUPLED REGIONS
! REGION NO 1 (PANELS 1,2,7,8 & 9)
BRINE1 = IFLT0((BSATPAN1[ID:1]-
SAT_RBRN[ID:1]),SAT_RBRN[ID:1],BSATPAN1[ID:1])
SEBRINE1 = (BRINE1 - SAT_RBRN[ID:1])/(1.0 - SAT_RBRN[ID:1])
SEGAS1 = (BRINE1 - SAT_RBRN[ID:1])/(1.0-SAT_RBRN[ID:1]-SAT_RGAS[ID:1])
SEGAS1 = IFLT0((1.0 - SEGAS1),1.0,SEGAS1)
KRW1 = SEBRINE1**((2+3*PORE_DIS[ID:1])/PORE_DIS[ID:1])
KRG1 = (1.0-SEGAS1)**2*(1.0-SEGAS1)**(2 +

```

```

PORE_DIS[ID:1])/PORE_DIS[ID:1]))
! NOW CALCULATE CONSTANT FOR BRINE AND GAS
!JSS
CONBR1_L = WELLPI_L * KRW1 / VISCO[ID:7]
!CONBR1_M = WELLPI_M * KRW1 / VISCO[ID:7]
!CONBR1_U = WELLPI_U * KRW1 / VISCO[ID:7]
congs1_L = WELLPI_L * KRG1 / VISCO[ID:8]
!congs1_M = WELLPI_M * KRG1 / VISCO[ID:8]
!congs1_U = WELLPI_U * KRG1 / VISCO[ID:8]
!JSS
! NOW TAKE LOG BASE 10 OF PARAMETERS NEEDED FOR FBHP EQUATIONS
!JSS
LOG_B1_L = IFEQ0(KRW1,-10,LOG10(CONBR1_L+1E-24))
!LOG_B1_M = IFEQ0(KRW1,-10,LOG10(CONBR1_M+1E-24))
!LOG_B1_U = IFEQ0(KRW1,-10,LOG10(CONBR1_U+1E-24))
!JSS
LOG_KR1 = IFEQ0(KRW1,10,LOG10((KRG1+1E-24)/(KRW1+1E-24)))
! INTRODUCE A TERM FOR GAS DOMINATED FLOW
!JSS
LOG_G1_L = IFEQ0(KRG1,-10,LOG10(congs1_L+1E-24))
!LOG_G1_M = IFEQ0(KRG1,-10,LOG10(congs1_M+1E-24))
!LOG_G1_U = IFEQ0(KRG1,-10,LOG10(congs1_U+1E-24))
!
! CALCULATE FBHP's AND SET WITHIN LIMITS
!
PR1_E1_L = EQ1_A+EQ1_B*LOG_B1_L+EQ1_C*PRESpan1[ID:1]+EQ1_D*LOG_B1_L**2+ &
EQ1_E*PRESpan1[ID:1]**2+EQ1_F*LOG_B1_L*PRESpan1[ID:1]+ &
EQ1_G*LOG_B1_L**3+EQ1_H*PRESpan1[ID:1]**3+ &
EQ1_I*LOG_B1_L*PRESpan1[ID:1]**2+EQ1_J*LOG_B1_L**2*PRESpan1[ID:1]
PR1_E1_L = IFLT0(8007390.0 - PR1_E1_L,IFLT0(8043910.0 - PR1_E1_L,8043910.0,
&
PR1_E1_L),8007390.0)
!PR1_E1_M = EQ1_A+EQ1_B*LOG_B1_M+EQ1_C*PRESpan1[ID:1]+EQ1_D*LOG_B1_M**2+ &
!
EQ1_E*PRESpan1[ID:1]**2+EQ1_F*LOG_B1_M*PRESpan1[ID:1]+ &
!
EQ1_G*LOG_B1_M**3+EQ1_H*PRESpan1[ID:1]**3+ &
!
EQ1_I*LOG_B1_M*PRESpan1[ID:1]**2+EQ1_J*LOG_B1_M**2*PRESpan1[ID:1]
!PR1_E1_M = IFLT0(8007390.0 - PR1_E1_M,IFLT0(8043910.0 - PR1_E1_M,8043910.0,
&
PR1_E1_M),8007390.0)
!PR1_E1_U = EQ1_A+EQ1_B*LOG_B1_U+EQ1_C*PRESpan1[ID:1]+EQ1_D*LOG_B1_U**2+ &
!
EQ1_E*PRESpan1[ID:1]**2+EQ1_F*LOG_B1_U*PRESpan1[ID:1]+ &
!
EQ1_G*LOG_B1_U**3+EQ1_H*PRESpan1[ID:1]**3+ &
!
EQ1_I*LOG_B1_U*PRESpan1[ID:1]**2+EQ1_J*LOG_B1_U**2*PRESpan1[ID:1]
!PR1_E1_U = IFLT0(8007390.0 - PR1_E1_U,IFLT0(8043910.0 - PR1_E1_U,8043910.0,
&
PR1_E1_U),8007390.0)
!JSS
!
PR1_E2 = (EQ2_A+EQ2_B*LOG_KR1+EQ2_C*LOG_KR1**2+EQ2_D*PRESpan1[ID:1])/ &
(1.0+EQ2_E*LOG_KR1+EQ2_F*LOG_KR1**2+EQ2_G*LOG_KR1**3+ &
EQ2_H*PRESpan1[ID:1])
PR1_E2 = IFLT0(742886.0 - PR1_E2,IFLT0(8043530.0 - PR1_E2,8043530.0, &
PR1_E2),742886.0)
!JSS
PR1_E3_L = EQ3_A+EQ3_B/LOG_G1_L+EQ3_C*PRESpan1[ID:1]+EQ3_D/LOG_G1_L**2+ &
EQ3_E*PRESpan1[ID:1]**2+EQ3_F*PRESpan1[ID:1]/LOG_G1_L+ &
EQ3_G/LOG_G1_L**3+ EQ3_H*PRESpan1[ID:1]**3+ &

```



```

EQ3_I*PRESpan1[ID:1]**2/LOG_G1_L+ &
EQ3_J*PRESpan1[ID:1]/LOG_G1_L**2
!PR1_E3_M = EQ3_A+EQ3_B/LOG_G1_M+EQ3_C*PRESpan1[ID:1]+EQ3_D/LOG_G1_M**2+ &
!
! EQ3_E*PRESpan1[ID:1]**2+EQ3_F*PRESpan1[ID:1]/LOG_G1_M+ &
! EQ3_G/LOG_G1_M**3+ EQ3_H*PRESpan1[ID:1]**3+ &
! EQ3_I*PRESpan1[ID:1]**2/LOG_G1_M+ &
! EQ3_J*PRESpan1[ID:1]/LOG_G1_M**2
!PR1_E3_U = EQ3_A+EQ3_B/LOG_G1_U+EQ3_C*PRESpan1[ID:1]+EQ3_D/LOG_G1_U**2+ &
!
! EQ3_E*PRESpan1[ID:1]**2+EQ3_F*PRESpan1[ID:1]/LOG_G1_U+ &
! EQ3_G/LOG_G1_U**3+ EQ3_H*PRESpan1[ID:1]**3+ &
! EQ3_I*PRESpan1[ID:1]**2/LOG_G1_U+ &
! EQ3_J*PRESpan1[ID:1]/LOG_G1_U**2
!
PR1_E3_L = IFLT0(207363.0 - PR1_E3_L, IFLT0(1663940.0 - PR1_E3_L, 1663940.0, &
PR1_E3_L), 207363.0)
!PR1_E3_M = IFLT0(207363.0 - PR1_E3_M, IFLT0(1663940.0 - PR1_E3_M, 1663940.0,
&
PR1_E3_M), 207363.0)
!PR1_E3_U = IFLT0(207363.0 - PR1_E3_U, IFLT0(1663940.0 - PR1_E3_U, 1663940.0,
&
PR1_E3_U), 207363.0)
!JSS
!
! RESET FBHP TO 0 IF NO BRINE BLOWOUT (KRW = 0 OR PRESSURE < 8 MPa)
!JSS
FBHP1_L = IFEQ0(KRW1, 0, IFLT0(PRESpan1[ID:1]-8.0E6, 0, &
IFEQ0(KRG1, PR1_E1_L, IFLT0(LOG_KR1, PR1_E2, PR1_E3_L))))
!FBHP1_M = IFEQ0(KRW1, 0, IFLT0(PRESpan1[ID:1]-8.0E6, 0, &
IFEQ0(KRG1, PR1_E1_M, IFLT0(LOG_KR1, PR1_E2, PR1_E3_M))))
!FBHP1_U = IFEQ0(KRW1, 0, IFLT0(PRESpan1[ID:1]-8.0E6, 0, &
IFEQ0(KRG1, PR1_E1_U, IFLT0(LOG_KR1, PR1_E2, PR1_E3_U))))
!JSS
!
! IF NO BLOWOUT, SET NUMBER OF BRAGFLO STEPS TO 1, ELSE 1000
!JSS
NSTEP1_L = MAKEPROP(IFEQ0(FBHP1_L, 1, 1000))
!NSTEP1_M = MAKEPROP(IFEQ0(FBHP1_M, 1, 1000))
!NSTEP1_U = MAKEPROP(IFEQ0(FBHP1_U, 1, 1000))
!JSS
! REGION NO 2 (PANELS 3, 4, 6 & 10)
BRINE2 = IFLT0((BSATPAN2[ID:1]-
SAT_RBRN[ID:1]), SAT_RBRN[ID:1], BSATPAN2[ID:1])
SEBRINE2 = (BRINE2 - SAT_RBRN[ID:1])/(1.0 - SAT_RBRN[ID:1])
SEGAS2 = (BRINE2 - SAT_RBRN[ID:1])/(1.0-SAT_RBRN[ID:1]-SAT_RGAS[ID:1])
SEGAS2 = IFLT0((1.0 - SEGAS2), 1.0, SEGAS2)
KRW2 = SEBRINE2**((2+3*PORE_DIS[ID:1])/PORE_DIS[ID:1])
KRG2 = (1.0-SEGAS2)**2*(1.0-SEGAS2)**((2 +
PORE_DIS[ID:1])/PORE_DIS[ID:1])
! NOW CALCULATE CONSTANT FOR BRINE AND GAS
!JSS
CONBR2_L = WELLPI_L * KRW2 / VISCO[ID:7]
!CONBR2_M = WELLPI_M * KRW2 / VISCO[ID:7]
!CONBR2_U = WELLPI_U * KRW2 / VISCO[ID:7]
congs2_L = WELLPI_L * KRG2 / VISCO[ID:8]
!congs2_M = WELLPI_M * KRG2 / VISCO[ID:8]
!congs2_U = WELLPI_U * KRG2 / VISCO[ID:8]
!

```

```

! NOW TAKE LOG BASE 10 OF PARAMETERS NEEDED FOR FBHP EQUATIONS
!JSS
LOG_B2_L = IFEQ0(KRW2,-10,LOG10(CONBR2_L+1E-24))
!LOG_B2_M = IFEQ0(KRW2,-10,LOG10(CONBR2_M+1E-24))
!LOG_B2_U = IFEQ0(KRW2,-10,LOG10(CONBR2_U+1E-24))
!
LOG_KR2 = IFEQ0(KRW2,10,LOG10((KRG2+1E-24)/(KRW2+1E-24)))
! INTRODUCE A TERM FOR GAS DOMINATED FLOW
!JSS
LOG_G2_L = IFEQ0(KRG2,-10,LOG10(congs2_L+1E-24))
!LOG_G2_M = IFEQ0(KRG2,-10,LOG10(congs2_M+1E-24))
!LOG_G2_U = IFEQ0(KRG2,-10,LOG10(congs2_U+1E-24))
! CALCULATE FBHP's AND SET WITHIN LIMITS
!
PR2_E1_L = EQ1_A+EQ1_B*LOG_B2_L+EQ1_C*PRESPAN2[ID:1]+EQ1_D*LOG_B2_L**2+ &
EQ1_E*PRESPAN2[ID:1]**2+EQ1_F*LOG_B2_L*PRESPAN2[ID:1]+ &
EQ1_G*LOG_B2_L**3+EQ1_H*PRESPAN2[ID:1]**3+ &
EQ1_I*LOG_B2_L*PRESPAN2[ID:1]**2+EQ1_J*LOG_B2_L**2*PRESPAN2[ID:1]
PR2_E1_L = IFLT0(8007390.0 - PR2_E1_L, IFLT0(8043910.0 - PR2_E1_L, 8043910.0, &
PR2_E1_L), 8007390.0)
!PR2_E1_M = EQ1_A+EQ1_B*LOG_B2_M+EQ1_C*PRESPAN2[ID:1]+EQ1_D*LOG_B2_M**2+ &
! EQ1_E*PRESPAN2[ID:1]**2+EQ1_F*LOG_B2_M*PRESPAN2[ID:1]+ &
! EQ1_G*LOG_B2_M**3+EQ1_H*PRESPAN2[ID:1]**3+ &
! EQ1_I*LOG_B2_M*PRESPAN2[ID:1]**2+EQ1_J*LOG_B2_M**2*PRESPAN2[ID:1]
!PR2_E1_M = IFLT0(8007390.0 - PR2_E1_M, IFLT0(8043910.0 -
PR2_E1_M, 8043910.0, &
PR2_E1_M), 8007390.0)
!PR2_E1_U = EQ1_A+EQ1_B*LOG_B2_U+EQ1_C*PRESPAN2[ID:1]+EQ1_D*LOG_B2_U**2+ &
! EQ1_E*PRESPAN2[ID:1]**2+EQ1_F*LOG_B2_U*PRESPAN2[ID:1]+ &
! EQ1_G*LOG_B2_U**3+EQ1_H*PRESPAN2[ID:1]**3+ &
! EQ1_I*LOG_B2_U*PRESPAN2[ID:1]**2+EQ1_J*LOG_B2_U**2*PRESPAN2[ID:1]
!PR2_E1_U = IFLT0(8007390.0 - PR2_E1_U, IFLT0(8043910.0 -
PR2_E1_U, 8043910.0, &
PR2_E1_U), 8007390.0)
!!
PR2_E2 = (EQ2_A+EQ2_B*LOG_KR2+EQ2_C*LOG_KR2**2+EQ2_D*PRESPAN2[ID:1])/ &
(1.0+EQ2_E*LOG_KR2+EQ2_F*LOG_KR2**2+EQ2_G*LOG_KR2**3+ &
EQ2_H*PRESPAN2[ID:1])
PR2_E2 = IFLT0(742886.0 - PR2_E2, IFLT0(8043530.0 - PR2_E2, 8043530.0, &
PR2_E2), 742886.0)
!
PR2_E3_L = EQ3_A+EQ3_B/LOG_G2_L+EQ3_C*PRESPAN2[ID:1]+EQ3_D/LOG_G2_L**2+ &
EQ3_E*PRESPAN2[ID:1]**2+EQ3_F*PRESPAN2[ID:1]/LOG_G2_L+ &
EQ3_G/LOG_G2_L**3+ EQ3_H*PRESPAN2[ID:1]**3+ &
EQ3_I*PRESPAN2[ID:1]**2/LOG_G2_L+ &
EQ3_J*PRESPAN2[ID:1]/LOG_G2_L**2
!PR2_E3_M = EQ3_A+EQ3_B/LOG_G2_M+EQ3_C*PRESPAN2[ID:1]+EQ3_D/LOG_G2_M**2+ &
! EQ3_E*PRESPAN2[ID:1]**2+EQ3_F*PRESPAN2[ID:1]/LOG_G2_M+ &
! EQ3_G/LOG_G2_M**3+ EQ3_H*PRESPAN2[ID:1]**3+ &
! EQ3_I*PRESPAN2[ID:1]**2/LOG_G2_M+ &
! EQ3_J*PRESPAN2[ID:1]/LOG_G2_M**2
!PR2_E3_U = EQ3_A+EQ3_B/LOG_G2_U+EQ3_C*PRESPAN2[ID:1]+EQ3_D/LOG_G2_U**2+ &
! EQ3_E*PRESPAN2[ID:1]**2+EQ3_F*PRESPAN2[ID:1]/LOG_G2_U+ &
! EQ3_G/LOG_G2_U**3+ EQ3_H*PRESPAN2[ID:1]**3+ &
! EQ3_I*PRESPAN2[ID:1]**2/LOG_G2_U+ &
! EQ3_J*PRESPAN2[ID:1]/LOG_G2_U**2
!

```

```

PR2_E3_L = IFLT0(207363.0 - PR2_E3_L, IFLT0(1663940.0 - PR2_E3_L, 1663940.0, &
PR2_E3_L), 207363.0)
!PR2_E3_M = IFLT0(207363.0 - PR2_E3_M, IFLT0(1663940.0 - PR2_E3_M, 1663940.0,
&
! PR2_E3_M), 207363.0)
!PR2_E3_U = IFLT0(207363.0 - PR2_E3_U, IFLT0(1663940.0 - PR2_E3_U, 1663940.0,
&
! PR2_E3_U), 207363.0)
!
! RESET FBHP TO 0 IF NO BRINE BLOWOUT (KRW = 0 OR PRESSURE < 8 MPa)
FBHP2_L = IFEQ0(KRW2, 0, IFLT0(PRESPAN2[ID:1]-8.0E6, 0, &
IFEQ0(KRG2, PR2_E1_L, IFLT0(LOG_KR2, PR2_E2, PR2_E3_L))))
!FBHP2_M = IFEQ0(KRW2, 0, IFLT0(PRESPAN2[ID:1]-8.0E6, 0, &
IFEQ0(KRG2, PR2_E1_M, IFLT0(LOG_KR2, PR2_E2, PR2_E3_M))))
!FBHP2_U = IFEQ0(KRW2, 0, IFLT0(PRESPAN2[ID:1]-8.0E6, 0, &
IFEQ0(KRG2, PR2_E1_U, IFLT0(LOG_KR2, PR2_E2, PR2_E3_U))))
!
! IF NO BLOWOUT, SET NUMBER OF BRAGFLO STEPS TO 1, ELSE 1000
NSTEP2_L = MAKEPROP(IFEQ0(FBHP2_L, 1, 1000))
!NSTEP2_M = MAKEPROP(IFEQ0(FBHP2_M, 1, 1000))
!NSTEP2_U = MAKEPROP(IFEQ0(FBHP2_U, 1, 1000))
!
! REGION NO 3 (PANEL 5)
BRINE3 = IFLT0((BSATPAN3[ID:1]-
SAT_RBRN[ID:1]), SAT_RBRN[ID:1], BSATPAN3[ID:1])
SEBRINE3 = (BRINE3 - SAT_RBRN[ID:1]) / (1.0 - SAT_RBRN[ID:1])
SEGAS3 = (BRINE3 - SAT_RBRN[ID:1]) / (1.0 - SAT_RBRN[ID:1] - SAT_RGAS[ID:1])
SEGAS3 = IFLT0((1.0 - SEGAS3), 1.0, SEGAS3)
KRW3 = SEBRINE3**((2+3*PORE_DIS[ID:1])/PORE_DIS[ID:1])
KRG3 = (1.0-SEGAS3)**2*(1.0-SEGAS3**((2 +
PORE_DIS[ID:1])/PORE_DIS[ID:1]))
! NOW CALCULATE CONSTANT FOR BRINE AND GAS
!JSS
CONBR3_L = WELLPI_L * KRW3 / VISCO[ID:7]
!CONBR3_M = WELLPI_M * KRW3 / VISCO[ID:7]
!CONBR3_U = WELLPI_U * KRW3 / VISCO[ID:7]
congs3_L = WELLPI_L * KRG3 / VISCO[ID:8]
!congs3_M = WELLPI_M * KRG3 / VISCO[ID:8]
!congs3_U = WELLPI_U * KRG3 / VISCO[ID:8]
!JSS
! NOW TAKE LOG BASE 10 OF PARAMETERS NEEDED FOR FBHP EQUATIONS
!JSS
LOG_B3_L = IFEQ0(KRW3, -10, LOG10(CONBR3_L+1E-24))
!LOG_B3_M = IFEQ0(KRW3, -10, LOG10(CONBR3_M+1E-24))
!LOG_B3_U = IFEQ0(KRW3, -10, LOG10(CONBR3_U+1E-24))
!
LOG_KR3 = IFEQ0(KRW3, 10, LOG10((KRG3+1E-24)/(KRW3+1E-24)))
! INTRODUCE A TERM FOR GAS DOMINATED FLOW
!JSS
LOG_G3_L = IFEQ0(KRG3, -10, LOG10(congs3_L+1E-24))
!LOG_G3_M = IFEQ0(KRG3, -10, LOG10(congs3_M+1E-24))
!LOG_G3_U = IFEQ0(KRG3, -10, LOG10(congs3_U+1E-24))
!
!
! CALCULATE FBHP's AND SET WITHIN LIMITS
!

```

```

!
PR3_E1_L = EQ1_A+EQ1_B*LOG_B3_L+EQ1_C*PRESPAN3[ID:1]+EQ1_D*LOG_B3_L**2+ &
EQ1_E*PRESPAN3[ID:1]**2+EQ1_F*LOG_B3_L*PRESPAN3[ID:1]+ &
EQ1_G*LOG_B3_L**3+EQ1_H*PRESPAN3[ID:1]**3+ &
EQ1_I*LOG_B3_L*PRESPAN3[ID:1]**2+EQ1_J*LOG_B3_L**2*PRESPAN3[ID:1]
PR3_E1_L = IFLT0(8007390.0 - PR3_E1_L, IFLT0(8043910.0 - PR3_E1_L, 8043910.0, &
PR3_E1_L), 8007390.0)
!PR3_E1_M = EQ1_A+EQ1_B*LOG_B3_M+EQ1_C*PRESPAN3[ID:1]+EQ1_D*LOG_B3_M**2+ &
!
EQ1_E*PRESPAN3[ID:1]**2+EQ1_F*LOG_B3_M*PRESPAN3[ID:1]+ &
EQ1_G*LOG_B3_M**3+EQ1_H*PRESPAN3[ID:1]**3+ &
EQ1_I*LOG_B3_M*PRESPAN3[ID:1]**2+EQ1_J*LOG_B3_M**2*PRESPAN3[ID:1]
!PR3_E1_M = IFLT0(8007390.0 - PR3_E1_M, IFLT0(8043910.0 -
PR3_E1_M, 8043910.0, &
PR3_E1_M), 8007390.0)
!
!PR3_E1_U = EQ1_A+EQ1_B*LOG_B3_U+EQ1_C*PRESPAN3[ID:1]+EQ1_D*LOG_B3_U**2+ &
!
EQ1_E*PRESPAN3[ID:1]**2+EQ1_F*LOG_B3_U*PRESPAN3[ID:1]+ &
EQ1_G*LOG_B3_U**3+EQ1_H*PRESPAN3[ID:1]**3+ &
EQ1_I*LOG_B3_U*PRESPAN3[ID:1]**2+EQ1_J*LOG_B3_U**2*PRESPAN3[ID:1]
!PR3_E1_U = IFLT0(8007390.0 - PR3_E1_U, IFLT0(8043910.0 -
PR3_E1_U, 8043910.0, &
PR3_E1_U), 8007390.0)
!
!
PR3_E2 = (EQ2_A+EQ2_B*LOG_KR3+EQ2_C*LOG_KR3**2+EQ2_D*PRESPAN3[ID:1])/ &
(1.0+EQ2_E*LOG_KR3+EQ2_F*LOG_KR3**2+EQ2_G*LOG_KR3**3+ &
EQ2_H*PRESPAN3[ID:1])
PR3_E2 = IFLT0(742886.0 - PR3_E2, IFLT0(8043530.0 - PR3_E2, 8043530.0, &
PR3_E2), 742886.0)
!
!
PR3_E3_L = EQ3_A+EQ3_B/LOG_G3_L+EQ3_C*PRESPAN3[ID:1]+EQ3_D/LOG_G3_L**2+ &
EQ3_E*PRESPAN3[ID:1]**2+EQ3_F*PRESPAN3[ID:1]/LOG_G3_L+ &
EQ3_G/LOG_G3_L**3+ EQ3_H*PRESPAN3[ID:1]**3+ &
EQ3_I*PRESPAN3[ID:1]**2/LOG_G3_L+ &
EQ3_J*PRESPAN3[ID:1]/LOG_G3_L**2
!PR3_E3_M = EQ3_A+EQ3_B/LOG_G3_M+EQ3_C*PRESPAN3[ID:1]+EQ3_D/LOG_G3_M**2+ &
!
EQ3_E*PRESPAN3[ID:1]**2+EQ3_F*PRESPAN3[ID:1]/LOG_G3_M+ &
EQ3_G/LOG_G3_M**3+ EQ3_H*PRESPAN3[ID:1]**3+ &
EQ3_I*PRESPAN3[ID:1]**2/LOG_G3_M+ &
EQ3_J*PRESPAN3[ID:1]/LOG_G3_M**2
!PR3_E3_U = EQ3_A+EQ3_B/LOG_G3_U+EQ3_C*PRESPAN3[ID:1]+EQ3_D/LOG_G3_U**2+ &
!
EQ3_E*PRESPAN3[ID:1]**2+EQ3_F*PRESPAN3[ID:1]/LOG_G3_U+ &
EQ3_G/LOG_G3_U**3+ EQ3_H*PRESPAN3[ID:1]**3+ &
EQ3_I*PRESPAN3[ID:1]**2/LOG_G3_U+ &
EQ3_J*PRESPAN3[ID:1]/LOG_G3_U**2
!!
PR3_E3_L = IFLT0(207363.0 - PR3_E3_L, IFLT0(1663940.0 - PR3_E3_L, 1663940.0, &
PR3_E3_L), 207363.0)
!PR3_E3_M = IFLT0(207363.0 - PR3_E3_M, IFLT0(1663940.0 - PR3_E3_M, 1663940.0,
&
PR3_E3_M), 207363.0)
!PR3_E3_U = IFLT0(207363.0 - PR3_E3_U, IFLT0(1663940.0 - PR3_E3_U, 1663940.0,
&
PR3_E3_U), 207363.0)
!
! RESET FBHP TO 0 IF NO BRINE BLOWOUT (KRW = 0 OR PRESSURE < 8 MPa)
FBHP3_L = IFEQ0(KRW3, 0, IFLT0(PRESPAN3[ID:1]-8.0E6, 0, &
IFEQ0(KRG3, PR3_E1_L, IFLT0(LOG_KR3, PR3_E2, PR3_E3_L)))
!FBHP3_M = IFEQ0(KRW3, 0, IFLT0(PRESPAN3[ID:1]-8.0E6, 0, &

```

```

!           IFEQ0(KRG3,PR3_E1_M,IFLT0(LOG_KR3,PR3_E2,PR3_E3_L)))
!FBHP3_U   = IFEQ0(KRW3,0,IFLT0(PRESPAN3[ID:1]-8.0E6,0, &
!           IFEQ0(KRG3,PR3_E1_U,IFLT0(LOG_KR3,PR3_E2,PR3_E3_L)))

! IF NO BLOWOUT, SET NUMBER OF BRAGFLO STEPS TO 1, ELSE 1000
NSTEP3_L = MAKEPROP(IFEQ0(FBHP3_L,1,1000))
!NSTEP3_M = MAKEPROP(IFEQ0(FBHP3_M,1,1000))
!NSTEP3_U = MAKEPROP(IFEQ0(FBHP3_U,1,1000))
DELETE BRINE1, BRINE2, BRINE3
!=====
!*****
!SET UP BOUNDARY CONDITIONS FOR PREVIOUS INTRUSIONS HERE
!*****
! SET UP NEEDED CONSTANTS (NOTE: BOREHOLE LENGTH FROM PANEL TO CASTILE B.P.
! IS 247 METERS -- USED IN CON_SAND & CON_CREP)
! MODIFICATIONS MADE 5/30/96
LEN_BC   = MAKEPROP(247.0)
DRAIN_BC = MAKEPROP(SQRT(DEL_X[E:26]*DEL_Y[E:26]/PI[ID:10]))
WELPI_BC = PERM_X[ID:1] * HEIGHT[ID:1] / (LOG(DRAIN_BC/WELLRAD) + 0.0 - 0.5)
! JSS Adding 2PI term
WELPI_BC = WELPI_BC * 2 * PI[ID:10]
RHO_G_H  = MAKEPROP(DNSFLUID[ID:7]*GRAVACC[ID:10]*LEN_BC)
CON_OPEN = MAKEPROP((PRM_CAST*THCK_CAS[ID:11]*(LOG(DRAIN_BC/WELLRAD)-0.5)) &
/ (PERM_X[ID:1]*HEIGHT[ID:1]*(LOG(RE_CAST[ID:11]/WELLRAD)-0.5)))
CON_SAND = MAKEPROP((PRM_SAND*PI[ID:10]*WELLRAD*WELLRAD* &
(LOG(DRAIN_BC/WELLRAD)-0.5)) / (PERM_X[ID:1]*HEIGHT[ID:1]*LEN_BC))
! JSS Adding 2PI term to solution
CON_SAND = CON_SAND / (2 * PI[ID:10])
CON_CREP = MAKEPROP((PRM_CREP*PI[ID:10]*WELLRAD*WELLRAD* &
(LOG(DRAIN_BC/WELLRAD)-0.5)) / (PERM_X[ID:1]*HEIGHT[ID:1]*LEN_BC))
! JSS Adding 2PI term to solution
CON_CREP = CON_CREP / (2 * PI[ID:10])
! SOLVE FOR OPEN BOREHOLE TO CASTILE B.C. (WITHIN 200 YEARS AFTER FIRST
INTR.)
! USE FBHP3 SINCE BOUNDARY CONDITION WELL IS ASSUMED TO BE IN PANEL 5 (DOWN-
! DIP) FOR ALL SUBSEQUENT INTRUSIONS
BHP_OPEN = (FBHP3_L+CON_OPEN*(CAST_RE-RHO_G_H))/(1.0+CON_OPEN)
! SOLVE FOR SAND-FILLED BH CONDITION (200 TO 1200 YEARS AFTER 1ST INTRUSION)
BHP_SAND = (FBHP3_L+CON_SAND*(CAST_WB-RHO_G_H))/(1.0+CON_SAND)
! SOLVE FOR CREEP-CLOSED BH CONDITION (1200 YEARS AFTER 1ST INTRUSION)
BHP_CREP = (FBHP3_L+CON_CREP*(CAST_WB-RHO_G_H))/(1.0+CON_CREP)
!ASSIGN ABANDONED BH PRESSURE BASED ON INTRUSION TIME
PREV_TME = MAKEPROP(350.0)
DELT_TME = INTR_TME/YRSEC[ID:10] - PREV_TME
BHP_ABAN = IFGT0(DELT_TME - 200.1,IFGT0(DELT_TME -
1200.1,BHP_CREP,BHP_SAND), &
BHP_OPEN)
!*****
!=====
!*****
!CHAPTER 3. COMPUTE DIP IN REPOSITORY
!*****
!*****
!=====
!=====
LIMIT ELEMENT OFF

```

```

!COMPUTE THE GRID BLOCK ELEVATIONS ACCOUNTING FOR 1 DEGREE DIP IN SALADO
!DEFINE GRID BLOCK ELEVATIONS DUE TO DIP
! USE ELEVATION OF SHAFT AT MID-REPOSITORY
ZORIGIN    = 382.671
YORIGIN    = 1000.0
ELEVN      = MAKENODE(COS(THETA1[ID:1])*(Z-ZORIGIN) &
                    + SIN(THETA1[ID:1])*(Y-YORIGIN))
ELEVE      = NOD2ELE(ELEVN) + ZORIGIN
!COMPUTE GRID BLOCK POTENTIAL ASSUMING BRINE IS INCOMPRESSIBLE
(APPROXIMATELY)
POTE       = PRESEL/(DNSFLUID[ID:7]*GRAVACC[ID:10]) + ELEVE
!
! NOW SET GRID THICKNESS FOR ALL ELEMENTS TO CRUSHED PANEL HEIGHT
THICK      = MAKEATTR(HEIGHT[ID:1])
!
DELETE ELEVN, YORIGIN, ZORIGIN
EXIT

```

**SCENARIO: S4**

```

$ type alg_dbr_cra1_pre_dir_rel_s4.inp
!=====
!
!TITLE:BRAGFLO 1996 CCA CALCULATIONS: REPOSITORY SCALE BLOWOUT
!ANAYLST: Dan Stoelzel, SNL
!CREATED: NOV 2, 1995
!PURPOSE: ALGEBRA file computes properties that can not be obtained
!          from CAMDAT and/or assigns properties to element blocks.
!          THIS FILE PREPARES A .CDB FILE FOR PREBRAG TO READ
!IMPORTANT: This file originates from J.E. Bean's algebra file for his FEP
!           model. The methodologies to calculate dip were copied from his
!           file, with minor changes
!           made to account for the differences in the meshes.
!           ALGEBRA TO CALC. DIP IN REPOSITORY - SCALE BLOWOUT MODEL.
!           new version of bragflo
!
!   MODIFIED:
!           MARCH 26, 1996
!           BLOWOUT MODEL STRUGGLING IN PANEL SEAL REGION: TURNED OFF
!           CAP PRESSURE IN PANEL SEAL AND HALITE BY SETTING EQUAL TO
!           CAP PRESSURE IN WASTE REGION
!
!           MAY 17, 1996
!           ADDED BOUNDARY CONDITION WELL CALCULATION FOR E1-E2 SCEN.
!           NEW CHANGES FOR LATEST CCA ANALYSIS
!
!           June 29/1999   T. Hadgu
!           Corrected productivity index of intrusion borehole by
!           multiplying WELLPI by 2*PI.
!
!           July 22/1999   T. Hadgu
!           Changed the curve fit equations for Flowing Bottomhole
Pressure.
!           The new curve fits reflect the addition of 2*PI to WELLPI,
!           and were based on actual data from the 96 CCA 10,000 year
runs.
!

```

```

!           May 15/2002 T. Hadgu
!           Used equivalent permeabilities and porosities for panel
closure
!           (materials CONC_PCS AND PAN_S2) and DRZ next to panel closure
!           (material DRZ_PCS), to deal with Option D panel closure
!           implementation in the TBM vertical BRAGFLO grid.
!
!           May 28/2002 T. Hadgu
!           Subdivided the repository into 3 regions instead of 4
!           to account for new BRAGFLO TBM grid and Option D.
!
!           June 10/2002 T. Hadgu
!           Removed waste area properties that have been assigned to
other
!           materials. Proper material properties are now transferred
from
!           the 10,000-year BRAGFLO runs.
!
!           July 31,2003 J. Stein
!           Fixed AREA_TOT to represent the maximum spall volume of
!           4.0 m^3. Changed the way initial porosity is calculated
!           for the panel closure materials.
!
!=====
!*****
!CHAPTER 0: DEFINE NEW VARIABLE NAMES AND SOME NEEDED CONSTANTS
!*****
!=====
!
!
! SET CONSTANTS AND PUT IN WASTE REGION
LIMIT BLOCK 1
THETA1  = MAKEPROP(DIP_DEG[ID:10]*2.0*PI[ID:10]/360.0)
THETA2  = MAKEPROP(0.0)
!
!
PERM_X  = 10**PRMX_LOG
PERM_Y  = 10**PRMY_LOG
PERM_Z  = 10**PRMZ_LOG
SB_MIN  = SAT_RBRN * 1.05
POR_COMP = COMP_RCK/POROSITY
!
! CALCULATE PROPERTIES FOR DRZ (DRZ_1)
LIMIT BLOCK 2
PERM_X  = PERMBRX
PERM_Y  = PERMBRX
PERM_Z  = PERMBRX
SB_MIN  = SAT_RBRN * 1.05
! NOW ADJUST POROSITY AND PORE COMPRESSIBILITY TO EQ. PORE VOL WITH CRUSHED
! ROOM HEIGHT
POROSITY = HEIGHT * POR_INTR / HEIGHT[ID:1]
POR_COMP = COMP_RCK/POROSITY
!
! CALCULATE PROPERTIES FOR SALADO HALITE (S_HALITE)
LIMIT BLOCK 3
PERM_X  = 10**PRMX_LOG
PERM_Y  = 10**PRMY_LOG

```

```

PERM_Z = 10**PRMZ_LOG
SB_MIN = SAT_RBRN * 1.05
! NOW ADJUST POROSITY AND PORE COMPRESSIBILITY TO EQ. PORE VOL WITH CRUSHED
! ROOM HEIGHT
POROSITY = HEIGHT * POROSITY / HEIGHT[ID:1]
POR_COMP = COMP_RCK/POROSITY
!
! CALC PROPERTIES FOR PANEL SEALS (CONC_PCS)
LIMIT BLOCK 4
! Changes made by T. Hadgu to introduce equivalent permeabilities:
!PERM_X = 10**PRMX_LOG
!PERM_Y = 10**PRMY_LOG
!
! Additions by T. Hadgu (04/23/02)
D1 = 32.1
D2 = 7.9
DE = 40.
PERM1_X = 10**PRMX_LOG[ID:1]
PERM2_X = 10**PRMX_LOG
PERM_X = DE*PERM1_X*PERM2_X/(D1*PERM2_X + D2*PERM1_X)
PERM_Y = D1*PERM1_X/DE + D2*PERM2_X/DE
!
PERM_Z = 10**PRMZ_LOG
!
! JSS Define porosity of panel closures as length weighted mean porosity
! of CONC_PCS and WAS_AREA. First define PORO_CONC for DRZ_CONC material.
PORO_CONC = POROSITY
POROSITY = (PORO_CONC*D2+POROSITY[ID:1]*D1)/DE
!
SB_MIN = SAT_RBRN * 1.05
POR_COMP = COMP_RCK/POROSITY
!
PORE_DIS = PORE_DIS[ID:1]
SAT_RGAS = SAT_RGAS[ID:1]
SAT_RBRN = SAT_RBRN[ID:1]
CAP_MOD = CAP_MOD[ID:1]
RELP_MOD = RELP_MOD[ID:1]
PC_MAX = PC_MAX[ID:1]
PO_MIN = PO_MIN[ID:1]
SB_MIN = SAT_RBRN[ID:1]* 1.05
PCT_A = PCT_A[ID:1]
PCT_EXP = PCT_EXP[ID:1]
KPT = KPT[ID:1]
!
! CALC PROPERTIES FOR DRZ/EXTENDED CONCRETE (DRZ_CONC):
!
LIMIT BLOCK 5
!
D1 = 32.1
D2 = 7.9
DE = 40.
PERM1_X = PERMBRX[ID:2]
PERM2_X = 10**PRMX_LOG[ID:4]
PERM_X = DE*PERM1_X*PERM2_X/(D1*PERM2_X + D2*PERM1_X)
PERM_Y = D1*PERM1_X/DE + D2*PERM2_X/DE
!
PERM_Z = PERM_Z[ID:2]

```



```

!
!JSS Define porosity as length weighted mean porosity of DRZ and CONC_PCS
!
POROSITY = (POR_INTR[ID:2]*D2+PORO_CONC[ID:4]*D1)/DE
!
PORE_DIS = PORE_DIS[ID:2]
SAT_RGAS = SAT_RGAS[ID:2]
SAT_RBRN = SAT_RBRN[ID:2]
CAP_MOD = CAP_MOD[ID:2]
RELP_MOD = RELP_MOD[ID:2]
PC_MAX = PC_MAX[ID:2]
PO_MIN = PO_MIN[ID:2]
SB_MIN = SAT_RBRN[ID:2]* 1.05
KPT = KPT[ID:2]
POR_INTR = POR_INTR[ID:2]
!
POR_COMP = COMP_RCK[ID:2]/POROSITY
!
! CALC PROPERTIES FOR CENTER PANEL SEALS (PAN_SL2):
!
LIMIT BLOCK 6
!
PERM_X = PERM_Y[ID:4]
PERM_Y = PERM_X[ID:4]
PERM_Z = PERM_Z[ID:4]
!
POROSITY = POROSITY[ID:4]
!
PORE_DIS = PORE_DIS[ID:4]
SAT_RGAS = SAT_RGAS[ID:4]
SAT_RBRN = SAT_RBRN[ID:4]
CAP_MOD = CAP_MOD[ID:4]
RELP_MOD = RELP_MOD[ID:4]
PC_MAX = PC_MAX[ID:4]
PO_MIN = PO_MIN[ID:4]
PCT_A = PCT_A[ID:4]
PCT_EXP = PCT_EXP[ID:4]
KPT = KPT[ID:4]
HEIGHT = HEIGHT[ID:4]
!
SB_MIN = SB_MIN[ID:4]
POR_COMP = POR_COMP[ID:4]
!
!=====
! SET WELLBORE PROPS
LIMIT BLOCK 9
SEBRINE1 = MAKEPROP(0.0)
SEGAS1 = MAKEPROP(0.0)
KRW1 = MAKEPROP(0.0)
KRG1 = MAKEPROP(0.0)
SEBRINE2 = MAKEPROP(0.0)
SEGAS2 = MAKEPROP(0.0)
KRW2 = MAKEPROP(0.0)
KRG2 = MAKEPROP(0.0)
SEBRINE3 = MAKEPROP(0.0)
SEGAS3 = MAKEPROP(0.0)
KRW3 = MAKEPROP(0.0)

```

```

KRG3      = MAKEPROP(0.0)
! DEFINE CONSTANTS FOR THE THREE EQUATIONS TO BE USED TO CALCULATE FBHP
! EQUATION 1: (FOR BRINE FLOW ONLY, KRG = 0)
! FBHP = A + BX + CY + DX^2 + EY^2 + FXY + GX^3 + HY^3 + IXY^2 + JYX^2
!   X = LOG10(BRINE CONST) LOG M^3/pA-S
!   Y = PANEL PRESSURE (Pa)
!   8.00739E6 Pa < FBHP < 8.04391E6 Pa
EQ1_A = MAKEPROP(3.2279346E+11)
EQ1_B = MAKEPROP(9.4816648E+10)
EQ1_C = MAKEPROP(-6200.2715)
EQ1_D = MAKEPROP(9.2450601E+09)
EQ1_E = MAKEPROP(4.1464475E-06)
EQ1_F = MAKEPROP(-1288.6068)
EQ1_G = MAKEPROP(2.9905582E+08)
EQ1_H = MAKEPROP(1.0857041E-14)
EQ1_I = MAKEPROP(4.7119798E-07)
EQ1_J = MAKEPROP(-66.90712)
!
! EQUATION 2: (FOR LOG10(KRG/KRW) < 0 BRINE DOMINATED FLOW)
! FBHP = (A + BX + CX^2 + DY/(1 + EX + FX^2 + GX^3 + HY)
!   X = LOG10(KRG/KRB)
!   Y = PANEL PRESSURE (Pa)
!   7.42886E5 Pa < FBHP < 8.04353E6 Pa
EQ2_A = MAKEPROP(1606507.7)
EQ2_B = MAKEPROP(2624339.7)
EQ2_C = MAKEPROP(2476889.9)
EQ2_D = MAKEPROP(-0.053635476)
EQ2_E = MAKEPROP(0.70815693)
EQ2_F = MAKEPROP(0.38012696)
EQ2_G = MAKEPROP(0.0041916956)
EQ2_H = MAKEPROP(-2.4887085E-08)
!
! EQUATION 3: (FOR LOG10(KRG/KRW) > 0 GAS DOMINATED FLOW)
! FBHP = A + B/X + CY + D/X^2 + EY^2 + FY/X + G/X^3 + HY^3 + IY^2/X + JY/X^2
!   X = LOG10(GAS CONST) LOG M^3/pA-S
!   Y = PANEL PRESSURE (Pa)
!   2.07363E5 Pa < FBHP < 1.66394E6 Pa
EQ3_A = MAKEPROP(-1.0098405E+09)
EQ3_B = MAKEPROP(-2.3044622E+10)
EQ3_C = MAKEPROP(9.8039146)
EQ3_D = MAKEPROP(-1.7426466E+11)
EQ3_E = MAKEPROP(1.8309137E-07)
EQ3_F = MAKEPROP(174.97064)
EQ3_G = MAKEPROP(-4.3698224E+11)
EQ3_H = MAKEPROP(-1.4891198E-16)
EQ3_I = MAKEPROP(1.3006196E-06)
EQ3_J = MAKEPROP(757.44833)
!
! CALCULATE SKIN FROM SPALL REMOVED, & WELL PRODUCTIVITY INDEX
! ELEMENT 59 IS LOCATION OF WELL2 (2ND INTRUSION DOWN DIP)
!
! JSS: Setting AREA_TOT to a constant.  AREA_TOT=MAX[SPALL VOL]/Initial
Height
! JSS: AREA_TOT=4.0/3.96 = 1.01
!
AREA_TOT = 1.01
!

```

```

WELLRAD = BITSIZE/2
!
DRNRAD_L = SQRT(DEL_X[E:59]*DEL_Y[E:59]/PI[ID:10])
!DRNRAD_M = SQRT(DEL_X[E:240]*DEL_Y[E:240]/PI[ID:10])
!DRNRAD_U = SQRT(DEL_X[E:708]*DEL_Y[E:708]/PI[ID:10])
!
SKIN      = -1.0*LOG(SQRT(AREA_TOT/PI[ID:10])/WELLRAD)
SKIN      = IFLT0(SKIN,SKIN,0)
! CHECK TO BE SURE WELLPI IS NOT 0 OR NEG, & SET TO 1.0 IF IT IS
! WELLPI   = PERM_X[ID:1] * HEIGHT[ID:1] / (LOG(DRNRAD/WELLRAD) + SKIN - 0.5)
!JSS
WELLPI_L  = IFGT0(LOG(DRNRAD_L/WELLRAD) + SKIN - 0.5,PERM_X[ID:1]* &
HEIGHT[ID:1] &
/ (LOG(DRNRAD_L/WELLRAD) + SKIN - 0.5),1.0)
!WELLPI_M = IFGT0(LOG(DRNRAD_M/WELLRAD) + SKIN - 0.5,PERM_X[ID:1]* &
! HEIGHT[ID:1] &
! / (LOG(DRNRAD_M/WELLRAD) + SKIN - 0.5),1.0)
!WELLPI_U = IFGT0(LOG(DRNRAD_U/WELLRAD) + SKIN - 0.5,PERM_X[ID:1]* &
! HEIGHT[ID:1] &
! / (LOG(DRNRAD_U/WELLRAD) + SKIN - 0.5),1.0)
!!JSS
! WELLPI has been modified by T. Hadgu on 06/29/99 as follows:
!JSS
WELLPI_L  = WELLPI_L*2.*PI[ID:10]
!WELLPI_M = WELLPI_M*2.*PI[ID:10]
!WELLPI_U = WELLPI_U*2.*PI[ID:10]
!JSS
! CALCULATE CONSTANTS NEEDED FOR WELLBORE MODEL:
! CALCULATE EFFECTIVE SATURATION USING KRP = 4 (BROOKS - COREY MODIFIED,
! WITH LAMBDA (PORE_DIS) = 2.89, NO CAP PRESSURE). DO FOR 3 COUPLED REGIONS
! REGION NO 1 (PANELS 1,2,7,8 & 9)
BRINE1    = IFLT0((BSATPAN1[ID:1]-
SAT_RBRN[ID:1]),SAT_RBRN[ID:1],BSATPAN1[ID:1])
SEBRINE1  = (BRINE1 - SAT_RBRN[ID:1])/(1.0 - SAT_RBRN[ID:1])
SEGAS1    = (BRINE1 - SAT_RBRN[ID:1])/(1.0-SAT_RBRN[ID:1]-SAT_RGAS[ID:1])
SEGAS1    = IFLT0((1.0 - SEGAS1),1.0,SEGAS1)
KRW1      = SEBRINE1**((2+3*PORE_DIS[ID:1])/PORE_DIS[ID:1])
KRG1      = (1.0-SEGAS1)**2*(1.0-SEGAS1**((2 +
PORE_DIS[ID:1])/PORE_DIS[ID:1]))
! NOW CALCULATE CONSTANT FOR BRINE AND GAS
!JSS
CONBR1_L  = WELLPI_L * KRW1 / VISCO[ID:7]
!CONBR1_M = WELLPI_M * KRW1 / VISCO[ID:7]
!CONBR1_U = WELLPI_U * KRW1 / VISCO[ID:7]
CONGS1_L  = WELLPI_L * KRG1 / VISCO[ID:8]
!CONGS1_M = WELLPI_M * KRG1 / VISCO[ID:8]
!CONGS1_U = WELLPI_U * KRG1 / VISCO[ID:8]
!JSS
! NOW TAKE LOG BASE 10 OF PARAMETERS NEEDED FOR FBHP EQUATIONS
!JSS
LOG_B1_L  = IFEQ0(KRW1,-10,LOG10(CONBR1_L+1E-24))
!LOG_B1_M = IFEQ0(KRW1,-10,LOG10(CONBR1_M+1E-24))
!LOG_B1_U = IFEQ0(KRW1,-10,LOG10(CONBR1_U+1E-24))
!JSS
LOG_KR1   = IFEQ0(KRW1,10,LOG10((KRG1+1E-24)/(KRW1+1E-24)))
! INTRODUCE A TERM FOR GAS DOMINATED FLOW
!JSS

```

```

LOG_G1_L = IFEQ0 (KRG1, -10, LOG10 (CONGS1_L+1E-24))
!LOG_G1_M = IFEQ0 (KRG1, -10, LOG10 (CONGS1_M+1E-24))
!LOG_G1_U = IFEQ0 (KRG1, -10, LOG10 (CONGS1_U+1E-24))
!
! CALCULATE FBHP's AND SET WITHIN LIMITS
!
PR1_E1_L = EQ1_A+EQ1_B*LOG_B1_L+EQ1_C*PRESPAN1[ID:1]+EQ1_D*LOG_B1_L**2+ &
EQ1_E*PRESPAN1[ID:1]**2+EQ1_F*LOG_B1_L*PRESPAN1[ID:1]+ &
EQ1_G*LOG_B1_L**3+EQ1_H*PRESPAN1[ID:1]**3+&
EQ1_I*LOG_B1_L*PRESPAN1[ID:1]**2+EQ1_J*LOG_B1_L**2*PRESPAN1[ID:1]
PR1_E1_L = IFLT0(8007390.0 - PR1_E1_L, IFLT0(8043910.0 - PR1_E1_L, 8043910.0,
&
PR1_E1_L), 8007390.0)
!PR1_E1_M = EQ1_A+EQ1_B*LOG_B1_M+EQ1_C*PRESPAN1[ID:1]+EQ1_D*LOG_B1_M**2+ &
! EQ1_E*PRESPAN1[ID:1]**2+EQ1_F*LOG_B1_M*PRESPAN1[ID:1]+ &
! EQ1_G*LOG_B1_M**3+EQ1_H*PRESPAN1[ID:1]**3+&
! EQ1_I*LOG_B1_M*PRESPAN1[ID:1]**2+EQ1_J*LOG_B1_M**2*PRESPAN1[ID:1]
!PR1_E1_M = IFLT0(8007390.0 - PR1_E1_M, IFLT0(8043910.0 - PR1_E1_M, 8043910.0,
&
PR1_E1_M), 8007390.0)
!PR1_E1_U = EQ1_A+EQ1_B*LOG_B1_U+EQ1_C*PRESPAN1[ID:1]+EQ1_D*LOG_B1_U**2+ &
! EQ1_E*PRESPAN1[ID:1]**2+EQ1_F*LOG_B1_U*PRESPAN1[ID:1]+ &
! EQ1_G*LOG_B1_U**3+EQ1_H*PRESPAN1[ID:1]**3+&
! EQ1_I*LOG_B1_U*PRESPAN1[ID:1]**2+EQ1_J*LOG_B1_U**2*PRESPAN1[ID:1]
!PR1_E1_U = IFLT0(8007390.0 - PR1_E1_U, IFLT0(8043910.0 - PR1_E1_U, 8043910.0,
&
PR1_E1_U), 8007390.0)
!!JSS
!
PR1_E2 = (EQ2_A+EQ2_B*LOG_KR1+EQ2_C*LOG_KR1**2+EQ2_D*PRESPAN1[ID:1])/ &
(1.0+EQ2_E*LOG_KR1+EQ2_F*LOG_KR1**2+EQ2_G*LOG_KR1**3+ &
EQ2_H*PRESPAN1[ID:1])
PR1_E2 = IFLT0(742886.0 - PR1_E2, IFLT0(8043530.0 - PR1_E2, 8043530.0, &
PR1_E2), 742886.0)
!JSS
PR1_E3_L = EQ3_A+EQ3_B/LOG_G1_L+EQ3_C*PRESPAN1[ID:1]+EQ3_D/LOG_G1_L**2+ &
EQ3_E*PRESPAN1[ID:1]**2+EQ3_F*PRESPAN1[ID:1]/LOG_G1_L+ &
EQ3_G/LOG_G1_L**3+ EQ3_H*PRESPAN1[ID:1]**3+ &
EQ3_I*PRESPAN1[ID:1]**2/LOG_G1_L+ &
EQ3_J*PRESPAN1[ID:1]/LOG_G1_L**2
!PR1_E3_M = EQ3_A+EQ3_B/LOG_G1_M+EQ3_C*PRESPAN1[ID:1]+EQ3_D/LOG_G1_M**2+ &
! EQ3_E*PRESPAN1[ID:1]**2+EQ3_F*PRESPAN1[ID:1]/LOG_G1_M+ &
! EQ3_G/LOG_G1_M**3+ EQ3_H*PRESPAN1[ID:1]**3+ &
! EQ3_I*PRESPAN1[ID:1]**2/LOG_G1_M+ &
! EQ3_J*PRESPAN1[ID:1]/LOG_G1_M**2
!PR1_E3_U = EQ3_A+EQ3_B/LOG_G1_U+EQ3_C*PRESPAN1[ID:1]+EQ3_D/LOG_G1_U**2+ &
! EQ3_E*PRESPAN1[ID:1]**2+EQ3_F*PRESPAN1[ID:1]/LOG_G1_U+ &
! EQ3_G/LOG_G1_U**3+ EQ3_H*PRESPAN1[ID:1]**3+ &
! EQ3_I*PRESPAN1[ID:1]**2/LOG_G1_U+ &
! EQ3_J*PRESPAN1[ID:1]/LOG_G1_U**2
!
PR1_E3_L = IFLT0(207363.0 - PR1_E3_L, IFLT0(1663940.0 - PR1_E3_L, 1663940.0, &
PR1_E3_L), 207363.0)
!PR1_E3_M = IFLT0(207363.0 - PR1_E3_M, IFLT0(1663940.0 - PR1_E3_M, 1663940.0,
&
PR1_E3_M), 207363.0)
!PR1_E3_U = IFLT0(207363.0 - PR1_E3_U, IFLT0(1663940.0 - PR1_E3_U, 1663940.0,

```

```

&
!          PR1_E3_U),207363.0)
!JSS
!
! RESET FBHP TO 0 IF NO BRINE BLOWOUT (KRW = 0 OR PRESSURE < 8 MPa)
!JSS
FBHP1_L   = IFEQ0(KRW1,0,IFLT0(PRESPAN1[ID:1]-8.0E6,0, &
IFEQ0(KRG1,PR1_E1_L,IFLT0(LOG_KR1,PR1_E2,PR1_E3_L))))
!FBHP1_M   = IFEQ0(KRW1,0,IFLT0(PRESPAN1[ID:1]-8.0E6,0, &
IFEQ0(KRG1,PR1_E1_M,IFLT0(LOG_KR1,PR1_E2,PR1_E3_M))))
!FBHP1_U   = IFEQ0(KRW1,0,IFLT0(PRESPAN1[ID:1]-8.0E6,0, &
IFEQ0(KRG1,PR1_E1_U,IFLT0(LOG_KR1,PR1_E2,PR1_E3_U))))
!JSS
!
! IF NO BLOWOUT, SET NUMBER OF BRAGFLO STEPS TO 1, ELSE 1000
!JSS
NSTEP1_L = MAKEPROP(IFEQ0(FBHP1_L,1,1000))
!NSTEP1_M = MAKEPROP(IFEQ0(FBHP1_M,1,1000))
!NSTEP1_U = MAKEPROP(IFEQ0(FBHP1_U,1,1000))
!JSS
! REGION NO 2 (PANELS 3,4,6 & 10)
BRINE2   = IFLT0((BSATPAN2[ID:1]-
SAT_RBRN[ID:1]),SAT_RBRN[ID:1],BSATPAN2[ID:1])
SEBRINE2 = (BRINE2 - SAT_RBRN[ID:1])/(1.0 - SAT_RBRN[ID:1])
SEGAS2   = (BRINE2 - SAT_RBRN[ID:1])/(1.0-SAT_RBRN[ID:1]-SAT_RGAS[ID:1])
SEGAS2   = IFLT0((1.0 - SEGAS2),1.0,SEGAS2)
KRW2     = SEBRINE2**((2+3*PORE_DIS[ID:1])/PORE_DIS[ID:1])
KRG2     = (1.0-SEGAS2)**2*(1.0-SEGAS2**((2 +
PORE_DIS[ID:1])/PORE_DIS[ID:1]))
! NOW CALCULATE CONSTANT FOR BRINE AND GAS
!JSS
CONBR2_L = WELLPI_L * KRW2 / VISCO[ID:7]
!CONBR2_M = WELLPI_M * KRW2 / VISCO[ID:7]
!CONBR2_U = WELLPI_U * KRW2 / VISCO[ID:7]
CONGS2_L = WELLPI_L * KRG2 / VISCO[ID:8]
!CONGS2_M = WELLPI_M * KRG2 / VISCO[ID:8]
!CONGS2_U = WELLPI_U * KRG2 / VISCO[ID:8]
!
! NOW TAKE LOG BASE 10 OF PARAMETERS NEEDED FOR FBHP EQUATIONS
!JSS
LOG_B2_L = IFEQ0(KRW2,-10,LOG10(CONBR2_L+1E-24))
!LOG_B2_M = IFEQ0(KRW2,-10,LOG10(CONBR2_M+1E-24))
!LOG_B2_U = IFEQ0(KRW2,-10,LOG10(CONBR2_U+1E-24))
!
LOG_KR2  = IFEQ0(KRW2,10,LOG10((KRG2+1E-24)/(KRW2+1E-24)))
! INTRODUCE A TERM FOR GAS DOMINATED FLOW
!JSS
LOG_G2_L = IFEQ0(KRG2,-10,LOG10(CONGS2_L+1E-24))
!LOG_G2_M = IFEQ0(KRG2,-10,LOG10(CONGS2_M+1E-24))
!LOG_G2_U = IFEQ0(KRG2,-10,LOG10(CONGS2_U+1E-24))
! CALCULATE FBHP'S AND SET WITHIN LIMITS
!
PR2_E1_L = EQ1_A+EQ1_B*LOG_B2_L+EQ1_C*PRESPAN2[ID:1]+EQ1_D*LOG_B2_L**2+ &
EQ1_E*PRESPAN2[ID:1]**2+EQ1_F*LOG_B2_L*PRESPAN2[ID:1]+ &
EQ1_G*LOG_B2_L**3+EQ1_H*PRESPAN2[ID:1]**3+ &
EQ1_I*LOG_B2_L*PRESPAN2[ID:1]**2+EQ1_J*LOG_B2_L**2*PRESPAN2[ID:1]
PR2_E1_L = IFLT0(8007390.0 - PR2_E1_L,IFLT0(8043910.0 - PR2_E1_L,8043910.0,&

```

```

PR2_E1_L),8007390.0)
!PR2_E1_M = EQ1_A+EQ1_B*LOG_B2_M+EQ1_C*PRESPAN2[ID:1]+EQ1_D*LOG_B2_M**2+ &
! EQ1_E*PRESPAN2[ID:1]**2+EQ1_F*LOG_B2_M*PRESPAN2[ID:1]+ &
! EQ1_G*LOG_B2_M**3+EQ1_H*PRESPAN2[ID:1]**3+&
! EQ1_I*LOG_B2_M*PRESPAN2[ID:1]**2+EQ1_J*LOG_B2_M**2*PRESPAN2[ID:1]
!PR2_E1_M = IFLT0(8007390.0 - PR2_E1_M,IFLT0(8043910.0 -
PR2_E1_M,8043910.0,&
! PR2_E1_M),8007390.0)
!PR2_E1_U = EQ1_A+EQ1_B*LOG_B2_U+EQ1_C*PRESPAN2[ID:1]+EQ1_D*LOG_B2_U**2+ &
! EQ1_E*PRESPAN2[ID:1]**2+EQ1_F*LOG_B2_U*PRESPAN2[ID:1]+ &
! EQ1_G*LOG_B2_U**3+EQ1_H*PRESPAN2[ID:1]**3+&
! EQ1_I*LOG_B2_U*PRESPAN2[ID:1]**2+EQ1_J*LOG_B2_U**2*PRESPAN2[ID:1]
!PR2_E1_U = IFLT0(8007390.0 - PR2_E1_U,IFLT0(8043910.0 -
PR2_E1_U,8043910.0,&
! PR2_E1_U),8007390.0)
!
PR2_E2 = (EQ2_A+EQ2_B*LOG_KR2+EQ2_C*LOG_KR2**2+EQ2_D*PRESPAN2[ID:1])/ &
(1.0+EQ2_E*LOG_KR2+EQ2_F*LOG_KR2**2+EQ2_G*LOG_KR2**3+ &
EQ2_H*PRESPAN2[ID:1])
PR2_E2 = IFLT0(742886.0 - PR2_E2,IFLT0(8043530.0 - PR2_E2,8043530.0, &
PR2_E2),742886.0)
!
PR2_E3_L = EQ3_A+EQ3_B/LOG_G2_L+EQ3_C*PRESPAN2[ID:1]+EQ3_D/LOG_G2_L**2+ &
EQ3_E*PRESPAN2[ID:1]**2+EQ3_F*PRESPAN2[ID:1]/LOG_G2_L+ &
EQ3_G/LOG_G2_L**3+ EQ3_H*PRESPAN2[ID:1]**3+ &
EQ3_I*PRESPAN2[ID:1]**2/LOG_G2_L+ &
EQ3_J*PRESPAN2[ID:1]/LOG_G2_L**2
!PR2_E3_M = EQ3_A+EQ3_B/LOG_G2_M+EQ3_C*PRESPAN2[ID:1]+EQ3_D/LOG_G2_M**2+ &
! EQ3_E*PRESPAN2[ID:1]**2+EQ3_F*PRESPAN2[ID:1]/LOG_G2_M+ &
! EQ3_G/LOG_G2_M**3+ EQ3_H*PRESPAN2[ID:1]**3+ &
! EQ3_I*PRESPAN2[ID:1]**2/LOG_G2_M+ &
! EQ3_J*PRESPAN2[ID:1]/LOG_G2_M**2
!PR2_E3_U = EQ3_A+EQ3_B/LOG_G2_U+EQ3_C*PRESPAN2[ID:1]+EQ3_D/LOG_G2_U**2+ &
! EQ3_E*PRESPAN2[ID:1]**2+EQ3_F*PRESPAN2[ID:1]/LOG_G2_U+ &
! EQ3_G/LOG_G2_U**3+ EQ3_H*PRESPAN2[ID:1]**3+ &
! EQ3_I*PRESPAN2[ID:1]**2/LOG_G2_U+ &
! EQ3_J*PRESPAN2[ID:1]/LOG_G2_U**2
!
PR2_E3_L = IFLT0(207363.0 - PR2_E3_L,IFLT0(1663940.0 - PR2_E3_L,1663940.0, &
PR2_E3_L),207363.0)
!PR2_E3_M = IFLT0(207363.0 - PR2_E3_M,IFLT0(1663940.0 - PR2_E3_M,1663940.0,
&
! PR2_E3_M),207363.0)
!PR2_E3_U = IFLT0(207363.0 - PR2_E3_U,IFLT0(1663940.0 - PR2_E3_U,1663940.0,
&
! PR2_E3_U),207363.0)
!
! RESET FBHP TO 0 IF NO BRINE BLOWOUT (KRW = 0 OR PRESSURE < 8 MPa)
FBHP2_L = IFEQ0(KRW2,0,IFLT0(PRESPAN2[ID:1]-8.0E6,0, &
IFEQ0(KRG2,PR2_E1_L,IFLT0(LOG_KR2,PR2_E2,PR2_E3_L))))
!FBHP2_M = IFEQ0(KRW2,0,IFLT0(PRESPAN2[ID:1]-8.0E6,0, &
! IFEQ0(KRG2,PR2_E1_M,IFLT0(LOG_KR2,PR2_E2,PR2_E3_M))))
!FBHP2_U = IFEQ0(KRW2,0,IFLT0(PRESPAN2[ID:1]-8.0E6,0, &
! IFEQ0(KRG2,PR2_E1_U,IFLT0(LOG_KR2,PR2_E2,PR2_E3_U))))
!
! IF NO BLOWOUT, SET NUMBER OF BRAGFLO STEPS TO 1, ELSE 1000
NSTEP2_L = MAKEPROP(IFEQ0(FBHP2_L,1,1000))

```

```

!NSTEP2_M = MAKEPROP(IFEQ0(FBHP2_M,1,1000))
!NSTEP2_U = MAKEPROP(IFEQ0(FBHP2_U,1,1000))
!!
! REGION NO 3 (PANEL 5)
BRINE3 = IFLT0((BSATPAN3[ID:1]-
SAT_RBRN[ID:1]),SAT_RBRN[ID:1],BSATPAN3[ID:1])
SEBRINE3 = (BRINE3 - SAT_RBRN[ID:1])/(1.0 - SAT_RBRN[ID:1])
SEGAS3 = (BRINE3 - SAT_RBRN[ID:1])/(1.0-SAT_RBRN[ID:1]-SAT_RGAS[ID:1])
SEGAS3 = IFLT0((1.0 - SEGAS3),1.0,SEGAS3)
KRW3 = SEBRINE3**((2+3*PORE_DIS[ID:1])/PORE_DIS[ID:1])
KRG3 = (1.0-SEGAS3)**2*(1.0-SEGAS3)**((2 +
PORE_DIS[ID:1])/PORE_DIS[ID:1]))
! NOW CALCULATE CONSTANT FOR BRINE AND GAS
!JSS
CONBR3_L = WELLPI_L * KRW3 / VISCO[ID:7]
!CONBR3_M = WELLPI_M * KRW3 / VISCO[ID:7]
!CONBR3_U = WELLPI_U * KRW3 / VISCO[ID:7]
CONGS3_L = WELLPI_L * KRG3 / VISCO[ID:8]
!CONGS3_M = WELLPI_M * KRG3 / VISCO[ID:8]
!CONGS3_U = WELLPI_U * KRG3 / VISCO[ID:8]
!JSS
! NOW TAKE LOG BASE 10 OF PARAMETERS NEEDED FOR FBHP EQUATIONS
!JSS
LOG_B3_L = IFEQ0(KRW3,-10,LOG10(CONBR3_L+1E-24))
!LOG_B3_M = IFEQ0(KRW3,-10,LOG10(CONBR3_M+1E-24))
!LOG_B3_U = IFEQ0(KRW3,-10,LOG10(CONBR3_U+1E-24))
!
LOG_KR3 = IFEQ0(KRW3,10,LOG10((KRG3+1E-24)/(KRW3+1E-24)))
! INTRODUCE A TERM FOR GAS DOMINATED FLOW
!JSS
LOG_G3_L = IFEQ0(KRG3,-10,LOG10(CONGS3_L+1E-24))
!LOG_G3_M = IFEQ0(KRG3,-10,LOG10(CONGS3_M+1E-24))
!LOG_G3_U = IFEQ0(KRG3,-10,LOG10(CONGS3_U+1E-24))
!
!
! CALCULATE FBHP's AND SET WITHIN LIMITS
!
!
PR3_E1_L = EQ1_A+EQ1_B*LOG_B3_L+EQ1_C*PRES PAN3[ID:1]+EQ1_D*LOG_B3_L**2+ &
EQ1_E*PRES PAN3[ID:1]**2+EQ1_F*LOG_B3_L*PRES PAN3[ID:1]+ &
EQ1_G*LOG_B3_L**3+EQ1_H*PRES PAN3[ID:1]**3+&
EQ1_I*LOG_B3_L*PRES PAN3[ID:1]**2+EQ1_J*LOG_B3_L**2*PRES PAN3[ID:1]
PR3_E1_L = IFLT0(8007390.0 - PR3_E1_L,IFLT0(8043910.0 - PR3_E1_L,8043910.0,&
PR3_E1_L),8007390.0)
!PR3_E1_M = EQ1_A+EQ1_B*LOG_B3_M+EQ1_C*PRES PAN3[ID:1]+EQ1_D*LOG_B3_M**2+ &
! EQ1_E*PRES PAN3[ID:1]**2+EQ1_F*LOG_B3_M*PRES PAN3[ID:1]+ &
! EQ1_G*LOG_B3_M**3+EQ1_H*PRES PAN3[ID:1]**3+&
! EQ1_I*LOG_B3_M*PRES PAN3[ID:1]**2+EQ1_J*LOG_B3_M**2*PRES PAN3[ID:1]
!PR3_E1_M = IFLT0(8007390.0 - PR3_E1_M,IFLT0(8043910.0 -
PR3_E1_M,8043910.0,&
PR3_E1_M),8007390.0)
!PR3_E1_U = EQ1_A+EQ1_B*LOG_B3_U+EQ1_C*PRES PAN3[ID:1]+EQ1_D*LOG_B3_U**2+ &
! EQ1_E*PRES PAN3[ID:1]**2+EQ1_F*LOG_B3_U*PRES PAN3[ID:1]+ &
! EQ1_G*LOG_B3_U**3+EQ1_H*PRES PAN3[ID:1]**3+&
! EQ1_I*LOG_B3_U*PRES PAN3[ID:1]**2+EQ1_J*LOG_B3_U**2*PRES PAN3[ID:1]
!PR3_E1_U = IFLT0(8007390.0 - PR3_E1_U,IFLT0(8043910.0 -
PR3_E1_U,8043910.0,&

```

```

!          PR3_E1_U),8007390.0)
!
PR3_E2 = (EQ2_A+EQ2_B*LOG_KR3+EQ2_C*LOG_KR3**2+EQ2_D*PRESPAN3[ID:1])/ &
(1.0+EQ2_E*LOG_KR3+EQ2_F*LOG_KR3**2+EQ2_G*LOG_KR3**3+ &
EQ2_H*PRESPAN3[ID:1])
PR3_E2 = IFLT0(742886.0 - PR3_E2, IFLT0(8043530.0 - PR3_E2, 8043530.0, &
PR3_E2), 742886.0)
!
PR3_E3_L = EQ3_A+EQ3_B/LOG_G3_L+EQ3_C*PRESPAN3[ID:1]+EQ3_D/LOG_G3_L**2+ &
EQ3_E*PRESPAN3[ID:1]**2+EQ3_F*PRESPAN3[ID:1]/LOG_G3_L+ &
EQ3_G/LOG_G3_L**3+ EQ3_H*PRESPAN3[ID:1]**3+ &
EQ3_I*PRESPAN3[ID:1]**2/LOG_G3_L+ &
EQ3_J*PRESPAN3[ID:1]/LOG_G3_L**2
!PR3_E3_M = EQ3_A+EQ3_B/LOG_G3_M+EQ3_C*PRESPAN3[ID:1]+EQ3_D/LOG_G3_M**2+ &
!          EQ3_E*PRESPAN3[ID:1]**2+EQ3_F*PRESPAN3[ID:1]/LOG_G3_M+ &
!          EQ3_G/LOG_G3_M**3+ EQ3_H*PRESPAN3[ID:1]**3+ &
!          EQ3_I*PRESPAN3[ID:1]**2/LOG_G3_M+ &
!          EQ3_J*PRESPAN3[ID:1]/LOG_G3_M**2
!PR3_E3_U = EQ3_A+EQ3_B/LOG_G3_U+EQ3_C*PRESPAN3[ID:1]+EQ3_D/LOG_G3_U**2+ &
!          EQ3_E*PRESPAN3[ID:1]**2+EQ3_F*PRESPAN3[ID:1]/LOG_G3_U+ &
!          EQ3_G/LOG_G3_U**3+ EQ3_H*PRESPAN3[ID:1]**3+ &
!          EQ3_I*PRESPAN3[ID:1]**2/LOG_G3_U+ &
!          EQ3_J*PRESPAN3[ID:1]/LOG_G3_U**2
!!
PR3_E3_L = IFLT0(207363.0 - PR3_E3_L, IFLT0(1663940.0 - PR3_E3_L, 1663940.0, &
PR3_E3_L), 207363.0)
!PR3_E3_M = IFLT0(207363.0 - PR3_E3_M, IFLT0(1663940.0 - PR3_E3_M, 1663940.0,
&
!          PR3_E3_M), 207363.0)
!PR3_E3_U = IFLT0(207363.0 - PR3_E3_U, IFLT0(1663940.0 - PR3_E3_U, 1663940.0,
&
!          PR3_E3_U), 207363.0)
!
! RESET FBHP TO 0 IF NO BRINE BLOWOUT (KRW = 0 OR PRESSURE < 8 MPa)
FBHP3_L = IFEQ0(KRW3, 0, IFLT0(PRESPAN3[ID:1]-8.0E6, 0, &
IFEQ0(KRG3, PR3_E1_L, IFLT0(LOG_KR3, PR3_E2, PR3_E3_L))))
!FBHP3_M = IFEQ0(KRW3, 0, IFLT0(PRESPAN3[ID:1]-8.0E6, 0, &
!          IFEQ0(KRG3, PR3_E1_M, IFLT0(LOG_KR3, PR3_E2, PR3_E3_L))))
!FBHP3_U = IFEQ0(KRW3, 0, IFLT0(PRESPAN3[ID:1]-8.0E6, 0, &
!          IFEQ0(KRG3, PR3_E1_U, IFLT0(LOG_KR3, PR3_E2, PR3_E3_L))))
!
! IF NO BLOWOUT, SET NUMBER OF BRAGFLO STEPS TO 1, ELSE 1000
NSTEP3_L = MAKEPROP(IFEQ0(FBHP3_L, 1, 1000))
!NSTEP3_M = MAKEPROP(IFEQ0(FBHP3_M, 1, 1000))
!NSTEP3_U = MAKEPROP(IFEQ0(FBHP3_U, 1, 1000))
DELETE BRINE1, BRINE2, BRINE3
!=====
!*****
!SET UP BOUNDARY CONDITIONS FOR PREVIOUS INTRUSIONS HERE
!*****
! WELLPI AND FBHP ARE SET TO ZERO FOR E2 INTRUSIONS (S4, S5)
WELPI_BC = MAKEPROP(0.0)
BHP_ABAN = MAKEPROP(0.0)
!*****
!=====
!*****
!CHAPTER 3. COMPUTE DIP IN REPOSITORY

```



```

!*****
!*****
!=====
!=====
LIMIT ELEMENT OFF
!COMPUTE THE GRID BLOCK ELEVATIONS ACCOUNTING FOR 1 DEGREE DIP IN SALADO
!DEFINE GRID BLOCK ELEVATIONS DUE TO DIP
! USE ELEVATION OF SHAFT AT MID-REPOSITORY
ZORIGIN   = 382.671
YORIGIN   = 1000.0
ELEVN     = MAKENODE(COS(THETA1[ID:1])*(Z-ZORIGIN) &
                   + SIN(THETA1[ID:1])*(Y-YORIGIN))
ELEVE     = NOD2ELE(ELEVN) + ZORIGIN
!COMPUTE GRID BLOCK POTENTIAL ASSUMING BRINE IS INCOMPRESSIBLE
(APPROXIMATELY)
POTE      = PRESEL/(DNSFLUID[ID:7]*GRAVACC[ID:10]) + ELEVE
!
! NOW SET GRID THICKNESS FOR ALL ELEMENTS TO CRUSHED PANEL HEIGHT
THICK     = MAKEATTR(HEIGHT[ID:1])
!
DELETE ELEVN, YORIGIN, ZORIGIN
EXIT

```

**SCENARIO: S5**

```
$ type alg_dbr_cra1_pre_dir_rel_s5.inp
```

```

!=====
!
!TITLE:BRAGFLO 1996 CCA CALCULATIONS: REPOSITORY SCALE BLOWOUT
!ANAYLST: Dan Stoelzel, SNL
!CREATED: NOV 2, 1995
!PURPOSE: ALGEBRA file computes properties that can not be obtained
!         from CAMDAT and/or assigns properties to element blocks.
!         THIS FILE PREPARES A .CDB FILE FOR PREBRAG TO READ
!IMPORTANT: This file originates from J.E. Bean's algebra file for his FEP
!         model. The methodologies to calculate dip were copied from his
!         file, with minor changes
!         made to account for the differences in the meshes.
!         ALGEBRA TO CALC. DIP IN REPOSITORY - SCALE BLOWOUT MODEL.
!         new version of bragflo
!
!   MODIFIED:
!         MARCH 26, 1996
!         BLOWOUT MODEL STRUGGLING IN PANEL SEAL REGION: TURNED OFF
!         CAP PRESSURE IN PANEL SEAL AND HALITE BY SETTING EQUAL TO
!         CAP PRESSURE IN WASTE REGION
!
!         MAY 17, 1996
!         ADDED BOUNDARY CONDITION WELL CALCULATION FOR E1-E2 SCEN.
!         NEW CHANGES FOR LATEST CCA ANALYSIS
!
!         June 29/1999   T. Hadgu
!         Corrected productivity index of intrusion borehole by
!         multiplying WELLPI by 2*PI.
!
!         July 22/1999   T. Hadgu
!         Changed the curve fit equations for Flowing Bottomhole

```

```

Pressure.
!           The new curve fits reflect the addition of 2*PI to WELLPI,
!           and were based on actual data from the 96 CCA 10,000 year
runs.
!
!           May 15/2002 T. Hadgu
!           Used equivalent permeabilities and porosities for panel
closure
!           (materials CONC_PCS AND PAN_S2) and DRZ next to panel closure
!           (material DRZ_PCS), to deal with Option D panel closure
!           implementation in the TBM vertical BRAGFLO grid.
!
!           May 28/2002 T. Hadgu
!           Subdivided the repository into 3 regions instead of 4
!           to account for new BRAGFLO TBM grid and Option D.
!
!           June 10/2002 T. Hadgu
!           Removed waste area properties that have been assigned to
other
!           materials. Proper material properties are now transferred
from
!           the 10,000-year BRAGFLO runs.
!
!           July 31,2003 J. Stein
!           Fixed AREA_TOT to represent the maximum spall volume of
!           4.0 m^3. Changed the way initial porosity is calculated
!           for the panel closure materials.
!

```

```

=====
!*****
!CHAPTER 0: DEFINE NEW VARIABLE NAMES AND SOME NEEDED CONSTANTS
!*****
=====

```

```

!
!
! SET CONSTANTS AND PUT IN WASTE REGION
LIMIT BLOCK 1
THETA1 = MAKEPROP(DIP_DEG[ID:10]*2.0*PI[ID:10]/360.0)
THETA2 = MAKEPROP(0.0)
!
!
PERM_X = 10**PRMX_LOG
PERM_Y = 10**PRMY_LOG
PERM_Z = 10**PRMZ_LOG
SB_MIN = SAT_RBRN * 1.05
POR_COMP = COMP_RCK/POROSITY
!
! CALCULATE PROPERTIES FOR DRZ (DRZ_1)
LIMIT BLOCK 2
PERM_X = PERMBRX
PERM_Y = PERMBRX
PERM_Z = PERMBRX
SB_MIN = SAT_RBRN * 1.05
! NOW ADJUST POROSITY AND PORE COMPRESSIBILITY TO EQ. PORE VOL WITH CRUSHED
! ROOM HEIGHT
POROSITY = HEIGHT * POR_INTR / HEIGHT[ID:1]
POR_COMP = COMP_RCK/POROSITY

```

```

!
! CALCULATE PROPERTIES FOR SALADO HALITE (S_HALITE)
LIMIT BLOCK 3
PERM_X = 10**PRMX_LOG
PERM_Y = 10**PRMY_LOG
PERM_Z = 10**PRMZ_LOG
SB_MIN = SAT_RBRN * 1.05
! NOW ADJUST POROSITY AND PORE COMPRESSIBILITY TO EQ. PORE VOL WITH CRUSHED
! ROOM HEIGHT
POROSITY = HEIGHT * POROSITY / HEIGHT[ID:1]
POR_COMP = COMP_RCK/POROSITY
!
! CALC PROPERTIES FOR PANEL SEALS (CONC_PCS)
LIMIT BLOCK 4
! Changes made by T. Hadgu to introduce equivalent permeabilities:
!PERM_X = 10**PRMX_LOG
!PERM_Y = 10**PRMY_LOG
!
! Additions by T. Hadgu (04/23/02)
D1 = 32.1
D2 = 7.9
DE = 40.
PERM1_X = 10**PRMX_LOG[ID:1]
PERM2_X = 10**PRMX_LOG
PERM_X = DE*PERM1_X*PERM2_X/(D1*PERM2_X + D2*PERM1_X)
PERM_Y = D1*PERM1_X/DE + D2*PERM2_X/DE
!
PERM_Z = 10**PRMZ_LOG
!
! JSS Define porosity of panel closures as length weighted mean porosity
! of CONC_PCS and WAS_AREA. First define PORO_CONC for DRZ_CONC material.
PORO_CONC = POROSITY
POROSITY = (PORO_CONC*D2+POROSITY[ID:1]*D1)/DE
!
SB_MIN = SAT_RBRN * 1.05
POR_COMP = COMP_RCK/POROSITY
!
PORE_DIS = PORE_DIS[ID:1]
SAT_RGAS = SAT_RGAS[ID:1]
SAT_RBRN = SAT_RBRN[ID:1]
CAP_MOD = CAP_MOD[ID:1]
RELP_MOD = RELP_MOD[ID:1]
PC_MAX = PC_MAX[ID:1]
PO_MIN = PO_MIN[ID:1]
SB_MIN = SAT_RBRN[ID:1]* 1.05
PCT_A = PCT_A[ID:1]
PCT_EXP = PCT_EXP[ID:1]
KPT = KPT[ID:1]
!
! CALC PROPERTIES FOR DRZ/EXTENDED CONCRETE (DRZ_CONC):
!
LIMIT BLOCK 5
!
D1 = 32.1
D2 = 7.9
DE = 40.
PERM1_X = PERMBRX[ID:2]

```

```

PERM2_X = 10**PRMX_LOG[ID:4]
PERM_X = DE*PERM1_X*PERM2_X/(D1*PERM2_X + D2*PERM1_X)
PERM_Y = D1*PERM1_X/DE + D2*PERM2_X/DE
!
PERM_Z = PERM_Z[ID:2]
!
!JSS Define porosity as length weighted mean porosity of DRZ and CONC_PCS
!
POROSITY = (POR_INTR[ID:2]*D2+PORO_CONC[ID:4]*D1)/DE
!
PORE_DIS = PORE_DIS[ID:2]
SAT_RGAS = SAT_RGAS[ID:2]
SAT_RBRN = SAT_RBRN[ID:2]
CAP_MOD = CAP_MOD[ID:2]
RELP_MOD = RELP_MOD[ID:2]
PC_MAX = PC_MAX[ID:2]
PO_MIN = PO_MIN[ID:2]
SB_MIN = SAT_RBRN[ID:2]* 1.05
KPT = KPT[ID:2]
POR_INTR = POR_INTR[ID:2]
!
POR_COMP = COMP_RCK[ID:2]/POROSITY
!
! CALC PROPERTIES FOR CENTER PANEL SEALS (PAN_SL2):
!
LIMIT BLOCK 6
!
PERM_X = PERM_Y[ID:4]
PERM_Y = PERM_X[ID:4]
PERM_Z = PERM_Z[ID:4]
!
POROSITY = POROSITY[ID:4]
!
PORE_DIS = PORE_DIS[ID:4]
SAT_RGAS = SAT_RGAS[ID:4]
SAT_RBRN = SAT_RBRN[ID:4]
CAP_MOD = CAP_MOD[ID:4]
RELP_MOD = RELP_MOD[ID:4]
PC_MAX = PC_MAX[ID:4]
PO_MIN = PO_MIN[ID:4]
PCT_A = PCT_A[ID:4]
PCT_EXP = PCT_EXP[ID:4]
KPT = KPT[ID:4]
HEIGHT = HEIGHT[ID:4]
!
SB_MIN = SB_MIN[ID:4]
POR_COMP = POR_COMP[ID:4]
!
=====
! SET WELLBORE PROPS
LIMIT BLOCK 9
SEBRINE1 = MAKEPROP(0.0)
SEGAS1 = MAKEPROP(0.0)
KRW1 = MAKEPROP(0.0)
KRG1 = MAKEPROP(0.0)
SEBRINE2 = MAKEPROP(0.0)
SEGAS2 = MAKEPROP(0.0)

```

```

KRW2      = MAKEPROP(0.0)
KRG2      = MAKEPROP(0.0)
SEBRINE3  = MAKEPROP(0.0)
SEGAS3    = MAKEPROP(0.0)
KRW3      = MAKEPROP(0.0)
KRG3      = MAKEPROP(0.0)
! DEFINE CONSTANTS FOR THE THREE EQUATIONS TO BE USED TO CALCULATE FBHP
! EQUATION 1: (FOR BRINE FLOW ONLY, KRG = 0)
! FBHP = A + BX + CY + DX^2 + EY^2 + FXY + GX^3 + HY^3 + IXY^2 + JYX^2
!   X = LOG10(BRINE CONST) LOG M^3/pA-S
!   Y = PANEL PRESSURE (Pa)
!   8.00739E6 Pa < FBHP < 8.04391E6 Pa
EQ1_A     = MAKEPROP(3.2279346E+11)
EQ1_B     = MAKEPROP(9.4816648E+10)
EQ1_C     = MAKEPROP(-6200.2715)
EQ1_D     = MAKEPROP(9.2450601E+09)
EQ1_E     = MAKEPROP(4.1464475E-06)
EQ1_F     = MAKEPROP(-1288.6068)
EQ1_G     = MAKEPROP(2.9905582E+08)
EQ1_H     = MAKEPROP(1.0857041E-14)
EQ1_I     = MAKEPROP(4.7119798E-07)
EQ1_J     = MAKEPROP(-66.90712)
!
! EQUATION 2: (FOR LOG10(KRG/KRW) < 0 BRINE DOMINATED FLOW)
! FBHP = (A + BX + CX^2 + DY/(1 + EX + FX^2 + GX^3 + HY)
!   X = LOG10(KRG/KRB)
!   Y = PANEL PRESSURE (Pa)
!   7.42886E5 Pa < FBHP < 8.04353E6 Pa
EQ2_A     = MAKEPROP(1606507.7)
EQ2_B     = MAKEPROP(2624339.7)
EQ2_C     = MAKEPROP(2476889.9)
EQ2_D     = MAKEPROP(-0.053635476)
EQ2_E     = MAKEPROP(0.70815693)
EQ2_F     = MAKEPROP(0.38012696)
EQ2_G     = MAKEPROP(0.0041916956)
EQ2_H     = MAKEPROP(-2.4887085E-08)
!
! EQUATION 3: (FOR LOG10(KRG/KRW) > 0 GAS DOMINATED FLOW)
! FBHP = A + B/X + CY + D/X^2 + EY^2 + FY/X + G/X^3 + HY^3 + IY^2/X + JY/X^2
!   X = LOG10(GAS CONST) LOG M^3/pA-S
!   Y = PANEL PRESSURE (Pa)
!   2.07363E5 Pa < FBHP < 1.66394E6 Pa
EQ3_A     = MAKEPROP(-1.0098405E+09)
EQ3_B     = MAKEPROP(-2.3044622E+10)
EQ3_C     = MAKEPROP(9.8039146)
EQ3_D     = MAKEPROP(-1.7426466E+11)
EQ3_E     = MAKEPROP(1.8309137E-07)
EQ3_F     = MAKEPROP(174.97064)
EQ3_G     = MAKEPROP(-4.3698224E+11)
EQ3_H     = MAKEPROP(-1.4891198E-16)
EQ3_I     = MAKEPROP(1.3006196E-06)
EQ3_J     = MAKEPROP(757.44833)
!
! CALCULATE SKIN FROM SPALL REMOVED, & WELL PRODUCTIVITY INDEX
! ELEMENT 59 IS LOCATION OF WELL2 (2ND INTRUSION DOWN DIP)
!
! JSS: Setting AREA_TOT to a constant. AREA_TOT=MAX[SPALL VOL]/Initial

```

```

Height
! JSS: AREA_TOT=4.0/3.96 = 1.01
!
AREA_TOT = 1.01
!
WELLRAD = BITSIZE/2
!
DRNRAD_L = SQRT(DEL_X[E:59]*DEL_Y[E:59]/PI[ID:10])
!DRNRAD_M = SQRT(DEL_X[E:240]*DEL_Y[E:240]/PI[ID:10])
!DRNRAD_U = SQRT(DEL_X[E:708]*DEL_Y[E:708]/PI[ID:10])
!
SKIN      = -1.0*LOG(SQRT(AREA_TOT/PI[ID:10])/WELLRAD)
SKIN      = IFLT0(SKIN,SKIN,0)
! CHECK TO BE SURE WELLPI IS NOT 0 OR NEG, & SET TO 1.0 IF IT IS
! WELLPI   = PERM_X[ID:1] * HEIGHT[ID:1] / (LOG(DRNRAD/WELLRAD) + SKIN - 0.5)
!JSS
WELLPI_L  = IFGT0(LOG(DRNRAD_L/WELLRAD) + SKIN - 0.5,PERM_X[ID:1]* &
HEIGHT[ID:1] &
/ (LOG(DRNRAD_L/WELLRAD) + SKIN - 0.5),1.0)
!WELLPI_M  = IFGT0(LOG(DRNRAD_M/WELLRAD) + SKIN - 0.5,PERM_X[ID:1]* &
!
HEIGHT[ID:1] &
!
/ (LOG(DRNRAD_M/WELLRAD) + SKIN - 0.5),1.0)
!WELLPI_U  = IFGT0(LOG(DRNRAD_U/WELLRAD) + SKIN - 0.5,PERM_X[ID:1]* &
!
HEIGHT[ID:1] &
!
/ (LOG(DRNRAD_U/WELLRAD) + SKIN - 0.5),1.0)
!!JSS
! WELLPI has been modified by T. Hadgu on 06/29/99 as follows:
!JSS
WELLPI_L  = WELLPI_L*2.*PI[ID:10]
!WELLPI_M  = WELLPI_M*2.*PI[ID:10]
!WELLPI_U  = WELLPI_U*2.*PI[ID:10]
!JSS
! CALCULATE CONSTANTS NEEDED FOR WELLBORE MODEL:
! CALCULATE EFFECTIVE SATURATION USING KRP = 4 (BROOKS - COREY MODIFIED,
! WITH LAMBDA (PORE_DIS) = 2.89, NO CAP PRESSURE). DO FOR 3 COUPLED REGIONS
! REGION NO 1 (PANELS 1,2,7,8 & 9)
BRINE1    = IFLT0((BSATPAN1[ID:1]-
SAT_RBRN[ID:1]),SAT_RBRN[ID:1],BSATPAN1[ID:1])
SEBRINE1  = (BRINE1 - SAT_RBRN[ID:1])/(1.0 - SAT_RBRN[ID:1])
SEGAS1    = (BRINE1 - SAT_RBRN[ID:1])/(1.0-SAT_RBRN[ID:1]-SAT_RGAS[ID:1])
SEGAS1    = IFLT0((1.0 - SEGAS1),1.0,SEGAS1)
KRW1      = SEBRINE1**((2+3*PORE_DIS[ID:1])/PORE_DIS[ID:1])
KRG1      = (1.0-SEGAS1)**2*(1.0-SEGAS1**((2 +
PORE_DIS[ID:1])/PORE_DIS[ID:1]))
! NOW CALCULATE CONSTANT FOR BRINE AND GAS
!JSS
CONBR1_L  = WELLPI_L * KRW1 / VISCO[ID:7]
!CONBR1_M  = WELLPI_M * KRW1 / VISCO[ID:7]
!CONBR1_U  = WELLPI_U * KRW1 / VISCO[ID:7]
CONGS1_L  = WELLPI_L * KRG1 / VISCO[ID:8]
!CONGS1_M  = WELLPI_M * KRG1 / VISCO[ID:8]
!CONGS1_U  = WELLPI_U * KRG1 / VISCO[ID:8]
!JSS
! NOW TAKE LOG BASE 10 OF PARAMETERS NEEDED FOR FBHP EQUATIONS
!JSS
LOG_B1_L  = IFEQ0(KRW1,-10,LOG10(CONBR1_L+1E-24))
!LOG_B1_M  = IFEQ0(KRW1,-10,LOG10(CONBR1_M+1E-24))

```

```

!LOG_B1_U = IFEQ0(KRW1,-10,LOG10(CONBR1_U+1E-24))
!JSS
LOG_KR1 = IFEQ0(KRW1,10,LOG10((KRG1+1E-24)/(KRW1+1E-24)))
! INTRODUCE A TERM FOR GAS DOMINATED FLOW
!JSS
LOG_G1_L = IFEQ0(KRG1,-10,LOG10(CONGS1_L+1E-24))
!LOG_G1_M = IFEQ0(KRG1,-10,LOG10(CONGS1_M+1E-24))
!LOG_G1_U = IFEQ0(KRG1,-10,LOG10(CONGS1_U+1E-24))
!
! CALCULATE FBHP's AND SET WITHIN LIMITS
!
PR1_E1_L = EQ1_A+EQ1_B*LOG_B1_L+EQ1_C*PRESPAN1[ID:1]+EQ1_D*LOG_B1_L**2+ &
EQ1_E*PRESPAN1[ID:1]**2+EQ1_F*LOG_B1_L*PRESPAN1[ID:1]+ &
EQ1_G*LOG_B1_L**3+EQ1_H*PRESPAN1[ID:1]**3+ &
EQ1_I*LOG_B1_L*PRESPAN1[ID:1]**2+EQ1_J*LOG_B1_L**2*PRESPAN1[ID:1]
PR1_E1_L = IFLT0(8007390.0 - PR1_E1_L,IFLT0(8043910.0 - PR1_E1_L,8043910.0,
&
PR1_E1_L),8007390.0)
!PR1_E1_M = EQ1_A+EQ1_B*LOG_B1_M+EQ1_C*PRESPAN1[ID:1]+EQ1_D*LOG_B1_M**2+ &
!
EQ1_E*PRESPAN1[ID:1]**2+EQ1_F*LOG_B1_M*PRESPAN1[ID:1]+ &
!
EQ1_G*LOG_B1_M**3+EQ1_H*PRESPAN1[ID:1]**3+ &
!
EQ1_I*LOG_B1_M*PRESPAN1[ID:1]**2+EQ1_J*LOG_B1_M**2*PRESPAN1[ID:1]
!PR1_E1_M = IFLT0(8007390.0 - PR1_E1_M,IFLT0(8043910.0 - PR1_E1_M,8043910.0,
&
PR1_E1_M),8007390.0)
!PR1_E1_U = EQ1_A+EQ1_B*LOG_B1_U+EQ1_C*PRESPAN1[ID:1]+EQ1_D*LOG_B1_U**2+ &
!
EQ1_E*PRESPAN1[ID:1]**2+EQ1_F*LOG_B1_U*PRESPAN1[ID:1]+ &
!
EQ1_G*LOG_B1_U**3+EQ1_H*PRESPAN1[ID:1]**3+ &
!
EQ1_I*LOG_B1_U*PRESPAN1[ID:1]**2+EQ1_J*LOG_B1_U**2*PRESPAN1[ID:1]
!PR1_E1_U = IFLT0(8007390.0 - PR1_E1_U,IFLT0(8043910.0 - PR1_E1_U,8043910.0,
&
PR1_E1_U),8007390.0)
!!JSS
!
PR1_E2 = (EQ2_A+EQ2_B*LOG_KR1+EQ2_C*LOG_KR1**2+EQ2_D*PRESPAN1[ID:1])/ &
(1.0+EQ2_E*LOG_KR1+EQ2_F*LOG_KR1**2+EQ2_G*LOG_KR1**3+ &
EQ2_H*PRESPAN1[ID:1])
PR1_E2 = IFLT0(742886.0 - PR1_E2,IFLT0(8043530.0 - PR1_E2,8043530.0, &
PR1_E2),742886.0)
!JSS
PR1_E3_L = EQ3_A+EQ3_B/LOG_G1_L+EQ3_C*PRESPAN1[ID:1]+EQ3_D/LOG_G1_L**2+ &
EQ3_E*PRESPAN1[ID:1]**2+EQ3_F*PRESPAN1[ID:1]/LOG_G1_L+ &
EQ3_G/LOG_G1_L**3+ EQ3_H*PRESPAN1[ID:1]**3+ &
EQ3_I*PRESPAN1[ID:1]**2/LOG_G1_L+ &
EQ3_J*PRESPAN1[ID:1]/LOG_G1_L**2
!PR1_E3_M = EQ3_A+EQ3_B/LOG_G1_M+EQ3_C*PRESPAN1[ID:1]+EQ3_D/LOG_G1_M**2+ &
!
EQ3_E*PRESPAN1[ID:1]**2+EQ3_F*PRESPAN1[ID:1]/LOG_G1_M+ &
!
EQ3_G/LOG_G1_M**3+ EQ3_H*PRESPAN1[ID:1]**3+ &
!
EQ3_I*PRESPAN1[ID:1]**2/LOG_G1_M+ &
!
EQ3_J*PRESPAN1[ID:1]/LOG_G1_M**2
!PR1_E3_U = EQ3_A+EQ3_B/LOG_G1_U+EQ3_C*PRESPAN1[ID:1]+EQ3_D/LOG_G1_U**2+ &
!
EQ3_E*PRESPAN1[ID:1]**2+EQ3_F*PRESPAN1[ID:1]/LOG_G1_U+ &
!
EQ3_G/LOG_G1_U**3+ EQ3_H*PRESPAN1[ID:1]**3+ &
!
EQ3_I*PRESPAN1[ID:1]**2/LOG_G1_U+ &
!
EQ3_J*PRESPAN1[ID:1]/LOG_G1_U**2
!
PR1_E3_L = IFLT0(207363.0 - PR1_E3_L,IFLT0(1663940.0 - PR1_E3_L,1663940.0, &

```

```

PR1_E3_L),207363.0)
!PR1_E3_M = IFLT0(207363.0 - PR1_E3_M,IFLT0(1663940.0 - PR1_E3_M,1663940.0,
&
!
PR1_E3_M),207363.0)
!PR1_E3_U = IFLT0(207363.0 - PR1_E3_U,IFLT0(1663940.0 - PR1_E3_U,1663940.0,
&
!
PR1_E3_U),207363.0)
!JSS
!
! RESET FBHP TO 0 IF NO BRINE BLOWOUT (KRW = 0 OR PRESSURE < 8 MPa)
!JSS
FBHP1_L = IFEQ0(KRW1,0,IFLT0(PRESPAN1[ID:1]-8.0E6,0, &
IFEQ0(KRG1,PR1_E1_L,IFLT0(LOG_KR1,PR1_E2,PR1_E3_L))))
!FBHP1_M = IFEQ0(KRW1,0,IFLT0(PRESPAN1[ID:1]-8.0E6,0, &
!
IFEQ0(KRG1,PR1_E1_M,IFLT0(LOG_KR1,PR1_E2,PR1_E3_M))))
!FBHP1_U = IFEQ0(KRW1,0,IFLT0(PRESPAN1[ID:1]-8.0E6,0, &
!
IFEQ0(KRG1,PR1_E1_U,IFLT0(LOG_KR1,PR1_E2,PR1_E3_U))))
!JSS
!
! IF NO BLOWOUT, SET NUMBER OF BRAGFLO STEPS TO 1, ELSE 1000
!JSS
NSTEP1_L = MAKEPROP(IFEQ0(FBHP1_L,1,1000))
!NSTEP1_M = MAKEPROP(IFEQ0(FBHP1_M,1,1000))
!NSTEP1_U = MAKEPROP(IFEQ0(FBHP1_U,1,1000))
!JSS
! REGION NO 2 (PANELS 3,4,6 & 10)
BRINE2 = IFLT0((BSATPAN2[ID:1]-
SAT_RBRN[ID:1]),SAT_RBRN[ID:1],BSATPAN2[ID:1])
SEBRINE2 = (BRINE2 - SAT_RBRN[ID:1])/(1.0 - SAT_RBRN[ID:1])
SEGAS2 = (BRINE2 - SAT_RBRN[ID:1])/(1.0-SAT_RBRN[ID:1]-SAT_RGAS[ID:1])
SEGAS2 = IFLT0((1.0 - SEGAS2),1.0,SEGAS2)
KRW2 = SEBRINE2**((2+3*PORE_DIS[ID:1])/PORE_DIS[ID:1])
KRG2 = (1.0-SEGAS2)**2*(1.0-SEGAS2**((2 +
PORE_DIS[ID:1])/PORE_DIS[ID:1]))
! NOW CALCULATE CONSTANT FOR BRINE AND GAS
!JSS
CONBR2_L = WELLPI_L * KRW2 / VISCO[ID:7]
!CONBR2_M = WELLPI_M * KRW2 / VISCO[ID:7]
!CONBR2_U = WELLPI_U * KRW2 / VISCO[ID:7]
CONGS2_L = WELLPI_L * KRG2 / VISCO[ID:8]
!CONGS2_M = WELLPI_M * KRG2 / VISCO[ID:8]
!CONGS2_U = WELLPI_U * KRG2 / VISCO[ID:8]
!
! NOW TAKE LOG BASE 10 OF PARAMETERS NEEDED FOR FBHP EQUATIONS
!JSS
LOG_B2_L = IFEQ0(KRW2,-10,LOG10(CONBR2_L+1E-24))
!LOG_B2_M = IFEQ0(KRW2,-10,LOG10(CONBR2_M+1E-24))
!LOG_B2_U = IFEQ0(KRW2,-10,LOG10(CONBR2_U+1E-24))
!
LOG_KR2 = IFEQ0(KRW2,10,LOG10((KRG2+1E-24)/(KRW2+1E-24)))
! INTRODUCE A TERM FOR GAS DOMINATED FLOW
!JSS
LOG_G2_L = IFEQ0(KRG2,-10,LOG10(CONGS2_L+1E-24))
!LOG_G2_M = IFEQ0(KRG2,-10,LOG10(CONGS2_M+1E-24))
!LOG_G2_U = IFEQ0(KRG2,-10,LOG10(CONGS2_U+1E-24))
! CALCULATE FBHP's AND SET WITHIN LIMITS
!

```



```

PR2_E1_L = EQ1_A+EQ1_B*LOG_B2_L+EQ1_C*PRESPAN2[ID:1]+EQ1_D*LOG_B2_L**2+ &
EQ1_E*PRESPAN2[ID:1]**2+EQ1_F*LOG_B2_L*PRESPAN2[ID:1]+ &
EQ1_G*LOG_B2_L**3+EQ1_H*PRESPAN2[ID:1]**3+ &
EQ1_I*LOG_B2_L*PRESPAN2[ID:1]**2+EQ1_J*LOG_B2_L**2*PRESPAN2[ID:1]
PR2_E1_L = IFLT0(8007390.0 - PR2_E1_L, IFLT0(8043910.0 - PR2_E1_L, 8043910.0, &
PR2_E1_L), 8007390.0)
!PR2_E1_M = EQ1_A+EQ1_B*LOG_B2_M+EQ1_C*PRESPAN2[ID:1]+EQ1_D*LOG_B2_M**2+ &
! EQ1_E*PRESPAN2[ID:1]**2+EQ1_F*LOG_B2_M*PRESPAN2[ID:1]+ &
! EQ1_G*LOG_B2_M**3+EQ1_H*PRESPAN2[ID:1]**3+ &
! EQ1_I*LOG_B2_M*PRESPAN2[ID:1]**2+EQ1_J*LOG_B2_M**2*PRESPAN2[ID:1]
!PR2_E1_M = IFLT0(8007390.0 - PR2_E1_M, IFLT0(8043910.0 -
PR2_E1_M, 8043910.0, &
PR2_E1_M), 8007390.0)
!PR2_E1_U = EQ1_A+EQ1_B*LOG_B2_U+EQ1_C*PRESPAN2[ID:1]+EQ1_D*LOG_B2_U**2+ &
! EQ1_E*PRESPAN2[ID:1]**2+EQ1_F*LOG_B2_U*PRESPAN2[ID:1]+ &
! EQ1_G*LOG_B2_U**3+EQ1_H*PRESPAN2[ID:1]**3+ &
! EQ1_I*LOG_B2_U*PRESPAN2[ID:1]**2+EQ1_J*LOG_B2_U**2*PRESPAN2[ID:1]
!PR2_E1_U = IFLT0(8007390.0 - PR2_E1_U, IFLT0(8043910.0 -
PR2_E1_U, 8043910.0, &
PR2_E1_U), 8007390.0)
!
PR2_E2 = (EQ2_A+EQ2_B*LOG_KR2+EQ2_C*LOG_KR2**2+EQ2_D*PRESPAN2[ID:1])/ &
(1.0+EQ2_E*LOG_KR2+EQ2_F*LOG_KR2**2+EQ2_G*LOG_KR2**3+ &
EQ2_H*PRESPAN2[ID:1])
PR2_E2 = IFLT0(742886.0 - PR2_E2, IFLT0(8043530.0 - PR2_E2, 8043530.0, &
PR2_E2), 742886.0)
!
PR2_E3_L = EQ3_A+EQ3_B/LOG_G2_L+EQ3_C*PRESPAN2[ID:1]+EQ3_D/LOG_G2_L**2+ &
EQ3_E*PRESPAN2[ID:1]**2+EQ3_F*PRESPAN2[ID:1]/LOG_G2_L+ &
EQ3_G/LOG_G2_L**3+ EQ3_H*PRESPAN2[ID:1]**3+ &
EQ3_I*PRESPAN2[ID:1]**2/LOG_G2_L+ &
EQ3_J*PRESPAN2[ID:1]/LOG_G2_L**2
!PR2_E3_M = EQ3_A+EQ3_B/LOG_G2_M+EQ3_C*PRESPAN2[ID:1]+EQ3_D/LOG_G2_M**2+ &
! EQ3_E*PRESPAN2[ID:1]**2+EQ3_F*PRESPAN2[ID:1]/LOG_G2_M+ &
! EQ3_G/LOG_G2_M**3+ EQ3_H*PRESPAN2[ID:1]**3+ &
! EQ3_I*PRESPAN2[ID:1]**2/LOG_G2_M+ &
! EQ3_J*PRESPAN2[ID:1]/LOG_G2_M**2
!PR2_E3_U = EQ3_A+EQ3_B/LOG_G2_U+EQ3_C*PRESPAN2[ID:1]+EQ3_D/LOG_G2_U**2+ &
! EQ3_E*PRESPAN2[ID:1]**2+EQ3_F*PRESPAN2[ID:1]/LOG_G2_U+ &
! EQ3_G/LOG_G2_U**3+ EQ3_H*PRESPAN2[ID:1]**3+ &
! EQ3_I*PRESPAN2[ID:1]**2/LOG_G2_U+ &
! EQ3_J*PRESPAN2[ID:1]/LOG_G2_U**2
!
PR2_E3_L = IFLT0(207363.0 - PR2_E3_L, IFLT0(1663940.0 - PR2_E3_L, 1663940.0, &
PR2_E3_L), 207363.0)
!PR2_E3_M = IFLT0(207363.0 - PR2_E3_M, IFLT0(1663940.0 - PR2_E3_M, 1663940.0,
&
PR2_E3_M), 207363.0)
!PR2_E3_U = IFLT0(207363.0 - PR2_E3_U, IFLT0(1663940.0 - PR2_E3_U, 1663940.0,
&
PR2_E3_U), 207363.0)
!
! RESET FBHP TO 0 IF NO BRINE BLOWOUT (KRW = 0 OR PRESSURE < 8 MPa)
FBHP2_L = IFEQ0(KRW2, 0, IFLT0(PRESPAN2[ID:1]-8.0E6, 0, &
IFEQ0(KRG2, PR2_E1_L, IFLT0(LOG_KR2, PR2_E2, PR2_E3_L))))
!FBHP2_M = IFEQ0(KRW2, 0, IFLT0(PRESPAN2[ID:1]-8.0E6, 0, &
! IFEQ0(KRG2, PR2_E1_M, IFLT0(LOG_KR2, PR2_E2, PR2_E3_M))))

```

```

!FBHP2_U      = IFEQ0(KRW2,0,IFLT0(PRESPAN2[ID:1]-8.0E6,0, &
!              IFEQ0(KRG2,PR2_E1_U,IFLT0(LOG_KR2,PR2_E2,PR2_E3_U))))
!
! IF NO BLOWOUT, SET NUMBER OF BRAGFLO STEPS TO 1, ELSE 1000
NSTEP2_L = MAKEPROP(IFEQ0(FBHP2_L,1,1000))
!NSTEP2_M = MAKEPROP(IFEQ0(FBHP2_M,1,1000))
!NSTEP2_U = MAKEPROP(IFEQ0(FBHP2_U,1,1000))
!!
! REGION NO 3 (PANEL 5)
BRINE3      = IFLT0((BSATPAN3[ID:1]-
SAT_RBRN[ID:1]),SAT_RBRN[ID:1],BSATPAN3[ID:1])
SEBRINE3     = (BRINE3 - SAT_RBRN[ID:1])/(1.0 - SAT_RBRN[ID:1])
SEGAS3      = (BRINE3 - SAT_RBRN[ID:1])/(1.0-SAT_RBRN[ID:1]-SAT_RGAS[ID:1])
SEGAS3      = IFLT0((1.0 - SEGAS3),1.0,SEGAS3)
KRW3        = SEBRINE3**((2+3*PORE_DIS[ID:1])/PORE_DIS[ID:1])
KRG3        = (1.0-SEGAS3)**2*(1.0-SEGAS3**((2 +
PORE_DIS[ID:1])/PORE_DIS[ID:1]))
! NOW CALCULATE CONSTANT FOR BRINE AND GAS
!JSS
CONBR3_L    = WELLPI_L * KRW3 / VISCO[ID:7]
!CONBR3_M   = WELLPI_M * KRW3 / VISCO[ID:7]
!CONBR3_U   = WELLPI_U * KRW3 / VISCO[ID:7]
CONGS3_L    = WELLPI_L * KRG3 / VISCO[ID:8]
!CONGS3_M   = WELLPI_M * KRG3 / VISCO[ID:8]
!CONGS3_U   = WELLPI_U * KRG3 / VISCO[ID:8]
!JSS
! NOW TAKE LOG BASE 10 OF PARAMETERS NEEDED FOR FBHP EQUATIONS
!JSS
LOG_B3_L    = IFEQ0(KRW3,-10,LOG10(CONBR3_L+1E-24))
!LOG_B3_M   = IFEQ0(KRW3,-10,LOG10(CONBR3_M+1E-24))
!LOG_B3_U   = IFEQ0(KRW3,-10,LOG10(CONBR3_U+1E-24))
!
LOG_KR3     = IFEQ0(KRW3,10,LOG10((KRG3+1E-24)/(KRW3+1E-24)))
! INTRODUCE A TERM FOR GAS DOMINATED FLOW
!JSS
LOG_G3_L    = IFEQ0(KRG3,-10,LOG10(CONGS3_L+1E-24))
!LOG_G3_M   = IFEQ0(KRG3,-10,LOG10(CONGS3_M+1E-24))
!LOG_G3_U   = IFEQ0(KRG3,-10,LOG10(CONGS3_U+1E-24))
!
!
! CALCULATE FBHP's AND SET WITHIN LIMITS
!
!
PR3_E1_L    = EQ1_A+EQ1_B*LOG_B3_L+EQ1_C*PRESPAN3[ID:1]+EQ1_D*LOG_B3_L**2+ &
EQ1_E*PRESPAN3[ID:1]**2+EQ1_F*LOG_B3_L*PRESPAN3[ID:1]+ &
EQ1_G*LOG_B3_L**3+EQ1_H*PRESPAN3[ID:1]**3+&
EQ1_I*LOG_B3_L*PRESPAN3[ID:1]**2+EQ1_J*LOG_B3_L**2*PRESPAN3[ID:1]
PR3_E1_L    = IFLT0(8007390.0 - PR3_E1_L,IFLT0(8043910.0 - PR3_E1_L,8043910.0,&
PR3_E1_L),8007390.0)
!PR3_E1_M   = EQ1_A+EQ1_B*LOG_B3_M+EQ1_C*PRESPAN3[ID:1]+EQ1_D*LOG_B3_M**2+ &
!              EQ1_E*PRESPAN3[ID:1]**2+EQ1_F*LOG_B3_M*PRESPAN3[ID:1]+ &
!              EQ1_G*LOG_B3_M**3+EQ1_H*PRESPAN3[ID:1]**3+&
!              EQ1_I*LOG_B3_M*PRESPAN3[ID:1]**2+EQ1_J*LOG_B3_M**2*PRESPAN3[ID:1]
!PR3_E1_M   = IFLT0(8007390.0 - PR3_E1_M,IFLT0(8043910.0 -
PR3_E1_M,8043910.0,&
!              PR3_E1_M),8007390.0)
!PR3_E1_U   = EQ1_A+EQ1_B*LOG_B3_U+EQ1_C*PRESPAN3[ID:1]+EQ1_D*LOG_B3_U**2+ &

```

```

!          EQ1_E*PRESPAN3[ID:1]**2+EQ1_F*LOG_B3_U*PRESPAN3[ID:1]+ &
!          EQ1_G*LOG_B3_U**3+EQ1_H*PRESPAN3[ID:1]**3+&
!          EQ1_I*LOG_B3_U*PRESPAN3[ID:1]**2+EQ1_J*LOG_B3_U**2*PRESPAN3[ID:1]
!PR3_E1_U = IFLT0(8007390.0 - PR3_E1_U,IFLT0(8043910.0 -
PR3_E1_U,8043910.0,&
!          PR3_E1_U),8007390.0)
!
!PR3_E2 = (EQ2_A+EQ2_B*LOG_KR3+EQ2_C*LOG_KR3**2+EQ2_D*PRESPAN3[ID:1])/ &
(1.0+EQ2_E*LOG_KR3+EQ2_F*LOG_KR3**2+EQ2_G*LOG_KR3**3+ &
EQ2_H*PRESPAN3[ID:1])
!PR3_E2 = IFLT0(742886.0 - PR3_E2,IFLT0(8043530.0 - PR3_E2,8043530.0, &
PR3_E2),742886.0)
!
!PR3_E3_L = EQ3_A+EQ3_B/LOG_G3_L+EQ3_C*PRESPAN3[ID:1]+EQ3_D/LOG_G3_L**2+ &
EQ3_E*PRESPAN3[ID:1]**2+EQ3_F*PRESPAN3[ID:1]/LOG_G3_L+ &
EQ3_G/LOG_G3_L**3+ EQ3_H*PRESPAN3[ID:1]**3+ &
EQ3_I*PRESPAN3[ID:1]**2/LOG_G3_L+ &
EQ3_J*PRESPAN3[ID:1]/LOG_G3_L**2
!PR3_E3_M = EQ3_A+EQ3_B/LOG_G3_M+EQ3_C*PRESPAN3[ID:1]+EQ3_D/LOG_G3_M**2+ &
EQ3_E*PRESPAN3[ID:1]**2+EQ3_F*PRESPAN3[ID:1]/LOG_G3_M+ &
EQ3_G/LOG_G3_M**3+ EQ3_H*PRESPAN3[ID:1]**3+ &
EQ3_I*PRESPAN3[ID:1]**2/LOG_G3_M+ &
EQ3_J*PRESPAN3[ID:1]/LOG_G3_M**2
!PR3_E3_U = EQ3_A+EQ3_B/LOG_G3_U+EQ3_C*PRESPAN3[ID:1]+EQ3_D/LOG_G3_U**2+ &
EQ3_E*PRESPAN3[ID:1]**2+EQ3_F*PRESPAN3[ID:1]/LOG_G3_U+ &
EQ3_G/LOG_G3_U**3+ EQ3_H*PRESPAN3[ID:1]**3+ &
EQ3_I*PRESPAN3[ID:1]**2/LOG_G3_U+ &
EQ3_J*PRESPAN3[ID:1]/LOG_G3_U**2
!!
!PR3_E3_L = IFLT0(207363.0 - PR3_E3_L,IFLT0(1663940.0 - PR3_E3_L,1663940.0, &
PR3_E3_L),207363.0)
!PR3_E3_M = IFLT0(207363.0 - PR3_E3_M,IFLT0(1663940.0 - PR3_E3_M,1663940.0,
&
!          PR3_E3_M),207363.0)
!PR3_E3_U = IFLT0(207363.0 - PR3_E3_U,IFLT0(1663940.0 - PR3_E3_U,1663940.0,
&
!          PR3_E3_U),207363.0)
!
! RESET FBHP TO 0 IF NO BRINE BLOWOUT (KRW = 0 OR PRESSURE < 8 MPa)
FBHP3_L = IFEQ0(KRW3,0,IFLT0(PRESPAN3[ID:1]-8.0E6,0, &
IFEQ0(KRG3,PR3_E1_L,IFLT0(LOG_KR3,PR3_E2,PR3_E3_L))))
!FBHP3_M = IFEQ0(KRW3,0,IFLT0(PRESPAN3[ID:1]-8.0E6,0, &
IFEQ0(KRG3,PR3_E1_M,IFLT0(LOG_KR3,PR3_E2,PR3_E3_L))))
!FBHP3_U = IFEQ0(KRW3,0,IFLT0(PRESPAN3[ID:1]-8.0E6,0, &
IFEQ0(KRG3,PR3_E1_U,IFLT0(LOG_KR3,PR3_E2,PR3_E3_L))))
!
! IF NO BLOWOUT, SET NUMBER OF BRAGFLO STEPS TO 1, ELSE 1000
NSTEP3_L = MAKEPROP(IFEQ0(FBHP3_L,1,1000))
!NSTEP3_M = MAKEPROP(IFEQ0(FBHP3_M,1,1000))
!NSTEP3_U = MAKEPROP(IFEQ0(FBHP3_U,1,1000))
DELETE BRINE1, BRINE2, BRINE3
!=====
!*****
!SET UP BOUNDARY CONDITIONS FOR PREVIOUS INTRUSIONS HERE
!*****
! WELLPI AND FBHP ARE SET TO ZERO FOR E2 INTRUSIONS (S4, S5)
WELPI_BC = MAKEPROP(0.0)

```

```

BHP_ABAN = MAKEPROP(0.0)
!*****
!=====
!*****
!CHAPTER 3. COMPUTE DIP IN REPOSITORY
!*****
!*****
!=====
!=====
LIMIT ELEMENT OFF
!COMPUTE THE GRID BLOCK ELEVATIONS ACCOUNTING FOR 1 DEGREE DIP IN SALADO
!DEFINE GRID BLOCK ELEVATIONS DUE TO DIP
! USE ELEVATION OF SHAFT AT MID-REPOSITORY
ZORIGIN = 382.671
YORIGIN = 1000.0
ELEVN = MAKENODE(COS(THETA1[ID:1])*(Z-ZORIGIN) &
+ SIN(THETA1[ID:1])*(Y-YORIGIN))
ELEVE = NOD2ELE(ELEVN) + ZORIGIN
!COMPUTE GRID BLOCK POTENTIAL ASSUMING BRINE IS INCOMPRESSIBLE
(APPROXIMATELY)
POTE = PRESEL/(DNSFLUID[ID:7]*GRAVACC[ID:10]) + ELEVE
!
! NOW SET GRID THICKNESS FOR ALL ELEMENTS TO CRUSHED PANEL HEIGHT
THICK = MAKEATTR(HEIGHT[ID:1])
!
DELETE ELEVN, YORIGIN, ZORIGIN
EXIT
$

```

## B.2.6 INPUT FILE TO CORRELATE PROPERTIES FROM PA MODEL TO BLOWOUT MODEL, FOR SCENARIO 1.

There are two types of relate input files: one related to CUTTINGS S (CUSP file) and one for each of 5 scenarios for DBR.

CUSP File:

```

$ type rel_dbr_cusp_cra1_dir_rel.inp
!*****
**
! RELATE FILE TO MAP PROP's FROM PA MODEL TO BLOWOUT MODEL
! CREATED 9/14/95
! FILE RELATE.INP
! ANALYST D.M. STOELZEL
!
! 5/29/02 T. Hadgu
! Removed any reference to Region 4. The repository has been subdivided to
! three regions for the TBM calculations instead of four.
!*****
**
*PROPERTIES
WAS_AREA POROSITY = BLOWOUT POROSITY
WAS_AREA HEIGHT = BLOWOUT HEIGHT
WAS_AREA PRESPAN1 = BLOWOUT BRNPRES1
WAS_AREA GPRSPAN1 = BLOWOUT GASPRES1
WAS_AREA BSATPAN1 = BLOWOUT BRN_SAT1

```

```

WAS_AREA GSATPAN1 = BLOWOUT GAS_SAT1
WAS_AREA PRESPAN2 = BLOWOUT BRNPRES2
WAS_AREA GPRSPAN2 = BLOWOUT GASPRES2
WAS_AREA BSATPAN2 = BLOWOUT BRN_SAT2
WAS_AREA GSATPAN2 = BLOWOUT GAS_SAT2
WAS_AREA PRESPAN3 = BLOWOUT BRNPRES3
WAS_AREA GPRSPAN3 = BLOWOUT GASPRES3
WAS_AREA BSATPAN3 = BLOWOUT BRN_SAT3
WAS_AREA GSATPAN3 = BLOWOUT GAS_SAT3
!
WELLBORE INTR_TME = BLOWOUT INTR_TME
WELLBORE AREA_TOT = BLOWOUT AREA_TOT
WELLBORE VOLU_TOT = BLOWOUT VOLU_TOT
WELLBORE BITSIZE = BLOWOUT BITSIZE
WELLBORE CAST_WB = BLOWOUT CAST_WB
WELLBORE CAST_RE = BLOWOUT CAST_RE
WELLBORE WELL_PAN = BLOWOUT WELL_PAN
!
DRZ_1 PERMBRX = BLOWOUT PERMDRZ
DRZ_1 POR_INTR = BLOWOUT POR_DRZ

```

DBR Files:

**SCENARIO: S1**

```
$ type rel_dbr_brag_cral_dir_rel_s1.inp
```

```
!*****
```

```
**
```

```
! RELATE FILE TO MAP PROP'S FROM PA MODEL TO BLOWOUT MODEL
! CREATED 5/15/96
! FILE RELATE_brag.INP
! ANALYST D.M. STOELZEL
!
```

```
! MODIFIED 6/8/96
! REMOVED LINES THAT RELATED BOREHOLE AND CASILE PROPS. NEW FILE:
! RELEATE_BRAG_DIRECT_RELEASE_UND.INP
! FOR UNDISTURBED CASES ONLY (S1)
!
```

```
! 6/10/02 T. Hadgu
! Added LDRZ_F and S_HALITE to get properties from the 10,000-year
! BRAGFLO runs. For PAN_SL and PAN_SL2 properties, those of WAS_AREA
! were used (except permeability, and rock compressibility).
```

```
!*****
```

```
**
```

\*PROPERTIES

```

WAS_AREA PORE_DIS = WAS_AREA PORE_DIS
WAS_AREA SAT_RGAS = WAS_AREA SAT_RGAS
WAS_AREA SAT_RBRN = WAS_AREA SAT_RBRN
WAS_AREA COMP_RCK = WAS_AREA COMP_RCK
WAS_AREA RELP_MOD = WAS_AREA RELP_MOD
WAS_AREA KPT = WAS_AREA KPT
WAS_AREA CAP_MOD = WAS_AREA CAP_MOD
WAS_AREA PO_MIN = WAS_AREA PO_MIN
WAS_AREA PCT_A = WAS_AREA PCT_A
WAS_AREA PCT_EXP = WAS_AREA PCT_EXP
WAS_AREA PC_MAX = WAS_AREA PC_MAX

```

```

!
DRZ_1 PRMX_LOG      = DRZ_1 PRMX_LOG
DRZ_1 PRMY_LOG      = DRZ_1 PRMY_LOG
DRZ_1 PRMZ_LOG      = DRZ_1 PRMZ_LOG
DRZ_1 POROSITY      = DRZ_1 POROSITY
DRZ_1 PORE_DIS      = DRZ_1 PORE_DIS
DRZ_1 SAT_RGAS      = DRZ_1 SAT_RGAS
DRZ_1 SAT_RBRN      = DRZ_1 SAT_RBRN
DRZ_1 COMP_RCK      = DRZ_1 COMP_RCK
DRZ_1 RELP_MOD      = DRZ_1 RELP_MOD
DRZ_1 KPT           = DRZ_1 KPT
DRZ_1 CAP_MOD       = DRZ_1 CAP_MOD
DRZ_1 PO_MIN        = DRZ_1 PO_MIN
DRZ_1 PCT_A         = DRZ_1 PCT_A
DRZ_1 PCT_EXP       = DRZ_1 PCT_EXP
DRZ_1 PC_MAX        = DRZ_1 PC_MAX

```

```

!
S_HALITE PRMX_LOG  = S_HALITE PRMX_LOG
S_HALITE PRMY_LOG  = S_HALITE PRMY_LOG
S_HALITE PRMZ_LOG  = S_HALITE PRMZ_LOG
S_HALITE POROSITY  = S_HALITE POROSITY
S_HALITE PORE_DIS  = S_HALITE PORE_DIS
S_HALITE SAT_RGAS  = S_HALITE SAT_RGAS
S_HALITE SAT_RBRN  = S_HALITE SAT_RBRN
S_HALITE COMP_RCK  = S_HALITE COMP_RCK
S_HALITE RELP_MOD  = S_HALITE RELP_MOD
S_HALITE KPT       = S_HALITE KPT
S_HALITE CAP_MOD   = S_HALITE CAP_MOD
S_HALITE PO_MIN    = S_HALITE PO_MIN
S_HALITE PCT_A     = S_HALITE PCT_A
S_HALITE PCT_EXP   = S_HALITE PCT_EXP
S_HALITE PC_MAX    = S_HALITE PC_MAX

```

```

!
CONC_PCS PRMX_LOG  = CONC_PCS PRMX_LOG
CONC_PCS PRMY_LOG  = CONC_PCS PRMY_LOG
CONC_PCS PRMZ_LOG  = CONC_PCS PRMZ_LOG
CONC_PCS POROSITY  = CONC_PCS POROSITY

```

\$

**SCENARIO: S2**

\$ type rel\_dbr\_brag\_cra1\_dir\_rel\_s2.inp

!\*\*\*\*\*

\*\*

```

! RELATE FILE TO MAP PROP's FROM PA MODEL TO BLOWOUT MODEL
! CREATED      5/15/96
! FILE         RELATE_brag.INP
! ANALYST      D.M. STOELZEL
!
!             MODIFIED 6/8/96
!             REMOVED LINES THAT RELATED BOREHOLE AND CASILE PROPS.  NEW FILE:
!             RELEATE_BRAG_DIRECT_RELEASE_UND.INP
!             FOR UNDISTURBED CASES ONLY (S1)
!
!             6/10/02   T. Hadgu
!             Added DRZ_1 and S_HALITE to get properties from the 10,000-year
!             BRAGFLO runs. For PAN_SL and PAN_SL2 properties, those of WAS_AREA

```

```

!           were used (except permeability, and rock compressibility).
!*****
**
*PROPERTIES
WAS_AREA PORE_DIS = WAS_AREA PORE_DIS
WAS_AREA SAT_RGAS = WAS_AREA SAT_RGAS
WAS_AREA SAT_RBRN = WAS_AREA SAT_RBRN
WAS_AREA COMP_RCK = WAS_AREA COMP_RCK
WAS_AREA RELP_MOD = WAS_AREA RELP_MOD
WAS_AREA KPT      = WAS_AREA KPT
WAS_AREA CAP_MOD  = WAS_AREA CAP_MOD
WAS_AREA PO_MIN   = WAS_AREA PO_MIN
WAS_AREA PCT_A    = WAS_AREA PCT_A
WAS_AREA PCT_EXP  = WAS_AREA PCT_EXP
WAS_AREA PC_MAX   = WAS_AREA PC_MAX
!
WELLBORE PRM_CAST = CASTILER PERM_X
WELLBORE PRM_OPEN = BH_OPEN  PERM_Y
WELLBORE PRM_SAND = BH_SAND  PERM_Y
WELLBORE PRM_CREP = BH_CREEP PERM_Y
!
DRZ_1 PRMX_LOG    = DRZ_1 PRMX_LOG
DRZ_1 PRMY_LOG    = DRZ_1 PRMY_LOG
DRZ_1 PRMZ_LOG    = DRZ_1 PRMZ_LOG
DRZ_1 POROSITY    = DRZ_1 POROSITY
DRZ_1 PORE_DIS    = DRZ_1 PORE_DIS
DRZ_1 SAT_RGAS    = DRZ_1 SAT_RGAS
DRZ_1 SAT_RBRN    = DRZ_1 SAT_RBRN
DRZ_1 COMP_RCK    = DRZ_1 COMP_RCK
DRZ_1 RELP_MOD    = DRZ_1 RELP_MOD
DRZ_1 KPT         = DRZ_1 KPT
DRZ_1 CAP_MOD     = DRZ_1 CAP_MOD
DRZ_1 PO_MIN      = DRZ_1 PO_MIN
DRZ_1 PCT_A       = DRZ_1 PCT_A
DRZ_1 PCT_EXP     = DRZ_1 PCT_EXP
DRZ_1 PC_MAX      = DRZ_1 PC_MAX
!
S_HALITE PRMX_LOG = S_HALITE PRMX_LOG
S_HALITE PRMY_LOG = S_HALITE PRMY_LOG
S_HALITE PRMZ_LOG = S_HALITE PRMZ_LOG
S_HALITE POROSITY = S_HALITE POROSITY
S_HALITE PORE_DIS = S_HALITE PORE_DIS
S_HALITE SAT_RGAS = S_HALITE SAT_RGAS
S_HALITE SAT_RBRN = S_HALITE SAT_RBRN
S_HALITE COMP_RCK = S_HALITE COMP_RCK
S_HALITE RELP_MOD = S_HALITE RELP_MOD
S_HALITE KPT      = S_HALITE KPT
S_HALITE CAP_MOD  = S_HALITE CAP_MOD
S_HALITE PO_MIN   = S_HALITE PO_MIN
S_HALITE PCT_A    = S_HALITE PCT_A
S_HALITE PCT_EXP  = S_HALITE PCT_EXP
S_HALITE PC_MAX   = S_HALITE PC_MAX
!
CONC_PCS PRMX_LOG = CONC_PCS PRMX_LOG
CONC_PCS PRMY_LOG = CONC_PCS PRMY_LOG
CONC_PCS PRMZ_LOG = CONC_PCS PRMZ_LOG
CONC_PCS POROSITY = CONC_PCS POROSITY

```

**SCENARIO: S3**

```
$ type rel_dbr_brag_cra1_dir_rel_s3.inp
!*****
**
! RELATE FILE TO MAP PROP'S FROM PA MODEL TO BLOWOUT MODEL
! CREATED 5/15/96
! FILE RELATE_brag.INP
! ANALYST D.M. STOELZEL
!
! MODIFIED 6/8/96
! REMOVED LINES THAT RELATED BOREHOLE AND CASILE PROPS. NEW FILE:
! RELEATE_BRAG_DIRECT_RELEASE_UND.INP
! FOR UNDISTURBED CASES ONLY (S1)
!
! 6/10/02 T. Hadgu
! Added DRZ_1 and S_HALITE to get properties from the 10,000-year
! BRAGFLO runs. For PAN_SL and PAN_SL2 properties, those of WAS_AREA
! were used (except permeability, and rock compressibility).
!*****
**
*PROPERTIES
WAS_AREA PORE_DIS = WAS_AREA PORE_DIS
WAS_AREA SAT_RGAS = WAS_AREA SAT_RGAS
WAS_AREA SAT_RBRN = WAS_AREA SAT_RBRN
WAS_AREA COMP_RCK = WAS_AREA COMP_RCK
WAS_AREA RELP_MOD = WAS_AREA RELP_MOD
WAS_AREA KPT = WAS_AREA KPT
WAS_AREA CAP_MOD = WAS_AREA CAP_MOD
WAS_AREA PO_MIN = WAS_AREA PO_MIN
WAS_AREA PCT_A = WAS_AREA PCT_A
WAS_AREA PCT_EXP = WAS_AREA PCT_EXP
WAS_AREA PC_MAX = WAS_AREA PC_MAX
!
WELLBORE PRM_CAST = CASTILER PERM_X
WELLBORE PRM_OPEN = BH_OPEN PERM_Y
WELLBORE PRM_SAND = BH_SAND PERM_Y
WELLBORE PRM_CREP = BH_CREEP PERM_Y
!
DRZ_1 PRMX_LOG = DRZ_1 PRMX_LOG
DRZ_1 PRMY_LOG = DRZ_1 PRMY_LOG
DRZ_1 PRMZ_LOG = DRZ_1 PRMZ_LOG
DRZ_1 POROSITY = DRZ_1 POROSITY
DRZ_1 PORE_DIS = DRZ_1 PORE_DIS
DRZ_1 SAT_RGAS = DRZ_1 SAT_RGAS
DRZ_1 SAT_RBRN = DRZ_1 SAT_RBRN
DRZ_1 COMP_RCK = DRZ_1 COMP_RCK
DRZ_1 RELP_MOD = DRZ_1 RELP_MOD
DRZ_1 KPT = DRZ_1 KPT
DRZ_1 CAP_MOD = DRZ_1 CAP_MOD
DRZ_1 PO_MIN = DRZ_1 PO_MIN
DRZ_1 PCT_A = DRZ_1 PCT_A
DRZ_1 PCT_EXP = DRZ_1 PCT_EXP
DRZ_1 PC_MAX = DRZ_1 PC_MAX
!
```



```

S_HALITE PRMX_LOG = S_HALITE PRMX_LOG
S_HALITE PRMY_LOG = S_HALITE PRMY_LOG
S_HALITE PRMZ_LOG = S_HALITE PRMZ_LOG
S_HALITE POROSITY = S_HALITE POROSITY
S_HALITE PORE_DIS = S_HALITE PORE_DIS
S_HALITE SAT_RGAS = S_HALITE SAT_RGAS
S_HALITE SAT_RBRN = S_HALITE SAT_RBRN
S_HALITE COMP_RCK = S_HALITE COMP_RCK
S_HALITE RELP_MOD = S_HALITE RELP_MOD
S_HALITE KPT = S_HALITE KPT
S_HALITE CAP_MOD = S_HALITE CAP_MOD
S_HALITE PO_MIN = S_HALITE PO_MIN
S_HALITE PCT_A = S_HALITE PCT_A
S_HALITE PCT_EXP = S_HALITE PCT_EXP
S_HALITE PC_MAX = S_HALITE PC_MAX

```

!

```

CONC_PCS PRMX_LOG = CONC_PCS PRMX_LOG
CONC_PCS PRMY_LOG = CONC_PCS PRMY_LOG
CONC_PCS PRMZ_LOG = CONC_PCS PRMZ_LOG
CONC_PCS POROSITY = CONC_PCS POROSITY

```

**SCENARIO: S4**

\$ type rel\_dbr\_brag\_cra1\_dir\_rel\_s4.inp

!\*\*\*\*\*  
\*\*

! RELATE FILE TO MAP PROP'S FROM PA MODEL TO BLOWOUT MODEL

! CREATED 5/15/96

! FILE RELATE\_brag.INP

! ANALYST D.M. STOELZEL

!

! MODIFIED 6/8/96

! REMOVED LINES THAT RELATED BOREHOLE AND CASILE PROPS. NEW FILE:

! RELEATE\_BRAG\_DIRECT\_RELEASE\_UND.INP

! FOR UNDISTURBED CASES ONLY (S1)

!

! 6/10/02 T. Hadgu

! Added DRZ\_1 and S\_HALITE to get properties from the 10,000-year

! BRAGFLO runs. For PAN\_SL and PAN\_SL2 properties, those of WAS\_AREA

! were used (except permeability, and rock compressibility).

!\*\*\*\*\*  
\*\*

\*PROPERTIES

```

WAS_AREA PORE_DIS = WAS_AREA PORE_DIS
WAS_AREA SAT_RGAS = WAS_AREA SAT_RGAS
WAS_AREA SAT_RBRN = WAS_AREA SAT_RBRN
WAS_AREA COMP_RCK = WAS_AREA COMP_RCK
WAS_AREA RELP_MOD = WAS_AREA RELP_MOD
WAS_AREA KPT = WAS_AREA KPT
WAS_AREA CAP_MOD = WAS_AREA CAP_MOD
WAS_AREA PO_MIN = WAS_AREA PO_MIN
WAS_AREA PCT_A = WAS_AREA PCT_A
WAS_AREA PCT_EXP = WAS_AREA PCT_EXP
WAS_AREA PC_MAX = WAS_AREA PC_MAX

```

!

```

WELLBORE PRM_CAST = CASTILER PERM_X

```

```
WELLBORE PRM_OPEN = BH_OPEN PERM_Y
WELLBORE PRM_SAND = BH_SAND PERM_Y
WELLBORE PRM_CREP = BH_CREEP PERM_Y
```

!

```
DRZ_1 PRMX_LOG = DRZ_1 PRMX_LOG
DRZ_1 PRMY_LOG = DRZ_1 PRMY_LOG
DRZ_1 PRMZ_LOG = DRZ_1 PRMZ_LOG
DRZ_1 POROSITY = DRZ_1 POROSITY
DRZ_1 PORE_DIS = DRZ_1 PORE_DIS
DRZ_1 SAT_RGAS = DRZ_1 SAT_RGAS
DRZ_1 SAT_RBRN = DRZ_1 SAT_RBRN
DRZ_1 COMP_RCK = DRZ_1 COMP_RCK
DRZ_1 RELP_MOD = DRZ_1 RELP_MOD
DRZ_1 KPT = DRZ_1 KPT
DRZ_1 CAP_MOD = DRZ_1 CAP_MOD
DRZ_1 PO_MIN = DRZ_1 PO_MIN
DRZ_1 PCT_A = DRZ_1 PCT_A
DRZ_1 PCT_EXP = DRZ_1 PCT_EXP
DRZ_1 PC_MAX = DRZ_1 PC_MAX
```

!

```
S_HALITE PRMX_LOG = S_HALITE PRMX_LOG
S_HALITE PRMY_LOG = S_HALITE PRMY_LOG
S_HALITE PRMZ_LOG = S_HALITE PRMZ_LOG
S_HALITE POROSITY = S_HALITE POROSITY
S_HALITE PORE_DIS = S_HALITE PORE_DIS
S_HALITE SAT_RGAS = S_HALITE SAT_RGAS
S_HALITE SAT_RBRN = S_HALITE SAT_RBRN
S_HALITE COMP_RCK = S_HALITE COMP_RCK
S_HALITE RELP_MOD = S_HALITE RELP_MOD
S_HALITE KPT = S_HALITE KPT
S_HALITE CAP_MOD = S_HALITE CAP_MOD
S_HALITE PO_MIN = S_HALITE PO_MIN
S_HALITE PCT_A = S_HALITE PCT_A
S_HALITE PCT_EXP = S_HALITE PCT_EXP
S_HALITE PC_MAX = S_HALITE PC_MAX
```

!

```
CONC_PCS PRMX_LOG = CONC_PCS PRMX_LOG
CONC_PCS PRMY_LOG = CONC_PCS PRMY_LOG
CONC_PCS PRMZ_LOG = CONC_PCS PRMZ_LOG
CONC_PCS POROSITY = CONC_PCS POROSITY
```

\$

**SCENARIO: S5**

```
$ type rel_dbr_brag_cral_dir_rel_s5.inp
!*****
**
! RELATE FILE TO MAP PROP'S FROM PA MODEL TO BLOWOUT MODEL
! CREATED 5/15/96
! FILE RELATE_brag.INP
! ANALYST D.M. STOELZEL
!
! MODIFIED 6/8/96
! REMOVED LINES THAT RELATED BOREHOLE AND CASILE PROPS. NEW FILE:
! RELEATE_BRAG_DIRECT_RELEASE_UND.INP
! FOR UNDISTURBED CASES ONLY (S1)
```

!  
! 6/10/02 T. Hadgu  
! Added DRZ\_1 and S\_HALITE to get properties from the 10,000-year  
! BRAGFLO runs. For PAN\_SL and PAN\_SL2 properties, those of WAS\_AREA  
! were used (except permeability, and rock compressibility).

!\*\*\*\*\*  
\*\*

\*PROPERTIES

WAS\_AREA PORE\_DIS = WAS\_AREA PORE\_DIS  
WAS\_AREA SAT\_RGAS = WAS\_AREA SAT\_RGAS  
WAS\_AREA SAT\_RBRN = WAS\_AREA SAT\_RBRN  
WAS\_AREA COMP\_RCK = WAS\_AREA COMP\_RCK  
WAS\_AREA RELP\_MOD = WAS\_AREA RELP\_MOD  
WAS\_AREA KPT = WAS\_AREA KPT  
WAS\_AREA CAP\_MOD = WAS\_AREA CAP\_MOD  
WAS\_AREA PO\_MIN = WAS\_AREA PO\_MIN  
WAS\_AREA PCT\_A = WAS\_AREA PCT\_A  
WAS\_AREA PCT\_EXP = WAS\_AREA PCT\_EXP  
WAS\_AREA PC\_MAX = WAS\_AREA PC\_MAX

!  
WELLBORE PRM\_CAST = CASTILER PERM\_X  
WELLBORE PRM\_OPEN = BH\_OPEN PERM\_Y  
WELLBORE PRM\_SAND = BH\_SAND PERM\_Y  
WELLBORE PRM\_CREP = BH\_CREEP PERM\_Y

!  
DRZ\_1 PRMX\_LOG = DRZ\_1 PRMX\_LOG  
DRZ\_1 PRMY\_LOG = DRZ\_1 PRMY\_LOG  
DRZ\_1 PRMZ\_LOG = DRZ\_1 PRMZ\_LOG  
DRZ\_1 POROSITY = DRZ\_1 POROSITY  
DRZ\_1 PORE\_DIS = DRZ\_1 PORE\_DIS  
DRZ\_1 SAT\_RGAS = DRZ\_1 SAT\_RGAS  
DRZ\_1 SAT\_RBRN = DRZ\_1 SAT\_RBRN  
DRZ\_1 COMP\_RCK = DRZ\_1 COMP\_RCK  
DRZ\_1 RELP\_MOD = DRZ\_1 RELP\_MOD  
DRZ\_1 KPT = DRZ\_1 KPT  
DRZ\_1 CAP\_MOD = DRZ\_1 CAP\_MOD  
DRZ\_1 PO\_MIN = DRZ\_1 PO\_MIN  
DRZ\_1 PCT\_A = DRZ\_1 PCT\_A  
DRZ\_1 PCT\_EXP = DRZ\_1 PCT\_EXP  
DRZ\_1 PC\_MAX = DRZ\_1 PC\_MAX

!  
S\_HALITE PRMX\_LOG = S\_HALITE PRMX\_LOG  
S\_HALITE PRMY\_LOG = S\_HALITE PRMY\_LOG  
S\_HALITE PRMZ\_LOG = S\_HALITE PRMZ\_LOG  
S\_HALITE POROSITY = S\_HALITE POROSITY  
S\_HALITE PORE\_DIS = S\_HALITE PORE\_DIS  
S\_HALITE SAT\_RGAS = S\_HALITE SAT\_RGAS  
S\_HALITE SAT\_RBRN = S\_HALITE SAT\_RBRN  
S\_HALITE COMP\_RCK = S\_HALITE COMP\_RCK  
S\_HALITE RELP\_MOD = S\_HALITE RELP\_MOD  
S\_HALITE KPT = S\_HALITE KPT  
S\_HALITE CAP\_MOD = S\_HALITE CAP\_MOD  
S\_HALITE PO\_MIN = S\_HALITE PO\_MIN  
S\_HALITE PCT\_A = S\_HALITE PCT\_A  
S\_HALITE PCT\_EXP = S\_HALITE PCT\_EXP  
S\_HALITE PC\_MAX = S\_HALITE PC\_MAX

!

```

CONC_PCS PRMX_LOG = CONC_PCS PRMX_LOG
CONC_PCS PRMY_LOG = CONC_PCS PRMY_LOG
CONC_PCS PRMZ_LOG = CONC_PCS PRMZ_LOG
CONC_PCS POROSITY = CONC_PCS POROSITY
$

```

## B.2.6 PREBRAG INPUT FILE

There are 15 of these files, one for each of 5 scenarios and each of 3 locations (U,M,L). One of each scenario is reproduced here.

**SCENARIO: S1**

```

$ type dbr_bf1_cra1_dir_rel_s1_U.inp
!=====
!
! TITLE: PREBRAG INPUT FOR BLOWOUT CALCULATION: REPOSITORY SCALE MODEL
! ANALYST: DAN M. STOELZEL
! DATE: NOV 3, 1995
! SCENARIO: UNDISTURBED SCENERIO: NO FLOW IN DRZ AND SALADO
! DIP INCLUDED
!
! MODIFIED MARCH 22, 1996
! CHANGES MADE TO WELL INPUT CARD TO INCORPORATE FBHP MODEL (FROM
! PREVIOUS ALGEBRA)
!
! 6/5/02 T. Hadgu
! Changes made to reflect the three regions of the repository
! replacing the original four. This affects location of wells.
! For up-dip the well is now located in Region 1.
!
! 6/11/02, T. Hadgu
! Made modifications for TBM calculations. The modifications include
! adding Materials CONC_PCS, PAN_SL2 and DRZ_CONC, and removing Material
! DRZ_INIT.
!
! 7/31/2003 J. Stein
! Updated this file for the 2003 CRA PA Calculations
!=====
*HEADING
TITLE2 = BRINE BLOWOUT IN REPOSITORY SCALE MODEL
!=====
*GAS_TRANSPORT_initial_conditions
CALC=NO
!=====
*INITIAL_CONDITIONS
!BEGIN SIMULATION AT 0 YEARS
BEGIN, TIME= 0.0
CAMDAT, TIME= 0.0
SATBR, ID_BRINE =SATBREL
PRESSURE, ID_PRES =PRESEL
CONFE , ID_CONFE =FECONC
CONCELL, ID_CONCEL=CH2OCONC
ELEVAT, ID_ELEV =ELEVE
!=====

```

```

!*STEP_CONTROL
!!TIME STEP IS REDUCED AT TIME THE WELLBORE IS ACTIVATED, TIME=0.0 YEARS
! TIME,BEGIN=0.0, DT=8.64e-02
!=====
*WELL_DATA
TIME_CONTROL, TIME_ID=1,WELLTIME=0.0
!PRODUCTION WELL WITH F-BHP AND PI BASED ON INPUTS
WELL_CONTROL, MAT=WELLBORE,TIME_ID=1,NUM=1,TYPE=PROD, &
      ILOC=21,JLOC=27,KLOC=1,&
      QO=0.0, QG=0.0, PIWELL=WELLPI_L,&
      PRWELL= FBHP1_L
!
!=====
*GEOMETRY
COORD= CARTESIAN
!=====
*SIMULATION_CONTROL
INTEGRATION, TMAX=4.323E06, DT_INIT=8.64e-01,DT_MIN= 8.64E-2,
DT_MAX=8.646E4,&
      DT_INCR=1.25,  DT_REDU= 0.5,  AUTODT=YES,  TSWITCH=1.0,&
      MATERIAL=WELLBORE,MAXSTEPS=NSTEP1_L
!
ITERATION, DSATLIM= 2.E-1, DPRESLIM = -1.E8 , SATLIM= 1.E-3,&
      SATNORM= 0.30,  PRESNORM = 5.0E5,&
      ITMAX= 8,  IRESETMAX= 40,  IJACINT= 1,&
      IJACSWITCH=41,  IJACMIN= 1,  IJACRESET= 5,&
      IUPRPFLAG =9,  IUPMFFLAG= 9,  IUPRPLOOSE= 9,&
      IUPMFLOOSE=9
!
ITERATION, DHSAT_REL= 1.0E-8,  DHPRES_REL=1.0E-8,&
      DHSAT_MIN= 1.0E-10,  DHPRES_MIN=1.0E-2
!
ITERATION, EPS_SAT = 3.0E+0,  EPS_PRES = 1.E-2,&
      R_EPS_SAT= 3.0E+0,  R_EPS_PRES = 1.E-2,&
      FTOL_SAT = 1.0E-2,  FTOL_PRES = 1.0E-2,&
      R_FTOL_SAT=1.0E-2,  R_FTOL_PRES = 1.0E-2, CONV_TEST = and
!
NUMERICS,SOLVER=LU
NUMERICS,JACSCALE= 1.0e7, VSWITCH = NO
NUMERICS, ITRAVE= HARMONIC, IMFRAVE=UPSTREAM
!
GRAVITY, MAT= REFCON, G_ACC= GRAVACC
!
!=====
*OUTPUT_CONTROL
UNITS= SI
MONITOR, ILOC = 8, JLOC = 5, KLOC = 1
MONITOR, ILOC = 19, JLOC =18, KLOC = 1
MONITOR, ILOC = 34, JLOC =35, KLOC = 1
!
STEPS, FILE= BINARY, NSTEP=5
      TIMES, FILE= ASCII,  VALUES= 0.0, 9.504E5
!
PRIBIN,&
      PRESBRIN,  PRESGAS,  POROS,  SATGAS,&
      FLOWGASX,  FLOWGASY,  FLOWBRX,  FLOWBRY,&

```

```

BRINRATE, WELLBRINE, WELLGAS
!
PRIASC, &
PRESBRIN, PRES GAS, POROS, SAT GAS
!
HISTORY, NAMES= WELLBRINE, IRANGE= 21,21, JRANGE= 27,27, KRANGE=1,1
HISTORY, NAMES= WELLBRINE, IRANGE= 6,6, JRANGE= 5, 5, KRANGE=1,1
!
HISTORY, NAMES= WELLGAS, IRANGE= 21,21, JRANGE= 27,27, KRANGE=1,1
HISTORY, NAMES= WELLGAS, IRANGE= 6,6, JRANGE= 5, 5, KRANGE=1,1
!=====
*PROPERTIES
! GET SOLID properties from CAMDAT file
!
SOLID, MAT=WAS_AREA, &
PRM_X = PERM_X, PRM_Y = PERM_Y, &
PRM_Z = PERM_Z, POROSITY = POROSITY, &
BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
BCLAM = PORE_DIS, COMPRES = POR_COMP, &
SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
PCT_EXP = PCT_EXP, PCT_FLAG = KPT
!Salado Halite
SOLID, MAT=S_HALITE, &
PRM_X = PERM_X, PRM_Y = PERM_Y, &
PRM_Z = PERM_Z, POROSITY = POROSITY, &
BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
BCLAM = PORE_DIS, COMPRES = POR_COMP, &
SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
PCT_EXP = PCT_EXP, PCT_FLAG = KPT
!
SOLID, MAT=DRZ_1, &
PRM_X = PERM_X, PRM_Y = PERM_Y, &
PRM_Z = PERM_Z, POROSITY = POROSITY, &
BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
BCLAM = PORE_DIS, COMPRES = POR_COMP, &
SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
PCT_EXP = PCT_EXP, PCT_FLAG = KPT
!
SOLID, MAT=CONC_PCS, &
PRM_X = PERM_X, PRM_Y = PERM_Y, &
PRM_Z = PERM_Z, POROSITY = POROSITY, &
BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
BCLAM = PORE_DIS, COMPRES = POR_COMP, &
SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
PCT_EXP = PCT_EXP, PCT_FLAG = KPT
!
SOLID, MAT=DRZ_CONC, &
PRM_X = PERM_X, PRM_Y = PERM_Y, &
PRM_Z = PERM_Z, POROSITY = POROSITY, &

```

```

BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=PAN_SL2, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
!
! GET FLUID (brine and gas) properties from CAMDAT file
FLUID, MAT=BRINESAL, SALINITY=WTF, DEN_BR=DNSFLUID, &
COMPR_BR= COMPRES, REF_TEMP= REF_TEMP, &
REF_PRES=REF_PRES, INTERP=1, VIS_BR=VISCO
FLUID, MAT=H2, VIS_GAS=VISCO, DGAS = OFF, &
H2_MOLE =1.0, CO2_MOLE=0.0, CH4_MOLE=0.0, &
N2_MOLE= 0.0, H2S_MOLE=0.0, O2_MOLE=0.0

!
FLUID, MAT= REFCON, R_GAS    = R
FLUID, MAT= REFCON, MW_H2O   = MW_H2O
FLUID, MAT= REFCON, MW_SALT  = MW_NACL
FLUID, MAT= REFCON, MW_H2    = MW_H2,   TC_H2   = TC_H2,   PC_H2   = PC_H2, &
ACEN_H2   = ACF_H2,   H2_CO2  = BIP_12,   H2_CH4  = BIP_13, &
H2_N2    = BIP_14,   H2_H2S  = BIP_15,   H2_O2   = BIP_16
FLUID, MAT= REFCON, MW_CO2   = MW_CO2,   TC_CO2  = TC_CO2,   PC_CO2  = PC_CO2, &
ACEN_CO2 = ACF_CO2, CO2_CH4= BIP_23,   CO2_N2  = BIP_24, &
CO2_H2S  = BIP_25, CO2_O2   = BIP_26
FLUID, MAT= REFCON, MW_CH4   = MW_CH4,   TC_CH4  = TC_CH4,   PC_CH4  = PC_CH4, &
ACEN_CH4 = ACF_CH4, CH4_N2  = BIP_34,   CH4_H2S = BIP_35, &
CH4_O2   = BIP_36
FLUID, MAT= REFCON, MW_N2    = MW_N2,   TC_N2   = TC_N2,   PC_N2   = PC_N2, &
ACEN_N2  = ACF_N2,   N2_H2S  = BIP_45,   N2_O2   = BIP_46
FLUID, MAT= REFCON, MW_H2S   = MW_H2S,   TC_H2S  = TC_H2S,   PC_H2S  = PC_H2S, &
ACEN_H2S = ACF_H2S, H2S_O2  = BIP_56
FLUID, MAT= REFCON, MW_O2    = MW_O2,   TC_O2   = TC_O2,   PC_O2   = PC_O2, &
ACEN_O2  = ACF_O2
FLUID, MAT= REFCON, OMEGA_A  = OMEGAA , OMEGA_B = OMEGAB
*END
!=====

```

**SCENARIO: S2**

\$ type dbr\_bf1\_cra1\_dir\_rel\_s2\_u.inp

```

!=====
!
! TITLE: PREBRAG INPUT FOR BLOWOUT CALCULATION: REPOSIRORY SCALE MODEL
! ANALYST: DAN M. STOELZEL
! DATE: NOV 3, 1995
! SCENARIO: UNDISTURBED SCENERIO: NO FLOW IN DRZ AND SALADO

```

```

!           DIP INCLUDED
!
!   MODIFIED MARCH 22, 1996
!   CHANGES MADE TO WELL INPUT CARD TO INCORPORATE FBHP MODEL (FROM
!   PREVIOUS ALGEBRA)
!
!   6/5/02  T. Hadgu
!   Changes made to reflect the three regions of the repository
!   replacing the original four. This affects location of wells.
!   For up-dip the well is now located in Region 1.
!
!   6/11/02, T. Hadgu
!   Made modifications for TBM calculations. The modifications include
!   adding Materials CONC_PCS, PAN_SL2 and DRZ_CONC, and removing Material
!   DRZ_INIT.
!
!   7/31/2003 J. Stein
!   Updated this file for the 2003 CRA PA Calculations
!
!=====
*HEADING
TITLE2 = BRINE BLOWOUT IN REPOSITORY SCALE MODEL
!=====
!GAS_TRANSPORT_initial_conditions
CALC=NO
!=====
*INITIAL_CONDITIONS
!BEGIN SIMULATION AT 0 YEARS
BEGIN, TIME= 0.0
CAMDAT, TIME= 0.0
SATBR,   ID_BRINE =SATBREL
PRESSURE, ID_PRES  =PRESEL
CONFE   , ID_CONFE =FECONC
CONCELL, ID_CONCEL=CH2OCONC
ELEVAT,  ID_ELEV  =ELEVE
!=====
!*STEP_CONTROL
!!TIME STEP IS REDUCED AT TIME THE WELLBORE IS ACTIVATED, TIME=0.0 YEARS
! TIME,BEGIN=0.0, DT=8.64e-02
!=====
*WELL_DATA
TIME_CONTROL, TIME_ID=1,WELLTIME=0.0
!PRODUCTION WELL WITH F-BHP AND PI BASED ON INPUTS
WELL_CONTROL, MAT=WELLBORE, TIME_ID=1, NUM=1, TYPE=PROD, &
              ILOC=21, JLOC=27, KLOC=1, &
              QO=0.0, QG=0.0, PIWELL=WELLPI_L, &
              PRWELL= FBHP1_L
!
WELL_CONTROL, MAT=WELLBORE, TIME_ID=1, NUM=1, TYPE=INJP, &
              ILOC=6, JLOC=5, KLOC=1, &
              QO=0.0, QG=0.0, PIWELL=WELPI_BC, &
              PRWELL= BHP_ABAN
!=====
*GEOMETRY
COORD= CARTESIAN
!=====
*SIMULATION_CONTROL

```



```

INTEGRATION, TMAX=4.323E06, DT_INIT=8.64e-01,DT_MIN= 8.64E-2,
DT_MAX=8.646E4,&
    DT_INCR=1.25,    DT_REDU= 0.5,    AUTODT=YES,    TSWITCH=1.0,&
    MATERIAL=WELLBORE,MAXSTEPS=NSTEP1_L
!
ITERATION, DSATLIM= 2.E-1, DPRESLIM = -1.E8 , SATLIM= 1.E-3,&
SATNORM= 0.30,    PRESNORM = 5.0E5,&
ITMAX= 8,        IRESETMAX= 40, IJACINT= 1,&
IJACSWITCH=41,  IJACMIN= 1,    IJACRESET= 5,&
IUPRPFLAG =9,   IUPMFFLAG= 9,   IUPRPLOOSE= 9,&
IUPMFLOOSE=9
!
ITERATION, DHSAT_REL= 1.0E-8,    DHPRES_REL=1.0E-8,&
DHSAT_MIN= 1.0E-10,    DHPRES_MIN=1.0E-2
!
ITERATION, EPS_SAT = 3.0E+0,    EPS_PRES = 1.E-2,&
R_EPS_SAT= 3.0E+0,    R_EPS_PRES = 1.E-2,&
FTOL_SAT = 1.0E-2,    FTOL_PRES = 1.0E-2,&
R_FTOL_SAT=1.0E-2,    R_FTOL_PRES = 1.0E-2, CONV_TEST = and
!
NUMERICS, SOLVER=LU
NUMERICS, JACSCALE= 1.0e7, VSWITCH = NO
NUMERICS, ITRAVE= HARMONIC, IMFRAVE=UPSTREAM
!
GRAVITY, MAT= REFCON, G_ACC= GRAVACC
!
!=====
*OUTPUT_CONTROL

UNITS= SI
MONITOR, ILOC = 8, JLOC = 5, KLOC = 1
MONITOR, ILOC = 19, JLOC =18, KLOC = 1
MONITOR, ILOC = 34, JLOC =35, KLOC = 1
!
STEPS, FILE= BINARY, NSTEP=5
TIMES, FILE= ASCII, VALUES= 0.0, 9.504E5
!
PRIBIN,&
    PRESBRIN,    PRESGAS,    POROS,    SATGAS,&
    FLOWGASX,    FLOWGASY,    FLOWBRX,    FLOWBRY,&
    BRINRATE,    WELLBRINE,    WELLGAS
!
PRIASC,&
    PRESBRIN,    PRESGAS,    POROS,    SATGAS
!
HISTORY, NAMES=    WELLBRINE,    IRANGE= 21,21,    JRANGE= 27,27,    KRANGE=1,1
HISTORY, NAMES=    WELLBRINE,    IRANGE= 6,6,    JRANGE= 5, 5,    KRANGE=1,1
!
HISTORY, NAMES=    WELLGAS,    IRANGE= 21,21,    JRANGE= 27,27,    KRANGE=1,1
HISTORY, NAMES=    WELLGAS,    IRANGE= 6,6,    JRANGE= 5, 5,    KRANGE=1,1
!=====
*PROPERTIES
! GET SOLID properties from CAMDAT file
!
SOLID, MAT=WAS_AREA,&
    PRM_X        = PERM_X,        PRM_Y        = PERM_Y,&
    PRM_Z        = PERM_Z,        POROSITY     = POROSITY,&

```

```

BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!Salado Halite
SOLID, MAT=S_HALITE, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=DRZ_1, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=CONC_PCS, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=DRZ_CONC, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=PAN_SL2, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!

```

```

!
! GET FLUID (brine and gas) properties from CAMDAT file
FLUID, MAT=BRINESAL, SALINITY=WTF, DEN_BR=DNSFLUID,&
      COMPR_BR= COMPRES, REF_TEMP= REF_TEMP,&
      REF_PRES=REF_PRES, INTERP=1, VIS_BR=VISCO
FLUID, MAT=H2, VIS_GAS=VISCO, DGAS = OFF,&
      H2_MOLE =1.0, CO2_MOLE=0.0, CH4_MOLE=0.0,&
      N2_MOLE= 0.0, H2S_MOLE=0.0, O2_MOLE=0.0
!
FLUID, MAT= REFCON, R_GAS = R
FLUID, MAT= REFCON, MW_H2O = MW_H2O
FLUID, MAT= REFCON, MW_SALT = MW_NACL
FLUID, MAT= REFCON, MW_H2 = MW_H2, TC_H2 = TC_H2, PC_H2 = PC_H2,&
      ACEN_H2 = ACF_H2, H2_CO2 = BIP_12, H2_CH4 = BIP_13,&
      H2_N2 = BIP_14, H2_H2S = BIP_15, H2_O2 = BIP_16
FLUID, MAT= REFCON, MW_CO2 = MW_CO2, TC_CO2 = TC_CO2, PC_CO2 = PC_CO2,&
      ACEN_CO2 = ACF_CO2, CO2_CH4= BIP_23, CO2_N2 = BIP_24,&
      CO2_H2S = BIP_25, CO2_O2 = BIP_26
FLUID, MAT= REFCON, MW_CH4 = MW_CH4, TC_CH4 = TC_CH4, PC_CH4 = PC_CH4,&
      ACEN_CH4 = ACF_CH4, CH4_N2 = BIP_34, CH4_H2S= BIP_35,&
      CH4_O2 = BIP_36
FLUID, MAT= REFCON, MW_N2 = MW_N2, TC_N2 = TC_N2, PC_N2 = PC_N2,&
      ACEN_N2 = ACF_N2, N2_H2S = BIP_45, N2_O2 = BIP_46
FLUID, MAT= REFCON, MW_H2S = MW_H2S, TC_H2S = TC_H2S, PC_H2S = PC_H2S,&
      ACEN_H2S = ACF_H2S, H2S_O2 = BIP_56
FLUID, MAT= REFCON, MW_O2 = MW_O2, TC_O2 = TC_O2, PC_O2 = PC_O2,&
      ACEN_O2 = ACF_O2
FLUID, MAT= REFCON, OMEGA_A = OMEGAA, OMEGA_B = OMEGAB
*END
!=====
$

```

**SCENARIO: S3**

```
$ type dbr_bf1_cra1_dir_rel_s3_l.inp
```

```

!=====
!
! TITLE: PREBRAG INPUT FOR BLOWOUT CALCULATION: REPOSIRORY SCALE MODEL
! ANALYST: DAN M. STOELZEL
! DATE: NOV 3, 1995
! SCENARIO: UNDISTURBED SCENERIO: NO FLOW IN DRZ AND SALADO
! DIP INCLUDED
!
! MODIFIED MARCH 22, 1996
! CHANGES MADE TO WELL INPUT CARD TO INCORPORATE FBHP MODEL (FROM
! PREVIOUS ALGEBRA)
!
! 6/5/02 T. Hadgu
! Changes made to reflect the three regions of the repository
! replacing the original four. This affects location of wells.
! For down-dip the well is now located in Region 3.
!
! 6/11/02, T. Hadgu
! Made modifications for TBM calculations. The modifications include
! adding Materials CONC_PCS, PAN_SL2 and DRZ_CONC, and removing Material
! DRZ_INIT.

```

```

!
!   7/31/2003 J. Stein
!   Updated this file for the 2003 CRA PA Calculations
!
!=====
*HEADING
TITLE2 = BRINE BLOWOUT IN REPOSITORY SCALE MODEL
!=====
!
!=====
*GAS_TRANSPORT_initial_conditions
CALC=NO
!=====
!
*INITIAL_CONDITIONS
!BEGIN SIMULATION AT 0 YEARS
BEGIN, TIME= 0.0
CAMDAT, TIME= 0.0
SATBR,   ID_BRINE =SATBREL
PRESSURE, ID_PRES  =PRESEL
CONFE   , ID_CONFE =FECONC
CONCELL, ID_CONCEL=CH2OCONC
ELEVAT,  ID_ELEV  =ELEVE
!=====
!*STEP_CONTROL
!!TIME STEP IS REDUCED AT TIME THE WELLBORE IS ACTIVATED, TIME=0.0 YEARS
! TIME,BEGIN=0.0, DT=8.64e-02
!=====
!*WELL_DATA
TIME_CONTROL, TIME_ID=1, WELLTIME=0.0
!PRODUCTION WELL WITH F-BHP AND PI BASED ON INPUTS
WELL_CONTROL, MAT=WELLBORE, TIME_ID=1, NUM=1, TYPE=PROD, &
               ILOC=12, JLOC=5, KLOC=1, &
               QO=0.0, QG=0.0, PIWELL=WELLPI_L, &
               PRWELL= FBHP3_L
!
WELL_CONTROL, MAT=WELLBORE, TIME_ID=1, NUM=1, TYPE=INJP, &
               ILOC=6, JLOC=5, KLOC=1, &
               QO=0.0, QG=0.0, PIWELL=WELPI_BC, &
               PRWELL= BHP_ABAN
!=====
!*GEOMETRY
COORD= CARTESIAN
!=====
!*SIMULATION_CONTROL
INTEGRATION, TMAX=4.323E06, DT_INIT=8.64e-01, DT_MIN= 8.64E-2,
DT_MAX=8.64E4, &
             DT_INCR=1.25, DT_REDU= 0.5, AUTODT=YES, TSWITCH=1.0, &
             MATERIAL=WELLBORE, MAXSTEPS=NSTEP3_L
!
ITERATION, DSATLIM= 2.E-1, DPRESLIM = -1.E8 , SATLIM= 1.E-3, &
SATNORM= 0.30, PRESNORM = 5.0E5, &
ITMAX= 8, IRESETMAX= 40, IJACINT= 1, &
IJACSWITCH=41, IJACMIN= 1, IJACRESET= 5, &
IUPRPFLAG =9, IUPMFFLAG= 9, IUPRPLOOSE= 9, &
IUPMFLOOSE=9
!
ITERATION, DHSAT_REL= 1.0E-8, DHPRES_REL=1.0E-8, &
DHSAT_MIN= 1.0E-10, DHPRES_MIN=1.0E-2
!

```

```
ITERATION, EPS_SAT = 3.0E+0, EPS_PRES = 1.E-2, &
          R_EPS_SAT= 3.0E+0, R_EPS_PRES = 1.E-2, &
          FTOL_SAT = 1.0E-2, FTOL_PRES = 1.0E-2, &
          R_FTOL_SAT=1.0E-2, R_FTOL_PRES = 1.0E-2, CONV_TEST = and
```

```
!
NUMERICS, SOLVER=LU
NUMERICS, JACSCALE= 1.0e7, VSWITCH = NO
NUMERICS, ITRAVE= HARMONIC, IMFRAVE=UPSTREAM
```

```
!
GRAVITY, MAT= REFCON, G_ACC= GRAVACC
```

```
!
!=====
*OUTPUT_CONTROL
```

```
UNITS= SI
MONITOR, ILOC = 8, JLOC = 5, KLOC = 1
MONITOR, ILOC = 19, JLOC =18, KLOC = 1
MONITOR, ILOC = 34, JLOC =35, KLOC = 1
!
STEPS, FILE= BINARY, NSTEP=5
TIMES, FILE= ASCII, VALUES= 0.0, 9.504E5
```

```
!
PRIBIN, &
      PRESBRIN, PRESGAS, POROS, SATGAS, &
      FLOWGASX, FLOWGASY, FLOWBRX, FLOWBRY, &
      BRINRATE, WELLBRINE, WELLGAS
```

```
!
PRIASC, &
      PRESBRIN, PRESGAS, POROS, SATGAS
```

```
!
HISTORY, NAMES= WELLBRINE, IRANGE= 12,12, JRANGE= 5, 5, KRANGE=1,1
HISTORY, NAMES= WELLBRINE, IRANGE= 6,6, JRANGE= 5, 5, KRANGE=1,1
!
HISTORY, NAMES= WELLGAS, IRANGE= 12,12, JRANGE= 5, 5, KRANGE=1,1
HISTORY, NAMES= WELLGAS, IRANGE= 6,6, JRANGE= 5, 5, KRANGE=1,1
```

```
!=====
```

```
*PROPERTIES
! GET SOLID properties from CAMDAT file
```

```
!
SOLID, MAT=WAS_AREA, &
      PRM_X = PERM_X, PRM_Y = PERM_Y, &
      PRM_Z = PERM_Z, POROSITY = POROSITY, &
      BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
      BCLAM = PORE_DIS, COMPRES = POR_COMP, &
      SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
      PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
      RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
      PCT_EXP = PCT_EXP, PCT_FLAG = KPT
```

```
!Salado Halite
SOLID, MAT=S_HALITE, &
      PRM_X = PERM_X, PRM_Y = PERM_Y, &
      PRM_Z = PERM_Z, POROSITY = POROSITY, &
      BCSOR = SAT_RBRN, BCSGR = SAT_RGAS, &
      BCLAM = PORE_DIS, COMPRES = POR_COMP, &
      SB_MIN = SB_MIN, PB_MIN = PO_MIN, &
      PC_MAX = PC_MAX, CAP_MOD = CAP_MOD, &
      RELP_MODEL = RELP_MOD, PCT_A = PCT_A, &
```

```

                PCT_EXP      = PCT_EXP,          PCT_FLAG      = KPT
!
SOLID, MAT=DRZ_1, &
                PRM_X        = PERM_X,          PRM_Y          = PERM_Y, &
                PRM_Z        = PERM_Z,          POROSITY       = POROSITY, &
                BCSOR        = SAT_RBRN,        BCSGR          = SAT_RGAS, &
                BCLAM        = PORE_DIS,        COMPRES        = POR_COMP, &
                SB_MIN       = SB_MIN,          PB_MIN         = PO_MIN, &
                PC_MAX       = PC_MAX,          CAP_MOD        = CAP_MOD, &
                RELP_MODEL    = RELP_MOD,        PCT_A          = PCT_A, &
                PCT_EXP      = PCT_EXP,          PCT_FLAG      = KPT
!
SOLID, MAT=CONC_PCS, &
                PRM_X        = PERM_X,          PRM_Y          = PERM_Y, &
                PRM_Z        = PERM_Z,          POROSITY       = POROSITY, &
                BCSOR        = SAT_RBRN,        BCSGR          = SAT_RGAS, &
                BCLAM        = PORE_DIS,        COMPRES        = POR_COMP, &
                SB_MIN       = SB_MIN,          PB_MIN         = PO_MIN, &
                PC_MAX       = PC_MAX,          CAP_MOD        = CAP_MOD, &
                RELP_MODEL    = RELP_MOD,        PCT_A          = PCT_A, &
                PCT_EXP      = PCT_EXP,          PCT_FLAG      = KPT
!
SOLID, MAT=DRZ_CONC, &
                PRM_X        = PERM_X,          PRM_Y          = PERM_Y, &
                PRM_Z        = PERM_Z,          POROSITY       = POROSITY, &
                BCSOR        = SAT_RBRN,        BCSGR          = SAT_RGAS, &
                BCLAM        = PORE_DIS,        COMPRES        = POR_COMP, &
                SB_MIN       = SB_MIN,          PB_MIN         = PO_MIN, &
                PC_MAX       = PC_MAX,          CAP_MOD        = CAP_MOD, &
                RELP_MODEL    = RELP_MOD,        PCT_A          = PCT_A, &
                PCT_EXP      = PCT_EXP,          PCT_FLAG      = KPT
!
SOLID, MAT=PAN_SL2, &
                PRM_X        = PERM_X,          PRM_Y          = PERM_Y, &
                PRM_Z        = PERM_Z,          POROSITY       = POROSITY, &
                BCSOR        = SAT_RBRN,        BCSGR          = SAT_RGAS, &
                BCLAM        = PORE_DIS,        COMPRES        = POR_COMP, &
                SB_MIN       = SB_MIN,          PB_MIN         = PO_MIN, &
                PC_MAX       = PC_MAX,          CAP_MOD        = CAP_MOD, &
                RELP_MODEL    = RELP_MOD,        PCT_A          = PCT_A, &
                PCT_EXP      = PCT_EXP,          PCT_FLAG      = KPT
!
!
! GET FLUID (brine and gas) properties from CAMDAT file
FLUID, MAT=BRINESAL, SALINITY=WTF, DEN_BR=DNSFLUID, &
                COMPR_BR= COMPRES, REF_TEMP= REF_TEMP, &
                REF_PRES=REF_PRES, INTERP=1, VIS_BR=VISCO
FLUID, MAT=H2,
                VIS_GAS=VISCO, DGAS = OFF, &
                H2_MOLE =1.0, CO2_MOLE=0.0, CH4_MOLE=0.0, &
                N2_MOLE= 0.0, H2S_MOLE=0.0, O2_MOLE=0.0
!
FLUID, MAT= REFCON, R_GAS      = R
FLUID, MAT= REFCON, MW_H2O    = MW_H2O
FLUID, MAT= REFCON, MW_SALT   = MW_NACL
FLUID, MAT= REFCON, MW_H2     = MW_H2,    TC_H2    = TC_H2,    PC_H2    = PC_H2, &
                ACEN_H2    = ACF_H2,    H2_CO2   = BIP_12,    H2_CH4   = BIP_13, &
                H2_N2     = BIP_14,    H2_H2S   = BIP_15,    H2_O2    = BIP_16

```

```

FLUID, MAT= REFCON, MW_CO2 = MW_CO2, TC_CO2 = TC_CO2, PC_CO2 = PC_CO2, &
ACEN_CO2 = ACF_CO2, CO2_CH4= BIP_23, CO2_N2 = BIP_24, &
CO2_H2S = BIP_25 , CO2_O2 = BIP_26
FLUID, MAT= REFCON, MW_CH4 = MW_CH4, TC_CH4 = TC_CH4, PC_CH4 = PC_CH4, &
ACEN_CH4 = ACF_CH4, CH4_N2 = BIP_34, CH4_H2S= BIP_35, &
CH4_O2 = BIP_36
FLUID, MAT= REFCON, MW_N2 = MW_N2, TC_N2 = TC_N2, PC_N2 = PC_N2, &
ACEN_N2 = ACF_N2, N2_H2S = BIP_45, N2_O2 = BIP_46
FLUID, MAT= REFCON, MW_H2S = MW_H2S, TC_H2S = TC_H2S, PC_H2S = PC_H2S, &
ACEN_H2S = ACF_H2S, H2S_O2 = BIP_56
FLUID, MAT= REFCON, MW_O2 = MW_O2, TC_O2 = TC_O2, PC_O2 = PC_O2, &
ACEN_O2 = ACF_O2
FLUID, MAT= REFCON, OMEGA_A = OMEGAA , OMEGA_B = OMEGAB
*END
!=====
$

```

**SCENARIO: S4**

```

$ type dbr_bf1_cra1_dir_rel_s4_1.inp
!=====
!
! TITLE: PREBRAG INPUT FOR BLOWOUT CALCULATION: REPOSITORY SCALE MODEL
! ANALYST: DAN M. STOELZEL
! DATE: NOV 3, 1995
! SCENARIO: UNDISTURBED SCENERIO: NO FLOW IN DRZ AND SALADO
! DIP INCLUDED
!
! MODIFIED MARCH 22, 1996
! CHANGES MADE TO WELL INPUT CARD TO INCORPORATE FBHP MODEL (FROM
! PREVIOUS ALGEBRA)
!
! 6/5/02 T. Hadgu
! Changes made to reflect the three regions of the repository
! replacing the original four. This affects location of wells.
! For down-dip the well is now located in Region 3.
!
! 6/11/02, T. Hadgu
! Made modifications for TBM calculations. The modifications include
! adding Materials CONC_PCS, PAN_SL2 and DRZ_CONC, and removing Material
! DRZ_INIT.
!
! 7/31/2003 J. Stein
! Updated this file for the 2003 CRA PA Calculations
!
!=====
*HEADING
TITLE2 = BRINE BLOWOUT IN REPOSITORY SCALE MODEL
!=====
*GAS_TRANSPORT_initial_conditions
CALC=NO
!=====
*INITIAL_CONDITIONS
!BEGIN SIMULATION AT 0 YEARS
BEGIN, TIME= 0.0
CAMDAT, TIME= 0.0

```

```

SATBR, ID_BRINE =SATBREL
PRESSURE, ID_PRES =PRESEL
CONFE , ID_CONFE =FECONC
CONCELL, ID_CONCEL=CH2OCONC
ELEVAT, ID_ELEV =ELEVE
!=====
!*STEP_CONTROL
!!TIME STEP IS REDUCED AT TIME THE WELLBORE IS ACTIVATED, TIME=0.0 YEARS
! TIME,BEGIN=0.0, DT=8.64e-02
!=====
*WELL_DATA
TIME_CONTROL, TIME_ID=1,WELLTIME=0.0
!PRODUCTION WELL WITH F-BHP AND PI BASED ON INPUTS
WELL_CONTROL, MAT=WELLBORE,TIME_ID=1,NUM=1,TYPE=PROD, &
                ILOC=12,JLOC=5,KLOC=1,&
                QO=0.0, QG=0.0, PIWELL=WELLPI_L,&
                PRWELL= FBHP3_L
!
WELL_CONTROL, MAT=WELLBORE,TIME_ID=1,NUM=1,TYPE=INJP, &
                ILOC=6,JLOC=5,KLOC=1,&
                QO=0.0, QG=0.0, PIWELL=WELPI_BC,&
                PRWELL= BHP_ABAN
!=====
*GEOMETRY
COORD= CARTESIAN
!=====
*SIMULATION_CONTROL
INTEGRATION, TMAX=4.323E06, DT_INIT=8.64e-01,DT_MIN= 8.64E-2,
DT_MAX=8.646E4,&
                DT_INCR=1.25, DT_REDU= 0.5, AUTODT=YES, TSWITCH=1.0,&
                MATERIAL=WELLBORE,MAXSTEPS=NSTEP3_L
!
ITERATION, DSATLIM= 2.E-1, DPRESLIM = -1.E8 , SATLIM= 1.E-3,&
SATNORM= 0.30, PRESNORM = 5.0E5,&
ITMAX= 8, IRESETMAX= 40, IJACINT= 1,&
IJACSWITCH=41, IJACMIN= 1, IJACRESET= 5,&
IUPRPFLAG =9, IUPMFFLAG= 9, IUPRPLOOSE= 9,&
IUPMFLOOSE=9
!
ITERATION, DHSAT_REL= 1.0E-8, DHPRES_REL=1.0E-8,&
DHSAT_MIN= 1.0E-10, DHPRES_MIN=1.0E-2
!
ITERATION, EPS_SAT = 3.0E+0, EPS_PRES = 1.E-2,&
R_EPS_SAT= 3.0E+0, R_EPS_PRES = 1.E-2,&
FTOL_SAT = 1.0E-2, FTOL_PRES = 1.0E-2,&
R_FTOL_SAT=1.0E-2, R_FTOL_PRES = 1.0E-2, CONV_TEST = and
!
NUMERICS,SOLVER=LU
NUMERICS,JACSCALE= 1.0e7, VSWITCH = NO
NUMERICS, ITRAVE= HARMONIC, IMFRAVE=UPSTREAM
!
GRAVITY, MAT= REFCON, G_ACC= GRAVACC
!
!=====
*OUTPUT_CONTROL

UNITS= SI

```



```

MONITOR, ILOC = 8, JLOC = 5, KLOC = 1
MONITOR, ILOC = 19, JLOC =18, KLOC = 1
MONITOR, ILOC = 34, JLOC =35, KLOC = 1
!
STEPS, FILE= BINARY, NSTEP=5
  TIMES, FILE= ASCII,  VALUES= 0.0, 9.504E5
!
PRIBIN, &
  PRESBRIN,  PRESGAS,  POROS,    SATGAS, &
  FLOWGASX,  FLOWGASY,  FLOWBRX,  FLOWBRY, &
  BRINRATE,  WELLBRINE, WELLGAS
!
PRIASC, &
  PRESBRIN,  PRESGAS,  POROS,    SATGAS
!
HISTORY, NAMES=  WELLBRINE,  IRANGE= 12,12,  JRANGE= 5, 5, KRANGE=1,1
HISTORY, NAMES=  WELLBRINE,  IRANGE= 6,6,    JRANGE= 5, 5, KRANGE=1,1
!
HISTORY, NAMES=  WELLGAS,    IRANGE= 12,12,  JRANGE= 5, 5, KRANGE=1,1
HISTORY, NAMES=  WELLGAS,    IRANGE= 6,6,    JRANGE= 5, 5, KRANGE=1,1
!=====
*PROPERTIES
! GET SOLID properties from CAMDAT file
!
SOLID, MAT=WAS_AREA, &
  PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
  PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
  BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
  BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
  SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
  PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
  RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
  PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
!Salado Halite
SOLID, MAT=S_HALITE, &
  PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
  PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
  BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
  BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
  SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
  PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
  RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
  PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
!
SOLID, MAT=DRZ_1, &
  PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
  PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
  BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
  BCLAM      = PORE_DIS,    COMPRES     = POR_COMP, &
  SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
  PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
  RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
  PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
!
SOLID, MAT=CONC_PCS, &
  PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
  PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &

```

```

BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=DRZ_CONC, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
SOLID, MAT=PAN_SL2, &
PRM_X      = PERM_X,        PRM_Y      = PERM_Y, &
PRM_Z      = PERM_Z,        POROSITY   = POROSITY, &
BCSOR      = SAT_RBRN,      BCSGR      = SAT_RGAS, &
BCLAM      = PORE_DIS,      COMPRES     = POR_COMP, &
SB_MIN     = SB_MIN,        PB_MIN     = PO_MIN, &
PC_MAX     = PC_MAX,        CAP_MOD    = CAP_MOD, &
RELP_MODEL = RELP_MOD,      PCT_A      = PCT_A, &
PCT_EXP    = PCT_EXP,      PCT_FLAG   = KPT

!
!
! GET FLUID (brine and gas) properties from CAMDAT file
FLUID, MAT=BRINESAL, SALINITY=WTF, DEN_BR=DNSFLUID, &
COMPR_BR= COMPRES, REF_TEMP= REF_TEMP, &
REF_PRES=REF_PRES, INTERP=1, VIS_BR=VISCO
FLUID, MAT=H2,
VIS_GAS=VISCO, DGAS = OFF, &
H2_MOLE =1.0, CO2_MOLE=0.0, CH4_MOLE=0.0, &
N2_MOLE= 0.0, H2S_MOLE=0.0, O2_MOLE=0.0

!
FLUID, MAT= REFCON, R_GAS    = R
FLUID, MAT= REFCON, MW_H2O   = MW_H2O
FLUID, MAT= REFCON, MW_SALT  = MW_NACL
FLUID, MAT= REFCON, MW_H2    = MW_H2,   TC_H2   = TC_H2,   PC_H2   = PC_H2, &
ACEN_H2   = ACF_H2,   H2_CO2  = BIP_12,   H2_CH4  = BIP_13, &
H2_N2    = BIP_14,   H2_H2S  = BIP_15,   H2_O2   = BIP_16
FLUID, MAT= REFCON, MW_CO2   = MW_CO2,   TC_CO2  = TC_CO2,   PC_CO2  = PC_CO2, &
ACEN_CO2 = ACF_CO2, CO2_CH4= BIP_23,   CO2_N2  = BIP_24, &
CO2_H2S  = BIP_25,  CO2_O2   = BIP_26
FLUID, MAT= REFCON, MW_CH4   = MW_CH4,   TC_CH4  = TC_CH4,   PC_CH4  = PC_CH4, &
ACEN_CH4 = ACF_CH4, CH4_N2   = BIP_34,   CH4_H2S = BIP_35, &
CH4_O2   = BIP_36
FLUID, MAT= REFCON, MW_N2    = MW_N2,   TC_N2   = TC_N2,   PC_N2   = PC_N2, &
ACEN_N2  = ACF_N2,   N2_H2S  = BIP_45,   N2_O2   = BIP_46
FLUID, MAT= REFCON, MW_H2S   = MW_H2S,   TC_H2S  = TC_H2S,   PC_H2S  = PC_H2S, &
ACEN_H2S = ACF_H2S, H2S_O2   = BIP_56
FLUID, MAT= REFCON, MW_O2    = MW_O2,   TC_O2   = TC_O2,   PC_O2   = PC_O2, &
ACEN_O2  = ACF_O2
FLUID, MAT= REFCON, OMEGA_A  = OMEGAA , OMEGA_B = OMEGAB
*END

```

SCENARIO: S5

\$ type dbr\_bf1\_cra1\_dir\_rel\_s5\_m.inp

```
=====
!  
!  
! TITLE: PREBRAG INPUT FOR BLOWOUT CALCULATION: REPOSITORY SCALE MODEL  
! ANALYST: DAN M. STOELZEL  
! DATE: NOV 3, 1995  
! SCENARIO: UNDISTURBED SCENERIO: NO FLOW IN DRZ AND SALADO  
! DIP INCLUDED  
!  
! MODIFIED MARCH 22, 1996  
! CHANGES MADE TO WELL INPUT CARD TO INCORPORATE FBHP MODEL (FROM  
! PREVIOUS ALGEBRA)  
!  
! 6/5/02 T. Hadgu  
! Changes made to reflect the three regions of the repository  
! replacing the original four. This affects location of wells.  
! For down-dip the well is now located in Region 3.  
!  
! 6/11/02, T. Hadgu  
! Made modifications for TBM calculations. The modifications include  
! adding Materials CONC_PCS, PAN_SL2 and DRZ_CONC, and removing Material  
! DRZ_INIT.  
!  
! 7/31/2003 J. Stein  
! Updated this file for the 2003 CRA PA Calculations  
!
```

```
=====
*HEADING  
TITLE2 = BRINE BLOWOUT IN REPOSITORY SCALE MODEL  
!  
*GAS_TRANSPORT_initial_conditions  
CALC=NO  
!  
*INITIAL_CONDITIONS  
!BEGIN SIMULATION AT 0 YEARS  
BEGIN, TIME= 0.0  
CAMDAT, TIME= 0.0  
SATBR, ID_BRINE =SATBREL  
PRESSURE, ID_PRES =PRESEL  
CONFE , ID_CONFE =FECONC  
CONCELL, ID_CONCEL=CH2OCONC  
ELEVAT, ID_ELEV =ELEVE  
!  
!*STEP_CONTROL  
!!TIME STEP IS REDUCED AT TIME THE WELLBORE IS ACTIVATED, TIME=0.0 YEARS  
! TIME,BEGIN=0.0, DT=8.64e-02  
!  
*WELL_DATA  
TIME_CONTROL, TIME_ID=1,WELLTIME=0.0  
!PRODUCTION WELL WITH F-BHP AND PI BASED ON INPUTS  
WELL_CONTROL, MAT=WELLBORE, TIME_ID=1, NUM=1, TYPE=PROD, &  
ILOC=36, JLOC=15, KLOC=1, &  
QO=0.0, QG=0.0, PIWELL=WELLPI_L, &  
PRWELL= FBHP2_L
```

```

!
WELL_CONTROL, MAT=WELLBORE, TIME_ID=1, NUM=1, TYPE=INJP, &
      ILOC=6, JLOC=5, KLOC=1, &
      QO=0.0, QG=0.0, PIWELL=WELPI_BC, &
      PRWELL= BHP_ABAN
!=====
*GEOMETRY
COORD= CARTESIAN
!=====
*SIMULATION_CONTROL
INTEGRATION, TMAX=4.323E06, DT_INIT=8.64e-01, DT_MIN= 8.64E-2,
DT_MAX=8.646E4, &
      DT_INCR=1.25, DT_REDU= 0.5, AUTODT=YES, TSWITCH=1.0, &
      MATERIAL=WELLBORE, MAXSTEPS=NSTEP2_L
!
ITERATION, DSATLIM= 2.E-1, DPRESLIM = -1.E8 , SATLIM= 1.E-3, &
      SATNORM= 0.30, PRESNORM = 5.0E5, &
      ITMAX= 8, IRESETMAX= 40, IJACINT= 1, &
      IJACSWITCH=41, IJACMIN= 1, IJACRESET= 5, &
      IUPRPFLAG =9, IUPMFFLAG= 9, IUPRPLOOSE= 9, &
      IUPMFLOOSE=9
!
ITERATION, DHSAT_REL= 1.0E-8, DHPRES_REL=1.0E-8, &
      DHSAT_MIN= 1.0E-10, DHPRES_MIN=1.0E-2
!
ITERATION, EPS_SAT = 3.0E+0, EPS_PRES = 1.E-2, &
      R_EPS_SAT= 3.0E+0, R_EPS_PRES = 1.E-2, &
      FTOL_SAT = 1.0E-2, FTOL_PRES = 1.0E-2, &
      R_FTOL_SAT=1.0E-2, R_FTOL_PRES = 1.0E-2, CONV_TEST = and
!
NUMERICS, SOLVER=LU
NUMERICS, JACSCALE= 1.0e7, VSWITCH = NO
NUMERICS, ITRAVE= HARMONIC, IMFRAVE=UPSTREAM
!
GRAVITY, MAT= REFCON, G_ACC= GRAVACC
!
!=====
*OUTPUT_CONTROL

UNITS= SI
MONITOR, ILOC = 8, JLOC = 5, KLOC = 1
MONITOR, ILOC = 19, JLOC =18, KLOC = 1
MONITOR, ILOC = 34, JLOC =35, KLOC = 1
!
STEPS, FILE= BINARY, NSTEP=5
TIMES, FILE= ASCII, VALUES= 0.0, 9.504E5
!
PRIBIN, &
      PRESBRIN, PRESGAS, POROS, SATGAS, &
      FLOWGASX, FLOWGASY, FLOWBRX, FLOWBRY, &
      BRINRATE, WELLBRINE, WELLGAS
!
PRIASC, &
      PRESBRIN, PRESGAS, POROS, SATGAS
!
HISTORY, NAMES= WELLBRINE, IRANGE= 36,36, JRANGE= 15, 15, KRANGE=1,1
HISTORY, NAMES= WELLBRINE, IRANGE= 6,6, JRANGE= 5, 5, KRANGE=1,1

```

!  
HISTORY, NAMES= WELLGAS, IRANGE= 36,36, JRANGE= 15, 15, KRANGE=1,1  
HISTORY, NAMES= WELLGAS, IRANGE= 6,6, JRANGE= 5, 5, KRANGE=1,1

!=====

\*PROPERTIES

! GET SOLID properties from CAMDAT file

!

SOLID, MAT=WAS\_AREA, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
REL_P_MODEL	=	REL_P_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!Salado Halite

SOLID, MAT=S\_HALITE, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
REL_P_MODEL	=	REL_P_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

SOLID, MAT=DRZ\_1, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
REL_P_MODEL	=	REL_P_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

SOLID, MAT=CONC\_PCS, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
REL_P_MODEL	=	REL_P_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

SOLID, MAT=DRZ\_CONC, &

PRM_X	=	PERM_X,	PRM_Y	=	PERM_Y, &
PRM_Z	=	PERM_Z,	POROSITY	=	POROSITY, &
BCSOR	=	SAT_RBRN,	BCSGR	=	SAT_RGAS, &
BCLAM	=	PORE_DIS,	COMPRES	=	POR_COMP, &
SB_MIN	=	SB_MIN,	PB_MIN	=	PO_MIN, &
PC_MAX	=	PC_MAX,	CAP_MOD	=	CAP_MOD, &
REL_P_MODEL	=	REL_P_MOD,	PCT_A	=	PCT_A, &
PCT_EXP	=	PCT_EXP,	PCT_FLAG	=	KPT

!

```

SOLID, MAT=PAN_SL2, &
    PRM_X      = PERM_X,      PRM_Y      = PERM_Y, &
    PRM_Z      = PERM_Z,      POROSITY    = POROSITY, &
    BCSOR      = SAT_RBRN,    BCSGR      = SAT_RGAS, &
    BCLAM      = PORE_DIS,    COMPRES    = POR_COMP, &
    SB_MIN     = SB_MIN,      PB_MIN     = PO_MIN, &
    PC_MAX     = PC_MAX,      CAP_MOD    = CAP_MOD, &
    RELP_MODEL = RELP_MOD,    PCT_A      = PCT_A, &
    PCT_EXP    = PCT_EXP,    PCT_FLAG   = KPT
!
!
! GET FLUID (brine and gas) properties from CAMDAT file
FLUID, MAT=BRINESAL, SALINITY=WTF, DEN_BR=DNSFLUID, &
    COMPR_BR= COMPRES, REF_TEMP= REF_TEMP, &
    REF_PRES=REF_PRES, INTERP=1, VIS_BR=VISCO
FLUID, MAT=H2,
    VIS_GAS=VISCO, DGAS = OFF, &
    H2_MOLE =1.0, CO2_MOLE=0.0, CH4_MOLE=0.0, &
    N2_MOLE= 0.0, H2S_MOLE=0.0, O2_MOLE=0.0
!
FLUID, MAT= REFCON, R_GAS      = R
FLUID, MAT= REFCON, MW_H2O    = MW_H2O
FLUID, MAT= REFCON, MW_SALT   = MW_NACL
FLUID, MAT= REFCON, MW_H2     = MW_H2,   TC_H2   = TC_H2,   PC_H2   = PC_H2, &
    ACEN_H2    = ACF_H2,   H2_CO2  = BIP_12,   H2_CH4  = BIP_13, &
    H2_N2     = BIP_14,   H2_H2S = BIP_15,   H2_O2   = BIP_16
FLUID, MAT= REFCON, MW_CO2    = MW_CO2,   TC_CO2  = TC_CO2,   PC_CO2  = PC_CO2, &
    ACEN_CO2  = ACF_CO2,   CO2_CH4= BIP_23,   CO2_N2  = BIP_24, &
    CO2_H2S   = BIP_25,   CO2_O2 = BIP_26
FLUID, MAT= REFCON, MW_CH4    = MW_CH4,   TC_CH4  = TC_CH4,   PC_CH4  = PC_CH4, &
    ACEN_CH4  = ACF_CH4,   CH4_N2  = BIP_34,   CH4_H2S= BIP_35, &
    CH4_O2    = BIP_36
FLUID, MAT= REFCON, MW_N2     = MW_N2,   TC_N2   = TC_N2,   PC_N2   = PC_N2, &
    ACEN_N2   = ACF_N2,   N2_H2S = BIP_45,   N2_O2   = BIP_46
FLUID, MAT= REFCON, MW_H2S    = MW_H2S,   TC_H2S  = TC_H2S,   PC_H2S  = PC_H2S, &
    ACEN_H2S  = ACF_H2S,   H2S_O2 = BIP_56
FLUID, MAT= REFCON, MW_O2     = MW_O2,   TC_O2   = TC_O2,   PC_O2   = PC_O2, &
    ACEN_O2   = ACF_O2
FLUID, MAT= REFCON, OMEGA_A   = OMEGAA , OMEGA_B = OMEGAB
!
*END

```

## APPENDIX C: INPUT FILES FOR DRSPALL

### C.1 GENMESH INPUT FILE Sets up grid for DR SPALL

```
$ type gm_drs_cra1_R1.inp
!=====
! FILETYPE: GENMESH input text file
! TITLE: Simple GENMESH to set up CRA CDB for DRSPALL
! ANALYSTS: David K. Rudeen
! DATE: 10-1-03
!=====
!
*SETUP
  DIM= 3
  ORIGIN= 0.0, 0.0, 0.0
  IJKMAX= 2, 2, 2
*GRID
! ===== X direction =====
  DEL, COORD=X, DEL= 1.00, INRANGE= 1, 2, FACTOR= 1.0
! ===== Y direction =====
  DEL, COORD=Y, DEL= 1.00, INRANGE= 1, 2, FACTOR= 1.0
! ===== Z direction =====
  DEL, COORD=Z, DEL= 1.00, INRANGE= 1, 2, FACTOR= 1.0
!
*REGIONS
  REGION= 1, IRANGE= 1,2, JRANGE= 1,2 KRANGE= 1, 2
!=====
*END
```

### C.2 MATSET FILE: Calls out parameters/defines/assigns parameters to blocks

```
$ type ms_drs_cra1_R1.inp
!=====
! TITLE: DRSPALL INITIAL MATSET
! ANALYSTS: David Rudeen
! CREATED: October 1, 2003
! PURPOSE: PREPARE INPUT CDB FOR DRSPALL
!=====
!
*HEADING
RUN=0
SCALE=SOURCE
SCENARIO=00
TITLE=SPALLING
!
*PRINT_ASSIGNED_VALUES
!
*UNITS=SI
!
*CREATE_BLOCK
  BLOCKID= 2 ,3 ,4 ,5, 6, 7, 8
*RETRIEVE*NAME
COORDINATE, DIM=3, NAMES=X, Y, Z
MATERIAL, 1=GLOBAL, 2=SPALLMOD, 3=REFCON, 4=BLOWOUT, 5=BRINESAL, &
          6=H2, 7=DRILLMUD, 8=BOREHOLE
```

```

!
PROPERTY, MATERIAL=SPALLMOD, NAMES = SURFELEV, REPOSTOP, REPOSTCK, &
DRZTCK, DRZPERM, REPOTRAD, FFSTRESS, REPIPERM, REPIPOR, &
BIOTBETA, POISRAT, COHESION, FRICTANG, TENSLSTR, PARTDIAM, &
ANNUROUG, MUDSOLMX, MUDSOLVE, REFPRS, SALTDENS, &
PIPEID, DRILRATE, INITBAR, MUDPRATE, DDZTHICK, DDZPERM, &
STPDVOLR, STPPVOLR, STPDTIME, SHAPEFAC, &
FRCHBETA, CHARLEN, PIPEROUG, EXITPLEN, EXITPDIA, MAXPPRES
PROPERTY, MATERIAL=REFCON, NAMES= PI, GRAVACC
PROPERTY, MATERIAL=BLOWOUT, NAMES= RGAS, TREPO, RHOS
PROPERTY, MATERIAL=BRINESAL, NAMES= COMPRES
PROPERTY, MATERIAL=H2, NAMES= VISCO
PROPERTY, MATERIAL=DRILLMUD, NAMES= DNSFLUID, VISCO
PROPERTY, MATERIAL=BOREHOLE, NAMES= DIAMMOD, PIPED, COLDIA, L1

!=====
*SET*VALUES
PROPERTY MATERIAL=SPALLMOD, NAMES*VALUE: DRZTCK=0.85
PROPERTY MATERIAL=SPALLMOD, NAMES*VALUE: REPOSTCK=0.0
PROPERTY MATERIAL=SPALLMOD, NAMES*VALUE: REPOTRAD=19.2
PROPERTY MATERIAL=SPALLMOD, NAMES*VALUE: FRCHBETA=1.15E-6
PROPERTY MATERIAL=SPALLMOD, NAMES*VALUE: CHARLEN=0.02
PROPERTY MATERIAL=SPALLMOD, NAMES*VALUE: EXITPLEN=0.0
PROPERTY MATERIAL=SPALLMOD, NAMES*VALUE: EXITPDIA=0.2032
PROPERTY MATERIAL=SPALLMOD, NAMES*VALUE: INITBAR=0.15
PROPERTY MATERIAL=SPALLMOD, NAMES*VALUE: MAXPPRES=27.5e6
PROPERTY MATERIAL=SPALLMOD, NAMES*VALUE: STPDTIME=1000.
PROPERTY MATERIAL=SPALLMOD, NAMES*VALUE: REPIPOR=0.5
!
*END
!-----

```

### C.3 LHS INPUT FILE—calls sampled parameters

```

$ type LHS1_drs_cra1_a1.inp
! TITLE: DRSPALL 2003 CRA1 (LHS1)
! SCENARIO:
! ANALYSTS: David Rudeen, David Lord
! CREATED: October 1, 2003
! Modified: October 6, 2003
! CWH: removed REPIPRES as a sampled variable for the CRA1
! LHSCALC = CRA1 REALIZATION 1
!=====
!
! DESCRIPTION:
!
! WIPP 2003 Compliance Recertification Analyses (CRA)
!
! This input file to PRELHS is used to generate, as an output file, an LHS
! input file containing all distribution information and execution options
! required to create a sample for DRSPALL spall response surface for the
! WIPP 2003 CRA
!
!===== No Comments Allowed between *ECHO and *ENDECHO =====
!
*ECHOLHS

```



```

TITLE 2003 CRA PA Calculation Input File for the LHS Code for DRSPALL
NOBS          50
RANDOM SEED    921196800
UNIFORM              SPALLMOD REPIPOR
      3.50000E-01      6.60000E-01
OUTPUT CORR HIST DATA
*ENDECHO
!
!== PROPERTIES TO BE RETRIEVED FROM WIPP 1997 PA CALCULATION DATABASE ==
!
*RETRIEVE
!1
  MATERIALS,  SPALLMOD
  PROPERTIES, REPIPERM
!2
  MATERIALS,  SPALLMOD
  PROPERTIES, TENSSTR
!3
  MATERIALS,  SPALLMOD
  PROPERTIES, PARTDIAM
!
!=====
!
*END

```

#### C.4 DRSPALL INPUT FILE (rep 1, scen1)

```

$ type drs_cra1_R1_s1.drs
REPOSITORY
Land Elevation          (m):  SPALLMOD SURFELEV
Repository top          (m):  SPALLMOD REPOSTOP
Total Thickness         (m):  0.0
DRZ Thickness           (m):  0.85      !SPALLMOD DRZTCK
DRZ Permeability        (m^2): SPALLMOD DRZPERM
Outer Radius            (m):  19.2
Initial Gas Pressure    (Pa):  10.0e+6
Far-Field In-Situ Stress (m):  SPALLMOD FFSTRESS

WASTE
Porosity                (-):  SPALLMOD REPIPOR
Permeability             (m^2): SPALLMOD REPIPERM
Forch Beta              (-):  1.15e-6
Biot Beta               (-):  SPALLMOD BIOTBETA
Poisson Ratio          (-):  SPALLMOD POISRAT
Cohesion                (Pa):  SPALLMOD COHESION
Friction Angle          (deg): SPALLMOD FRICTANG
Tensile Strength        (Pa):  SPALLMOD TENSSTR
Lt                      (m):  0.02
Particle Diameter       (m):  SPALLMOD PARTDIAM
Gas Viscosity           (Pa-s): H2      VISCO

MUD
Density                 (kg/m^3): DRILLMUD DNSFLUID
Viscosity               (Pa-s):  DRILLMUD VISCO
Wall Roughness Pipe     (m):  SPALLMOD PIPEROUG
Wall Roughness Annulus (m):  SPALLMOD ANNUROUG

```

Max Solids Vol. Frac. (Pa-s): SPALLMOD MUDSOLMX  
Solids Viscosity Exp. (Pa-s): SPALLMOD MUDSOLVE

WELLBORE/DRILLING

Bit Diameter (m): BOREHOLE DIAMMOD  
Pipe Diameter (m): BOREHOLE PIPED  
Collar Diameter (m): BOREHOLE COLDIA  
Pipe Inside Diameter (m): SPALLMOD PIPEID  
Collar Length (m): BOREHOLE L1  
Exit pipe Length (m): 0.0  
Exit Pipe Diameter (m): 0.2032  
Drilling Rate (m/s): SPALLMOD DRILRATE  
Bit Above Respository(init.) (m): 0.15  
Mud Pump Rate (m<sup>3</sup>/s): SPALLMOD MUDPRATE  
Max Pump Pressure (Pa): 27.5d6  
DDZ Thickness (m): SPALLMOD DDZTHICK  
DDZ Permeability (m<sup>2</sup>): SPALLMOD DDZPERM  
Stop Drill Exit Vol Rate (m<sup>3</sup>/s): SPALLMOD STPDVOLR  
Stop Pump Exit Vol Rate (m<sup>3</sup>/s): SPALLMOD STPPVOLR  
Stop Drilling Time (s): 1.0000E+03

COMPUTATIONAL

Spherical/Cylindrical (S/C): S  
Allow Fluidization (Y/N): Y  
Max Run Time (s): 600.  
Respository Cell Length (m): 0.004  
radius, Growth rate (m,-): 0.5, 1.01  
Wellbore Cell Length (m): 2.0  
wellbore Zone Growth Rate (-): 1.0  
First wellbore Zone (-): 10  
Well Stability factor (-): 0.05  
Repository Stability factor (-): 5.0  
Mass Diffusion factor (-): 0.0001  
Momentum Diffusion factor (-): 0.01

PARAMETERS

Pi (-): REFCON PI  
Atmospheric Pressure (Pa): SPALLMOD REFPRS  
gravity (m/s<sup>2</sup>): REFCON GRAVACC  
Gas Constant (J/kg K): BLOWOUT RGAS  
Repository Temperature (K): BLOWOUT TREPO  
Water Compressibility (1/Pa): BRINESAL COMPRES  
Waste Density (kg/m<sup>3</sup>): BLOWOUT RHOS  
Salt Density (kg/m<sup>3</sup>): SPALLMOD SALTDENS  
Shape Factor (-): SPALLMOD SHAPEFAC  
Tensile Velocity (m/s): 1.0000E+03  
Bit Nozzle Number (-): 3.0000E+00  
Bit Nozzle Diameter (m): 1.1112E-02  
Choke Efficiency (-): 9.0000E-01  
\$

scenario three input  
\$ type drs\_cra1\_r1\_s3.drs  
REPOSITORY

Land Elevation (m): SPALLMOD SURFELEV  
Repository top (m): SPALLMOD REPOSTOP  
Total Thickness (m): 0.0

DRZ Thickness (m): 0.85 !SPALLMOD DRZTCK  
 DRZ Permeability (m<sup>2</sup>): SPALLMOD DRZPERM  
 Outer Radius (m): 19.2  
 Initial Gas Pressure (Pa): 14.0e+6  
 Far-Field In-Situ Stress (m): SPALLMOD FFSTRESS

WASTE

Porosity (-): SPALLMOD REPIPOR  
 Permeability (m<sup>2</sup>): SPALLMOD REPIPERM  
 Forch Beta (-): 1.15e-6  
 Biot Beta (-): SPALLMOD BIOTBETA  
 Poisson Ratio (-): SPALLMOD POISRAT  
 Cohesion (Pa): SPALLMOD COHESION  
 Friction Angle (deg): SPALLMOD FRICTANG  
 Tensile Strength (Pa): SPALLMOD TENSSTR  
 Lt (m): 0.02  
 Particle Diameter (m): SPALLMOD PARTDIAM  
 Gas Viscosity (Pa-s): H2 VISCO

MUD

Density (kg/m<sup>3</sup>): DRILLMUD DNSFLUID  
 Viscosity (Pa-s): DRILLMUD VISCO  
 Wall Roughness Pipe (m): SPALLMOD PIPEROUG  
 Wall Roughness Annulus (m): SPALLMOD ANNUROUG  
 Max Solids Vol. Frac. (Pa-s): SPALLMOD MUDSOLMX  
 Solids Viscosity Exp. (Pa-s): SPALLMOD MUDSOLVE

WELLBORE/DRILLING

Bit Diameter (m): BOREHOLE DIAMMOD  
 Pipe Diameter (m): BOREHOLE PIPED  
 Collar Diameter (m): BOREHOLE COLDIA  
 Pipe Inside Diameter (m): SPALLMOD PIPEID  
 Collar Length (m): BOREHOLE L1  
 Exit pipe Length (m): 0.0  
 Exit Pipe Diameter (m): 0.2032  
 Drilling Rate (m/s): SPALLMOD DRILRATE  
 Bit Above Respository(init.) (m): 0.15  
 Mud Pump Rate (m<sup>3</sup>/s): SPALLMOD MUDPRATE  
 Max Pump Pressure (Pa): 27.5d6  
 DDZ Thickness (m): SPALLMOD DDZTHICK  
 DDZ Permeability (m<sup>2</sup>): SPALLMOD DDZPERM  
 Stop Drill Exit Vol Rate (m<sup>3</sup>/s): SPALLMOD STPDVOLR  
 Stop Pump Exit Vol Rate (m<sup>3</sup>/s): SPALLMOD STPPVOLR  
 Stop Drilling Time (s): 1.0000E+03

COMPUTATIONAL

Spherical/Cylindrical (S/C): S  
 Allow Fluidization (Y/N): Y  
 Max Run Time (s): 600.  
 Respository Cell Length (m): 0.004  
 radius, Growth rate (m,-): 0.5, 1.01  
 Wellbore Cell Length (m): 2.0  
 wellbore Zone Growth Rate (-): 1.0  
 First wellbore Zone (-): 10  
 Well Stability factor (-): 0.05  
 Respository Stability factor (-): 5.0  
 Mass Diffusion factor (-): 0.0001

Momentum Diffusion factor (-): 0.01

PARAMETERS

Pi (-): REFCON PI  
Atmospheric Pressure (Pa): SPALLMOD REFPRS  
gravity (m/s<sup>2</sup>): REFCON GRAVACC  
Gas Constant (J/kg K): BLOWOUT RGAS  
Repository Temperature (K): BLOWOUT TREPO  
Water Compressibility (1/Pa): BRINESAL COMPRES  
Waste Density (kg/m<sup>3</sup>): BLOWOUT RHOS  
Salt Density (kg/m<sup>3</sup>): SPALLMOD SALTDENS  
Shape Factor (-): SPALLMOD SHAPEFAC  
Tensile Velocity (m/s): 1.0000E+03  
Bit Nozzle Number (-): 3.0000E+00  
Bit Nozzle Diameter (m): 1.1112E-02  
Choke Efficiency (-): 9.0000E-01

\$

Scenario 4 and 2

VV\$ type drs\_cral\_rl\_s4.drs

REPOSITORY

Land Elevation (m): SPALLMOD SURFELEV  
Repository top (m): SPALLMOD REPOSTOP  
Total Thickness (m): 0.0  
DRZ Thickness (m): 0.85 !SPALLMOD DRZTCK  
DRZ Permeability (m<sup>2</sup>): SPALLMOD DRZPERM  
Outer Radius (m): 19.2  
Initial Gas Pressure (Pa): 14.8e+6  
Far-Field In-Situ Stress (m): SPALLMOD FFSTRESS

WASTE

Porosity (-): SPALLMOD REPIPOR  
Permeability (m<sup>2</sup>): SPALLMOD REPIPERM  
Forch Beta (-): 1.15e-6  
Biot Beta (-): SPALLMOD BIOTBETA  
Poison Ratio (-): SPALLMOD POISRAT  
Cohesion (Pa): SPALLMOD COHESION  
Friction Angle (deg): SPALLMOD FRICTANG  
Tensile Strength (Pa): SPALLMOD TENSLSTR  
Lt (m): 0.02  
Particle Diameter (m): SPALLMOD PARTDIAM  
Gas Viscosity (Pa-s): H2 VISCO

MUD

Density (kg/m<sup>3</sup>): DRILLMUD DNSFLUID  
Viscosity (Pa-s): DRILLMUD VISCO  
Wall Roughness Pipe (m): SPALLMOD PIPEROUG  
Wall Roughness Annulus (m): SPALLMOD ANNUROUG  
Max Solids Vol. Frac. (Pa-s): SPALLMOD MUDSOLMX  
Solids Viscosity Exp. (Pa-s): SPALLMOD MUDSOLVE

WELLBORE/DRILLING

Bit Diameter (m): BOREHOLE DIAMMOD  
Pipe Diameter (m): BOREHOLE PIPED  
Collar Diameter (m): BOREHOLE COLDIA  
Pipe Inside Diameter (m): SPALLMOD PIPEID  
Collar Length (m): BOREHOLE L1  
Exit pipe Length (m): 0.0

Exit Pipe Diameter (m): 0.2032  
 Drilling Rate (m/s): SPALLMOD DRILRATE  
 Bit Above Respository(init.) (m): 0.15  
 Mud Pump Rate (m<sup>3</sup>/s): SPALLMOD MUDPRATE  
 Max Pump Pressure (Pa): 27.5d6  
 DDZ Thickness (m): SPALLMOD DDZTHICK  
 DDZ Permeability (m<sup>2</sup>): SPALLMOD DDZPERM  
 Stop Drill Exit Vol Rate (m<sup>3</sup>/s): SPALLMOD STPDVOLR  
 Stop Pump Exit Vol Rate (m<sup>3</sup>/s): SPALLMOD STPPVOLR  
 Stop Drilling Time (s): 1.0000E+03

COMPUTATIONAL

Spherical/Cylindrical (S/C): S  
 Allow Fluidization (Y/N): Y  
 Max Run Time (s): 600.  
 Respository Cell Length (m): 0.004  
 radius, Growth rate (m,-): 0.5, 1.01  
 Wellbore Cell Length (m): 2.0  
 wellbore Zone Growth Rate (-): 1.0  
 First wellbore Zone (-): 10  
 Well Stability factor (-): 0.05  
 Respository Stability factor (-): 5.0  
 Mass Diffusion factor (-): 0.0001  
 Momentum Diffusion factor (-): 0.01

PARAMETERS

Pi (-): REFCON PI  
 Atmospheric Pressure (Pa): SPALLMOD REFPRS  
 gravity (m/s<sup>2</sup>): REFCON GRAVACC  
 Gas Constant (J/kg K): BLOWOUT RGAS  
 Respository Temperature (K): BLOWOUT TREPO  
 Water Compressibility (1/Pa): BRINESAL COMPRES  
 Waste Density (kg/m<sup>3</sup>): BLOWOUT RHOS  
 Salt Density (kg/m<sup>3</sup>): SPALLMOD SALTDENS  
 Shape Factor (-): SPALLMOD SHAPEFAC  
 Tensile Velocity (m/s): 1.0000E+03  
 Bit Nozzle Number (-): 3.0000E+00  
 Bit Nozzle Diameter (m): 1.1112E-02  
 Choke Efficiency (-): 9.0000E-01

\$

\$ type drs\_cra1\_r1\_s2.drs

REPOSITORY

Land Elevation (m): SPALLMOD SURFELEV  
 Respository top (m): SPALLMOD REPOSTOP  
 Total Thickness (m): 0.0  
 DRZ Thickness (m): 0.85 !SPALLMOD DRZTCK  
 DRZ Permeability (m<sup>2</sup>): SPALLMOD DRZPERM  
 Outer Radius (m): 19.2  
 Initial Gas Pressure (Pa): 12.0e+6  
 Far-Field In-Situ Stress (m): SPALLMOD FFSTRESS

WASTE

Porosity (-): SPALLMOD REPIPOR  
 Permeability (m<sup>2</sup>): SPALLMOD REPIPERM  
 Forch Beta (-): 1.15e-6  
 Biot Beta (-): SPALLMOD BIOTBETA  
 Poisson Ratio (-): SPALLMOD POISRAT

Cohesion	(Pa):	SPALLMOD	COHESION
Friction Angle	(deg):	SPALLMOD	FRICTANG
Tensile Strength	(Pa):	SPALLMOD	TENSLSTR
Lt	(m):		0.02
Particle Diameter	(m):	SPALLMOD	PARTDIAM
Gas Viscosity	(Pa-s):	H2	VISCO

#### MUD

Density	(kg/m <sup>3</sup> ):	DRILLMUD	DNSFLUID
Viscosity	(Pa-s):	DRILLMUD	VISCO
Wall Roughness Pipe	(m):	SPALLMOD	PIPEROUG
Wall Roughness Annulus	(m):	SPALLMOD	ANNUROUG
Max Solids Vol. Frac.	(Pa-s):	SPALLMOD	MUDSOLMX
Solids Viscosity Exp.	(Pa-s):	SPALLMOD	MUDSOLVE

#### WELLBORE/DRILLING

Bit Diameter	(m):	BOREHOLE	DIAMMOD
Pipe Diameter	(m):	BOREHOLE	PIPED
Collar Diameter	(m):	BOREHOLE	COLDIA
Pipe Inside Diameter	(m):	SPALLMOD	PIPEID
Collar Length	(m):	BOREHOLE	L1
Exit pipe Length	(m):		0.0
Exit Pipe Diameter	(m):		0.2032
Drilling Rate	(m/s):	SPALLMOD	DRILRATE
Bit Above Respository(init.)	(m):		0.15
Mud Pump Rate	(m <sup>3</sup> /s):	SPALLMOD	MUDPRATE
Max Pump Pressure	(Pa):		27.5d6
DDZ Thickness	(m):	SPALLMOD	DDZTHICK
DDZ Permeability	(m <sup>2</sup> ):	SPALLMOD	DDZPERM
Stop Drill Exit Vol Rate	(m <sup>3</sup> /s):	SPALLMOD	STPDVOLR
Stop Pump Exit Vol Rate	(m <sup>3</sup> /s):	SPALLMOD	STPPVOLR
Stop Drilling Time	(s):		1.0000E+03

#### COMPUTATIONAL

Spherical/Cylindrical	(S/C):	S
Allow Fluidization	(Y/N):	Y
Max Run Time	(s):	600.
Respository Cell Length	(m):	0.004
radius, Growth rate	(m,-):	0.5, 1.01
Wellbore Cell Length	(m):	2.0
wellbore Zone Growth Rate	(-):	1.0
First wellbore Zone	(-):	10
Well Stability factor	(-):	0.05
Respository Stability factor	(-):	5.0
Mass Diffusion factor	(-):	0.0001
Momentum Diffusion factor	(-):	0.01

#### PARAMETERS

Pi	(-):	REFCON	PI
Atmospheric Pressure	(Pa):	SPALLMOD	REFPRS
gravity	(m/s <sup>2</sup> ):	REFCON	GRAVACC
Gas Constant	(J/kg K):	BLOWOUT	RGAS
Respository Temperature	(K):	BLOWOUT	TREPO
Water Compressibility	(1/Pa):	BRINESAL	COMPRES
Waste Density	(kg/m <sup>3</sup> ):	BLOWOUT	RHOS
Salt Density	(kg/m <sup>3</sup> ):	SPALLMOD	SALTDENS
Shape Factor	(-):	SPALLMOD	SHAPEFAC

Tensile Velocity	(m/s):	1.0000E+03
Bit Nozzle Number	(-):	3.0000E+00
Bit Nozzle Diameter	(m):	1.1112E-02
Choke Efficiency	(-):	9.0000E-01

## APPENDIX D: REPRESENTATIVE INPUT FILES FOR CUTTINGS\_S

### D.1 GENMESH INPUT FILE—sets up grid

```
$ type gm_cusp_cra1.inp
```

```
=====
TITLE:      CUSP Input GENMESH file
ANALYST:    Joel D. Miller
=====
```

```
SETup_grid
DIMension=      3
ORIGIN=  0.0000E+00,  0.0000E+00,  0.0000E+00
IJKmax=      2,      2,      2
```

```
GRID_spacing
DEL,COORD=X,DEL=  1.0000E+00,INRANGE=      1,      2
DEL,COORD=Y,DEL=  1.0000E+00,INRANGE=      1,      2
DEL,COORD=Z,DEL=  1.0000E+00,INRANGE=      1,      2
```

```
REGion
REGION=      1,IRANGE=      1,      2, JRANGE=      1,      2, KRANGE=
1,      2
```

```
END
```

### D.2 MATSET INPUT FILE: calls parameters/defines parameters/ assigns blocks

```
$ type ms_cusp_cra1.inp
```

```
!=====
!
! FILETYPE: MATSET input file for Cuttings_S
! ANALYSTS: Joel D. Miller
! DATE:      06/20/97
! PURPOSE:   WIPP PA C97
!
!=====
!
*PRINT_ASSIGNED_VALUES
!
*HEADING
TITLE, CUSP MATSET INPUT FILE
SCALE, LOCAL
SCENARIO, ALL
!
*UNITS=SI
!
*CREATE_blocks
BLOCK_IDS=2,3,4,5
!
*RETRIEVE
COORD, DIM=3, NAMES=X,Y,Z
```



```

!
! ...Define region names
MATERIAL, 1=BLOWOUT, 2=BOREHOLE, 3=DRILLMUD, 4=WAS_AREA, 5=SPALLMOD
!
!1...Define BLOWOUT property names
PROPERTY, MATERIAL=BLOWOUT, NAMES=PARTDIA
!
!2...Define BOREHOLE property names
PROPERTY, MATERIAL=BOREHOLE, NAMES=DIAMMOD, DOMEGA, TAUFAIL
!
!3...Define DRILLMUD property names
PROPERTY, MATERIAL=DRILLMUD, NAMES=DNSFLUID, VISCO, YLDSTRSS
!
!
!4...Define WAS_AREA property names
PROPERTY, MATERIAL=WAS_AREA, NAMES=ABSROUGH, PTHRESH, VOLSPALL
!
!5...Define SPALLMOD property names
PROPERTY, MATERIAL=SPALLMOD, NAMES=RNDSPALL
!
!
SET*VALUES
!
!#### Assign values to material property names not ####
!#### found in the Secondary Database (PROPERTY.SDB) ####
!
PROPERTY MATERIAL=SPALLMOD, NAMES*VALUE: RNDSPALL=0.5
!=====
*END
$

```

### D.3 LHS INPUT FILE: calls out sampled parameters

```

$ type lhs1_cra1_a1.inp
! TITLE: BRAGFLO 2003 CRA1 (LHS1)
! SCENARIO: S1, S2, S3, S4, S5, and S6
! ANALYSTS: Joshua Stein and Bill Zelinski
! CREATED: April 2003
! MODIFIED: April 7
!
! LHSCALC = CRA1 REALIZATION 1
!=====
!
! DESCRIPTION:
!
! WIPP 2003 Compliance Recertification Analyses (CRA)
!
! This input file to PRELHS is used to generate, as an output file, an LHS
! input file containing all distribution information and execution options
! required to create a sample for Replicate R1 for the WIPP 2003 CRA
!
! Modified for CRA analyses: LHSBLANK dummy changed to LHSBLANK and
! REFCON MATERIAL (LHSBLANK) changed to REFCON
! #59 dummy replaced with VOLSPALL
!===== No Comments Allowed between *ECHO and *ENDECHO =====

```

```
!  
*ECHOLHS  
TITLE 2002 TBM PA Calculation, Replicate R1 Input File for the LHS Code  
NOBS          100  
RANDOM SEED    921196800  
CORRELATION MATRIX  
  3  
  18  19 -0.99  
  20  21 -0.99  
  28  29 -0.75  
OUTPUT CORR HIST DATA  
*ENDECHO  
!  
!== PROPERTIES TO BE RETRIEVED FROM WIPP 1997 PA CALCULATION DATABASE ==  
!  
*RETRIEVE  
!1  
  MATERIALS,  STEEL  
  PROPERTIES, CORRMCO2  
!2  
  MATERIALS,  WAS_AREA  
  PROPERTIES, PROBDEG  
!3  
  MATERIALS,  WAS_AREA  
  PROPERTIES, GRATMICI  
!4  
  MATERIALS,  WAS_AREA  
  PROPERTIES, GRATMICH  
!5  
  MATERIALS,  CELLULS  
  PROPERTIES, FBETA  
!6  
  MATERIALS,  WAS_AREA  
  PROPERTIES, SAT_RGAS  
!7  
  MATERIALS,  WAS_AREA  
  PROPERTIES, SAT_RBRN  
!8  
  MATERIALS,  WAS_AREA  
  PROPERTIES, SAT_WICK  
!9  
  MATERIALS,  DRZ_PCS  
  PROPERTIES, PRMX_LOG  
!10  
  MATERIALS,  CONC_PCS  
  PROPERTIES, PRMX_LOG  
!11  
  MATERIALS,  SOLU4  
  PROPERTIES, SOLCIM  
!12  
  MATERIALS,  SOLTH4  
  PROPERTIES, SOLCIM  
!13 dummy placeholder  
  MATERIALS,  REFCON  
  PROPERTIES, LHSBLANK  
!14  
  MATERIALS,  CONC_PCS
```

PROPERTIES, SAT\_RGAS  
!15  
MATERIALS, CONC\_PCS  
PROPERTIES, SAT\_RBRN  
!16  
MATERIALS, CONC\_PCS  
PROPERTIES, PORE\_DIS  
!17  
MATERIALS, S\_HALITE  
PROPERTIES, POROSITY  
!18  
MATERIALS, S\_HALITE  
PROPERTIES, PRMX\_LOG  
!19  
MATERIALS, S\_HALITE  
PROPERTIES, COMP\_RCK  
!20  
MATERIALS, S\_MB139  
PROPERTIES, PRMX\_LOG  
!21  
MATERIALS, S\_MB139  
PROPERTIES, COMP\_RCK  
!22  
MATERIALS, S\_MB139  
PROPERTIES, RELP\_MOD  
!23  
MATERIALS, S\_MB139  
PROPERTIES, SAT\_RBRN  
!24  
MATERIALS, S\_MB139  
PROPERTIES, SAT\_RGAS  
!25  
MATERIALS, S\_MB139  
PROPERTIES, PORE\_DIS  
!26  
MATERIALS, S\_HALITE  
PROPERTIES, PRESSURE  
!27  
MATERIALS, CASTILER  
PROPERTIES, PRESSURE  
!28  
MATERIALS, CASTILER  
PROPERTIES, PRMX\_LOG  
!29  
MATERIALS, CASTILER  
PROPERTIES, COMP\_RCK  
!30  
MATERIALS, BH\_SAND  
PROPERTIES, PRMX\_LOG  
!31  
MATERIALS, DRZ\_1  
PROPERTIES, PRMX\_LOG  
!32  
MATERIALS, CONC\_PLG  
PROPERTIES, PRMX\_LOG  
!33 dummy placeholder  
MATERIALS, REFCON

PROPERTIES, LHSBLANK  
!34  
MATERIALS, SOLAM3  
PROPERTIES, SOLSIM  
!35  
MATERIALS, SOLAM3  
PROPERTIES, SOLCIM  
!36  
MATERIALS, SOLPU3  
PROPERTIES, SOLSIM  
!37  
MATERIALS, SOLPU3  
PROPERTIES, SOLCIM  
!38  
MATERIALS, SOLPU4  
PROPERTIES, SOLSIM  
!39  
MATERIALS, SOLPU4  
PROPERTIES, SOLCIM  
!40  
MATERIALS, SOLU4  
PROPERTIES, SOLSIM  
!41  
MATERIALS, SOLU6  
PROPERTIES, SOLSIM  
!42  
MATERIALS, SOLU6  
PROPERTIES, SOLCIM  
!43  
MATERIALS, SOLTH4  
PROPERTIES, SOLSIM  
!44  
MATERIALS, PHUMOX3  
PROPERTIES, PHUMCIM  
!45  
MATERIALS, GLOBAL  
PROPERTIES, OXSTAT  
!46  
MATERIALS, CULEBRA  
PROPERTIES, MINP\_FAC  
!47  
MATERIALS, GLOBAL  
PROPERTIES, TRANSIDX  
!48  
MATERIALS, GLOBAL  
PROPERTIES, CLIMTIDX  
!49  
MATERIALS, CULEBRA  
PROPERTIES, HMBLKLT  
!50  
MATERIALS, CULEBRA  
PROPERTIES, APOROS  
!51  
MATERIALS, CULEBRA  
PROPERTIES, DPOROS  
!52  
MATERIALS, U+6

PROPERTIES, MKD\_U  
!53  
MATERIALS, U+4  
PROPERTIES, MKD\_U  
!54  
MATERIALS, PU+3  
PROPERTIES, MKD\_PU  
!55  
MATERIALS, PU+4  
PROPERTIES, MKD\_PU  
!56  
MATERIALS, TH+4  
PROPERTIES, MKD\_TH  
!57  
MATERIALS, AM+3  
PROPERTIES, MKD\_AM  
!58  
MATERIALS, BOREHOLE  
PROPERTIES, TAUFALL  
!59 dummy placeholder for VOLSPALL  
MATERIALS, WAS\_AREA  
PROPERTIES, VOLSPALL  
!60  
MATERIALS, GLOBAL  
PROPERTIES, PBRINE  
!61  
MATERIALS, BOREHOLE  
PROPERTIES, OMEGA  
!62  
MATERIALS, SHFTU  
PROPERTIES, SAT\_RBRN  
!63  
MATERIALS, SHFTU  
PROPERTIES, SAT\_RGAS  
!64  
MATERIALS, SHFTU  
PROPERTIES, PRMX\_LOG  
!65  
MATERIALS, SHFTL\_T1  
PROPERTIES, PRMX\_LOG  
!66  
MATERIALS, SHFTL\_T2  
PROPERTIES, PRMX\_LOG  
!67  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!68  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!69  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!70  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!71  
MATERIALS, REFCON

```

    PROPERTIES, LHSBLANK
!72
    MATERIALS, REFCON
    PROPERTIES, LHSBLANK
!73
    MATERIALS, REFCON
    PROPERTIES, LHSBLANK
!74
    MATERIALS, REFCON
    PROPERTIES, LHSBLANK
!75
    MATERIALS, REFCON
    PROPERTIES, LHSBLANK
!
!=====
!
*END
$

```

## D.4 CUTTINGS INPUT FILES

**Scenario:** 1, upper cavity, time 100 yrs (input to CUTTINGS S preprocessor)

```

$ libcra1_cusp

$ type cusp_cra1_s1_u_T100.inp
! J. Stein: May 05/2003 Modified to account for CRA BRAGFLO grid.
! Changes include element numbers from CCA/PAVT to TBM to CRA and
subdividing
! the repository into 3 regions instead of 4.
!
! Intrusion
!
TINTR          100.0
PARTDIA        BLOWOUT:PARTDIA

! Properties

TAUFAIL        BOREHOLE:TAUFAIL

DIAMMOD        BOREHOLE:DIAMMOD
DOMEGA         BOREHOLE:DOMEGA
DNSFLUID       DRILLMUD:DNSFLUID
VISCO          DRILLMUD:VISCO
YLDSTRSS       DRILLMUD:YLDSTRSS
ABSRROUGH      WAS_AREA:ABSRROUGH

!
! BRAGFLO
!
! Multiple hits (max of 10, 0 thru 9)
!
! NHIT_0 is associated with the hit that
!         CUTTINGS used for BRAGFLO properties
!

```

```

INTR_0  CAVITY_2      <
INTR_1  1434 1435 1436 1437 1438 1439 <
INTR_2  1428 1429 1430 1431 1432 1433 <
INTR_3  2225 <
INTR_4  2244 <
INTR_5  1168 <
INTR_6  1417 <
INTR_7  DRZ_0 <

!
!   Spallings
!

MODEL4

! Properties for Model 4

PTHRESH  WAS_AREA:PTHRESH
RNDSPALL SPALLMOD:RNDSPALL
REPPRES  1434 1435 1436 1437 1438 1439 <

$
$ type cusp_cral_template.inp
!!  WIPP PA TBM
!!
!!  Template file for PRE_CUSP Ingres SDB interface
!!

MODEL_DATA
!!
!!  =wipp::my_database:calc_name
!!
=wipp::wipp_copy:epa_test

!
!   The following input variables are hard wired and are related to the
!   repository model J. W. Berglund paper
!
! PR_MAX <>The maximum pressure allowed by model
PR_MAX          15.0E6

! PR_MIN <>The minimum pressure allowed by model
PR_MIN          0.0E6

! PE_MAX <>The maximum permeability allowed by model
PE_MAX          1.0E-12

! PE_MIN <>The minimum permeability allowed by model
PE_MIN          1.0E-17

```







!GEOMETRY

BOREHOLE:INV\_AR

BOREHOLE:RHW\_AR

BOREHOLE:WUF

!MATERIAL

OUT\_MAT           BOREHOLE

!REPOSITORY\_TYPE

REP\_NAME       WIPP

REP\_GEOLOGY HALITE

RADWASTE\_type   CONTACT\_handled

!RADIOISOTOPE\_chains

!

! chain1/chain2 from U234 & down are the same:

! (It is required that both chains are input)

!							
CHAIN1	PU242	U238	TH234	PA234M	U234	TH230	RA226
	RN222	PO218	PB214	BI214	PO214	PB210	<

CHAIN2	PU238	U234	TH230	RA226	RN222	PO218	
	PB214	BI214	PO214	PB210	<		

! chain3/chain4 from PU239 & down are the same:

CHAIN3	AM243	NP239	PU239	U235	TH231	PA231	AC227
	TH227	RA223	RN219	PO215	PB211	BI211	TL207 <

CHAIN4	CM243	PU239	U235	TH231	PA231	AC227	TH227
	RA223	RN219	PO215	PB211	BI211	TL207	PB209 <

! chain5/chain6 from U236 & down are the same:

CHAIN5	CF252	CM248	PU244	PU240	U236	TH232	RA228
	AC228	TH228	RA224	RN220	PO216	PB212	BI212
	PO212	<					

CHAIN6	CM244	PU240	U236	TH232	RA228	AC228	TH228
	RA224	RN220	PO216	PB212	BI212	PO212	<

CHAIN7	CM245	PU241	AM241	NP237	PA233	U233	TH229
	RA225	AC225	FR221	AT217	BI213	PO213	<

CHAIN8	CS137	BA137M	<				
--------	-------	--------	---	--	--	--	--

CHAIN9	PM147	SM147	ND143	<			
--------	-------	-------	-------	---	--	--	--

```

CHAIN10  SR90    Y90    ZR90    <
!          ^      ^      ^      ^      ^      ^      ^
SAVE     AM241  AM243  CF252  CM243  CM244  CM245  CM248  CS137
        NP237  PA231  PB210  PM147  PU238  PU239  PU240  PU241
        PU242  PU244  RA226  RA228  SR90   TH229  TH230  TH232
        U233   U234   U235   U236   U238   <

```

TABLULAR\_DATA

```

!
! Example of how the radioisotope data is input:
!
!...1st Line: Radionuclide (an asterisk in column 1 followed
!                   by radionuclide name, ex; *AC225 )
!...2nd & 3rd line
!
!...Field#1 Atomic Weight      (Kg/Mole) AWT      [REAL] (3(11x,1pe14.6))
!...Field#2 Half-Life          (Years)  HALFY    [REAL]      "
!...Field#3 Activity Conversion (Ci/Kg)  AWTCNV   [REAL]      "
!...Field#4 EPA Release Limit   (Ci)     EPAREL   [REAL]      "
!...Field#5 Inventory           (Ci)     INVCHD   [REAL]      "
!...Field#6 Inventory           (Ci)     INVRHD   [REAL]      "
!
!*PU241
!xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
! AWT      2.410000E-01  HALFY    1.439900E+01  ACTCNV   1.030000E+05
! EPAREL   1.000000E+07  INVCHD   1.930000E+06  INVRHD   0.000000E+00
!
!
<TABLE_INPUTS
<GENERATE_RADIO>
END_TABLES>
!
! END_OF_RADIOISOTOPE_INPUT

```

**SCENARIO:** 1, lower cavity, time = 100 years

```

$ type cusp_cra1_s1_L_t100.inp
! J. Stein: May 05/2003 Modified to account for CRA BRAGFLO grid.
! Changes include element numbers from CCA/PAVT to TBM to CRA and
subdividing
! the repository into 3 regions instead of 4.
!
! Intrusion
!
TINTR      100.0
PARTDIA    BLOWOUT:PARTDIA

! Properties

TAUFAIL    BOREHOLE:TAUFAIL

```

DIAMMOD BOREHOLE:DIAMMOD  
DOMEGA BOREHOLE:DOMEGA  
DNSFLUID DRILLMUD:DNSFLUID  
VISCO DRILLMUD:VISCO  
YLDSTRSS DRILLMUD:YLDSTRSS  
ABSROUGH WAS\_AREA:ABSROUGH

!  
! BRAGFLO  
!  
! Multiple hits (max of 10, 0 thru 9)  
!  
! NHIT\_0 is associated with the hit that  
! CUTTINGS used for BRAGFLO properties  
!

INTR\_0 CAVITY\_1 <  
  
INTR\_1 1434 1435 1436 1437 1438 1439 <  
  
INTR\_2 1428 1429 1430 1431 1432 1433 <  
  
INTR\_3 2225 <  
  
INTR\_4 2244 <  
  
INTR\_5 1168 <  
  
INTR\_6 1417 <  
  
INTR\_7 DRZ\_0 <

!  
! Spallings  
!

MODEL4

! Properties for Model 4

PTHRESH WAS\_AREA:PTHRESH  
RNDSPALL SPALLMOD:RNDSPALL  
REPPRES CAVITY\_1 <

**SCENARIO:** 1, upper cavity, time = 5000 years

\$ type cusp\_cra1\_s1\_u\_T5000.inp  
! J. Stein: May 05/2003 Modified to account for CRA BRAGFLO grid.  
! Changes include element numbers from CCA/PAVT to TBM to CRA and  
subdividing  
! the repository into 3 regions instead of 4.  
!  
! Intrusion  
!  
TINTR 5000.0

PARTDIA BLOWOUT:PARTDIA

! Properties

TAUFAIL BOREHOLE:TAUFAIL

DIAMMOD BOREHOLE:DIAMMOD

DOMEGA BOREHOLE:DOMEGA

DNSFLUID DRILLMUD:DNSFLUID

VISCO DRILLMUD:VISCO

YLDSTRSS DRILLMUD:YLDSTRSS

ABSROUGH WAS\_AREA:ABSROUGH

!

! BRAGFLO

!

! Multiple hits (max of 10, 0 thru 9)

!

! NHIT\_0 is associated with the hit that

! CUTTINGS used for BRAGFLO properties

!

INTR\_0 CAVITY\_2 <

INTR\_1 1434 1435 1436 1437 1438 1439 <

INTR\_2 1428 1429 1430 1431 1432 1433 <

INTR\_3 2225 <

INTR\_4 2244 <

INTR\_5 1168 <

INTR\_6 1417 <

INTR\_7 DRZ\_0 <

!

! Spallings

!

MODEL4

! Properties for Model 4

PTHRESH WAS\_AREA:PTHRESH

RNDSPALL SPALLMOD:RNDSPALL

REPPRES 1434 1435 1436 1437 1438 1439 <

\$

**SCENARIO:** 5, lower cavity, time = 1200 years

\$ type cusp\_cra1\_s5\_l\_t1200.inp

! J. Stein: May 05/2003 Modified to account for CRA BRAGFLO grid.

! Changes include element numbers from CCA/PAVT to TBM to CRA and subdividing

! the repository into 3 regions instead of 4.

!

! Intrusion

!

TINTR 1200.0

PARTDIA BLOWOUT:PARTDIA

! Properties

TAUFAIL BOREHOLE:TAUFAIL

DIAMMOD BOREHOLE:DIAMMOD

DOMEGA BOREHOLE:DOMEGA

DNSFLUID DRILLMUD:DNSFLUID

VISCO DRILLMUD:VISCO

YLDSTRSS DRILLMUD:YLDSTRSS

ABSOROUGH WAS\_AREA:ABSOROUGH

!

! BRAGFLO

!

! Multiple hits (max of 10, 0 thru 9)

!

! NHIT\_0 is associated with the hit that

! CUTTINGS used for BRAGFLO properties

!

INTR\_0 CAVITY\_1 <

INTR\_1 1434 1435 1436 1437 1438 1439 <

INTR\_2 1428 1429 1430 1431 1432 1433 <

INTR\_3 2225 <

INTR\_4 2244 <

INTR\_5 1168 <

INTR\_6 1417 <

INTR\_7 DRZ\_0 <

!

! Spallings

!

MODEL4

! Properties for Model 4

PTHRESH WAS\_AREA:PTHRESH

RNDSPALL SPALLMOD:RNDSPALL

REPPRES CAVITY\_1 <

## D.5 CUTTINGS INPUT FILE 2—sets up file of parameter values

```

$ type CUSP_CRA1.SDB
value
    3220 AC225    ATWEIGHT  2.2502300e-001  2.2502300e-001  2.2502300e-
001
    2.2502300e-001  0.00000000e+000  0.00000000e+000  CONSTANT    kg/mole
    3321 AC225    EPAREL    0.00000000e+000  0.00000000e+000
0.00000000e+000
    0.00000000e+000  0.00000000e+000  0.00000000e+000  CONSTANT    Curies/wuf
    3267 AC225    HALFLIFE  8.6400000e+005  8.6400000e+005
8.6400000e+005
    8.6400000e+005  0.00000000e+000  0.00000000e+000  CONSTANT    s
    3221 AC227    ATWEIGHT  2.2702800e-001  2.2702800e-001  2.2702800e-
001
    2.2702800e-001  0.00000000e+000  0.00000000e+000  CONSTANT    kg/mole
    3364 AC227    EPAREL    1.0000000e+002  1.0000000e+002
1.0000000e+002
    1.0000000e+002  0.00000000e+000  0.00000000e+000  CONSTANT    Curies/wuf
    3268 AC227    HALFLIFE  6.8710000e+008  6.8710000e+008
6.8710000e+008
    6.8710000e+008  0.00000000e+000  0.00000000e+000  CONSTANT    s
    3222 AC228    ATWEIGHT  2.2803100e-001  2.2803100e-001  2.2803100e-
001
    2.2803100e-001  0.00000000e+000  0.00000000e+000  CONSTANT    kg/mole
    3322 AC228    EPAREL    0.00000000e+000  0.00000000e+000
0.00000000e+000
    0.00000000e+000  0.00000000e+000  0.00000000e+000  CONSTANT    Curies/wuf
    3269 AC228    HALFLIFE  2.2070000e+004  2.2070000e+004
2.2070000e+004
    2.2070000e+004  0.00000000e+000  0.00000000e+000  CONSTANT    s
    3457 AM        CAPHUM    1.1000000e-005  1.1000000e-005  1.1000000e-
005
    1.1000000e-005  0.00000000e+000  0.00000000e+000  CONSTANT    moles/liter
    3447 AM        CAPMIC    1.0000000e+000  1.0000000e+000
1.0000000e+000
    1.0000000e+000  0.00000000e+000  0.00000000e+000  CONSTANT    moles/liter
    3310 AM        CONCINT  0.0000000e+000  0.0000000e+000
0.0000000e+000
    0.0000000e+000  0.00000000e+000  0.0000000e+000  CONSTANT    moles/liter
    3441 AM        CONCMIN  2.6000000e-008  2.6000000e-008  2.6000000e-
008
    2.6000000e-008  0.00000000e+000  0.0000000e+000  CONSTANT    moles/liter
    3311 AM        PROPMIC  3.6000000e+000  3.6000000e+000
3.6000000e+000
    3.6000000e+000  0.00000000e+000  0.0000000e+000  CONSTANT    NONE
    3444 AM+3      MD0      3.0000000e-010  3.0000000e-010  3.0000000e-
010
    3.0000000e-010  0.00000000e+000  0.0000000e+000  CONSTANT    m^2/s
    3482 AM+3      MKD_AM   1.3000000e-001  9.0000000e-002  2.0000000e-
002
    4.0000000e-001  0.00000000e+000  0.0000000e+000  LOGUNIFORM  m^3/kg
    2 AM241        ATWEIGHT  2.4105700e-001  2.4105700e-001  2.4105700e-
001
    2.4105700e-001  0.00000000e+000  0.0000000e+000  CONSTANT    kg/mole
    3363 AM241        EPAREL    1.0000000e+002  1.0000000e+002

```

1.0000000e+002						
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
3 AM241	HALFLIFE	1.3640000e+010	1.3640000e+010			
1.3640000e+010						
1.3640000e+010	0.0000000e+000	0.0000000e+000	CONSTANT	s		
4 AM241	INVCHD	4.7800000e+005	4.7800000e+005			
4.7800000e+005						
4.7800000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
5 AM241	INVRHD	3.9600000e+004	3.9600000e+004			
3.9600000e+004						
3.9600000e+004	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
3504 AM241L	INVCHD	4.9500000e+005	4.9500000e+005			
4.9500000e+005						
4.9500000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
3509 AM241L	INVRHD	4.4600000e+004	4.4600000e+004			
4.4600000e+004						
4.4600000e+004	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
3223 AM243	ATWEIGHT	2.4306100e-001	2.4306100e-001	2.4306100e-		
001						
2.4306100e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole		
3365 AM243	EPAREL	1.0000000e+002	1.0000000e+002			
1.0000000e+002						
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
6 AM243	HALFLIFE	2.3290000e+011	2.3290000e+011			
2.3290000e+011						
2.3290000e+011	0.0000000e+000	0.0000000e+000	CONSTANT	s		
3415 AM243	INVCHD	3.3400000e+001	3.3400000e+001			
3.3400000e+001						
3.3400000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
3416 AM243	INVRHD	7.9800000e-001	7.9800000e-001	7.9800000e-		
001						
7.9800000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
2276 ASPHALT	CAP_MOD	1.0000000e+000	1.0000000e+000			
1.0000000e+000						
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2277 ASPHALT	COMP_RCK	3.0000000e-010	3.0000000e-010	3.0000000e-		
010						
3.0000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
3238 ASPHALT	DNSGRAIN	2.0222000e+003	2.0222000e+003			
2.0222000e+003						
2.0222000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3		
2599 ASPHALT	KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2278 ASPHALT	PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2600 ASPHALT	PCT_A	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2601 ASPHALT	PCT_EXP	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2281 ASPHALT	PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2279 ASPHALT	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		



001	8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE
	2279 ASPHALT	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001	8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE
	2279 ASPHALT	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001	8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE
	2280 ASPHALT	POROSITY	1.0000000e-002	1.0000000e-002	1.0000000e-
002	1.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2282 ASPHALT	PRESSURE	1.0132500e+005	1.0132500e+005	
	1.0132500e+005				
	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2283 ASPHALT	PRMX_LOG	-1.9667000e+001	-2.0000000e+001	-
	2.1000000e+001				
	-1.8000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
	2284 ASPHALT	PRMY_LOG	-1.9667000e+001	-2.0000000e+001	-
	2.1000000e+001				
	-1.8000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
	2285 ASPHALT	PRMZ_LOG	-1.9667000e+001	-2.0000000e+001	-
	2.1000000e+001				
	-1.8000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
	2933 ASPHALT	RADN_DRZ	1.6290000e+000	1.6290000e+000	
	1.6290000e+000				
	1.6290000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2289 ASPHALT	RELP_MOD	4.0000000e+000	4.0000000e+000	
	4.0000000e+000				
	4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2929 ASPHALT	RSH_AIR	3.0900000e+000	3.0900000e+000	
	3.0900000e+000				
	3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
	2932 ASPHALT	RSH_EXH	2.3000000e+000	2.3000000e+000	
	2.3000000e+000				
	2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
	2930 ASPHALT	RSH_SAL	1.8000000e+000	1.8000000e+000	
	1.8000000e+000				
	1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
	2931 ASPHALT	RSH_WAS	3.5000000e+000	3.5000000e+000	
	3.5000000e+000				
	3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
	2290 ASPHALT	SAT_IBRN	0.0000000e+000	0.0000000e+000	
	0.0000000e+000				
	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2291 ASPHALT	SAT_RBRN	2.5000000e-001	2.0000000e-001	
	0.0000000e+000				
	6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE
	2291 ASPHALT	SAT_RBRN	2.5000000e-001	2.0000000e-001	
	0.0000000e+000				
	6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE
	2291 ASPHALT	SAT_RBRN	2.5000000e-001	2.0000000e-001	
	0.0000000e+000				
	6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE
	2292 ASPHALT	SAT_RGAS	2.0000000e-001	2.0000000e-001	
	0.0000000e+000				
	4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE
	3224 AT217	ATWEIGHT	2.1700500e-001	2.1700500e-001	2.1700500e-

001	2.1700500e-001	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole
	3323 AT217	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
	3270 AT217	HALFLIFE	3.2300000e-002	3.2300000e-002	3.2300000e-
002	3.2300000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	s
	3225 BA137	ATWEIGHT	1.3690600e-001	1.3690600e-001	1.3690600e-
001	1.3690600e-001	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole
	3324 BA137	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
	3271 BA137	HALFLIFE	1.0000000e+038	1.0000000e+038	
1.0000000e+038	1.0000000e+038	0.00000000e+000	0.0000000e+000	CONSTANT	s
	3226 BA137M	ATWEIGHT	1.3690700e-001	1.3690700e-001	1.3690700e-
001	1.3690700e-001	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole
	3325 BA137M	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
	3272 BA137M	HALFLIFE	1.5310000e+002	1.5310000e+002	
1.5310000e+002	1.5310000e+002	0.00000000e+000	0.0000000e+000	CONSTANT	s
	3174 BH_CREEP	CAP_MOD	1.0000000e+000	1.0000000e+000	
1.0000000e+000	1.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE
	3172 BH_CREEP	COMP_RCK	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1
	3180 BH_CREEP	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3175 BH_CREEP	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008	1.0000000e+008	0.00000000e+000	0.0000000e+000	CONSTANT	Pa
	3181 BH_CREEP	PCT_A	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	3182 BH_CREEP	PCT_EXP	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3179 BH_CREEP	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005	1.0132500e+005	0.00000000e+000	0.0000000e+000	CONSTANT	Pa
	3178 BH_CREEP	PORE_DIS	9.4000000e-001	9.4000000e-001	9.4000000e-
001	9.4000000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	NONE
	3171 BH_CREEP	POROSITY	3.2000000e-001	3.2000000e-001	3.2000000e-
001	3.2000000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	NONE
	3183 BH_CREEP	PRMX_LOG	-1.3500000e+001	-1.3500000e+001	-
1.5000000e+001	-1.2000000e+001	0.00000000e+000	0.0000000e+000	UNIFORM	log(m^2)
	3188 BH_CREEP	PRMY_LOG	-1.3500000e+001	-1.3500000e+001	-

1.5000000e+001						
-1.2000000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)		
	3189 BH_CREEP PRMZ_LOG	-1.3500000e+001	-1.3500000e+001	-		
1.5000000e+001						
-1.2000000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)		
	3173 BH_CREEP RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3176 BH_CREEP SAT_RBRN	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3177 BH_CREEP SAT_RGAS	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3138 BH_OPEN CAP_MOD	1.0000000e+000	1.0000000e+000			
1.0000000e+000						
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3136 BH_OPEN COMP_RCK	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
	3144 BH_OPEN KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3139 BH_OPEN PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	3145 BH_OPEN PCT_A	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	3146 BH_OPEN PCT_EXP	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3143 BH_OPEN PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	3142 BH_OPEN PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-		
001						
7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3135 BH_OPEN POROSITY	3.2000000e-001	3.2000000e-001	3.2000000e-		
001						
3.2000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3134 BH_OPEN PRMX_LOG	-9.0000000e+000	-9.0000000e+000	-		
9.0000000e+000						
-9.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
	3186 BH_OPEN PRMY_LOG	-9.0000000e+000	-9.0000000e+000	-		
9.0000000e+000						
-9.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
	3187 BH_OPEN PRMZ_LOG	-9.0000000e+000	-9.0000000e+000	-		
9.0000000e+000						
-9.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
	3137 BH_OPEN RELP_MOD	5.0000000e+000	5.0000000e+000			
5.0000000e+000						
5.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3140 BH_OPEN SAT_RBRN	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3141 BH_OPEN SAT_RGAS	0.0000000e+000	0.0000000e+000			

0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3162 BH_SAND	CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000	1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3160 BH_SAND	COMP_RCK	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1
3168 BH_SAND	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3163 BH_SAND	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008	1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
3169 BH_SAND	PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
3170 BH_SAND	PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3167 BH_SAND	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
3166 BH_SAND	PORE_DIS	9.4000000e-001	9.4000000e-001	9.4000000e-	
001	9.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3159 BH_SAND	POROSITY	3.2000000e-001	3.2000000e-001	3.2000000e-	
001	3.2000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3184 BH_SAND	PRMX_LOG	-1.3650000e+001	-1.3650000e+001	-	
1.6300000e+001	-1.1000000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)
3190 BH_SAND	PRMY_LOG	-1.3650000e+001	-1.3650000e+001	-	
1.6300000e+001	-1.1000000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)
3191 BH_SAND	PRMZ_LOG	-1.3650000e+001	-1.3650000e+001	-	
1.6300000e+001	-1.1000000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)
3161 BH_SAND	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000	4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3164 BH_SAND	SAT_RBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3165 BH_SAND	SAT_RGAS	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3227 BI211	ATWEIGHT	2.1098700e-001	2.1098700e-001	2.1098700e-	
001	2.1098700e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
3326 BI211	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
3273 BI211	HALFLIFE	1.2780000e+002	1.2780000e+002		
1.2780000e+002	1.2780000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	s
3228 BI212	ATWEIGHT	2.1199100e-001	2.1199100e-001	2.1199100e-	

001	2.1199100e-001	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole	
	3327 BI212	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
	3274 BI212	HALFLIFE	3.6330000e+003	3.6330000e+003		
3.6330000e+003	3.6330000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	s	
	3229 BI213	ATWEIGHT	2.1299400e-001	2.1299400e-001	2.1299400e-	
001	2.1299400e-001	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole	
	3328 BI213	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
	3275 BI213	HALFLIFE	2.7390000e+003	2.7390000e+003		
2.7390000e+003	2.7390000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	s	
	3230 BI214	ATWEIGHT	2.1399900e-001	2.1399900e-001	2.1399900e-	
001	2.1399900e-001	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole	
	3329 BI214	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
	3276 BI214	HALFLIFE	1.1940000e+003	1.1940000e+003		
1.1940000e+003	1.1940000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	s	
	3259 BLOWOUT	APORO	2.4000000e-013	2.4000000e-013	2.4000000e-	
013	2.4000000e-013	0.00000000e+000	0.0000000e+000	CONSTANT	m^2	
	3245 BLOWOUT	CEMENT	6.8950000e+003	6.8950000e+003		
6.8950000e+003	6.8950000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	3420 BLOWOUT	FCE	1.0000000e+000	1.0000000e+000		
1.0000000e+000	1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3256 BLOWOUT	FGE	9.5500000e+000	9.5500000e+000		
1.0000000e+000	1.8100000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
	3255 BLOWOUT	FSE	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3470 BLOWOUT	GAS_MIN	1.0000000e+002	1.0000000e+002		
1.0000000e+002	1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	mscf/day	
	3250 BLOWOUT	HREPO	3.9600000e+000	3.9600000e+000		
3.9600000e+000	3.9600000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
	3260 BLOWOUT	INPORO	8.4900000e-001	8.4900000e-001	8.4900000e-	
001	8.4900000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
	3254 BLOWOUT	KGAS	1.4100000e+000	1.4100000e+000		
1.4100000e+000	1.4100000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3471 BLOWOUT	MAXFLOW	9.5040000e+005	9.5040000e+005		
9.5040000e+005	9.5040000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	s	
	3472 BLOWOUT	MINFLOW	2.5920000e+005	2.5920000e+005		

2.5920000e+005					
2.5920000e+005	0.00000000e+000	0.0000000e+000	CONSTANT	s	
3246 BLOWOUT PARTDIA		2.3500000e-002	2.8000000e-003	4.0000000e-	
005					
2.0000000e-001	0.00000000e+000	0.0000000e+000	LOGUNIFORM	m	
3251 BLOWOUT PSUF		8.9465000e+004	8.9465000e+004		
8.9465000e+004					
8.9465000e+004	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
3456 BLOWOUT RE_CAST		1.1400000e+002	1.1400000e+002		
1.1400000e+002					
1.1400000e+002	0.00000000e+000	0.0000000e+000	CONSTANT	m	
3253 BLOWOUT RGAS		4.1160000e+003	4.1160000e+003		
4.1160000e+003					
4.1160000e+003	0.00000000e+000	0.0000000e+000	CONSTANT	N*m/kg/K	
3247 BLOWOUT RHOS		2.6500000e+003	2.6500000e+003		
2.6500000e+003					
2.6500000e+003	0.00000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
3248 BLOWOUT ROOM		1.7100000e+001	1.7100000e+001		
1.7100000e+001					
1.7100000e+001	0.00000000e+000	0.0000000e+000	CONSTANT	m	
3249 BLOWOUT RPANEL		6.0870000e+001	6.0870000e+001		
6.0870000e+001					
6.0870000e+001	0.00000000e+000	0.0000000e+000	CONSTANT	m	
3257 BLOWOUT SUFTEN		8.0000000e-002	8.0000000e-002	8.0000000e-	
002					
8.0000000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	N/m	
3473 BLOWOUT THCK_CAS		1.2583000e+002	1.2583000e+002		
1.2583000e+002					
1.2583000e+002	0.00000000e+000	0.0000000e+000	CONSTANT	m	
3258 BLOWOUT TREPO		3.0000000e+002	3.0000000e+002		
3.0000000e+002					
3.0000000e+002	0.00000000e+000	0.0000000e+000	CONSTANT	K	
3252 BLOWOUT VISC		9.2000000e-006	9.2000000e-006	9.2000000e-	
006					
9.2000000e-006	0.00000000e+000	0.0000000e+000	CONSTANT	Pa*s	
23 BOREHOLE CAP_MOD		2.0000000e+000	2.0000000e+000		
2.0000000e+000					
2.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
3242 BOREHOLE COLDIA		2.0320040e-001	2.0320040e-001	2.0320040e-	
001					
2.0320040e-001	0.00000000e+000	0.0000000e+000	CONSTANT	m	
25 BOREHOLE COMP_RCK		2.6400000e-009	2.6400000e-009	2.6400000e-	
009					
2.6400000e-009	0.00000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
26 BOREHOLE DIAMMOD		3.1115000e-001	3.1115000e-001	3.1115000e-	
001					
3.1115000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	m	
27 BOREHOLE DOMEGA		8.6300000e+000	7.8000000e+000		
4.2000000e+000					
2.3000000e+001	0.0000000e+000	4.2000000e+000	CUMULATIVE	rad/s	
27 BOREHOLE DOMEGA		8.6300000e+000	7.8000000e+000		
4.2000000e+000					
2.3000000e+001	1.5000000e-001	6.3000000e+000	CUMULATIVE	rad/s	
27 BOREHOLE DOMEGA		8.6300000e+000	7.8000000e+000		
4.2000000e+000					
2.3000000e+001	6.5000000e-001	8.4000000e+000	CUMULATIVE	rad/s	
27 BOREHOLE DOMEGA		8.6300000e+000	7.8000000e+000		

4.2000000e+000	2.3000000e+001	8.0000000e-001	1.0500000e+001	CUMULATIVE	rad/s			
	27 BOREHOLE	DOMEGA	8.6300000e+000	7.8000000e+000				
4.2000000e+000	2.3000000e+001	9.0000000e-001	1.2600000e+001	CUMULATIVE	rad/s			
	27 BOREHOLE	DOMEGA	8.6300000e+000	7.8000000e+000				
4.2000000e+000	2.3000000e+001	9.5000000e-001	1.4700000e+001	CUMULATIVE	rad/s			
	27 BOREHOLE	DOMEGA	8.6300000e+000	7.8000000e+000				
4.2000000e+000	2.3000000e+001	9.7000000e-001	1.6800000e+001	CUMULATIVE	rad/s			
	27 BOREHOLE	DOMEGA	8.6300000e+000	7.8000000e+000				
4.2000000e+000	2.3000000e+001	9.8000000e-001	1.8800000e+001	CUMULATIVE	rad/s			
	27 BOREHOLE	DOMEGA	8.6300000e+000	7.8000000e+000				
4.2000000e+000	2.3000000e+001	9.9000000e-001	2.0900000e+001	CUMULATIVE	rad/s			
	27 BOREHOLE	DOMEGA	8.6300000e+000	7.8000000e+000				
4.2000000e+000	2.3000000e+001	1.0000000e+000	2.3000000e+001	CUMULATIVE	rad/s			
	3239 BOREHOLE	INV_AR	1.1152000e+005	1.1152000e+005				
1.1152000e+005	1.1152000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	m^2			
	3122 BOREHOLE	KPT	0.0000000e+000	0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE			
	3244 BOREHOLE	L1	1.8288000e+002	1.8288000e+002				
1.8288000e+002	1.8288000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	m			
	3243 BOREHOLE	L2	4.7212000e+002	4.7212000e+002				
4.7212000e+002	4.7212000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	m			
	29 BOREHOLE	PC_MAX	1.0000000e+008	1.0000000e+008				
1.0000000e+008	1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa			
	3120 BOREHOLE	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-			
001	5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa			
	3121 BOREHOLE	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-			
001	-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE			
	3241 BOREHOLE	PIPED	1.1430020e-001	1.1430020e-001	1.1430020e-			
001	1.1430020e-001	0.0000000e+000	0.0000000e+000	CONSTANT	m			
	32 BOREHOLE	PO_MIN	1.0132500e+005	1.0132500e+005				
1.0132500e+005	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa			
	30 BOREHOLE	PORE_DIS	9.4000000e-001	9.4000000e-001	9.4000000e-			
001	9.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE			
	31 BOREHOLE	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-			
002	5.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE			
	34 BOREHOLE	PRMX_LOG	-1.2230000e+001	-1.2500000e+001	-			
1.4000000e+001	-1.1000000e+001	0.0000000e+000	0.0000000e+000	NORMAL	log(m^2)			
	35 BOREHOLE	PRMY_LOG	-1.2230000e+001	-1.2500000e+001	-			

1.4000000e+001						
-1.1000000e+001	0.0000000e+000	0.0000000e+000	NORMAL	log(m^2)		
	36 BOREHOLE PRMZ_LOG	-1.2230000e+001	-1.2500000e+001	-		
1.4000000e+001						
-1.1000000e+001	0.0000000e+000	0.0000000e+000	NORMAL	log(m^2)		
	40 BOREHOLE RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3261 BOREHOLE RHW_AR	1.5760000e+004	1.5760000e+004			
1.5760000e+004						
1.5760000e+004	0.0000000e+000	0.0000000e+000	CONSTANT	m^2		
	3240 BOREHOLE ROUGH	8.0000000e-002	8.0000000e-002	8.0000000e-		
002						
8.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	41 BOREHOLE SAT_RBRN	2.0000000e-001	2.0000000e-001	2.0000000e-		
001						
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	42 BOREHOLE SAT_RGAS	2.0000000e-001	2.0000000e-001	2.0000000e-		
001						
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2254 BOREHOLE TAUFAIL	1.0500000e+001	1.9600000e+000	5.0000000e-		
002						
7.7000000e+001	0.0000000e+000	0.0000000e+000	LOGUNIFORM	Pa		
	3414 BOREHOLE WUF	2.9600000e+000	2.9600000e+000			
2.9600000e+000						
2.9600000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
	48 BRINESAL COMPRES	3.1000000e-010	3.1000000e-010	3.1000000e-		
010						
3.1000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
	49 BRINESAL DNSFLUID	1.2200000e+003	1.2200000e+003			
1.2200000e+003						
1.2200000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3		
	50 BRINESAL REF_PRES	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	51 BRINESAL REF_TEMP	3.0015000e+002	3.0015000e+002			
3.0015000e+002						
3.0015000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	K		
	55 BRINESAL VISCO	2.1000000e-003	2.1000000e-003	2.1000000e-		
003						
2.1000000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	Pa*s		
	57 BRINESAL WTF	3.2400000e-001	3.2400000e-001	3.0700000e-		
001						
3.3200000e-001	0.0000000e+000	3.0700000e-001	STUDENT	NONE		
	57 BRINESAL WTF	3.2400000e-001	3.2400000e-001	3.0700000e-		
001						
3.3200000e-001	0.0000000e+000	3.2700000e-001	STUDENT	NONE		
	57 BRINESAL WTF	3.2400000e-001	3.2400000e-001	3.0700000e-		
001						
3.3200000e-001	0.0000000e+000	3.2900000e-001	STUDENT	NONE		
	57 BRINESAL WTF	3.2400000e-001	3.2400000e-001	3.0700000e-		
001						
3.3200000e-001	0.0000000e+000	3.3200000e-001	STUDENT	NONE		
	60 CASTILER CAP_MOD	2.0000000e+000	2.0000000e+000			
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	61 CASTILER COMP_RCK	5.3000000e-011	4.0000000e-011	2.0000000e-		





1.0000000e+000						
3.2000000e+001	3.1250000e-002	1.9000000e+001	DELTA	NONE		
	3194 CASTILER GRIDFLO	1.6000000e+001	1.6000000e+001			
1.0000000e+000						
3.2000000e+001	3.1250000e-002	2.0000000e+001	DELTA	NONE		
	3194 CASTILER GRIDFLO	1.6000000e+001	1.6000000e+001			
1.0000000e+000						
3.2000000e+001	3.1250000e-002	2.1000000e+001	DELTA	NONE		
	3194 CASTILER GRIDFLO	1.6000000e+001	1.6000000e+001			
1.0000000e+000						
3.2000000e+001	3.1250000e-002	2.2000000e+001	DELTA	NONE		
	3194 CASTILER GRIDFLO	1.6000000e+001	1.6000000e+001			
1.0000000e+000						
3.2000000e+001	3.1250000e-002	2.3000000e+001	DELTA	NONE		
	3194 CASTILER GRIDFLO	1.6000000e+001	1.6000000e+001			
1.0000000e+000						
3.2000000e+001	3.1250000e-002	2.4000000e+001	DELTA	NONE		
	3194 CASTILER GRIDFLO	1.6000000e+001	1.6000000e+001			
1.0000000e+000						
3.2000000e+001	3.1250000e-002	2.5000000e+001	DELTA	NONE		
	3194 CASTILER GRIDFLO	1.6000000e+001	1.6000000e+001			
1.0000000e+000						
3.2000000e+001	3.1250000e-002	2.6000000e+001	DELTA	NONE		
	3194 CASTILER GRIDFLO	1.6000000e+001	1.6000000e+001			
1.0000000e+000						
3.2000000e+001	3.1250000e-002	2.7000000e+001	DELTA	NONE		
	3194 CASTILER GRIDFLO	1.6000000e+001	1.6000000e+001			
1.0000000e+000						
3.2000000e+001	3.1250000e-002	2.8000000e+001	DELTA	NONE		
	3194 CASTILER GRIDFLO	1.6000000e+001	1.6000000e+001			
1.0000000e+000						
3.2000000e+001	3.1250000e-002	2.9000000e+001	DELTA	NONE		
	3194 CASTILER GRIDFLO	1.6000000e+001	1.6000000e+001			
1.0000000e+000						
3.2000000e+001	3.1250000e-002	3.0000000e+001	DELTA	NONE		
	3194 CASTILER GRIDFLO	1.6000000e+001	1.6000000e+001			
1.0000000e+000						
3.2000000e+001	3.1250000e-002	3.1000000e+001	DELTA	NONE		
	3194 CASTILER GRIDFLO	1.6000000e+001	1.6000000e+001			
1.0000000e+000						
3.2000000e+001	3.1250000e-002	3.2000000e+001	DELTA	NONE		
	2608 CASTILER KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	62 CASTILER PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2609 CASTILER PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-		
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2610 CASTILER PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-		
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	65 CASTILER PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	63 CASTILER PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-		

001	7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	64 CASTILER POROSITY	8.7000000e-003	8.7000000e-003	2.0000000e-	
003	1.6000000e-002	0.0000000e+000	2.0000000e-003	STUDENT	NONE
	64 CASTILER POROSITY	8.7000000e-003	8.7000000e-003	2.0000000e-	
003	1.6000000e-002	0.0000000e+000	8.0000000e-003	STUDENT	NONE
	64 CASTILER POROSITY	8.7000000e-003	8.7000000e-003	2.0000000e-	
003	1.6000000e-002	0.0000000e+000	1.6000000e-002	STUDENT	NONE
	66 CASTILER PRESSURE	1.3600000e+007	1.2700000e+007		
1.1100000e+007	1.7000000e+007	0.0000000e+000	0.0000000e+000	TRIANGULAR	Pa
	67 CASTILER PRMX_LOG	-1.2100000e+001	-1.1800000e+001	-	
1.4700000e+001	-9.8000000e+000	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
	68 CASTILER PRMY_LOG	-1.2100000e+001	-1.1800000e+001	-	
1.4700000e+001	-9.8000000e+000	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
	69 CASTILER PRMZ_LOG	-1.2100000e+001	-1.1800000e+001	-	
1.4700000e+001	-9.8000000e+000	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
	72 CASTILER RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000	4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	73 CASTILER SAT_IBRN	1.0000000e+000	1.0000000e+000		
1.0000000e+000	1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	74 CASTILER SAT_RBRN	2.0000000e-001	2.0000000e-001	2.0000000e-	
001	2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	75 CASTILER SAT_RGAS	2.0000000e-001	2.0000000e-001	2.0000000e-	
001	2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2918 CASTILER VOLUME	4.0000000e+006	4.0000000e+006		
4.0000000e+006	4.0000000e+006	0.0000000e+000	0.0000000e+000	CONSTANT	m^3
	76 CAVITY_1 CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000	1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	77 CAVITY_1 COMP_RCK	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1
	2612 CAVITY_1 KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	78 CAVITY_1 PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008	1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2613 CAVITY_1 PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2614 CAVITY_1 PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	81 CAVITY_1 PO_MIN	1.0132500e+005	1.0132500e+005		

1.0132500e+005					
1.0132500e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa	
79	CAVITY_1	PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-001
001					
7.0000000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
80	CAVITY_1	POROSITY	1.0000000e+000	1.0000000e+000	
1.0000000e+000					
1.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
82	CAVITY_1	PRESSURE	1.0132500e+005	1.0132500e+005	
1.0132500e+005					
1.0132500e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa	
83	CAVITY_1	PRMX_LOG	-1.0000000e+001	-1.0000000e+001	-
1.0000000e+001					
-1.0000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)	
84	CAVITY_1	PRMY_LOG	-1.0000000e+001	-1.0000000e+001	-
1.0000000e+001					
-1.0000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)	
85	CAVITY_1	PRMZ_LOG	-1.0000000e+001	-1.0000000e+001	-
1.0000000e+001					
-1.0000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)	
88	CAVITY_1	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000					
4.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
3099	CAVITY_1	SAT_IBRN	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
89	CAVITY_1	SAT_RBRN	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
90	CAVITY_1	SAT_RGAS	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
91	CAVITY_2	CAP_MOD	1.0000000e+000	1.0000000e+000	
1.0000000e+000					
1.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
92	CAVITY_2	COMP_RCK	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Pa^-1	
2616	CAVITY_2	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
93	CAVITY_2	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008					
1.0000000e+008	0.00000000e+000	0.00000000e+000	CONSTANT	Pa	
2617	CAVITY_2	PCT_A	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Pa	
2618	CAVITY_2	PCT_EXP	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
96	CAVITY_2	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005					
1.0132500e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa	
94	CAVITY_2	PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-001
001					
7.0000000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
95	CAVITY_2	POROSITY	1.0000000e+000	1.0000000e+000	

1.0000000e+000	1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	97 CAVITY_2 PRESSURE	1.0132500e+005	1.0132500e+005			
1.0132500e+005	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	98 CAVITY_2 PRMX_LOG	-1.0000000e+001	-1.0000000e+001		-	
1.0000000e+001	-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
	99 CAVITY_2 PRMY_LOG	-1.0000000e+001	-1.0000000e+001		-	
1.0000000e+001	-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
	100 CAVITY_2 PRMZ_LOG	-1.0000000e+001	-1.0000000e+001		-	
1.0000000e+001	-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
	103 CAVITY_2 RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000	4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3100 CAVITY_2 SAT_IBRN	0.0000000e+000	0.0000000e+000			
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	104 CAVITY_2 SAT_RBRN	0.0000000e+000	0.0000000e+000			
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	105 CAVITY_2 SAT_RGAS	0.0000000e+000	0.0000000e+000			
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2049 CAVITY_3 CAP_MOD	1.0000000e+000	1.0000000e+000			
1.0000000e+000	1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2051 CAVITY_3 COMP_RCK	0.0000000e+000	0.0000000e+000			
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
	2620 CAVITY_3 KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2234 CAVITY_3 PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008	1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2621 CAVITY_3 PCT_A	0.0000000e+000	0.0000000e+000			
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2622 CAVITY_3 PCT_EXP	0.0000000e+000	0.0000000e+000			
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2623 CAVITY_3 PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2052 CAVITY_3 PORE_DIS	7.0000000e-001	7.0000000e-001		7.0000000e-	
001	7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2053 CAVITY_3 POROSITY	1.0000000e+000	1.0000000e+000			
1.0000000e+000	1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3101 CAVITY_3 PRESSURE	1.0132500e+005	1.0132500e+005			
1.0132500e+005	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2054 CAVITY_3 PRMX_LOG	-1.0000000e+001	-1.0000000e+001		-	

1.0000000e+001					
-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
	2055 CAVITY_3 PRMY_LOG	-1.0000000e+001	-1.0000000e+001	-	
1.0000000e+001					
-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
	2056 CAVITY_3 PRMZ_LOG	-1.0000000e+001	-1.0000000e+001	-	
1.0000000e+001					
-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
	2058 CAVITY_3 RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3102 CAVITY_3 SAT_IBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2235 CAVITY_3 SAT_RBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2059 CAVITY_3 SAT_RGAS	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2060 CAVITY_4 CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2062 CAVITY_4 COMP_RCK	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
	2625 CAVITY_4 KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2236 CAVITY_4 PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2626 CAVITY_4 PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2627 CAVITY_4 PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2628 CAVITY_4 PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2063 CAVITY_4 PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-	
001					
7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2064 CAVITY_4 POROSITY	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3103 CAVITY_4 PRESSURE	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2065 CAVITY_4 PRMX_LOG	-1.0000000e+001	-1.0000000e+001	-	
1.0000000e+001					
-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
	2066 CAVITY_4 PRMY_LOG	-1.0000000e+001	-1.0000000e+001	-	
1.0000000e+001					
-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
	2067 CAVITY_4 PRMZ_LOG	-1.0000000e+001	-1.0000000e+001	-	

1.0000000e+001						
-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log (m^2)		
	2069 CAVITY_4 RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3104 CAVITY_4 SAT_IBRN	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2237 CAVITY_4 SAT_RBRN	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2070 CAVITY_4 SAT_RGAS	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2994 CELLULS FBETA	5.0000000e-001	5.0000000e-001			
0.0000000e+000						
1.0000000e+000	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
	838 CF LOGSOLM	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log (moles/lit		
	106 CF252 ATWEIGHT	2.5208200e-001	2.5208200e-001	2.5208200e-		
001						
2.5208200e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole		
	3330 CF252 EPAREL	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
	107 CF252 HALFLIFE	8.3250000e+007	8.3250000e+007			
8.3250000e+007						
8.3250000e+007	0.0000000e+000	0.0000000e+000	CONSTANT	s		
	108 CF252 INVCHD	6.4000000e-005	6.4000000e-005	6.4000000e-		
005						
6.4000000e-005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
	109 CF252 INVRHD	5.6000000e-006	5.6000000e-006	5.6000000e-		
006						
5.6000000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
	2327 CL_L_T1 CAP_MOD	2.0000000e+000	2.0000000e+000			
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2328 CL_L_T1 COMP_RCK	3.8000000e-010	3.8000000e-010	3.8000000e-		
010						
3.8000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
	2641 CL_L_T1 KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2329 CL_L_T1 PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2642 CL_L_T1 PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-		
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2643 CL_L_T1 PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-		
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2332 CL_L_T1 PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2330 CL_L_T1 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		

001	8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE	
	2330 CL_L_T1	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001	8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
	2330 CL_L_T1	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001	8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
	2331 CL_L_T1	POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-	
001	2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2333 CL_L_T1	PRESSURE	1.0132500e+005	1.0132500e+005		
	1.0132500e+005					
	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2334 CL_L_T1	PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-	
	2.1000000e+001					
	-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
	2335 CL_L_T1	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-	
	2.1000000e+001					
	-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
	2336 CL_L_T1	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-	
	2.1000000e+001					
	-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
	3021 CL_L_T1	RADN_DRZ	1.8580000e+000	1.8580000e+000		
	1.8580000e+000					
	1.8580000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2340 CL_L_T1	RELP_MOD	4.0000000e+000	4.0000000e+000		
	4.0000000e+000					
	4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3017 CL_L_T1	RSH_AIR	3.0900000e+000	3.0900000e+000		
	3.0900000e+000					
	3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
	3020 CL_L_T1	RSH_EXH	2.3000000e+000	2.3000000e+000		
	2.3000000e+000					
	2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
	3018 CL_L_T1	RSH_SAL	1.8000000e+000	1.8000000e+000		
	1.8000000e+000					
	1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
	3019 CL_L_T1	RSH_WAS	3.5000000e+000	3.5000000e+000		
	3.5000000e+000					
	3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
	2341 CL_L_T1	SAT_IBRN	7.9000000e-001	7.9000000e-001	7.9000000e-	
001	7.9000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2342 CL_L_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001		
	0.0000000e+000					
	6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
	2342 CL_L_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001		
	0.0000000e+000					
	6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
	2342 CL_L_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001		
	0.0000000e+000					
	6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
	2343 CL_L_T1	SAT_RGAS	2.0000000e-001	2.0000000e-001		
	0.0000000e+000					
	4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
	2344 CL_L_T2	CAP_MOD	2.0000000e+000	2.0000000e+000		



2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2345	CL_L_T2	COMP_RCK	3.8000000e-010	3.8000000e-010	3.8000000e-	
010						
3.8000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
2646	CL_L_T2	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2346	CL_L_T2	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2647	CL_L_T2	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2648	CL_L_T2	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2349	CL_L_T2	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2347	CL_L_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE		
2347	CL_L_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE		
2347	CL_L_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE		
2348	CL_L_T2	POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-	
001						
2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2351	CL_L_T2	PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
2352	CL_L_T2	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
2353	CL_L_T2	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
3026	CL_L_T2	RADN_DRZ	1.1620000e+000	1.1620000e+000		
1.1620000e+000						
1.1620000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2357	CL_L_T2	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3022	CL_L_T2	RSH_AIR	3.0900000e+000	3.0900000e+000		
3.0900000e+000						
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
3025	CL_L_T2	RSH_EXH	2.3000000e+000	2.3000000e+000		
2.3000000e+000						
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
3023	CL_L_T2	RSH_SAL	1.8000000e+000	1.8000000e+000		
1.8000000e+000						
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
3024	CL_L_T2	RSH_WAS	3.5000000e+000	3.5000000e+000		

3.5000000e+000						
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	2359 CL_L_T2 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
	2359 CL_L_T2 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
	2359 CL_L_T2 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
	2360 CL_L_T2 SAT_RGAS	2.0000000e-001	2.0000000e-001			
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
	2361 CL_L_T3 CAP_MOD	2.0000000e+000	2.0000000e+000			
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2362 CL_L_T3 COMP_RCK	3.8000000e-010	3.8000000e-010	3.8000000e-		
010						
3.8000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
	2651 CL_L_T3 KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2363 CL_L_T3 PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2652 CL_L_T3 PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-		
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2653 CL_L_T3 PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-		
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2366 CL_L_T3 PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2364 CL_L_T3 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE		
	2364 CL_L_T3 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE		
	2364 CL_L_T3 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE		
	2365 CL_L_T3 POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-		
001						
2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2368 CL_L_T3 PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-		
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
	2369 CL_L_T3 PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-		
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
	2370 CL_L_T3 PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-		
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
	3031 CL_L_T3 RADN_DRZ	1.0020000e+000	1.0020000e+000			

1.0020000e+000						
1.0020000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2374 CL_L_T3 RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3027 CL_L_T3 RSH_AIR	3.0900000e+000	3.0900000e+000			
3.0900000e+000						
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	3030 CL_L_T3 RSH_EXH	2.3000000e+000	2.3000000e+000			
2.3000000e+000						
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	3028 CL_L_T3 RSH_SAL	1.8000000e+000	1.8000000e+000			
1.8000000e+000						
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	3029 CL_L_T3 RSH_WAS	3.5000000e+000	3.5000000e+000			
3.5000000e+000						
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	2376 CL_L_T3 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
	2376 CL_L_T3 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
	2376 CL_L_T3 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
	2377 CL_L_T3 SAT_RGAS	2.0000000e-001	2.0000000e-001			
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
	3070 CL_L_T4 CAP_MOD	2.0000000e+000	2.0000000e+000			
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3071 CL_L_T4 COMP_RCK	3.8000000e-010	3.8000000e-010	3.8000000e-		
010						
3.8000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa <sup>-1</sup>		
	3072 CL_L_T4 KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3073 CL_L_T4 PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	3074 CL_L_T4 PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-		
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	3075 CL_L_T4 PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-		
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3123 CL_L_T4 PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	3076 CL_L_T4 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE		
	3076 CL_L_T4 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE		
	3076 CL_L_T4 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		

001  
8.1000000e+000 1.0000000e+000 8.1000000e+000 CUMULATIVE NONE  
3077 CL\_L\_T4 POROSITY 2.4000000e-001 2.4000000e-001 2.4000000e-

001  
2.4000000e-001 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
3078 CL\_L\_T4 PRMX\_LOG -1.8867000e+001 -1.8301000e+001 -

2.1000000e+001  
-1.7301000e+001 0.0000000e+000 0.0000000e+000 TRIANGULAR log(m^2)  
3079 CL\_L\_T4 PRMY\_LOG -1.8867000e+001 -1.8301000e+001 -

2.1000000e+001  
-1.7301000e+001 0.0000000e+000 0.0000000e+000 TRIANGULAR log(m^2)  
3080 CL\_L\_T4 PRMZ\_LOG -1.8867000e+001 -1.8301000e+001 -

2.1000000e+001  
-1.7301000e+001 0.0000000e+000 0.0000000e+000 TRIANGULAR log(m^2)  
3069 CL\_L\_T4 RADN\_DRZ 1.0000000e+000 1.0000000e+000

1.0000000e+000  
1.0000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
3081 CL\_L\_T4 RELP\_MOD 4.0000000e+000 4.0000000e+000

4.0000000e+000  
4.0000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
3065 CL\_L\_T4 RSH\_AIR 3.0900000e+000 3.0900000e+000

3.0900000e+000  
3.0900000e+000 0.0000000e+000 0.0000000e+000 CONSTANT m  
3068 CL\_L\_T4 RSH\_EXH 2.3000000e+000 2.3000000e+000

2.3000000e+000  
2.3000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT m  
3066 CL\_L\_T4 RSH\_SAL 1.8000000e+000 1.8000000e+000

1.8000000e+000  
1.8000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT m  
3067 CL\_L\_T4 RSH\_WAS 3.5000000e+000 3.5000000e+000

3.5000000e+000  
3.5000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT m  
3082 CL\_L\_T4 SAT\_RBRN 2.5000000e-001 2.0000000e-001

0.0000000e+000  
6.0000000e-001 0.0000000e+000 0.0000000e+000 CUMULATIVE NONE  
3082 CL\_L\_T4 SAT\_RBRN 2.5000000e-001 2.0000000e-001

0.0000000e+000  
6.0000000e-001 5.0000000e-001 2.0000000e-001 CUMULATIVE NONE  
3082 CL\_L\_T4 SAT\_RBRN 2.5000000e-001 2.0000000e-001

0.0000000e+000  
6.0000000e-001 1.0000000e+000 6.0000000e-001 CUMULATIVE NONE  
3083 CL\_L\_T4 SAT\_RGAS 2.0000000e-001 2.0000000e-001

0.0000000e+000  
4.0000000e-001 0.0000000e+000 0.0000000e+000 UNIFORM NONE  
2378 CL\_M\_T1 CAP\_MOD 2.0000000e+000 2.0000000e+000

2.0000000e+000  
2.0000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
2379 CL\_M\_T1 COMP\_RCK 4.3000000e-010 4.3000000e-010 4.3000000e-

010  
4.3000000e-010 0.0000000e+000 0.0000000e+000 CONSTANT Pa^-1  
2656 CL\_M\_T1 KPT 0.0000000e+000 0.0000000e+000

0.0000000e+000  
0.0000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
2380 CL\_M\_T1 PC\_MAX 1.0000000e+008 1.0000000e+008

1.0000000e+008  
1.0000000e+008 0.0000000e+000 0.0000000e+000 CONSTANT Pa  
2657 CL\_M\_T1 PCT\_A 5.6000000e-001 5.6000000e-001 5.6000000e-

001	5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2658	CL_M_T1	PCT_EXP	-3.4600000e-001	-3.4600000e-001 -3.4600000e-
001	-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2383	CL_M_T1	PO_MIN	1.0132500e+005	1.0132500e+005
1.0132500e+005	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2381	CL_M_T1	PORE_DIS	2.5200000e+000	9.4000000e-001 1.1000000e-
001	8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE
	2381	CL_M_T1	PORE_DIS	2.5200000e+000	9.4000000e-001 1.1000000e-
001	8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE
	2381	CL_M_T1	PORE_DIS	2.5200000e+000	9.4000000e-001 1.1000000e-
001	8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE
	2382	CL_M_T1	POROSITY	2.4000000e-001	2.4000000e-001 2.4000000e-
001	2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2384	CL_M_T1	PRESSURE	1.0132500e+005	1.0132500e+005
1.0132500e+005	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2385	CL_M_T1	PRMX_LOG	-1.8867000e+001	-1.8301000e+001 -
2.1000000e+001	-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
	2386	CL_M_T1	PRMY_LOG	-1.8867000e+001	-1.8301000e+001 -
2.1000000e+001	-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
	2387	CL_M_T1	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001 -
2.1000000e+001	-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
	3088	CL_M_T1	RADN_DRZ	1.7090000e+000	1.7090000e+000
1.7090000e+000	1.7090000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2391	CL_M_T1	RELP_MOD	4.0000000e+000	4.0000000e+000
4.0000000e+000	4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3084	CL_M_T1	RSH_AIR	3.0900000e+000	3.0900000e+000
3.0900000e+000	3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
	3087	CL_M_T1	RSH_EXH	2.3000000e+000	2.3000000e+000
2.3000000e+000	2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
	3085	CL_M_T1	RSH_SAL	1.8000000e+000	1.8000000e+000
1.8000000e+000	1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
	3086	CL_M_T1	RSH_WAS	3.5000000e+000	3.5000000e+000
3.5000000e+000	3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
	2392	CL_M_T1	SAT_IBRN	7.9000000e-001	7.9000000e-001 7.9000000e-
001	7.9000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2393	CL_M_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001
0.0000000e+000	6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE
	2393	CL_M_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001

0.0000000e+000								
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE				
2393	CL_M_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001				
0.0000000e+000								
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE				
2394	CL_M_T1	SAT_RGAS	2.0000000e-001	2.0000000e-001				
0.0000000e+000								
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE				
2395	CL_M_T2	CAP_MOD	2.0000000e+000	2.0000000e+000				
2.0000000e+000								
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
2396	CL_M_T2	COMP_RCK	4.3000000e-010	4.3000000e-010	4.3000000e-			
010								
4.3000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1				
2661	CL_M_T2	KPT	0.0000000e+000	0.0000000e+000				
0.0000000e+000								
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
2397	CL_M_T2	PC_MAX	1.0000000e+008	1.0000000e+008				
1.0000000e+008								
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa				
2662	CL_M_T2	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-			
001								
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa				
2663	CL_M_T2	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-			
001								
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
2400	CL_M_T2	PO_MIN	1.0132500e+005	1.0132500e+005				
1.0132500e+005								
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa				
2398	CL_M_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-			
001								
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE				
2398	CL_M_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-			
001								
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE				
2398	CL_M_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-			
001								
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE				
2399	CL_M_T2	POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-			
001								
2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
2402	CL_M_T2	PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-			
2.1000000e+001								
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)				
2403	CL_M_T2	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-			
2.1000000e+001								
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)				
2404	CL_M_T2	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-			
2.1000000e+001								
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)				
3093	CL_M_T2	RADN_DRZ	1.4690000e+000	1.4690000e+000				
1.4690000e+000								
1.4690000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
2408	CL_M_T2	RELP_MOD	4.0000000e+000	4.0000000e+000				
4.0000000e+000								
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
3089	CL_M_T2	RSH_AIR	3.0900000e+000	3.0900000e+000				

3.0900000e+000						
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	3092 CL_M_T2 RSH_EXH	2.3000000e+000	2.3000000e+000			
2.3000000e+000						
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	3090 CL_M_T2 RSH_SAL	1.8000000e+000	1.8000000e+000			
1.8000000e+000						
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	3091 CL_M_T2 RSH_WAS	3.5000000e+000	3.5000000e+000			
3.5000000e+000						
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	2410 CL_M_T2 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
	2410 CL_M_T2 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
	2410 CL_M_T2 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
	2411 CL_M_T2 SAT_RGAS	2.0000000e-001	2.0000000e-001			
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
	2412 CL_M_T3 CAP_MOD	2.0000000e+000	2.0000000e+000			
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2413 CL_M_T3 COMP_RCK	4.3000000e-010	4.3000000e-010	4.3000000e-		
010						
4.3000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
	2666 CL_M_T3 KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2414 CL_M_T3 PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2667 CL_M_T3 PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-		
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2668 CL_M_T3 PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-		
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2417 CL_M_T3 PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2415 CL_M_T3 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE		
	2415 CL_M_T3 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE		
	2415 CL_M_T3 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE		
	2416 CL_M_T3 POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-		
001						
2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2419 CL_M_T3 PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-		

2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
	2420 CL_M_T3	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
	2421 CL_M_T3	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
	3098 CL_M_T3	RADN_DRZ	1.2830000e+000	1.2830000e+000		
1.2830000e+000						
1.2830000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2425 CL_M_T3	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3094 CL_M_T3	RSH_AIR	3.0900000e+000	3.0900000e+000		
3.0900000e+000						
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	3097 CL_M_T3	RSH_EXH	2.3000000e+000	2.3000000e+000		
2.3000000e+000						
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	3095 CL_M_T3	RSH_SAL	1.8000000e+000	1.8000000e+000		
1.8000000e+000						
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	3096 CL_M_T3	RSH_WAS	3.5000000e+000	3.5000000e+000		
3.5000000e+000						
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	2427 CL_M_T3	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
	2427 CL_M_T3	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
	2427 CL_M_T3	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
	2428 CL_M_T3	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
	2429 CL_M_T4	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2430 CL_M_T4	COMP_RCK	4.3000000e-010	4.3000000e-010	4.3000000e-	
010						
4.3000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
	2671 CL_M_T4	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2431 CL_M_T4	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2672 CL_M_T4	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2673 CL_M_T4	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2434 CL_M_T4	PO_MIN	1.0132500e+005	1.0132500e+005		



1.0132500e+005						
1.0132500e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa		
2432	CL_M_T4	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	0.00000000e+000	1.1000000e-001	CUMULATIVE	NONE		
2432	CL_M_T4	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE		
2432	CL_M_T4	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE		
2433	CL_M_T4	POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-	
001						
2.4000000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2436	CL_M_T4	PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.00000000e+000	0.00000000e+000	TRIANGULAR	log(m^2)		
2437	CL_M_T4	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.00000000e+000	0.00000000e+000	TRIANGULAR	log(m^2)		
2438	CL_M_T4	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.00000000e+000	0.00000000e+000	TRIANGULAR	log(m^2)		
2923	CL_M_T4	RADN_DRZ	1.1070000e+000	1.1070000e+000		
1.1070000e+000						
1.1070000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2442	CL_M_T4	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000						
4.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2919	CL_M_T4	RSH_AIR	3.0900000e+000	3.0900000e+000		
3.0900000e+000						
3.0900000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	m		
2922	CL_M_T4	RSH_EXH	2.3000000e+000	2.3000000e+000		
2.3000000e+000						
2.3000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	m		
2920	CL_M_T4	RSH_SAL	1.8000000e+000	1.8000000e+000		
1.8000000e+000						
1.8000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	m		
2921	CL_M_T4	RSH_WAS	3.5000000e+000	3.5000000e+000		
3.5000000e+000						
3.5000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	m		
2444	CL_M_T4	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	0.00000000e+000	0.00000000e+000	CUMULATIVE	NONE		
2444	CL_M_T4	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
2444	CL_M_T4	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
2445	CL_M_T4	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000						
4.0000000e-001	0.00000000e+000	0.00000000e+000	UNIFORM	NONE		
2446	CL_M_T5	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000						
2.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2447	CL_M_T5	COMP_RCK	4.3000000e-010	4.3000000e-010	4.3000000e-	

010	4.3000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1
	2676 CL_M_T5	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2448 CL_M_T5	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008	1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2677 CL_M_T5	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-
001	5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2678 CL_M_T5	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-
001	-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2451 CL_M_T5	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2449 CL_M_T5	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001	8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE
	2449 CL_M_T5	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001	8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE
	2449 CL_M_T5	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001	8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE
	2450 CL_M_T5	POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-
001	2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2453 CL_M_T5	PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-
2.1000000e+001	-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
	2454 CL_M_T5	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-
2.1000000e+001	-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
	2455 CL_M_T5	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-
2.1000000e+001	-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
	2928 CL_M_T5	RADN_DRZ	1.0000000e+000	1.0000000e+000	
1.0000000e+000	1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2459 CL_M_T5	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000	4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2924 CL_M_T5	RSH_AIR	3.0900000e+000	3.0900000e+000	
3.0900000e+000	3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
	2927 CL_M_T5	RSH_EXH	2.3000000e+000	2.3000000e+000	
2.3000000e+000	2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
	2925 CL_M_T5	RSH_SAL	1.8000000e+000	1.8000000e+000	
1.8000000e+000	1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
	2926 CL_M_T5	RSH_WAS	3.5000000e+000	3.5000000e+000	
3.5000000e+000	3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
	2461 CL_M_T5	SAT_RBRN	2.5000000e-001	2.0000000e-001	

0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
2461	CL_M_T5	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
2461	CL_M_T5	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
2462	CL_M_T5	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
2310	CLAY_BOT	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2311	CLAY_BOT	COMP_RCK	3.8000000e-010	3.8000000e-010	3.8000000e-	
010						
3.8000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
2636	CLAY_BOT	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2312	CLAY_BOT	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2637	CLAY_BOT	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2638	CLAY_BOT	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2315	CLAY_BOT	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2313	CLAY_BOT	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE		
2313	CLAY_BOT	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE		
2313	CLAY_BOT	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE		
2314	CLAY_BOT	POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-	
001						
2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2316	CLAY_BOT	PRESSURE	1.0132500e+005	1.0132500e+005		
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2317	CLAY_BOT	PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
2318	CLAY_BOT	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
2319	CLAY_BOT	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
2323	CLAY_BOT	RELP_MOD	4.0000000e+000	4.0000000e+000		

4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2324 CLAY_BOT SAT_IBRN	7.9000000e-001	7.9000000e-001	7.9000000e-		
001						
7.9000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2325 CLAY_BOT SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
	2325 CLAY_BOT SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
	2325 CLAY_BOT SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
	2326 CLAY_BOT SAT_RGAS	2.0000000e-001	2.0000000e-001			
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
	3000 CLAY_RUS CAP_MOD	2.0000000e+000	2.0000000e+000			
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3001 CLAY_RUS COMP_RCK	4.7000000e-010	4.7000000e-010	4.7000000e-		
010						
4.7000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
	3002 CLAY_RUS KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3003 CLAY_RUS PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	3004 CLAY_RUS PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-		
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	3005 CLAY_RUS PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-		
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3131 CLAY_RUS PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	3006 CLAY_RUS PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE		
	3006 CLAY_RUS PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE		
	3006 CLAY_RUS PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE		
	3007 CLAY_RUS POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-		
001						
2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3008 CLAY_RUS PRESSURE	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	3009 CLAY_RUS PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-		
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
	3010 CLAY_RUS PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-		

2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
	3011 CLAY_RUS PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-		
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
	3012 CLAY_RUS RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2996 CLAY_RUS RSH_AIR	3.0900000e+000	3.0900000e+000			
3.0900000e+000						
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	2999 CLAY_RUS RSH_EXH	2.3000000e+000	2.3000000e+000			
2.3000000e+000						
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	2997 CLAY_RUS RSH_SAL	1.8000000e+000	1.8000000e+000			
1.8000000e+000						
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	2998 CLAY_RUS RSH_WAS	3.5000000e+000	3.5000000e+000			
3.5000000e+000						
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	3013 CLAY_RUS SAT_IBRN	7.9000000e-001	7.9000000e-001	7.9000000e-		
001						
7.9000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3014 CLAY_RUS SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
	3014 CLAY_RUS SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
	3014 CLAY_RUS SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
	3015 CLAY_RUS SAT_RGAS	2.0000000e-001	2.0000000e-001			
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
	3231 CM243 ATWEIGHT	2.4306100e-001	2.4306100e-001	2.4306100e-		
001						
2.4306100e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole		
	3366 CM243 EPAREL	1.0000000e+002	1.0000000e+002			
1.0000000e+002						
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
	3277 CM243 HALFLIFE	8.9940000e+008	8.9940000e+008			
8.9940000e+008						
8.9940000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	s		
	3410 CM243 INVCHD	1.8200000e-001	1.8200000e-001	1.8200000e-		
001						
1.8200000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
	3411 CM243 INVRHD	2.3100000e-001	2.3100000e-001	2.3100000e-		
001						
2.3100000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
	110 CM244 ATWEIGHT	2.4406300e-001	2.4406300e-001	2.4406300e-		
001						
2.4406300e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole		
	3331 CM244 EPAREL	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
	111 CM244 HALFLIFE	5.7150000e+008	5.7150000e+008			

5.7150000e+008						
5.7150000e+008	0.00000000e+000	0.00000000e+000	CONSTANT	s		
112	CM244	INVCHD	4.8200000e+003	4.8200000e+003		
4.8200000e+003						
4.8200000e+003	0.00000000e+000	0.00000000e+000	CONSTANT	Curies		
113	CM244	INVRHD	1.0500000e+002	1.0500000e+002		
1.0500000e+002						
1.0500000e+002	0.00000000e+000	0.00000000e+000	CONSTANT	Curies		
3232	CM245	ATWEIGHT	2.4506500e-001	2.4506500e-001	2.4506500e-	
001						
2.4506500e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
3367	CM245	EPAREL	1.0000000e+002	1.0000000e+002		
1.0000000e+002						
1.0000000e+002	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf		
3278	CM245	HALFLIFE	2.6820000e+011	2.6820000e+011		
2.6820000e+011						
2.6820000e+011	0.00000000e+000	0.00000000e+000	CONSTANT	s		
3412	CM245	INVCHD	1.3900000e-002	1.3900000e-002	1.3900000e-	
002						
1.3900000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	Curies		
3413	CM245	INVRHD	1.0900000e-002	1.0900000e-002	1.0900000e-	
002						
1.0900000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	Curies		
3233	CM248	ATWEIGHT	2.4807200e-001	2.4807200e-001	2.4807200e-	
001						
2.4807200e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
3368	CM248	EPAREL	1.0000000e+002	1.0000000e+002		
1.0000000e+002						
1.0000000e+002	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf		
115	CM248	HALFLIFE	1.0700000e+013	1.0700000e+013		
1.0700000e+013						
1.0700000e+013	0.00000000e+000	0.00000000e+000	CONSTANT	s		
2265	CM248	INVCHD	1.4900000e-001	1.4900000e-001	1.4900000e-	
001						
1.4900000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	Curies		
2266	CM248	INVRHD	2.5900000e-003	2.5900000e-003	2.5900000e-	
003						
2.5900000e-003	0.00000000e+000	0.00000000e+000	CONSTANT	Curies		
3051	CONC_MON	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000						
2.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3052	CONC_MON	COMP_RCK	6.0000000e-011	6.0000000e-011	6.0000000e-	
011						
6.0000000e-011	0.00000000e+000	0.00000000e+000	CONSTANT	Pa^-1		
3053	CONC_MON	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3054	CONC_MON	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008						
1.0000000e+008	0.00000000e+000	0.00000000e+000	CONSTANT	Pa		
3055	CONC_MON	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001						
5.6000000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	Pa		
3056	CONC_MON	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001						
-3.4600000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3124	CONC_MON	PO_MIN	1.0132500e+005	1.0132500e+005		

1.0132500e+005						
1.0132500e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa		
3057	CONC_MON	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	0.00000000e+000	1.1000000e-001	CUMULATIVE	NONE		
3057	CONC_MON	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE		
3057	CONC_MON	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE		
3058	CONC_MON	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-	
002						
5.0000000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3114	CONC_MON	PRESSURE	1.0132500e+005	1.0132500e+005		
1.0132500e+005						
1.0132500e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa		
3059	CONC_MON	PRMX_LOG	-1.4000000e+001	-1.4000000e+001	-	
1.4000000e+001						
-1.4000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)		
3060	CONC_MON	PRMY_LOG	-1.4000000e+001	-1.4000000e+001	-	
1.4000000e+001						
-1.4000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)		
3061	CONC_MON	PRMZ_LOG	-1.4000000e+001	-1.4000000e+001	-	
1.4000000e+001						
-1.4000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)		
3050	CONC_MON	RADN_DRZ	1.0000000e+000	1.0000000e+000		
1.0000000e+000						
1.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3062	CONC_MON	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000						
4.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3046	CONC_MON	RSH_AIR	3.0900000e+000	3.0900000e+000		
3.0900000e+000						
3.0900000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	m		
3049	CONC_MON	RSH_EXH	2.3000000e+000	2.3000000e+000		
2.3000000e+000						
2.3000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	m		
3047	CONC_MON	RSH_SAL	1.8000000e+000	1.8000000e+000		
1.8000000e+000						
1.8000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	m		
3048	CONC_MON	RSH_WAS	3.5000000e+000	3.5000000e+000		
3.5000000e+000						
3.5000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	m		
3115	CONC_MON	SAT_IBRN	9.9999990e-001	9.9999990e-001	9.9999990e-	
001						
9.9999990e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3063	CONC_MON	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	0.00000000e+000	0.00000000e+000	CUMULATIVE	NONE		
3063	CONC_MON	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
3063	CONC_MON	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
3064	CONC_MON	SAT_RGAS	2.0000000e-001	2.0000000e-001		

0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
3514	CONC_PCS	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3515	CONC_PCS	COMP_RCK	6.0000000e-011	6.0000000e-011	6.0000000e-	
011						
6.0000000e-011	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
3516	CONC_PCS	COMPRES	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
3517	CONC_PCS	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3518	CONC_PCS	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3519	CONC_PCS	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3520	CONC_PCS	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3521	CONC_PCS	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3522	CONC_PCS	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE		
3522	CONC_PCS	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE		
3522	CONC_PCS	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE		
3523	CONC_PCS	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-	
002						
5.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3524	CONC_PCS	PRESSURE	1.0132500e+005	1.0132500e+005		
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3525	CONC_PCS	PRMX_LOG	-1.8816000e+001	-1.8749600e+001	-	
2.0699000e+001						
-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
3526	CONC_PCS	PRMY_LOG	-1.8816000e+001	-1.8749600e+001	-	
2.0699000e+001						
-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
3527	CONC_PCS	PRMZ_LOG	-1.8816000e+001	-1.8749600e+001	-	
2.0699000e+001						
-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
3528	CONC_PCS	REF_PRES	1.0100000e+005	1.0100000e+005		
1.0100000e+005						
1.0100000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3529	CONC_PCS	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3530	CONC_PCS	SAT_IBRN	9.9999990e-001	9.9999990e-001	9.9999990e-	



001	9.9999990e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3531	CONC_PCS	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000	6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
	3531	CONC_PCS	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000	6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
	3531	CONC_PCS	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000	6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
	3532	CONC_PCS	SAT_RGAS	2.0000000e-001	2.0000000e-001	
0.0000000e+000	4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
	3150	CONC_PLG	CAP_MOD	1.0000000e+000	1.0000000e+000	
1.0000000e+000	1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3148	CONC_PLG	COMP_RCK	3.8000000e-010	3.8000000e-010	3.8000000e-
010	3.8000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
	3156	CONC_PLG	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3151	CONC_PLG	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008	1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	3157	CONC_PLG	PCT_A	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	3158	CONC_PLG	PCT_EXP	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3155	CONC_PLG	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	3154	CONC_PLG	PORE_DIS	9.4000000e-001	9.4000000e-001	9.4000000e-
001	9.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3147	CONC_PLG	POROSITY	3.2000000e-001	3.2000000e-001	3.2000000e-
001	3.2000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3185	CONC_PLG	PRMX_LOG	-1.8000000e+001	-1.8000000e+001	-
1.9000000e+001	-1.7000000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)	
	3192	CONC_PLG	PRMY_LOG	-1.8000000e+001	-1.8000000e+001	-
1.9000000e+001	-1.7000000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)	
	3193	CONC_PLG	PRMZ_LOG	-1.8000000e+001	-1.8000000e+001	-
1.9000000e+001	-1.7000000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)	
	3149	CONC_PLG	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000	4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3152	CONC_PLG	SAT_RBRN	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3153	CONC_PLG	SAT_RGAS	0.0000000e+000	0.0000000e+000	

0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2463	CONC_T1	CAP_MOD	2.0000000e+000	2.0000000e+000	
2.0000000e+000	2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2464	CONC_T1	COMP_RCK	6.0000000e-011	6.0000000e-011	6.0000000e-
011	6.0000000e-011	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1
2681	CONC_T1	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2465	CONC_T1	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008	1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2682	CONC_T1	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-
001	5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2683	CONC_T1	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-
001	-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2468	CONC_T1	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2466	CONC_T1	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001	8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE
2466	CONC_T1	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001	8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE
2466	CONC_T1	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001	8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE
2467	CONC_T1	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-
002	5.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2469	CONC_T1	PRESSURE	1.0132500e+005	1.0132500e+005	
1.0132500e+005	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2470	CONC_T1	PRMX_LOG	-1.8816000e+001	-1.8749600e+001	-
2.0699000e+001	-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
2471	CONC_T1	PRMY_LOG	-1.8816000e+001	-1.8749600e+001	-
2.0699000e+001	-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
2472	CONC_T1	PRMZ_LOG	-1.8816000e+001	-1.8749600e+001	-
2.0699000e+001	-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
3040	CONC_T1	RADN_DRZ	1.0000000e+000	1.0000000e+000	
1.0000000e+000	1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2476	CONC_T1	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000	4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3036	CONC_T1	RSH_AIR	3.0900000e+000	3.0900000e+000	
3.0900000e+000	3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
3039	CONC_T1	RSH_EXH	2.3000000e+000	2.3000000e+000	

2.3000000e+000						
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	3037 CONC_T1 RSH_SAL	1.8000000e+000	1.8000000e+000			
1.8000000e+000						
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	3038 CONC_T1 RSH_WAS	3.5000000e+000	3.5000000e+000			
3.5000000e+000						
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	2477 CONC_T1 SAT_IBRN	9.9999990e-001	9.9999990e-001	9.9999990e-		
001						
9.9999990e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2478 CONC_T1 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
	2478 CONC_T1 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
	2478 CONC_T1 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
	2479 CONC_T1 SAT_RGAS	2.0000000e-001	2.0000000e-001			
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
	2480 CONC_T2 CAP_MOD	2.0000000e+000	2.0000000e+000			
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2481 CONC_T2 COMP_RCK	6.0000000e-011	6.0000000e-011	6.0000000e-		
011						
6.0000000e-011	0.0000000e+000	0.0000000e+000	CONSTANT	Pa <sup>-1</sup>		
	2686 CONC_T2 KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2482 CONC_T2 PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2687 CONC_T2 PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-		
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2688 CONC_T2 PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-		
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2808 CONC_T2 PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2483 CONC_T2 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE		
	2483 CONC_T2 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE		
	2483 CONC_T2 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE		
	2484 CONC_T2 POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-		
002						
5.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2485 CONC_T2 PRESSURE	1.0132500e+005	1.0132500e+005			

1.0132500e+005						
1.0132500e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa		
2486	CONC_T2	PRMX_LOG	-1.4000000e+001	-1.4000000e+001	-	
1.4000000e+001						
-1.4000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)		
2487	CONC_T2	PRMY_LOG	-1.4000000e+001	-1.4000000e+001	-	
1.4000000e+001						
-1.4000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)		
2488	CONC_T2	PRMZ_LOG	-1.4000000e+001	-1.4000000e+001	-	
1.4000000e+001						
-1.4000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)		
3045	CONC_T2	RADN_DRZ	1.0000000e+000	1.0000000e+000		
1.0000000e+000						
1.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2492	CONC_T2	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000						
4.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3041	CONC_T2	RSH_AIR	3.0900000e+000	3.0900000e+000		
3.0900000e+000						
3.0900000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	m		
3044	CONC_T2	RSH_EXH	2.3000000e+000	2.3000000e+000		
2.3000000e+000						
2.3000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	m		
3042	CONC_T2	RSH_SAL	1.8000000e+000	1.8000000e+000		
1.8000000e+000						
1.8000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	m		
3043	CONC_T2	RSH_WAS	3.5000000e+000	3.5000000e+000		
3.5000000e+000						
3.5000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	m		
2493	CONC_T2	SAT_IBRN	1.0000000e+000	1.0000000e+000		
1.0000000e+000						
1.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2494	CONC_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	0.00000000e+000	0.00000000e+000	CUMULATIVE	NONE		
2494	CONC_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
2494	CONC_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
2495	CONC_T2	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000						
4.0000000e-001	0.00000000e+000	0.00000000e+000	UNIFORM	NONE		
841	CS	LOGSOLM	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	log(moles/lit		
116	CS137	ATWEIGHT	1.3690700e-001	1.3690700e-001	1.3690700e-	
001						
1.3690700e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
3369	CS137	EPAREL	1.0000000e+003	1.0000000e+003		
1.0000000e+003						
1.0000000e+003	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf		
117	CS137	HALFLIFE	9.4670000e+008	9.4670000e+008		
9.4670000e+008						
9.4670000e+008	0.00000000e+000	0.00000000e+000	CONSTANT	s		
2037	CS137	INVCHD	6.9300000e+003	6.9300000e+003		

6.9300000e+003					
6.9300000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
118	CS137	INVRHD	1.7700000e+005	1.7700000e+005	
1.7700000e+005					
1.7700000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
3487	CULEBRA	APOROS	2.1000000e-003	1.0000000e-003	1.0000000e-
004					
1.0000000e-002	0.0000000e+000	0.0000000e+000	LOGUNIFORM	NONE	
119	CULEBRA	CAP_MOD	2.0000000e+000	2.0000000e+000	
2.0000000e+000					
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
120	CULEBRA	COMP_RCK	1.0000000e-010	1.0000000e-010	1.0000000e-
010					
1.0000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
3483	CULEBRA	DISP_L	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3484	CULEBRA	DISPT_L	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
843	CULEBRA	DNSGRAIN	2.8200000e+003	2.8200000e+003	
2.8200000e+003					
2.8200000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
3486	CULEBRA	DPOROS	1.6000000e-001	1.6000000e-001	1.0000000e-
001					
2.5000000e-001	0.0000000e+000	1.0000000e-001	CUMULATIVE	NONE	
3486	CULEBRA	DPOROS	1.6000000e-001	1.6000000e-001	1.0000000e-
001					
2.5000000e-001	1.0000000e-001	1.1000000e-001	CUMULATIVE	NONE	
3486	CULEBRA	DPOROS	1.6000000e-001	1.6000000e-001	1.0000000e-
001					
2.5000000e-001	2.5000000e-001	1.2000000e-001	CUMULATIVE	NONE	
3486	CULEBRA	DPOROS	1.6000000e-001	1.6000000e-001	1.0000000e-
001					
2.5000000e-001	5.0000000e-001	1.6000000e-001	CUMULATIVE	NONE	
3486	CULEBRA	DPOROS	1.6000000e-001	1.6000000e-001	1.0000000e-
001					
2.5000000e-001	7.5000000e-001	1.8000000e-001	CUMULATIVE	NONE	
3486	CULEBRA	DPOROS	1.6000000e-001	1.6000000e-001	1.0000000e-
001					
2.5000000e-001	9.0000000e-001	1.9000000e-001	CUMULATIVE	NONE	
3486	CULEBRA	DPOROS	1.6000000e-001	1.6000000e-001	1.0000000e-
001					
2.5000000e-001	1.0000000e+000	2.5000000e-001	CUMULATIVE	NONE	
3474	CULEBRA	DTORT	1.1000000e-001	1.1000000e-001	1.1000000e-
001					
1.1000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3462	CULEBRA	ETHICK	4.0000000e+000	4.0000000e+000	
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
861	CULEBRA	FTORT	1.0000000e+000	1.0000000e+000	
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3485	CULEBRA	HMBLKL	2.7500000e-001	2.7500000e-001	5.0000000e-
002					
5.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	m	
2691	CULEBRA	KPT	0.0000000e+000	0.0000000e+000	

0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3418 CULEBRA MEA_STOR	1.0000000e-005	1.0000000e-005	1.0000000e-		
005						
1.0000000e-005	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3419 CULEBRA MINP_FAC	5.0050000e+002	5.0050000e+002			
1.0000000e+000						
1.0000000e+003	0.0000000e+000	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
	137 CULEBRA PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2692 CULEBRA PCT_A	2.6000000e-001	2.6000000e-001	2.6000000e-		
001						
2.6000000e-001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2693 CULEBRA PCT_EXP	-3.4800000e-001	-3.4800000e-001	-3.4800000e-		
001						
-3.4800000e-001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	141 CULEBRA PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	139 CULEBRA PORE_DIS	6.4360000e-001	6.4360000e-001	6.4360000e-		
001						
6.4360000e-001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	140 CULEBRA POROSITY	1.5100000e-001	1.5100000e-001	1.5100000e-		
001						
1.5100000e-001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	142 CULEBRA PRESSURE	9.1410000e+005	9.1410000e+005			
9.1410000e+005						
9.1410000e+005	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	143 CULEBRA PRMX_LOG	-1.3112000e+001	-1.3112000e+001	-		
1.3112000e+001						
-1.3112000e+001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
	144 CULEBRA PRMY_LOG	-1.3112000e+001	-1.3112000e+001	-		
1.3112000e+001						
-1.3112000e+001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
	145 CULEBRA PRMZ_LOG	-1.3112000e+001	-1.3112000e+001	-		
1.3112000e+001						
-1.3112000e+001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
	148 CULEBRA RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	149 CULEBRA SAT_IBRN	1.0000000e+000	1.0000000e+000			
1.0000000e+000						
1.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	150 CULEBRA SAT_RBRN	8.3630000e-002	8.3630000e-002	8.3630000e-		
002						
8.3630000e-002	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	151 CULEBRA SAT_RGAS	7.7110000e-002	7.7110000e-002	7.7110000e-		
002						
7.7110000e-002	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3469 CULEBRA SKIN_RES	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2071 CULEBRA THICK	7.7500000e+000	7.7500000e+000			
7.7500000e+000						
7.7500000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
	153 DEWYLAKЕ CAP_MOD	2.0000000e+000	2.0000000e+000			

2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
154	DEWYLAKE	COMP_RCK	1.0000000e-008	1.0000000e-008	1.0000000e-	
008						
1.0000000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
2696	DEWYLAKE	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
156	DEWYLAKE	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2697	DEWYLAKE	PCT_A	2.6000000e-001	2.6000000e-001	2.6000000e-	
001						
2.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2698	DEWYLAKE	PCT_EXP	-3.4800000e-001	-3.4800000e-001	-3.4800000e-	
001						
-3.4800000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
159	DEWYLAKE	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
157	DEWYLAKE	PORE_DIS	6.4360000e-001	6.4360000e-001	6.4360000e-	
001						
6.4360000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
158	DEWYLAKE	POROSITY	1.4300000e-001	1.4300000e-001	3.5000000e-	
002						
2.4800000e-001	0.0000000e+000	3.5000000e-002	STUDENT	NONE		
158	DEWYLAKE	POROSITY	1.4300000e-001	1.4300000e-001	3.5000000e-	
002						
2.4800000e-001	0.0000000e+000	5.4000000e-002	STUDENT	NONE		
158	DEWYLAKE	POROSITY	1.4300000e-001	1.4300000e-001	3.5000000e-	
002						
2.4800000e-001	0.0000000e+000	9.4000000e-002	STUDENT	NONE		
158	DEWYLAKE	POROSITY	1.4300000e-001	1.4300000e-001	3.5000000e-	
002						
2.4800000e-001	0.0000000e+000	1.1600000e-001	STUDENT	NONE		
158	DEWYLAKE	POROSITY	1.4300000e-001	1.4300000e-001	3.5000000e-	
002						
2.4800000e-001	0.0000000e+000	1.4900000e-001	STUDENT	NONE		
158	DEWYLAKE	POROSITY	1.4300000e-001	1.4300000e-001	3.5000000e-	
002						
2.4800000e-001	0.0000000e+000	2.1500000e-001	STUDENT	NONE		
158	DEWYLAKE	POROSITY	1.4300000e-001	1.4300000e-001	3.5000000e-	
002						
2.4800000e-001	0.0000000e+000	2.3200000e-001	STUDENT	NONE		
158	DEWYLAKE	POROSITY	1.4300000e-001	1.4300000e-001	3.5000000e-	
002						
2.4800000e-001	0.0000000e+000	2.4800000e-001	STUDENT	NONE		
160	DEWYLAKE	PRESSURE	1.0132500e+005	1.0132500e+005		
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
161	DEWYLAKE	PRMX_LOG	-1.6300000e+001	-1.6300000e+001	-	
1.6300000e+001						
-1.6300000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
162	DEWYLAKE	PRMY_LOG	-1.6300000e+001	-1.6300000e+001	-	
1.6300000e+001						
-1.6300000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
163	DEWYLAKE	PRMZ_LOG	-1.6300000e+001	-1.6300000e+001	-	

1.6300000e+001					
-1.6300000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log (m^2)	
	166 DEWYLAKE RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	167 DEWYLAKE SAL_USAT	8.3600000e-002	8.3600000e-002	8.3600000e-	
002					
8.3600000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	168 DEWYLAKE SAT_IBRN	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	169 DEWYLAKE SAT_RBRN	8.3630000e-002	8.3630000e-002	8.3630000e-	
002					
8.3630000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	170 DEWYLAKE SAT_RGAS	7.7110000e-002	7.7110000e-002	7.7110000e-	
002					
7.7110000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	171 DRILLMUD DNSFLUID	1.2100000e+003	1.2100000e+003		
1.1400000e+003					
1.3800000e+003	0.0000000e+000	1.1400000e+003	CUMULATIVE	kg/m^3	
	171 DRILLMUD DNSFLUID	1.2100000e+003	1.2100000e+003		
1.1400000e+003					
1.3800000e+003	9.0000000e-001	1.2600000e+003	CUMULATIVE	kg/m^3	
	171 DRILLMUD DNSFLUID	1.2100000e+003	1.2100000e+003		
1.1400000e+003					
1.3800000e+003	1.0000000e+000	1.3800000e+003	CUMULATIVE	kg/m^3	
	172 DRILLMUD VISCO	1.1000000e-002	9.1700000e-003	5.0000000e-	
003					
3.0000000e-002	0.0000000e+000	5.0000000e-003	CUMULATIVE	Pa*s	
	172 DRILLMUD VISCO	1.1000000e-002	9.1700000e-003	5.0000000e-	
003					
3.0000000e-002	6.0000000e-001	1.0000000e-002	CUMULATIVE	Pa*s	
	172 DRILLMUD VISCO	1.1000000e-002	9.1700000e-003	5.0000000e-	
003					
3.0000000e-002	8.0000000e-001	1.5000000e-002	CUMULATIVE	Pa*s	
	172 DRILLMUD VISCO	1.1000000e-002	9.1700000e-003	5.0000000e-	
003					
3.0000000e-002	9.2000000e-001	2.0000000e-002	CUMULATIVE	Pa*s	
	172 DRILLMUD VISCO	1.1000000e-002	9.1700000e-003	5.0000000e-	
003					
3.0000000e-002	9.8000000e-001	2.5000000e-002	CUMULATIVE	Pa*s	
	172 DRILLMUD VISCO	1.1000000e-002	9.1700000e-003	5.0000000e-	
003					
3.0000000e-002	1.0000000e+000	3.0000000e-002	CUMULATIVE	Pa*s	
	173 DRILLMUD YLDSTRSS	5.9800000e+000	4.4000000e+000		
2.4000000e+000					
1.9200000e+001	0.0000000e+000	2.4000000e+000	CUMULATIVE	Pa	
	173 DRILLMUD YLDSTRSS	5.9800000e+000	4.4000000e+000		
2.4000000e+000					
1.9200000e+001	6.0000000e-001	4.8000000e+000	CUMULATIVE	Pa	
	173 DRILLMUD YLDSTRSS	5.9800000e+000	4.4000000e+000		
2.4000000e+000					
1.9200000e+001	8.0000000e-001	8.6000000e+000	CUMULATIVE	Pa	
	173 DRILLMUD YLDSTRSS	5.9800000e+000	4.4000000e+000		
2.4000000e+000					
1.9200000e+001	9.2000000e-001	1.2400000e+001	CUMULATIVE	Pa	
	173 DRILLMUD YLDSTRSS	5.9800000e+000	4.4000000e+000		



2.4000000e+000					
1.9200000e+001	9.8000000e-001	1.6300000e+001	CUMULATIVE	Pa	
173	DRILLMUD	YLDSTRSS	5.9800000e+000	4.4000000e+000	
2.4000000e+000					
1.9200000e+001	1.0000000e+000	1.9200000e+001	CUMULATIVE	Pa	
174	DRZ_0	CAP_MOD	1.0000000e+000	1.0000000e+000	
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
175	DRZ_0	COMP_RCK	7.4100000e-010	7.4100000e-010	7.4100000e-
010					
7.4100000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2701	DRZ_0	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
176	DRZ_0	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2702	DRZ_0	PCT_A	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2703	DRZ_0	PCT_EXP	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
179	DRZ_0	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
177	DRZ_0	PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-
001					
7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
178	DRZ_0	POROSITY	1.5650000e-002	1.2900000e-002	3.9000000e-
003					
3.2900000e-002	0.0000000e+000	3.9000000e-003	CUMULATIVE	NONE	
178	DRZ_0	POROSITY	1.5650000e-002	1.2900000e-002	3.9000000e-
003					
3.2900000e-002	5.0000000e-001	1.2900000e-002	CUMULATIVE	NONE	
178	DRZ_0	POROSITY	1.5650000e-002	1.2900000e-002	3.9000000e-
003					
3.2900000e-002	1.0000000e+000	3.2900000e-002	CUMULATIVE	NONE	
181	DRZ_0	PRMX_LOG	-1.7000000e+001	-1.7000000e+001	-
1.7000000e+001					
-1.7000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
182	DRZ_0	PRMY_LOG	-1.7000000e+001	-1.7000000e+001	-
1.7000000e+001					
-1.7000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
183	DRZ_0	PRMZ_LOG	-1.7000000e+001	-1.7000000e+001	-
1.7000000e+001					
-1.7000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
186	DRZ_0	RELP_MOD	4.0000000e+000	4.0000000e+000	
1.0000000e+000					
4.0000000e+000	3.3000000e-001	1.0000000e+000	DELTA	NONE	
186	DRZ_0	RELP_MOD	4.0000000e+000	4.0000000e+000	
1.0000000e+000					
4.0000000e+000	0.0000000e+000	2.0000000e+000	DELTA	NONE	
186	DRZ_0	RELP_MOD	4.0000000e+000	4.0000000e+000	
1.0000000e+000					
4.0000000e+000	0.0000000e+000	3.0000000e+000	DELTA	NONE	
186	DRZ_0	RELP_MOD	4.0000000e+000	4.0000000e+000	

1.0000000e+000						
4.0000000e+000	6.7000000e-001	4.0000000e+000	DELTA	NONE		
187 DRZ_0	SAT_IBRN	1.0000000e+000	1.0000000e+000			
1.0000000e+000						
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
188 DRZ_0	SAT_RBRN	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
189 DRZ_0	SAT_RGAS	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
190 DRZ_1	CAP_MOD	1.0000000e+000	1.0000000e+000			
1.0000000e+000						
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
191 DRZ_1	COMP_RCK	7.4100000e-010	7.4100000e-010	7.4100000e-		
010						
7.4100000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
3116 DRZ_1	KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
193 DRZ_1	PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3128 DRZ_1	PCT_A	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3129 DRZ_1	PCT_EXP	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
196 DRZ_1	PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
194 DRZ_1	PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-		
001						
7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
195 DRZ_1	POROSITY	1.5650000e-002	1.2900000e-002	3.9000000e-		
003						
3.2900000e-002	0.0000000e+000	3.9000000e-003	CUMULATIVE	NONE		
195 DRZ_1	POROSITY	1.5650000e-002	1.2900000e-002	3.9000000e-		
003						
3.2900000e-002	5.0000000e-001	1.2900000e-002	CUMULATIVE	NONE		
195 DRZ_1	POROSITY	1.5650000e-002	1.2900000e-002	3.9000000e-		
003						
3.2900000e-002	1.0000000e+000	3.2900000e-002	CUMULATIVE	NONE		
198 DRZ_1	PRMX_LOG	-1.6000000e+001	-1.6000000e+001	-		
1.9400000e+001						
-1.2500000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)		
199 DRZ_1	PRMY_LOG	-1.6000000e+001	-1.6000000e+001	-		
1.9400000e+001						
-1.2500000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)		
200 DRZ_1	PRMZ_LOG	-1.6000000e+001	-1.6000000e+001	-		
1.9400000e+001						
-1.2500000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)		
203 DRZ_1	RELP_MOD	4.0000000e+000	4.0000000e+000			
1.0000000e+000						
4.0000000e+000	3.3000000e-001	1.0000000e+000	DELTA	NONE		
203 DRZ_1	RELP_MOD	4.0000000e+000	4.0000000e+000			

1.0000000e+000						
4.0000000e+000	0.0000000e+000	2.0000000e+000	DELTA	NONE		
203	DRZ_1	RELP_MOD	4.0000000e+000	4.0000000e+000		
1.0000000e+000						
4.0000000e+000	0.0000000e+000	3.0000000e+000	DELTA	NONE		
203	DRZ_1	RELP_MOD	4.0000000e+000	4.0000000e+000		
1.0000000e+000						
4.0000000e+000	6.7000000e-001	4.0000000e+000	DELTA	NONE		
205	DRZ_1	SAT_RBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
206	DRZ_1	SAT_RGAS	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3533	DRZ_PCS	CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000						
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3534	DRZ_PCS	COMP_RCK	7.4100000e-010	7.4100000e-010	7.4100000e-	
010						
7.4100000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
3535	DRZ_PCS	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3536	DRZ_PCS	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3537	DRZ_PCS	PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3538	DRZ_PCS	PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3539	DRZ_PCS	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3540	DRZ_PCS	PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-	
001						
7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3541	DRZ_PCS	POROSITY	1.5650000e-002	1.2900000e-002	3.9000000e-	
003						
3.2900000e-002	0.0000000e+000	3.9000000e-003	CUMULATIVE	NONE		
3541	DRZ_PCS	POROSITY	1.5650000e-002	1.2900000e-002	3.9000000e-	
003						
3.2900000e-002	5.0000000e-001	1.2900000e-002	CUMULATIVE	NONE		
3541	DRZ_PCS	POROSITY	1.5650000e-002	1.2900000e-002	3.9000000e-	
003						
3.2900000e-002	1.0000000e+000	3.2900000e-002	CUMULATIVE	NONE		
3542	DRZ_PCS	PRMX_LOG	-1.8816000e+001	-1.8749600e+001	-	
2.0699000e+001						
-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
3543	DRZ_PCS	PRMY_LOG	-1.8816000e+001	-1.8749600e+001	-	
2.0699000e+001						
-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
3544	DRZ_PCS	PRMZ_LOG	-1.8816000e+001	-1.8749600e+001	-	
2.0699000e+001						
-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
3545	DRZ_PCS	RELP_MOD	0.0000000e+000	0.0000000e+000		

1.0000000e+000								
4.0000000e+000	3.3000000e-001	1.0000000e+000	DELTA	NONE				
	3545 DRZ_PCS RELP_MOD	0.0000000e+000	0.0000000e+000					
1.0000000e+000								
4.0000000e+000	0.0000000e+000	2.0000000e+000	DELTA	NONE				
	3545 DRZ_PCS RELP_MOD	0.0000000e+000	0.0000000e+000					
1.0000000e+000								
4.0000000e+000	0.0000000e+000	3.0000000e+000	DELTA	NONE				
	3545 DRZ_PCS RELP_MOD	0.0000000e+000	0.0000000e+000					
1.0000000e+000								
4.0000000e+000	6.7000000e-001	4.0000000e+000	DELTA	NONE				
	3546 DRZ_PCS SAT_RBRN	0.0000000e+000	0.0000000e+000					
0.0000000e+000								
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
	3547 DRZ_PCS SAT_RGAS	0.0000000e+000	0.0000000e+000					
0.0000000e+000								
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
	2496 EARTH CAP_MOD	2.0000000e+000	2.0000000e+000					
2.0000000e+000								
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
	2497 EARTH COMP_RCK	9.9000000e-009	9.9000000e-009	9.9000000e-				
009								
9.9000000e-009	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1				
	2706 EARTH KPT	0.0000000e+000	0.0000000e+000					
0.0000000e+000								
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
	2498 EARTH PC_MAX	1.0000000e+008	1.0000000e+008					
1.0000000e+008								
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa				
	2707 EARTH PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-				
001								
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa				
	2708 EARTH PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-				
001								
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
	2501 EARTH PO_MIN	1.0132500e+005	1.0132500e+005					
1.0132500e+005								
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa				
	2499 EARTH PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-				
001								
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE				
	2499 EARTH PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-				
001								
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE				
	2499 EARTH PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-				
001								
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE				
	2500 EARTH POROSITY	3.2000000e-001	3.2000000e-001	3.2000000e-				
001								
3.2000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
	2502 EARTH PRESSURE	1.0132500e+005	1.0132500e+005					
1.0132500e+005								
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa				
	2503 EARTH PRMX_LOG	-1.4333000e+001	-1.4000000e+001	-				
1.7000000e+001								
-1.2000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)				
	2504 EARTH PRMY_LOG	-1.4333000e+001	-1.4000000e+001	-				

1.7000000e+001						
-1.2000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log (m^2)		
2505	EARTH	PRMZ_LOG	-1.4333000e+001	-1.4000000e+001	-	
1.7000000e+001						
-1.2000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log (m^2)		
2509	EARTH	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3032	EARTH	RSH_AIR	3.0900000e+000	3.0900000e+000		
3.0900000e+000						
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
3035	EARTH	RSH_EXH	2.3000000e+000	2.3000000e+000		
2.3000000e+000						
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
3033	EARTH	RSH_SAL	1.8000000e+000	1.8000000e+000		
1.8000000e+000						
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
3034	EARTH	RSH_WAS	3.5000000e+000	3.5000000e+000		
3.5000000e+000						
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
2510	EARTH	SAT_IBRN	8.0000000e-001	8.0000000e-001	8.0000000e-	
001						
8.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2511	EARTH	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
2511	EARTH	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
2511	EARTH	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
2512	EARTH	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
207	EXP_AREA	CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000						
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
208	EXP_AREA	COMP_RCK	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
2711	EXP_AREA	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
209	EXP_AREA	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2712	EXP_AREA	PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2713	EXP_AREA	PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
212	EXP_AREA	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
210	EXP_AREA	PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-	

001	7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	211 EXP_AREA POROSITY	1.8000000e-001	1.8000000e-001	1.8000000e-	
001	1.8000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	213 EXP_AREA PRESSURE	1.0132500e+005	1.0132500e+005		
1.0132500e+005	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	214 EXP_AREA PRMX_LOG	-1.1000000e+001	-1.1000000e+001	-	
1.1000000e+001	-1.1000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
	215 EXP_AREA PRMY_LOG	-1.1000000e+001	-1.1000000e+001	-	
1.1000000e+001	-1.1000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
	216 EXP_AREA PRMZ_LOG	-1.1000000e+001	-1.1000000e+001	-	
1.1000000e+001	-1.1000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
	219 EXP_AREA RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000	4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	220 EXP_AREA SAT_IBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	221 EXP_AREA SAT_RBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	222 EXP_AREA SAT_RGAS	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2085 FORTYNIN CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000	1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2238 FORTYNIN COMP_RCK	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1
	2715 FORTYNIN KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2239 FORTYNIN PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008	1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2716 FORTYNIN PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2717 FORTYNIN PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2718 FORTYNIN PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2087 FORTYNIN PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-	
001	7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2088 FORTYNIN POROSITY	8.2000000e-002	8.2000000e-002		
0.0000000e+000	2.4000000e-001	0.0000000e+000	0.0000000e+000	STUDENT	NONE
	2088 FORTYNIN POROSITY	8.2000000e-002	8.2000000e-002		

0.0000000e+000						
2.4000000e-001	0.0000000e+000	2.0000000e-003	STUDENT	NONE		
	2088 FORTYNIN POROSITY	8.2000000e-002	8.2000000e-002			
0.0000000e+000						
2.4000000e-001	0.0000000e+000	2.0000000e-003	STUDENT	NONE		
	2088 FORTYNIN POROSITY	8.2000000e-002	8.2000000e-002			
0.0000000e+000						
2.4000000e-001	0.0000000e+000	4.0000000e-003	STUDENT	NONE		
	2088 FORTYNIN POROSITY	8.2000000e-002	8.2000000e-002			
0.0000000e+000						
2.4000000e-001	0.0000000e+000	9.1000000e-002	STUDENT	NONE		
	2088 FORTYNIN POROSITY	8.2000000e-002	8.2000000e-002			
0.0000000e+000						
2.4000000e-001	0.0000000e+000	2.3500000e-001	STUDENT	NONE		
	2088 FORTYNIN POROSITY	8.2000000e-002	8.2000000e-002			
0.0000000e+000						
2.4000000e-001	0.0000000e+000	2.4000000e-001	STUDENT	NONE		
	2899 FORTYNIN PRMX_LOG	-3.5000000e+001	-3.5000000e+001	-		
3.5000000e+001						
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
	2900 FORTYNIN PRMY_LOG	-3.5000000e+001	-3.5000000e+001	-		
3.5000000e+001						
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
	2901 FORTYNIN PRMZ_LOG	-3.5000000e+001	-3.5000000e+001	-		
3.5000000e+001						
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
	2093 FORTYNIN RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2240 FORTYNIN SAT_RBRN	2.0000000e-001	2.0000000e-001	2.0000000e-		
001						
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2094 FORTYNIN SAT_RGAS	2.0000000e-001	2.0000000e-001	2.0000000e-		
001						
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3234 FR221 ATWEIGHT	2.2101400e-001	2.2101400e-001	2.2101400e-		
001						
2.2101400e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole		
	3332 FR221 EPAREL	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
	3279 FR221 HALFLIFE	2.8800000e+002	2.8800000e+002			
2.8800000e+002						
2.8800000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	s		
	223 GLOBAL CLIMTIDX	1.3100000e+000	1.1700000e+000			
1.0000000e+000						
2.2500000e+000	0.0000000e+000	1.0000000e+000	CUMULATIVE	NONE		
	223 GLOBAL CLIMTIDX	1.3100000e+000	1.1700000e+000			
1.0000000e+000						
2.2500000e+000	7.5000000e-001	1.2500000e+000	CUMULATIVE	NONE		
	223 GLOBAL CLIMTIDX	1.3100000e+000	1.1700000e+000			
1.0000000e+000						
2.2500000e+000	7.5000000e-001	1.5000000e+000	CUMULATIVE	NONE		
	223 GLOBAL CLIMTIDX	1.3100000e+000	1.1700000e+000			
1.0000000e+000						
2.2500000e+000	1.0000000e+000	2.2500000e+000	CUMULATIVE	NONE		
	3501 GLOBAL FPICD	1.0000000e+000	1.0000000e+000			

1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3500 GLOBAL	FPICM	1.0000000e+000	1.0000000e+000	
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3494 GLOBAL	LAMBDA	4.6800000e-003	4.6800000e-003	4.6800000e-
003					
4.6800000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	(km <sup>-2</sup> ) (yr <sup>-1</sup>	
	3497 GLOBAL	MINERT	1.0000000e-004	1.0000000e-004	1.0000000e-
004					
1.0000000e-004	0.0000000e+000	0.0000000e+000	CONSTANT	yr <sup>-1</sup>	
	3644 GLOBAL	ONEPLG	2.0000000e-002	2.0000000e-002	2.0000000e-
002					
2.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3417 GLOBAL	OXSTAT	5.0000000e-001	5.0000000e-001	
0.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
	3493 GLOBAL	PBRINE	3.0500000e-001	3.0500000e-001	1.0000000e-
002					
6.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
	3495 GLOBAL	PLGPAT	0.0000000e+000	0.0000000e+000	
1.0000000e+000					
3.0000000e+000	2.0000000e-002	1.0000000e+000	DELTA	NONE	
	3495 GLOBAL	PLGPAT	0.0000000e+000	0.0000000e+000	
1.0000000e+000					
3.0000000e+000	6.8000000e-001	2.0000000e+000	DELTA	NONE	
	3495 GLOBAL	PLGPAT	0.0000000e+000	0.0000000e+000	
1.0000000e+000					
3.0000000e+000	3.0000000e-001	3.0000000e+000	DELTA	NONE	
	3491 GLOBAL	TA	1.0000000e+002	1.0000000e+002	
1.0000000e+002					
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	yr	
	3646 GLOBAL	THREEPLG	3.0000000e-001	3.0000000e-001	3.0000000e-
001					
3.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	3499 GLOBAL	TPICD	6.0000000e+002	6.0000000e+002	
6.0000000e+002					
6.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	yr	
	3498 GLOBAL	TPICM	6.0000000e+002	6.0000000e+002	
6.0000000e+002					
6.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	yr	
	225 GLOBAL	TRANSIDX	5.0000000e-001	5.0000000e-001	
0.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
	3645 GLOBAL	TWOPLG	6.8000000e-001	6.8000000e-001	6.8000000e-
001					
6.8000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	228 H2	VISCO	8.9338900e-006	8.9338900e-006	8.9338900e-
006					
8.9338900e-006	0.0000000e+000	0.0000000e+000	CONSTANT	Pa*s	
	229 IMPERM_Z	CAP_MOD	1.0000000e+000	1.0000000e+000	
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	230 IMPERM_Z	COMP_RCK	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa <sup>-1</sup>	
	2720 IMPERM_Z	KPT	0.0000000e+000	0.0000000e+000	



0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	231 IMPERM_Z PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008	1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2721 IMPERM_Z PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2722 IMPERM_Z PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	234 IMPERM_Z PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	232 IMPERM_Z PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-	
001	7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	233 IMPERM_Z POROSITY	5.0000000e-003	5.0000000e-003	5.0000000e-	
003	5.0000000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	236 IMPERM_Z PRMX_LOG	-3.5000000e+001	-3.5000000e+001	-	
3.5000000e+001	-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
	237 IMPERM_Z PRMY_LOG	-3.5000000e+001	-3.5000000e+001	-	
3.5000000e+001	-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
	238 IMPERM_Z PRMZ_LOG	-3.5000000e+001	-3.5000000e+001	-	
3.5000000e+001	-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
	241 IMPERM_Z RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000	4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	243 IMPERM_Z SAT_RBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	244 IMPERM_Z SAT_RGAS	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2097 MAGENTA CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000	2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3016 MAGENTA COMP_RCK	2.6440000e-010	2.6440000e-010	1.1620000e-	
010	4.5530000e-010	0.0000000e+000	1.1620000e-010	STUDENT	Pa^-1
	3016 MAGENTA COMP_RCK	2.6440000e-010	2.6440000e-010	1.1620000e-	
010	4.5530000e-010	0.0000000e+000	2.2170000e-010	STUDENT	Pa^-1
	3016 MAGENTA COMP_RCK	2.6440000e-010	2.6440000e-010	1.1620000e-	
010	4.5530000e-010	0.0000000e+000	4.5530000e-010	STUDENT	Pa^-1
	2725 MAGENTA KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2098 MAGENTA PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008	1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2726 MAGENTA PCT_A	2.6000000e-001	2.6000000e-001	2.6000000e-	

001  
2.6000000e-001 0.0000000e+000 0.0000000e+000 CONSTANT Pa  
2727 MAGENTA PCT\_EXP -3.4800000e-001 -3.4800000e-001 -3.4800000e-

001  
-3.4800000e-001 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
2728 MAGENTA PO\_MIN 1.0132500e+005 1.0132500e+005  
1.0132500e+005  
1.0132500e+005 0.0000000e+000 0.0000000e+000 CONSTANT Pa  
2099 MAGENTA PORE\_DIS 6.4360000e-001 6.4360000e-001 6.4360000e-

001  
6.4360000e-001 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
2100 MAGENTA POROSITY 1.3800000e-001 1.3800000e-001 2.7000000e-

002  
2.5200000e-001 0.0000000e+000 2.7000000e-002 STUDENT NONE  
2100 MAGENTA POROSITY 1.3800000e-001 1.3800000e-001 2.7000000e-

002  
2.5200000e-001 0.0000000e+000 1.0600000e-001 STUDENT NONE  
2100 MAGENTA POROSITY 1.3800000e-001 1.3800000e-001 2.7000000e-

002  
2.5200000e-001 0.0000000e+000 1.6600000e-001 STUDENT NONE  
2100 MAGENTA POROSITY 1.3800000e-001 1.3800000e-001 2.7000000e-

002  
2.5200000e-001 0.0000000e+000 2.5200000e-001 STUDENT NONE  
2101 MAGENTA PRESSURE 9.4650000e+005 9.4650000e+005

9.4650000e+005  
9.4650000e+005 0.0000000e+000 0.0000000e+000 CONSTANT Pa  
2102 MAGENTA PRMX\_LOG -1.5200000e+001 -1.5200000e+001 -

1.5200000e+001  
-1.5200000e+001 0.0000000e+000 0.0000000e+000 CONSTANT log(m^2)  
2103 MAGENTA PRMY\_LOG -1.5200000e+001 -1.5200000e+001 -

1.5200000e+001  
-1.5200000e+001 0.0000000e+000 0.0000000e+000 CONSTANT log(m^2)  
2104 MAGENTA PRMZ\_LOG -1.5200000e+001 -1.5200000e+001 -

1.5200000e+001  
-1.5200000e+001 0.0000000e+000 0.0000000e+000 CONSTANT log(m^2)  
2106 MAGENTA RELP\_MOD 4.0000000e+000 4.0000000e+000

4.0000000e+000  
4.0000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
2241 MAGENTA SAT\_RBRN 8.3630000e-002 8.3630000e-002 8.3630000e-

002  
8.3630000e-002 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
2107 MAGENTA SAT\_RGAS 7.7110000e-002 7.7110000e-002 7.7110000e-

002  
7.7110000e-002 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
3235 ND143 ATWEIGHT 1.4291000e-001 1.4291000e-001 1.4291000e-

001  
1.4291000e-001 0.0000000e+000 0.0000000e+000 CONSTANT kg/mole  
3333 ND143 EPAREL 0.0000000e+000 0.0000000e+000

0.0000000e+000  
0.0000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT Curies/wuf  
3280 ND143 HALFLIFE 1.0000000e+038 1.0000000e+038

1.0000000e+038  
1.0000000e+038 0.0000000e+000 0.0000000e+000 CONSTANT s  
2906 NITRATE QINIT 2.6100000e+007 2.6100000e+007

2.6100000e+007  
2.6100000e+007 0.0000000e+000 0.0000000e+000 CONSTANT moles  
3458 NP CAPHUM 1.1000000e-005 1.1000000e-005 1.1000000e-

005	1.1000000e-005	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3313 NP	CAPMIC	2.7000000e-003	2.7000000e-003	2.7000000e-
003	2.7000000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3312 NP	CONCINT	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3439 NP	CONCMIN	2.6000000e-008	2.6000000e-008	2.6000000e-
008	2.6000000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3314 NP	PROPMIC	1.2000000e+001	1.2000000e+001	
1.2000000e+001	1.2000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3477 NP+4	MKD_NP	3.5000000e+000	2.6000000e+000	7.0000000e-
001	1.0000000e+001	0.0000000e+000	0.0000000e+000	LOGUNIFORM	m <sup>3</sup> /kg
	3476 NP+5	MKD_NP	3.8000000e-002	1.4000000e-002	1.0000000e-
003	2.0000000e-001	0.0000000e+000	0.0000000e+000	LOGUNIFORM	m <sup>3</sup> /kg
	246 NP237	ATWEIGHT	2.3704800e-001	2.3704800e-001	2.3704800e-
001	2.3704800e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
	3370 NP237	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002	1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
	247 NP237	HALFLIFE	6.7530000e+013	6.7530000e+013	
6.7530000e+013	6.7530000e+013	0.0000000e+000	0.0000000e+000	CONSTANT	s
	248 NP237	INVCHD	1.1300000e+001	1.1300000e+001	
1.1300000e+001	1.1300000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	249 NP237	INVRHD	1.0100000e+000	1.0100000e+000	
1.0100000e+000	1.0100000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	3236 NP239	ATWEIGHT	2.3905300e-001	2.3905300e-001	2.3905300e-
001	2.3905300e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
	3334 NP239	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
	3281 NP239	HALFLIFE	2.0350000e+005	2.0350000e+005	
2.0350000e+005	2.0350000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	s
	7 OPS_AREA	CAP_MOD	1.0000000e+000	1.0000000e+000	
1.0000000e+000	1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	8 OPS_AREA	COMP_RCK	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa <sup>-1</sup>
	2604 OPS_AREA	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	9 OPS_AREA	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008	1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2605 OPS_AREA	PCT_A	0.0000000e+000	0.0000000e+000	

0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2606 OPS_AREA PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	12 OPS_AREA PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	10 OPS_AREA PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-	
001	7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	11 OPS_AREA POROSITY	1.8000000e-001	1.8000000e-001	1.8000000e-	
001	1.8000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	13 OPS_AREA PRESSURE	1.0132500e+005	1.0132500e+005		
1.0132500e+005	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	14 OPS_AREA PRMX_LOG	-1.1000000e+001	-1.1000000e+001	-	
1.1000000e+001	-1.1000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
	15 OPS_AREA PRMY_LOG	-1.1000000e+001	-1.1000000e+001	-	
1.1000000e+001	-1.1000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
	16 OPS_AREA PRMZ_LOG	-1.1000000e+001	-1.1000000e+001	-	
1.1000000e+001	-1.1000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
	19 OPS_AREA RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000	4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	20 OPS_AREA SAT_IBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	21 OPS_AREA SAT_RBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	22 OPS_AREA SAT_RGAS	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	250 PA231 ATWEIGHT	2.3103600e-001	2.3103600e-001	2.3103600e-	
001	2.3103600e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
	3371 PA231 EPAREL	1.0000000e+002	1.0000000e+002		
1.0000000e+002	1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
	251 PA231 HALFLIFE	1.0340000e+012	1.0340000e+012		
1.0340000e+012	1.0340000e+012	0.0000000e+000	0.0000000e+000	CONSTANT	s
	2267 PA231 INVCHD	1.9700000e+000	1.9700000e+000		
1.9700000e+000	1.9700000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	2268 PA231 INVRHD	6.8600000e-004	6.8600000e-004	6.8600000e-	
004	6.8600000e-004	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	3237 PA233 ATWEIGHT	2.3304000e-001	2.3304000e-001	2.3304000e-	
001	2.3304000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
	3335 PA233 EPAREL	0.0000000e+000	0.0000000e+000		

0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
3282 PA233	HALFLIFE	2.3330000e+006	2.3330000e+006		
2.3330000e+006	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	s
3197 PA234M	ATWEIGHT	2.3404300e-001	2.3404300e-001	2.3404300e-	
001					
2.3404300e-001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
3336 PA234M	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
3283 PA234M	HALFLIFE	7.0200000e+001	7.0200000e+001		
7.0200000e+001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	s
252 PAN_SEAL	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
253 PAN_SEAL	COMP_RCK	2.0000000e-010	2.0000000e-010	2.0000000e-	
010					
2.0000000e-010	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1
2731 PAN_SEAL	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
254 PAN_SEAL	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2732 PAN_SEAL	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001					
5.6000000e-001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2733 PAN_SEAL	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001					
-3.4600000e-001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
257 PAN_SEAL	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
255 PAN_SEAL	PORE_DIS	9.4000000e-001	9.4000000e-001	9.4000000e-	
001					
9.4000000e-001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
256 PAN_SEAL	POROSITY	1.5000000e-001	1.5000000e-001	1.5000000e-	
001					
1.5000000e-001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
258 PAN_SEAL	PRESSURE	1.0132500e+005	1.0132500e+005		
1.0132500e+005	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
259 PAN_SEAL	PRMX_LOG	-1.8045300e+001	-1.8045300e+001	-	
1.8045300e+001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
-1.8045300e+001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
260 PAN_SEAL	PRMY_LOG	-1.2714000e+001	-1.2714000e+001	-	
1.2714000e+001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
-1.2714000e+001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
261 PAN_SEAL	PRMZ_LOG	-1.2714000e+001	-1.2714000e+001	-	
1.2714000e+001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
-1.2714000e+001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
264 PAN_SEAL	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2734 PAN_SEAL	SAT_IBRN	2.1000000e-001	2.1000000e-001	2.1000000e-	

001	2.1000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	265 PAN_SEAL	SAT_RBRN	2.0000000e-001	2.0000000e-001	2.0000000e-	
001	2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	266 PAN_SEAL	SAT_RGAS	2.0000000e-001	2.0000000e-001	2.0000000e-	
001	2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	282 PB	LOGSOLM	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(moles/lit	
	3421 PB209	ATWEIGHT	2.0898100e-001	2.0898100e-001	2.0898100e-	
001	2.0898100e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
	3337 PB209	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
	3284 PB209	HALFLIFE	1.1880000e+004	1.1880000e+004		
1.1880000e+004						
1.1880000e+004	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	s	
	283 PB210	ATWEIGHT	2.0998400e-001	2.0998400e-001	2.0998400e-	
001	2.0998400e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
	3372 PB210	EPAREL	1.0000000e+002	1.0000000e+002		
1.0000000e+002						
1.0000000e+002	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
	284 PB210	HALFLIFE	7.0370000e+008	7.0370000e+008		
7.0370000e+008						
7.0370000e+008	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	s	
	285 PB210	INVCHD	7.9000000e+000	7.9000000e+000		
7.9000000e+000						
7.9000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
	286 PB210	INVRHD	1.6200000e-005	1.6200000e-005	1.6200000e-	
005	1.6200000e-005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
	3200 PB211	ATWEIGHT	2.1098900e-001	2.1098900e-001	2.1098900e-	
001	2.1098900e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
	3338 PB211	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
	3285 PB211	HALFLIFE	2.1660000e+003	2.1660000e+003		
2.1660000e+003						
2.1660000e+003	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	s	
	3201 PB212	ATWEIGHT	2.1199200e-001	2.1199200e-001	2.1199200e-	
001	2.1199200e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
	3339 PB212	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
	3286 PB212	HALFLIFE	3.8300000e+004	3.8300000e+004		
3.8300000e+004						
3.8300000e+004	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	s	
	3202 PB214	ATWEIGHT	2.1400000e-001	2.1400000e-001	2.1400000e-	
001	2.1400000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
	3340 PB214	EPAREL	0.0000000e+000	0.0000000e+000		

0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
	3287 PB214	HALFLIFE	1.6080000e+003	1.6080000e+003		
1.6080000e+003						
1.6080000e+003	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	s	
	3429 PHUMOX3	PHUMCIM	1.1000000e+000	1.3700000e+000	6.5000000e-	
002						
1.6000000e+000	0.0000000e+000	6.5000000e-002	CUMULATIVE	NONE		
	3429 PHUMOX3	PHUMCIM	1.1000000e+000	1.3700000e+000	6.5000000e-	
002						
1.6000000e+000	5.0000000e-001	1.3700000e+000	CUMULATIVE	NONE		
	3429 PHUMOX3	PHUMCIM	1.1000000e+000	1.3700000e+000	6.5000000e-	
002						
1.6000000e+000	1.0000000e+000	1.6000000e+000	CUMULATIVE	NONE		
	3433 PHUMOX3	PHUMSIM	1.9000000e-001	1.9000000e-001	1.9000000e-	
001						
1.9000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3430 PHUMOX4	PHUMCIM	6.3000000e+000	6.3000000e+000		
6.3000000e+000						
6.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3434 PHUMOX4	PHUMSIM	6.3000000e+000	6.3000000e+000		
6.3000000e+000						
6.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3431 PHUMOX5	PHUMCIM	7.4000000e-003	7.4000000e-003	7.4000000e-	
003						
7.4000000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3435 PHUMOX5	PHUMSIM	9.1000000e-004	9.1000000e-004	9.1000000e-	
004						
9.1000000e-004	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3432 PHUMOX6	PHUMCIM	5.1000000e-001	5.1000000e-001	5.1000000e-	
001						
5.1000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3436 PHUMOX6	PHUMSIM	1.2000000e-001	1.2000000e-001	1.2000000e-	
001						
1.2000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	287 PM147	ATWEIGHT	1.4691500e-001	1.4691500e-001	1.4691500e-	
001						
1.4691500e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole		
	3341 PM147	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
	288 PM147	HALFLIFE	8.2790000e+007	8.2790000e+007		
8.2790000e+007						
8.2790000e+007	0.0000000e+000	0.0000000e+000	CONSTANT	s		
	2038 PM147	INVCHD	4.1300000e-004	4.1300000e-004	4.1300000e-	
004						
4.1300000e-004	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
	289 PM147	INVRHD	8.0500000e-002	8.0500000e-002	8.0500000e-	
002						
8.0500000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
	3203 PO212	ATWEIGHT	2.1198900e-001	2.1198900e-001	2.1198900e-	
001						
2.1198900e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole		
	3342 PO212	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
	3288 PO212	HALFLIFE	3.0000000e-007	3.0000000e-007	3.0000000e-	

007	3.0000000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	s	
	3204 PO213	ATWEIGHT	2.1299300e-001	2.1299300e-001	2.1299300e-	
001	2.1299300e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
	3343 PO213	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
	3289 PO213	HALFLIFE	4.2000000e-006	4.2000000e-006	4.2000000e-	
006	4.2000000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	s	
	3205 PO214	ATWEIGHT	2.1399500e-001	2.1399500e-001	2.1399500e-	
001	2.1399500e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
	3344 PO214	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
	3290 PO214	HALFLIFE	1.6430000e-004	1.6430000e-004	1.6430000e-	
004	1.6430000e-004	0.0000000e+000	0.0000000e+000	CONSTANT	s	
	3206 PO215	ATWEIGHT	2.1499900e-001	2.1499900e-001	2.1499900e-	
001	2.1499900e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
	3345 PO215	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
	3291 PO215	HALFLIFE	1.7800000e-003	1.7800000e-003	1.7800000e-	
003	1.7800000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	s	
	3207 PO216	ATWEIGHT	2.1600200e-001	2.1600200e-001	2.1600200e-	
001	2.1600200e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
	3346 PO216	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
	3292 PO216	HALFLIFE	1.5000000e-001	1.5000000e-001	1.5000000e-	
001	1.5000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	s	
	3208 PO218	ATWEIGHT	2.1800900e-001	2.1800900e-001	2.1800900e-	
001	2.1800900e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
	3347 PO218	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
	3293 PO218	HALFLIFE	1.8300000e+002	1.8300000e+002		
1.8300000e+002	1.8300000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	s	
	3459 PU	CAPHUM	1.1000000e-005	1.1000000e-005	1.1000000e-	
005	1.1000000e-005	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter	
	3315 PU	CAPMIC	6.8000000e-005	6.8000000e-005	6.8000000e-	
005	6.8000000e-005	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter	
	3316 PU	CONCINT	1.0000000e-009	1.0000000e-009	1.0000000e-	
009	1.0000000e-009	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter	
	3440 PU	CONCMIN	2.6000000e-008	2.6000000e-008	2.6000000e-	



008	2.6000000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3317 PU	PROPMIC	3.0000000e-001	3.0000000e-001	3.0000000e-
001	3.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3442 PU+3	MDO	3.0000000e-010	3.0000000e-010	3.0000000e-
010	3.0000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	m^2/s
	3480 PU+3	MKD_PU	1.3000000e-001	9.0000000e-002	2.0000000e-
002	4.0000000e-001	0.0000000e+000	0.0000000e+000	LOGUNIFORM	m^3/kg
	3443 PU+4	MDO	1.5300000e-010	1.5300000e-010	1.5300000e-
010	1.5300000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	m^2/s
	3481 PU+4	MKD_PU	3.5000000e+000	2.6000000e+000	7.0000000e-
001	1.0000000e+001	0.0000000e+000	0.0000000e+000	LOGUNIFORM	m^3/kg
	291 PU238	ATWEIGHT	2.3805000e-001	2.3805000e-001	2.3805000e-
001	2.3805000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
	3373 PU238	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002	1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
	292 PU238	HALFLIFE	2.7690000e+009	2.7690000e+009	
2.7690000e+009	2.7690000e+009	0.0000000e+000	0.0000000e+000	CONSTANT	s
	293 PU238	INVCHD	1.5300000e+006	1.5300000e+006	
1.5300000e+006	1.5300000e+006	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	294 PU238	INVRHD	3.4800000e+003	3.4800000e+003	
3.4800000e+003	3.4800000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	3506 PU238L	INVCHD	1.5300000e+006	1.5300000e+006	
1.5300000e+006	1.5300000e+006	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	3511 PU238L	INVRHD	3.4800000e+003	3.4800000e+003	
3.4800000e+003	3.4800000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	295 PU239	ATWEIGHT	2.3905200e-001	2.3905200e-001	2.3905200e-
001	2.3905200e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
	3374 PU239	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002	1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
	296 PU239	HALFLIFE	7.5940000e+011	7.5940000e+011	
7.5940000e+011	7.5940000e+011	0.0000000e+000	0.0000000e+000	CONSTANT	s
	297 PU239	INVCHD	7.7700000e+005	7.7700000e+005	
7.7700000e+005	7.7700000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	298 PU239	INVRHD	5.6400000e+003	5.6400000e+003	
5.6400000e+003	5.6400000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	3505 PU239L	INVCHD	9.1000000e+005	9.1000000e+005	
9.1000000e+005	9.1000000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	3510 PU239L	INVRHD	7.4700000e+003	7.4700000e+003	

7.4700000e+003						
7.4700000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
299	PU240	ATWEIGHT	2.4005400e-001	2.4005400e-001	2.4005400e-	
001						
2.4005400e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole		
3375	PU240	EPAREL	1.0000000e+002	1.0000000e+002		
1.0000000e+002						
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
300	PU240	HALFLIFE	2.0630000e+011	2.0630000e+011		
2.0630000e+011						
2.0630000e+011	0.0000000e+000	0.0000000e+000	CONSTANT	s		
301	PU240	INVCHD	1.3200000e+005	1.3200000e+005		
1.3200000e+005						
1.3200000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
302	PU240	INVRHD	1.8200000e+003	1.8200000e+003		
1.8200000e+003						
1.8200000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
303	PU241	ATWEIGHT	2.4105700e-001	2.4105700e-001	2.4105700e-	
001						
2.4105700e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole		
3348	PU241	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
304	PU241	HALFLIFE	4.5440000e+008	4.5440000e+008		
4.5440000e+008						
4.5440000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	s		
305	PU241	INVCHD	5.1700000e+005	5.1700000e+005		
5.1700000e+005						
5.1700000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
306	PU241	INVRHD	1.4900000e+005	1.4900000e+005		
1.4900000e+005						
1.4900000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
307	PU242	ATWEIGHT	2.4205900e-001	2.4205900e-001	2.4205900e-	
001						
2.4205900e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole		
3376	PU242	EPAREL	1.0000000e+002	1.0000000e+002		
1.0000000e+002						
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
308	PU242	HALFLIFE	1.2210000e+013	1.2210000e+013		
1.2210000e+013						
1.2210000e+013	0.0000000e+000	0.0000000e+000	CONSTANT	s		
309	PU242	INVCHD	3.2700000e+001	3.2700000e+001		
3.2700000e+001						
3.2700000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
310	PU242	INVRHD	5.0200000e-001	5.0200000e-001	5.0200000e-	
001						
5.0200000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
311	PU244	ATWEIGHT	2.4406400e-001	2.4406400e-001	2.4406400e-	
001						
2.4406400e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole		
3377	PU244	EPAREL	1.0000000e+002	1.0000000e+002		
1.0000000e+002						
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
312	PU244	HALFLIFE	2.6070000e+015	2.6070000e+015		
2.6070000e+015						
2.6070000e+015	0.0000000e+000	0.0000000e+000	CONSTANT	s		
2269	PU244	INVCHD	1.4500000e-006	1.4500000e-006	1.4500000e-	

006	1.4500000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	2270 PU244	INVRHD	1.5600000e-003	1.5600000e-003	1.5600000e-
003	1.5600000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	313 RA	LOGSOLM	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(moles/lit
	3209 RA223	ATWEIGHT	2.2301900e-001	2.2301900e-001	2.2301900e-
001	2.2301900e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
	3349 RA223	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
	3294 RA223	HALFLIFE	9.8790000e+005	9.8790000e+005	
9.8790000e+005	9.8790000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	s
	3210 RA224	ATWEIGHT	2.2402000e-001	2.2402000e-001	2.2402000e-
001	2.2402000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
	3350 RA224	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
	3295 RA224	HALFLIFE	3.1620000e+005	3.1620000e+005	
3.1620000e+005	3.1620000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	s
	3211 RA225	ATWEIGHT	2.2502400e-001	2.2502400e-001	2.2502400e-
001	2.2502400e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
	3351 RA225	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
	3296 RA225	HALFLIFE	1.2790000e+006	1.2790000e+006	
1.2790000e+006	1.2790000e+006	0.0000000e+000	0.0000000e+000	CONSTANT	s
	314 RA226	ATWEIGHT	2.2602500e-001	2.2602500e-001	2.2602500e-
001	2.2602500e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
	3378 RA226	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002	1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
	315 RA226	HALFLIFE	5.0490000e+010	5.0490000e+010	
5.0490000e+010	5.0490000e+010	0.0000000e+000	0.0000000e+000	CONSTANT	s
	316 RA226	INVCHD	1.0000000e+001	1.0000000e+001	
1.0000000e+001	1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	317 RA226	INVRHD	5.5500000e-005	5.5500000e-005	5.5500000e-
005	5.5500000e-005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	318 RA228	ATWEIGHT	2.2803100e-001	2.2803100e-001	2.2803100e-
001	2.2803100e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
	3352 RA228	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
	319 RA228	HALFLIFE	2.1143000e+008	2.1143000e+008	

2.1143000e+008						
2.1143000e+008	0.00000000e+000	0.00000000e+000	CONSTANT	s		
2271 RA228	INVCHD	7.6500000e+000	7.6500000e+000			
7.6500000e+000						
7.6500000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies		
2272 RA228	INVRHD	3.3600000e-001	3.3600000e-001	3.3600000e-		
001						
3.3600000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	Curies		
3503 REFCON	ABERM	6.2850000e+005	6.2850000e+005			
6.2850000e+005						
6.2850000e+005	0.00000000e+000	0.00000000e+000	CONSTANT	m^2		
2833 REFCON	ACF_CH4	1.0000000e-002	1.0000000e-002	1.0000000e-		
002						
1.0000000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2832 REFCON	ACF_CO2	2.3100000e-001	2.3100000e-001	2.3100000e-		
001						
2.3100000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2831 REFCON	ACF_H2	0.0000000e+000	0.0000000e+000	0.0000000e+		
0.0000000e+000						
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2835 REFCON	ACF_H2S	1.0000000e-001	1.0000000e-001	1.0000000e-		
001						
1.0000000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2834 REFCON	ACF_N2	4.5000000e-002	4.5000000e-002	4.5000000e-		
002						
4.5000000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2836 REFCON	ACF_O2	1.9000000e-002	1.9000000e-002	1.9000000e-		
002						
1.9000000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2897 REFCON	AL2	6.9314720e-001	6.9314720e-001	6.9314720e-		
001						
6.9314720e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3489 REFCON	AREA_CH	1.1150000e+005	1.1150000e+005			
1.1150000e+005						
1.1150000e+005	0.00000000e+000	0.00000000e+000	CONSTANT	m^2		
3496 REFCON	AREA_RH	1.5760000e+004	1.5760000e+004			
1.5760000e+004						
1.5760000e+004	0.00000000e+000	0.00000000e+000	CONSTANT	m^2		
3488 REFCON	AREA_ZRO	4.1330000e+003	4.1330000e+003			
4.1330000e+003						
4.1330000e+003	0.00000000e+000	0.00000000e+000	CONSTANT	m^2		
3106 REFCON	ASDRUM	6.0000000e+000	6.0000000e+000			
6.0000000e+000						
6.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	m^2		
2890 REFCON	ATMPA	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa/atm		
3109 REFCON	AVOGADRO	6.0221370e+023	6.0221370e+023			
6.0221370e+023						
6.0221370e+023	0.00000000e+000	0.00000000e+000	CONSTANT	mole^-1		
2879 REFCON	BBLG	4.2000000e+001	4.2000000e+001			
4.2000000e+001						
4.2000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	gal/bbl		
3590 REFCON	BIP_11	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3591 REFCON	BIP_12	-3.4260000e-001	-3.4260000e-001	-3.4260000e-		

```

001
-3.4260000e-001  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3592 REFCON  BIP_13  -2.2200000e-002 -2.2200000e-002 -2.2200000e-
002
-2.2200000e-002  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3593 REFCON  BIP_14   9.7800000e-002  9.7800000e-002  9.7800000e-
002
  9.7800000e-002  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3594 REFCON  BIP_15   0.0000000e+000  0.0000000e+000
0.0000000e+000
  0.0000000e+000  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3595 REFCON  BIP_16   0.0000000e+000  0.0000000e+000
0.0000000e+000
  0.0000000e+000  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3596 REFCON  BIP_21  -3.4260000e-001 -3.4260000e-001 -3.4260000e-
001
-3.4260000e-001  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3597 REFCON  BIP_22   0.0000000e+000  0.0000000e+000
0.0000000e+000
  0.0000000e+000  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3598 REFCON  BIP_23   9.3300000e-002  9.3300000e-002  9.3300000e-
002
  9.3300000e-002  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3599 REFCON  BIP_24  -3.1500000e-002 -3.1500000e-002 -3.1500000e-
002
-3.1500000e-002  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3600 REFCON  BIP_25   9.8900000e-002  9.8900000e-002  9.8900000e-
002
  9.8900000e-002  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3601 REFCON  BIP_26   0.0000000e+000  0.0000000e+000
0.0000000e+000
  0.0000000e+000  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3602 REFCON  BIP_31  -2.2200000e-002 -2.2200000e-002 -2.2200000e-
002
-2.2200000e-002  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3603 REFCON  BIP_32   9.3300000e-002  9.3300000e-002  9.3300000e-
002
  9.3300000e-002  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3604 REFCON  BIP_33   0.0000000e+000  0.0000000e+000
0.0000000e+000
  0.0000000e+000  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3605 REFCON  BIP_34   2.7800000e-002  2.7800000e-002  2.7800000e-
002
  2.7800000e-002  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3606 REFCON  BIP_35   8.5000000e-002  8.5000000e-002  8.5000000e-
002
  8.5000000e-002  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3607 REFCON  BIP_36   0.0000000e+000  0.0000000e+000
0.0000000e+000
  0.0000000e+000  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3608 REFCON  BIP_41   9.7800000e-002  9.7800000e-002  9.7800000e-
002
  9.7800000e-002  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3609 REFCON  BIP_42  -3.1500000e-002 -3.1500000e-002 -3.1500000e-
002
-3.1500000e-002  0.0000000e+000  0.0000000e+000  CONSTANT  NONE
      3610 REFCON  BIP_43   2.7800000e-002  2.7800000e-002  2.7800000e-

```

002	2.7800000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3611 REFCON	BIP_44	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3612 REFCON	BIP_45	1.6960000e-001	1.6960000e-001	1.6960000e-
001	1.6960000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3613 REFCON	BIP_46	-7.8000000e-003	-7.8000000e-003	-7.8000000e-
003	-7.8000000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3614 REFCON	BIP_51	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3615 REFCON	BIP_52	9.8900000e-002	9.8900000e-002	9.8900000e-
002	9.8900000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3616 REFCON	BIP_53	8.5000000e-002	8.5000000e-002	8.5000000e-
002	8.5000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3617 REFCON	BIP_54	1.6960000e-001	1.6960000e-001	1.6960000e-
001	1.6960000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3618 REFCON	BIP_55	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3619 REFCON	BIP_56	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3620 REFCON	BIP_61	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3621 REFCON	BIP_62	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3622 REFCON	BIP_63	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3623 REFCON	BIP_64	-7.8000000e-003	-7.8000000e-003	-7.8000000e-
003	-7.8000000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3624 REFCON	BIP_65	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3625 REFCON	BIP_66	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3111 REFCON	CITOBQ	3.7000000e+010	3.7000000e+010	
3.7000000e+010	3.7000000e+010	0.0000000e+000	0.0000000e+000	CONSTANT	Bq/Curies
	2882 REFCON	DARM2	9.8692330e-013	9.8692330e-013	9.8692330e-
013	9.8692330e-013	0.0000000e+000	0.0000000e+000	CONSTANT	m <sup>2</sup> /darcy
	2887 REFCON	DAYSEC	8.6400000e+004	8.6400000e+004	
8.6400000e+004	8.6400000e+004	0.0000000e+000	0.0000000e+000	CONSTANT	s/day
	3132 REFCON	DRROOM	6.8040000e+003	6.8040000e+003	

6.8040000e+003						
6.8040000e+003	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2883	REFCON	F3M3	2.8316850e-002	2.8316850e-002	2.8316850e-	
002						
2.8316850e-002	0.00000000e+000	0.00000000e+000	CONSTANT	m^3/ft^3		
2881	REFCON	FTM	3.0480000e-001	3.0480000e-001	3.0480000e-	
001						
3.0480000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	m/ft		
3647	REFCON	FVRW	1.0000000e+000	1.0000000e+000		
1.0000000e+000						
1.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3492	REFCON	FVW	3.8600000e-001	3.8600000e-001	3.8600000e-	
001						
3.8600000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2889	REFCON	GRAVACC	9.8066500e+000	9.8066500e+000		
9.8066500e+000						
9.8066500e+000	0.00000000e+000	0.00000000e+000	CONSTANT	m/s^2		
2884	REFCON	GTI3	2.3100010e+002	2.3100010e+002		
2.3100010e+002						
2.3100010e+002	0.00000000e+000	0.00000000e+000	CONSTANT	in^3/gal		
3502	REFCON	HRH	5.0900000e-001	5.0900000e-001	5.0900000e-	
001						
5.0900000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	m		
2886	REFCON	KGLB	2.2046230e+000	2.2046230e+000		
2.2046230e+000						
2.2046230e+000	0.00000000e+000	0.00000000e+000	CONSTANT	lb/kg		
2885	REFCON	LBKG	4.5359240e-001	4.5359240e-001	4.5359240e-	
001						
4.5359240e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/lb		
3582	REFCON	LHSBLANK	5.0000000e-001	5.0000000e-001		
0.0000000e+000						
1.0000000e+000	0.00000000e+000	0.00000000e+000	UNIFORM	NONE		
3589	REFCON	MW_CELL	2.7023000e-002	2.7023000e-002	2.7023000e-	
002						
2.7023000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
2866	REFCON	MW_CH2O	3.0026280e-002	3.0026280e-002	3.0026280e-	
002						
3.0026280e-002	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
3585	REFCON	MW_CH4	1.6042760e-002	1.6042760e-002	1.6042760e-	
002						
1.6042760e-002	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
3584	REFCON	MW_CO2	4.4009800e-002	4.4009800e-002	4.4009800e-	
002						
4.4009800e-002	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
2865	REFCON	MW_FE	5.5847000e-002	5.5847000e-002	5.5847000e-	
002						
5.5847000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
2858	REFCON	MW_H2	2.0158800e-003	2.0158800e-003	2.0158800e-	
003						
2.0158800e-003	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
2864	REFCON	MW_H2O	1.8015280e-002	1.8015280e-002	1.8015280e-	
002						
1.8015280e-002	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
3587	REFCON	MW_H2S	3.4081880e-002	3.4081880e-002	3.4081880e-	
002						
3.4081880e-002	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
3586	REFCON	MW_N2	2.8013480e-002	2.8013480e-002	2.8013480e-	

002	2.8013480e-002	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
	3583 REFCON	MW_NACL	5.8442468e-002	5.8442468e-002	5.8442468e-
002	5.8442468e-002	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
	3588 REFCON	MW_O2	3.1998800e-002	3.1998800e-002	3.1998800e-
002	3.1998800e-002	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
	2894 REFCON	OMEGAA	4.2747000e-001	4.2747000e-001	4.2747000e-
001	4.2747000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
	2895 REFCON	OMEGAB	8.6640000e-002	8.6640000e-002	8.6640000e-
002	8.6640000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
	2880 REFCON	PASCP	1.0000000e+003	1.0000000e+003	
1.0000000e+003	1.0000000e+003	0.00000000e+000	0.00000000e+000	CONSTANT	cP/Pa*s
	2839 REFCON	PC_CH4	4.6170000e+006	4.6170000e+006	
4.6170000e+006	4.6170000e+006	0.00000000e+000	0.00000000e+000	CONSTANT	Pa
	2838 REFCON	PC_CO2	7.3760000e+006	7.3760000e+006	
7.3760000e+006	7.3760000e+006	0.00000000e+000	0.00000000e+000	CONSTANT	Pa
	2837 REFCON	PC_H2	2.0470000e+006	2.0470000e+006	
2.0470000e+006	2.0470000e+006	0.00000000e+000	0.00000000e+000	CONSTANT	Pa
	2841 REFCON	PC_H2S	9.0070000e+006	9.0070000e+006	
9.0070000e+006	9.0070000e+006	0.00000000e+000	0.00000000e+000	CONSTANT	Pa
	2840 REFCON	PC_N2	3.3940000e+006	3.3940000e+006	
3.3940000e+006	3.3940000e+006	0.00000000e+000	0.00000000e+000	CONSTANT	Pa
	2842 REFCON	PC_O2	5.0800000e+006	5.0800000e+006	
5.0800000e+006	5.0800000e+006	0.00000000e+000	0.00000000e+000	CONSTANT	Pa
	2896 REFCON	PI	3.1415930e+000	3.1415930e+000	
3.1415930e+000	3.1415930e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
	2892 REFCON	PSIPA	6.8947570e+003	6.8947570e+003	
6.8947570e+003	6.8947570e+003	0.00000000e+000	0.00000000e+000	CONSTANT	Pa*in^2/lb
	2893 REFCON	R	8.3145100e+000	8.3145100e+000	
8.3145100e+000	8.3145100e+000	0.00000000e+000	0.00000000e+000	CONSTANT	J/mole*K
	2891 REFCON	RTK	5.5555560e-001	5.5555560e-001	5.5555560e-
001	5.5555560e-001	0.00000000e+000	0.00000000e+000	CONSTANT	K/rankine
	3112 REFCON	SECYR	3.1688770e-008	3.1688770e-008	3.1688770e-
008	3.1688770e-008	0.00000000e+000	0.00000000e+000	CONSTANT	yr/s
	2827 REFCON	TC_CH4	1.9063000e+002	1.9063000e+002	
1.9063000e+002	1.9063000e+002	0.00000000e+000	0.00000000e+000	CONSTANT	K
	2826 REFCON	TC_CO2	3.0415000e+002	3.0415000e+002	
3.0415000e+002	3.0415000e+002	0.00000000e+000	0.00000000e+000	CONSTANT	K
	2825 REFCON	TC_H2	4.3600000e+001	4.3600000e+001	



4.3600000e+001					
4.3600000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	K	
2829 REFCON	TC_H2S	3.7355000e+002	3.7355000e+002		
3.7355000e+002					
3.7355000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	K	
2828 REFCON	TC_N2	1.2615000e+002	1.2615000e+002		
1.2615000e+002					
1.2615000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	K	
2830 REFCON	TC_O2	1.5477000e+002	1.5477000e+002		
1.5477000e+002					
1.5477000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	K	
3490 REFCON	VOLWP	4.3600000e+005	4.3600000e+005		
4.3600000e+005					
4.3600000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	m^3	
3107 REFCON	VPANLEX	4.6097650e+004	4.6097650e+004		
4.6097650e+004					
4.6097650e+004	0.0000000e+000	0.0000000e+000	CONSTANT	m^3	
3108 REFCON	VREPOS	4.3840608e+005	4.3840608e+005		
4.3840608e+005					
4.3840608e+005	0.0000000e+000	0.0000000e+000	CONSTANT	m^3	
3105 REFCON	VROOM	3.6443780e+003	3.6443780e+003		
3.6443780e+003					
3.6443780e+003	0.0000000e+000	0.0000000e+000	CONSTANT	m^3	
2888 REFCON	YRSEC	3.1556930e+007	3.1556930e+007		
3.1556930e+007					
3.1556930e+007	0.0000000e+000	0.0000000e+000	CONSTANT	s/yr	
3110 REFCON	ZCINK	2.7315000e+002	2.7315000e+002		
2.7315000e+002					
2.7315000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	K	
2110 REPOSIT	CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3455 REPOSIT	CLOSMOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2112 REPOSIT	COMP_RCK	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2113 REPOSIT	DCELLCHW	5.4000000e+001	5.4000000e+001		
5.4000000e+001					
5.4000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
2114 REPOSIT	DCELLRHW	1.7000000e+001	1.7000000e+001		
1.7000000e+001					
1.7000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
2115 REPOSIT	DIRNCCHW	1.3900000e+002	1.3900000e+002		
1.3900000e+002					
1.3900000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
2116 REPOSIT	DIRNCRHW	2.5910000e+003	2.5910000e+003		
2.5910000e+003					
2.5910000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
2117 REPOSIT	DIRONCHW	1.7000000e+002	1.7000000e+002		
1.7000000e+002					
1.7000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
2118 REPOSIT	DIRONRHW	1.0000000e+002	1.0000000e+002		
1.0000000e+002					
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
2119 REPOSIT	DPLASCHW	3.4000000e+001	3.4000000e+001		

3.4000000e+001					
3.4000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
	2120 REPOSIT DPLASRHW	1.5000000e+001	1.5000000e+001		
1.5000000e+001					
1.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
	2121 REPOSIT DPLSCCHW	2.6000000e+001	2.6000000e+001		
2.6000000e+001					
2.6000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
	2995 REPOSIT DPLSCRHW	3.1000000e+000	3.1000000e+000		
3.1000000e+000					
3.1000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
	2122 REPOSIT DRUBBCHW	1.0000000e+001	1.0000000e+001		
1.0000000e+001					
1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
	2123 REPOSIT DRUBBRHW	3.3000000e+000	3.3000000e+000		
3.3000000e+000					
3.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
	2127 REPOSIT GRATMICH	6.3420000e-010	6.3420000e-010		
0.0000000e+000					
1.2684000e-009	0.0000000e+000	0.0000000e+000	UNIFORM	moles/(kg*s)	
	2128 REPOSIT GRATMICI	4.9150000e-009	4.9150000e-009	3.1710000e-010	
9.5129000e-009	0.0000000e+000	0.0000000e+000	UNIFORM	moles/(kg*s)	
	2736 REPOSIT KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2242 REPOSIT PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2737 REPOSIT PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2738 REPOSIT PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2739 REPOSIT PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2129 REPOSIT PORE_DIS	3.2500000e+000	2.8900000e+000		
1.4400000e+000					
5.7800000e+000	0.0000000e+000	1.4400000e+000	CUMULATIVE	NONE	
	2129 REPOSIT PORE_DIS	3.2500000e+000	2.8900000e+000		
1.4400000e+000					
5.7800000e+000	5.0000000e-001	2.8900000e+000	CUMULATIVE	NONE	
	2129 REPOSIT PORE_DIS	3.2500000e+000	2.8900000e+000		
1.4400000e+000					
5.7800000e+000	1.0000000e+000	5.7800000e+000	CUMULATIVE	NONE	
	2130 REPOSIT POROSITY	8.4800000e-001	8.4800000e-001	8.4800000e-001	
8.4800000e-001					
8.4800000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2131 REPOSIT PRMX_LOG	-1.26198000e+001	-1.26198000e+001		
1.26198000e+00					
1-1.26198000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
	2132 REPOSIT PRMY_LOG	-1.26198000e+001	-1.26198000e+001		
1.26198000e+00					
1-1.26198000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
	2133 REPOSIT PRMZ_LOG	-1.26198000e+001	-1.26198000e+001		

1.26198000e+00						
1-1.26198000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log (m^2)		
2824 REPOSIT	PROBDEG	2.00000000e+000	2.00000000e+000			
0.00000000e+000						
2.00000000e+000	5.00000000e-001	0.00000000e+000	DELTA	NONE		
2824 REPOSIT	PROBDEG	2.00000000e+000	2.00000000e+000			
0.00000000e+000						
2.00000000e+000	2.50000000e-001	1.00000000e+000	DELTA	NONE		
2824 REPOSIT	PROBDEG	2.00000000e+000	2.00000000e+000			
0.00000000e+000						
2.00000000e+000	2.50000000e-001	2.00000000e+000	DELTA	NONE		
2135 REPOSIT	RELP_MOD	4.00000000e+000	4.00000000e+000			
4.00000000e+000						
4.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2740 REPOSIT	SAT_IBRN	1.50000000e-002	1.50000000e-002	1.50000000e-		
002						
1.50000000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2741 REPOSIT	SAT_RBRN	2.76000000e-001	2.76000000e-001			
0.00000000e+000						
5.52000000e-001	0.00000000e+000	0.00000000e+000	UNIFORM	NONE		
2137 REPOSIT	SAT_RGAS	7.50000000e-002	7.50000000e-002			
0.00000000e+000						
1.50000000e-001	0.00000000e+000	0.00000000e+000	UNIFORM	NONE		
2141 REPOSIT	VOLCHW	1.69000000e+005	1.69000000e+005			
1.69000000e+005						
1.69000000e+005	0.00000000e+000	0.00000000e+000	CONSTANT	m^3		
2142 REPOSIT	VOLRHW	7.08000000e+003	7.08000000e+003			
7.08000000e+003						
7.08000000e+003	0.00000000e+000	0.00000000e+000	CONSTANT	m^3		
3212 RN219	ATWEIGHT	2.19009000e-001	2.19009000e-001	2.19009000e-		
001						
2.19009000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
3353 RN219	EPAREL	0.00000000e+000	0.00000000e+000			
0.00000000e+000						
0.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf		
3297 RN219	HALFLIFE	3.96000000e+000	3.96000000e+000			
3.96000000e+000						
3.96000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	s		
3213 RN220	ATWEIGHT	2.20011000e-001	2.20011000e-001	2.20011000e-		
001						
2.20011000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
3354 RN220	EPAREL	0.00000000e+000	0.00000000e+000			
0.00000000e+000						
0.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf		
3298 RN220	HALFLIFE	5.56000000e+001	5.56000000e+001			
5.56000000e+001						
5.56000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	s		
3214 RN222	ATWEIGHT	2.22018000e-001	2.22018000e-001	2.22018000e-		
001						
2.22018000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
3355 RN222	EPAREL	0.00000000e+000	0.00000000e+000			
0.00000000e+000						
0.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf		
3299 RN222	HALFLIFE	3.30400000e+005	3.30400000e+005			
3.30400000e+005						
3.30400000e+005	0.00000000e+000	0.00000000e+000	CONSTANT	s		
2819 S_ANH_AB	BKLINK	2.71000000e-001	2.71000000e-001	2.71000000e-		

001	2.7100000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	520 S_ANH_AB CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000					
2.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	521 S_ANH_AB COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-	
011					
2.7500000e-010	0.0000000e+000	1.0900000e-011	1.0900000e-011	STUDENT	Pa^-1
	521 S_ANH_AB COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-	
011					
2.7500000e-010	0.0000000e+000	1.0900000e-011	1.0900000e-011	STUDENT	Pa^-1
	521 S_ANH_AB COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-	
011					
2.7500000e-010	0.0000000e+000	3.3700000e-011	3.3700000e-011	STUDENT	Pa^-1
	521 S_ANH_AB COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-	
011					
2.7500000e-010	0.0000000e+000	2.7500000e-010	2.7500000e-010	STUDENT	Pa^-1
	1661 S_ANH_AB DNSGRAIN	2.7500000e+003	2.7500000e+003		
2.7500000e+003					
2.7500000e+003	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
	2158 S_ANH_AB DPHIMAX	2.3900000e-001	2.3900000e-001	2.3900000e-	
001					
2.3900000e-001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2820 S_ANH_AB EXPKLINK	-3.4100000e-001	-3.4100000e-001	-3.4100000e-	
001					
-3.4100000e-001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2812 S_ANH_AB IFRX	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2815 S_ANH_AB IFRY	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2818 S_ANH_AB IFRZ	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2159 S_ANH_AB KMAXLOG	-9.0000000e+000	-9.0000000e+000	-	
9.0000000e+000					
-9.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
	2773 S_ANH_AB KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	522 S_ANH_AB PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2774 S_ANH_AB PCT_A	2.6000000e-001	2.6000000e-001	2.6000000e-	
001					
2.6000000e-001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	2775 S_ANH_AB PCT_EXP	-3.4800000e-001	-3.4800000e-001	-3.4800000e-	
001					
-3.4800000e-001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	524 S_ANH_AB PF_DELTA	3.8000000e+006	3.8000000e+006		
3.8000000e+006					
3.8000000e+006	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	526 S_ANH_AB PI_DELTA	2.0000000e+005	2.0000000e+005		
2.0000000e+005					
2.0000000e+005	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
	529 S_ANH_AB PO_MIN	1.0132500e+005	1.0132500e+005		





2.1000000e+001  
 -1.7100000e+001 0.0000000e+000 -1.8800000e+001 STUDENT log(m^2)  
 533 S\_ANH\_AB PRMZ\_LOG -1.8890000e+001 -1.8890000e+001 -  
 2.1000000e+001  
 -1.7100000e+001 0.0000000e+000 -1.8100000e+001 STUDENT log(m^2)  
 533 S\_ANH\_AB PRMZ\_LOG -1.8890000e+001 -1.8890000e+001 -  
 2.1000000e+001  
 -1.7100000e+001 0.0000000e+000 -1.7100000e+001 STUDENT log(m^2)  
 536 S\_ANH\_AB RELP\_MOD 4.0000000e+000 4.0000000e+000  
 1.0000000e+000  
 4.0000000e+000 5.0000000e-001 1.0000000e+000 DELTA NONE  
 536 S\_ANH\_AB RELP\_MOD 4.0000000e+000 4.0000000e+000  
 1.0000000e+000  
 4.0000000e+000 0.0000000e+000 2.0000000e+000 DELTA NONE  
 536 S\_ANH\_AB RELP\_MOD 4.0000000e+000 4.0000000e+000  
 1.0000000e+000  
 4.0000000e+000 0.0000000e+000 3.0000000e+000 DELTA NONE  
 536 S\_ANH\_AB RELP\_MOD 4.0000000e+000 4.0000000e+000  
 1.0000000e+000  
 4.0000000e+000 5.0000000e-001 4.0000000e+000 DELTA NONE  
 537 S\_ANH\_AB SAT\_IBRN 1.0000000e+000 1.0000000e+000  
 1.0000000e+000  
 1.0000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
 538 S\_ANH\_AB SAT\_RBRN 8.3620000e-002 8.3620000e-002 7.7846000e-  
 003  
 1.7401000e-001 0.0000000e+000 7.7846000e-003 STUDENT NONE  
 538 S\_ANH\_AB SAT\_RBRN 8.3620000e-002 8.3620000e-002 7.7846000e-  
 003  
 1.7401000e-001 0.0000000e+000 6.8842000e-002 STUDENT NONE  
 538 S\_ANH\_AB SAT\_RBRN 8.3620000e-002 8.3620000e-002 7.7846000e-  
 003  
 1.7401000e-001 0.0000000e+000 6.9860000e-002 STUDENT NONE  
 538 S\_ANH\_AB SAT\_RBRN 8.3620000e-002 8.3620000e-002 7.7846000e-  
 003  
 1.7401000e-001 0.0000000e+000 7.2620000e-002 STUDENT NONE  
 538 S\_ANH\_AB SAT\_RBRN 8.3620000e-002 8.3620000e-002 7.7846000e-  
 003  
 1.7401000e-001 0.0000000e+000 1.0861000e-001 STUDENT NONE  
 538 S\_ANH\_AB SAT\_RBRN 8.3620000e-002 8.3620000e-002 7.7846000e-  
 003  
 1.7401000e-001 0.0000000e+000 1.7401000e-001 STUDENT NONE  
 539 S\_ANH\_AB SAT\_RGAS 7.7110000e-002 7.7110000e-002 1.3980000e-  
 002  
 1.9719000e-001 0.0000000e+000 1.3980000e-002 STUDENT NONE  
 539 S\_ANH\_AB SAT\_RGAS 7.7110000e-002 7.7110000e-002 1.3980000e-  
 002  
 1.9719000e-001 0.0000000e+000 2.5200000e-002 STUDENT NONE  
 539 S\_ANH\_AB SAT\_RGAS 7.7110000e-002 7.7110000e-002 1.3980000e-  
 002  
 1.9719000e-001 0.0000000e+000 3.2180000e-002 STUDENT NONE  
 539 S\_ANH\_AB SAT\_RGAS 7.7110000e-002 7.7110000e-002 1.3980000e-  
 002  
 1.9719000e-001 0.0000000e+000 7.7730000e-002 STUDENT NONE  
 539 S\_ANH\_AB SAT\_RGAS 7.7110000e-002 7.7110000e-002 1.3980000e-  
 002  
 1.9719000e-001 0.0000000e+000 1.1637000e-001 STUDENT NONE  
 539 S\_ANH\_AB SAT\_RGAS 7.7110000e-002 7.7110000e-002 1.3980000e-

002	1.9719000e-001	0.00000000e+000	1.9719000e-001	STUDENT	NONE
	540 S_HALITE CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000					
2.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
	541 S_HALITE COMP_RCK	9.7500000e-011	9.7500000e-011	2.9400000e-	
012					
1.9200000e-010	0.00000000e+000	0.0000000e+000	UNIFORM	Pa^-1	
	2778 S_HALITE KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
	542 S_HALITE PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
	2779 S_HALITE PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001					
5.6000000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
	2780 S_HALITE PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001					
-3.4600000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
	545 S_HALITE PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
	543 S_HALITE PORE_DIS	2.9000000e+000	7.0000000e-001	2.0000000e-	
001					
1.0000000e+001	0.0000000e+000	2.0000000e-001	CUMULATIVE	NONE	
	543 S_HALITE PORE_DIS	2.9000000e+000	7.0000000e-001	2.0000000e-	
001					
1.0000000e+001	5.0000000e-001	7.0000000e-001	CUMULATIVE	NONE	
	543 S_HALITE PORE_DIS	2.9000000e+000	7.0000000e-001	2.0000000e-	
001					
1.0000000e+001	1.0000000e+000	1.0000000e+001	CUMULATIVE	NONE	
	544 S_HALITE POROSITY	1.2800000e-002	1.0000000e-002	1.0000000e-	
003					
3.0000000e-002	0.0000000e+000	1.0000000e-003	CUMULATIVE	NONE	
	544 S_HALITE POROSITY	1.2800000e-002	1.0000000e-002	1.0000000e-	
003					
3.0000000e-002	5.0000000e-001	1.0000000e-002	CUMULATIVE	NONE	
	544 S_HALITE POROSITY	1.2800000e-002	1.0000000e-002	1.0000000e-	
003					
3.0000000e-002	1.0000000e+000	3.0000000e-002	CUMULATIVE	NONE	
	546 S_HALITE PRESSURE	1.2470000e+007	1.2470000e+007		
1.1040000e+007					
1.3890000e+007	0.00000000e+000	0.0000000e+000	UNIFORM	Pa	
	547 S_HALITE PRMX_LOG	-2.2500000e+001	-2.2500000e+001	-	
2.4000000e+001					
-2.1000000e+001	0.00000000e+000	0.0000000e+000	UNIFORM	log(m^2)	
	548 S_HALITE PRMY_LOG	-2.2500000e+001	-2.2500000e+001	-	
2.4000000e+001					
-2.1000000e+001	0.00000000e+000	0.0000000e+000	UNIFORM	log(m^2)	
	549 S_HALITE PRMZ_LOG	-2.2500000e+001	-2.2500000e+001	-	
2.4000000e+001					
-2.1000000e+001	0.00000000e+000	0.0000000e+000	UNIFORM	log(m^2)	
	553 S_HALITE RELP_MOD	4.0000000e+000	4.0000000e+000		
1.0000000e+000					
4.0000000e+000	3.3000000e-001	1.0000000e+000	DELTA	NONE	
	553 S_HALITE RELP_MOD	4.0000000e+000	4.0000000e+000		



1.0000000e+000						
4.0000000e+000	0.0000000e+000	2.0000000e+000	DELTA	NONE		
553 S_HALITE	RELP_MOD	4.0000000e+000	4.0000000e+000			
1.0000000e+000						
4.0000000e+000	0.0000000e+000	3.0000000e+000	DELTA	NONE		
553 S_HALITE	RELP_MOD	4.0000000e+000	4.0000000e+000			
1.0000000e+000						
4.0000000e+000	6.7000000e-001	4.0000000e+000	DELTA	NONE		
554 S_HALITE	SAT_IBRN	1.0000000e+000	1.0000000e+000			
1.0000000e+000						
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
555 S_HALITE	SAT_RBRN	3.0000000e-001	3.0000000e-001			
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
556 S_HALITE	SAT_RGAS	2.0000000e-001	2.0000000e-001			
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
2904 S_MB138	BKLINK	2.7100000e-001	2.7100000e-001	2.7100000e-		
001						
2.7100000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
559 S_MB138	CAP_MOD	2.0000000e+000	2.0000000e+000			
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
560 S_MB138	COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-		
011						
2.7500000e-010	0.0000000e+000	1.0900000e-011	STUDENT	Pa^-1		
560 S_MB138	COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-		
011						
2.7500000e-010	0.0000000e+000	1.0900000e-011	STUDENT	Pa^-1		
560 S_MB138	COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-		
011						
2.7500000e-010	0.0000000e+000	3.3700000e-011	STUDENT	Pa^-1		
560 S_MB138	COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-		
011						
2.7500000e-010	0.0000000e+000	2.7500000e-010	STUDENT	Pa^-1		
1743 S_MB138	DNSGRAIN	2.7500000e+003	2.7500000e+003			
2.7500000e+003						
2.7500000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3		
2169 S_MB138	DPHIMAX	3.9000000e-002	3.9000000e-002	3.9000000e-		
002						
3.9000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2902 S_MB138	EXPKLINK	-3.4100000e-001	-3.4100000e-001	-3.4100000e-		
001						
-3.4100000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2810 S_MB138	IFRX	1.0000000e+000	1.0000000e+000			
1.0000000e+000						
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2813 S_MB138	IFRY	1.0000000e+000	1.0000000e+000			
1.0000000e+000						
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2816 S_MB138	IFRZ	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2170 S_MB138	KMAXLOG	-9.0000000e+000	-9.0000000e+000	-		
9.0000000e+000						
-9.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
2783 S_MB138	KPT	0.0000000e+000	0.0000000e+000			

0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
561 S_MB138	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2784 S_MB138	PCT_A	2.6000000e-001	2.6000000e-001	2.6000000e-	001
2.6000000e-001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2785 S_MB138	PCT_EXP	-3.4800000e-001	-3.4800000e-001	-3.4800000e-	001
-3.4800000e-001	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
563 S_MB138	PF_DELTA	3.8000000e+006	3.8000000e+006		
3.8000000e+006	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
565 S_MB138	PI_DELTA	2.0000000e+005	2.0000000e+005		
2.0000000e+005	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
568 S_MB138	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
566 S_MB138	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	001
8.4178000e-001	0.0000000e+000	4.9053000e-001	4.9053000e-001	STUDENT	NONE
566 S_MB138	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	001
8.4178000e-001	0.0000000e+000	5.5775000e-001	5.5775000e-001	STUDENT	NONE
566 S_MB138	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	001
8.4178000e-001	0.0000000e+000	6.5200000e-001	6.5200000e-001	STUDENT	NONE
566 S_MB138	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	001
8.4178000e-001	0.0000000e+000	6.5500000e-001	6.5500000e-001	STUDENT	NONE
566 S_MB138	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	001
8.4178000e-001	0.0000000e+000	6.6452000e-001	6.6452000e-001	STUDENT	NONE
566 S_MB138	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	001
8.4178000e-001	0.0000000e+000	8.4178000e-001	8.4178000e-001	STUDENT	NONE
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-	003
1.7000000e-002	0.0000000e+000	6.0000000e-003	6.0000000e-003	STUDENT	NONE
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-	003
1.7000000e-002	0.0000000e+000	7.0000000e-003	7.0000000e-003	STUDENT	NONE
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-	003
1.7000000e-002	0.0000000e+000	8.0000000e-003	8.0000000e-003	STUDENT	NONE
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-	003
1.7000000e-002	0.0000000e+000	8.0000000e-003	8.0000000e-003	STUDENT	NONE
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-	003
1.7000000e-002	0.0000000e+000	9.0000000e-003	9.0000000e-003	STUDENT	NONE
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-	003
1.7000000e-002	0.0000000e+000	9.0000000e-003	9.0000000e-003	STUDENT	NONE
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-	003

003	1.7000000e-002	0.0000000e+000	1.0000000e-002	STUDENT	NONE
	567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003	1.7000000e-002	0.0000000e+000	1.0000000e-002	STUDENT	NONE
	567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003	1.7000000e-002	0.0000000e+000	1.0000000e-002	STUDENT	NONE
	567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003	1.7000000e-002	0.0000000e+000	1.1000000e-002	STUDENT	NONE
	567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003	1.7000000e-002	0.0000000e+000	1.3000000e-002	STUDENT	NONE
	567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003	1.7000000e-002	0.0000000e+000	1.3000000e-002	STUDENT	NONE
	567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003	1.7000000e-002	0.0000000e+000	1.4000000e-002	STUDENT	NONE
	567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003	1.7000000e-002	0.0000000e+000	1.4000000e-002	STUDENT	NONE
	567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003	1.7000000e-002	0.0000000e+000	1.5000000e-002	STUDENT	NONE
	567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003	1.7000000e-002	0.0000000e+000	1.7000000e-002	STUDENT	NONE
	569 S_MB138	PRESSURE	1.1630000e+007	1.1630000e+007	
9.3800000e+006	1.2940000e+007	0.0000000e+000	9.3800000e+006	STUDENT	Pa
	569 S_MB138	PRESSURE	1.1630000e+007	1.1630000e+007	
9.3800000e+006	1.2940000e+007	0.0000000e+000	1.1110000e+007	STUDENT	Pa
	569 S_MB138	PRESSURE	1.1630000e+007	1.1630000e+007	
9.3800000e+006	1.2940000e+007	0.0000000e+000	1.2270000e+007	STUDENT	Pa
	569 S_MB138	PRESSURE	1.1630000e+007	1.1630000e+007	
9.3800000e+006	1.2940000e+007	0.0000000e+000	1.2430000e+007	STUDENT	Pa
	569 S_MB138	PRESSURE	1.1630000e+007	1.1630000e+007	
9.3800000e+006	1.2940000e+007	0.0000000e+000	1.2940000e+007	STUDENT	Pa
	570 S_MB138	PRMX_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001	-1.7100000e+001	0.0000000e+000	-2.1000000e+001	STUDENT	log(m^2)
	570 S_MB138	PRMX_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001	-1.7100000e+001	0.0000000e+000	-1.9200000e+001	STUDENT	log(m^2)
	570 S_MB138	PRMX_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001	-1.7100000e+001	0.0000000e+000	-1.9100000e+001	STUDENT	log(m^2)
	570 S_MB138	PRMX_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001	-1.7100000e+001	0.0000000e+000	-1.8800000e+001	STUDENT	log(m^2)
	570 S_MB138	PRMX_LOG	-1.8890000e+001	-1.8890000e+001	-

```

2.1000000e+001
-1.7100000e+001  0.0000000e+000-1.8100000e+001 STUDENT      log(m^2)
    570 S_MB138  PRMX_LOG -1.8890000e+001 -1.8890000e+001 -
2.1000000e+001
-1.7100000e+001  0.0000000e+000-1.7100000e+001 STUDENT      log(m^2)
    571 S_MB138  PRMY_LOG -1.8890000e+001 -1.8890000e+001 -
2.1000000e+001
-1.7100000e+001  0.0000000e+000-2.1000000e+001 STUDENT      log(m^2)
    571 S_MB138  PRMY_LOG -1.8890000e+001 -1.8890000e+001 -
2.1000000e+001
-1.7100000e+001  0.0000000e+000-1.9200000e+001 STUDENT      log(m^2)
    571 S_MB138  PRMY_LOG -1.8890000e+001 -1.8890000e+001 -
2.1000000e+001
-1.7100000e+001  0.0000000e+000-1.9100000e+001 STUDENT      log(m^2)
    571 S_MB138  PRMY_LOG -1.8890000e+001 -1.8890000e+001 -
2.1000000e+001
-1.7100000e+001  0.0000000e+000-1.8800000e+001 STUDENT      log(m^2)
    571 S_MB138  PRMY_LOG -1.8890000e+001 -1.8890000e+001 -
2.1000000e+001
-1.7100000e+001  0.0000000e+000-1.8100000e+001 STUDENT      log(m^2)
    571 S_MB138  PRMY_LOG -1.8890000e+001 -1.8890000e+001 -
2.1000000e+001
-1.7100000e+001  0.0000000e+000-1.7100000e+001 STUDENT      log(m^2)
    572 S_MB138  PRMZ_LOG -1.8890000e+001 -1.8890000e+001 -
2.1000000e+001
-1.7100000e+001  0.0000000e+000-2.1000000e+001 STUDENT      log(m^2)
    572 S_MB138  PRMZ_LOG -1.8890000e+001 -1.8890000e+001 -
2.1000000e+001
-1.7100000e+001  0.0000000e+000-1.9200000e+001 STUDENT      log(m^2)
    572 S_MB138  PRMZ_LOG -1.8890000e+001 -1.8890000e+001 -
2.1000000e+001
-1.7100000e+001  0.0000000e+000-1.9100000e+001 STUDENT      log(m^2)
    572 S_MB138  PRMZ_LOG -1.8890000e+001 -1.8890000e+001 -
2.1000000e+001
-1.7100000e+001  0.0000000e+000-1.8800000e+001 STUDENT      log(m^2)
    572 S_MB138  PRMZ_LOG -1.8890000e+001 -1.8890000e+001 -
2.1000000e+001
-1.7100000e+001  0.0000000e+000-1.8100000e+001 STUDENT      log(m^2)
    572 S_MB138  PRMZ_LOG -1.8890000e+001 -1.8890000e+001 -
2.1000000e+001
-1.7100000e+001  0.0000000e+000-1.7100000e+001 STUDENT      log(m^2)
    575 S_MB138  RELP_MOD  4.0000000e+000  4.0000000e+000
1.0000000e+000
  4.0000000e+000  5.0000000e-001  1.0000000e+000 DELTA      NONE
    575 S_MB138  RELP_MOD  4.0000000e+000  4.0000000e+000
1.0000000e+000
  4.0000000e+000  0.0000000e+000  2.0000000e+000 DELTA      NONE
    575 S_MB138  RELP_MOD  4.0000000e+000  4.0000000e+000
1.0000000e+000
  4.0000000e+000  0.0000000e+000  3.0000000e+000 DELTA      NONE
    575 S_MB138  RELP_MOD  4.0000000e+000  4.0000000e+000
1.0000000e+000
  4.0000000e+000  5.0000000e-001  4.0000000e+000 DELTA      NONE
    576 S_MB138  SAT_IBRN  1.0000000e+000  1.0000000e+000
1.0000000e+000
  1.0000000e+000  0.0000000e+000  0.0000000e+000 CONSTANT  NONE
    577 S_MB138  SAT_RBRN  8.3620000e-002  8.3620000e-002  7.7846000e-

```

003	1.7401000e-001	0.00000000e+000	7.7846000e-003	STUDENT	NONE	
	577 S_MB138	SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-	
003	1.7401000e-001	0.00000000e+000	6.8842000e-002	STUDENT	NONE	
	577 S_MB138	SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-	
003	1.7401000e-001	0.00000000e+000	6.9860000e-002	STUDENT	NONE	
	577 S_MB138	SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-	
003	1.7401000e-001	0.00000000e+000	7.2620000e-002	STUDENT	NONE	
	577 S_MB138	SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-	
003	1.7401000e-001	0.00000000e+000	1.0861000e-001	STUDENT	NONE	
	577 S_MB138	SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-	
003	1.7401000e-001	0.00000000e+000	1.7401000e-001	STUDENT	NONE	
	578 S_MB138	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002	1.9719000e-001	0.00000000e+000	1.3981000e-002	STUDENT	NONE	
	578 S_MB138	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002	1.9719000e-001	0.00000000e+000	2.5201000e-002	STUDENT	NONE	
	578 S_MB138	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002	1.9719000e-001	0.00000000e+000	3.2177000e-002	STUDENT	NONE	
	578 S_MB138	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002	1.9719000e-001	0.00000000e+000	7.7729000e-002	STUDENT	NONE	
	578 S_MB138	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002	1.9719000e-001	0.00000000e+000	1.1637000e-001	STUDENT	NONE	
	578 S_MB138	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002	1.9719000e-001	0.00000000e+000	1.9719000e-001	STUDENT	NONE	
	2905 S_MB139	BKLINK	2.7100000e-001	2.7100000e-001	2.7100000e-	
001	2.7100000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
	579 S_MB139	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000	2.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
	580 S_MB139	COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-	
011	2.7500000e-010	0.00000000e+000	1.0900000e-011	STUDENT	Pa^-1	
	580 S_MB139	COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-	
011	2.7500000e-010	0.00000000e+000	1.0900000e-011	STUDENT	Pa^-1	
	580 S_MB139	COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-	
011	2.7500000e-010	0.00000000e+000	3.3700000e-011	STUDENT	Pa^-1	
	580 S_MB139	COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-	
011	2.7500000e-010	0.00000000e+000	2.7500000e-010	STUDENT	Pa^-1	
	1784 S_MB139	DNSGRAIN	2.7500000e+003	2.7500000e+003		
2.7500000e+003	2.7500000e+003	0.00000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
	2177 S_MB139	DPHIMAX	3.9000000e-002	3.9000000e-002	3.9000000e-	

002  
3.9000000e-002 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
2903 S\_MB139 EXPKLINK -3.4100000e-001 -3.4100000e-001 -3.4100000e-

001  
-3.4100000e-001 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
2811 S\_MB139 IFRX 1.0000000e+000 1.0000000e+000  
1.0000000e+000  
1.0000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
2814 S\_MB139 IFRY 1.0000000e+000 1.0000000e+000  
1.0000000e+000  
1.0000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
2817 S\_MB139 IFRZ 0.0000000e+000 0.0000000e+000  
0.0000000e+000  
0.0000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
2178 S\_MB139 KMAXLOG -9.0000000e+000 -9.0000000e+000 -  
9.0000000e+000  
-9.0000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT log(m^2)  
2788 S\_MB139 KPT 0.0000000e+000 0.0000000e+000  
0.0000000e+000  
0.0000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
582 S\_MB139 PC\_MAX 1.0000000e+008 1.0000000e+008  
1.0000000e+008  
1.0000000e+008 0.0000000e+000 0.0000000e+000 CONSTANT Pa  
2789 S\_MB139 PCT\_A 2.6000000e-001 2.6000000e-001 2.6000000e-

001  
2.6000000e-001 0.0000000e+000 0.0000000e+000 CONSTANT Pa  
2790 S\_MB139 PCT\_EXP -3.4800000e-001 -3.4800000e-001 -3.4800000e-

001  
-3.4800000e-001 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
2180 S\_MB139 PF\_DELTA 3.8000000e+006 3.8000000e+006  
3.8000000e+006  
3.8000000e+006 0.0000000e+000 0.0000000e+000 CONSTANT Pa  
586 S\_MB139 PI\_DELTA 2.0000000e+005 2.0000000e+005  
2.0000000e+005  
2.0000000e+005 0.0000000e+000 0.0000000e+000 CONSTANT Pa  
589 S\_MB139 PO\_MIN 1.0132500e+005 1.0132500e+005  
1.0132500e+005  
1.0132500e+005 0.0000000e+000 0.0000000e+000 CONSTANT Pa  
587 S\_MB139 PORE\_DIS 6.4360000e-001 6.4360000e-001 4.9053000e-

001  
8.4178000e-001 0.0000000e+000 4.9053000e-001 STUDENT NONE  
587 S\_MB139 PORE\_DIS 6.4360000e-001 6.4360000e-001 4.9053000e-

001  
8.4178000e-001 0.0000000e+000 5.5775000e-001 STUDENT NONE  
587 S\_MB139 PORE\_DIS 6.4360000e-001 6.4360000e-001 4.9053000e-

001  
8.4178000e-001 0.0000000e+000 6.5200000e-001 STUDENT NONE  
587 S\_MB139 PORE\_DIS 6.4360000e-001 6.4360000e-001 4.9053000e-

001  
8.4178000e-001 0.0000000e+000 6.5500000e-001 STUDENT NONE  
587 S\_MB139 PORE\_DIS 6.4360000e-001 6.4360000e-001 4.9053000e-

001  
8.4178000e-001 0.0000000e+000 6.6452000e-001 STUDENT NONE  
587 S\_MB139 PORE\_DIS 6.4360000e-001 6.4360000e-001 4.9053000e-

001  
8.4178000e-001 0.0000000e+000 8.4178000e-001 STUDENT NONE  
588 S\_MB139 POROSITY 1.1000000e-002 1.1000000e-002 6.0000000e-







2.1000000e+001								
-1.7100000e+001	0.0000000e+000	-1.7100000e+001	STUDENT	log (m^2)				
	596 S_MB139 RELP_MOD	4.0000000e+000	4.0000000e+000					
1.0000000e+000								
4.0000000e+000	5.0000000e-001	1.0000000e+000	DELTA	NONE				
	596 S_MB139 RELP_MOD	4.0000000e+000	4.0000000e+000					
1.0000000e+000								
4.0000000e+000	0.0000000e+000	2.0000000e+000	DELTA	NONE				
	596 S_MB139 RELP_MOD	4.0000000e+000	4.0000000e+000					
1.0000000e+000								
4.0000000e+000	0.0000000e+000	3.0000000e+000	DELTA	NONE				
	596 S_MB139 RELP_MOD	4.0000000e+000	4.0000000e+000					
1.0000000e+000								
4.0000000e+000	5.0000000e-001	4.0000000e+000	DELTA	NONE				
	597 S_MB139 SAT_IBRN	1.0000000e+000	1.0000000e+000					
1.0000000e+000								
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
	598 S_MB139 SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-				
003								
1.7401000e-001	0.0000000e+000	7.7846000e-003	STUDENT	NONE				
	598 S_MB139 SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-				
003								
1.7401000e-001	0.0000000e+000	6.8842000e-002	STUDENT	NONE				
	598 S_MB139 SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-				
003								
1.7401000e-001	0.0000000e+000	6.9860000e-002	STUDENT	NONE				
	598 S_MB139 SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-				
003								
1.7401000e-001	0.0000000e+000	7.2620000e-002	STUDENT	NONE				
	598 S_MB139 SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-				
003								
1.7401000e-001	0.0000000e+000	1.0861000e-001	STUDENT	NONE				
	598 S_MB139 SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-				
003								
1.7401000e-001	0.0000000e+000	1.7401000e-001	STUDENT	NONE				
	599 S_MB139 SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-				
002								
1.9719000e-001	0.0000000e+000	1.3981000e-002	STUDENT	NONE				
	599 S_MB139 SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-				
002								
1.9719000e-001	0.0000000e+000	2.5201000e-002	STUDENT	NONE				
	599 S_MB139 SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-				
002								
1.9719000e-001	0.0000000e+000	3.2177000e-002	STUDENT	NONE				
	599 S_MB139 SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-				
002								
1.9719000e-001	0.0000000e+000	7.7729000e-002	STUDENT	NONE				
	599 S_MB139 SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-				
002								
1.9719000e-001	0.0000000e+000	1.1637000e-001	STUDENT	NONE				
	599 S_MB139 SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-				
002								
1.9719000e-001	0.0000000e+000	1.9719000e-001	STUDENT	NONE				
	2513 SALT_T1 CAP_MOD	2.0000000e+000	2.0000000e+000					
2.0000000e+000								
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
	2514 SALT_T1 COMP_RCK	8.0000000e-011	8.0000000e-011	8.0000000e-				

011  
8.0000000e-011 0.0000000e+000 0.0000000e+000 CONSTANT Pa^-1  
2939 SALT\_T1 CUMPROB 5.0000000e-001 5.0000000e-001  
0.0000000e+000  
1.0000000e+000 0.0000000e+000 0.0000000e+000 UNIFORM NONE  
2744 SALT\_T1 KPT 0.0000000e+000 0.0000000e+000  
0.0000000e+000  
0.0000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
2515 SALT\_T1 PC\_MAX 1.0000000e+008 1.0000000e+008  
1.0000000e+008  
1.0000000e+008 0.0000000e+000 0.0000000e+000 CONSTANT Pa  
2745 SALT\_T1 PCT\_A 5.6000000e-001 5.6000000e-001 5.6000000e-  
001  
5.6000000e-001 0.0000000e+000 0.0000000e+000 CONSTANT Pa  
2746 SALT\_T1 PCT\_EXP -3.4600000e-001 -3.4600000e-001 -3.4600000e-  
001  
-3.4600000e-001 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
2942 SALT\_T1 PMLT\_HI -1.2265200e+001 -1.2265200e+001 -  
1.2265200e+001  
-1.2265200e+001 0.0000000e+000 0.0000000e+000 CONSTANT log(m^2)  
2941 SALT\_T1 PMLT\_LO -1.7301000e+001 -1.7301000e+001 -  
1.7301000e+001  
-1.7301000e+001 0.0000000e+000 0.0000000e+000 CONSTANT log(m^2)  
2940 SALT\_T1 PMLT\_MD -1.4782500e+001 -1.4782500e+001 -  
1.4782500e+001  
-1.4782500e+001 0.0000000e+000 0.0000000e+000 CONSTANT log(m^2)  
2518 SALT\_T1 PO\_MIN 1.0132500e+005 1.0132500e+005  
1.0132500e+005  
1.0132500e+005 0.0000000e+000 0.0000000e+000 CONSTANT Pa  
2516 SALT\_T1 PORE\_DIS 2.5200000e+000 9.4000000e-001 1.1000000e-  
001  
8.1000000e+000 0.0000000e+000 1.1000000e-001 CUMULATIVE NONE  
2516 SALT\_T1 PORE\_DIS 2.5200000e+000 9.4000000e-001 1.1000000e-  
001  
8.1000000e+000 5.0000000e-001 9.4000000e-001 CUMULATIVE NONE  
2516 SALT\_T1 PORE\_DIS 2.5200000e+000 9.4000000e-001 1.1000000e-  
001  
8.1000000e+000 1.0000000e+000 8.1000000e+000 CUMULATIVE NONE  
2517 SALT\_T1 POROSITY 5.0000000e-002 5.0000000e-002 5.0000000e-  
002  
5.0000000e-002 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
2519 SALT\_T1 PRESSURE 1.0132500e+005 1.0132500e+005  
1.0132500e+005  
1.0132500e+005 0.0000000e+000 0.0000000e+000 CONSTANT Pa  
2938 SALT\_T1 RADN\_DRZ 1.8140000e+000 1.8140000e+000  
1.8140000e+000  
1.8140000e+000 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
2526 SALT\_T1 RELP\_MOD 4.0000000e+000 4.0000000e+000  
4.0000000e+000  
4.0000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT NONE  
2934 SALT\_T1 RSH\_AIR 3.0900000e+000 3.0900000e+000  
3.0900000e+000  
3.0900000e+000 0.0000000e+000 0.0000000e+000 CONSTANT m  
2937 SALT\_T1 RSH\_EXH 2.3000000e+000 2.3000000e+000  
2.3000000e+000  
2.3000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT m  
2935 SALT\_T1 RSH\_SAL 1.8000000e+000 1.8000000e+000

1.8000000e+000						
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	2936 SALT_T1	RSH_WAS	3.5000000e+000	3.5000000e+000		
3.5000000e+000						
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	2527 SALT_T1	SAT_IBRN	3.2000000e-001	3.2000000e-001	3.2000000e-	
001						
3.2000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2528 SALT_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
	2528 SALT_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
	2528 SALT_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
	2529 SALT_T1	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
	2530 SALT_T2	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2531 SALT_T2	COMP_RCK	8.0000000e-011	8.0000000e-011	8.0000000e-	
011						
8.0000000e-011	0.0000000e+000	0.0000000e+000	CONSTANT	Pa <sup>-1</sup>		
	2749 SALT_T2	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2532 SALT_T2	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2750 SALT_T2	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2751 SALT_T2	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2950 SALT_T2	PMLT_HI	-1.2265200e+001	-1.2265200e+001	-	
1.2265200e+001						
-1.2265200e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m <sup>2</sup> )		
	2949 SALT_T2	PMLT_LO	-1.7301000e+001	-1.7301000e+001	-	
1.7301000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m <sup>2</sup> )		
	2948 SALT_T2	PMLT_MD	-1.4782500e+001	-1.4782500e+001	-	
1.4782500e+001						
-1.4782500e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m <sup>2</sup> )		
	2535 SALT_T2	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2533 SALT_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE		
	2533 SALT_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE		
	2533 SALT_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	

001	8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
	2534	SALT_T2	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-
002	5.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2947	SALT_T2	RADN_DRZ	1.1100000e+000	1.1100000e+000	
1.1100000e+000	1.1100000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2543	SALT_T2	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000	4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2943	SALT_T2	RSH_AIR	3.0900000e+000	3.0900000e+000	
3.0900000e+000	3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
	2946	SALT_T2	RSH_EXH	2.3000000e+000	2.3000000e+000	
2.3000000e+000	2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
	2944	SALT_T2	RSH_SAL	1.8000000e+000	1.8000000e+000	
1.8000000e+000	1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
	2945	SALT_T2	RSH_WAS	3.5000000e+000	3.5000000e+000	
3.5000000e+000	3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
	2545	SALT_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000	6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
	2545	SALT_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000	6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
	2545	SALT_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000	6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
	2546	SALT_T2	SAT_RGAS	2.0000000e-001	2.0000000e-001	
0.0000000e+000	4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
	2547	SALT_T3	CAP_MOD	2.0000000e+000	2.0000000e+000	
2.0000000e+000	2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2548	SALT_T3	COMP_RCK	8.0000000e-011	8.0000000e-011	8.0000000e-
011	8.0000000e-011	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
	2754	SALT_T3	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2549	SALT_T3	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008	1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2755	SALT_T3	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-
001	5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2756	SALT_T3	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-
001	-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2958	SALT_T3	PMLT_HI	-1.2265200e+001	-1.2265200e+001	-
1.2265200e+001	-1.2265200e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
	2957	SALT_T3	PMLT_LO	-1.7301000e+001	-1.7301000e+001	-

1.7301000e+001						
-1.7301000e+001	0.00000000e+000	0.0000000e+000	CONSTANT	log (m^2)		
	2956 SALT_T3 PMLT_MD	-1.4782500e+001	-1.4782500e+001	-		
1.4782500e+001						
-1.4782500e+001	0.00000000e+000	0.0000000e+000	CONSTANT	log (m^2)		
	2552 SALT_T3 PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.00000000e+000	0.0000000e+000	CONSTANT	Pa		
	2550 SALT_T3 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE		
	2550 SALT_T3 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE		
	2550 SALT_T3 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE		
	2551 SALT_T3 POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-		
002						
5.0000000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	NONE		
	2955 SALT_T3 RADN_DRZ	1.0000000e+000	1.0000000e+000			
1.0000000e+000						
1.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE		
	2560 SALT_T3 RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000						
4.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE		
	2951 SALT_T3 RSH_AIR	3.0900000e+000	3.0900000e+000			
3.0900000e+000						
3.0900000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m		
	2954 SALT_T3 RSH_EXH	2.3000000e+000	2.3000000e+000			
2.3000000e+000						
2.3000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m		
	2952 SALT_T3 RSH_SAL	1.8000000e+000	1.8000000e+000			
1.8000000e+000						
1.8000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m		
	2953 SALT_T3 RSH_WAS	3.5000000e+000	3.5000000e+000			
3.5000000e+000						
3.5000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m		
	2562 SALT_T3 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
	2562 SALT_T3 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
	2562 SALT_T3 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
	2563 SALT_T3 SAT_RGAS	2.0000000e-001	2.0000000e-001			
0.0000000e+000						
4.0000000e-001	0.00000000e+000	0.0000000e+000	UNIFORM	NONE		
	2564 SALT_T4 CAP_MOD	2.0000000e+000	2.0000000e+000			
2.0000000e+000						
2.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE		
	2565 SALT_T4 COMP_RCK	8.0000000e-011	8.0000000e-011	8.0000000e-		
011						
8.0000000e-011	0.00000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
	2759 SALT_T4 KPT	0.0000000e+000	0.0000000e+000			

0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2566	SALT_T4	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008	1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2760	SALT_T4	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-
001	5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2761	SALT_T4	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-
001	-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2966	SALT_T4	PMLT_HI	-1.3950800e+001	-1.3950800e+001	-
1.3950800e+001	-1.3950800e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
2965	SALT_T4	PMLT_LO	-2.2876100e+001	-2.2876100e+001	-
2.2876100e+001	-2.2876100e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
2964	SALT_T4	PMLT_MD	-1.7165600e+001	-1.7165600e+001	-
1.7165600e+001	-1.7165600e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
2569	SALT_T4	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005	1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2567	SALT_T4	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001	8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE
2567	SALT_T4	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001	8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE
2567	SALT_T4	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001	8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE
2568	SALT_T4	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-
002	5.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2963	SALT_T4	RADN_DRZ	1.0000000e+000	1.0000000e+000	
1.0000000e+000	1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2577	SALT_T4	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000	4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2959	SALT_T4	RSH_AIR	3.0900000e+000	3.0900000e+000	
3.0900000e+000	3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
2962	SALT_T4	RSH_EXH	2.3000000e+000	2.3000000e+000	
2.3000000e+000	2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
2960	SALT_T4	RSH_SAL	1.8000000e+000	1.8000000e+000	
1.8000000e+000	1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
2961	SALT_T4	RSH_WAS	3.5000000e+000	3.5000000e+000	
3.5000000e+000	3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
2579	SALT_T4	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000	6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE
2579	SALT_T4	SAT_RBRN	2.5000000e-001	2.0000000e-001	

0.0000000e+000								
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE				
2579	SALT_T4	SAT_RBRN	2.5000000e-001	2.0000000e-001				
0.0000000e+000								
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE				
2580	SALT_T4	SAT_RGAS	2.0000000e-001	2.0000000e-001				
0.0000000e+000								
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE				
2581	SALT_T5	CAP_MOD	2.0000000e+000	2.0000000e+000				
2.0000000e+000								
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
2582	SALT_T5	COMP_RCK	8.0000000e-011	8.0000000e-011	8.0000000e-			
011								
8.0000000e-011	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1				
2764	SALT_T5	KPT	0.0000000e+000	0.0000000e+000				
0.0000000e+000								
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
2583	SALT_T5	PC_MAX	1.0000000e+008	1.0000000e+008				
1.0000000e+008								
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa				
2765	SALT_T5	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-			
001								
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa				
2766	SALT_T5	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-			
001								
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
2974	SALT_T5	PMLT_HI	-1.5426000e+001	-1.5426000e+001	-			
1.5426000e+001								
-1.5426000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)				
2973	SALT_T5	PMLT_LO	-2.2876100e+001	-2.2876100e+001	-			
2.2876100e+001								
-2.2876100e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)				
2972	SALT_T5	PMLT_MD	-1.9278200e+001	-1.9278200e+001	-			
1.9278200e+001								
-1.9278200e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)				
3125	SALT_T5	PO_MIN	1.0132500e+005	1.0132500e+005				
1.0132500e+005								
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa				
2809	SALT_T5	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-			
001								
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE				
2809	SALT_T5	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-			
001								
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE				
2809	SALT_T5	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-			
001								
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE				
2585	SALT_T5	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-			
002								
5.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
2971	SALT_T5	RADN_DRZ	1.0000000e+000	1.0000000e+000				
1.0000000e+000								
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
2594	SALT_T5	RELP_MOD	4.0000000e+000	4.0000000e+000				
4.0000000e+000								
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE				
2967	SALT_T5	RSH_AIR	3.0900000e+000	3.0900000e+000				

3.0900000e+000						
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	2970 SALT_T5 RSH_EXH	2.3000000e+000	2.3000000e+000			
2.3000000e+000						
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	2968 SALT_T5 RSH_SAL	1.8000000e+000	1.8000000e+000			
1.8000000e+000						
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	2969 SALT_T5 RSH_WAS	3.5000000e+000	3.5000000e+000			
3.5000000e+000						
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
	2596 SALT_T5 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
	2596 SALT_T5 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
	2596 SALT_T5 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
	2597 SALT_T5 SAT_RGAS	2.0000000e-001	2.0000000e-001			
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
	2983 SALT_T6 CAP_MOD	2.0000000e+000	2.0000000e+000			
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2984 SALT_T6 COMP_RCK	8.0000000e-011	8.0000000e-011	8.0000000e-		
011						
8.0000000e-011	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
	2985 SALT_T6 KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2986 SALT_T6 PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2987 SALT_T6 PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-		
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2988 SALT_T6 PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-		
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	2982 SALT_T6 PMLT_HI	-1.7667600e+001	-1.7667600e+001	-		
1.7667600e+001						
-1.7667600e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
	2981 SALT_T6 PMLT_LO	-2.2876100e+001	-2.2876100e+001	-		
2.2876100e+001						
-2.2876100e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
	2980 SALT_T6 PMLT_MD	-2.0271600e+001	-2.0271600e+001	-		
2.0271600e+001						
-2.0271600e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
	3126 SALT_T6 PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	2989 SALT_T6 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		
001						
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE		
	2989 SALT_T6 PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-		



001	8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
	2989	SALT_T6	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001	8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
	2990	SALT_T6	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-
002	5.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2979	SALT_T6	RADN_DRZ	1.0000000e+000	1.0000000e+000	
1.0000000e+000	1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2991	SALT_T6	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000	4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	2975	SALT_T6	RSH_AIR	3.0900000e+000	3.0900000e+000	
3.0900000e+000	3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
	2978	SALT_T6	RSH_EXH	2.3000000e+000	2.3000000e+000	
2.3000000e+000	2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
	2976	SALT_T6	RSH_SAL	1.8000000e+000	1.8000000e+000	
1.8000000e+000	1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
	2977	SALT_T6	RSH_WAS	3.5000000e+000	3.5000000e+000	
3.5000000e+000	3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
	2992	SALT_T6	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000	6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
	2992	SALT_T6	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000	6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
	2992	SALT_T6	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000	6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
	2993	SALT_T6	SAT_RGAS	2.0000000e-001	2.0000000e-001	
0.0000000e+000	4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
	336	SANTAROS	CAP_MOD	1.0000000e+000	1.0000000e+000	
1.0000000e+000	1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	337	SANTAROS	COMP_RCK	1.0000000e-008	1.0000000e-008	1.0000000e-
008	1.0000000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
	2768	SANTAROS	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	339	SANTAROS	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008	1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2769	SANTAROS	PCT_A	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2770	SANTAROS	PCT_EXP	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	342	SANTAROS	PO_MIN	1.0132500e+005	1.0132500e+005	

1.0132500e+005						
1.0132500e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa		
340	SANTAROS PORE_DIS	6.4360000e-001	6.4360000e-001	6.4360000e-		
001						
6.4360000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
341	SANTAROS POROSITY	1.7500000e-001	1.7500000e-001	1.7500000e-		
001						
1.7500000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
343	SANTAROS PRESSURE	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa		
344	SANTAROS PRMX_LOG	-1.0000000e+001	-1.0000000e+001	-		
1.0000000e+001						
-1.0000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)		
345	SANTAROS PRMY_LOG	-1.0000000e+001	-1.0000000e+001	-		
1.0000000e+001						
-1.0000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)		
346	SANTAROS PRMZ_LOG	-1.0000000e+001	-1.0000000e+001	-		
1.0000000e+001						
-1.0000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)		
349	SANTAROS RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000						
4.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
350	SANTAROS SAT_IBRN	8.3630000e-002	8.3630000e-002	8.3630000e-		
002						
8.3630000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
351	SANTAROS SAT_RBRN	8.3630000e-002	8.3630000e-002	8.3630000e-		
002						
8.3630000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
352	SANTAROS SAT_RGAS	7.7110000e-002	7.7110000e-002	7.7110000e-		
002						
7.7110000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3133	SHFTL_DRZ PRMX_LOG	-1.5333330e+001	-1.5000000e+001	-		
1.7000000e+001						
-1.4000000e+001	0.00000000e+000	0.00000000e+000	TRIANGULAR	log(m^2)		
3562	SHFTL_T1 COMP_POR	4.2800000e-009	4.2800000e-009	4.2800000e-		
009						
4.2800000e-009	0.00000000e+000	0.00000000e+000	CONSTANT	Pa^-1		
3563	SHFTL_T1 KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3564	SHFTL_T1 PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.00000000e+000	0.00000000e+000	CONSTANT	Pa		
3565	SHFTL_T1 PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-		
001						
5.6000000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	Pa		
3566	SHFTL_T1 PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-		
001						
-3.4600000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3567	SHFTL_T1 PO_MIN	1.0100000e+005	1.0100000e+005			
1.0100000e+005						
1.0100000e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa		
3568	SHFTL_T1 POROSITY	1.1300000e-001	1.1300000e-001	1.1300000e-		
001						
1.1300000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3569	SHFTL_T1 PRMX_LOG	-1.8000000e+001	-1.8200000e+001	-		

2.0000000e+001						
-1.6500000e+001	0.0000000e+000	-2.0000000e+001	CUMULATIVE	log(m^2)		
	3569 SHFTL_T1 PRMX_LOG	-1.8000000e+001	-1.8200000e+001	-		
2.0000000e+001						
-1.6500000e+001	1.0000000e-002	-1.9500000e+001	CUMULATIVE	log(m^2)		
	3569 SHFTL_T1 PRMX_LOG	-1.8000000e+001	-1.8200000e+001	-		
2.0000000e+001						
-1.6500000e+001	1.0000000e-001	-1.9000000e+001	CUMULATIVE	log(m^2)		
	3569 SHFTL_T1 PRMX_LOG	-1.8000000e+001	-1.8200000e+001	-		
2.0000000e+001						
-1.6500000e+001	3.0700000e-001	-1.8500000e+001	CUMULATIVE	log(m^2)		
	3569 SHFTL_T1 PRMX_LOG	-1.8000000e+001	-1.8200000e+001	-		
2.0000000e+001						
-1.6500000e+001	6.3700000e-001	-1.8000000e+001	CUMULATIVE	log(m^2)		
	3569 SHFTL_T1 PRMX_LOG	-1.8000000e+001	-1.8200000e+001	-		
2.0000000e+001						
-1.6500000e+001	8.7300000e-001	-1.7500000e+001	CUMULATIVE	log(m^2)		
	3569 SHFTL_T1 PRMX_LOG	-1.8000000e+001	-1.8200000e+001	-		
2.0000000e+001						
-1.6500000e+001	9.9300000e-001	-1.7000000e+001	CUMULATIVE	log(m^2)		
	3569 SHFTL_T1 PRMX_LOG	-1.8000000e+001	-1.8200000e+001	-		
2.0000000e+001						
-1.6500000e+001	1.0000000e+000	-1.6500000e+001	CUMULATIVE	log(m^2)		
	3570 SHFTL_T1 RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3571 SHFTL_T1 SAT_IBRN	5.3400000e-001	5.3400000e-001	5.3400000e-		
001						
5.3400000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3572 SHFTL_T2 COMP_POR	4.2800000e-009	4.2800000e-009	4.2800000e-		
009						
4.2800000e-009	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
	3573 SHFTL_T2 KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3574 SHFTL_T2 PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	3575 SHFTL_T2 PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-		
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	3576 SHFTL_T2 PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-		
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3577 SHFTL_T2 PO_MIN	1.0100000e+005	1.0100000e+005			
1.0100000e+005						
1.0100000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	3578 SHFTL_T2 POROSITY	1.1300000e-001	1.1300000e-001	1.1300000e-		
001						
1.1300000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3579 SHFTL_T2 PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-		
2.2500000e+001						
-1.8000000e+001	0.0000000e+000	-2.2500000e+001	CUMULATIVE	log(m^2)		
	3579 SHFTL_T2 PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-		
2.2500000e+001						
-1.8000000e+001	2.0000000e-002	-2.2000000e+001	CUMULATIVE	log(m^2)		
	3579 SHFTL_T2 PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-		

2.2500000e+001						
-1.8000000e+001	8.0000000e-002	-2.1500000e+001	CUMULATIVE	log(m^2)		
	3579 SHFTL_T2 PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-		
2.2500000e+001						
-1.8000000e+001	1.7000000e-001	-2.1000000e+001	CUMULATIVE	log(m^2)		
	3579 SHFTL_T2 PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-		
2.2500000e+001						
-1.8000000e+001	3.0500000e-001	-2.0500000e+001	CUMULATIVE	log(m^2)		
	3579 SHFTL_T2 PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-		
2.2500000e+001						
-1.8000000e+001	5.2500000e-001	-2.0000000e+001	CUMULATIVE	log(m^2)		
	3579 SHFTL_T2 PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-		
2.2500000e+001						
-1.8000000e+001	7.0000000e-001	-1.9500000e+001	CUMULATIVE	log(m^2)		
	3579 SHFTL_T2 PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-		
2.2500000e+001						
-1.8000000e+001	8.6500000e-001	-1.9000000e+001	CUMULATIVE	log(m^2)		
	3579 SHFTL_T2 PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-		
2.2500000e+001						
-1.8000000e+001	9.6500000e-001	-1.8500000e+001	CUMULATIVE	log(m^2)		
	3579 SHFTL_T2 PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-		
2.2500000e+001						
-1.8000000e+001	1.0000000e+000	-1.8000000e+001	CUMULATIVE	log(m^2)		
	3580 SHFTL_T2 RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3581 SHFTL_T2 SAT_IBRN	5.3400000e-001	5.3400000e-001	5.3400000e-		
001						
5.3400000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3550 SHFTU COMP_POR	2.0500000e-008	2.0500000e-008	2.0500000e-		
008						
2.0500000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
	3551 SHFTU KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3552 SHFTU PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	3553 SHFTU PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-		
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	3554 SHFTU PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-		
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3555 SHFTU PO_MIN	1.0100000e+005	1.0100000e+005			
1.0100000e+005						
1.0100000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
	3556 SHFTU POROSITY	2.9100000e-001	2.9100000e-001	2.9100000e-		
001						
2.9100000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3557 SHFTU PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-		
2.0500000e+001						
-1.6500000e+001	0.0000000e+000	-2.0500000e+001	CUMULATIVE	log(m^2)		
	3557 SHFTU PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-		
2.0500000e+001						
-1.6500000e+001	3.0000000e-002	-2.0000000e+001	CUMULATIVE	log(m^2)		
	3557 SHFTU PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-		

2.0500000e+001						
-1.6500000e+001	1.1000000e-001	-1.9500000e+001	CUMULATIVE	log(m^2)		
	3557 SHFTU PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-		
2.0500000e+001						
-1.6500000e+001	2.4000000e-001	-1.9000000e+001	CUMULATIVE	log(m^2)		
	3557 SHFTU PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-		
2.0500000e+001						
-1.6500000e+001	4.3000000e-001	-1.8500000e+001	CUMULATIVE	log(m^2)		
	3557 SHFTU PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-		
2.0500000e+001						
-1.6500000e+001	6.5000000e-001	-1.8000000e+001	CUMULATIVE	log(m^2)		
	3557 SHFTU PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-		
2.0500000e+001						
-1.6500000e+001	8.9000000e-001	-1.7500000e+001	CUMULATIVE	log(m^2)		
	3557 SHFTU PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-		
2.0500000e+001						
-1.6500000e+001	9.9000000e-001	-1.7000000e+001	CUMULATIVE	log(m^2)		
	3557 SHFTU PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-		
2.0500000e+001						
-1.6500000e+001	1.0000000e+000	-1.6500000e+001	CUMULATIVE	log(m^2)		
	3558 SHFTU RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3559 SHFTU SAT_IBRN	7.9600000e-001	7.9600000e-001	7.9600000e-		
001						
7.9600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
	3560 SHFTU SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
	3560 SHFTU SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
	3560 SHFTU SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
	3561 SHFTU SAT_RGAS	2.0000000e-001	2.0000000e-001			
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
	514 SM147 ATWEIGHT	1.4691500e-001	1.4691500e-001	1.4691500e-		
001						
1.4691500e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole		
	3379 SM147 EPAREL	1.0000000e+002	1.0000000e+002			
1.0000000e+002						
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
	515 SM147 HALFLIFE	3.3770000e+018	3.3770000e+018			
3.3770000e+018						
3.3770000e+018	0.0000000e+000	0.0000000e+000	CONSTANT	s		
	3263 SOLAM3 SOLCIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000						
1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter		
	3263 SOLAM3 SOLCIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000						
1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter		
	3263 SOLAM3 SOLCIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000						
1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter		
	3263 SOLAM3 SOLCIM	1.8000000e-001	-9.0000000e-002	-		

2.0000000e+000	1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter			
	3263	SOLAM3	SOLCIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000	1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter			
	3263	SOLAM3	SOLCIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000	1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter			
	3263	SOLAM3	SOLCIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000	1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter			
	3263	SOLAM3	SOLCIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000	1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter			
	3263	SOLAM3	SOLCIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000	1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter			
	3262	SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000	1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter			
	3262	SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000	1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter			
	3262	SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000	1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter			
	3262	SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000	1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter			
	3262	SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000	1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter			
	3262	SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000	1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter			
	3262	SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000	1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter			
	3262	SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000	1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter			
	3262	SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000	1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter			
	3402	SOLMOD3	SOLCIM	1.3000000e-008	1.3000000e-008	1.3000000e-		
008	1.3000000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter			
	3628	SOLMOD3	SOLCOC	1.7700000e-007	1.7700000e-007	1.7700000e-		
007	1.7700000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter			
	3629	SOLMOD3	SOLCOH	1.6900000e-007	1.6900000e-007	1.6900000e-		
007	1.6900000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter			
	3406	SOLMOD3	SOLSIM	1.2000000e-007	1.2000000e-007	1.2000000e-		
007	1.2000000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter			
	3630	SOLMOD3	SOLSOC	3.0700000e-007	3.0700000e-007	3.0700000e-		

007	3.0700000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3631 SOLMOD3	SOLSOH	3.0700000e-007	3.0700000e-007	3.0700000e-
007	3.0700000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3403 SOLMOD4	SOLCIM	4.1000000e-008	4.1000000e-008	4.1000000e-
008	4.1000000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3632 SOLMOD4	SOLCOC	5.8400000e-009	5.8400000e-009	5.8400000e-
009	5.8400000e-009	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3633 SOLMOD4	SOLCOH	2.4700000e-008	2.4700000e-008	2.4700000e-
008	2.4700000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3407 SOLMOD4	SOLSIM	1.3000000e-008	1.3000000e-008	1.3000000e-
008	1.3000000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3634 SOLMOD4	SOLSOC	1.2400000e-008	1.2400000e-008	1.2400000e-
008	1.2400000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3635 SOLMOD4	SOLSOH	1.1900000e-008	1.1900000e-008	1.1900000e-
008	1.1900000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3404 SOLMOD5	SOLCIM	4.8000000e-007	4.8000000e-007	4.8000000e-
007	4.8000000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3636 SOLMOD5	SOLCOC	2.1300000e-005	2.1300000e-005	2.1300000e-
005	2.1300000e-005	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3637 SOLMOD5	SOLCOH	5.0800000e-006	5.0800000e-006	5.0800000e-
006	5.0800000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3408 SOLMOD5	SOLSIM	2.4000000e-007	2.4000000e-007	2.4000000e-
007	2.4000000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3638 SOLMOD5	SOLSOC	9.7200000e-007	9.7200000e-007	9.7200000e-
007	9.7200000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3639 SOLMOD5	SOLSOH	1.0200000e-006	1.0200000e-006	1.0200000e-
006	1.0200000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3405 SOLMOD6	SOLCIM	2.7000000e-005	8.8000000e-006	8.8000000e-
007	8.8000000e-005	0.0000000e+000	8.8000000e-007	CUMULATIVE	moles/liter
	3405 SOLMOD6	SOLCIM	2.7000000e-005	8.8000000e-006	8.8000000e-
007	8.8000000e-005	5.0000000e-001	8.8000000e-006	CUMULATIVE	moles/liter
	3405 SOLMOD6	SOLCIM	2.7000000e-005	8.8000000e-006	8.8000000e-
007	8.8000000e-005	1.0000000e+000	8.8000000e-005	CUMULATIVE	moles/liter
	3640 SOLMOD6	SOLCOC	8.8000000e-006	8.8000000e-006	8.8000000e-
006	8.8000000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3641 SOLMOD6	SOLCOH	8.8000000e-006	8.8000000e-006	8.8000000e-
006	8.8000000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3409 SOLMOD6	SOLSIM	2.6000000e-005	8.7000000e-006	8.7000000e-

007	8.7000000e-005	0.0000000e+000	8.7000000e-007	CUMULATIVE	moles/liter
	3409	SOLMOD6	SOLSIM	2.6000000e-005	8.7000000e-006 8.7000000e-
007	8.7000000e-005	5.0000000e-001	8.7000000e-006	CUMULATIVE	moles/liter
	3409	SOLMOD6	SOLSIM	2.6000000e-005	8.7000000e-006 8.7000000e-
007	8.7000000e-005	1.0000000e+000	8.7000000e-005	CUMULATIVE	moles/liter
	3642	SOLMOD6	SOLSOC	8.7000000e-006	8.7000000e-006 8.7000000e-
006	8.7000000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3643	SOLMOD6	SOLSOH	8.7000000e-006	8.7000000e-006 8.7000000e-
006	8.7000000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter
	3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter
	3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter
	3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter
	3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter
	3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter
	3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter
	3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter
	3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter
	3265	SOLPU3	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter
	3265	SOLPU3	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter
	3265	SOLPU3	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter
	3265	SOLPU3	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter
	3265	SOLPU3	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter
	3265	SOLPU3	SOLSIM	1.8000000e-001	-9.0000000e-002 -





2.0000000e+000	1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter
	3266	SOLPU4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter
	3266	SOLPU4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter
	3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter
	3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter
	3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter
	3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter
	3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter
	3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter
	3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter
	3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter
	3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter
	3393	SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter
	3393	SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter
	3393	SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter
	3393	SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter
	3393	SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter
	3393	SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter
	3393	SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter
	3393	SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002 -

2.0000000e+000	1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter
	3393	SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter
	3626	SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter
	3626	SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter
	3626	SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter
	3626	SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter
	3626	SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter
	3626	SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter
	3626	SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter
	3626	SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter
	3626	SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter
	3390	SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter
	3390	SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter
	3390	SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter
	3390	SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter
	3390	SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter
	3390	SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter
	3390	SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter
	3390	SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000	1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter
	3390	SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002 -

2.0000000e+000	1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter
	3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter
	3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter
	3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter
	3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter
	3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter
	3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter
	3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter
	3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter
	3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter
	3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter
	3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter
	3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter
	3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter
	3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter
	3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter
	3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter
	3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter
	3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000	1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter
	1659 SR	LOGSOLM	0.0000000e+000	0.0000000e+000	

0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(moles/lit	
516 SR90	ATWEIGHT	8.9908000e-002	8.9908000e-002	8.9908000e-	
002					
8.9908000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3380 SR90	EPAREL	1.0000000e+003	1.0000000e+003		
1.0000000e+003					
1.0000000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
517 SR90	HALFLIFE	9.1900000e+008	9.1900000e+008		
9.1900000e+008					
9.1900000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	s	
2039 SR90	INVCHD	2.8200000e+004	2.8200000e+004		
2.8200000e+004					
2.8200000e+004	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
518 SR90	INVRHD	1.1800000e+005	1.1800000e+005		
1.1800000e+005					
1.1800000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
2907 STEEL	CORRMCO2	1.5850000e-014	1.5850000e-014		
0.0000000e+000					
3.1700000e-014	0.0000000e+000	0.0000000e+000	UNIFORM	m/s	
2908 STEEL	CORRWCO2	1.0318000e-013	1.0318000e-013		
0.0000000e+000					
2.0635000e-013	0.0000000e+000	0.0000000e+000	UNIFORM	m/s	
2910 STEEL	HUMCORR	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m/s	
2898 STEEL	STOIFX	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2909 SULFATE	QINIT	6.5900000e+006	6.5900000e+006		
6.5900000e+006					
6.5900000e+006	0.0000000e+000	0.0000000e+000	CONSTANT	moles	
2183 TAMARISK	CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2243 TAMARISK	COMP_RCK	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2793 TAMARISK	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2244 TAMARISK	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2794 TAMARISK	PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2795 TAMARISK	PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2796 TAMARISK	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2185 TAMARISK	PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-	
001					
7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2186 TAMARISK	POROSITY	6.4000000e-002	6.4000000e-002		

0.0000000e+000						
2.1700000e-001	0.0000000e+000	0.0000000e+000	STUDENT	NONE		
2186	TAMARISK	POROSITY	6.4000000e-002	6.4000000e-002		
0.0000000e+000						
2.1700000e-001	0.0000000e+000	2.0000000e-003	STUDENT	NONE		
2186	TAMARISK	POROSITY	6.4000000e-002	6.4000000e-002		
0.0000000e+000						
2.1700000e-001	0.0000000e+000	2.0000000e-003	STUDENT	NONE		
2186	TAMARISK	POROSITY	6.4000000e-002	6.4000000e-002		
0.0000000e+000						
2.1700000e-001	0.0000000e+000	3.0000000e-003	STUDENT	NONE		
2186	TAMARISK	POROSITY	6.4000000e-002	6.4000000e-002		
0.0000000e+000						
2.1700000e-001	0.0000000e+000	1.0000000e-002	STUDENT	NONE		
2186	TAMARISK	POROSITY	6.4000000e-002	6.4000000e-002		
0.0000000e+000						
2.1700000e-001	0.0000000e+000	2.1300000e-001	STUDENT	NONE		
2186	TAMARISK	POROSITY	6.4000000e-002	6.4000000e-002		
0.0000000e+000						
2.1700000e-001	0.0000000e+000	2.1700000e-001	STUDENT	NONE		
2914	TAMARISK	PRMX_LOG	-3.5000000e+001	-3.5000000e+001	-	
3.5000000e+001						
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
2915	TAMARISK	PRMY_LOG	-3.5000000e+001	-3.5000000e+001	-	
3.5000000e+001						
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
2916	TAMARISK	PRMZ_LOG	-3.5000000e+001	-3.5000000e+001	-	
3.5000000e+001						
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
2191	TAMARISK	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2245	TAMARISK	SAT_RBRN	2.0000000e-001	2.0000000e-001	2.0000000e-	
001						
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2192	TAMARISK	SAT_RGAS	2.0000000e-001	2.0000000e-001	2.0000000e-	
001						
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3461	TH	CAPHUM	1.1000000e-005	1.1000000e-005	1.1000000e-	
005						
1.1000000e-005	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter		
3318	TH	CAPMIC	1.9000000e-003	1.9000000e-003	1.9000000e-	
003						
1.9000000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter		
3319	TH	CONCINT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter		
3437	TH	CONCMIN	2.6000000e-008	2.6000000e-008	2.6000000e-	
008						
2.6000000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter		
3320	TH	PROPMIC	3.1000000e+000	3.1000000e+000		
3.1000000e+000						
3.1000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3449	TH+4	MDO	1.5300000e-010	1.5300000e-010	1.5300000e-	
010						
1.5300000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	m^2/s		
3478	TH+4	MKD_TH	3.5000000e+000	2.6000000e+000	7.0000000e-	

001  
1.0000000e+001 0.0000000e+000 0.0000000e+000 LOGUNIFORM m^3/kg  
3216 TH227 ATWEIGHT 2.2702800e-001 2.2702800e-001 2.2702800e-

001  
2.2702800e-001 0.0000000e+000 0.0000000e+000 CONSTANT kg/mole  
3356 TH227 EPAREL 0.0000000e+000 0.0000000e+000  
0.0000000e+000  
0.0000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT Curies/wuf  
3300 TH227 HALFLIFE 1.6170000e+006 1.6170000e+006  
1.6170000e+006  
1.6170000e+006 0.0000000e+000 0.0000000e+000 CONSTANT s  
3217 TH228 ATWEIGHT 2.2802900e-001 2.2802900e-001 2.2802900e-

001  
2.2802900e-001 0.0000000e+000 0.0000000e+000 CONSTANT kg/mole  
3357 TH228 EPAREL 0.0000000e+000 0.0000000e+000  
0.0000000e+000  
0.0000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT Curies/wuf  
3301 TH228 HALFLIFE 6.0370000e+007 6.0370000e+007  
6.0370000e+007  
6.0370000e+007 0.0000000e+000 0.0000000e+000 CONSTANT s  
603 TH229 ATWEIGHT 2.2903200e-001 2.2903200e-001 2.2903200e-

001  
2.2903200e-001 0.0000000e+000 0.0000000e+000 CONSTANT kg/mole  
3381 TH229 EPAREL 1.0000000e+002 1.0000000e+002  
1.0000000e+002  
1.0000000e+002 0.0000000e+000 0.0000000e+000 CONSTANT Curies/wuf  
604 TH229 HALFLIFE 2.3160000e+011 2.3160000e+011  
2.3160000e+011  
2.3160000e+011 0.0000000e+000 0.0000000e+000 CONSTANT s  
605 TH229 INVCHD 6.1200000e+000 6.1200000e+000  
6.1200000e+000  
6.1200000e+000 0.0000000e+000 0.0000000e+000 CONSTANT Curies  
606 TH229 INVRHD 1.8300000e-001 1.8300000e-001 1.8300000e-

001  
1.8300000e-001 0.0000000e+000 0.0000000e+000 CONSTANT Curies  
607 TH230 ATWEIGHT 2.3003300e-001 2.3003300e-001 2.3003300e-

001  
2.3003300e-001 0.0000000e+000 0.0000000e+000 CONSTANT kg/mole  
3382 TH230 EPAREL 1.0000000e+001 1.0000000e+001  
1.0000000e+001  
1.0000000e+001 0.0000000e+000 0.0000000e+000 CONSTANT Curies/wuf  
608 TH230 HALFLIFE 2.4300000e+012 2.4300000e+012  
2.4300000e+012  
2.4300000e+012 0.0000000e+000 0.0000000e+000 CONSTANT s  
609 TH230 INVCHD 2.2600000e-001 2.2600000e-001 2.2600000e-

001  
2.2600000e-001 0.0000000e+000 0.0000000e+000 CONSTANT Curies  
610 TH230 INVRHD 7.2400000e-003 7.2400000e-003 7.2400000e-

003  
7.2400000e-003 0.0000000e+000 0.0000000e+000 CONSTANT Curies  
3508 TH230L INVCHD 6.3500000e+000 6.3500000e+000  
6.3500000e+000  
6.3500000e+000 0.0000000e+000 0.0000000e+000 CONSTANT Curies  
3513 TH230L INVRHD 1.9000000e-001 1.9000000e-001 1.9000000e-

001  
1.9000000e-001 0.0000000e+000 0.0000000e+000 CONSTANT Curies  
3218 TH231 ATWEIGHT 2.3103600e-001 2.3103600e-001 2.3103600e-

001	2.3103600e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
	3358 TH231	EPAREL	0.00000000e+000	0.00000000e+000	
0.00000000e+000	0.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf
	3302 TH231	HALFLIFE	9.1870000e+004	9.1870000e+004	
9.1870000e+004	9.1870000e+004	0.00000000e+000	0.00000000e+000	CONSTANT	s
	611 TH232	ATWEIGHT	2.3203800e-001	2.3203800e-001	2.3203800e-
001	2.3203800e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
	3383 TH232	EPAREL	1.0000000e+001	1.0000000e+001	
1.0000000e+001	1.0000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf
	612 TH232	HALFLIFE	4.4340000e+017	4.4340000e+017	
4.4340000e+017	4.4340000e+017	0.00000000e+000	0.00000000e+000	CONSTANT	s
	613 TH232	INVCHD	6.6300000e+000	6.6300000e+000	
6.6300000e+000	6.6300000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies
	614 TH232	INVRHD	2.9100000e-001	2.9100000e-001	2.9100000e-
001	2.9100000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	Curies
	3219 TH234	ATWEIGHT	2.3404400e-001	2.3404400e-001	2.3404400e-
001	2.3404400e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
	3359 TH234	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf
	3303 TH234	HALFLIFE	2.0820000e+006	2.0820000e+006	
2.0820000e+006	2.0820000e+006	0.00000000e+000	0.00000000e+000	CONSTANT	s
	3196 TL207	ATWEIGHT	2.0697700e-001	2.0697700e-001	2.0697700e-
001	2.0697700e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
	3360 TL207	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf
	3304 TL207	HALFLIFE	2.8620000e+002	2.8620000e+002	
2.8620000e+002	2.8620000e+002	0.00000000e+000	0.00000000e+000	CONSTANT	s
	3460 U	CAPHUM	1.1000000e-005	1.1000000e-005	1.1000000e-
005	1.1000000e-005	0.00000000e+000	0.00000000e+000	CONSTANT	moles/liter
	3308 U	CAPMIC	2.1000000e-003	2.1000000e-003	2.1000000e-
003	2.1000000e-003	0.00000000e+000	0.00000000e+000	CONSTANT	moles/liter
	3307 U	CONCINT	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	moles/liter
	3438 U	CONCMIN	2.6000000e-008	2.6000000e-008	2.6000000e-
008	2.6000000e-008	0.00000000e+000	0.00000000e+000	CONSTANT	moles/liter
	3309 U	PROPMIC	2.1000000e-003	2.1000000e-003	2.1000000e-
003	2.1000000e-003	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
	3446 U+4	MD0	1.5300000e-010	1.5300000e-010	1.5300000e-



010	1.5300000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	m^2/s
	3479 U+4	MKD_U	3.5000000e+000	2.6000000e+000	7.0000000e-
001	1.0000000e+001	0.0000000e+000	0.0000000e+000	LOGUNIFORM	m^3/kg
	3448 U+6	MDO	4.2600000e-010	4.2600000e-010	4.2600000e-
010	4.2600000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	m^2/s
	3475 U+6	MKD_U	3.1000000e-003	7.7000000e-004	3.0000000e-
005	2.0000000e-002	0.0000000e+000	0.0000000e+000	LOGUNIFORM	m^3/kg
	632 U233	ATWEIGHT	2.3304000e-001	2.3304000e-001	2.3304000e-
001	2.3304000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
	3384 U233	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002	1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
	633 U233	HALFLIFE	5.0020000e+012	5.0020000e+012	
5.0020000e+012	5.0020000e+012	0.0000000e+000	0.0000000e+000	CONSTANT	s
	634 U233	INVCHD	1.4300000e+003	1.4300000e+003	
1.4300000e+003	1.4300000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	635 U233	INVRHD	4.3800000e+001	4.3800000e+001	
4.3800000e+001	4.3800000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	636 U234	ATWEIGHT	2.3404100e-001	2.3404100e-001	2.3404100e-
001	2.3404100e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
	3385 U234	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002	1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
	637 U234	HALFLIFE	7.7160000e+012	7.7160000e+012	
7.7160000e+012	7.7160000e+012	0.0000000e+000	0.0000000e+000	CONSTANT	s
	638 U234	INVCHD	3.6400000e+002	3.6400000e+002	
3.6400000e+002	3.6400000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	639 U234	INVRHD	2.3500000e+001	2.3500000e+001	
2.3500000e+001	2.3500000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	3507 U234L	INVCHD	1.7900000e+003	1.7900000e+003	
1.7900000e+003	1.7900000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	3512 U234L	INVRHD	6.7300000e+001	6.7300000e+001	
6.7300000e+001	6.7300000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
	640 U235	ATWEIGHT	2.3504400e-001	2.3504400e-001	2.3504400e-
001	2.3504400e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
	3386 U235	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002	1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
	641 U235	HALFLIFE	2.2210000e+016	2.2210000e+016	
2.2210000e+016	2.2210000e+016	0.0000000e+000	0.0000000e+000	CONSTANT	s
	642 U235	INVCHD	1.3800000e+000	1.3800000e+000	

1.3800000e+000						
1.3800000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
643 U235	INVRHD	9.7900000e-001	9.7900000e-001	9.7900000e-		
001						
9.7900000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
644 U236	ATWEIGHT	2.3604600e-001	2.3604600e-001	2.3604600e-		
001						
2.3604600e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole		
3387 U236	EPAREL	1.0000000e+002	1.0000000e+002			
1.0000000e+002						
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
645 U236	HALFLIFE	7.3890000e+014	7.3890000e+014			
7.3890000e+014						
7.3890000e+014	0.0000000e+000	0.0000000e+000	CONSTANT	s		
2216 U236	INVCHD	2.6000000e-001	2.6000000e-001	2.6000000e-		
001						
2.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
646 U236	INVRHD	1.4800000e+000	1.4800000e+000			
1.4800000e+000						
1.4800000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
647 U238	ATWEIGHT	2.3805100e-001	2.3805100e-001	2.3805100e-		
001						
2.3805100e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole		
3388 U238	EPAREL	1.0000000e+002	1.0000000e+002			
1.0000000e+002						
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
648 U238	HALFLIFE	1.4100000e+017	1.4100000e+017			
1.4100000e+017						
1.4100000e+017	0.0000000e+000	0.0000000e+000	CONSTANT	s		
649 U238	INVCHD	2.4600000e+001	2.4600000e+001			
2.4600000e+001						
2.4600000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
650 U238	INVRHD	1.3100000e+002	1.3100000e+002			
1.3100000e+002						
1.3100000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
2217 UNNAMED	CAP_MOD	1.0000000e+000	1.0000000e+000			
1.0000000e+000						
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2218 UNNAMED	COMP_RCK	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
2799 UNNAMED	KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2247 UNNAMED	PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2800 UNNAMED	PCT_A	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2801 UNNAMED	PCT_EXP	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2802 UNNAMED	PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2219 UNNAMED	PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-		

001	7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2220 UNNAMED	POROSITY	1.8100000e-001	1.8100000e-001	2.0000000e-
003	2.7300000e-001	0.0000000e+000	2.0000000e-003	STUDENT	NONE
	2220 UNNAMED	POROSITY	1.8100000e-001	1.8100000e-001	2.0000000e-
003	2.7300000e-001	0.0000000e+000	2.6800000e-001	STUDENT	NONE
	2220 UNNAMED	POROSITY	1.8100000e-001	1.8100000e-001	2.0000000e-
003	2.7300000e-001	0.0000000e+000	2.7300000e-001	STUDENT	NONE
	2911 UNNAMED	PRMX_LOG	-3.5000000e+001	-3.5000000e+001	-
3.5000000e+001	-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
	2912 UNNAMED	PRMY_LOG	-3.5000000e+001	-3.5000000e+001	-
3.5000000e+001	-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
	2913 UNNAMED	PRMZ_LOG	-3.5000000e+001	-3.5000000e+001	-
3.5000000e+001	-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
	2225 UNNAMED	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000	4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2248 UNNAMED	SAT_RBRN	2.0000000e-001	2.0000000e-001	2.0000000e-
001	2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	2226 UNNAMED	SAT_RGAS	2.0000000e-001	2.0000000e-001	2.0000000e-
001	2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	651 WAS_AREA	ABSROUGH	2.5000000e-002	2.5000000e-002	1.0000000e-
002	4.0000000e-002	0.0000000e+000	0.0000000e+000	UNIFORM	m
	652 WAS_AREA	CAP_MOD	1.0000000e+000	1.0000000e+000	
1.0000000e+000	1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	3454 WAS_AREA	CLOSMOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000	4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
	653 WAS_AREA	COMP_RCK	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1
	2041 WAS_AREA	DCELLCHW	5.8000000e+001	5.8000000e+001	
5.8000000e+001	5.8000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
	2274 WAS_AREA	DCELLRHW	4.5000000e+000	4.5000000e+000	
4.5000000e+000	4.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
	1992 WAS_AREA	DIRNCCHW	1.7000000e+002	1.7000000e+002	
1.7000000e+002	1.7000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
	1993 WAS_AREA	DIRNCRHW	4.8000000e+002	4.8000000e+002	
4.8000000e+002	4.8000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
	2040 WAS_AREA	DIRONCHW	1.1000000e+002	1.1000000e+002	
1.1000000e+002	1.1000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
	2044 WAS_AREA	DIRONRHW	1.1000000e+002	1.1000000e+002	

1.1000000e+002					
1.1000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
	2043 WAS_AREA DPLASCHW	4.2000000e+001	4.2000000e+001		
4.2000000e+001					
4.2000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
	2275 WAS_AREA DPLASRHW	4.9000000e+000	4.9000000e+000		
4.9000000e+000					
4.9000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
	1995 WAS_AREA DPLSCCHW	1.6000000e+001	1.6000000e+001		
1.6000000e+001					
1.6000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
	2228 WAS_AREA DPLSCRHW	1.4000000e+000	1.4000000e+000		
1.4000000e+000					
1.4000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
	2042 WAS_AREA DRUBBCHW	1.4000000e+001	1.4000000e+001		
1.4000000e+001					
1.4000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
	2046 WAS_AREA DRUBBRHW	3.1000000e+000	3.1000000e+000		
3.1000000e+000					
3.1000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
	656 WAS_AREA GRATMICH	6.3420000e-010	6.3420000e-010		
0.0000000e+000					
1.2684000e-009	0.0000000e+000	0.0000000e+000	UNIFORM	moles/(kg*s)	
	657 WAS_AREA GRATMICI	4.9150000e-009	4.9150000e-009	3.1710000e-	
010					
9.5129000e-009	0.0000000e+000	0.0000000e+000	UNIFORM	moles/(kg*s)	
	2804 WAS_AREA KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	658 WAS_AREA PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2805 WAS_AREA PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	2806 WAS_AREA PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	661 WAS_AREA PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	659 WAS_AREA PORE_DIS	3.2500000e+000	2.8900000e+000		
1.4400000e+000					
5.7800000e+000	0.0000000e+000	1.4400000e+000	CUMULATIVE	NONE	
	659 WAS_AREA PORE_DIS	3.2500000e+000	2.8900000e+000		
1.4400000e+000					
5.7800000e+000	5.0000000e-001	2.8900000e+000	CUMULATIVE	NONE	
	659 WAS_AREA PORE_DIS	3.2500000e+000	2.8900000e+000		
1.4400000e+000					
5.7800000e+000	1.0000000e+000	5.7800000e+000	CUMULATIVE	NONE	
	660 WAS_AREA POROSITY	8.4800000e-001	8.4800000e-001	8.4800000e-	
001					
8.4800000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
	662 WAS_AREA PRESSURE	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
	663 WAS_AREA PRMX_LOG	-1.2619800e+001	-1.2619800e+001	-	

1.2619800e+001						
-1.2619800e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log (m^2)		
	664 WAS_AREA PRMY_LOG	-1.2619800e+001	-1.2619800e+001	-		
1.2619800e+001						
-1.2619800e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log (m^2)		
	665 WAS_AREA PRMZ_LOG	-1.2619800e+001	-1.2619800e+001	-		
1.2619800e+001						
-1.2619800e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log (m^2)		
	2823 WAS_AREA PROBDEG	2.0000000e+000	2.0000000e+000			
0.0000000e+000						
2.0000000e+000	5.0000000e-001	0.0000000e+000	DELTA	NONE		
	2823 WAS_AREA PROBDEG	2.0000000e+000	2.0000000e+000			
0.0000000e+000						
2.0000000e+000	2.5000000e-001	1.0000000e+000	DELTA	NONE		
	2823 WAS_AREA PROBDEG	2.0000000e+000	2.0000000e+000			
0.0000000e+000						
2.0000000e+000	2.5000000e-001	2.0000000e+000	DELTA	NONE		
	3549 WAS_AREA PTHRESH	8.0000000e+006	8.0000000e+006			
8.0000000e+006						
8.0000000e+006	0.00000000e+000	0.0000000e+000	CONSTANT	Pa		
	668 WAS_AREA RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000						
4.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE		
	669 WAS_AREA SAT_IBRN	1.5000000e-002	1.5000000e-002	1.5000000e-		
002						
1.5000000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	NONE		
	670 WAS_AREA SAT_RBRN	2.7600000e-001	2.7600000e-001			
0.0000000e+000						
5.5200000e-001	0.00000000e+000	0.0000000e+000	UNIFORM	NONE		
	671 WAS_AREA SAT_RGAS	7.5000000e-002	7.5000000e-002			
0.0000000e+000						
1.5000000e-001	0.00000000e+000	0.0000000e+000	UNIFORM	NONE		
	2231 WAS_AREA SAT_WICK	5.0000000e-001	5.0000000e-001			
0.0000000e+000						
1.0000000e+000	0.00000000e+000	0.0000000e+000	UNIFORM	NONE		
	2232 WAS_AREA VOLCHW	1.6900000e+005	1.6900000e+005			
1.6900000e+005						
1.6900000e+005	0.00000000e+000	0.0000000e+000	CONSTANT	m^3		
	2233 WAS_AREA VOLRHW	7.0800000e+003	7.0800000e+003			
7.0800000e+003						
7.0800000e+003	0.00000000e+000	0.0000000e+000	CONSTANT	m^3		
	3548 WAS_AREA VOLSPALL	2.2500000e+000	2.2500000e+000	5.0000000e-		
001						
4.0000000e+000	0.00000000e+000	0.0000000e+000	UNIFORM	m^3		
	3198 Y90 ATWEIGHT	8.9907000e-002	8.9907000e-002	8.9907000e-		
002						
8.9907000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole		
	3361 Y90 EPAREL	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
	3305 Y90 HALFLIFE	2.3040000e+005	2.3040000e+005			
2.3040000e+005						
2.3040000e+005	0.00000000e+000	0.0000000e+000	CONSTANT	s		
	3199 ZR90 ATWEIGHT	8.9905000e-002	8.9905000e-002	8.9905000e-		
002						
8.9905000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole		
	3362 ZR90 EPAREL	0.0000000e+000	0.0000000e+000			

```
0.0000000e+000
0.0000000e+000 0.0000000e+000 0.0000000e+000 CONSTANT Curies/wuf
3306 ZR90 HALFLIFE 1.0000000e+038 1.0000000e+038
1.0000000e+038
1.0000000e+038 0.0000000e+000 0.0000000e+000 CONSTANT s
```

\$

\$ libcra1\_cusp

%CMS-I-LIBIS, library is PACMS2:[CMS\_CRA1.CRA1\_CUSP]

%CMS-S-LIBSET, library set

\$ cfe cusp\_cra1\_s5\_m\_t3000.inp

Your CMS library list consists of:

PACMS2:[CMS\_CRA1.CRA1\_CUSP]

%CMS-S-FETCHED, generation 2 of element

PACMS2:[CMS\_CRA1.CRA1\_CUSP]CUSP\_CRA1\_S5\_

M\_T3000.INP fetched

\$ type cusp\_cra1\_s5\_m\_t3000.inp

! J. Stein: May 05/2003 Modified to account for CRA BRAGFLO grid.

! Changes include element numbers from CCA/PAVT to TBM to CRA and subdividing

! the repository into 3 regions instead of 4.

!

! Intrusion

!

TINTR 3000.0

PARTDIA BLOWOUT:PARTDIA

! Properties

TAUFAIL BOREHOLE:TAUFAIL

DIAMMOD BOREHOLE:DIAMMOD

DOMEGA BOREHOLE:DOMEGA

DNSFLUID DRILLMUD:DNSFLUID

VISCO DRILLMUD:VISCO

YLDSTRSS DRILLMUD:YLDSTRSS

ABSRROUGH WAS\_AREA:ABSRROUGH

!

! BRAGFLO

!

! Multiple hits (max of 10, 0 thru 9)

!

! NHIT\_0 is associated with the hit that

! CUTTINGS used for BRAGFLO properties

!

INTR\_0 CAVITY\_1 <

INTR\_1 1434 1435 1436 1437 1438 1439 <

INTR\_2 1428 1429 1430 1431 1432 1433 <

```
INTR_3  2225  <
INTR_4  2244  <
INTR_5  1168  <
INTR_6  1417  <
INTR_7  DRZ_0  <
```

```
!
!   Spallings
!
```

MODEL4

! Properties for Model 4

```
PTHRESH  WAS_AREA:PTHRESH
RNDSPALL  SPALLMOD:RNDSPALL
REPPRES   1428 1429 1430 1431 1432 1433 <
```

```
$ cfe cusp_cra1_template.inp
Your CMS library list consists of:
  PACMS2:[CMS_CRA1.CRA1_CUSP]
```

```
%CMS-S-FETCHED, generation 1 of element
PACMS2:[CMS_CRA1.CRA1_CUSP]CUSP_CRA1_TEM
PLATE.INP fetched
```

```
$ type cusp_cra1_template.inp
!!  WIPP PA TBM
!!
!!  Template file for PRE_CUSP Ingres SDB interface
!!
```

```
MODEL_DATA
!!
!!  =wipp::my_database:calc_name
!!
=wipp::wipp_copy:epa_test
```

```
!
!   The following input variables are hard wired and are related to the
!   repository model J. W. Berglund paper
!
```

```
! PR_MAX  <>The maximum pressure allowed by model
PR_MAX    15.0E6
```

```
! PR_MIN  <>The minimum pressure allowed by model
PR_MIN    0.0E6
```

```
! PE_MAX  <>The maximum permeability allowed by model
PE_MAX    1.0E-12
```

```
! PE_MIN  <>The minimum permeability allowed by model
PE_MIN    1.0E-17
```







!GEOMETRY

BOREHOLE:INV\_AR

BOREHOLE:RHW\_AR

BOREHOLE:WUF

!MATERIAL

OUT\_MAT BOREHOLE

!REPOSITORY\_TYPE

REP\_NAME WIPP

REP\_GEOLOGY HALITE

RADWASTE\_type CONTACT\_handled

!RADIOISOTOPE\_chains

!

! chain1/chain2 from U234 & down are the same:

! (It is required that both chains are input)

!

\\ \\ \\ \\ \\ \\ \\

CHAIN1 PU242 U238 TH234 PA234M U234 TH230 RA226  
RN222 PO218 PB214 BI214 PO214 PB210 <

CHAIN2 PU238 U234 TH230 RA226 RN222 PO218  
PB214 BI214 PO214 PB210 <

! chain3/chain4 from PU239 & down are the same:

CHAIN3 AM243 NP239 PU239 U235 TH231 PA231 AC227  
TH227 RA223 RN219 PO215 PB211 BI211 TL207 <

CHAIN4 CM243 PU239 U235 TH231 PA231 AC227 TH227  
RA223 RN219 PO215 PB211 BI211 TL207 PB209 <

! chain5/chain6 from U236 & down are the same:

CHAIN5 CF252 CM248 PU244 PU240 U236 TH232 RA228  
AC228 TH228 RA224 RN220 PO216 PB212 BI212  
PO212 <

CHAIN6 CM244 PU240 U236 TH232 RA228 AC228 TH228  
RA224 RN220 PO216 PB212 BI212 PO212 <

CHAIN7 CM245 PU241 AM241 NP237 PA233 U233 TH229  
RA225 AC225 FR221 AT217 BI213 PO213 <

CHAIN8 CS137 BA137M <

```

CHAIN9      PM147    SM147    ND143    <
CHAIN10     SR90     Y90      ZR90     <
!           ^       ^       ^       ^       ^       ^       ^
SAVE        AM241    AM243    CF252    CM243    CM244    CM245    CM248    CS137
            NP237    PA231    PB210    PM147    PU238    PU239    PU240    PU241
            PU242    PU244    RA226    RA228    SR90     TH229    TH230    TH232
            U233    U234    U235    U236    U238    <

```

TABLULAR\_DATA

```

!
! Example of how the radioisotope data is input:
!
!...1st Line: Radionuclide (an asterisk in column 1 followed
!                   by radionuclide name, ex; *AC225 )
!...2nd & 3rd line
!
!...Field#1 Atomic Weight      (Kg/Mole) AWT      [REAL] (3(11x,1pe14.6))
!...Field#2 Half-Life          (Years)  HALFY    [REAL]      "
!...Field#3 Activity Conversion (Ci/Kg)  AWTCNV   [REAL]      "
!...Field#4 EPA Release Limit  (Ci)     EPAREL   [REAL]      "
!...Field#5 Inventory          (Ci)     INVCHD   [REAL]      "
!...Field#6 Inventory          (Ci)     INVRHD   [REAL]      "
!
!*PU241
!xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
!  AWT      2.410000E-01  HALFY      1.439900E+01  ACTCNV      1.030000E+05
!  EPAREL    1.000000E+07  INVCHD     1.930000E+06  INVRHD      0.000000E+00
!
!
<TABLE_INPUTS
<GENERATE_RADIO>
END_TABLES>
!
! END_OF_RADIOISOTOPE_INPUT
!
$ cfe ms_cusp_cra1.inp
Your CMS library list consists of:
  PACMS2:[CMS_CRA1.CRA1_MS]

%CMS-S-FETCHED, generation 2 of element
PACMS2:[CMS_CRA1.CRA1_MS]MS_CUSP_CRA1.IN
P fetched
$ type ms_cusp_cra1.inp
!=====
!
!  FILETYPE: MATSET input file for Cuttings_S
!  ANALYSTS: Joel D. Miller
!  DATE:      06/20/97
!  PURPOSE:   WIPP PA C97
!
!=====

```

```

!
*PRINT_ASSIGNED_VALUES
!
*HEADING
  TITLE, CUSP MATSET INPUT FILE
  SCALE, LOCAL
  SCENARIO, ALL
!
*UNITS=SI
!
*CREATE_blocks
  BLOCK_IDS=2,3,4,5
!
*RETRIEVE
  COORD, DIM=3, NAMES=X,Y,Z
!
! ...Define region names
  MATERIAL, 1=BLOWOUT, 2=BOREHOLE, 3=DRILLMUD, 4=WAS_AREA, 5=SPALLMOD
!
!1...Define BLOWOUT property names
  PROPERTY, MATERIAL=BLOWOUT, NAMES=PARTDIA
!
!2...Define BOREHOLE property names
  PROPERTY, MATERIAL=BOREHOLE, NAMES=DIAMMOD, DOMEGA, TAUFALL
!
!3...Define DRILLMUD property names
  PROPERTY, MATERIAL=DRILLMUD, NAMES=DNSFLUID, VISCO, YLDSTRSS
!
!
!4...Define WAS_AREA property names
  PROPERTY, MATERIAL=WAS_AREA, NAMES=ABSROUGH, PTHRESH, VOLSPALL
!
!5...Define SPALLMOD property names
  PROPERTY, MATERIAL=SPALLMOD, NAMES=RNDSPALL
!
!
SET*VALUES
!
!#### Assign values to material property names not ####
!#### found in the Secondary Database (PROPERTY.SDB) ####
!
PROPERTY MATERIAL=SPALLMOD, NAMES*VALUE: RNDSPALL=0.5
!=====
*END

```

```

$ libcra1_cusp
%CMS-I-LIBIS, library is PACMS2:[CMS_CRA1.CRA1_CUSP]
%CMS-S-LIBSET, library set
-CMS-I-SUPERSEDE, library list superseded
$ cfe cusp_cra1.sdb
Your CMS library list consists of:
  PACMS2:[CMS_CRA1.CRA1_CUSP]

%CMS-I-FILEEXISTS, file already exists, EPA:[ROOT.PFSALTE]CUSP_CRA1.SDB;2
created
%CMS-S-FETCHED, generation 2 of element

```

PACMS2:[CMS\_CRA1.CRA1\_CUSP]CUSP\_CRA1.SDB

fetches

\$ type cusp\_cra1.sdb

value

001	3220 AC225	ATWEIGHT	2.2502300e-001	2.2502300e-001	2.2502300e-
001	2.2502300e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
	3321 AC225	EPAREL	0.00000000e+000	0.00000000e+000	
0.00000000e+000	0.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf
	3267 AC225	HALFLIFE	8.6400000e+005	8.6400000e+005	
8.6400000e+005	8.6400000e+005	0.00000000e+000	0.00000000e+000	CONSTANT	s
	3221 AC227	ATWEIGHT	2.2702800e-001	2.2702800e-001	2.2702800e-
001	2.2702800e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
	3364 AC227	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002	1.0000000e+002	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf
	3268 AC227	HALFLIFE	6.8710000e+008	6.8710000e+008	
6.8710000e+008	6.8710000e+008	0.00000000e+000	0.00000000e+000	CONSTANT	s
	3222 AC228	ATWEIGHT	2.2803100e-001	2.2803100e-001	2.2803100e-
001	2.2803100e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
	3322 AC228	EPAREL	0.00000000e+000	0.00000000e+000	
0.00000000e+000	0.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf
	3269 AC228	HALFLIFE	2.2070000e+004	2.2070000e+004	
2.2070000e+004	2.2070000e+004	0.00000000e+000	0.00000000e+000	CONSTANT	s
	3457 AM	CAPHUM	1.1000000e-005	1.1000000e-005	1.1000000e-
005	1.1000000e-005	0.00000000e+000	0.00000000e+000	CONSTANT	moles/liter
	3447 AM	CAPMIC	1.0000000e+000	1.0000000e+000	
1.0000000e+000	1.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	moles/liter
	3310 AM	CONCINT	0.0000000e+000	0.0000000e+000	
0.0000000e+000	0.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	moles/liter
	3441 AM	CONCMIN	2.6000000e-008	2.6000000e-008	2.6000000e-
008	2.6000000e-008	0.00000000e+000	0.00000000e+000	CONSTANT	moles/liter
	3311 AM	PROPMIC	3.6000000e+000	3.6000000e+000	
3.6000000e+000	3.6000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
	3444 AM+3	MD0	3.0000000e-010	3.0000000e-010	3.0000000e-
010	3.0000000e-010	0.00000000e+000	0.00000000e+000	CONSTANT	m^2/s
	3482 AM+3	MKD_AM	1.3000000e-001	9.0000000e-002	2.0000000e-
002	4.0000000e-001	0.00000000e+000	0.00000000e+000	LOGUNIFORM	m^3/kg
	2 AM241	ATWEIGHT	2.4105700e-001	2.4105700e-001	2.4105700e-
001	2.4105700e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
	3363 AM241	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002					

1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3 AM241	HALFLIFE	1.3640000e+010	1.3640000e+010		
1.3640000e+010					
1.3640000e+010	0.0000000e+000	0.0000000e+000	CONSTANT	s	
4 AM241	INVCHD	4.7800000e+005	4.7800000e+005		
4.7800000e+005					
4.7800000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
5 AM241	INVRHD	3.9600000e+004	3.9600000e+004		
3.9600000e+004					
3.9600000e+004	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
3504 AM241L	INVCHD	4.9500000e+005	4.9500000e+005		
4.9500000e+005					
4.9500000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
3509 AM241L	INVRHD	4.4600000e+004	4.4600000e+004		
4.4600000e+004					
4.4600000e+004	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
3223 AM243	ATWEIGHT	2.4306100e-001	2.4306100e-001	2.4306100e-	
001					
2.4306100e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3365 AM243	EPAREL	1.0000000e+002	1.0000000e+002		
1.0000000e+002					
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
6 AM243	HALFLIFE	2.3290000e+011	2.3290000e+011		
2.3290000e+011					
2.3290000e+011	0.0000000e+000	0.0000000e+000	CONSTANT	s	
3415 AM243	INVCHD	3.3400000e+001	3.3400000e+001		
3.3400000e+001					
3.3400000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
3416 AM243	INVRHD	7.9800000e-001	7.9800000e-001	7.9800000e-	
001					
7.9800000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
2276 ASPHALT	CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2277 ASPHALT	COMP_RCK	3.0000000e-010	3.0000000e-010	3.0000000e-	
010					
3.0000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
3238 ASPHALT	DNSGRAIN	2.0222000e+003	2.0222000e+003		
2.0222000e+003					
2.0222000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
2599 ASPHALT	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2278 ASPHALT	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2600 ASPHALT	PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2601 ASPHALT	PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2281 ASPHALT	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2279 ASPHALT	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					

8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE	
2279 ASPHALT	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
2279 ASPHALT	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
2280 ASPHALT	POROSITY	1.0000000e-002	1.0000000e-002	1.0000000e-	
002					
1.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2282 ASPHALT	PRESSURE	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2283 ASPHALT	PRMX_LOG	-1.9667000e+001	-2.0000000e+001	-	
2.1000000e+001					
-1.8000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
2284 ASPHALT	PRMY_LOG	-1.9667000e+001	-2.0000000e+001	-	
2.1000000e+001					
-1.8000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
2285 ASPHALT	PRMZ_LOG	-1.9667000e+001	-2.0000000e+001	-	
2.1000000e+001					
-1.8000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
2933 ASPHALT	RADN_DRZ	1.6290000e+000	1.6290000e+000		
1.6290000e+000					
1.6290000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2289 ASPHALT	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2929 ASPHALT	RSH_AIR	3.0900000e+000	3.0900000e+000		
3.0900000e+000					
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2932 ASPHALT	RSH_EXH	2.3000000e+000	2.3000000e+000		
2.3000000e+000					
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2930 ASPHALT	RSH_SAL	1.8000000e+000	1.8000000e+000		
1.8000000e+000					
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2931 ASPHALT	RSH_WAS	3.5000000e+000	3.5000000e+000		
3.5000000e+000					
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2290 ASPHALT	SAT_IBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2291 ASPHALT	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
2291 ASPHALT	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
2291 ASPHALT	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
2292 ASPHALT	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000					
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
3224 AT217	ATWEIGHT	2.1700500e-001	2.1700500e-001	2.1700500e-	
001					

2.1700500e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
3323 AT217	EPAREL	0.00000000e+000	0.00000000e+000			
0.00000000e+000						
0.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf		
3270 AT217	HALFLIFE	3.2300000e-002	3.2300000e-002	3.2300000e-		
002						
3.2300000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	s		
3225 BA137	ATWEIGHT	1.3690600e-001	1.3690600e-001	1.3690600e-		
001						
1.3690600e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
3324 BA137	EPAREL	0.00000000e+000	0.00000000e+000			
0.00000000e+000						
0.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf		
3271 BA137	HALFLIFE	1.0000000e+038	1.0000000e+038			
1.0000000e+038						
1.0000000e+038	0.00000000e+000	0.00000000e+000	CONSTANT	s		
3226 BA137M	ATWEIGHT	1.3690700e-001	1.3690700e-001	1.3690700e-		
001						
1.3690700e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
3325 BA137M	EPAREL	0.00000000e+000	0.00000000e+000			
0.00000000e+000						
0.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf		
3272 BA137M	HALFLIFE	1.5310000e+002	1.5310000e+002			
1.5310000e+002						
1.5310000e+002	0.00000000e+000	0.00000000e+000	CONSTANT	s		
3174 BH_CREEP	CAP_MOD	1.0000000e+000	1.0000000e+000			
1.0000000e+000						
1.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3172 BH_CREEP	COMP_RCK	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Pa^-1		
3180 BH_CREEP	KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3175 BH_CREEP	PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.00000000e+000	0.00000000e+000	CONSTANT	Pa		
3181 BH_CREEP	PCT_A	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Pa		
3182 BH_CREEP	PCT_EXP	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3179 BH_CREEP	PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa		
3178 BH_CREEP	PORE_DIS	9.4000000e-001	9.4000000e-001	9.4000000e-		
001						
9.4000000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3171 BH_CREEP	POROSITY	3.2000000e-001	3.2000000e-001	3.2000000e-		
001						
3.2000000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
3183 BH_CREEP	PRMX_LOG	-1.3500000e+001	-1.3500000e+001	-		
1.5000000e+001						
-1.2000000e+001	0.00000000e+000	0.00000000e+000	UNIFORM	log(m^2)		
3188 BH_CREEP	PRMY_LOG	-1.3500000e+001	-1.3500000e+001	-		
1.5000000e+001						



-1.2000000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)		
3189 BH_CREEP PRMZ_LOG	-1.3500000e+001	-1.3500000e+001	-			
1.5000000e+001						
-1.2000000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)		
3173 BH_CREEP RELP_MOD	4.0000000e+000	4.0000000e+000				
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3176 BH_CREEP SAT_RBRN	0.0000000e+000	0.0000000e+000				
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3177 BH_CREEP SAT_RGAS	0.0000000e+000	0.0000000e+000				
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3138 BH_OPEN CAP_MOD	1.0000000e+000	1.0000000e+000				
1.0000000e+000						
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3136 BH_OPEN COMP_RCK	0.0000000e+000	0.0000000e+000				
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
3144 BH_OPEN KPT	0.0000000e+000	0.0000000e+000				
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3139 BH_OPEN PC_MAX	1.0000000e+008	1.0000000e+008				
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3145 BH_OPEN PCT_A	0.0000000e+000	0.0000000e+000				
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3146 BH_OPEN PCT_EXP	0.0000000e+000	0.0000000e+000				
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3143 BH_OPEN PO_MIN	1.0132500e+005	1.0132500e+005				
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3142 BH_OPEN PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-			
001						
7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3135 BH_OPEN POROSITY	3.2000000e-001	3.2000000e-001	3.2000000e-			
001						
3.2000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3134 BH_OPEN PRMX_LOG	-9.0000000e+000	-9.0000000e+000	-			
9.0000000e+000						
-9.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
3186 BH_OPEN PRMY_LOG	-9.0000000e+000	-9.0000000e+000	-			
9.0000000e+000						
-9.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
3187 BH_OPEN PRMZ_LOG	-9.0000000e+000	-9.0000000e+000	-			
9.0000000e+000						
-9.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
3137 BH_OPEN RELP_MOD	5.0000000e+000	5.0000000e+000				
5.0000000e+000						
5.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3140 BH_OPEN SAT_RBRN	0.0000000e+000	0.0000000e+000				
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3141 BH_OPEN SAT_RGAS	0.0000000e+000	0.0000000e+000				
0.0000000e+000						

0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3162 BH_SAND	CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3160 BH_SAND	COMP_RCK	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
3168 BH_SAND	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3163 BH_SAND	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
3169 BH_SAND	PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
3170 BH_SAND	PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3167 BH_SAND	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
3166 BH_SAND	PORE_DIS	9.4000000e-001	9.4000000e-001	9.4000000e-	
001					
9.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3159 BH_SAND	POROSITY	3.2000000e-001	3.2000000e-001	3.2000000e-	
001					
3.2000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3184 BH_SAND	PRMX_LOG	-1.3650000e+001	-1.3650000e+001	-	
1.6300000e+001					
-1.1000000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)	
3190 BH_SAND	PRMY_LOG	-1.3650000e+001	-1.3650000e+001	-	
1.6300000e+001					
-1.1000000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)	
3191 BH_SAND	PRMZ_LOG	-1.3650000e+001	-1.3650000e+001	-	
1.6300000e+001					
-1.1000000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)	
3161 BH_SAND	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3164 BH_SAND	SAT_RBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3165 BH_SAND	SAT_RGAS	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3227 BI211	ATWEIGHT	2.1098700e-001	2.1098700e-001	2.1098700e-	
001					
2.1098700e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3326 BI211	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3273 BI211	HALFLIFE	1.2780000e+002	1.2780000e+002		
1.2780000e+002					
1.2780000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	s	
3228 BI212	ATWEIGHT	2.1199100e-001	2.1199100e-001	2.1199100e-	
001					

2.1199100e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole	
3327 BI212	EPAREL	0.00000000e+000	0.00000000e+000		
0.00000000e+000					
0.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf	
3274 BI212	HALFLIFE	3.6330000e+003	3.6330000e+003		
3.6330000e+003					
3.6330000e+003	0.00000000e+000	0.00000000e+000	CONSTANT	s	
3229 BI213	ATWEIGHT	2.1299400e-001	2.1299400e-001	2.1299400e-	
001					
2.1299400e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole	
3328 BI213	EPAREL	0.00000000e+000	0.00000000e+000		
0.00000000e+000					
0.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf	
3275 BI213	HALFLIFE	2.7390000e+003	2.7390000e+003		
2.7390000e+003					
2.7390000e+003	0.00000000e+000	0.00000000e+000	CONSTANT	s	
3230 BI214	ATWEIGHT	2.1399900e-001	2.1399900e-001	2.1399900e-	
001					
2.1399900e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole	
3329 BI214	EPAREL	0.00000000e+000	0.00000000e+000		
0.00000000e+000					
0.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf	
3276 BI214	HALFLIFE	1.1940000e+003	1.1940000e+003		
1.1940000e+003					
1.1940000e+003	0.00000000e+000	0.00000000e+000	CONSTANT	s	
3259 BLOWOUT	APORO	2.4000000e-013	2.4000000e-013	2.4000000e-	
013					
2.4000000e-013	0.00000000e+000	0.00000000e+000	CONSTANT	m^2	
3245 BLOWOUT	CEMENT	6.8950000e+003	6.8950000e+003		
6.8950000e+003					
6.8950000e+003	0.00000000e+000	0.00000000e+000	CONSTANT	Pa	
3420 BLOWOUT	FCE	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
3256 BLOWOUT	FGE	9.5500000e+000	9.5500000e+000		
1.0000000e+000					
1.8100000e+001	0.00000000e+000	0.00000000e+000	UNIFORM	NONE	
3255 BLOWOUT	FSE	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
3470 BLOWOUT	GAS_MIN	1.0000000e+002	1.0000000e+002		
1.0000000e+002					
1.0000000e+002	0.00000000e+000	0.00000000e+000	CONSTANT	mscf/day	
3250 BLOWOUT	HREPO	3.9600000e+000	3.9600000e+000		
3.9600000e+000					
3.9600000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	m	
3260 BLOWOUT	INPORO	8.4900000e-001	8.4900000e-001	8.4900000e-	
001					
8.4900000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
3254 BLOWOUT	KGAS	1.4100000e+000	1.4100000e+000		
1.4100000e+000					
1.4100000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
3471 BLOWOUT	MAXFLOW	9.5040000e+005	9.5040000e+005		
9.5040000e+005					
9.5040000e+005	0.00000000e+000	0.00000000e+000	CONSTANT	s	
3472 BLOWOUT	MINFLOW	2.5920000e+005	2.5920000e+005		
2.5920000e+005					

2.5920000e+005	0.00000000e+000	0.0000000e+000	CONSTANT	s	
3246 BLOWOUT PARTDIA		2.3500000e-002	2.8000000e-003	4.0000000e-	
005					
2.0000000e-001	0.00000000e+000	0.0000000e+000	LOGUNIFORM	m	
3251 BLOWOUT PSUF		8.9465000e+004	8.9465000e+004		
8.9465000e+004					
8.9465000e+004	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
3456 BLOWOUT RE_CAST		1.1400000e+002	1.1400000e+002		
1.1400000e+002					
1.1400000e+002	0.00000000e+000	0.0000000e+000	CONSTANT	m	
3253 BLOWOUT RGAS		4.1160000e+003	4.1160000e+003		
4.1160000e+003					
4.1160000e+003	0.00000000e+000	0.0000000e+000	CONSTANT	N*m/kg/K	
3247 BLOWOUT RHOS		2.6500000e+003	2.6500000e+003		
2.6500000e+003					
2.6500000e+003	0.00000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
3248 BLOWOUT ROOM		1.7100000e+001	1.7100000e+001		
1.7100000e+001					
1.7100000e+001	0.00000000e+000	0.0000000e+000	CONSTANT	m	
3249 BLOWOUT RPANEL		6.0870000e+001	6.0870000e+001		
6.0870000e+001					
6.0870000e+001	0.00000000e+000	0.0000000e+000	CONSTANT	m	
3257 BLOWOUT SUFTEN		8.0000000e-002	8.0000000e-002	8.0000000e-	
002					
8.0000000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	N/m	
3473 BLOWOUT THCK_CAS		1.2583000e+002	1.2583000e+002		
1.2583000e+002					
1.2583000e+002	0.00000000e+000	0.0000000e+000	CONSTANT	m	
3258 BLOWOUT TREPO		3.0000000e+002	3.0000000e+002		
3.0000000e+002					
3.0000000e+002	0.00000000e+000	0.0000000e+000	CONSTANT	K	
3252 BLOWOUT VISC		9.2000000e-006	9.2000000e-006	9.2000000e-	
006					
9.2000000e-006	0.00000000e+000	0.0000000e+000	CONSTANT	Pa*s	
23 BOREHOLE CAP_MOD		2.0000000e+000	2.0000000e+000		
2.0000000e+000					
2.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
3242 BOREHOLE COLDIA		2.0320040e-001	2.0320040e-001	2.0320040e-	
001					
2.0320040e-001	0.00000000e+000	0.0000000e+000	CONSTANT	m	
25 BOREHOLE COMP_RCK		2.6400000e-009	2.6400000e-009	2.6400000e-	
009					
2.6400000e-009	0.00000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
26 BOREHOLE DIAMMOD		3.1115000e-001	3.1115000e-001	3.1115000e-	
001					
3.1115000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	m	
27 BOREHOLE DOMEGA		8.6300000e+000	7.8000000e+000		
4.2000000e+000					
2.3000000e+001	0.0000000e+000	4.2000000e+000	CUMULATIVE	rad/s	
27 BOREHOLE DOMEGA		8.6300000e+000	7.8000000e+000		
4.2000000e+000					
2.3000000e+001	1.5000000e-001	6.3000000e+000	CUMULATIVE	rad/s	
27 BOREHOLE DOMEGA		8.6300000e+000	7.8000000e+000		
4.2000000e+000					
2.3000000e+001	6.5000000e-001	8.4000000e+000	CUMULATIVE	rad/s	
27 BOREHOLE DOMEGA		8.6300000e+000	7.8000000e+000		
4.2000000e+000					

2.3000000e+001	8.0000000e-001	1.0500000e+001	CUMULATIVE	rad/s		
27 BOREHOLE	DOMEGA	8.6300000e+000	7.8000000e+000			
4.2000000e+000						
2.3000000e+001	9.0000000e-001	1.2600000e+001	CUMULATIVE	rad/s		
27 BOREHOLE	DOMEGA	8.6300000e+000	7.8000000e+000			
4.2000000e+000						
2.3000000e+001	9.5000000e-001	1.4700000e+001	CUMULATIVE	rad/s		
27 BOREHOLE	DOMEGA	8.6300000e+000	7.8000000e+000			
4.2000000e+000						
2.3000000e+001	9.7000000e-001	1.6800000e+001	CUMULATIVE	rad/s		
27 BOREHOLE	DOMEGA	8.6300000e+000	7.8000000e+000			
4.2000000e+000						
2.3000000e+001	9.8000000e-001	1.8800000e+001	CUMULATIVE	rad/s		
27 BOREHOLE	DOMEGA	8.6300000e+000	7.8000000e+000			
4.2000000e+000						
2.3000000e+001	9.9000000e-001	2.0900000e+001	CUMULATIVE	rad/s		
27 BOREHOLE	DOMEGA	8.6300000e+000	7.8000000e+000			
4.2000000e+000						
2.3000000e+001	1.0000000e+000	2.3000000e+001	CUMULATIVE	rad/s		
3239 BOREHOLE	INV_AR	1.1152000e+005	1.1152000e+005			
1.1152000e+005						
1.1152000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	m^2		
3122 BOREHOLE	KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3244 BOREHOLE	L1	1.8288000e+002	1.8288000e+002			
1.8288000e+002						
1.8288000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	m		
3243 BOREHOLE	L2	4.7212000e+002	4.7212000e+002			
4.7212000e+002						
4.7212000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	m		
29 BOREHOLE	PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3120 BOREHOLE	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-		
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3121 BOREHOLE	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-		
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3241 BOREHOLE	PIPED	1.1430020e-001	1.1430020e-001	1.1430020e-		
001						
1.1430020e-001	0.0000000e+000	0.0000000e+000	CONSTANT	m		
32 BOREHOLE	PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
30 BOREHOLE	PORE_DIS	9.4000000e-001	9.4000000e-001	9.4000000e-		
001						
9.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
31 BOREHOLE	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-		
002						
5.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
34 BOREHOLE	PRMX_LOG	-1.2230000e+001	-1.2500000e+001	-		
1.4000000e+001						
-1.1000000e+001	0.0000000e+000	0.0000000e+000	NORMAL	log(m^2)		
35 BOREHOLE	PRMY_LOG	-1.2230000e+001	-1.2500000e+001	-		
1.4000000e+001						

-1.1000000e+001	0.0000000e+000	0.0000000e+000	NORMAL	log (m^2)	
36 BOREHOLE PRMZ_LOG	-1.2230000e+001	-1.2500000e+001	-		
1.4000000e+001					
-1.1000000e+001	0.0000000e+000	0.0000000e+000	NORMAL	log (m^2)	
40 BOREHOLE RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3261 BOREHOLE RHW_AR	1.5760000e+004	1.5760000e+004			
1.5760000e+004					
1.5760000e+004	0.0000000e+000	0.0000000e+000	CONSTANT	m^2	
3240 BOREHOLE ROUGH	8.0000000e-002	8.0000000e-002	8.0000000e-		
002					
8.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
41 BOREHOLE SAT_RBRN	2.0000000e-001	2.0000000e-001	2.0000000e-		
001					
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
42 BOREHOLE SAT_RGAS	2.0000000e-001	2.0000000e-001	2.0000000e-		
001					
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2254 BOREHOLE TAUFAIL	1.0500000e+001	1.9600000e+000	5.0000000e-		
002					
7.7000000e+001	0.0000000e+000	0.0000000e+000	LOGUNIFORM	Pa	
3414 BOREHOLE WUF	2.9600000e+000	2.9600000e+000			
2.9600000e+000					
2.9600000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
48 BRINESAL COMPRES	3.1000000e-010	3.1000000e-010	3.1000000e-		
010					
3.1000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
49 BRINESAL DNSFLUID	1.2200000e+003	1.2200000e+003			
1.2200000e+003					
1.2200000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
50 BRINESAL REF_PRES	1.0132500e+005	1.0132500e+005			
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
51 BRINESAL REF_TEMP	3.0015000e+002	3.0015000e+002			
3.0015000e+002					
3.0015000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	K	
55 BRINESAL VISCO	2.1000000e-003	2.1000000e-003	2.1000000e-		
003					
2.1000000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	Pa*s	
57 BRINESAL WTF	3.2400000e-001	3.2400000e-001	3.0700000e-		
001					
3.3200000e-001	0.0000000e+000	3.0700000e-001	STUDENT	NONE	
57 BRINESAL WTF	3.2400000e-001	3.2400000e-001	3.0700000e-		
001					
3.3200000e-001	0.0000000e+000	3.2700000e-001	STUDENT	NONE	
57 BRINESAL WTF	3.2400000e-001	3.2400000e-001	3.0700000e-		
001					
3.3200000e-001	0.0000000e+000	3.2900000e-001	STUDENT	NONE	
57 BRINESAL WTF	3.2400000e-001	3.2400000e-001	3.0700000e-		
001					
3.3200000e-001	0.0000000e+000	3.3200000e-001	STUDENT	NONE	
60 CASTILER CAP_MOD	2.0000000e+000	2.0000000e+000			
2.0000000e+000					
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
61 CASTILER COMP_RCK	5.3000000e-011	4.0000000e-011	2.0000000e-		
011					



3.2000000e+001	3.1250000e-002	1.9000000e+001	DELTA	NONE	
3194 CASTILER GRIDFLO		1.6000000e+001	1.6000000e+001		
1.0000000e+000					
3.2000000e+001	3.1250000e-002	2.0000000e+001	DELTA	NONE	
3194 CASTILER GRIDFLO		1.6000000e+001	1.6000000e+001		
1.0000000e+000					
3.2000000e+001	3.1250000e-002	2.1000000e+001	DELTA	NONE	
3194 CASTILER GRIDFLO		1.6000000e+001	1.6000000e+001		
1.0000000e+000					
3.2000000e+001	3.1250000e-002	2.2000000e+001	DELTA	NONE	
3194 CASTILER GRIDFLO		1.6000000e+001	1.6000000e+001		
1.0000000e+000					
3.2000000e+001	3.1250000e-002	2.3000000e+001	DELTA	NONE	
3194 CASTILER GRIDFLO		1.6000000e+001	1.6000000e+001		
1.0000000e+000					
3.2000000e+001	3.1250000e-002	2.4000000e+001	DELTA	NONE	
3194 CASTILER GRIDFLO		1.6000000e+001	1.6000000e+001		
1.0000000e+000					
3.2000000e+001	3.1250000e-002	2.5000000e+001	DELTA	NONE	
3194 CASTILER GRIDFLO		1.6000000e+001	1.6000000e+001		
1.0000000e+000					
3.2000000e+001	3.1250000e-002	2.6000000e+001	DELTA	NONE	
3194 CASTILER GRIDFLO		1.6000000e+001	1.6000000e+001		
1.0000000e+000					
3.2000000e+001	3.1250000e-002	2.7000000e+001	DELTA	NONE	
3194 CASTILER GRIDFLO		1.6000000e+001	1.6000000e+001		
1.0000000e+000					
3.2000000e+001	3.1250000e-002	2.8000000e+001	DELTA	NONE	
3194 CASTILER GRIDFLO		1.6000000e+001	1.6000000e+001		
1.0000000e+000					
3.2000000e+001	3.1250000e-002	2.9000000e+001	DELTA	NONE	
3194 CASTILER GRIDFLO		1.6000000e+001	1.6000000e+001		
1.0000000e+000					
3.2000000e+001	3.1250000e-002	3.0000000e+001	DELTA	NONE	
3194 CASTILER GRIDFLO		1.6000000e+001	1.6000000e+001		
1.0000000e+000					
3.2000000e+001	3.1250000e-002	3.1000000e+001	DELTA	NONE	
3194 CASTILER GRIDFLO		1.6000000e+001	1.6000000e+001		
1.0000000e+000					
3.2000000e+001	3.1250000e-002	3.2000000e+001	DELTA	NONE	
2608 CASTILER KPT		0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
62 CASTILER PC_MAX		1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2609 CASTILER PCT_A		5.6000000e-001	5.6000000e-001	5.6000000e-	
001					
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2610 CASTILER PCT_EXP		-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001					
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
65 CASTILER PO_MIN		1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
63 CASTILER PORE_DIS		7.0000000e-001	7.0000000e-001	7.0000000e-	
001					



7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
64 CASTILER POROSITY	8.7000000e-003	8.7000000e-003	2.0000000e-003	
1.6000000e-002	0.0000000e+000	2.0000000e-003	STUDENT	NONE
64 CASTILER POROSITY	8.7000000e-003	8.7000000e-003	2.0000000e-003	
1.6000000e-002	0.0000000e+000	8.0000000e-003	STUDENT	NONE
64 CASTILER POROSITY	8.7000000e-003	8.7000000e-003	2.0000000e-003	
1.6000000e-002	0.0000000e+000	1.6000000e-002	STUDENT	NONE
66 CASTILER PRESSURE	1.3600000e+007	1.2700000e+007		
1.7000000e+007	0.0000000e+000	0.0000000e+000	TRIANGULAR	Pa
67 CASTILER PRMX_LOG	-1.2100000e+001	-1.1800000e+001		
1.4700000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
68 CASTILER PRMY_LOG	-1.2100000e+001	-1.1800000e+001		
1.4700000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
69 CASTILER PRMZ_LOG	-1.2100000e+001	-1.1800000e+001		
1.4700000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
72 CASTILER RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
73 CASTILER SAT_IBRN	1.0000000e+000	1.0000000e+000		
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
74 CASTILER SAT_RBRN	2.0000000e-001	2.0000000e-001	2.0000000e-001	
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
75 CASTILER SAT_RGAS	2.0000000e-001	2.0000000e-001	2.0000000e-001	
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2918 CASTILER VOLUME	4.0000000e+006	4.0000000e+006		
4.0000000e+006	0.0000000e+000	0.0000000e+000	CONSTANT	m^3
76 CAVITY_1 CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
77 CAVITY_1 COMP_RCK	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1
2612 CAVITY_1 KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
78 CAVITY_1 PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2613 CAVITY_1 PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2614 CAVITY_1 PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
81 CAVITY_1 PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005				

1.0132500e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa
79 CAVITY_1 PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-	
001				
7.0000000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
80 CAVITY_1 POROSITY	1.0000000e+000	1.0000000e+000		
1.0000000e+000				
1.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
82 CAVITY_1 PRESSURE	1.0132500e+005	1.0132500e+005		
1.0132500e+005				
1.0132500e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa
83 CAVITY_1 PRMX_LOG	-1.0000000e+001	-1.0000000e+001	-	
1.0000000e+001				
-1.0000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)
84 CAVITY_1 PRMY_LOG	-1.0000000e+001	-1.0000000e+001	-	
1.0000000e+001				
-1.0000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)
85 CAVITY_1 PRMZ_LOG	-1.0000000e+001	-1.0000000e+001	-	
1.0000000e+001				
-1.0000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)
88 CAVITY_1 RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000				
4.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
3099 CAVITY_1 SAT_IBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000				
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
89 CAVITY_1 SAT_RBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000				
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
90 CAVITY_1 SAT_RGAS	0.0000000e+000	0.0000000e+000		
0.0000000e+000				
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
91 CAVITY_2 CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000				
1.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
92 CAVITY_2 COMP_RCK	0.0000000e+000	0.0000000e+000		
0.0000000e+000				
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Pa^-1
2616 CAVITY_2 KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000				
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
93 CAVITY_2 PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008				
1.0000000e+008	0.00000000e+000	0.00000000e+000	CONSTANT	Pa
2617 CAVITY_2 PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000				
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Pa
2618 CAVITY_2 PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000				
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
96 CAVITY_2 PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005				
1.0132500e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa
94 CAVITY_2 PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-	
001				
7.0000000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
95 CAVITY_2 POROSITY	1.0000000e+000	1.0000000e+000		
1.0000000e+000				

1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
97 CAVITY_2 PRESSURE	1.0132500e+005	1.0132500e+005			
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
98 CAVITY_2 PRMX_LOG	-1.0000000e+001	-1.0000000e+001	-		
1.0000000e+001					
-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
99 CAVITY_2 PRMY_LOG	-1.0000000e+001	-1.0000000e+001	-		
1.0000000e+001					
-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
100 CAVITY_2 PRMZ_LOG	-1.0000000e+001	-1.0000000e+001	-		
1.0000000e+001					
-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
103 CAVITY_2 RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3100 CAVITY_2 SAT_IBRN	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
104 CAVITY_2 SAT_RBRN	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
105 CAVITY_2 SAT_RGAS	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2049 CAVITY_3 CAP_MOD	1.0000000e+000	1.0000000e+000			
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2051 CAVITY_3 COMP_RCK	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2620 CAVITY_3 KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2234 CAVITY_3 PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2621 CAVITY_3 PCT_A	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2622 CAVITY_3 PCT_EXP	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2623 CAVITY_3 PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2052 CAVITY_3 PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-		
001					
7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2053 CAVITY_3 POROSITY	1.0000000e+000	1.0000000e+000			
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3101 CAVITY_3 PRESSURE	1.0132500e+005	1.0132500e+005			
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2054 CAVITY_3 PRMX_LOG	-1.0000000e+001	-1.0000000e+001	-		
1.0000000e+001					

-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
2055 CAVITY_3 PRMY_LOG	-1.0000000e+001	-1.0000000e+001	-		
1.0000000e+001					
-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
2056 CAVITY_3 PRMZ_LOG	-1.0000000e+001	-1.0000000e+001	-		
1.0000000e+001					
-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
2058 CAVITY_3 RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3102 CAVITY_3 SAT_IBRN	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2235 CAVITY_3 SAT_RBRN	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2059 CAVITY_3 SAT_RGAS	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2060 CAVITY_4 CAP_MOD	1.0000000e+000	1.0000000e+000			
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2062 CAVITY_4 COMP_RCK	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2625 CAVITY_4 KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2236 CAVITY_4 PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2626 CAVITY_4 PCT_A	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2627 CAVITY_4 PCT_EXP	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2628 CAVITY_4 PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2063 CAVITY_4 PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-001		
001					
7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2064 CAVITY_4 POROSITY	1.0000000e+000	1.0000000e+000			
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3103 CAVITY_4 PRESSURE	1.0132500e+005	1.0132500e+005			
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2065 CAVITY_4 PRMX_LOG	-1.0000000e+001	-1.0000000e+001	-		
1.0000000e+001					
-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
2066 CAVITY_4 PRMY_LOG	-1.0000000e+001	-1.0000000e+001	-		
1.0000000e+001					
-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
2067 CAVITY_4 PRMZ_LOG	-1.0000000e+001	-1.0000000e+001	-		
1.0000000e+001					

-1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log (m^2)		
2069 CAVITY_4 RELP_MOD	4.0000000e+000	4.0000000e+000				
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3104 CAVITY_4 SAT_IBRN	0.0000000e+000	0.0000000e+000				
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2237 CAVITY_4 SAT_RBRN	0.0000000e+000	0.0000000e+000				
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2070 CAVITY_4 SAT_RGAS	0.0000000e+000	0.0000000e+000				
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2994 CELLULS FBETA	5.0000000e-001	5.0000000e-001				
0.0000000e+000						
1.0000000e+000	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
838 CF LOGSOLM	0.0000000e+000	0.0000000e+000				
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log (moles/lit		
106 CF252 ATWEIGHT	2.5208200e-001	2.5208200e-001			2.5208200e-	
001						
2.5208200e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole		
3330 CF252 EPAREL	0.0000000e+000	0.0000000e+000				
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
107 CF252 HALFLIFE	8.3250000e+007	8.3250000e+007				
8.3250000e+007						
8.3250000e+007	0.0000000e+000	0.0000000e+000	CONSTANT	s		
108 CF252 INVCHD	6.4000000e-005	6.4000000e-005			6.4000000e-	
005						
6.4000000e-005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
109 CF252 INVRHD	5.6000000e-006	5.6000000e-006			5.6000000e-	
006						
5.6000000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	Curies		
2327 CL_L_T1 CAP_MOD	2.0000000e+000	2.0000000e+000				
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2328 CL_L_T1 COMP_RCK	3.8000000e-010	3.8000000e-010			3.8000000e-	
010						
3.8000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
2641 CL_L_T1 KPT	0.0000000e+000	0.0000000e+000				
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2329 CL_L_T1 PC_MAX	1.0000000e+008	1.0000000e+008				
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2642 CL_L_T1 PCT_A	5.6000000e-001	5.6000000e-001			5.6000000e-	
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2643 CL_L_T1 PCT_EXP	-3.4600000e-001	-3.4600000e-001			-3.4600000e-	
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2332 CL_L_T1 PO_MIN	1.0132500e+005	1.0132500e+005				
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2330 CL_L_T1 PORE_DIS	2.5200000e+000	9.4000000e-001			1.1000000e-	
001						

8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE	
2330 CL_L_T1	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
2330 CL_L_T1	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
2331 CL_L_T1	POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-	
001					
2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2333 CL_L_T1	PRESSURE	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2334 CL_L_T1	PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001					
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
2335 CL_L_T1	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001					
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
2336 CL_L_T1	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001					
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
3021 CL_L_T1	RADN_DRZ	1.8580000e+000	1.8580000e+000		
1.8580000e+000					
1.8580000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2340 CL_L_T1	RELPMOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3017 CL_L_T1	RSH_AIR	3.0900000e+000	3.0900000e+000		
3.0900000e+000					
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3020 CL_L_T1	RSH_EXH	2.3000000e+000	2.3000000e+000		
2.3000000e+000					
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3018 CL_L_T1	RSH_SAL	1.8000000e+000	1.8000000e+000		
1.8000000e+000					
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3019 CL_L_T1	RSH_WAS	3.5000000e+000	3.5000000e+000		
3.5000000e+000					
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2341 CL_L_T1	SAT_IBRN	7.9000000e-001	7.9000000e-001	7.9000000e-	
001					
7.9000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2342 CL_L_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
2342 CL_L_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
2342 CL_L_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
2343 CL_L_T1	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000					
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
2344 CL_L_T2	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000					

2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2345	CL_L_T2	COMP_RCK	3.8000000e-010	3.8000000e-010	3.8000000e-
010					
3.8000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2646	CL_L_T2	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2346	CL_L_T2	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2647	CL_L_T2	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-
001					
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2648	CL_L_T2	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-
001					
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2349	CL_L_T2	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2347	CL_L_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE	
2347	CL_L_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
2347	CL_L_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
2348	CL_L_T2	POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-
001					
2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2351	CL_L_T2	PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-
2.1000000e+001					
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
2352	CL_L_T2	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-
2.1000000e+001					
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
2353	CL_L_T2	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-
2.1000000e+001					
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
3026	CL_L_T2	RADN_DRZ	1.1620000e+000	1.1620000e+000	
1.1620000e+000					
1.1620000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2357	CL_L_T2	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3022	CL_L_T2	RSH_AIR	3.0900000e+000	3.0900000e+000	
3.0900000e+000					
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3025	CL_L_T2	RSH_EXH	2.3000000e+000	2.3000000e+000	
2.3000000e+000					
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3023	CL_L_T2	RSH_SAL	1.8000000e+000	1.8000000e+000	
1.8000000e+000					
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3024	CL_L_T2	RSH_WAS	3.5000000e+000	3.5000000e+000	
3.5000000e+000					

3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
2359	CL_L_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
2359	CL_L_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
2359	CL_L_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
2360	CL_L_T2	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
2361	CL_L_T3	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2362	CL_L_T3	COMP_RCK	3.8000000e-010	3.8000000e-010	3.8000000e-	
010						
3.8000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
2651	CL_L_T3	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2363	CL_L_T3	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2652	CL_L_T3	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2653	CL_L_T3	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2366	CL_L_T3	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2364	CL_L_T3	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE		
2364	CL_L_T3	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE		
2364	CL_L_T3	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE		
2365	CL_L_T3	POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-	
001						
2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2368	CL_L_T3	PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
2369	CL_L_T3	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
2370	CL_L_T3	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
3031	CL_L_T3	RADN_DRZ	1.0020000e+000	1.0020000e+000		
1.0020000e+000						



1.0020000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
2374 CL_L_T3 RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000					
4.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
3027 CL_L_T3 RSH_AIR	3.0900000e+000	3.0900000e+000			
3.0900000e+000					
3.0900000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m	
3030 CL_L_T3 RSH_EXH	2.3000000e+000	2.3000000e+000			
2.3000000e+000					
2.3000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m	
3028 CL_L_T3 RSH_SAL	1.8000000e+000	1.8000000e+000			
1.8000000e+000					
1.8000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m	
3029 CL_L_T3 RSH_WAS	3.5000000e+000	3.5000000e+000			
3.5000000e+000					
3.5000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m	
2376 CL_L_T3 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000					
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
2376 CL_L_T3 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000					
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
2376 CL_L_T3 SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000					
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
2377 CL_L_T3 SAT_RGAS	2.0000000e-001	2.0000000e-001			
0.0000000e+000					
4.0000000e-001	0.00000000e+000	0.0000000e+000	UNIFORM	NONE	
3070 CL_L_T4 CAP_MOD	2.0000000e+000	2.0000000e+000			
2.0000000e+000					
2.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
3071 CL_L_T4 COMP_RCK	3.8000000e-010	3.8000000e-010			3.8000000e-
010					
3.8000000e-010	0.00000000e+000	0.0000000e+000	CONSTANT	Pa <sup>-1</sup>	
3072 CL_L_T4 KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
3073 CL_L_T4 PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008					
1.0000000e+008	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
3074 CL_L_T4 PCT_A	5.6000000e-001	5.6000000e-001			5.6000000e-
001					
5.6000000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
3075 CL_L_T4 PCT_EXP	-3.4600000e-001	-3.4600000e-001			-3.4600000e-
001					
-3.4600000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
3123 CL_L_T4 PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005					
1.0132500e+005	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
3076 CL_L_T4 PORE_DIS	2.5200000e+000	9.4000000e-001			1.1000000e-
001					
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE	
3076 CL_L_T4 PORE_DIS	2.5200000e+000	9.4000000e-001			1.1000000e-
001					
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
3076 CL_L_T4 PORE_DIS	2.5200000e+000	9.4000000e-001			1.1000000e-
001					

8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
3077 CL_L_T4	POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-	
001					
2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3078 CL_L_T4	PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001					
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
3079 CL_L_T4	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001					
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
3080 CL_L_T4	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001					
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
3069 CL_L_T4	RADN_DRZ	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3081 CL_L_T4	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3065 CL_L_T4	RSH_AIR	3.0900000e+000	3.0900000e+000		
3.0900000e+000					
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3068 CL_L_T4	RSH_EXH	2.3000000e+000	2.3000000e+000		
2.3000000e+000					
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3066 CL_L_T4	RSH_SAL	1.8000000e+000	1.8000000e+000		
1.8000000e+000					
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3067 CL_L_T4	RSH_WAS	3.5000000e+000	3.5000000e+000		
3.5000000e+000					
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3082 CL_L_T4	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
3082 CL_L_T4	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
3082 CL_L_T4	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
3083 CL_L_T4	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000					
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
2378 CL_M_T1	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000					
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2379 CL_M_T1	COMP_RCK	4.3000000e-010	4.3000000e-010	4.3000000e-	
010					
4.3000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2656 CL_M_T1	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2380 CL_M_T1	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2657 CL_M_T1	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001					

5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2658 CL_M_T1	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-001
001				
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2383 CL_M_T1	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005				
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2381 CL_M_T1	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-001
001				
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE
2381 CL_M_T1	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-001
001				
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE
2381 CL_M_T1	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-001
001				
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE
2382 CL_M_T1	POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-001
001				
2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2384 CL_M_T1	PRESSURE	1.0132500e+005	1.0132500e+005	
1.0132500e+005				
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2385 CL_M_T1	PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-
2.1000000e+001				
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
2386 CL_M_T1	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-
2.1000000e+001				
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
2387 CL_M_T1	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-
2.1000000e+001				
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
3088 CL_M_T1	RADN_DRZ	1.7090000e+000	1.7090000e+000	
1.7090000e+000				
1.7090000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2391 CL_M_T1	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000				
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3084 CL_M_T1	RSH_AIR	3.0900000e+000	3.0900000e+000	
3.0900000e+000				
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
3087 CL_M_T1	RSH_EXH	2.3000000e+000	2.3000000e+000	
2.3000000e+000				
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
3085 CL_M_T1	RSH_SAL	1.8000000e+000	1.8000000e+000	
1.8000000e+000				
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
3086 CL_M_T1	RSH_WAS	3.5000000e+000	3.5000000e+000	
3.5000000e+000				
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
2392 CL_M_T1	SAT_IBRN	7.9000000e-001	7.9000000e-001	7.9000000e-001
001				
7.9000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2393 CL_M_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000				
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE
2393 CL_M_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000				

6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
2393	CL_M_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
2394	CL_M_T1	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
2395	CL_M_T2	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2396	CL_M_T2	COMP_RCK	4.3000000e-010	4.3000000e-010	4.3000000e-	
010						
4.3000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
2661	CL_M_T2	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2397	CL_M_T2	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2662	CL_M_T2	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2663	CL_M_T2	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2400	CL_M_T2	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2398	CL_M_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE		
2398	CL_M_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE		
2398	CL_M_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE		
2399	CL_M_T2	POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-	
001						
2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2402	CL_M_T2	PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
2403	CL_M_T2	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
2404	CL_M_T2	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
3093	CL_M_T2	RADN_DRZ	1.4690000e+000	1.4690000e+000		
1.4690000e+000						
1.4690000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2408	CL_M_T2	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3089	CL_M_T2	RSH_AIR	3.0900000e+000	3.0900000e+000		
3.0900000e+000						

3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3092 CL_M_T2	RSH_EXH	2.3000000e+000	2.3000000e+000		
2.3000000e+000					
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3090 CL_M_T2	RSH_SAL	1.8000000e+000	1.8000000e+000		
1.8000000e+000					
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3091 CL_M_T2	RSH_WAS	3.5000000e+000	3.5000000e+000		
3.5000000e+000					
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2410 CL_M_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
2410 CL_M_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
2410 CL_M_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
2411 CL_M_T2	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000					
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
2412 CL_M_T3	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000					
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2413 CL_M_T3	COMP_RCK	4.3000000e-010	4.3000000e-010	4.3000000e-	
010					
4.3000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa <sup>-1</sup>	
2666 CL_M_T3	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2414 CL_M_T3	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2667 CL_M_T3	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001					
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2668 CL_M_T3	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001					
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2417 CL_M_T3	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2415 CL_M_T3	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE	
2415 CL_M_T3	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
2415 CL_M_T3	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
2416 CL_M_T3	POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-	
001					
2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2419 CL_M_T3	PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001					

-1.7301000e+001	0.00000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
2420 CL_M_T3	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-		
2.1000000e+001						
-1.7301000e+001	0.00000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
2421 CL_M_T3	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-		
2.1000000e+001						
-1.7301000e+001	0.00000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
3098 CL_M_T3	RADN_DRZ	1.2830000e+000	1.2830000e+000			
1.2830000e+000						
1.2830000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE		
2425 CL_M_T3	RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000						
4.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE		
3094 CL_M_T3	RSH_AIR	3.0900000e+000	3.0900000e+000			
3.0900000e+000						
3.0900000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m		
3097 CL_M_T3	RSH_EXH	2.3000000e+000	2.3000000e+000			
2.3000000e+000						
2.3000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m		
3095 CL_M_T3	RSH_SAL	1.8000000e+000	1.8000000e+000			
1.8000000e+000						
1.8000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m		
3096 CL_M_T3	RSH_WAS	3.5000000e+000	3.5000000e+000			
3.5000000e+000						
3.5000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m		
2427 CL_M_T3	SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
2427 CL_M_T3	SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
2427 CL_M_T3	SAT_RBRN	2.5000000e-001	2.0000000e-001			
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
2428 CL_M_T3	SAT_RGAS	2.0000000e-001	2.0000000e-001			
0.0000000e+000						
4.0000000e-001	0.00000000e+000	0.0000000e+000	UNIFORM	NONE		
2429 CL_M_T4	CAP_MOD	2.0000000e+000	2.0000000e+000			
2.0000000e+000						
2.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE		
2430 CL_M_T4	COMP_RCK	4.3000000e-010	4.3000000e-010	4.3000000e-		
010						
4.3000000e-010	0.00000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
2671 CL_M_T4	KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE		
2431 CL_M_T4	PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.00000000e+000	0.0000000e+000	CONSTANT	Pa		
2672 CL_M_T4	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-		
001						
5.6000000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	Pa		
2673 CL_M_T4	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-		
001						
-3.4600000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	NONE		
2434 CL_M_T4	PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						

1.0132500e+005	0.00000000e+000	0.0000000e+000	CONSTANT	Pa
2432 CL_M_T4	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001				
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE
2432 CL_M_T4	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001				
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE
2432 CL_M_T4	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001				
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE
2433 CL_M_T4	POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-
001				
2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2436 CL_M_T4	PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-
2.1000000e+001				
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
2437 CL_M_T4	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-
2.1000000e+001				
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
2438 CL_M_T4	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-
2.1000000e+001				
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)
2923 CL_M_T4	RADN_DRZ	1.1070000e+000	1.1070000e+000	
1.1070000e+000				
1.1070000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2442 CL_M_T4	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000				
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2919 CL_M_T4	RSH_AIR	3.0900000e+000	3.0900000e+000	
3.0900000e+000				
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
2922 CL_M_T4	RSH_EXH	2.3000000e+000	2.3000000e+000	
2.3000000e+000				
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
2920 CL_M_T4	RSH_SAL	1.8000000e+000	1.8000000e+000	
1.8000000e+000				
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
2921 CL_M_T4	RSH_WAS	3.5000000e+000	3.5000000e+000	
3.5000000e+000				
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
2444 CL_M_T4	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000				
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE
2444 CL_M_T4	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000				
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE
2444 CL_M_T4	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000				
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE
2445 CL_M_T4	SAT_RGAS	2.0000000e-001	2.0000000e-001	
0.0000000e+000				
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE
2446 CL_M_T5	CAP_MOD	2.0000000e+000	2.0000000e+000	
2.0000000e+000				
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2447 CL_M_T5	COMP_RCK	4.3000000e-010	4.3000000e-010	4.3000000e-
010				

4.3000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2676 CL_M_T5	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2448 CL_M_T5	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2677 CL_M_T5	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001					
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2678 CL_M_T5	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001					
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2451 CL_M_T5	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2449 CL_M_T5	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE	
2449 CL_M_T5	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
2449 CL_M_T5	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
2450 CL_M_T5	POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-	
001					
2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2453 CL_M_T5	PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001					
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
2454 CL_M_T5	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001					
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
2455 CL_M_T5	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001					
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
2928 CL_M_T5	RADN_DRZ	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2459 CL_M_T5	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2924 CL_M_T5	RSH_AIR	3.0900000e+000	3.0900000e+000		
3.0900000e+000					
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2927 CL_M_T5	RSH_EXH	2.3000000e+000	2.3000000e+000		
2.3000000e+000					
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2925 CL_M_T5	RSH_SAL	1.8000000e+000	1.8000000e+000		
1.8000000e+000					
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2926 CL_M_T5	RSH_WAS	3.5000000e+000	3.5000000e+000		
3.5000000e+000					
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2461 CL_M_T5	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					



6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
2461 CL_M_T5	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
2461 CL_M_T5	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
2462 CL_M_T5	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000					
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
2310 CLAY_BOT	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000					
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2311 CLAY_BOT	COMP_RCK	3.8000000e-010	3.8000000e-010	3.8000000e-	
010					
3.8000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2636 CLAY_BOT	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2312 CLAY_BOT	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2637 CLAY_BOT	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001					
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2638 CLAY_BOT	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001					
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2315 CLAY_BOT	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2313 CLAY_BOT	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE	
2313 CLAY_BOT	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
2313 CLAY_BOT	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
2314 CLAY_BOT	POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-	
001					
2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2316 CLAY_BOT	PRESSURE	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2317 CLAY_BOT	PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001					
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
2318 CLAY_BOT	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001					
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
2319 CLAY_BOT	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001					
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
2323 CLAY_BOT	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000					

4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2324	CLAY_BOT	SAT_IBRN	7.9000000e-001	7.9000000e-001	7.9000000e-
001					
7.9000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2325	CLAY_BOT	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000					
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
2325	CLAY_BOT	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000					
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
2325	CLAY_BOT	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000					
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
2326	CLAY_BOT	SAT_RGAS	2.0000000e-001	2.0000000e-001	
0.0000000e+000					
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
3000	CLAY_RUS	CAP_MOD	2.0000000e+000	2.0000000e+000	
2.0000000e+000					
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3001	CLAY_RUS	COMP_RCK	4.7000000e-010	4.7000000e-010	4.7000000e-
010					
4.7000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
3002	CLAY_RUS	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3003	CLAY_RUS	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
3004	CLAY_RUS	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-
001					
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
3005	CLAY_RUS	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-
001					
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3131	CLAY_RUS	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
3006	CLAY_RUS	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE	
3006	CLAY_RUS	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
3006	CLAY_RUS	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
3007	CLAY_RUS	POROSITY	2.4000000e-001	2.4000000e-001	2.4000000e-
001					
2.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3008	CLAY_RUS	PRESSURE	1.0132500e+005	1.0132500e+005	
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
3009	CLAY_RUS	PRMX_LOG	-1.8867000e+001	-1.8301000e+001	-
2.1000000e+001					
-1.7301000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
3010	CLAY_RUS	PRMY_LOG	-1.8867000e+001	-1.8301000e+001	-
2.1000000e+001					

-1.7301000e+001	0.00000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
3011	CLAY_RUS	PRMZ_LOG	-1.8867000e+001	-1.8301000e+001	-	
2.1000000e+001						
-1.7301000e+001	0.00000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
3012	CLAY_RUS	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000						
4.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE		
2996	CLAY_RUS	RSH_AIR	3.0900000e+000	3.0900000e+000		
3.0900000e+000						
3.0900000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m		
2999	CLAY_RUS	RSH_EXH	2.3000000e+000	2.3000000e+000		
2.3000000e+000						
2.3000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m		
2997	CLAY_RUS	RSH_SAL	1.8000000e+000	1.8000000e+000		
1.8000000e+000						
1.8000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m		
2998	CLAY_RUS	RSH_WAS	3.5000000e+000	3.5000000e+000		
3.5000000e+000						
3.5000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m		
3013	CLAY_RUS	SAT_IBRN	7.9000000e-001	7.9000000e-001	7.9000000e-	
001						
7.9000000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	NONE		
3014	CLAY_RUS	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
3014	CLAY_RUS	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
3014	CLAY_RUS	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
3015	CLAY_RUS	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000						
4.0000000e-001	0.00000000e+000	0.0000000e+000	UNIFORM	NONE		
3231	CM243	ATWEIGHT	2.4306100e-001	2.4306100e-001	2.4306100e-	
001						
2.4306100e-001	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole		
3366	CM243	EPAREL	1.0000000e+002	1.0000000e+002		
1.0000000e+002						
1.0000000e+002	0.00000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
3277	CM243	HALFLIFE	8.9940000e+008	8.9940000e+008		
8.9940000e+008						
8.9940000e+008	0.00000000e+000	0.0000000e+000	CONSTANT	s		
3410	CM243	INVCHD	1.8200000e-001	1.8200000e-001	1.8200000e-	
001						
1.8200000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	Curies		
3411	CM243	INVRHD	2.3100000e-001	2.3100000e-001	2.3100000e-	
001						
2.3100000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	Curies		
110	CM244	ATWEIGHT	2.4406300e-001	2.4406300e-001	2.4406300e-	
001						
2.4406300e-001	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole		
3331	CM244	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
111	CM244	HALFLIFE	5.7150000e+008	5.7150000e+008		
5.7150000e+008						

5.7150000e+008	0.00000000e+000	0.0000000e+000	CONSTANT	s	
112 CM244	INVCHD	4.8200000e+003	4.8200000e+003		
4.8200000e+003					
4.8200000e+003	0.00000000e+000	0.0000000e+000	CONSTANT	Curies	
113 CM244	INVRHD	1.0500000e+002	1.0500000e+002		
1.0500000e+002					
1.0500000e+002	0.00000000e+000	0.0000000e+000	CONSTANT	Curies	
3232 CM245	ATWEIGHT	2.4506500e-001	2.4506500e-001	2.4506500e-	
001					
2.4506500e-001	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3367 CM245	EPAREL	1.0000000e+002	1.0000000e+002		
1.0000000e+002					
1.0000000e+002	0.00000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3278 CM245	HALFLIFE	2.6820000e+011	2.6820000e+011		
2.6820000e+011					
2.6820000e+011	0.00000000e+000	0.0000000e+000	CONSTANT	s	
3412 CM245	INVCHD	1.3900000e-002	1.3900000e-002	1.3900000e-	
002					
1.3900000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	Curies	
3413 CM245	INVRHD	1.0900000e-002	1.0900000e-002	1.0900000e-	
002					
1.0900000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	Curies	
3233 CM248	ATWEIGHT	2.4807200e-001	2.4807200e-001	2.4807200e-	
001					
2.4807200e-001	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3368 CM248	EPAREL	1.0000000e+002	1.0000000e+002		
1.0000000e+002					
1.0000000e+002	0.00000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
115 CM248	HALFLIFE	1.0700000e+013	1.0700000e+013		
1.0700000e+013					
1.0700000e+013	0.00000000e+000	0.0000000e+000	CONSTANT	s	
2265 CM248	INVCHD	1.4900000e-001	1.4900000e-001	1.4900000e-	
001					
1.4900000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	Curies	
2266 CM248	INVRHD	2.5900000e-003	2.5900000e-003	2.5900000e-	
003					
2.5900000e-003	0.00000000e+000	0.0000000e+000	CONSTANT	Curies	
3051 CONC_MON	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000					
2.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
3052 CONC_MON	COMP_RCK	6.0000000e-011	6.0000000e-011	6.0000000e-	
011					
6.0000000e-011	0.00000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
3053 CONC_MON	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
3054 CONC_MON	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
3055 CONC_MON	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001					
5.6000000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
3056 CONC_MON	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001					
-3.4600000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
3124 CONC_MON	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					

1.0132500e+005	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
3057	CONC_MON	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE	
3057	CONC_MON	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
3057	CONC_MON	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
3058	CONC_MON	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-
002					
5.0000000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
3114	CONC_MON	PRESSURE	1.0132500e+005	1.0132500e+005	
1.0132500e+005					
1.0132500e+005	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
3059	CONC_MON	PRMX_LOG	-1.4000000e+001	-1.4000000e+001	-
1.4000000e+001					
-1.4000000e+001	0.00000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
3060	CONC_MON	PRMY_LOG	-1.4000000e+001	-1.4000000e+001	-
1.4000000e+001					
-1.4000000e+001	0.00000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
3061	CONC_MON	PRMZ_LOG	-1.4000000e+001	-1.4000000e+001	-
1.4000000e+001					
-1.4000000e+001	0.00000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
3050	CONC_MON	RADN_DRZ	1.0000000e+000	1.0000000e+000	
1.0000000e+000					
1.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
3062	CONC_MON	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000					
4.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
3046	CONC_MON	RSH_AIR	3.0900000e+000	3.0900000e+000	
3.0900000e+000					
3.0900000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m	
3049	CONC_MON	RSH_EXH	2.3000000e+000	2.3000000e+000	
2.3000000e+000					
2.3000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m	
3047	CONC_MON	RSH_SAL	1.8000000e+000	1.8000000e+000	
1.8000000e+000					
1.8000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m	
3048	CONC_MON	RSH_WAS	3.5000000e+000	3.5000000e+000	
3.5000000e+000					
3.5000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m	
3115	CONC_MON	SAT_IBRN	9.9999990e-001	9.9999990e-001	9.9999990e-
001					
9.9999990e-001	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
3063	CONC_MON	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000					
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
3063	CONC_MON	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000					
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
3063	CONC_MON	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000					
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
3064	CONC_MON	SAT_RGAS	2.0000000e-001	2.0000000e-001	
0.0000000e+000					

4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
3514	CONC_PCS	CAP_MOD	2.0000000e+000	2.0000000e+000	
2.0000000e+000					
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3515	CONC_PCS	COMP_RCK	6.0000000e-011	6.0000000e-011	6.0000000e-
011					
6.0000000e-011	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
3516	CONC_PCS	COMPRES	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
3517	CONC_PCS	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3518	CONC_PCS	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
3519	CONC_PCS	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-
001					
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
3520	CONC_PCS	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-
001					
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3521	CONC_PCS	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
3522	CONC_PCS	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE	
3522	CONC_PCS	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
3522	CONC_PCS	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
3523	CONC_PCS	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-
002					
5.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3524	CONC_PCS	PRESSURE	1.0132500e+005	1.0132500e+005	
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
3525	CONC_PCS	PRMX_LOG	-1.8816000e+001	-1.8749600e+001	-
2.0699000e+001					
-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
3526	CONC_PCS	PRMY_LOG	-1.8816000e+001	-1.8749600e+001	-
2.0699000e+001					
-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
3527	CONC_PCS	PRMZ_LOG	-1.8816000e+001	-1.8749600e+001	-
2.0699000e+001					
-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
3528	CONC_PCS	REF_PRES	1.0100000e+005	1.0100000e+005	
1.0100000e+005					
1.0100000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
3529	CONC_PCS	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3530	CONC_PCS	SAT_IBRN	9.9999990e-001	9.9999990e-001	9.9999990e-
001					

9.9999990e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
3531	CONC_PCS	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000					
6.0000000e-001	0.00000000e+000	0.00000000e+000	CUMULATIVE	NONE	
3531	CONC_PCS	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000					
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
3531	CONC_PCS	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000					
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
3532	CONC_PCS	SAT_RGAS	2.0000000e-001	2.0000000e-001	
0.0000000e+000					
4.0000000e-001	0.00000000e+000	0.00000000e+000	UNIFORM	NONE	
3150	CONC_PLG	CAP_MOD	1.0000000e+000	1.0000000e+000	
1.0000000e+000					
1.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
3148	CONC_PLG	COMP_RCK	3.8000000e-010	3.8000000e-010	3.8000000e-
010					
3.8000000e-010	0.00000000e+000	0.00000000e+000	CONSTANT	Pa^-1	
3156	CONC_PLG	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
3151	CONC_PLG	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008					
1.0000000e+008	0.00000000e+000	0.00000000e+000	CONSTANT	Pa	
3157	CONC_PLG	PCT_A	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Pa	
3158	CONC_PLG	PCT_EXP	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
3155	CONC_PLG	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005					
1.0132500e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa	
3154	CONC_PLG	PORE_DIS	9.4000000e-001	9.4000000e-001	9.4000000e-
001					
9.4000000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
3147	CONC_PLG	POROSITY	3.2000000e-001	3.2000000e-001	3.2000000e-
001					
3.2000000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
3185	CONC_PLG	PRMX_LOG	-1.8000000e+001	-1.8000000e+001	-
1.9000000e+001					
-1.7000000e+001	0.00000000e+000	0.00000000e+000	UNIFORM	log(m^2)	
3192	CONC_PLG	PRMY_LOG	-1.8000000e+001	-1.8000000e+001	-
1.9000000e+001					
-1.7000000e+001	0.00000000e+000	0.00000000e+000	UNIFORM	log(m^2)	
3193	CONC_PLG	PRMZ_LOG	-1.8000000e+001	-1.8000000e+001	-
1.9000000e+001					
-1.7000000e+001	0.00000000e+000	0.00000000e+000	UNIFORM	log(m^2)	
3149	CONC_PLG	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000					
4.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
3152	CONC_PLG	SAT_RBRN	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
3153	CONC_PLG	SAT_RGAS	0.0000000e+000	0.0000000e+000	
0.0000000e+000					

0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2463	CONC_T1	CAP_MOD	2.0000000e+000	2.0000000e+000	
2.0000000e+000					
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2464	CONC_T1	COMP_RCK	6.0000000e-011	6.0000000e-011	6.0000000e-
011					
6.0000000e-011	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2681	CONC_T1	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2465	CONC_T1	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2682	CONC_T1	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-
001					
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2683	CONC_T1	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-
001					
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2468	CONC_T1	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2466	CONC_T1	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE	
2466	CONC_T1	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
2466	CONC_T1	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
2467	CONC_T1	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-
002					
5.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2469	CONC_T1	PRESSURE	1.0132500e+005	1.0132500e+005	
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2470	CONC_T1	PRMX_LOG	-1.8816000e+001	-1.8749600e+001	-
2.0699000e+001					
-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
2471	CONC_T1	PRMY_LOG	-1.8816000e+001	-1.8749600e+001	-
2.0699000e+001					
-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
2472	CONC_T1	PRMZ_LOG	-1.8816000e+001	-1.8749600e+001	-
2.0699000e+001					
-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
3040	CONC_T1	RADN_DRZ	1.0000000e+000	1.0000000e+000	
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2476	CONC_T1	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3036	CONC_T1	RSH_AIR	3.0900000e+000	3.0900000e+000	
3.0900000e+000					
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3039	CONC_T1	RSH_EXH	2.3000000e+000	2.3000000e+000	
2.3000000e+000					



2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3037	CONC_T1	RSH_SAL	1.8000000e+000	1.8000000e+000	
1.8000000e+000					
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3038	CONC_T1	RSH_WAS	3.5000000e+000	3.5000000e+000	
3.5000000e+000					
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2477	CONC_T1	SAT_IBRN	9.9999990e-001	9.9999990e-001	9.9999990e-
001					
9.9999990e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2478	CONC_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000					
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
2478	CONC_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000					
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
2478	CONC_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000					
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
2479	CONC_T1	SAT_RGAS	2.0000000e-001	2.0000000e-001	
0.0000000e+000					
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
2480	CONC_T2	CAP_MOD	2.0000000e+000	2.0000000e+000	
2.0000000e+000					
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2481	CONC_T2	COMP_RCK	6.0000000e-011	6.0000000e-011	6.0000000e-
011					
6.0000000e-011	0.0000000e+000	0.0000000e+000	CONSTANT	Pa <sup>-1</sup>	
2686	CONC_T2	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2482	CONC_T2	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2687	CONC_T2	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-
001					
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2688	CONC_T2	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-
001					
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2808	CONC_T2	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2483	CONC_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE	
2483	CONC_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
2483	CONC_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
2484	CONC_T2	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-
002					
5.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2485	CONC_T2	PRESSURE	1.0132500e+005	1.0132500e+005	
1.0132500e+005					

1.0132500e+005	0.00000000e+000	0.0000000e+000	CONSTANT	Pa
2486 CONC_T2	PRMX_LOG	-1.4000000e+001	-1.4000000e+001	-
1.4000000e+001				
-1.4000000e+001	0.00000000e+000	0.0000000e+000	CONSTANT	log(m^2)
2487 CONC_T2	PRMY_LOG	-1.4000000e+001	-1.4000000e+001	-
1.4000000e+001				
-1.4000000e+001	0.00000000e+000	0.0000000e+000	CONSTANT	log(m^2)
2488 CONC_T2	PRMZ_LOG	-1.4000000e+001	-1.4000000e+001	-
1.4000000e+001				
-1.4000000e+001	0.00000000e+000	0.0000000e+000	CONSTANT	log(m^2)
3045 CONC_T2	RADN_DRZ	1.0000000e+000	1.0000000e+000	
1.0000000e+000				
1.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE
2492 CONC_T2	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000				
4.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE
3041 CONC_T2	RSH_AIR	3.0900000e+000	3.0900000e+000	
3.0900000e+000				
3.0900000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m
3044 CONC_T2	RSH_EXH	2.3000000e+000	2.3000000e+000	
2.3000000e+000				
2.3000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m
3042 CONC_T2	RSH_SAL	1.8000000e+000	1.8000000e+000	
1.8000000e+000				
1.8000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m
3043 CONC_T2	RSH_WAS	3.5000000e+000	3.5000000e+000	
3.5000000e+000				
3.5000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m
2493 CONC_T2	SAT_IBRN	1.0000000e+000	1.0000000e+000	
1.0000000e+000				
1.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE
2494 CONC_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000				
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE
2494 CONC_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000				
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE
2494 CONC_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000				
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE
2495 CONC_T2	SAT_RGAS	2.0000000e-001	2.0000000e-001	
0.0000000e+000				
4.0000000e-001	0.00000000e+000	0.0000000e+000	UNIFORM	NONE
841 CS	LOGSOLM	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	log(moles/lit
116 CS137	ATWEIGHT	1.3690700e-001	1.3690700e-001	1.3690700e-
001				
1.3690700e-001	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole
3369 CS137	EPAREL	1.0000000e+003	1.0000000e+003	
1.0000000e+003				
1.0000000e+003	0.00000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
117 CS137	HALFLIFE	9.4670000e+008	9.4670000e+008	
9.4670000e+008				
9.4670000e+008	0.00000000e+000	0.0000000e+000	CONSTANT	s
2037 CS137	INVCHD	6.9300000e+003	6.9300000e+003	
6.9300000e+003				

6.9300000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
118 CS137	INVRHD	1.7700000e+005	1.7700000e+005	
1.7700000e+005				
1.7700000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
3487 CULEBRA	APOROS	2.1000000e-003	1.0000000e-003	1.0000000e-
004				
1.0000000e-002	0.0000000e+000	0.0000000e+000	LOGUNIFORM	NONE
119 CULEBRA	CAP_MOD	2.0000000e+000	2.0000000e+000	
2.0000000e+000				
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
120 CULEBRA	COMP_RCK	1.0000000e-010	1.0000000e-010	1.0000000e-
010				
1.0000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1
3483 CULEBRA	DISP_L	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
3484 CULEBRA	DISPT_L	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
843 CULEBRA	DNSGRAIN	2.8200000e+003	2.8200000e+003	
2.8200000e+003				
2.8200000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
3486 CULEBRA	DPOROS	1.6000000e-001	1.6000000e-001	1.0000000e-
001				
2.5000000e-001	0.0000000e+000	1.0000000e-001	CUMULATIVE	NONE
3486 CULEBRA	DPOROS	1.6000000e-001	1.6000000e-001	1.0000000e-
001				
2.5000000e-001	1.0000000e-001	1.1000000e-001	CUMULATIVE	NONE
3486 CULEBRA	DPOROS	1.6000000e-001	1.6000000e-001	1.0000000e-
001				
2.5000000e-001	2.5000000e-001	1.2000000e-001	CUMULATIVE	NONE
3486 CULEBRA	DPOROS	1.6000000e-001	1.6000000e-001	1.0000000e-
001				
2.5000000e-001	5.0000000e-001	1.6000000e-001	CUMULATIVE	NONE
3486 CULEBRA	DPOROS	1.6000000e-001	1.6000000e-001	1.0000000e-
001				
2.5000000e-001	7.5000000e-001	1.8000000e-001	CUMULATIVE	NONE
3486 CULEBRA	DPOROS	1.6000000e-001	1.6000000e-001	1.0000000e-
001				
2.5000000e-001	9.0000000e-001	1.9000000e-001	CUMULATIVE	NONE
3486 CULEBRA	DPOROS	1.6000000e-001	1.6000000e-001	1.0000000e-
001				
2.5000000e-001	1.0000000e+000	2.5000000e-001	CUMULATIVE	NONE
3474 CULEBRA	DTORT	1.1000000e-001	1.1000000e-001	1.1000000e-
001				
1.1000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3462 CULEBRA	ETHICK	4.0000000e+000	4.0000000e+000	
4.0000000e+000				
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m
861 CULEBRA	FTORT	1.0000000e+000	1.0000000e+000	
1.0000000e+000				
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3485 CULEBRA	HMBLKLT	2.7500000e-001	2.7500000e-001	5.0000000e-
002				
5.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	m
2691 CULEBRA	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000				

0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3418 CULEBRA	MEA_STOR	1.0000000e-005	1.0000000e-005	1.0000000e-	
005					
1.0000000e-005	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3419 CULEBRA	MINP_FAC	5.0050000e+002	5.0050000e+002		
1.0000000e+000					
1.0000000e+003	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
137 CULEBRA	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2692 CULEBRA	PCT_A	2.6000000e-001	2.6000000e-001	2.6000000e-	
001					
2.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2693 CULEBRA	PCT_EXP	-3.4800000e-001	-3.4800000e-001	-3.4800000e-	
001					
-3.4800000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
141 CULEBRA	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
139 CULEBRA	PORE_DIS	6.4360000e-001	6.4360000e-001	6.4360000e-	
001					
6.4360000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
140 CULEBRA	POROSITY	1.5100000e-001	1.5100000e-001	1.5100000e-	
001					
1.5100000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
142 CULEBRA	PRESSURE	9.1410000e+005	9.1410000e+005		
9.1410000e+005					
9.1410000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
143 CULEBRA	PRMX_LOG	-1.3112000e+001	-1.3112000e+001	-	
1.3112000e+001					
-1.3112000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
144 CULEBRA	PRMY_LOG	-1.3112000e+001	-1.3112000e+001	-	
1.3112000e+001					
-1.3112000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
145 CULEBRA	PRMZ_LOG	-1.3112000e+001	-1.3112000e+001	-	
1.3112000e+001					
-1.3112000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
148 CULEBRA	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
149 CULEBRA	SAT_IBRN	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
150 CULEBRA	SAT_RBRN	8.3630000e-002	8.3630000e-002	8.3630000e-	
002					
8.3630000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
151 CULEBRA	SAT_RGAS	7.7110000e-002	7.7110000e-002	7.7110000e-	
002					
7.7110000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3469 CULEBRA	SKIN_RES	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2071 CULEBRA	THICK	7.7500000e+000	7.7500000e+000		
7.7500000e+000					
7.7500000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
153 DEWYLAK	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000					

2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
154 DEWYLAKE COMP_RCK	1.0000000e-008	1.0000000e-008	1.0000000e-008	1.0000000e-	008
1.0000000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2696 DEWYLAKE KPT	0.0000000e+000	0.0000000e+000	0.0000000e+000	0.0000000e+	000
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
156 DEWYLAKE PC_MAX	1.0000000e+008	1.0000000e+008	1.0000000e+008	1.0000000e+	008
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2697 DEWYLAKE PCT_A	2.6000000e-001	2.6000000e-001	2.6000000e-001	2.6000000e-	001
2.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2698 DEWYLAKE PCT_EXP	-3.4800000e-001	-3.4800000e-001	-3.4800000e-	-3.4800000e-	001
-3.4800000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
159 DEWYLAKE PO_MIN	1.0132500e+005	1.0132500e+005	1.0132500e+	1.0132500e+	005
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
157 DEWYLAKE PORE_DIS	6.4360000e-001	6.4360000e-001	6.4360000e-	6.4360000e-	001
6.4360000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
158 DEWYLAKE POROSITY	1.4300000e-001	1.4300000e-001	1.4300000e-	3.5000000e-	002
2.4800000e-001	0.0000000e+000	3.5000000e-002	STUDENT	NONE	
158 DEWYLAKE POROSITY	1.4300000e-001	1.4300000e-001	1.4300000e-	3.5000000e-	002
2.4800000e-001	0.0000000e+000	5.4000000e-002	STUDENT	NONE	
158 DEWYLAKE POROSITY	1.4300000e-001	1.4300000e-001	1.4300000e-	3.5000000e-	002
2.4800000e-001	0.0000000e+000	9.4000000e-002	STUDENT	NONE	
158 DEWYLAKE POROSITY	1.4300000e-001	1.4300000e-001	1.4300000e-	3.5000000e-	002
2.4800000e-001	0.0000000e+000	1.1600000e-001	STUDENT	NONE	
158 DEWYLAKE POROSITY	1.4300000e-001	1.4300000e-001	1.4300000e-	3.5000000e-	002
2.4800000e-001	0.0000000e+000	1.4900000e-001	STUDENT	NONE	
158 DEWYLAKE POROSITY	1.4300000e-001	1.4300000e-001	1.4300000e-	3.5000000e-	002
2.4800000e-001	0.0000000e+000	2.1500000e-001	STUDENT	NONE	
158 DEWYLAKE POROSITY	1.4300000e-001	1.4300000e-001	1.4300000e-	3.5000000e-	002
2.4800000e-001	0.0000000e+000	2.3200000e-001	STUDENT	NONE	
158 DEWYLAKE POROSITY	1.4300000e-001	1.4300000e-001	1.4300000e-	3.5000000e-	002
2.4800000e-001	0.0000000e+000	2.4800000e-001	STUDENT	NONE	
160 DEWYLAKE PRESSURE	1.0132500e+005	1.0132500e+005	1.0132500e+	1.0132500e+	005
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
161 DEWYLAKE PRMX_LOG	-1.6300000e+001	-1.6300000e+001	-1.6300000e+	-	1.6300000e+001
-1.6300000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
162 DEWYLAKE PRMY_LOG	-1.6300000e+001	-1.6300000e+001	-1.6300000e+	-	1.6300000e+001
-1.6300000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
163 DEWYLAKE PRMZ_LOG	-1.6300000e+001	-1.6300000e+001	-1.6300000e+	-	1.6300000e+001

-1.6300000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log (m^2)
166 DEWYLAKE RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000				
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
167 DEWYLAKE SAL_USAT	8.3600000e-002	8.3600000e-002	8.3600000e-	
002				
8.3600000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
168 DEWYLAKE SAT_IBRN	1.0000000e+000	1.0000000e+000		
1.0000000e+000				
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
169 DEWYLAKE SAT_RBRN	8.3630000e-002	8.3630000e-002	8.3630000e-	
002				
8.3630000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
170 DEWYLAKE SAT_RGAS	7.7110000e-002	7.7110000e-002	7.7110000e-	
002				
7.7110000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
171 DRILLMUD DNSFLUID	1.2100000e+003	1.2100000e+003		
1.1400000e+003				
1.3800000e+003	0.0000000e+000	1.1400000e+003	CUMULATIVE	kg/m^3
171 DRILLMUD DNSFLUID	1.2100000e+003	1.2100000e+003		
1.1400000e+003				
1.3800000e+003	9.0000000e-001	1.2600000e+003	CUMULATIVE	kg/m^3
171 DRILLMUD DNSFLUID	1.2100000e+003	1.2100000e+003		
1.1400000e+003				
1.3800000e+003	1.0000000e+000	1.3800000e+003	CUMULATIVE	kg/m^3
172 DRILLMUD VISCO	1.1000000e-002	9.1700000e-003	5.0000000e-	
003				
3.0000000e-002	0.0000000e+000	5.0000000e-003	CUMULATIVE	Pa*s
172 DRILLMUD VISCO	1.1000000e-002	9.1700000e-003	5.0000000e-	
003				
3.0000000e-002	6.0000000e-001	1.0000000e-002	CUMULATIVE	Pa*s
172 DRILLMUD VISCO	1.1000000e-002	9.1700000e-003	5.0000000e-	
003				
3.0000000e-002	8.0000000e-001	1.5000000e-002	CUMULATIVE	Pa*s
172 DRILLMUD VISCO	1.1000000e-002	9.1700000e-003	5.0000000e-	
003				
3.0000000e-002	9.2000000e-001	2.0000000e-002	CUMULATIVE	Pa*s
172 DRILLMUD VISCO	1.1000000e-002	9.1700000e-003	5.0000000e-	
003				
3.0000000e-002	9.8000000e-001	2.5000000e-002	CUMULATIVE	Pa*s
172 DRILLMUD VISCO	1.1000000e-002	9.1700000e-003	5.0000000e-	
003				
3.0000000e-002	1.0000000e+000	3.0000000e-002	CUMULATIVE	Pa*s
173 DRILLMUD YLDSTRSS	5.9800000e+000	4.4000000e+000		
2.4000000e+000				
1.9200000e+001	0.0000000e+000	2.4000000e+000	CUMULATIVE	Pa
173 DRILLMUD YLDSTRSS	5.9800000e+000	4.4000000e+000		
2.4000000e+000				
1.9200000e+001	6.0000000e-001	4.8000000e+000	CUMULATIVE	Pa
173 DRILLMUD YLDSTRSS	5.9800000e+000	4.4000000e+000		
2.4000000e+000				
1.9200000e+001	8.0000000e-001	8.6000000e+000	CUMULATIVE	Pa
173 DRILLMUD YLDSTRSS	5.9800000e+000	4.4000000e+000		
2.4000000e+000				
1.9200000e+001	9.2000000e-001	1.2400000e+001	CUMULATIVE	Pa
173 DRILLMUD YLDSTRSS	5.9800000e+000	4.4000000e+000		
2.4000000e+000				

1.9200000e+001	9.8000000e-001	1.6300000e+001	CUMULATIVE	Pa	
173 DRILLMUD YLDSTRSS		5.9800000e+000	4.4000000e+000		
2.4000000e+000					
1.9200000e+001	1.0000000e+000	1.9200000e+001	CUMULATIVE	Pa	
174 DRZ_0 CAP_MOD		1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
175 DRZ_0 COMP_RCK		7.4100000e-010	7.4100000e-010	7.4100000e-	
010					
7.4100000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2701 DRZ_0 KPT		0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
176 DRZ_0 PC_MAX		1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2702 DRZ_0 PCT_A		0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2703 DRZ_0 PCT_EXP		0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
179 DRZ_0 PO_MIN		1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
177 DRZ_0 PORE_DIS		7.0000000e-001	7.0000000e-001	7.0000000e-	
001					
7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
178 DRZ_0 POROSITY		1.5650000e-002	1.2900000e-002	3.9000000e-	
003					
3.2900000e-002	0.0000000e+000	3.9000000e-003	CUMULATIVE	NONE	
178 DRZ_0 POROSITY		1.5650000e-002	1.2900000e-002	3.9000000e-	
003					
3.2900000e-002	5.0000000e-001	1.2900000e-002	CUMULATIVE	NONE	
178 DRZ_0 POROSITY		1.5650000e-002	1.2900000e-002	3.9000000e-	
003					
3.2900000e-002	1.0000000e+000	3.2900000e-002	CUMULATIVE	NONE	
181 DRZ_0 PRMX_LOG		-1.7000000e+001	-1.7000000e+001	-	
1.7000000e+001					
-1.7000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
182 DRZ_0 PRMY_LOG		-1.7000000e+001	-1.7000000e+001	-	
1.7000000e+001					
-1.7000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
183 DRZ_0 PRMZ_LOG		-1.7000000e+001	-1.7000000e+001	-	
1.7000000e+001					
-1.7000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
186 DRZ_0 RELP_MOD		4.0000000e+000	4.0000000e+000		
1.0000000e+000					
4.0000000e+000	3.3000000e-001	1.0000000e+000	DELTA	NONE	
186 DRZ_0 RELP_MOD		4.0000000e+000	4.0000000e+000		
1.0000000e+000					
4.0000000e+000	0.0000000e+000	2.0000000e+000	DELTA	NONE	
186 DRZ_0 RELP_MOD		4.0000000e+000	4.0000000e+000		
1.0000000e+000					
4.0000000e+000	0.0000000e+000	3.0000000e+000	DELTA	NONE	
186 DRZ_0 RELP_MOD		4.0000000e+000	4.0000000e+000		
1.0000000e+000					

4.0000000e+000	6.7000000e-001	4.0000000e+000	DELTA	NONE	
187 DRZ_0	SAT_IBRN	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
188 DRZ_0	SAT_RBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
189 DRZ_0	SAT_RGAS	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
190 DRZ_1	CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
191 DRZ_1	COMP_RCK	7.4100000e-010	7.4100000e-010	7.4100000e-	
010					
7.4100000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
3116 DRZ_1	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
193 DRZ_1	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
3128 DRZ_1	PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
3129 DRZ_1	PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
196 DRZ_1	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
194 DRZ_1	PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-	
001					
7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
195 DRZ_1	POROSITY	1.5650000e-002	1.2900000e-002	3.9000000e-	
003					
3.2900000e-002	0.0000000e+000	3.9000000e-003	CUMULATIVE	NONE	
195 DRZ_1	POROSITY	1.5650000e-002	1.2900000e-002	3.9000000e-	
003					
3.2900000e-002	5.0000000e-001	1.2900000e-002	CUMULATIVE	NONE	
195 DRZ_1	POROSITY	1.5650000e-002	1.2900000e-002	3.9000000e-	
003					
3.2900000e-002	1.0000000e+000	3.2900000e-002	CUMULATIVE	NONE	
198 DRZ_1	PRMX_LOG	-1.6000000e+001	-1.6000000e+001	-	
1.9400000e+001					
-1.2500000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)	
199 DRZ_1	PRMY_LOG	-1.6000000e+001	-1.6000000e+001	-	
1.9400000e+001					
-1.2500000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)	
200 DRZ_1	PRMZ_LOG	-1.6000000e+001	-1.6000000e+001	-	
1.9400000e+001					
-1.2500000e+001	0.0000000e+000	0.0000000e+000	UNIFORM	log(m^2)	
203 DRZ_1	RELP_MOD	4.0000000e+000	4.0000000e+000		
1.0000000e+000					
4.0000000e+000	3.3000000e-001	1.0000000e+000	DELTA	NONE	
203 DRZ_1	RELP_MOD	4.0000000e+000	4.0000000e+000		
1.0000000e+000					



4.0000000e+000	0.0000000e+000	2.0000000e+000	DELTA	NONE		
203 DRZ_1	RELP_MOD	4.0000000e+000	4.0000000e+000			
1.0000000e+000						
4.0000000e+000	0.0000000e+000	3.0000000e+000	DELTA	NONE		
203 DRZ_1	RELP_MOD	4.0000000e+000	4.0000000e+000			
1.0000000e+000						
4.0000000e+000	6.7000000e-001	4.0000000e+000	DELTA	NONE		
205 DRZ_1	SAT_RBRN	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
206 DRZ_1	SAT_RGAS	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3533 DRZ_PCS	CAP_MOD	1.0000000e+000	1.0000000e+000			
1.0000000e+000						
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3534 DRZ_PCS	COMP_RCK	7.4100000e-010	7.4100000e-010	7.4100000e-		
010						
7.4100000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
3535 DRZ_PCS	KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3536 DRZ_PCS	PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3537 DRZ_PCS	PCT_A	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3538 DRZ_PCS	PCT_EXP	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3539 DRZ_PCS	PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3540 DRZ_PCS	PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-		
001						
7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3541 DRZ_PCS	POROSITY	1.5650000e-002	1.2900000e-002	3.9000000e-		
003						
3.2900000e-002	0.0000000e+000	3.9000000e-003	CUMULATIVE	NONE		
3541 DRZ_PCS	POROSITY	1.5650000e-002	1.2900000e-002	3.9000000e-		
003						
3.2900000e-002	5.0000000e-001	1.2900000e-002	CUMULATIVE	NONE		
3541 DRZ_PCS	POROSITY	1.5650000e-002	1.2900000e-002	3.9000000e-		
003						
3.2900000e-002	1.0000000e+000	3.2900000e-002	CUMULATIVE	NONE		
3542 DRZ_PCS	PRMX_LOG	-1.8816000e+001	-1.8749600e+001	-		
2.0699000e+001						
-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
3543 DRZ_PCS	PRMY_LOG	-1.8816000e+001	-1.8749600e+001	-		
2.0699000e+001						
-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
3544 DRZ_PCS	PRMZ_LOG	-1.8816000e+001	-1.8749600e+001	-		
2.0699000e+001						
-1.7000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
3545 DRZ_PCS	RELP_MOD	0.0000000e+000	0.0000000e+000			
1.0000000e+000						

4.0000000e+000	3.3000000e-001	1.0000000e+000	DELTA	NONE		
3545 DRZ_PCS	RELP_MOD	0.0000000e+000	0.0000000e+000			
1.0000000e+000						
4.0000000e+000	0.0000000e+000	2.0000000e+000	DELTA	NONE		
3545 DRZ_PCS	RELP_MOD	0.0000000e+000	0.0000000e+000			
1.0000000e+000						
4.0000000e+000	0.0000000e+000	3.0000000e+000	DELTA	NONE		
3545 DRZ_PCS	RELP_MOD	0.0000000e+000	0.0000000e+000			
1.0000000e+000						
4.0000000e+000	6.7000000e-001	4.0000000e+000	DELTA	NONE		
3546 DRZ_PCS	SAT_RBRN	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3547 DRZ_PCS	SAT_RGAS	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2496 EARTH	CAP_MOD	2.0000000e+000	2.0000000e+000			
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2497 EARTH	COMP_RCK	9.9000000e-009	9.9000000e-009	9.9000000e-009		
009						
9.9000000e-009	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
2706 EARTH	KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2498 EARTH	PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2707 EARTH	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-001		
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2708 EARTH	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-001		
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2501 EARTH	PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2499 EARTH	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-001		
001						
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE		
2499 EARTH	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-001		
001						
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE		
2499 EARTH	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-001		
001						
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE		
2500 EARTH	POROSITY	3.2000000e-001	3.2000000e-001	3.2000000e-001		
001						
3.2000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2502 EARTH	PRESSURE	1.0132500e+005	1.0132500e+005			
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2503 EARTH	PRMX_LOG	-1.4333000e+001	-1.4000000e+001	-		
1.7000000e+001						
-1.2000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)		
2504 EARTH	PRMY_LOG	-1.4333000e+001	-1.4000000e+001	-		
1.7000000e+001						

-1.2000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
2505 EARTH	PRMZ_LOG	-1.4333000e+001	-1.4000000e+001	-	
1.7000000e+001					
-1.2000000e+001	0.0000000e+000	0.0000000e+000	TRIANGULAR	log(m^2)	
2509 EARTH	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3032 EARTH	RSH_AIR	3.0900000e+000	3.0900000e+000		
3.0900000e+000					
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3035 EARTH	RSH_EXH	2.3000000e+000	2.3000000e+000		
2.3000000e+000					
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3033 EARTH	RSH_SAL	1.8000000e+000	1.8000000e+000		
1.8000000e+000					
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
3034 EARTH	RSH_WAS	3.5000000e+000	3.5000000e+000		
3.5000000e+000					
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2510 EARTH	SAT_IBRN	8.0000000e-001	8.0000000e-001	8.0000000e-	
001					
8.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2511 EARTH	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
2511 EARTH	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
2511 EARTH	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
2512 EARTH	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000					
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
207 EXP_AREA	CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
208 EXP_AREA	COMP_RCK	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2711 EXP_AREA	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
209 EXP_AREA	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2712 EXP_AREA	PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2713 EXP_AREA	PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
212 EXP_AREA	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
210 EXP_AREA	PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-	
001					

7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
211 EXP_AREA POROSITY	1.8000000e-001	1.8000000e-001	1.8000000e-	001
1.8000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
213 EXP_AREA PRESSURE	1.0132500e+005	1.0132500e+005		
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
214 EXP_AREA PRMX_LOG	-1.1000000e+001	-1.1000000e+001	-	
1.1000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
215 EXP_AREA PRMY_LOG	-1.1000000e+001	-1.1000000e+001	-	
1.1000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
216 EXP_AREA PRMZ_LOG	-1.1000000e+001	-1.1000000e+001	-	
1.1000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
219 EXP_AREA RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
220 EXP_AREA SAT_IBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
221 EXP_AREA SAT_RBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
222 EXP_AREA SAT_RGAS	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2085 FORTYNIN CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2238 FORTYNIN COMP_RCK	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1
2715 FORTYNIN KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2239 FORTYNIN PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2716 FORTYNIN PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2717 FORTYNIN PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2718 FORTYNIN PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2087 FORTYNIN PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-	001
7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2088 FORTYNIN POROSITY	8.2000000e-002	8.2000000e-002		
0.0000000e+000	0.0000000e+000	0.0000000e+000	STUDENT	NONE
2088 FORTYNIN POROSITY	8.2000000e-002	8.2000000e-002		
0.0000000e+000				

2.4000000e-001	0.0000000e+000	2.0000000e-003	STUDENT	NONE		
2088 FORTYNIN POROSITY	8.2000000e-002	8.2000000e-002				
0.0000000e+000						
2.4000000e-001	0.0000000e+000	2.0000000e-003	STUDENT	NONE		
2088 FORTYNIN POROSITY	8.2000000e-002	8.2000000e-002				
0.0000000e+000						
2.4000000e-001	0.0000000e+000	4.0000000e-003	STUDENT	NONE		
2088 FORTYNIN POROSITY	8.2000000e-002	8.2000000e-002				
0.0000000e+000						
2.4000000e-001	0.0000000e+000	9.1000000e-002	STUDENT	NONE		
2088 FORTYNIN POROSITY	8.2000000e-002	8.2000000e-002				
0.0000000e+000						
2.4000000e-001	0.0000000e+000	2.3500000e-001	STUDENT	NONE		
2088 FORTYNIN POROSITY	8.2000000e-002	8.2000000e-002				
0.0000000e+000						
2.4000000e-001	0.0000000e+000	2.4000000e-001	STUDENT	NONE		
2899 FORTYNIN PRMX_LOG	-3.5000000e+001	-3.5000000e+001				
3.5000000e+001						
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
2900 FORTYNIN PRMY_LOG	-3.5000000e+001	-3.5000000e+001				
3.5000000e+001						
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
2901 FORTYNIN PRMZ_LOG	-3.5000000e+001	-3.5000000e+001				
3.5000000e+001						
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
2093 FORTYNIN RELP_MOD	4.0000000e+000	4.0000000e+000				
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2240 FORTYNIN SAT_RBRN	2.0000000e-001	2.0000000e-001			2.0000000e-	
001						
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2094 FORTYNIN SAT_RGAS	2.0000000e-001	2.0000000e-001			2.0000000e-	
001						
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3234 FR221 ATWEIGHT	2.2101400e-001	2.2101400e-001			2.2101400e-	
001						
2.2101400e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole		
3332 FR221 EPAREL	0.0000000e+000	0.0000000e+000				
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf		
3279 FR221 HALFLIFE	2.8800000e+002	2.8800000e+002				
2.8800000e+002						
2.8800000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	s		
223 GLOBAL CLIMTIDX	1.3100000e+000	1.1700000e+000				
1.0000000e+000						
2.2500000e+000	0.0000000e+000	1.0000000e+000	CUMULATIVE	NONE		
223 GLOBAL CLIMTIDX	1.3100000e+000	1.1700000e+000				
1.0000000e+000						
2.2500000e+000	7.5000000e-001	1.2500000e+000	CUMULATIVE	NONE		
223 GLOBAL CLIMTIDX	1.3100000e+000	1.1700000e+000				
1.0000000e+000						
2.2500000e+000	7.5000000e-001	1.5000000e+000	CUMULATIVE	NONE		
223 GLOBAL CLIMTIDX	1.3100000e+000	1.1700000e+000				
1.0000000e+000						
2.2500000e+000	1.0000000e+000	2.2500000e+000	CUMULATIVE	NONE		
3501 GLOBAL FPICD	1.0000000e+000	1.0000000e+000				
1.0000000e+000						

1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3500 GLOBAL	FPICM	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3494 GLOBAL	LAMBDA	4.6800000e-003	4.6800000e-003	4.6800000e-	
003					
4.6800000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	(km <sup>-2</sup> ) (yr <sup>-1</sup>	
3497 GLOBAL	MINERT	1.0000000e-004	1.0000000e-004	1.0000000e-	
004					
1.0000000e-004	0.0000000e+000	0.0000000e+000	CONSTANT	yr <sup>-1</sup>	
3644 GLOBAL	ONEPLG	2.0000000e-002	2.0000000e-002	2.0000000e-	
002					
2.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3417 GLOBAL	OXSTAT	5.0000000e-001	5.0000000e-001		
0.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
3493 GLOBAL	PBRINE	3.0500000e-001	3.0500000e-001	1.0000000e-	
002					
6.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
3495 GLOBAL	PLGPAT	0.0000000e+000	0.0000000e+000		
1.0000000e+000					
3.0000000e+000	2.0000000e-002	1.0000000e+000	DELTA	NONE	
3495 GLOBAL	PLGPAT	0.0000000e+000	0.0000000e+000		
1.0000000e+000					
3.0000000e+000	6.8000000e-001	2.0000000e+000	DELTA	NONE	
3495 GLOBAL	PLGPAT	0.0000000e+000	0.0000000e+000		
1.0000000e+000					
3.0000000e+000	3.0000000e-001	3.0000000e+000	DELTA	NONE	
3491 GLOBAL	TA	1.0000000e+002	1.0000000e+002		
1.0000000e+002					
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	yr	
3646 GLOBAL	THREEPLG	3.0000000e-001	3.0000000e-001	3.0000000e-	
001					
3.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3499 GLOBAL	TPICD	6.0000000e+002	6.0000000e+002		
6.0000000e+002					
6.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	yr	
3498 GLOBAL	TPICM	6.0000000e+002	6.0000000e+002		
6.0000000e+002					
6.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	yr	
225 GLOBAL	TRANSIDX	5.0000000e-001	5.0000000e-001		
0.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
3645 GLOBAL	TWOPLG	6.8000000e-001	6.8000000e-001	6.8000000e-	
001					
6.8000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
228 H2	VISCO	8.9338900e-006	8.9338900e-006	8.9338900e-	
006					
8.9338900e-006	0.0000000e+000	0.0000000e+000	CONSTANT	Pa*s	
229 IMPERM_Z	CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
230 IMPERM_Z	COMP_RCK	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa <sup>-1</sup>	
2720 IMPERM_Z	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					

0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
231 IMPERM_Z PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2721 IMPERM_Z PCT_A	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2722 IMPERM_Z PCT_EXP	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
234 IMPERM_Z PO_MIN	1.0132500e+005	1.0132500e+005			
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
232 IMPERM_Z PORE_DIS	7.0000000e-001	7.0000000e-001			7.0000000e-
001					
7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
233 IMPERM_Z POROSITY	5.0000000e-003	5.0000000e-003			5.0000000e-
003					
5.0000000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
236 IMPERM_Z PRMX_LOG	-3.5000000e+001	-3.5000000e+001			-
3.5000000e+001					
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
237 IMPERM_Z PRMY_LOG	-3.5000000e+001	-3.5000000e+001			-
3.5000000e+001					
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
238 IMPERM_Z PRMZ_LOG	-3.5000000e+001	-3.5000000e+001			-
3.5000000e+001					
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
241 IMPERM_Z RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
243 IMPERM_Z SAT_RBRN	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
244 IMPERM_Z SAT_RGAS	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2097 MAGENTA CAP_MOD	2.0000000e+000	2.0000000e+000			
2.0000000e+000					
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3016 MAGENTA COMP_RCK	2.6440000e-010	2.6440000e-010			1.1620000e-
010					
4.5530000e-010	0.0000000e+000	1.1620000e-010	STUDENT	Pa^-1	
3016 MAGENTA COMP_RCK	2.6440000e-010	2.6440000e-010			1.1620000e-
010					
4.5530000e-010	0.0000000e+000	2.2170000e-010	STUDENT	Pa^-1	
3016 MAGENTA COMP_RCK	2.6440000e-010	2.6440000e-010			1.1620000e-
010					
4.5530000e-010	0.0000000e+000	4.5530000e-010	STUDENT	Pa^-1	
2725 MAGENTA KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2098 MAGENTA PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2726 MAGENTA PCT_A	2.6000000e-001	2.6000000e-001			2.6000000e-
001					

2.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2727 MAGENTA	PCT_EXP	-3.4800000e-001	-3.4800000e-001	-3.4800000e-
001				
-3.4800000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2728 MAGENTA	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005				
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2099 MAGENTA	PORE_DIS	6.4360000e-001	6.4360000e-001	6.4360000e-
001				
6.4360000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2100 MAGENTA	POROSITY	1.3800000e-001	1.3800000e-001	2.7000000e-
002				
2.5200000e-001	0.0000000e+000	2.7000000e-002	STUDENT	NONE
2100 MAGENTA	POROSITY	1.3800000e-001	1.3800000e-001	2.7000000e-
002				
2.5200000e-001	0.0000000e+000	1.0600000e-001	STUDENT	NONE
2100 MAGENTA	POROSITY	1.3800000e-001	1.3800000e-001	2.7000000e-
002				
2.5200000e-001	0.0000000e+000	1.6600000e-001	STUDENT	NONE
2100 MAGENTA	POROSITY	1.3800000e-001	1.3800000e-001	2.7000000e-
002				
2.5200000e-001	0.0000000e+000	2.5200000e-001	STUDENT	NONE
2101 MAGENTA	PRESSURE	9.4650000e+005	9.4650000e+005	
9.4650000e+005				
9.4650000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2102 MAGENTA	PRMX_LOG	-1.5200000e+001	-1.5200000e+001	-
1.5200000e+001				
-1.5200000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
2103 MAGENTA	PRMY_LOG	-1.5200000e+001	-1.5200000e+001	-
1.5200000e+001				
-1.5200000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
2104 MAGENTA	PRMZ_LOG	-1.5200000e+001	-1.5200000e+001	-
1.5200000e+001				
-1.5200000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
2106 MAGENTA	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000				
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2241 MAGENTA	SAT_RBRN	8.3630000e-002	8.3630000e-002	8.3630000e-
002				
8.3630000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2107 MAGENTA	SAT_RGAS	7.7110000e-002	7.7110000e-002	7.7110000e-
002				
7.7110000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3235 ND143	ATWEIGHT	1.4291000e-001	1.4291000e-001	1.4291000e-
001				
1.4291000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
3333 ND143	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
3280 ND143	HALFLIFE	1.0000000e+038	1.0000000e+038	
1.0000000e+038				
1.0000000e+038	0.0000000e+000	0.0000000e+000	CONSTANT	s
2906 NITRATE	QINIT	2.6100000e+007	2.6100000e+007	
2.6100000e+007				
2.6100000e+007	0.0000000e+000	0.0000000e+000	CONSTANT	moles
3458 NP	CAPHUM	1.1000000e-005	1.1000000e-005	1.1000000e-
005				



1.1000000e-005	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter	
3313 NP	CAPMIC	2.7000000e-003	2.7000000e-003	2.7000000e-	
003					
2.7000000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter	
3312 NP	CONCINT	0.0000000e+000	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter	
3439 NP	CONCMIN	2.6000000e-008	2.6000000e-008	2.6000000e-	
008					
2.6000000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter	
3314 NP	PROPMIC	1.2000000e+001	1.2000000e+001		
1.2000000e+001					
1.2000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3477 NP+4	MKD_NP	3.5000000e+000	2.6000000e+000	7.0000000e-	
001					
1.0000000e+001	0.0000000e+000	0.0000000e+000	LOGUNIFORM	m^3/kg	
3476 NP+5	MKD_NP	3.8000000e-002	1.4000000e-002	1.0000000e-	
003					
2.0000000e-001	0.0000000e+000	0.0000000e+000	LOGUNIFORM	m^3/kg	
246 NP237	ATWEIGHT	2.3704800e-001	2.3704800e-001	2.3704800e-	
001					
2.3704800e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3370 NP237	EPAREL	1.0000000e+002	1.0000000e+002		
1.0000000e+002					
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
247 NP237	HALFLIFE	6.7530000e+013	6.7530000e+013		
6.7530000e+013					
6.7530000e+013	0.0000000e+000	0.0000000e+000	CONSTANT	s	
248 NP237	INVCHD	1.1300000e+001	1.1300000e+001		
1.1300000e+001					
1.1300000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
249 NP237	INVRHD	1.0100000e+000	1.0100000e+000		
1.0100000e+000					
1.0100000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
3236 NP239	ATWEIGHT	2.3905300e-001	2.3905300e-001	2.3905300e-	
001					
2.3905300e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3334 NP239	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3281 NP239	HALFLIFE	2.0350000e+005	2.0350000e+005		
2.0350000e+005					
2.0350000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	s	
7 OPS_AREA	CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
8 OPS_AREA	COMP_RCK	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2604 OPS_AREA	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
9 OPS_AREA	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2605 OPS_AREA	PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000					

0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2606 OPS_AREA PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
12 OPS_AREA PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
10 OPS_AREA PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-	
001	7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT
11 OPS_AREA POROSITY	1.8000000e-001	1.8000000e-001	1.8000000e-	
001	1.8000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT
13 OPS_AREA PRESSURE	1.0132500e+005	1.0132500e+005		
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
14 OPS_AREA PRMX_LOG	-1.1000000e+001	-1.1000000e+001	-	
1.1000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
-1.1000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
15 OPS_AREA PRMY_LOG	-1.1000000e+001	-1.1000000e+001	-	
1.1000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
-1.1000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
16 OPS_AREA PRMZ_LOG	-1.1000000e+001	-1.1000000e+001	-	
1.1000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
-1.1000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
19 OPS_AREA RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
20 OPS_AREA SAT_IBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
21 OPS_AREA SAT_RBRN	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
22 OPS_AREA SAT_RGAS	0.0000000e+000	0.0000000e+000		
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
250 PA231 ATWEIGHT	2.3103600e-001	2.3103600e-001	2.3103600e-	
001	2.3103600e-001	0.0000000e+000	0.0000000e+000	CONSTANT
3371 PA231 EPAREL	1.0000000e+002	1.0000000e+002		
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
251 PA231 HALFLIFE	1.0340000e+012	1.0340000e+012		
1.0340000e+012	0.0000000e+000	0.0000000e+000	CONSTANT	s
2267 PA231 INVCHD	1.9700000e+000	1.9700000e+000		
1.9700000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
2268 PA231 INVRHD	6.8600000e-004	6.8600000e-004	6.8600000e-	
004	6.8600000e-004	0.0000000e+000	0.0000000e+000	CONSTANT
3237 PA233 ATWEIGHT	2.3304000e-001	2.3304000e-001	2.3304000e-	
001	2.3304000e-001	0.0000000e+000	0.0000000e+000	CONSTANT
3335 PA233 EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000				

0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3282 PA233	HALFLIFE	2.3330000e+006	2.3330000e+006		
2.3330000e+006					
2.3330000e+006	0.0000000e+000	0.0000000e+000	CONSTANT	s	
3197 PA234M	ATWEIGHT	2.3404300e-001	2.3404300e-001	2.3404300e-	
001					
2.3404300e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3336 PA234M	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3283 PA234M	HALFLIFE	7.0200000e+001	7.0200000e+001		
7.0200000e+001					
7.0200000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	s	
252 PAN_SEAL	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000					
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
253 PAN_SEAL	COMP_RCK	2.0000000e-010	2.0000000e-010	2.0000000e-	
010					
2.0000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2731 PAN_SEAL	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
254 PAN_SEAL	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2732 PAN_SEAL	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001					
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2733 PAN_SEAL	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001					
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
257 PAN_SEAL	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
255 PAN_SEAL	PORE_DIS	9.4000000e-001	9.4000000e-001	9.4000000e-	
001					
9.4000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
256 PAN_SEAL	POROSITY	1.5000000e-001	1.5000000e-001	1.5000000e-	
001					
1.5000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
258 PAN_SEAL	PRESSURE	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
259 PAN_SEAL	PRMX_LOG	-1.8045300e+001	-1.8045300e+001	-	
1.8045300e+001					
-1.8045300e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
260 PAN_SEAL	PRMY_LOG	-1.2714000e+001	-1.2714000e+001	-	
1.2714000e+001					
-1.2714000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
261 PAN_SEAL	PRMZ_LOG	-1.2714000e+001	-1.2714000e+001	-	
1.2714000e+001					
-1.2714000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
264 PAN_SEAL	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2734 PAN_SEAL	SAT_IBRN	2.1000000e-001	2.1000000e-001	2.1000000e-	
001					

2.1000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
265 PAN_SEAL SAT_RBRN	2.0000000e-001	2.0000000e-001	2.0000000e-		
001					
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
266 PAN_SEAL SAT_RGAS	2.0000000e-001	2.0000000e-001	2.0000000e-		
001					
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
282 PB LOGSOLM	0.0000000e+000	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(moles/lit	
3421 PB209 ATWEIGHT	2.0898100e-001	2.0898100e-001	2.0898100e-		
001					
2.0898100e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3337 PB209 EPAREL	0.0000000e+000	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3284 PB209 HALFLIFE	1.1880000e+004	1.1880000e+004	1.1880000e+004		
1.1880000e+004					
1.1880000e+004	0.0000000e+000	0.0000000e+000	CONSTANT	s	
283 PB210 ATWEIGHT	2.0998400e-001	2.0998400e-001	2.0998400e-		
001					
2.0998400e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3372 PB210 EPAREL	1.0000000e+002	1.0000000e+002	1.0000000e+002		
1.0000000e+002					
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
284 PB210 HALFLIFE	7.0370000e+008	7.0370000e+008	7.0370000e+008		
7.0370000e+008					
7.0370000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	s	
285 PB210 INVCHD	7.9000000e+000	7.9000000e+000	7.9000000e+000		
7.9000000e+000					
7.9000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
286 PB210 INVRHD	1.6200000e-005	1.6200000e-005	1.6200000e-		
005					
1.6200000e-005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
3200 PB211 ATWEIGHT	2.1098900e-001	2.1098900e-001	2.1098900e-		
001					
2.1098900e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3338 PB211 EPAREL	0.0000000e+000	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3285 PB211 HALFLIFE	2.1660000e+003	2.1660000e+003	2.1660000e+003		
2.1660000e+003					
2.1660000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	s	
3201 PB212 ATWEIGHT	2.1199200e-001	2.1199200e-001	2.1199200e-		
001					
2.1199200e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3339 PB212 EPAREL	0.0000000e+000	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3286 PB212 HALFLIFE	3.8300000e+004	3.8300000e+004	3.8300000e+004		
3.8300000e+004					
3.8300000e+004	0.0000000e+000	0.0000000e+000	CONSTANT	s	
3202 PB214 ATWEIGHT	2.1400000e-001	2.1400000e-001	2.1400000e-		
001					
2.1400000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3340 PB214 EPAREL	0.0000000e+000	0.0000000e+000	0.0000000e+000		
0.0000000e+000					

0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3287 PB214	HALFLIFE	1.6080000e+003	1.6080000e+003		
1.6080000e+003					
1.6080000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	s	
3429 PHUMOX3	PHUMCIM	1.1000000e+000	1.3700000e+000	6.5000000e-	
002					
1.6000000e+000	0.0000000e+000	6.5000000e-002	CUMULATIVE	NONE	
3429 PHUMOX3	PHUMCIM	1.1000000e+000	1.3700000e+000	6.5000000e-	
002					
1.6000000e+000	5.0000000e-001	1.3700000e+000	CUMULATIVE	NONE	
3429 PHUMOX3	PHUMCIM	1.1000000e+000	1.3700000e+000	6.5000000e-	
002					
1.6000000e+000	1.0000000e+000	1.6000000e+000	CUMULATIVE	NONE	
3433 PHUMOX3	PHUMSIM	1.9000000e-001	1.9000000e-001	1.9000000e-	
001					
1.9000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3430 PHUMOX4	PHUMCIM	6.3000000e+000	6.3000000e+000		
6.3000000e+000					
6.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3434 PHUMOX4	PHUMSIM	6.3000000e+000	6.3000000e+000		
6.3000000e+000					
6.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3431 PHUMOX5	PHUMCIM	7.4000000e-003	7.4000000e-003	7.4000000e-	
003					
7.4000000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3435 PHUMOX5	PHUMSIM	9.1000000e-004	9.1000000e-004	9.1000000e-	
004					
9.1000000e-004	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3432 PHUMOX6	PHUMCIM	5.1000000e-001	5.1000000e-001	5.1000000e-	
001					
5.1000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3436 PHUMOX6	PHUMSIM	1.2000000e-001	1.2000000e-001	1.2000000e-	
001					
1.2000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
287 PM147	ATWEIGHT	1.4691500e-001	1.4691500e-001	1.4691500e-	
001					
1.4691500e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3341 PM147	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
288 PM147	HALFLIFE	8.2790000e+007	8.2790000e+007		
8.2790000e+007					
8.2790000e+007	0.0000000e+000	0.0000000e+000	CONSTANT	s	
2038 PM147	INVCHD	4.1300000e-004	4.1300000e-004	4.1300000e-	
004					
4.1300000e-004	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
289 PM147	INVRHD	8.0500000e-002	8.0500000e-002	8.0500000e-	
002					
8.0500000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
3203 PO212	ATWEIGHT	2.1198900e-001	2.1198900e-001	2.1198900e-	
001					
2.1198900e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3342 PO212	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3288 PO212	HALFLIFE	3.0000000e-007	3.0000000e-007	3.0000000e-	
007					

3.0000000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	s	
3204 PO213	ATWEIGHT	2.1299300e-001	2.1299300e-001	2.1299300e-	
001					
2.1299300e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3343 PO213	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3289 PO213	HALFLIFE	4.2000000e-006	4.2000000e-006	4.2000000e-	
006					
4.2000000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	s	
3205 PO214	ATWEIGHT	2.1399500e-001	2.1399500e-001	2.1399500e-	
001					
2.1399500e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3344 PO214	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3290 PO214	HALFLIFE	1.6430000e-004	1.6430000e-004	1.6430000e-	
004					
1.6430000e-004	0.0000000e+000	0.0000000e+000	CONSTANT	s	
3206 PO215	ATWEIGHT	2.1499900e-001	2.1499900e-001	2.1499900e-	
001					
2.1499900e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3345 PO215	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3291 PO215	HALFLIFE	1.7800000e-003	1.7800000e-003	1.7800000e-	
003					
1.7800000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	s	
3207 PO216	ATWEIGHT	2.1600200e-001	2.1600200e-001	2.1600200e-	
001					
2.1600200e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3346 PO216	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3292 PO216	HALFLIFE	1.5000000e-001	1.5000000e-001	1.5000000e-	
001					
1.5000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	s	
3208 PO218	ATWEIGHT	2.1800900e-001	2.1800900e-001	2.1800900e-	
001					
2.1800900e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3347 PO218	EPAREL	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3293 PO218	HALFLIFE	1.8300000e+002	1.8300000e+002		
1.8300000e+002					
1.8300000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	s	
3459 PU	CAPHUM	1.1000000e-005	1.1000000e-005	1.1000000e-	
005					
1.1000000e-005	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter	
3315 PU	CAPMIC	6.8000000e-005	6.8000000e-005	6.8000000e-	
005					
6.8000000e-005	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter	
3316 PU	CONCINT	1.0000000e-009	1.0000000e-009	1.0000000e-	
009					
1.0000000e-009	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter	
3440 PU	CONCMIN	2.6000000e-008	2.6000000e-008	2.6000000e-	
008					

2.6000000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3317 PU	PROPMIC	3.0000000e-001	3.0000000e-001	3.0000000e-
001				
3.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3442 PU+3	MD0	3.0000000e-010	3.0000000e-010	3.0000000e-
010				
3.0000000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	m^2/s
3480 PU+3	MKD_PU	1.3000000e-001	9.0000000e-002	2.0000000e-
002				
4.0000000e-001	0.0000000e+000	0.0000000e+000	LOGUNIFORM	m^3/kg
3443 PU+4	MD0	1.5300000e-010	1.5300000e-010	1.5300000e-
010				
1.5300000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	m^2/s
3481 PU+4	MKD_PU	3.5000000e+000	2.6000000e+000	7.0000000e-
001				
1.0000000e+001	0.0000000e+000	0.0000000e+000	LOGUNIFORM	m^3/kg
291 PU238	ATWEIGHT	2.3805000e-001	2.3805000e-001	2.3805000e-
001				
2.3805000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
3373 PU238	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002				
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
292 PU238	HALFLIFE	2.7690000e+009	2.7690000e+009	
2.7690000e+009				
2.7690000e+009	0.0000000e+000	0.0000000e+000	CONSTANT	s
293 PU238	INVCHD	1.5300000e+006	1.5300000e+006	
1.5300000e+006				
1.5300000e+006	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
294 PU238	INVRHD	3.4800000e+003	3.4800000e+003	
3.4800000e+003				
3.4800000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
3506 PU238L	INVCHD	1.5300000e+006	1.5300000e+006	
1.5300000e+006				
1.5300000e+006	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
3511 PU238L	INVRHD	3.4800000e+003	3.4800000e+003	
3.4800000e+003				
3.4800000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
295 PU239	ATWEIGHT	2.3905200e-001	2.3905200e-001	2.3905200e-
001				
2.3905200e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
3374 PU239	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002				
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
296 PU239	HALFLIFE	7.5940000e+011	7.5940000e+011	
7.5940000e+011				
7.5940000e+011	0.0000000e+000	0.0000000e+000	CONSTANT	s
297 PU239	INVCHD	7.7700000e+005	7.7700000e+005	
7.7700000e+005				
7.7700000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
298 PU239	INVRHD	5.6400000e+003	5.6400000e+003	
5.6400000e+003				
5.6400000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
3505 PU239L	INVCHD	9.1000000e+005	9.1000000e+005	
9.1000000e+005				
9.1000000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
3510 PU239L	INVRHD	7.4700000e+003	7.4700000e+003	
7.4700000e+003				

7.4700000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
299	PU240	ATWEIGHT	2.4005400e-001	2.4005400e-001	2.4005400e-
001					
2.4005400e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3375	PU240	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002					
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
300	PU240	HALFLIFE	2.0630000e+011	2.0630000e+011	
2.0630000e+011					
2.0630000e+011	0.0000000e+000	0.0000000e+000	CONSTANT	s	
301	PU240	INVCHD	1.3200000e+005	1.3200000e+005	
1.3200000e+005					
1.3200000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
302	PU240	INVRHD	1.8200000e+003	1.8200000e+003	
1.8200000e+003					
1.8200000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
303	PU241	ATWEIGHT	2.4105700e-001	2.4105700e-001	2.4105700e-
001					
2.4105700e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3348	PU241	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
304	PU241	HALFLIFE	4.5440000e+008	4.5440000e+008	
4.5440000e+008					
4.5440000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	s	
305	PU241	INVCHD	5.1700000e+005	5.1700000e+005	
5.1700000e+005					
5.1700000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
306	PU241	INVRHD	1.4900000e+005	1.4900000e+005	
1.4900000e+005					
1.4900000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
307	PU242	ATWEIGHT	2.4205900e-001	2.4205900e-001	2.4205900e-
001					
2.4205900e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3376	PU242	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002					
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
308	PU242	HALFLIFE	1.2210000e+013	1.2210000e+013	
1.2210000e+013					
1.2210000e+013	0.0000000e+000	0.0000000e+000	CONSTANT	s	
309	PU242	INVCHD	3.2700000e+001	3.2700000e+001	
3.2700000e+001					
3.2700000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
310	PU242	INVRHD	5.0200000e-001	5.0200000e-001	5.0200000e-
001					
5.0200000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
311	PU244	ATWEIGHT	2.4406400e-001	2.4406400e-001	2.4406400e-
001					
2.4406400e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3377	PU244	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002					
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
312	PU244	HALFLIFE	2.6070000e+015	2.6070000e+015	
2.6070000e+015					
2.6070000e+015	0.0000000e+000	0.0000000e+000	CONSTANT	s	
2269	PU244	INVCHD	1.4500000e-006	1.4500000e-006	1.4500000e-
006					



1.4500000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
2270 PU244	INVRHD	1.5600000e-003	1.5600000e-003	1.5600000e-
003				
1.5600000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
313 RA	LOGSOLM	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(moles/lit
3209 RA223	ATWEIGHT	2.2301900e-001	2.2301900e-001	2.2301900e-
001				
2.2301900e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
3349 RA223	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
3294 RA223	HALFLIFE	9.8790000e+005	9.8790000e+005	
9.8790000e+005				
9.8790000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	s
3210 RA224	ATWEIGHT	2.2402000e-001	2.2402000e-001	2.2402000e-
001				
2.2402000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
3350 RA224	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
3295 RA224	HALFLIFE	3.1620000e+005	3.1620000e+005	
3.1620000e+005				
3.1620000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	s
3211 RA225	ATWEIGHT	2.2502400e-001	2.2502400e-001	2.2502400e-
001				
2.2502400e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
3351 RA225	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
3296 RA225	HALFLIFE	1.2790000e+006	1.2790000e+006	
1.2790000e+006				
1.2790000e+006	0.0000000e+000	0.0000000e+000	CONSTANT	s
314 RA226	ATWEIGHT	2.2602500e-001	2.2602500e-001	2.2602500e-
001				
2.2602500e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
3378 RA226	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002				
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
315 RA226	HALFLIFE	5.0490000e+010	5.0490000e+010	
5.0490000e+010				
5.0490000e+010	0.0000000e+000	0.0000000e+000	CONSTANT	s
316 RA226	INVCHD	1.0000000e+001	1.0000000e+001	
1.0000000e+001				
1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
317 RA226	INVRHD	5.5500000e-005	5.5500000e-005	5.5500000e-
005				
5.5500000e-005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
318 RA228	ATWEIGHT	2.2803100e-001	2.2803100e-001	2.2803100e-
001				
2.2803100e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
3352 RA228	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
319 RA228	HALFLIFE	2.1143000e+008	2.1143000e+008	
2.1143000e+008				

2.1143000e+008	0.00000000e+000	0.0000000e+000	CONSTANT	s	
2271 RA228	INVCHD	7.6500000e+000	7.6500000e+000		
7.6500000e+000					
7.6500000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	Curies	
2272 RA228	INVRHD	3.3600000e-001	3.3600000e-001	3.3600000e-	
001					
3.3600000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	Curies	
3503 REFCON	ABERM	6.2850000e+005	6.2850000e+005		
6.2850000e+005					
6.2850000e+005	0.00000000e+000	0.0000000e+000	CONSTANT	m^2	
2833 REFCON	ACF_CH4	1.0000000e-002	1.0000000e-002	1.0000000e-	
002					
1.0000000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
2832 REFCON	ACF_CO2	2.3100000e-001	2.3100000e-001	2.3100000e-	
001					
2.3100000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
2831 REFCON	ACF_H2	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
2835 REFCON	ACF_H2S	1.0000000e-001	1.0000000e-001	1.0000000e-	
001					
1.0000000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
2834 REFCON	ACF_N2	4.5000000e-002	4.5000000e-002	4.5000000e-	
002					
4.5000000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
2836 REFCON	ACF_O2	1.9000000e-002	1.9000000e-002	1.9000000e-	
002					
1.9000000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
2897 REFCON	AL2	6.9314720e-001	6.9314720e-001	6.9314720e-	
001					
6.9314720e-001	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
3489 REFCON	AREA_CH	1.1150000e+005	1.1150000e+005		
1.1150000e+005					
1.1150000e+005	0.00000000e+000	0.0000000e+000	CONSTANT	m^2	
3496 REFCON	AREA_RH	1.5760000e+004	1.5760000e+004		
1.5760000e+004					
1.5760000e+004	0.00000000e+000	0.0000000e+000	CONSTANT	m^2	
3488 REFCON	AREA_ZRO	4.1330000e+003	4.1330000e+003		
4.1330000e+003					
4.1330000e+003	0.00000000e+000	0.0000000e+000	CONSTANT	m^2	
3106 REFCON	ASDRUM	6.0000000e+000	6.0000000e+000		
6.0000000e+000					
6.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m^2	
2890 REFCON	ATMPA	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.00000000e+000	0.0000000e+000	CONSTANT	Pa/atm	
3109 REFCON	AVOGADRO	6.0221370e+023	6.0221370e+023		
6.0221370e+023					
6.0221370e+023	0.00000000e+000	0.0000000e+000	CONSTANT	mole^-1	
2879 REFCON	BBLG	4.2000000e+001	4.2000000e+001		
4.2000000e+001					
4.2000000e+001	0.00000000e+000	0.0000000e+000	CONSTANT	gal/bbl	
3590 REFCON	BIP_11	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
3591 REFCON	BIP_12	-3.4260000e-001	-3.4260000e-001	-3.4260000e-	
001					

-3.4260000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3592 REFCON	BIP_13	-2.2200000e-002	-2.2200000e-002	-2.2200000e-002
002				
-2.2200000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3593 REFCON	BIP_14	9.7800000e-002	9.7800000e-002	9.7800000e-002
002				
9.7800000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3594 REFCON	BIP_15	0.0000000e+000	0.0000000e+000	0.0000000e+000
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3595 REFCON	BIP_16	0.0000000e+000	0.0000000e+000	0.0000000e+000
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3596 REFCON	BIP_21	-3.4260000e-001	-3.4260000e-001	-3.4260000e-001
001				
-3.4260000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3597 REFCON	BIP_22	0.0000000e+000	0.0000000e+000	0.0000000e+000
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3598 REFCON	BIP_23	9.3300000e-002	9.3300000e-002	9.3300000e-002
002				
9.3300000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3599 REFCON	BIP_24	-3.1500000e-002	-3.1500000e-002	-3.1500000e-002
002				
-3.1500000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3600 REFCON	BIP_25	9.8900000e-002	9.8900000e-002	9.8900000e-002
002				
9.8900000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3601 REFCON	BIP_26	0.0000000e+000	0.0000000e+000	0.0000000e+000
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3602 REFCON	BIP_31	-2.2200000e-002	-2.2200000e-002	-2.2200000e-002
002				
-2.2200000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3603 REFCON	BIP_32	9.3300000e-002	9.3300000e-002	9.3300000e-002
002				
9.3300000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3604 REFCON	BIP_33	0.0000000e+000	0.0000000e+000	0.0000000e+000
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3605 REFCON	BIP_34	2.7800000e-002	2.7800000e-002	2.7800000e-002
002				
2.7800000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3606 REFCON	BIP_35	8.5000000e-002	8.5000000e-002	8.5000000e-002
002				
8.5000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3607 REFCON	BIP_36	0.0000000e+000	0.0000000e+000	0.0000000e+000
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3608 REFCON	BIP_41	9.7800000e-002	9.7800000e-002	9.7800000e-002
002				
9.7800000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3609 REFCON	BIP_42	-3.1500000e-002	-3.1500000e-002	-3.1500000e-002
002				
-3.1500000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3610 REFCON	BIP_43	2.7800000e-002	2.7800000e-002	2.7800000e-002
002				

2.7800000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3611 REFCON	BIP_44	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3612 REFCON	BIP_45	1.6960000e-001	1.6960000e-001	1.6960000e-
001				
1.6960000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3613 REFCON	BIP_46	-7.8000000e-003	-7.8000000e-003	-7.8000000e-
003				
-7.8000000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3614 REFCON	BIP_51	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3615 REFCON	BIP_52	9.8900000e-002	9.8900000e-002	9.8900000e-
002				
9.8900000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3616 REFCON	BIP_53	8.5000000e-002	8.5000000e-002	8.5000000e-
002				
8.5000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3617 REFCON	BIP_54	1.6960000e-001	1.6960000e-001	1.6960000e-
001				
1.6960000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3618 REFCON	BIP_55	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3619 REFCON	BIP_56	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3620 REFCON	BIP_61	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3621 REFCON	BIP_62	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3622 REFCON	BIP_63	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3623 REFCON	BIP_64	-7.8000000e-003	-7.8000000e-003	-7.8000000e-
003				
-7.8000000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3624 REFCON	BIP_65	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3625 REFCON	BIP_66	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3111 REFCON	CITOBQ	3.7000000e+010	3.7000000e+010	
3.7000000e+010				
3.7000000e+010	0.0000000e+000	0.0000000e+000	CONSTANT	Bq/Curies
2882 REFCON	DARM2	9.8692330e-013	9.8692330e-013	9.8692330e-
013				
9.8692330e-013	0.0000000e+000	0.0000000e+000	CONSTANT	m <sup>2</sup> /darcy
2887 REFCON	DAYSEC	8.6400000e+004	8.6400000e+004	
8.6400000e+004				
8.6400000e+004	0.0000000e+000	0.0000000e+000	CONSTANT	s/day
3132 REFCON	DRROOM	6.8040000e+003	6.8040000e+003	
6.8040000e+003				

6.8040000e+003	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
2883 REFCON	F3M3	2.8316850e-002	2.8316850e-002	2.8316850e-	
002					
2.8316850e-002	0.00000000e+000	0.0000000e+000	CONSTANT	m^3/ft^3	
2881 REFCON	FTM	3.0480000e-001	3.0480000e-001	3.0480000e-	
001					
3.0480000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	m/ft	
3647 REFCON	FVRW	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
3492 REFCON	FVW	3.8600000e-001	3.8600000e-001	3.8600000e-	
001					
3.8600000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
2889 REFCON	GRAVACC	9.8066500e+000	9.8066500e+000		
9.8066500e+000					
9.8066500e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m/s^2	
2884 REFCON	GTI3	2.3100010e+002	2.3100010e+002		
2.3100010e+002					
2.3100010e+002	0.00000000e+000	0.0000000e+000	CONSTANT	in^3/gal	
3502 REFCON	HRH	5.0900000e-001	5.0900000e-001	5.0900000e-	
001					
5.0900000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	m	
2886 REFCON	KGLB	2.2046230e+000	2.2046230e+000		
2.2046230e+000					
2.2046230e+000	0.00000000e+000	0.0000000e+000	CONSTANT	lb/kg	
2885 REFCON	LBKG	4.5359240e-001	4.5359240e-001	4.5359240e-	
001					
4.5359240e-001	0.00000000e+000	0.0000000e+000	CONSTANT	kg/lb	
3582 REFCON	LHSBLANK	5.0000000e-001	5.0000000e-001		
0.0000000e+000					
1.0000000e+000	0.00000000e+000	0.0000000e+000	UNIFORM	NONE	
3589 REFCON	MW_CELL	2.7023000e-002	2.7023000e-002	2.7023000e-	
002					
2.7023000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole	
2866 REFCON	MW_CH2O	3.0026280e-002	3.0026280e-002	3.0026280e-	
002					
3.0026280e-002	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3585 REFCON	MW_CH4	1.6042760e-002	1.6042760e-002	1.6042760e-	
002					
1.6042760e-002	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3584 REFCON	MW_CO2	4.4009800e-002	4.4009800e-002	4.4009800e-	
002					
4.4009800e-002	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole	
2865 REFCON	MW_FE	5.5847000e-002	5.5847000e-002	5.5847000e-	
002					
5.5847000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole	
2858 REFCON	MW_H2	2.0158800e-003	2.0158800e-003	2.0158800e-	
003					
2.0158800e-003	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole	
2864 REFCON	MW_H2O	1.8015280e-002	1.8015280e-002	1.8015280e-	
002					
1.8015280e-002	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3587 REFCON	MW_H2S	3.4081880e-002	3.4081880e-002	3.4081880e-	
002					
3.4081880e-002	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3586 REFCON	MW_N2	2.8013480e-002	2.8013480e-002	2.8013480e-	
002					

2.8013480e-002	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
3583 REFCON	MW_NACL	5.8442468e-002	5.8442468e-002	5.8442468e-
002				
5.8442468e-002	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
3588 REFCON	MW_O2	3.1998800e-002	3.1998800e-002	3.1998800e-
002				
3.1998800e-002	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
2894 REFCON	OMEGAA	4.2747000e-001	4.2747000e-001	4.2747000e-
001				
4.2747000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
2895 REFCON	OMEGAB	8.6640000e-002	8.6640000e-002	8.6640000e-
002				
8.6640000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
2880 REFCON	PASCP	1.0000000e+003	1.0000000e+003	
1.0000000e+003				
1.0000000e+003	0.00000000e+000	0.00000000e+000	CONSTANT	cP/Pa*s
2839 REFCON	PC_CH4	4.6170000e+006	4.6170000e+006	
4.6170000e+006				
4.6170000e+006	0.00000000e+000	0.00000000e+000	CONSTANT	Pa
2838 REFCON	PC_CO2	7.3760000e+006	7.3760000e+006	
7.3760000e+006				
7.3760000e+006	0.00000000e+000	0.00000000e+000	CONSTANT	Pa
2837 REFCON	PC_H2	2.0470000e+006	2.0470000e+006	
2.0470000e+006				
2.0470000e+006	0.00000000e+000	0.00000000e+000	CONSTANT	Pa
2841 REFCON	PC_H2S	9.0070000e+006	9.0070000e+006	
9.0070000e+006				
9.0070000e+006	0.00000000e+000	0.00000000e+000	CONSTANT	Pa
2840 REFCON	PC_N2	3.3940000e+006	3.3940000e+006	
3.3940000e+006				
3.3940000e+006	0.00000000e+000	0.00000000e+000	CONSTANT	Pa
2842 REFCON	PC_O2	5.0800000e+006	5.0800000e+006	
5.0800000e+006				
5.0800000e+006	0.00000000e+000	0.00000000e+000	CONSTANT	Pa
2896 REFCON	PI	3.1415930e+000	3.1415930e+000	
3.1415930e+000				
3.1415930e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
2892 REFCON	PSIPA	6.8947570e+003	6.8947570e+003	
6.8947570e+003				
6.8947570e+003	0.00000000e+000	0.00000000e+000	CONSTANT	Pa*in^2/lb
2893 REFCON	R	8.3145100e+000	8.3145100e+000	
8.3145100e+000				
8.3145100e+000	0.00000000e+000	0.00000000e+000	CONSTANT	J/mole*K
2891 REFCON	RTK	5.5555560e-001	5.5555560e-001	5.5555560e-
001				
5.5555560e-001	0.00000000e+000	0.00000000e+000	CONSTANT	K/rankine
3112 REFCON	SECYR	3.1688770e-008	3.1688770e-008	3.1688770e-
008				
3.1688770e-008	0.00000000e+000	0.00000000e+000	CONSTANT	yr/s
2827 REFCON	TC_CH4	1.9063000e+002	1.9063000e+002	
1.9063000e+002				
1.9063000e+002	0.00000000e+000	0.00000000e+000	CONSTANT	K
2826 REFCON	TC_CO2	3.0415000e+002	3.0415000e+002	
3.0415000e+002				
3.0415000e+002	0.00000000e+000	0.00000000e+000	CONSTANT	K
2825 REFCON	TC_H2	4.3600000e+001	4.3600000e+001	
4.3600000e+001				

4.3600000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	K
2829 REFCON	TC_H2S	3.7355000e+002	3.7355000e+002	
3.7355000e+002				
3.7355000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	K
2828 REFCON	TC_N2	1.2615000e+002	1.2615000e+002	
1.2615000e+002				
1.2615000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	K
2830 REFCON	TC_O2	1.5477000e+002	1.5477000e+002	
1.5477000e+002				
1.5477000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	K
3490 REFCON	VOLWP	4.3600000e+005	4.3600000e+005	
4.3600000e+005				
4.3600000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	m^3
3107 REFCON	VPANLEX	4.6097650e+004	4.6097650e+004	
4.6097650e+004				
4.6097650e+004	0.0000000e+000	0.0000000e+000	CONSTANT	m^3
3108 REFCON	VREPOS	4.3840608e+005	4.3840608e+005	
4.3840608e+005				
4.3840608e+005	0.0000000e+000	0.0000000e+000	CONSTANT	m^3
3105 REFCON	VROOM	3.6443780e+003	3.6443780e+003	
3.6443780e+003				
3.6443780e+003	0.0000000e+000	0.0000000e+000	CONSTANT	m^3
2888 REFCON	YRSEC	3.1556930e+007	3.1556930e+007	
3.1556930e+007				
3.1556930e+007	0.0000000e+000	0.0000000e+000	CONSTANT	s/yr
3110 REFCON	ZCINK	2.7315000e+002	2.7315000e+002	
2.7315000e+002				
2.7315000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	K
2110 REPOSIT	CAP_MOD	1.0000000e+000	1.0000000e+000	
1.0000000e+000				
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3455 REPOSIT	CLOSMOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000				
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2112 REPOSIT	COMP_RCK	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1
2113 REPOSIT	DCELLCHW	5.4000000e+001	5.4000000e+001	
5.4000000e+001				
5.4000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2114 REPOSIT	DCELLRHW	1.7000000e+001	1.7000000e+001	
1.7000000e+001				
1.7000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2115 REPOSIT	DIRNCCHW	1.3900000e+002	1.3900000e+002	
1.3900000e+002				
1.3900000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2116 REPOSIT	DIRNCRHW	2.5910000e+003	2.5910000e+003	
2.5910000e+003				
2.5910000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2117 REPOSIT	DIRONCHW	1.7000000e+002	1.7000000e+002	
1.7000000e+002				
1.7000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2118 REPOSIT	DIRONRHW	1.0000000e+002	1.0000000e+002	
1.0000000e+002				
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2119 REPOSIT	DPLASCHW	3.4000000e+001	3.4000000e+001	
3.4000000e+001				

3.4000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2120 REPOSIT	DPLASRHW	1.5000000e+001	1.5000000e+001	
1.5000000e+001				
1.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2121 REPOSIT	DPLSCCHW	2.6000000e+001	2.6000000e+001	
2.6000000e+001				
2.6000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2995 REPOSIT	DPLSCRHW	3.1000000e+000	3.1000000e+000	
3.1000000e+000				
3.1000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2122 REPOSIT	DRUBBCHW	1.0000000e+001	1.0000000e+001	
1.0000000e+001				
1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2123 REPOSIT	DRUBBRHW	3.3000000e+000	3.3000000e+000	
3.3000000e+000				
3.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2127 REPOSIT	GRATMICH	6.3420000e-010	6.3420000e-010	
0.0000000e+000				
1.2684000e-009	0.0000000e+000	0.0000000e+000	UNIFORM	moles/(kg*s)
2128 REPOSIT	GRATMICI	4.9150000e-009	4.9150000e-009	3.1710000e-010
9.5129000e-009	0.0000000e+000	0.0000000e+000	UNIFORM	moles/(kg*s)
2736 REPOSIT	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2242 REPOSIT	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008				
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2737 REPOSIT	PCT_A	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2738 REPOSIT	PCT_EXP	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2739 REPOSIT	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005				
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2129 REPOSIT	PORE_DIS	3.2500000e+000	2.8900000e+000	
1.4400000e+000				
5.7800000e+000	0.0000000e+000	1.4400000e+000	CUMULATIVE	NONE
2129 REPOSIT	PORE_DIS	3.2500000e+000	2.8900000e+000	
1.4400000e+000				
5.7800000e+000	5.0000000e-001	2.8900000e+000	CUMULATIVE	NONE
2129 REPOSIT	PORE_DIS	3.2500000e+000	2.8900000e+000	
1.4400000e+000				
5.7800000e+000	1.0000000e+000	5.7800000e+000	CUMULATIVE	NONE
2130 REPOSIT	POROSITY	8.4800000e-001	8.4800000e-001	8.4800000e-001
8.4800000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2131 REPOSIT	PRMX_LOG	-1.2619800e+001	-1.2619800e+001	
1.2619800e+001				
-1.2619800e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
2132 REPOSIT	PRMY_LOG	-1.2619800e+001	-1.2619800e+001	
1.2619800e+001				
-1.2619800e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
2133 REPOSIT	PRMZ_LOG	-1.2619800e+001	-1.2619800e+001	
1.2619800e+001				



1-1.26198000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)		
2824 REPOSIT	PROBDEG	2.00000000e+000	2.00000000e+000			
0.00000000e+000						
2.00000000e+000	5.00000000e-001	0.00000000e+000	DELTA	NONE		
2824 REPOSIT	PROBDEG	2.00000000e+000	2.00000000e+000			
0.00000000e+000						
2.00000000e+000	2.50000000e-001	1.00000000e+000	DELTA	NONE		
2824 REPOSIT	PROBDEG	2.00000000e+000	2.00000000e+000			
0.00000000e+000						
2.00000000e+000	2.50000000e-001	2.00000000e+000	DELTA	NONE		
2135 REPOSIT	RELP_MOD	4.00000000e+000	4.00000000e+000			
4.00000000e+000						
4.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2740 REPOSIT	SAT_IBRN	1.50000000e-002	1.50000000e-002	1.50000000e-		
002						
1.50000000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	NONE		
2741 REPOSIT	SAT_RBRN	2.76000000e-001	2.76000000e-001			
0.00000000e+000						
5.52000000e-001	0.00000000e+000	0.00000000e+000	UNIFORM	NONE		
2137 REPOSIT	SAT_RGAS	7.50000000e-002	7.50000000e-002			
0.00000000e+000						
1.50000000e-001	0.00000000e+000	0.00000000e+000	UNIFORM	NONE		
2141 REPOSIT	VOLCHW	1.69000000e+005	1.69000000e+005			
1.69000000e+005						
1.69000000e+005	0.00000000e+000	0.00000000e+000	CONSTANT	m^3		
2142 REPOSIT	VOLRHW	7.08000000e+003	7.08000000e+003			
7.08000000e+003						
7.08000000e+003	0.00000000e+000	0.00000000e+000	CONSTANT	m^3		
3212 RN219	ATWEIGHT	2.19009000e-001	2.19009000e-001	2.19009000e-		
001						
2.19009000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
3353 RN219	EPAREL	0.00000000e+000	0.00000000e+000			
0.00000000e+000						
0.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf		
3297 RN219	HALFLIFE	3.96000000e+000	3.96000000e+000			
3.96000000e+000						
3.96000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	s		
3213 RN220	ATWEIGHT	2.20011000e-001	2.20011000e-001	2.20011000e-		
001						
2.20011000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
3354 RN220	EPAREL	0.00000000e+000	0.00000000e+000			
0.00000000e+000						
0.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf		
3298 RN220	HALFLIFE	5.56000000e+001	5.56000000e+001			
5.56000000e+001						
5.56000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	s		
3214 RN222	ATWEIGHT	2.22018000e-001	2.22018000e-001	2.22018000e-		
001						
2.22018000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole		
3355 RN222	EPAREL	0.00000000e+000	0.00000000e+000			
0.00000000e+000						
0.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf		
3299 RN222	HALFLIFE	3.30400000e+005	3.30400000e+005			
3.30400000e+005						
3.30400000e+005	0.00000000e+000	0.00000000e+000	CONSTANT	s		
2819 S_ANH_AB	BKLINK	2.71000000e-001	2.71000000e-001	2.71000000e-		
001						

2.7100000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
520 S_ANH_AB CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000				
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
521 S_ANH_AB COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-	
011				
2.7500000e-010	0.0000000e+000	1.0900000e-011	STUDENT	Pa^-1
521 S_ANH_AB COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-	
011				
2.7500000e-010	0.0000000e+000	1.0900000e-011	STUDENT	Pa^-1
521 S_ANH_AB COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-	
011				
2.7500000e-010	0.0000000e+000	3.3700000e-011	STUDENT	Pa^-1
521 S_ANH_AB COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-	
011				
2.7500000e-010	0.0000000e+000	2.7500000e-010	STUDENT	Pa^-1
1661 S_ANH_AB DNSGRAIN	2.7500000e+003	2.7500000e+003		
2.7500000e+003				
2.7500000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2158 S_ANH_AB DPHIMAX	2.3900000e-001	2.3900000e-001	2.3900000e-	
001				
2.3900000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2820 S_ANH_AB EXPKLINK	-3.4100000e-001	-3.4100000e-001	-3.4100000e-	
001				
-3.4100000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2812 S_ANH_AB IFRX	1.0000000e+000	1.0000000e+000		
1.0000000e+000				
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2815 S_ANH_AB IFRY	1.0000000e+000	1.0000000e+000		
1.0000000e+000				
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2818 S_ANH_AB IFRZ	0.0000000e+000	0.0000000e+000		
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2159 S_ANH_AB KMAXLOG	-9.0000000e+000	-9.0000000e+000	-	
9.0000000e+000				
-9.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
2773 S_ANH_AB KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
522 S_ANH_AB PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008				
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2774 S_ANH_AB PCT_A	2.6000000e-001	2.6000000e-001	2.6000000e-	
001				
2.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2775 S_ANH_AB PCT_EXP	-3.4800000e-001	-3.4800000e-001	-3.4800000e-	
001				
-3.4800000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
524 S_ANH_AB PF_DELTA	3.8000000e+006	3.8000000e+006		
3.8000000e+006				
3.8000000e+006	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
526 S_ANH_AB PI_DELTA	2.0000000e+005	2.0000000e+005		
2.0000000e+005				
2.0000000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
529 S_ANH_AB PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005				





-1.7100000e+001	0.0000000e+000	-1.8800000e+001	STUDENT	log(m^2)	
533 S_ANH_AB PRMZ_LOG	-1.8890000e+001	-1.8890000e+001	-		
2.1000000e+001					
-1.7100000e+001	0.0000000e+000	-1.8100000e+001	STUDENT	log(m^2)	
533 S_ANH_AB PRMZ_LOG	-1.8890000e+001	-1.8890000e+001	-		
2.1000000e+001					
-1.7100000e+001	0.0000000e+000	-1.7100000e+001	STUDENT	log(m^2)	
536 S_ANH_AB RELP_MOD	4.0000000e+000	4.0000000e+000			
1.0000000e+000					
4.0000000e+000	5.0000000e-001	1.0000000e+000	DELTA	NONE	
536 S_ANH_AB RELP_MOD	4.0000000e+000	4.0000000e+000			
1.0000000e+000					
4.0000000e+000	0.0000000e+000	2.0000000e+000	DELTA	NONE	
536 S_ANH_AB RELP_MOD	4.0000000e+000	4.0000000e+000			
1.0000000e+000					
4.0000000e+000	0.0000000e+000	3.0000000e+000	DELTA	NONE	
536 S_ANH_AB RELP_MOD	4.0000000e+000	4.0000000e+000			
1.0000000e+000					
4.0000000e+000	5.0000000e-001	4.0000000e+000	DELTA	NONE	
537 S_ANH_AB SAT_IBRN	1.0000000e+000	1.0000000e+000			
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
538 S_ANH_AB SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-003		
1.7401000e-001	0.0000000e+000	7.7846000e-003	STUDENT	NONE	
538 S_ANH_AB SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-003		
1.7401000e-001	0.0000000e+000	6.8842000e-002	STUDENT	NONE	
538 S_ANH_AB SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-003		
1.7401000e-001	0.0000000e+000	6.9860000e-002	STUDENT	NONE	
538 S_ANH_AB SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-003		
1.7401000e-001	0.0000000e+000	7.2620000e-002	STUDENT	NONE	
538 S_ANH_AB SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-003		
1.7401000e-001	0.0000000e+000	1.0861000e-001	STUDENT	NONE	
538 S_ANH_AB SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-003		
1.7401000e-001	0.0000000e+000	1.7401000e-001	STUDENT	NONE	
539 S_ANH_AB SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3980000e-002		
1.9719000e-001	0.0000000e+000	1.3980000e-002	STUDENT	NONE	
539 S_ANH_AB SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3980000e-002		
1.9719000e-001	0.0000000e+000	2.5200000e-002	STUDENT	NONE	
539 S_ANH_AB SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3980000e-002		
1.9719000e-001	0.0000000e+000	3.2180000e-002	STUDENT	NONE	
539 S_ANH_AB SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3980000e-002		
1.9719000e-001	0.0000000e+000	7.7730000e-002	STUDENT	NONE	
539 S_ANH_AB SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3980000e-002		
1.9719000e-001	0.0000000e+000	1.1637000e-001	STUDENT	NONE	
539 S_ANH_AB SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3980000e-002		

1.9719000e-001	0.00000000e+000	1.9719000e-001	STUDENT	NONE	
540 S_HALITE	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000					
2.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
541 S_HALITE	COMP_RCK	9.7500000e-011	9.7500000e-011	2.9400000e-	
012					
1.9200000e-010	0.00000000e+000	0.0000000e+000	UNIFORM	Pa^-1	
2778 S_HALITE	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
542 S_HALITE	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
2779 S_HALITE	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001					
5.6000000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
2780 S_HALITE	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001					
-3.4600000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
545 S_HALITE	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
543 S_HALITE	PORE_DIS	2.9000000e+000	7.0000000e-001	2.0000000e-	
001					
1.0000000e+001	0.00000000e+000	2.0000000e-001	CUMULATIVE	NONE	
543 S_HALITE	PORE_DIS	2.9000000e+000	7.0000000e-001	2.0000000e-	
001					
1.0000000e+001	5.0000000e-001	7.0000000e-001	CUMULATIVE	NONE	
543 S_HALITE	PORE_DIS	2.9000000e+000	7.0000000e-001	2.0000000e-	
001					
1.0000000e+001	1.0000000e+000	1.0000000e+001	CUMULATIVE	NONE	
544 S_HALITE	POROSITY	1.2800000e-002	1.0000000e-002	1.0000000e-	
003					
3.0000000e-002	0.00000000e+000	1.0000000e-003	CUMULATIVE	NONE	
544 S_HALITE	POROSITY	1.2800000e-002	1.0000000e-002	1.0000000e-	
003					
3.0000000e-002	5.0000000e-001	1.0000000e-002	CUMULATIVE	NONE	
544 S_HALITE	POROSITY	1.2800000e-002	1.0000000e-002	1.0000000e-	
003					
3.0000000e-002	1.0000000e+000	3.0000000e-002	CUMULATIVE	NONE	
546 S_HALITE	PRESSURE	1.2470000e+007	1.2470000e+007		
1.1040000e+007					
1.3890000e+007	0.00000000e+000	0.0000000e+000	UNIFORM	Pa	
547 S_HALITE	PRMX_LOG	-2.2500000e+001	-2.2500000e+001	-	
2.4000000e+001					
-2.1000000e+001	0.00000000e+000	0.0000000e+000	UNIFORM	log(m^2)	
548 S_HALITE	PRMY_LOG	-2.2500000e+001	-2.2500000e+001	-	
2.4000000e+001					
-2.1000000e+001	0.00000000e+000	0.0000000e+000	UNIFORM	log(m^2)	
549 S_HALITE	PRMZ_LOG	-2.2500000e+001	-2.2500000e+001	-	
2.4000000e+001					
-2.1000000e+001	0.00000000e+000	0.0000000e+000	UNIFORM	log(m^2)	
553 S_HALITE	RELP_MOD	4.0000000e+000	4.0000000e+000		
1.0000000e+000					
4.0000000e+000	3.3000000e-001	1.0000000e+000	DELTA	NONE	
553 S_HALITE	RELP_MOD	4.0000000e+000	4.0000000e+000		
1.0000000e+000					

4.0000000e+000	0.0000000e+000	2.0000000e+000	DELTA	NONE	
553 S_HALITE RELP_MOD	4.0000000e+000	4.0000000e+000			
1.0000000e+000					
4.0000000e+000	0.0000000e+000	3.0000000e+000	DELTA	NONE	
553 S_HALITE RELP_MOD	4.0000000e+000	4.0000000e+000			
1.0000000e+000					
4.0000000e+000	6.7000000e-001	4.0000000e+000	DELTA	NONE	
554 S_HALITE SAT_IBRN	1.0000000e+000	1.0000000e+000			
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
555 S_HALITE SAT_RBRN	3.0000000e-001	3.0000000e-001			
0.0000000e+000					
6.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
556 S_HALITE SAT_RGAS	2.0000000e-001	2.0000000e-001			
0.0000000e+000					
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
2904 S_MB138 BKLINK	2.7100000e-001	2.7100000e-001	2.7100000e-		
001					
2.7100000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
559 S_MB138 CAP_MOD	2.0000000e+000	2.0000000e+000			
2.0000000e+000					
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
560 S_MB138 COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-		
011					
2.7500000e-010	0.0000000e+000	1.0900000e-011	STUDENT	Pa^-1	
560 S_MB138 COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-		
011					
2.7500000e-010	0.0000000e+000	1.0900000e-011	STUDENT	Pa^-1	
560 S_MB138 COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-		
011					
2.7500000e-010	0.0000000e+000	3.3700000e-011	STUDENT	Pa^-1	
560 S_MB138 COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-		
011					
2.7500000e-010	0.0000000e+000	2.7500000e-010	STUDENT	Pa^-1	
1743 S_MB138 DNSGRAIN	2.7500000e+003	2.7500000e+003			
2.7500000e+003					
2.7500000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
2169 S_MB138 DPHIMAX	3.9000000e-002	3.9000000e-002	3.9000000e-		
002					
3.9000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2902 S_MB138 EXPKLINK	-3.4100000e-001	-3.4100000e-001	-3.4100000e-		
001					
-3.4100000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2810 S_MB138 IFRX	1.0000000e+000	1.0000000e+000			
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2813 S_MB138 IFRY	1.0000000e+000	1.0000000e+000			
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2816 S_MB138 IFRZ	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2170 S_MB138 KMAXLOG	-9.0000000e+000	-9.0000000e+000	-		
9.0000000e+000					
-9.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
2783 S_MB138 KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000					

0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
561 S_MB138	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2784 S_MB138	PCT_A	2.6000000e-001	2.6000000e-001	2.6000000e-	
001					
2.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2785 S_MB138	PCT_EXP	-3.4800000e-001	-3.4800000e-001	-3.4800000e-	
001					
-3.4800000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
563 S_MB138	PF_DELTA	3.8000000e+006	3.8000000e+006		
3.8000000e+006					
3.8000000e+006	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
565 S_MB138	PI_DELTA	2.0000000e+005	2.0000000e+005		
2.0000000e+005					
2.0000000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
568 S_MB138	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
566 S_MB138	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	
001					
8.4178000e-001	0.0000000e+000	4.9053000e-001	STUDENT	NONE	
566 S_MB138	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	
001					
8.4178000e-001	0.0000000e+000	5.5775000e-001	STUDENT	NONE	
566 S_MB138	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	
001					
8.4178000e-001	0.0000000e+000	6.5200000e-001	STUDENT	NONE	
566 S_MB138	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	
001					
8.4178000e-001	0.0000000e+000	6.5500000e-001	STUDENT	NONE	
566 S_MB138	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	
001					
8.4178000e-001	0.0000000e+000	6.6452000e-001	STUDENT	NONE	
566 S_MB138	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	
001					
8.4178000e-001	0.0000000e+000	8.4178000e-001	STUDENT	NONE	
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-	
003					
1.7000000e-002	0.0000000e+000	6.0000000e-003	STUDENT	NONE	
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-	
003					
1.7000000e-002	0.0000000e+000	7.0000000e-003	STUDENT	NONE	
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-	
003					
1.7000000e-002	0.0000000e+000	8.0000000e-003	STUDENT	NONE	
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-	
003					
1.7000000e-002	0.0000000e+000	8.0000000e-003	STUDENT	NONE	
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-	
003					
1.7000000e-002	0.0000000e+000	9.0000000e-003	STUDENT	NONE	
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-	
003					
1.7000000e-002	0.0000000e+000	9.0000000e-003	STUDENT	NONE	
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-	
003					



1.7000000e-002	0.0000000e+000	1.0000000e-002	STUDENT	NONE
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003				
1.7000000e-002	0.0000000e+000	1.0000000e-002	STUDENT	NONE
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003				
1.7000000e-002	0.0000000e+000	1.0000000e-002	STUDENT	NONE
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003				
1.7000000e-002	0.0000000e+000	1.1000000e-002	STUDENT	NONE
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003				
1.7000000e-002	0.0000000e+000	1.3000000e-002	STUDENT	NONE
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003				
1.7000000e-002	0.0000000e+000	1.3000000e-002	STUDENT	NONE
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003				
1.7000000e-002	0.0000000e+000	1.4000000e-002	STUDENT	NONE
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003				
1.7000000e-002	0.0000000e+000	1.4000000e-002	STUDENT	NONE
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003				
1.7000000e-002	0.0000000e+000	1.5000000e-002	STUDENT	NONE
567 S_MB138	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-
003				
1.7000000e-002	0.0000000e+000	1.7000000e-002	STUDENT	NONE
569 S_MB138	PRESSURE	1.1630000e+007	1.1630000e+007	
9.3800000e+006				
1.2940000e+007	0.0000000e+000	9.3800000e+006	STUDENT	Pa
569 S_MB138	PRESSURE	1.1630000e+007	1.1630000e+007	
9.3800000e+006				
1.2940000e+007	0.0000000e+000	1.1110000e+007	STUDENT	Pa
569 S_MB138	PRESSURE	1.1630000e+007	1.1630000e+007	
9.3800000e+006				
1.2940000e+007	0.0000000e+000	1.2270000e+007	STUDENT	Pa
569 S_MB138	PRESSURE	1.1630000e+007	1.1630000e+007	
9.3800000e+006				
1.2940000e+007	0.0000000e+000	1.2430000e+007	STUDENT	Pa
569 S_MB138	PRESSURE	1.1630000e+007	1.1630000e+007	
9.3800000e+006				
1.2940000e+007	0.0000000e+000	1.2940000e+007	STUDENT	Pa
570 S_MB138	PRMX_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				
-1.7100000e+001	0.0000000e+000	-2.1000000e+001	STUDENT	log(m^2)
570 S_MB138	PRMX_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				
-1.7100000e+001	0.0000000e+000	-1.9200000e+001	STUDENT	log(m^2)
570 S_MB138	PRMX_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				
-1.7100000e+001	0.0000000e+000	-1.9100000e+001	STUDENT	log(m^2)
570 S_MB138	PRMX_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				
-1.7100000e+001	0.0000000e+000	-1.8800000e+001	STUDENT	log(m^2)
570 S_MB138	PRMX_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				

-1.7100000e+001	0.0000000e+000	-1.8100000e+001	STUDENT	log(m^2)
570 S_MB138	PRMX_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				
-1.7100000e+001	0.0000000e+000	-1.7100000e+001	STUDENT	log(m^2)
571 S_MB138	PRMY_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				
-1.7100000e+001	0.0000000e+000	-2.1000000e+001	STUDENT	log(m^2)
571 S_MB138	PRMY_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				
-1.7100000e+001	0.0000000e+000	-1.9200000e+001	STUDENT	log(m^2)
571 S_MB138	PRMY_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				
-1.7100000e+001	0.0000000e+000	-1.9100000e+001	STUDENT	log(m^2)
571 S_MB138	PRMY_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				
-1.7100000e+001	0.0000000e+000	-1.8800000e+001	STUDENT	log(m^2)
571 S_MB138	PRMY_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				
-1.7100000e+001	0.0000000e+000	-1.8100000e+001	STUDENT	log(m^2)
571 S_MB138	PRMY_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				
-1.7100000e+001	0.0000000e+000	-1.7100000e+001	STUDENT	log(m^2)
572 S_MB138	PRMZ_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				
-1.7100000e+001	0.0000000e+000	-2.1000000e+001	STUDENT	log(m^2)
572 S_MB138	PRMZ_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				
-1.7100000e+001	0.0000000e+000	-1.9200000e+001	STUDENT	log(m^2)
572 S_MB138	PRMZ_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				
-1.7100000e+001	0.0000000e+000	-1.9100000e+001	STUDENT	log(m^2)
572 S_MB138	PRMZ_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				
-1.7100000e+001	0.0000000e+000	-1.8800000e+001	STUDENT	log(m^2)
572 S_MB138	PRMZ_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				
-1.7100000e+001	0.0000000e+000	-1.8100000e+001	STUDENT	log(m^2)
572 S_MB138	PRMZ_LOG	-1.8890000e+001	-1.8890000e+001	-
2.1000000e+001				
-1.7100000e+001	0.0000000e+000	-1.7100000e+001	STUDENT	log(m^2)
575 S_MB138	RELP_MOD	4.0000000e+000	4.0000000e+000	
1.0000000e+000				
4.0000000e+000	5.0000000e-001	1.0000000e+000	DELTA	NONE
575 S_MB138	RELP_MOD	4.0000000e+000	4.0000000e+000	
1.0000000e+000				
4.0000000e+000	0.0000000e+000	2.0000000e+000	DELTA	NONE
575 S_MB138	RELP_MOD	4.0000000e+000	4.0000000e+000	
1.0000000e+000				
4.0000000e+000	0.0000000e+000	3.0000000e+000	DELTA	NONE
575 S_MB138	RELP_MOD	4.0000000e+000	4.0000000e+000	
1.0000000e+000				
4.0000000e+000	5.0000000e-001	4.0000000e+000	DELTA	NONE
576 S_MB138	SAT_IBRN	1.0000000e+000	1.0000000e+000	
1.0000000e+000				
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
577 S_MB138	SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-

1.7401000e-001	0.00000000e+000	7.7846000e-003	STUDENT	NONE	
577 S_MB138	SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-	
003					
1.7401000e-001	0.00000000e+000	6.8842000e-002	STUDENT	NONE	
577 S_MB138	SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-	
003					
1.7401000e-001	0.00000000e+000	6.9860000e-002	STUDENT	NONE	
577 S_MB138	SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-	
003					
1.7401000e-001	0.00000000e+000	7.2620000e-002	STUDENT	NONE	
577 S_MB138	SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-	
003					
1.7401000e-001	0.00000000e+000	1.0861000e-001	STUDENT	NONE	
577 S_MB138	SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-	
003					
1.7401000e-001	0.00000000e+000	1.7401000e-001	STUDENT	NONE	
578 S_MB138	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002					
1.9719000e-001	0.00000000e+000	1.3981000e-002	STUDENT	NONE	
578 S_MB138	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002					
1.9719000e-001	0.00000000e+000	2.5201000e-002	STUDENT	NONE	
578 S_MB138	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002					
1.9719000e-001	0.00000000e+000	3.2177000e-002	STUDENT	NONE	
578 S_MB138	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002					
1.9719000e-001	0.00000000e+000	7.7729000e-002	STUDENT	NONE	
578 S_MB138	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002					
1.9719000e-001	0.00000000e+000	1.1637000e-001	STUDENT	NONE	
578 S_MB138	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002					
1.9719000e-001	0.00000000e+000	1.9719000e-001	STUDENT	NONE	
2905 S_MB139	BKLINK	2.7100000e-001	2.7100000e-001	2.7100000e-	
001					
2.7100000e-001	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
579 S_MB139	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000					
2.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
580 S_MB139	COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-	
011					
2.7500000e-010	0.00000000e+000	1.0900000e-011	STUDENT	Pa^-1	
580 S_MB139	COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-	
011					
2.7500000e-010	0.00000000e+000	1.0900000e-011	STUDENT	Pa^-1	
580 S_MB139	COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-	
011					
2.7500000e-010	0.00000000e+000	3.3700000e-011	STUDENT	Pa^-1	
580 S_MB139	COMP_RCK	8.2630000e-011	8.2630000e-011	1.0900000e-	
011					
2.7500000e-010	0.00000000e+000	2.7500000e-010	STUDENT	Pa^-1	
1784 S_MB139	DNSGRAIN	2.7500000e+003	2.7500000e+003		
2.7500000e+003					
2.7500000e+003	0.00000000e+000	0.0000000e+000	CONSTANT	kg/m^3	
2177 S_MB139	DPHIMAX	3.9000000e-002	3.9000000e-002	3.9000000e-	
002					

3.9000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2903 S_MB139	EXPKLINK	-3.4100000e-001	-3.4100000e-001	-3.4100000e-	
001					
-3.4100000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2811 S_MB139	IFRX	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2814 S_MB139	IFRY	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2817 S_MB139	IFRZ	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2178 S_MB139	KMAXLOG	-9.0000000e+000	-9.0000000e+000	-	
9.0000000e+000					
-9.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
2788 S_MB139	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
582 S_MB139	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2789 S_MB139	PCT_A	2.6000000e-001	2.6000000e-001	2.6000000e-	
001					
2.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2790 S_MB139	PCT_EXP	-3.4800000e-001	-3.4800000e-001	-3.4800000e-	
001					
-3.4800000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2180 S_MB139	PF_DELTA	3.8000000e+006	3.8000000e+006		
3.8000000e+006					
3.8000000e+006	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
586 S_MB139	PI_DELTA	2.0000000e+005	2.0000000e+005		
2.0000000e+005					
2.0000000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
589 S_MB139	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
587 S_MB139	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	
001					
8.4178000e-001	0.0000000e+000	4.9053000e-001	STUDENT	NONE	
587 S_MB139	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	
001					
8.4178000e-001	0.0000000e+000	5.5775000e-001	STUDENT	NONE	
587 S_MB139	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	
001					
8.4178000e-001	0.0000000e+000	6.5200000e-001	STUDENT	NONE	
587 S_MB139	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	
001					
8.4178000e-001	0.0000000e+000	6.5500000e-001	STUDENT	NONE	
587 S_MB139	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	
001					
8.4178000e-001	0.0000000e+000	6.6452000e-001	STUDENT	NONE	
587 S_MB139	PORE_DIS	6.4360000e-001	6.4360000e-001	4.9053000e-	
001					
8.4178000e-001	0.0000000e+000	8.4178000e-001	STUDENT	NONE	
588 S_MB139	POROSITY	1.1000000e-002	1.1000000e-002	6.0000000e-	
003					





-1.7100000e+001	0.0000000e+000	-1.7100000e+001	STUDENT	log (m^2)	
596 S_MB139	RELP_MOD	4.0000000e+000	4.0000000e+000		
1.0000000e+000					
4.0000000e+000	5.0000000e-001	1.0000000e+000	DELTA	NONE	
596 S_MB139	RELP_MOD	4.0000000e+000	4.0000000e+000		
1.0000000e+000					
4.0000000e+000	0.0000000e+000	2.0000000e+000	DELTA	NONE	
596 S_MB139	RELP_MOD	4.0000000e+000	4.0000000e+000		
1.0000000e+000					
4.0000000e+000	0.0000000e+000	3.0000000e+000	DELTA	NONE	
596 S_MB139	RELP_MOD	4.0000000e+000	4.0000000e+000		
1.0000000e+000					
4.0000000e+000	5.0000000e-001	4.0000000e+000	DELTA	NONE	
597 S_MB139	SAT_IBRN	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
598 S_MB139	SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-	
003					
1.7401000e-001	0.0000000e+000	7.7846000e-003	STUDENT	NONE	
598 S_MB139	SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-	
003					
1.7401000e-001	0.0000000e+000	6.8842000e-002	STUDENT	NONE	
598 S_MB139	SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-	
003					
1.7401000e-001	0.0000000e+000	6.9860000e-002	STUDENT	NONE	
598 S_MB139	SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-	
003					
1.7401000e-001	0.0000000e+000	7.2620000e-002	STUDENT	NONE	
598 S_MB139	SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-	
003					
1.7401000e-001	0.0000000e+000	1.0861000e-001	STUDENT	NONE	
598 S_MB139	SAT_RBRN	8.3620000e-002	8.3620000e-002	7.7846000e-	
003					
1.7401000e-001	0.0000000e+000	1.7401000e-001	STUDENT	NONE	
599 S_MB139	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002					
1.9719000e-001	0.0000000e+000	1.3981000e-002	STUDENT	NONE	
599 S_MB139	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002					
1.9719000e-001	0.0000000e+000	2.5201000e-002	STUDENT	NONE	
599 S_MB139	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002					
1.9719000e-001	0.0000000e+000	3.2177000e-002	STUDENT	NONE	
599 S_MB139	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002					
1.9719000e-001	0.0000000e+000	7.7729000e-002	STUDENT	NONE	
599 S_MB139	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002					
1.9719000e-001	0.0000000e+000	1.1637000e-001	STUDENT	NONE	
599 S_MB139	SAT_RGAS	7.7110000e-002	7.7110000e-002	1.3981000e-	
002					
1.9719000e-001	0.0000000e+000	1.9719000e-001	STUDENT	NONE	
2513 SALT_T1	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000					
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2514 SALT_T1	COMP_RCK	8.0000000e-011	8.0000000e-011	8.0000000e-	
011					

8.0000000e-011	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2939	SALT_T1	CUMPROB	5.0000000e-001	5.0000000e-001	
0.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
2744	SALT_T1	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2515	SALT_T1	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2745	SALT_T1	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-
001					
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2746	SALT_T1	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-
001					
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2942	SALT_T1	PMLT_HI	-1.2265200e+001	-1.2265200e+001	-
1.2265200e+001					
-1.2265200e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
2941	SALT_T1	PMLT_LO	-1.7301000e+001	-1.7301000e+001	-
1.7301000e+001					
-1.7301000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
2940	SALT_T1	PMLT_MD	-1.4782500e+001	-1.4782500e+001	-
1.4782500e+001					
-1.4782500e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
2518	SALT_T1	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2516	SALT_T1	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE	
2516	SALT_T1	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
2516	SALT_T1	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
2517	SALT_T1	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-
002					
5.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2519	SALT_T1	PRESSURE	1.0132500e+005	1.0132500e+005	
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2938	SALT_T1	RADN_DRZ	1.8140000e+000	1.8140000e+000	
1.8140000e+000					
1.8140000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2526	SALT_T1	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2934	SALT_T1	RSH_AIR	3.0900000e+000	3.0900000e+000	
3.0900000e+000					
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2937	SALT_T1	RSH_EXH	2.3000000e+000	2.3000000e+000	
2.3000000e+000					
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2935	SALT_T1	RSH_SAL	1.8000000e+000	1.8000000e+000	
1.8000000e+000					



1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
2936	SALT_T1	RSH_WAS	3.5000000e+000	3.5000000e+000		
3.5000000e+000						
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
2527	SALT_T1	SAT_IBRN	3.2000000e-001	3.2000000e-001	3.2000000e-	
001						
3.2000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2528	SALT_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
2528	SALT_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
2528	SALT_T1	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
2529	SALT_T1	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
2530	SALT_T2	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2531	SALT_T2	COMP_RCK	8.0000000e-011	8.0000000e-011	8.0000000e-	
011						
8.0000000e-011	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
2749	SALT_T2	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2532	SALT_T2	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2750	SALT_T2	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2751	SALT_T2	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2950	SALT_T2	PMLT_HI	-1.2265200e+001	-1.2265200e+001	-	
1.2265200e+001						
-1.2265200e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
2949	SALT_T2	PMLT_LO	-1.7301000e+001	-1.7301000e+001	-	
1.7301000e+001						
-1.7301000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
2948	SALT_T2	PMLT_MD	-1.4782500e+001	-1.4782500e+001	-	
1.4782500e+001						
-1.4782500e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
2535	SALT_T2	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2533	SALT_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE		
2533	SALT_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE		
2533	SALT_T2	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						

8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
2534	SALT_T2	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-
002					
5.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2947	SALT_T2	RADN_DRZ	1.1100000e+000	1.1100000e+000	
1.1100000e+000					
1.1100000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2543	SALT_T2	REL_P_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2943	SALT_T2	RSH_AIR	3.0900000e+000	3.0900000e+000	
3.0900000e+000					
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2946	SALT_T2	RSH_EXH	2.3000000e+000	2.3000000e+000	
2.3000000e+000					
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2944	SALT_T2	RSH_SAL	1.8000000e+000	1.8000000e+000	
1.8000000e+000					
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2945	SALT_T2	RSH_WAS	3.5000000e+000	3.5000000e+000	
3.5000000e+000					
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2545	SALT_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000					
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
2545	SALT_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000					
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
2545	SALT_T2	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000					
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
2546	SALT_T2	SAT_RGAS	2.0000000e-001	2.0000000e-001	
0.0000000e+000					
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
2547	SALT_T3	CAP_MOD	2.0000000e+000	2.0000000e+000	
2.0000000e+000					
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2548	SALT_T3	COMP_RCK	8.0000000e-011	8.0000000e-011	8.0000000e-
011					
8.0000000e-011	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2754	SALT_T3	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2549	SALT_T3	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2755	SALT_T3	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-
001					
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2756	SALT_T3	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-
001					
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2958	SALT_T3	PMLT_HI	-1.2265200e+001	-1.2265200e+001	-
1.2265200e+001					
-1.2265200e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
2957	SALT_T3	PMLT_LO	-1.7301000e+001	-1.7301000e+001	-
1.7301000e+001					

-1.7301000e+001	0.00000000e+000	0.0000000e+000	CONSTANT	log (m^2)	
2956 SALT_T3	PMLT_MD	-1.4782500e+001	-1.4782500e+001	-	
1.4782500e+001					
-1.4782500e+001	0.00000000e+000	0.0000000e+000	CONSTANT	log (m^2)	
2552 SALT_T3	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					
1.0132500e+005	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
2550 SALT_T3	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE	
2550 SALT_T3	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
2550 SALT_T3	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
2551 SALT_T3	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-	
002					
5.0000000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
2955 SALT_T3	RADN_DRZ	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
2560 SALT_T3	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000					
4.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
2951 SALT_T3	RSH_AIR	3.0900000e+000	3.0900000e+000		
3.0900000e+000					
3.0900000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m	
2954 SALT_T3	RSH_EXH	2.3000000e+000	2.3000000e+000		
2.3000000e+000					
2.3000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m	
2952 SALT_T3	RSH_SAL	1.8000000e+000	1.8000000e+000		
1.8000000e+000					
1.8000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m	
2953 SALT_T3	RSH_WAS	3.5000000e+000	3.5000000e+000		
3.5000000e+000					
3.5000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	m	
2562 SALT_T3	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
2562 SALT_T3	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
2562 SALT_T3	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
2563 SALT_T3	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000					
4.0000000e-001	0.00000000e+000	0.0000000e+000	UNIFORM	NONE	
2564 SALT_T4	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000					
2.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
2565 SALT_T4	COMP_RCK	8.0000000e-011	8.0000000e-011	8.0000000e-	
011					
8.0000000e-011	0.00000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2759 SALT_T4	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					

0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2566	SALT_T4	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2760	SALT_T4	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-
001					
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2761	SALT_T4	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-
001					
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2966	SALT_T4	PMLT_HI	-1.3950800e+001	-1.3950800e+001	-
1.3950800e+001					
-1.3950800e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
2965	SALT_T4	PMLT_LO	-2.2876100e+001	-2.2876100e+001	-
2.2876100e+001					
-2.2876100e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
2964	SALT_T4	PMLT_MD	-1.7165600e+001	-1.7165600e+001	-
1.7165600e+001					
-1.7165600e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)	
2569	SALT_T4	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005					
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2567	SALT_T4	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE	
2567	SALT_T4	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
2567	SALT_T4	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-
001					
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
2568	SALT_T4	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-
002					
5.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2963	SALT_T4	RADN_DRZ	1.0000000e+000	1.0000000e+000	
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2577	SALT_T4	REL_P_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2959	SALT_T4	RSH_AIR	3.0900000e+000	3.0900000e+000	
3.0900000e+000					
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2962	SALT_T4	RSH_EXH	2.3000000e+000	2.3000000e+000	
2.3000000e+000					
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2960	SALT_T4	RSH_SAL	1.8000000e+000	1.8000000e+000	
1.8000000e+000					
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2961	SALT_T4	RSH_WAS	3.5000000e+000	3.5000000e+000	
3.5000000e+000					
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2579	SALT_T4	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000					
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
2579	SALT_T4	SAT_RBRN	2.5000000e-001	2.0000000e-001	
0.0000000e+000					

6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
2579	SALT_T4	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
2580	SALT_T4	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
2581	SALT_T5	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2582	SALT_T5	COMP_RCK	8.0000000e-011	8.0000000e-011	8.0000000e-	
011						
8.0000000e-011	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
2764	SALT_T5	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2583	SALT_T5	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2765	SALT_T5	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2766	SALT_T5	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2974	SALT_T5	PMLT_HI	-1.5426000e+001	-1.5426000e+001	-	
1.5426000e+001						
-1.5426000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
2973	SALT_T5	PMLT_LO	-2.2876100e+001	-2.2876100e+001	-	
2.2876100e+001						
-2.2876100e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
2972	SALT_T5	PMLT_MD	-1.9278200e+001	-1.9278200e+001	-	
1.9278200e+001						
-1.9278200e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
3125	SALT_T5	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2809	SALT_T5	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE		
2809	SALT_T5	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE		
2809	SALT_T5	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE		
2585	SALT_T5	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-	
002						
5.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2971	SALT_T5	RADN_DRZ	1.0000000e+000	1.0000000e+000		
1.0000000e+000						
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2594	SALT_T5	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2967	SALT_T5	RSH_AIR	3.0900000e+000	3.0900000e+000		
3.0900000e+000						

3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
2970	SALT_T5	RSH_EXH	2.3000000e+000	2.3000000e+000		
2.3000000e+000						
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
2968	SALT_T5	RSH_SAL	1.8000000e+000	1.8000000e+000		
1.8000000e+000						
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
2969	SALT_T5	RSH_WAS	3.5000000e+000	3.5000000e+000		
3.5000000e+000						
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m		
2596	SALT_T5	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE		
2596	SALT_T5	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE		
2596	SALT_T5	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000						
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE		
2597	SALT_T5	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000						
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE		
2983	SALT_T6	CAP_MOD	2.0000000e+000	2.0000000e+000		
2.0000000e+000						
2.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2984	SALT_T6	COMP_RCK	8.0000000e-011	8.0000000e-011	8.0000000e-	
011						
8.0000000e-011	0.0000000e+000	0.0000000e+000	CONSTANT	Pa <sup>-1</sup>		
2985	SALT_T6	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2986	SALT_T6	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2987	SALT_T6	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2988	SALT_T6	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2982	SALT_T6	PMLT_HI	-1.7667600e+001	-1.7667600e+001	-	
1.7667600e+001						
-1.7667600e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m <sup>2</sup> )		
2981	SALT_T6	PMLT_LO	-2.2876100e+001	-2.2876100e+001	-	
2.2876100e+001						
-2.2876100e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m <sup>2</sup> )		
2980	SALT_T6	PMLT_MD	-2.0271600e+001	-2.0271600e+001	-	
2.0271600e+001						
-2.0271600e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m <sup>2</sup> )		
3126	SALT_T6	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005						
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
2989	SALT_T6	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						
8.1000000e+000	0.0000000e+000	1.1000000e-001	CUMULATIVE	NONE		
2989	SALT_T6	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001						

8.1000000e+000	5.0000000e-001	9.4000000e-001	CUMULATIVE	NONE	
2989 SALT_T6	PORE_DIS	2.5200000e+000	9.4000000e-001	1.1000000e-	
001					
8.1000000e+000	1.0000000e+000	8.1000000e+000	CUMULATIVE	NONE	
2990 SALT_T6	POROSITY	5.0000000e-002	5.0000000e-002	5.0000000e-	
002					
5.0000000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2979 SALT_T6	RADN_DRZ	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2991 SALT_T6	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
2975 SALT_T6	RSH_AIR	3.0900000e+000	3.0900000e+000		
3.0900000e+000					
3.0900000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2978 SALT_T6	RSH_EXH	2.3000000e+000	2.3000000e+000		
2.3000000e+000					
2.3000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2976 SALT_T6	RSH_SAL	1.8000000e+000	1.8000000e+000		
1.8000000e+000					
1.8000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2977 SALT_T6	RSH_WAS	3.5000000e+000	3.5000000e+000		
3.5000000e+000					
3.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m	
2992 SALT_T6	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
2992 SALT_T6	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
2992 SALT_T6	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
2993 SALT_T6	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000					
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
336 SANTAROS	CAP_MOD	1.0000000e+000	1.0000000e+000		
1.0000000e+000					
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
337 SANTAROS	COMP_RCK	1.0000000e-008	1.0000000e-008	1.0000000e-	
008					
1.0000000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1	
2768 SANTAROS	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
339 SANTAROS	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008					
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2769 SANTAROS	PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa	
2770 SANTAROS	PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
342 SANTAROS	PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005					

1.0132500e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa	
340 SANTAROS PORE_DIS	6.4360000e-001	6.4360000e-001	6.4360000e-		
001					
6.4360000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
341 SANTAROS POROSITY	1.7500000e-001	1.7500000e-001	1.7500000e-		
001					
1.7500000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
343 SANTAROS PRESSURE	1.0132500e+005	1.0132500e+005			
1.0132500e+005					
1.0132500e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa	
344 SANTAROS PRMX_LOG	-1.0000000e+001	-1.0000000e+001	-		
1.0000000e+001					
-1.0000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)	
345 SANTAROS PRMY_LOG	-1.0000000e+001	-1.0000000e+001	-		
1.0000000e+001					
-1.0000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)	
346 SANTAROS PRMZ_LOG	-1.0000000e+001	-1.0000000e+001	-		
1.0000000e+001					
-1.0000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log(m^2)	
349 SANTAROS RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000					
4.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
350 SANTAROS SAT_IBRN	8.3630000e-002	8.3630000e-002	8.3630000e-		
002					
8.3630000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
351 SANTAROS SAT_RBRN	8.3630000e-002	8.3630000e-002	8.3630000e-		
002					
8.3630000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
352 SANTAROS SAT_RGAS	7.7110000e-002	7.7110000e-002	7.7110000e-		
002					
7.7110000e-002	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
3133 SHFTL_DRZ PRMX_LOG	-1.5333330e+001	-1.5000000e+001	-		
1.7000000e+001					
-1.4000000e+001	0.00000000e+000	0.00000000e+000	TRIANGULAR	log(m^2)	
3562 SHFTL_T1 COMP_POR	4.2800000e-009	4.2800000e-009	4.2800000e-		
009					
4.2800000e-009	0.00000000e+000	0.00000000e+000	CONSTANT	Pa^-1	
3563 SHFTL_T1 KPT	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
3564 SHFTL_T1 PC_MAX	1.0000000e+008	1.0000000e+008			
1.0000000e+008					
1.0000000e+008	0.00000000e+000	0.00000000e+000	CONSTANT	Pa	
3565 SHFTL_T1 PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-		
001					
5.6000000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	Pa	
3566 SHFTL_T1 PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-		
001					
-3.4600000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
3567 SHFTL_T1 PO_MIN	1.0100000e+005	1.0100000e+005			
1.0100000e+005					
1.0100000e+005	0.00000000e+000	0.00000000e+000	CONSTANT	Pa	
3568 SHFTL_T1 POROSITY	1.1300000e-001	1.1300000e-001	1.1300000e-		
001					
1.1300000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	NONE	
3569 SHFTL_T1 PRMX_LOG	-1.8000000e+001	-1.8200000e+001	-		
2.0000000e+001					



-1.6500000e+001	0.0000000e+000	-2.0000000e+001	CUMULATIVE	log(m^2)		
3569	SHFTL_T1	PRMX_LOG	-1.8000000e+001	-1.8200000e+001	-	
2.0000000e+001						
-1.6500000e+001	1.0000000e-002	-1.9500000e+001	CUMULATIVE	log(m^2)		
3569	SHFTL_T1	PRMX_LOG	-1.8000000e+001	-1.8200000e+001	-	
2.0000000e+001						
-1.6500000e+001	1.0000000e-001	-1.9000000e+001	CUMULATIVE	log(m^2)		
3569	SHFTL_T1	PRMX_LOG	-1.8000000e+001	-1.8200000e+001	-	
2.0000000e+001						
-1.6500000e+001	3.0700000e-001	-1.8500000e+001	CUMULATIVE	log(m^2)		
3569	SHFTL_T1	PRMX_LOG	-1.8000000e+001	-1.8200000e+001	-	
2.0000000e+001						
-1.6500000e+001	6.3700000e-001	-1.8000000e+001	CUMULATIVE	log(m^2)		
3569	SHFTL_T1	PRMX_LOG	-1.8000000e+001	-1.8200000e+001	-	
2.0000000e+001						
-1.6500000e+001	8.7300000e-001	-1.7500000e+001	CUMULATIVE	log(m^2)		
3569	SHFTL_T1	PRMX_LOG	-1.8000000e+001	-1.8200000e+001	-	
2.0000000e+001						
-1.6500000e+001	9.9300000e-001	-1.7000000e+001	CUMULATIVE	log(m^2)		
3569	SHFTL_T1	PRMX_LOG	-1.8000000e+001	-1.8200000e+001	-	
2.0000000e+001						
-1.6500000e+001	1.0000000e+000	-1.6500000e+001	CUMULATIVE	log(m^2)		
3570	SHFTL_T1	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3571	SHFTL_T1	SAT_IBRN	5.3400000e-001	5.3400000e-001	5.3400000e-	
001						
5.3400000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3572	SHFTL_T2	COMP_POR	4.2800000e-009	4.2800000e-009	4.2800000e-	
009						
4.2800000e-009	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
3573	SHFTL_T2	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3574	SHFTL_T2	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3575	SHFTL_T2	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3576	SHFTL_T2	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3577	SHFTL_T2	PO_MIN	1.0100000e+005	1.0100000e+005		
1.0100000e+005						
1.0100000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3578	SHFTL_T2	POROSITY	1.1300000e-001	1.1300000e-001	1.1300000e-	
001						
1.1300000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3579	SHFTL_T2	PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-	
2.2500000e+001						
-1.8000000e+001	0.0000000e+000	-2.2500000e+001	CUMULATIVE	log(m^2)		
3579	SHFTL_T2	PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-	
2.2500000e+001						
-1.8000000e+001	2.0000000e-002	-2.2000000e+001	CUMULATIVE	log(m^2)		
3579	SHFTL_T2	PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-	
2.2500000e+001						

-1.8000000e+001	8.0000000e-002	-2.1500000e+001	CUMULATIVE	log(m^2)		
3579	SHFTL_T2	PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-	
2.2500000e+001						
-1.8000000e+001	1.7000000e-001	-2.1000000e+001	CUMULATIVE	log(m^2)		
3579	SHFTL_T2	PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-	
2.2500000e+001						
-1.8000000e+001	3.0500000e-001	-2.0500000e+001	CUMULATIVE	log(m^2)		
3579	SHFTL_T2	PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-	
2.2500000e+001						
-1.8000000e+001	5.2500000e-001	-2.0000000e+001	CUMULATIVE	log(m^2)		
3579	SHFTL_T2	PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-	
2.2500000e+001						
-1.8000000e+001	7.0000000e-001	-1.9500000e+001	CUMULATIVE	log(m^2)		
3579	SHFTL_T2	PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-	
2.2500000e+001						
-1.8000000e+001	8.6500000e-001	-1.9000000e+001	CUMULATIVE	log(m^2)		
3579	SHFTL_T2	PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-	
2.2500000e+001						
-1.8000000e+001	9.6500000e-001	-1.8500000e+001	CUMULATIVE	log(m^2)		
3579	SHFTL_T2	PRMX_LOG	-1.9800000e+001	-2.0100000e+001	-	
2.2500000e+001						
-1.8000000e+001	1.0000000e+000	-1.8000000e+001	CUMULATIVE	log(m^2)		
3580	SHFTL_T2	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3581	SHFTL_T2	SAT_IBRN	5.3400000e-001	5.3400000e-001	5.3400000e-	
001						
5.3400000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3550	SHFTU	COMP_POR	2.0500000e-008	2.0500000e-008	2.0500000e-	
008						
2.0500000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1		
3551	SHFTU	KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3552	SHFTU	PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008						
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3553	SHFTU	PCT_A	5.6000000e-001	5.6000000e-001	5.6000000e-	
001						
5.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3554	SHFTU	PCT_EXP	-3.4600000e-001	-3.4600000e-001	-3.4600000e-	
001						
-3.4600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3555	SHFTU	PO_MIN	1.0100000e+005	1.0100000e+005		
1.0100000e+005						
1.0100000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa		
3556	SHFTU	POROSITY	2.9100000e-001	2.9100000e-001	2.9100000e-	
001						
2.9100000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3557	SHFTU	PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-	
2.0500000e+001						
-1.6500000e+001	0.0000000e+000	-2.0500000e+001	CUMULATIVE	log(m^2)		
3557	SHFTU	PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-	
2.0500000e+001						
-1.6500000e+001	3.0000000e-002	-2.0000000e+001	CUMULATIVE	log(m^2)		
3557	SHFTU	PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-	
2.0500000e+001						

-1.6500000e+001	1.1000000e-001	-1.9500000e+001	CUMULATIVE	log(m^2)	
3557 SHFTU	PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-	
2.0500000e+001					
-1.6500000e+001	2.4000000e-001	-1.9000000e+001	CUMULATIVE	log(m^2)	
3557 SHFTU	PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-	
2.0500000e+001					
-1.6500000e+001	4.3000000e-001	-1.8500000e+001	CUMULATIVE	log(m^2)	
3557 SHFTU	PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-	
2.0500000e+001					
-1.6500000e+001	6.5000000e-001	-1.8000000e+001	CUMULATIVE	log(m^2)	
3557 SHFTU	PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-	
2.0500000e+001					
-1.6500000e+001	8.9000000e-001	-1.7500000e+001	CUMULATIVE	log(m^2)	
3557 SHFTU	PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-	
2.0500000e+001					
-1.6500000e+001	9.9000000e-001	-1.7000000e+001	CUMULATIVE	log(m^2)	
3557 SHFTU	PRMX_LOG	-1.8200000e+001	-1.8300000e+001	-	
2.0500000e+001					
-1.6500000e+001	1.0000000e+000	-1.6500000e+001	CUMULATIVE	log(m^2)	
3558 SHFTU	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000					
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3559 SHFTU	SAT_IBRN	7.9600000e-001	7.9600000e-001	7.9600000e-	
001					
7.9600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE	
3560 SHFTU	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	0.0000000e+000	0.0000000e+000	CUMULATIVE	NONE	
3560 SHFTU	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	5.0000000e-001	2.0000000e-001	CUMULATIVE	NONE	
3560 SHFTU	SAT_RBRN	2.5000000e-001	2.0000000e-001		
0.0000000e+000					
6.0000000e-001	1.0000000e+000	6.0000000e-001	CUMULATIVE	NONE	
3561 SHFTU	SAT_RGAS	2.0000000e-001	2.0000000e-001		
0.0000000e+000					
4.0000000e-001	0.0000000e+000	0.0000000e+000	UNIFORM	NONE	
514 SM147	ATWEIGHT	1.4691500e-001	1.4691500e-001	1.4691500e-	
001					
1.4691500e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3379 SM147	EPAREL	1.0000000e+002	1.0000000e+002		
1.0000000e+002					
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
515 SM147	HALFLIFE	3.3770000e+018	3.3770000e+018		
3.3770000e+018					
3.3770000e+018	0.0000000e+000	0.0000000e+000	CONSTANT	s	
3263 SOLAM3	SOLCIM	1.8000000e-001	-9.0000000e-002	-	
2.0000000e+000					
1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter	
3263 SOLAM3	SOLCIM	1.8000000e-001	-9.0000000e-002	-	
2.0000000e+000					
1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter	
3263 SOLAM3	SOLCIM	1.8000000e-001	-9.0000000e-002	-	
2.0000000e+000					
1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter	
3263 SOLAM3	SOLCIM	1.8000000e-001	-9.0000000e-002	-	
2.0000000e+000					

1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter		
3263 SOLAM3	SOLCIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000						
1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter		
3263 SOLAM3	SOLCIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000						
1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter		
3263 SOLAM3	SOLCIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000						
1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter		
3263 SOLAM3	SOLCIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000						
1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter		
3263 SOLAM3	SOLCIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000						
1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter		
3262 SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000						
1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter		
3262 SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000						
1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter		
3262 SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000						
1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter		
3262 SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000						
1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter		
3262 SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000						
1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter		
3262 SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000						
1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter		
3262 SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000						
1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter		
3262 SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000						
1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter		
3262 SOLAM3	SOLSIM	1.8000000e-001	-9.0000000e-002	-		
2.0000000e+000						
1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter		
3402 SOLMOD3	SOLCIM	1.3000000e-008	1.3000000e-008	1.3000000e-		
008						
1.3000000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter		
3628 SOLMOD3	SOLCOC	1.7700000e-007	1.7700000e-007	1.7700000e-		
007						
1.7700000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter		
3629 SOLMOD3	SOLCOH	1.6900000e-007	1.6900000e-007	1.6900000e-		
007						
1.6900000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter		
3406 SOLMOD3	SOLSIM	1.2000000e-007	1.2000000e-007	1.2000000e-		
007						
1.2000000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter		
3630 SOLMOD3	SOLSOC	3.0700000e-007	3.0700000e-007	3.0700000e-		
007						

3.0700000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3631 SOLMOD3 SOLSOH	3.0700000e-007	3.0700000e-007	3.0700000e-007	3.0700000e-007
007				
3.0700000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3403 SOLMOD4 SOLCIM	4.1000000e-008	4.1000000e-008	4.1000000e-008	4.1000000e-008
008				
4.1000000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3632 SOLMOD4 SOLCOC	5.8400000e-009	5.8400000e-009	5.8400000e-009	5.8400000e-009
009				
5.8400000e-009	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3633 SOLMOD4 SOLCOH	2.4700000e-008	2.4700000e-008	2.4700000e-008	2.4700000e-008
008				
2.4700000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3407 SOLMOD4 SOLSIM	1.3000000e-008	1.3000000e-008	1.3000000e-008	1.3000000e-008
008				
1.3000000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3634 SOLMOD4 SOLSOC	1.2400000e-008	1.2400000e-008	1.2400000e-008	1.2400000e-008
008				
1.2400000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3635 SOLMOD4 SOLSOH	1.1900000e-008	1.1900000e-008	1.1900000e-008	1.1900000e-008
008				
1.1900000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3404 SOLMOD5 SOLCIM	4.8000000e-007	4.8000000e-007	4.8000000e-007	4.8000000e-007
007				
4.8000000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3636 SOLMOD5 SOLCOC	2.1300000e-005	2.1300000e-005	2.1300000e-005	2.1300000e-005
005				
2.1300000e-005	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3637 SOLMOD5 SOLCOH	5.0800000e-006	5.0800000e-006	5.0800000e-006	5.0800000e-006
006				
5.0800000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3408 SOLMOD5 SOLSIM	2.4000000e-007	2.4000000e-007	2.4000000e-007	2.4000000e-007
007				
2.4000000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3638 SOLMOD5 SOLSOC	9.7200000e-007	9.7200000e-007	9.7200000e-007	9.7200000e-007
007				
9.7200000e-007	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3639 SOLMOD5 SOLSOH	1.0200000e-006	1.0200000e-006	1.0200000e-006	1.0200000e-006
006				
1.0200000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3405 SOLMOD6 SOLCIM	2.7000000e-005	8.8000000e-006	8.8000000e-006	8.8000000e-006
007				
8.8000000e-005	0.0000000e+000	8.8000000e-007	CUMULATIVE	moles/liter
3405 SOLMOD6 SOLCIM	2.7000000e-005	8.8000000e-006	8.8000000e-006	8.8000000e-006
007				
8.8000000e-005	5.0000000e-001	8.8000000e-006	CUMULATIVE	moles/liter
3405 SOLMOD6 SOLCIM	2.7000000e-005	8.8000000e-006	8.8000000e-006	8.8000000e-006
007				
8.8000000e-005	1.0000000e+000	8.8000000e-005	CUMULATIVE	moles/liter
3640 SOLMOD6 SOLCOC	8.8000000e-006	8.8000000e-006	8.8000000e-006	8.8000000e-006
006				
8.8000000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3641 SOLMOD6 SOLCOH	8.8000000e-006	8.8000000e-006	8.8000000e-006	8.8000000e-006
006				
8.8000000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3409 SOLMOD6 SOLSIM	2.6000000e-005	8.7000000e-006	8.7000000e-006	8.7000000e-006
007				

8.7000000e-005	0.0000000e+000	8.7000000e-007	CUMULATIVE	moles/liter
3409	SOLMOD6	SOLSIM	2.6000000e-005	8.7000000e-006 8.7000000e-
007				
8.7000000e-005	5.0000000e-001	8.7000000e-006	CUMULATIVE	moles/liter
3409	SOLMOD6	SOLSIM	2.6000000e-005	8.7000000e-006 8.7000000e-
007				
8.7000000e-005	1.0000000e+000	8.7000000e-005	CUMULATIVE	moles/liter
3642	SOLMOD6	SOLSOC	8.7000000e-006	8.7000000e-006 8.7000000e-
006				
8.7000000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3643	SOLMOD6	SOLSOH	8.7000000e-006	8.7000000e-006 8.7000000e-
006				
8.7000000e-006	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter
3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter
3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter
3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter
3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter
3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter
3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter
3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter
3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter
3264	SOLPU3	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter
3265	SOLPU3	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter
3265	SOLPU3	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter
3265	SOLPU3	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter
3265	SOLPU3	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter
3265	SOLPU3	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter
3265	SOLPU3	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				



1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter
3266	SOLPU4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter
3266	SOLPU4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter
3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter
3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter
3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter
3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter
3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter
3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter
3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter
3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter
3627	SOLTH4	SOLCIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter
3393	SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter
3393	SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter
3393	SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter
3393	SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter
3393	SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter
3393	SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter
3393	SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				
1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter
3393	SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002 -
2.0000000e+000				



1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter
3393 SOLTH4	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter
3626 SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter
3626 SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter
3626 SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter
3626 SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter
3626 SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter
3626 SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter
3626 SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter
3626 SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter
3626 SOLU4	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter
3390 SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter
3390 SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter
3390 SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter
3390 SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter
3390 SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter
3390 SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter
3390 SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter
3390 SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter
3390 SOLU4	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				

1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter
3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter
3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter
3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter
3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter
3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter
3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter
3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter
3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter
3392 SOLU6	SOLCIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter
3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	0.0000000e+000	-2.0000000e+000	CUMULATIVE	moles/liter
3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	4.0000000e-002	-1.0000000e+000	CUMULATIVE	moles/liter
3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	1.3000000e-001	-5.0000000e-001	CUMULATIVE	moles/liter
3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	2.7000000e-001	-2.5000000e-001	CUMULATIVE	moles/liter
3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	6.3000000e-001	0.0000000e+000	CUMULATIVE	moles/liter
3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	8.4000000e-001	2.5000000e-001	CUMULATIVE	moles/liter
3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	8.9000000e-001	5.0000000e-001	CUMULATIVE	moles/liter
3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	9.9000000e-001	1.0000000e+000	CUMULATIVE	moles/liter
3391 SOLU6	SOLSIM	1.8000000e-001	-9.0000000e-002	-
2.0000000e+000				
1.4000000e+000	1.0000000e+000	1.4000000e+000	CUMULATIVE	moles/liter
1659 SR	LOGSOLM	0.0000000e+000	0.0000000e+000	
0.0000000e+000				

0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	log(moles/lit
516 SR90	ATWEIGHT	8.9908000e-002	8.9908000e-002	8.9908000e-
002				
8.9908000e-002	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
3380 SR90	EPAREL	1.0000000e+003	1.0000000e+003	
1.0000000e+003				
1.0000000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
517 SR90	HALFLIFE	9.1900000e+008	9.1900000e+008	
9.1900000e+008				
9.1900000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	s
2039 SR90	INVCHD	2.8200000e+004	2.8200000e+004	
2.8200000e+004				
2.8200000e+004	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
518 SR90	INVRHD	1.1800000e+005	1.1800000e+005	
1.1800000e+005				
1.1800000e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
2907 STEEL	CORRMCO2	1.5850000e-014	1.5850000e-014	
0.0000000e+000				
3.1700000e-014	0.0000000e+000	0.0000000e+000	UNIFORM	m/s
2908 STEEL	CORRWCO2	1.0318000e-013	1.0318000e-013	
0.0000000e+000				
2.0635000e-013	0.0000000e+000	0.0000000e+000	UNIFORM	m/s
2910 STEEL	HUMCORR	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	m/s
2898 STEEL	STOIFX	1.0000000e+000	1.0000000e+000	
1.0000000e+000				
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2909 SULFATE	QINIT	6.5900000e+006	6.5900000e+006	
6.5900000e+006				
6.5900000e+006	0.0000000e+000	0.0000000e+000	CONSTANT	moles
2183 TAMARISK	CAP_MOD	1.0000000e+000	1.0000000e+000	
1.0000000e+000				
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2243 TAMARISK	COMP_RCK	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1
2793 TAMARISK	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2244 TAMARISK	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008				
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2794 TAMARISK	PCT_A	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2795 TAMARISK	PCT_EXP	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2796 TAMARISK	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005				
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2185 TAMARISK	PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-
001				
7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2186 TAMARISK	POROSITY	6.4000000e-002	6.4000000e-002	
0.0000000e+000				

2.1700000e-001	0.0000000e+000	0.0000000e+000	STUDENT	NONE		
2186	TAMARISK	POROSITY	6.4000000e-002	6.4000000e-002		
0.0000000e+000						
2.1700000e-001	0.0000000e+000	2.0000000e-003	STUDENT	NONE		
2186	TAMARISK	POROSITY	6.4000000e-002	6.4000000e-002		
0.0000000e+000						
2.1700000e-001	0.0000000e+000	2.0000000e-003	STUDENT	NONE		
2186	TAMARISK	POROSITY	6.4000000e-002	6.4000000e-002		
0.0000000e+000						
2.1700000e-001	0.0000000e+000	3.0000000e-003	STUDENT	NONE		
2186	TAMARISK	POROSITY	6.4000000e-002	6.4000000e-002		
0.0000000e+000						
2.1700000e-001	0.0000000e+000	1.0000000e-002	STUDENT	NONE		
2186	TAMARISK	POROSITY	6.4000000e-002	6.4000000e-002		
0.0000000e+000						
2.1700000e-001	0.0000000e+000	2.1300000e-001	STUDENT	NONE		
2186	TAMARISK	POROSITY	6.4000000e-002	6.4000000e-002		
0.0000000e+000						
2.1700000e-001	0.0000000e+000	2.1700000e-001	STUDENT	NONE		
2914	TAMARISK	PRMX_LOG	-3.5000000e+001	-3.5000000e+001	-	
3.5000000e+001						
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
2915	TAMARISK	PRMY_LOG	-3.5000000e+001	-3.5000000e+001	-	
3.5000000e+001						
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
2916	TAMARISK	PRMZ_LOG	-3.5000000e+001	-3.5000000e+001	-	
3.5000000e+001						
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)		
2191	TAMARISK	RELP_MOD	4.0000000e+000	4.0000000e+000		
4.0000000e+000						
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2245	TAMARISK	SAT_RBRN	2.0000000e-001	2.0000000e-001	2.0000000e-	
001						
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
2192	TAMARISK	SAT_RGAS	2.0000000e-001	2.0000000e-001	2.0000000e-	
001						
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3461	TH	CAPHUM	1.1000000e-005	1.1000000e-005	1.1000000e-	
005						
1.1000000e-005	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter		
3318	TH	CAPMIC	1.9000000e-003	1.9000000e-003	1.9000000e-	
003						
1.9000000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter		
3319	TH	CONCINT	0.0000000e+000	0.0000000e+000		
0.0000000e+000						
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter		
3437	TH	CONCMIN	2.6000000e-008	2.6000000e-008	2.6000000e-	
008						
2.6000000e-008	0.0000000e+000	0.0000000e+000	CONSTANT	moles/liter		
3320	TH	PROPMIC	3.1000000e+000	3.1000000e+000		
3.1000000e+000						
3.1000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE		
3449	TH+4	MDO	1.5300000e-010	1.5300000e-010	1.5300000e-	
010						
1.5300000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	m^2/s		
3478	TH+4	MKD_TH	3.5000000e+000	2.6000000e+000	7.0000000e-	
001						

1.0000000e+001	0.0000000e+000	0.0000000e+000	LOGUNIFORM	m^3/kg	
3216 TH227	ATWEIGHT	2.2702800e-001	2.2702800e-001	2.2702800e-	
001					
2.2702800e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3356 TH227	EPAREL	0.0000000e+000	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3300 TH227	HALFLIFE	1.6170000e+006	1.6170000e+006		
1.6170000e+006					
1.6170000e+006	0.0000000e+000	0.0000000e+000	CONSTANT	s	
3217 TH228	ATWEIGHT	2.2802900e-001	2.2802900e-001	2.2802900e-	
001					
2.2802900e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3357 TH228	EPAREL	0.0000000e+000	0.0000000e+000	0.0000000e+000	
0.0000000e+000					
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3301 TH228	HALFLIFE	6.0370000e+007	6.0370000e+007		
6.0370000e+007					
6.0370000e+007	0.0000000e+000	0.0000000e+000	CONSTANT	s	
603 TH229	ATWEIGHT	2.2903200e-001	2.2903200e-001	2.2903200e-	
001					
2.2903200e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3381 TH229	EPAREL	1.0000000e+002	1.0000000e+002		
1.0000000e+002					
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
604 TH229	HALFLIFE	2.3160000e+011	2.3160000e+011		
2.3160000e+011					
2.3160000e+011	0.0000000e+000	0.0000000e+000	CONSTANT	s	
605 TH229	INVCHD	6.1200000e+000	6.1200000e+000		
6.1200000e+000					
6.1200000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
606 TH229	INVRHD	1.8300000e-001	1.8300000e-001	1.8300000e-	
001					
1.8300000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
607 TH230	ATWEIGHT	2.3003300e-001	2.3003300e-001	2.3003300e-	
001					
2.3003300e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3382 TH230	EPAREL	1.0000000e+001	1.0000000e+001		
1.0000000e+001					
1.0000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
608 TH230	HALFLIFE	2.4300000e+012	2.4300000e+012		
2.4300000e+012					
2.4300000e+012	0.0000000e+000	0.0000000e+000	CONSTANT	s	
609 TH230	INVCHD	2.2600000e-001	2.2600000e-001	2.2600000e-	
001					
2.2600000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
610 TH230	INVRHD	7.2400000e-003	7.2400000e-003	7.2400000e-	
003					
7.2400000e-003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
3508 TH230L	INVCHD	6.3500000e+000	6.3500000e+000		
6.3500000e+000					
6.3500000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
3513 TH230L	INVRHD	1.9000000e-001	1.9000000e-001	1.9000000e-	
001					
1.9000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies	
3218 TH231	ATWEIGHT	2.3103600e-001	2.3103600e-001	2.3103600e-	
001					

2.3103600e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
3358 TH231	EPAREL	0.00000000e+000	0.00000000e+000	
0.00000000e+000				
0.00000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf
3302 TH231	HALFLIFE	9.1870000e+004	9.1870000e+004	
9.1870000e+004				
9.1870000e+004	0.00000000e+000	0.00000000e+000	CONSTANT	s
611 TH232	ATWEIGHT	2.3203800e-001	2.3203800e-001	2.3203800e-
001				
2.3203800e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
3383 TH232	EPAREL	1.0000000e+001	1.0000000e+001	
1.0000000e+001				
1.0000000e+001	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf
612 TH232	HALFLIFE	4.4340000e+017	4.4340000e+017	
4.4340000e+017				
4.4340000e+017	0.00000000e+000	0.00000000e+000	CONSTANT	s
613 TH232	INVCHD	6.6300000e+000	6.6300000e+000	
6.6300000e+000				
6.6300000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies
614 TH232	INVRHD	2.9100000e-001	2.9100000e-001	2.9100000e-
001				
2.9100000e-001	0.00000000e+000	0.00000000e+000	CONSTANT	Curies
3219 TH234	ATWEIGHT	2.3404400e-001	2.3404400e-001	2.3404400e-
001				
2.3404400e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
3359 TH234	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf
3303 TH234	HALFLIFE	2.0820000e+006	2.0820000e+006	
2.0820000e+006				
2.0820000e+006	0.00000000e+000	0.00000000e+000	CONSTANT	s
3196 TL207	ATWEIGHT	2.0697700e-001	2.0697700e-001	2.0697700e-
001				
2.0697700e-001	0.00000000e+000	0.00000000e+000	CONSTANT	kg/mole
3360 TL207	EPAREL	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	Curies/wuf
3304 TL207	HALFLIFE	2.8620000e+002	2.8620000e+002	
2.8620000e+002				
2.8620000e+002	0.00000000e+000	0.00000000e+000	CONSTANT	s
3460 U	CAPHUM	1.1000000e-005	1.1000000e-005	1.1000000e-
005				
1.1000000e-005	0.00000000e+000	0.00000000e+000	CONSTANT	moles/liter
3308 U	CAPMIC	2.1000000e-003	2.1000000e-003	2.1000000e-
003				
2.1000000e-003	0.00000000e+000	0.00000000e+000	CONSTANT	moles/liter
3307 U	CONCINT	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.00000000e+000	0.00000000e+000	CONSTANT	moles/liter
3438 U	CONCMIN	2.6000000e-008	2.6000000e-008	2.6000000e-
008				
2.6000000e-008	0.00000000e+000	0.00000000e+000	CONSTANT	moles/liter
3309 U	PROPMIC	2.1000000e-003	2.1000000e-003	2.1000000e-
003				
2.1000000e-003	0.00000000e+000	0.00000000e+000	CONSTANT	NONE
3446 U+4	MD0	1.5300000e-010	1.5300000e-010	1.5300000e-
010				

1.5300000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	m^2/s
3479 U+4	MKD_U	3.5000000e+000	2.6000000e+000	7.0000000e-
001				
1.0000000e+001	0.0000000e+000	0.0000000e+000	LOGUNIFORM	m^3/kg
3448 U+6	MD0	4.2600000e-010	4.2600000e-010	4.2600000e-
010				
4.2600000e-010	0.0000000e+000	0.0000000e+000	CONSTANT	m^2/s
3475 U+6	MKD_U	3.1000000e-003	7.7000000e-004	3.0000000e-
005				
2.0000000e-002	0.0000000e+000	0.0000000e+000	LOGUNIFORM	m^3/kg
632 U233	ATWEIGHT	2.3304000e-001	2.3304000e-001	2.3304000e-
001				
2.3304000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
3384 U233	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002				
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
633 U233	HALFLIFE	5.0020000e+012	5.0020000e+012	
5.0020000e+012				
5.0020000e+012	0.0000000e+000	0.0000000e+000	CONSTANT	s
634 U233	INVCHD	1.4300000e+003	1.4300000e+003	
1.4300000e+003				
1.4300000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
635 U233	INVRHD	4.3800000e+001	4.3800000e+001	
4.3800000e+001				
4.3800000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
636 U234	ATWEIGHT	2.3404100e-001	2.3404100e-001	2.3404100e-
001				
2.3404100e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
3385 U234	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002				
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
637 U234	HALFLIFE	7.7160000e+012	7.7160000e+012	
7.7160000e+012				
7.7160000e+012	0.0000000e+000	0.0000000e+000	CONSTANT	s
638 U234	INVCHD	3.6400000e+002	3.6400000e+002	
3.6400000e+002				
3.6400000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
639 U234	INVRHD	2.3500000e+001	2.3500000e+001	
2.3500000e+001				
2.3500000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
3507 U234L	INVCHD	1.7900000e+003	1.7900000e+003	
1.7900000e+003				
1.7900000e+003	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
3512 U234L	INVRHD	6.7300000e+001	6.7300000e+001	
6.7300000e+001				
6.7300000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
640 U235	ATWEIGHT	2.3504400e-001	2.3504400e-001	2.3504400e-
001				
2.3504400e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
3386 U235	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002				
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
641 U235	HALFLIFE	2.2210000e+016	2.2210000e+016	
2.2210000e+016				
2.2210000e+016	0.0000000e+000	0.0000000e+000	CONSTANT	s
642 U235	INVCHD	1.3800000e+000	1.3800000e+000	
1.3800000e+000				

1.3800000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
643 U235	INVRHD	9.7900000e-001	9.7900000e-001	9.7900000e-
001				
9.7900000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
644 U236	ATWEIGHT	2.3604600e-001	2.3604600e-001	2.3604600e-
001				
2.3604600e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
3387 U236	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002				
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
645 U236	HALFLIFE	7.3890000e+014	7.3890000e+014	
7.3890000e+014				
7.3890000e+014	0.0000000e+000	0.0000000e+000	CONSTANT	s
2216 U236	INVCHD	2.6000000e-001	2.6000000e-001	2.6000000e-
001				
2.6000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
646 U236	INVRHD	1.4800000e+000	1.4800000e+000	
1.4800000e+000				
1.4800000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
647 U238	ATWEIGHT	2.3805100e-001	2.3805100e-001	2.3805100e-
001				
2.3805100e-001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/mole
3388 U238	EPAREL	1.0000000e+002	1.0000000e+002	
1.0000000e+002				
1.0000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
648 U238	HALFLIFE	1.4100000e+017	1.4100000e+017	
1.4100000e+017				
1.4100000e+017	0.0000000e+000	0.0000000e+000	CONSTANT	s
649 U238	INVCHD	2.4600000e+001	2.4600000e+001	
2.4600000e+001				
2.4600000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
650 U238	INVRHD	1.3100000e+002	1.3100000e+002	
1.3100000e+002				
1.3100000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	Curies
2217 UNNAMED	CAP_MOD	1.0000000e+000	1.0000000e+000	
1.0000000e+000				
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2218 UNNAMED	COMP_RCK	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1
2799 UNNAMED	KPT	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2247 UNNAMED	PC_MAX	1.0000000e+008	1.0000000e+008	
1.0000000e+008				
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2800 UNNAMED	PCT_A	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2801 UNNAMED	PCT_EXP	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2802 UNNAMED	PO_MIN	1.0132500e+005	1.0132500e+005	
1.0132500e+005				
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2219 UNNAMED	PORE_DIS	7.0000000e-001	7.0000000e-001	7.0000000e-
001				



7.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2220 UNNAMED	POROSITY	1.8100000e-001	1.8100000e-001	2.0000000e-003
2.7300000e-001	0.0000000e+000	2.0000000e-003	STUDENT	NONE
2220 UNNAMED	POROSITY	1.8100000e-001	1.8100000e-001	2.0000000e-003
2.7300000e-001	0.0000000e+000	2.6800000e-001	STUDENT	NONE
2220 UNNAMED	POROSITY	1.8100000e-001	1.8100000e-001	2.0000000e-003
2.7300000e-001	0.0000000e+000	2.7300000e-001	STUDENT	NONE
2911 UNNAMED	PRMX_LOG	-3.5000000e+001	-3.5000000e+001	-
3.5000000e+001				
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
2912 UNNAMED	PRMY_LOG	-3.5000000e+001	-3.5000000e+001	-
3.5000000e+001				
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
2913 UNNAMED	PRMZ_LOG	-3.5000000e+001	-3.5000000e+001	-
3.5000000e+001				
-3.5000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	log(m^2)
2225 UNNAMED	RELP_MOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000				
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2248 UNNAMED	SAT_RBRN	2.0000000e-001	2.0000000e-001	2.0000000e-001
001				
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
2226 UNNAMED	SAT_RGAS	2.0000000e-001	2.0000000e-001	2.0000000e-001
001				
2.0000000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
651 WAS_AREA	ABSROUGH	2.5000000e-002	2.5000000e-002	1.0000000e-002
002				
4.0000000e-002	0.0000000e+000	0.0000000e+000	UNIFORM	m
652 WAS_AREA	CAP_MOD	1.0000000e+000	1.0000000e+000	
1.0000000e+000				
1.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
3454 WAS_AREA	CLOSMOD	4.0000000e+000	4.0000000e+000	
4.0000000e+000				
4.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
653 WAS_AREA	COMP_RCK	0.0000000e+000	0.0000000e+000	
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa^-1
2041 WAS_AREA	DCELLCHW	5.8000000e+001	5.8000000e+001	
5.8000000e+001				
5.8000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2274 WAS_AREA	DCELLRHW	4.5000000e+000	4.5000000e+000	
4.5000000e+000				
4.5000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
1992 WAS_AREA	DIRNCCHW	1.7000000e+002	1.7000000e+002	
1.7000000e+002				
1.7000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
1993 WAS_AREA	DIRNCRHW	4.8000000e+002	4.8000000e+002	
4.8000000e+002				
4.8000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2040 WAS_AREA	DIRONCHW	1.1000000e+002	1.1000000e+002	
1.1000000e+002				
1.1000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2044 WAS_AREA	DIRONRHW	1.1000000e+002	1.1000000e+002	
1.1000000e+002				

1.1000000e+002	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2043 WAS_AREA DPLASCHW	4.2000000e+001	4.2000000e+001		
4.2000000e+001				
4.2000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2275 WAS_AREA DPLASRHW	4.9000000e+000	4.9000000e+000		
4.9000000e+000				
4.9000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
1995 WAS_AREA DPLSCCHW	1.6000000e+001	1.6000000e+001		
1.6000000e+001				
1.6000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2228 WAS_AREA DPLSCRHW	1.4000000e+000	1.4000000e+000		
1.4000000e+000				
1.4000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2042 WAS_AREA DRUBBCHW	1.4000000e+001	1.4000000e+001		
1.4000000e+001				
1.4000000e+001	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
2046 WAS_AREA DRUBBRHW	3.1000000e+000	3.1000000e+000		
3.1000000e+000				
3.1000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	kg/m^3
656 WAS_AREA GRATMICH	6.3420000e-010	6.3420000e-010		
0.0000000e+000				
1.2684000e-009	0.0000000e+000	0.0000000e+000	UNIFORM	moles/(kg*s)
657 WAS_AREA GRATMICI	4.9150000e-009	4.9150000e-009		3.1710000e-010
9.5129000e-009	0.0000000e+000	0.0000000e+000	UNIFORM	moles/(kg*s)
2804 WAS_AREA KPT	0.0000000e+000	0.0000000e+000		
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
658 WAS_AREA PC_MAX	1.0000000e+008	1.0000000e+008		
1.0000000e+008				
1.0000000e+008	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2805 WAS_AREA PCT_A	0.0000000e+000	0.0000000e+000		
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
2806 WAS_AREA PCT_EXP	0.0000000e+000	0.0000000e+000		
0.0000000e+000				
0.0000000e+000	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
661 WAS_AREA PO_MIN	1.0132500e+005	1.0132500e+005		
1.0132500e+005				
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
659 WAS_AREA PORE_DIS	3.2500000e+000	2.8900000e+000		
1.4400000e+000				
5.7800000e+000	0.0000000e+000	1.4400000e+000	CUMULATIVE	NONE
659 WAS_AREA PORE_DIS	3.2500000e+000	2.8900000e+000		
1.4400000e+000				
5.7800000e+000	5.0000000e-001	2.8900000e+000	CUMULATIVE	NONE
659 WAS_AREA PORE_DIS	3.2500000e+000	2.8900000e+000		
1.4400000e+000				
5.7800000e+000	1.0000000e+000	5.7800000e+000	CUMULATIVE	NONE
660 WAS_AREA POROSITY	8.4800000e-001	8.4800000e-001		8.4800000e-001
8.4800000e-001	0.0000000e+000	0.0000000e+000	CONSTANT	NONE
662 WAS_AREA PRESSURE	1.0132500e+005	1.0132500e+005		
1.0132500e+005				
1.0132500e+005	0.0000000e+000	0.0000000e+000	CONSTANT	Pa
663 WAS_AREA PRMX_LOG	-1.2619800e+001	-1.2619800e+001		
1.2619800e+001				

-1.2619800e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log (m^2)	
664 WAS_AREA PRMY_LOG	-1.2619800e+001	-1.2619800e+001	-		
1.2619800e+001					
-1.2619800e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log (m^2)	
665 WAS_AREA PRMZ_LOG	-1.2619800e+001	-1.2619800e+001	-		
1.2619800e+001					
-1.2619800e+001	0.00000000e+000	0.00000000e+000	CONSTANT	log (m^2)	
2823 WAS_AREA PROBDEG	2.0000000e+000	2.0000000e+000			
0.0000000e+000					
2.0000000e+000	5.0000000e-001	0.0000000e+000	DELTA	NONE	
2823 WAS_AREA PROBDEG	2.0000000e+000	2.0000000e+000			
0.0000000e+000					
2.0000000e+000	2.5000000e-001	1.0000000e+000	DELTA	NONE	
2823 WAS_AREA PROBDEG	2.0000000e+000	2.0000000e+000			
0.0000000e+000					
2.0000000e+000	2.5000000e-001	2.0000000e+000	DELTA	NONE	
3549 WAS_AREA PTHRESH	8.0000000e+006	8.0000000e+006			
8.0000000e+006					
8.0000000e+006	0.00000000e+000	0.0000000e+000	CONSTANT	Pa	
668 WAS_AREA RELP_MOD	4.0000000e+000	4.0000000e+000			
4.0000000e+000					
4.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
669 WAS_AREA SAT_IBRN	1.5000000e-002	1.5000000e-002	1.5000000e-		
002					
1.5000000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	NONE	
670 WAS_AREA SAT_RBRN	2.7600000e-001	2.7600000e-001			
0.0000000e+000					
5.5200000e-001	0.00000000e+000	0.0000000e+000	UNIFORM	NONE	
671 WAS_AREA SAT_RGAS	7.5000000e-002	7.5000000e-002			
0.0000000e+000					
1.5000000e-001	0.00000000e+000	0.0000000e+000	UNIFORM	NONE	
2231 WAS_AREA SAT_WICK	5.0000000e-001	5.0000000e-001			
0.0000000e+000					
1.0000000e+000	0.00000000e+000	0.0000000e+000	UNIFORM	NONE	
2232 WAS_AREA VOLCHW	1.6900000e+005	1.6900000e+005			
1.6900000e+005					
1.6900000e+005	0.00000000e+000	0.0000000e+000	CONSTANT	m^3	
2233 WAS_AREA VOLRHW	7.0800000e+003	7.0800000e+003			
7.0800000e+003					
7.0800000e+003	0.00000000e+000	0.0000000e+000	CONSTANT	m^3	
3548 WAS_AREA VOLSPALL	2.2500000e+000	2.2500000e+000	5.0000000e-		
001					
4.0000000e+000	0.00000000e+000	0.0000000e+000	UNIFORM	m^3	
3198 Y90 ATWEIGHT	8.9907000e-002	8.9907000e-002	8.9907000e-		
002					
8.9907000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3361 Y90 EPAREL	0.0000000e+000	0.0000000e+000			
0.0000000e+000					
0.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	Curies/wuf	
3305 Y90 HALFLIFE	2.3040000e+005	2.3040000e+005			
2.3040000e+005					
2.3040000e+005	0.00000000e+000	0.0000000e+000	CONSTANT	s	
3199 ZR90 ATWEIGHT	8.9905000e-002	8.9905000e-002	8.9905000e-		
002					
8.9905000e-002	0.00000000e+000	0.0000000e+000	CONSTANT	kg/mole	
3362 ZR90 EPAREL	0.0000000e+000	0.0000000e+000			
0.0000000e+000					

0.0000000e+000	0.00000000e+000	0.0000000e+000	CONSTANT	Curies/wuf
3306 ZR90	HALFLIFE	1.0000000e+038	1.0000000e+038	
1.0000000e+038				
1.0000000e+038	0.00000000e+000	0.0000000e+000	CONSTANT	s

## APPENDIX E: REPRESENTATIVE INPUT FILES FOR PANEL

### E.1 GENMESH FILE—sets up grid/source term

```
$ type GM_PANEL_CRA1.INP
!=====
! FILETYPE: GENMESH input text file
! TITLE: Simple GENMESH to set up Source Term CDB
! ANALYSTS: Christine Stockman
! DATE: May 31, 1996
!=====
!
!*SETUP
  DIM=      3
  ORIGIN= 0.0, 0.0, 0.0
  IJKMAX= 2, 2, 2
!*GRID
! ===== X direction =====
  DEL, COORD=X, DEL= 1.00, INRANGE= 1, 2, FACTOR= 1.0
! ===== Y direction =====
  DEL, COORD=Y, DEL= 1.00, INRANGE= 1, 2, FACTOR= 1.0
! ===== Z direction =====
  DEL, COORD=Z, DEL= 1.00, INRANGE= 1, 2, FACTOR= 1.0
!
!*REGIONS
  REGION= 1, IRANGE= 1,2, JRANGE= 1,2 KRANGE= 1, 2
!=====
!*END
```

### E.2 MATSET FILE—calls up parameters/defines parameters/assigns blocks

```
$ type ms_panel_cra1.inp
!=====
! TITLE: MATSET input file for PANEL (CRA for SOURCE term in PANEL runs)
! ANALYSTS: C. T. STOCKMAN, J. W. GARNER
! CREATED: Feb 17, 2003
! A modification of the 1996 CCA Source Term MATSET input file
! PURPOSE: PREPARE INPUT CDB FOR PANEL
!=====
!
!*HEADING
RUN=0
SCALE=SOURCE
SCENARIO=00
TITLE=SOURCE TERM
!
!*PRINT_ASSIGNED_VALUES
!
!*UNITS=SI
!
!*CREATE_BLOCK
  BLOCKID= 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, &
           16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, &
           31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, &
           46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, &
```

61, 62, 63, 64, 65

\*RETRIEVE\*NAME

COORDINATE, DIM=3, NAMES=X, Y, Z

MATERIAL, 1=GLOBAL, 2=REFCON, &

3=AM241, 4=AM243, 5=CF252, 6=CM243, 7=CM244, 8=CM245, &

9=CM248, 10=CS137, 11=NP237, 12=PA231, 13=PB210, 14=PM147, &

15=PU238, 16=PU239, 17=PU240, 18=PU241, 19=PU242, 20=PU244, &

21=RA226, 22=RA228, 23=SR90, 24=TH229, 25=TH230, &

26=TH232, 27=U233, 28=U234, 29=U235, 30=U236, 31=U238, &

32=AM, 33=CF, 34=CM, 35=CS, 36=NP, 37=PA, 38=PB, 39=PM, 40=PU, &

41=RA, 42=SR, 43=TH, 44=U, &

45=SOLMOD3, 46=SOLMOD4, 47=SOLMOD5, 48=SOLMOD6, &

49=PHUMOX3, 50=PHUMOX4, 51=PHUMOX5, 52=PHUMOX6, &

53=SOLAM3, 54=SOLPU3, 55=SOLPU4, 56=SOLTH4, 57=SOLU4, 58=SOLU6, &

59=AM241L, 60=PU238L, 61=PU239L, 62=TH230L, 63=U234L, 64=BOREHOLE, &

65=WAS\_AREA

!MATERIALS 59-63 ARE LUMPED PARAMETERS FOR NUTS

!

PROPERTY MATERIAL=WAS\_AREA, NAMES =PROBDEG

PROPERTY MATERIAL=Global, NAMES =OXSTAT

PROPERTY MATERIAL=REFCON, NAMES =YRSEC, INVSCALE

!ISOTOPES

PROPERTY MATERIAL=Am241, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Am243, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Cf252, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Cm243, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Cm244, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Cm245, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Cm248, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Cs137, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Np237, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Pa231, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Pb210, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Pm147, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Pu238, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Pu239, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Pu240, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Pu241, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Pu242, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Pu244, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Ra226, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Ra228, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Sr90, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Th229, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Th230, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=Th232, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=U233, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=U234, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=U235, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=U236, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

PROPERTY MATERIAL=U238, NAMES =InvCHD, InvRHD, ATWEIGHT, HALFLIFE, EPAREL

!LUMPED ISOTOPES

PROPERTY MATERIAL=AM241L, NAMES =InvCHD, InvRHD

PROPERTY MATERIAL=PU238L, NAMES =InvCHD, InvRHD, LSOLDIFF

PROPERTY MATERIAL=PU239L, NAMES =InvCHD, InvRHD

PROPERTY MATERIAL=TH230L, NAMES =InvCHD, InvRHD, LSOLDIFF

PROPERTY MATERIAL=U234L, NAMES =InvCHD, InvRHD, LSOLDIFF

```

!ELEMENTS
PROPERTY MATERIAL=AM, NAMES =CONCMIN, CONCINT, CAPHUM, CAPMIC, PROPMIC
PROPERTY MATERIAL=NP, NAMES =CONCMIN, CONCINT, CAPHUM, CAPMIC, PROPMIC
PROPERTY MATERIAL=PU, NAMES =CONCMIN, CONCINT, CAPHUM, CAPMIC, PROPMIC
PROPERTY MATERIAL=TH, NAMES =CONCMIN, CONCINT, CAPHUM, CAPMIC, PROPMIC
PROPERTY MATERIAL=U, NAMES =CONCMIN, CONCINT, CAPHUM, CAPMIC, PROPMIC
!OXIDATION STATES
PROPERTY MATERIAL=SOLMOD3, NAMES =SOLSOH, SOLCOH, SOLSOC, SOLCOC
PROPERTY MATERIAL=SOLMOD4, NAMES =SOLSOH, SOLCOH, SOLSOC, SOLCOC
PROPERTY MATERIAL=SOLMOD5, NAMES =SOLSOH, SOLCOH, SOLSOC, SOLCOC
PROPERTY MATERIAL=SOLMOD6, NAMES =SOLSOH, SOLCOH, SOLSOC, SOLCOC
PROPERTY MATERIAL=PHUMOX3, NAMES =PHUMSIM, PHUMCIM
PROPERTY MATERIAL=PHUMOX4, NAMES =PHUMSIM, PHUMCIM
PROPERTY MATERIAL=PHUMOX5, NAMES =PHUMSIM, PHUMCIM
PROPERTY MATERIAL=PHUMOX6, NAMES =PHUMSIM, PHUMCIM
!SOLUBILITIES
PROPERTY MATERIAL=SOLAM3, NAMES =SOLSIM, SOLCIM
PROPERTY MATERIAL=SOLPU3, NAMES =SOLSIM, SOLCIM
PROPERTY MATERIAL=SOLPU4, NAMES =SOLSIM, SOLCIM
PROPERTY MATERIAL=SOLTH4, NAMES =SOLSIM, SOLCIM
PROPERTY MATERIAL=SOLU4, NAMES =SOLSIM, SOLCIM
PROPERTY MATERIAL=SOLU6, NAMES =SOLSIM, SOLCIM
!WASTE UNIT FACTOR
PROPERTY MATERIAL=BOREHOLE, NAMES=WUF
!=====
*SET*VALUES
!INVSACLE NEEDED UNTIL ADDED TO DATA BASE
PROPERTY MATERIAL=REFCON, NAMES*VALUE: INVSCALE=.1044
! PROPERTY MATERIAL=REFCON, NAMES*VALUE: INVSCALE=1.
! PROPERTY MATERIAL=PU238L, NAMES*VALUE: LSOLDIFF=2.17519 CCA Value
PROPERTY MATERIAL=PU238L, NAMES*VALUE: LSOLDIFF=2.18488
! PROPERTY MATERIAL=TH230L, NAMES*VALUE: LSOLDIFF=2.900 CCA Value
PROPERTY MATERIAL=TH230L, NAMES*VALUE: LSOLDIFF=3.95623
! PROPERTY MATERIAL=U234L, NAMES*VALUE: LSOLDIFF=2.550 CCA Value
PROPERTY MATERIAL=U234L, NAMES*VALUE: LSOLDIFF=3.25069
!
*END
!-----

```

### E.3 LHS FILE—calls up sampled parameters

```

$ type lhs1_panel_cra1_a1.inp
! TITLE: BRAGFLO 2003 CRA1 (LHS1)
! SCENARIO: S1, S2, S3, S4, S5, and S6
! ANALYSTS: Joshua Stein and Bill Zelinski
! CREATED: April 2003
! MODIFIED: April 7
!
! LHSCALC = CRA1 REALIZATION 1
!=====
!
! DESCRIPTION:
!
! WIPP 2003 Compliance Recertification Analyses (CRA)
!
! This input file to PRELHS is used to generate, as an output file, an LHS

```

```

! input file containing all distribution information and execution options
! required to create a sample for Replicate R1 for the WIPP 2003 CRA
!
! Modified for CRA analyses: LHSBLANK dummy changed to LHSBLANK and
!     REFCON MATERIAL (LHSBLANK) changed to REFCON
!     #59 dummy replaced with VOLSPALL
!===== No Comments Allowed between *ECHO and *ENDECHO =====
!
!ECHOLHS
TITLE 2002 TBM PA Calculation, Replicate R1 Input File for the LHS Code
NOBS          100
RANDOM SEED    921196800
CORRELATION MATRIX
  3
  18  19 -0.99
  20  21 -0.99
  28  29 -0.75
OUTPUT CORR HIST DATA
*ENDECHO
!
!== PROPERTIES TO BE RETRIEVED FROM WIPP 1997 PA CALCULATION DATABASE ==
!
*RETRIEVE
!1
  MATERIALS,  STEEL
  PROPERTIES, CORRMCO2
!2
  MATERIALS,  WAS_AREA
  PROPERTIES, PROBDEG
!3
  MATERIALS,  WAS_AREA
  PROPERTIES, GRATMICI
!4
  MATERIALS,  WAS_AREA
  PROPERTIES, GRATMICH
!5
  MATERIALS,  CELLULS
  PROPERTIES, FBETA
!6
  MATERIALS,  WAS_AREA
  PROPERTIES, SAT_RGAS
!7
  MATERIALS,  WAS_AREA
  PROPERTIES, SAT_RBRN
!8
  MATERIALS,  WAS_AREA
  PROPERTIES, SAT_WICK
!9
  MATERIALS,  DRZ_PCS
  PROPERTIES, PRMX_LOG
!10
  MATERIALS,  CONC_PCS
  PROPERTIES, PRMX_LOG
!11
  MATERIALS,  SOLU4
  PROPERTIES, SOLCIM
!12

```



MATERIALS, SOLTH4  
PROPERTIES, SOLCIM  
!13 dummy placeholder  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!14  
MATERIALS, CONC\_PCS  
PROPERTIES, SAT\_RGAS  
!15  
MATERIALS, CONC\_PCS  
PROPERTIES, SAT\_RBRN  
!16  
MATERIALS, CONC\_PCS  
PROPERTIES, PORE\_DIS  
!17  
MATERIALS, S\_HALITE  
PROPERTIES, POROSITY  
!18  
MATERIALS, S\_HALITE  
PROPERTIES, PRMX\_LOG  
!19  
MATERIALS, S\_HALITE  
PROPERTIES, COMP\_RCK  
!20  
MATERIALS, S\_MB139  
PROPERTIES, PRMX\_LOG  
!21  
MATERIALS, S\_MB139  
PROPERTIES, COMP\_RCK  
!22  
MATERIALS, S\_MB139  
PROPERTIES, RELP\_MOD  
!23  
MATERIALS, S\_MB139  
PROPERTIES, SAT\_RBRN  
!24  
MATERIALS, S\_MB139  
PROPERTIES, SAT\_RGAS  
!25  
MATERIALS, S\_MB139  
PROPERTIES, PORE\_DIS  
!26  
MATERIALS, S\_HALITE  
PROPERTIES, PRESSURE  
!27  
MATERIALS, CASTILER  
PROPERTIES, PRESSURE  
!28  
MATERIALS, CASTILER  
PROPERTIES, PRMX\_LOG  
!29  
MATERIALS, CASTILER  
PROPERTIES, COMP\_RCK  
!30  
MATERIALS, BH\_SAND  
PROPERTIES, PRMX\_LOG  
!31

MATERIALS, DRZ\_1  
PROPERTIES, PRMX\_LOG  
!32  
MATERIALS, CONC\_PLG  
PROPERTIES, PRMX\_LOG  
!33 dummy placeholder  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!34  
MATERIALS, SOLAM3  
PROPERTIES, SOLSIM  
!35  
MATERIALS, SOLAM3  
PROPERTIES, SOLCIM  
!36  
MATERIALS, SOLPU3  
PROPERTIES, SOLSIM  
!37  
MATERIALS, SOLPU3  
PROPERTIES, SOLCIM  
!38  
MATERIALS, SOLPU4  
PROPERTIES, SOLSIM  
!39  
MATERIALS, SOLPU4  
PROPERTIES, SOLCIM  
!40  
MATERIALS, SOLU4  
PROPERTIES, SOLSIM  
!41  
MATERIALS, SOLU6  
PROPERTIES, SOLSIM  
!42  
MATERIALS, SOLU6  
PROPERTIES, SOLCIM  
!43  
MATERIALS, SOLTH4  
PROPERTIES, SOLSIM  
!44  
MATERIALS, PHUMOX3  
PROPERTIES, PHUMCIM  
!45  
MATERIALS, GLOBAL  
PROPERTIES, OXSTAT  
!46  
MATERIALS, CULEBRA  
PROPERTIES, MINP\_FAC  
!47  
MATERIALS, GLOBAL  
PROPERTIES, TRANSIDX  
!48  
MATERIALS, GLOBAL  
PROPERTIES, CLIMTIDX  
!49  
MATERIALS, CULEBRA  
PROPERTIES, HMBLKL  
!50

MATERIALS, CULEBRA  
PROPERTIES, APOROS  
!51  
MATERIALS, CULEBRA  
PROPERTIES, DPOROS  
!52  
MATERIALS, U+6  
PROPERTIES, MKD\_U  
!53  
MATERIALS, U+4  
PROPERTIES, MKD\_U  
!54  
MATERIALS, PU+3  
PROPERTIES, MKD\_PU  
!55  
MATERIALS, PU+4  
PROPERTIES, MKD\_PU  
!56  
MATERIALS, TH+4  
PROPERTIES, MKD\_TH  
!57  
MATERIALS, AM+3  
PROPERTIES, MKD\_AM  
!58  
MATERIALS, BOREHOLE  
PROPERTIES, TAUFALL  
!59 dummy placeholder for VOLSPALL  
MATERIALS, WAS\_AREA  
PROPERTIES, VOLSPALL  
!60  
MATERIALS, GLOBAL  
PROPERTIES, PBRINE  
!61  
MATERIALS, BOREHOLE  
PROPERTIES, DOMEGA  
!62  
MATERIALS, SHFTU  
PROPERTIES, SAT\_RBRN  
!63  
MATERIALS, SHFTU  
PROPERTIES, SAT\_RGAS  
!64  
MATERIALS, SHFTU  
PROPERTIES, PRMX\_LOG  
!65  
MATERIALS, SHFTL\_T1  
PROPERTIES, PRMX\_LOG  
!66  
MATERIALS, SHFTL\_T2  
PROPERTIES, PRMX\_LOG  
!67  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!68  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!69

```

MATERIALS,  REFCON
PROPERTIES, LHSBLANK
!70
MATERIALS,  REFCON
PROPERTIES, LHSBLANK
!71
MATERIALS,  REFCON
PROPERTIES, LHSBLANK
!72
MATERIALS,  REFCON
PROPERTIES, LHSBLANK
!73
MATERIALS,  REFCON
PROPERTIES, LHSBLANK
!74
MATERIALS,  REFCON
PROPERTIES, LHSBLANK
!75
MATERIALS,  REFCON
PROPERTIES, LHSBLANK
!
!=====
!
*END

```

#### E.4 ALGEBRA FILE—further defines parameters/manipulates parameters

```

$ type alg_panel_cra1.inp
!
! DEFINE WMICDFLG
WMICDFLG=PROBDEG[B:65]
!
! NOW, DEFINE SOLS AND SOLC
!
LIMIT BLOCKS 45
SOLS=MAKEPROP(IFGT0(WMICDFLG,SOLSOH,SOLSOC))
SOLC=MAKEPROP(IFGT0(WMICDFLG,SOLCOH,SOLCOC))
!
LIMIT BLOCKS 46
SOLS=MAKEPROP(IFGT0(WMICDFLG,SOLSOH,SOLSOC))
SOLC=MAKEPROP(IFGT0(WMICDFLG,SOLCOH,SOLCOC))
!
LIMIT BLOCKS 47
SOLS=MAKEPROP(IFGT0(WMICDFLG,SOLSOH,SOLSOC))
SOLC=MAKEPROP(IFGT0(WMICDFLG,SOLCOH,SOLCOC))
!
LIMIT BLOCKS 48
SOLS=MAKEPROP(IFGT0(WMICDFLG,SOLSOH,SOLSOC))
SOLC=MAKEPROP(IFGT0(WMICDFLG,SOLCOH,SOLCOC))
!
DELETE WMICDFLG
!
! SET HALFLIFE AND ATWEIGHT FOR AM241L SAME AS FOR AM241
!
LIMIT BLOCK 59
ATWEIGHT=MAKEPROP(ATWEIGHT[B:3])
HALFLIFE=MAKEPROP(HALFLIFE[B:3])

```

```
! SET HALFLIFE AND ATWEIGHT FOR PU238L SAME AS FOR PU238
LIMIT BLOCK 60
ATWEIGHT=MAKEPROP(ATWEIGHT[B:15])
HALFLIFE=MAKEPROP(HALFLIFE[B:15])
! SET HALFLIFE AND ATWEIGHT FOR PU239L SAME AS FOR PU239
LIMIT BLOCK 61
ATWEIGHT=MAKEPROP(ATWEIGHT[B:16])
HALFLIFE=MAKEPROP(HALFLIFE[B:16])
! SET HALFLIFE AND ATWEIGHT FOR TH230L SAME AS FOR TH230
LIMIT BLOCK 62
ATWEIGHT=MAKEPROP(ATWEIGHT[B:25])
HALFLIFE=MAKEPROP(HALFLIFE[B:25])
! SET HALFLIFE AND ATWEIGHT FOR U234L SAME AS FOR U234
LIMIT BLOCK 63
ATWEIGHT=MAKEPROP(ATWEIGHT[B:28])
HALFLIFE=MAKEPROP(HALFLIFE[B:28])
!
END
$
```

## APPENDIX F: REPRESENTATIVE INPUT FILES FOR NUTS

### F.1 NUTS INPUT, SCREENING

```
$ type nut_cra1_scn_r1_s1.inp
** NUTS TITLE **
'NUTS 2.05A TRACER SCREENING TEST FOR CRA1 R1S1 (UNDISTURBED SCENARIO)'
** 1.# OF SITES,# OF MATERIAL,(2.SITE NAME,# COMP. TO BE MODELED)1,..,NSITES
**
1,30
'WIPP_SITE' 1
** (1. SITE, 2.COMP., DAUGHTER, PARENT, GROUP NAMES)1,..,NSITES **
'WIPP_SITE'
'TWASTE' 'NONE' 'NONE' 'WASTE'
** 1.# OF ELEMENT,(2.ELEM. NAME, TEMP. DEPEND., TABLE LOOK-UP)1,..,NELEMENT
**
1
'WASTE' .FALSE. .FALSE.
** COLLOIDAL TRANSPORT FLAG (T/F) **
.FALSE.
** PH DEPENDENT SOLUBILITY (IS PH REQUIRED (Y/N)) **
'N'
** ORDER OF THE METHOD **
1
** DEGREE OF IMPLICITNESS **
1.D0
** PRECIPITATE IMPLICITNESS; 1.T/F,IF IMPLICIT 2.# OF ITERATION,TOL. **
.FALSE.
** IS MATRIX ADSORPTION REQUIRED (Y/N) **
'N'
** DO YOU HAVE DISPERSION IN THE MATRIX (Y/N) **
'N'
** DOES MATRIX HAVE SYMMETRIC DISPERSION (T/F): ANSWER IF DISPERSION IS Y **
** DO YOU HAVE INJECTION/PRODUCTION IN THE MATRIX (Y/N) **
'N'
** DO YOU HAVE DIRICHLET B.CS. IN THE MATRIX (F/T) **
.TRUE.
** IS CONCENTRATION INITIALIZED MANUALLY IN THE MATRIX (F/T) **
.FALSE.
** OPEN NUTS UNDISTURBED CDB FOR INTRUSION TIME OTHER THAN 350,1000 YRS **
.FALSE.
** PRINT FLAGS OF MATRIX VARIABLES IN A BINARY FILE **
0,0,0,0,0,0,1,0,0,0,0,0,0,0
** TEMP. DEPEND. OF Kd (ENTER DATA IF ADSORP. IS (Y) AND TEMP. DEPEND.) **
** PRINTING FREQUENCY IN A BINARY FILE **
1,1.D14
** DO YOU HAVE EXTERNAL NUCLIDE SOURCE? (T/F) **
.FALSE.
** MINIMUM LIMITS OF TIME TO BE SET IF ZERO ENCOUNTERED **
1.D-18
** INTRUSION TIME, ITERPOLATED INTRUSION TIME, TOLERANCE **
*** END MATERIAL MAP AND START NUCLIDES PROPERTIES ***
** IF NOT TEMP. DEPEND. (ELEMENT NAME, SOLUBILITY LIMIT) 1,..,NELEMENT **
'WASTE' -2.D0
** (COMP. NAME, MOL.(ATOMIC) WT., INITIAL INVENTS., HALF LIFE)1,..,NUCLIDE **
```

```

'TWASTE'      .1D0   0.D0   0.D0   0.D0
** GROUND WATER PH INPUT **
** STANDARD BR. DENS. IF NOT BRAGFLO RUN (READ ASCII FILE FOR FLUX FIELD) **
** MOLECULAR DIFFUSION OF EACH COMPONENT **
** ROCK GRAIN DENSITY INPUT (REQUIRED ONLY IF SORPTION OR SOIL BASE CONC.) **
** WASTE MATRIX INPUT (1.# OF ISO,2.NAME, LOC. IN THE INPUT, WASTE SITE #) **
1
'TWASTE'      1      1
*** (1.SITE NAME, NUMBER OF GRIDS IN THE SITE 2.INDECES)1...NSITES ***
'WIPP_SITE'  33
 23,10,1  24,10,1  25,10,1  26,10,1  27,10,1  28,10,1  29,10,1
32,10,1  33,10,1  35,10,1  37,10,1
 23,11,1  24,11,1  25,11,1  26,11,1  27,11,1  28,11,1  29,11,1
32,11,1  33,11,1  35,11,1  37,11,1
 23,12,1  24,12,1  25,12,1  26,12,1  27,12,1  28,12,1  29,12,1
32,12,1  33,12,1  35,12,1  37,12,1
** MATRIX ADSORPTION INPUT **
** MATRIX DISPERSION INPUT **
** MATRIX SOURCE INPUT (INJECTED NUCLIDES IF ANY) **
** MATRIX DIR. B.CS. INPUT (REP.='GENERAL',ANYWHERE= 'NOT_GENERAL') **
1 'NOT_GENERAL'
'TWASTE'      1      33
 23,10,1  24,10,1  25,10,1  26,10,1  27,10,1  28,10,1  29,10,1
32,10,1  33,10,1  35,10,1  37,10,1
 23,11,1  24,11,1  25,11,1  26,11,1  27,11,1  28,11,1  29,11,1
32,11,1  33,11,1  35,11,1  37,11,1
 23,12,1  24,12,1  25,12,1  26,12,1  27,12,1  28,12,1  29,12,1
32,12,1  33,12,1  35,12,1  37,12,1
'TWASTE'
1.D0 1.D0 1.D0 1.D0 1.D0 1.D0 1.D0 1.D0 1.D0 1.D0
1.D0 1.D0 1.D0 1.D0 1.D0 1.D0 1.D0 1.D0 1.D0 1.D0
1.D0 1.D0 1.D0 1.D0 1.D0 1.D0 1.D0 1.D0 1.D0 1.D0
** TIME DEPENDENT SOURCE IN THE MATRIX **
** MATRIX CONCENTRATION INITIALIZATION **
** COLLOID TRANSPORT VELOCITY SCALING FACTORS IN THE MATRIX **

$

```

## F.2 ALGEBGRA INPUT FILE, SCREENING

```

$ type alg_nut_cral_scn_r1_s1.inp
!           ALGEBRA INPUT FILE FOR NUTS SCREENING
!           Modified for CRA grid by Thomas Lowry, 11-April-2003
!
ALLTIMES
!FIRST ISOTOP
!MASS FLUXES LEAVING THE WASTE REGION
! WASTE TOP LAYER
!
SWASTE1 =IFGT0 (FLUXJM1 [E:1165],FLUXJM1 [E:1165],0.)
SWASTE1 = SWASTE1 + IFGT0 (FLUXJM1 [E:1166],FLUXJM1 [E:1166],0.)
SWASTE1 = SWASTE1 + IFGT0 (FLUXJM1 [E:1167],FLUXJM1 [E:1167],0.)
SWASTE1 = SWASTE1 + IFGT0 (FLUXJM1 [E:1168],FLUXJM1 [E:1168],0.)
SWASTE1 = SWASTE1 + IFGT0 (FLUXJM1 [E:1169],FLUXJM1 [E:1169],0.)
SWASTE1 = SWASTE1 + IFGT0 (FLUXJM1 [E:1170],FLUXJM1 [E:1170],0.)
SWASTE1 = SWASTE1 + IFGT0 (FLUXJM1 [E:1171],FLUXJM1 [E:1171],0.)

```

```

SWASTE1 = SWASTE1 + IFGT0 (FLUXJM1 [E:1172], FLUXJM1 [E:1172], 0.)
SWASTE1 = SWASTE1 + IFGT0 (FLUXJM1 [E:1469], FLUXJM1 [E:1469], 0.)
SWASTE1 = SWASTE1 + IFGT0 (FLUXJM1 [E:1197], FLUXJM1 [E:1297], 0.)
SWASTE1 = SWASTE1 + IFGT0 (FLUXJM1 [E:1198], FLUXJM1 [E:1298], 0.)
SWASTE1 = SWASTE1 + IFGT0 (FLUXJM1 [E:1199], FLUXJM1 [E:1299], 0.)
SWASTE1 = SWASTE1 + IFGT0 (FLUXJM1 [E:1475], FLUXJM1 [E:1475], 0.)
SWASTE1 = SWASTE1 + IFGT0 (FLUXJM1 [E:1209], FLUXJM1 [E:1209], 0.)
SWASTE1 = SWASTE1 + IFGT0 (FLUXJM1 [E:1210], FLUXJM1 [E:1210], 0.)
SWASTE1 = SWASTE1 + IFGT0 (FLUXJM1 [E:1211], FLUXJM1 [E:1211], 0.)
SWASTE1 = SWASTE1 + IFGT0 (FLUXJM1 [E:1481], FLUXJM1 [E:1481], 0.)
!
!WASTE LOWER LAYER
!
SWASTE1 = SWASTE1 + IFGT0 (-FLUXJM1 [E:1407], -FLUXJM1 [E:1407], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXJM1 [E:1408], -FLUXJM1 [E:1408], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXJM1 [E:1409], -FLUXJM1 [E:1409], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXJM1 [E:1410], -FLUXJM1 [E:1410], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXJM1 [E:1411], -FLUXJM1 [E:1411], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXJM1 [E:1412], -FLUXJM1 [E:1412], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXJM1 [E:1413], -FLUXJM1 [E:1413], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXJM1 [E:1455], -FLUXJM1 [E:1455], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXJM1 [E:1466], -FLUXJM1 [E:1466], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXJM1 [E:1428], -FLUXJM1 [E:1428], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXJM1 [E:1429], -FLUXJM1 [E:1429], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXJM1 [E:1458], -FLUXJM1 [E:1458], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXJM1 [E:1472], -FLUXJM1 [E:1472], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXJM1 [E:1434], -FLUXJM1 [E:1434], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXJM1 [E:1435], -FLUXJM1 [E:1435], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXJM1 [E:1461], -FLUXJM1 [E:1461], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXJM1 [E:1478], -FLUXJM1 [E:1478], 0.)
!
! WASTE LEFT LAYER
!
SWASTE1 = SWASTE1 + IFGT0 (-FLUXIM1 [E:1421], -FLUXIM1 [E:1421], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXIM1 [E:1414], -FLUXIM1 [E:1414], 0.)
SWASTE1 = SWASTE1 + IFGT0 (-FLUXIM1 [E:1407], -FLUXIM1 [E:1407], 0.)
!
! WASTE RIGHT LAYER
!
SWASTE1 = SWASTE1 + IFGT0 (FLUXIM1 [E:1446], FLUXIM1 [E:1446], 0.)
SWASTE1 = SWASTE1 + IFGT0 (FLUXIM1 [E:1443], FLUXIM1 [E:1443], 0.)
SWASTE1 = SWASTE1 + IFGT0 (FLUXIM1 [E:1440], FLUXIM1 [E:1440], 0.)
!
!MASS FLUXES REACHING CULEBRA LOWER BOUNDARY
!
SCULBR1 = IFGT0 (FLUXJM1 [E:1825], FLUXJM1 [E:1825], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1826], FLUXJM1 [E:1826], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1827], FLUXJM1 [E:1827], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1828], FLUXJM1 [E:1828], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1829], FLUXJM1 [E:1829], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1830], FLUXJM1 [E:1830], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1831], FLUXJM1 [E:1831], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1832], FLUXJM1 [E:1832], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1833], FLUXJM1 [E:1833], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1834], FLUXJM1 [E:1834], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1835], FLUXJM1 [E:1835], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1836], FLUXJM1 [E:1836], 0.)

```



```

SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1837], FLUXJM1 [E:1837], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1838], FLUXJM1 [E:1838], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1839], FLUXJM1 [E:1839], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1840], FLUXJM1 [E:1840], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1841], FLUXJM1 [E:1841], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1842], FLUXJM1 [E:1842], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1843], FLUXJM1 [E:1843], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1844], FLUXJM1 [E:1844], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1845], FLUXJM1 [E:1845], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1846], FLUXJM1 [E:1846], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1847], FLUXJM1 [E:1847], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1848], FLUXJM1 [E:1848], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1849], FLUXJM1 [E:1849], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1850], FLUXJM1 [E:1850], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1851], FLUXJM1 [E:1851], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1852], FLUXJM1 [E:1852], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1853], FLUXJM1 [E:1853], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1854], FLUXJM1 [E:1854], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1855], FLUXJM1 [E:1855], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1856], FLUXJM1 [E:1856], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1857], FLUXJM1 [E:1857], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1858], FLUXJM1 [E:1858], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1859], FLUXJM1 [E:1859], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1860], FLUXJM1 [E:1860], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1861], FLUXJM1 [E:1861], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1489], FLUXJM1 [E:1489], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1862], FLUXJM1 [E:1862], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1863], FLUXJM1 [E:1863], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1864], FLUXJM1 [E:1864], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1865], FLUXJM1 [E:1865], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1866], FLUXJM1 [E:1866], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1867], FLUXJM1 [E:1867], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1868], FLUXJM1 [E:1868], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1869], FLUXJM1 [E:1869], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1870], FLUXJM1 [E:1870], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1871], FLUXJM1 [E:1871], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1872], FLUXJM1 [E:1872], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1873], FLUXJM1 [E:1873], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1874], FLUXJM1 [E:1874], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1875], FLUXJM1 [E:1875], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1876], FLUXJM1 [E:1876], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1877], FLUXJM1 [E:1877], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1878], FLUXJM1 [E:1878], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1879], FLUXJM1 [E:1879], 0.)
SCULBR1 = SCULBR1 + IFGT0 (FLUXJM1 [E:1880], FLUXJM1 [E:1880], 0.)
!
!MASS FLUXES INTO MB139 SOUTH MARKER BED
!
SMB139S1 = IFGT0 (-FLUXJM1 [E:278], -FLUXJM1 [E:278], 0.)
SMB139S1 = SMB139S1 + IFGT0 (FLUXJM1 [E:1246], FLUXJM1 [E:1246], 0.)
SMB139S1 = SMB139S1 + IFGT0 (-FLUXIM1 [E:1247], -FLUXIM1 [E:1247], 0.)
SMB139S1 = SMB139S1 + IFGT0 (FLUXIM1 [E:1246], FLUXIM1 [E:1246], 0.)
!
!MASS FLUXES INTO MB139 NORTH MARKER BED
!
SMB139N1 = IFGT0 (-FLUXJM1 [E:421], -FLUXJM1 [E:421], 0.)
SMB139N1 = SMB139N1 + IFGT0 (FLUXJM1 [E:1283], FLUXJM1 [E:1283], 0.)

```

```

SMB139N1 = SMB139N1 + IFGT0 (FLUXIM1 [E:1283], FLUXIM1 [E:1283], 0.)
SMB139N1 = SMB139N1 + IFGT0 (-FLUXIM1 [E:1284], -FLUXIM1 [E:1284], 0.)
!
!
!MASS FLUXES INTO SOUTH MBAAB MARKER BED
!
SMBABS1 = IFGT0 (-FLUXJM1 [E:548], -FLUXJM1 [E:548], 0.)
SMBABS1 = SMBABS1 + IFGT0 (FLUXJM1 [E:1295], FLUXJM1 [E:1295], 0.)
SMBABS1 = SMBABS1 + IFGT0 (FLUXIM1 [E:1295], FLUXIM1 [E:1295], 0.)
SMBABS1 = SMBABS1 + IFGT0 (-FLUXIM1 [E:1296], -FLUXIM1 [E:1296], 0.)
!
!MASS FLUXES INTO NORTH MBAAB MARKER BED
!
SMBABN1 = IFGT0 (-FLUXJM1 [E:603], -FLUXJM1 [E:603], 0.)
SMBABN1 = SMBABN1 + IFGT0 (FLUXJM1 [E:1332], FLUXJM1 [E:1332], 0.)
SMBABN1 = SMBABN1 + IFGT0 (FLUXIM1 [E:1332], FLUXIM1 [E:1332], 0.)
SMBABN1 = SMBABN1 + IFGT0 (-FLUXIM1 [E:1333], -FLUXIM1 [E:1333], 0.)
!
!MASS FLUXES INTO SOUTH MB138 MARKER BED
!
SMB138S1 = IFGT0 (-FLUXJM1 [E:638], -FLUXJM1 [E:638], 0.)
SMB138S1 = SMB138S1 + IFGT0 (FLUXJM1 [E:1344], FLUXJM1 [E:1344], 0.)
SMB138S1 = SMB138S1 + IFGT0 (FLUXIM1 [E:1344], FLUXIM1 [E:1344], 0.)
SMB138S1 = SMB138S1 + IFGT0 (-FLUXIM1 [E:1345], -FLUXIM1 [E:1345], 0.)
!
!MASS FLUXES INTO NORTH MB139 MARKER BED
!
SMB138N1 = IFGT0 (-FLUXJM1 [E:945], -FLUXJM1 [E:945], 0.)
SMB138N1 = SMB138N1 + IFGT0 (FLUXJM1 [E:1400], FLUXJM1 [E:1400], 0.)
SMB138N1 = SMB138N1 + IFGT0 (FLUXIM1 [E:1400], FLUXIM1 [E:1400], 0.)
SMB138N1 = SMB138N1 + IFGT0 (-FLUXIM1 [E:1401], -FLUXIM1 [E:1401], 0.)
!
!POINTS OF INTEREST
!
SHUP1 = IFGT0 (FLUXJM1 [E:1489], FLUXJM1 [E:1489], 0.)
BHUP1 = IFGT0 (FLUXJM1 [E:1845], FLUXJM1 [E:1845], 0.)
SURFBH1 = IFGT0 (FLUXJM1 [E:2155], FLUXJM1 [E:2155], 0.)
SURFSH1 = IFGT0 (FLUXJM1 [E:1496], FLUXJM1 [E:1496], 0.)
!
!MASS FLUXES REACHING BOREHOLE IN CULEBRA
!BOREHOLE COMMENTED OUT FOR SCENARIO 1 (UNDISTURBED SCENARIO)
!T.Lowry 4-18-03
!SBHM1 = BHUP1 + IFGT0 (-FLUXJM1 [E:2155], -FLUXJM1 [E:2155], 0.)
!SBHM1 = SBHM1 + IFGT0 (FLUXIM1 [E:1845], FLUXIM1 [E:1845], 0.)
!SBHM1 = SBHM1 + IFGT0 (-FLUXIM1 [E:1846], -FLUXIM1 [E:1846], 0.)
!SBHM1 = SBHM1 + IFGT0 (FLUXIM1 [E:1711], FLUXIM1 [E:1711], 0.)
!SBHM1 = SBHM1 + IFGT0 (-FLUXIM1 [E:1712], -FLUXIM1 [E:1712], 0.)
!SBHM1 = SBHM1 + IFGT0 (FLUXIM1 [E:1912], FLUXIM1 [E:1912], 0.)
!SBHM1 = SBHM1 + IFGT0 (-FLUXIM1 [E:1913], -FLUXIM1 [E:1913], 0.)
!SBHM1 = SBHM1 + IFGT0 (FLUXIM1 [E:1778], FLUXIM1 [E:1778], 0.)
!SBHM1 = SBHM1 + IFGT0 (-FLUXIM1 [E:1779], -FLUXIM1 [E:1779], 0.)
!SBHM1 = SBHM1 + IFGT0 (FLUXIM1 [E:1979], FLUXIM1 [E:1979], 0.)
!SBHM1 = SBHM1 + IFGT0 (-FLUXIM1 [E:1980], -FLUXIM1 [E:1980], 0.)
!SBHM1 = SBHM1 + IFGT0 (FLUXIM1 [E:2021], FLUXIM1 [E:2021], 0.)
!SBHM1 = SBHM1 + IFGT0 (-FLUXIM1 [E:2022], -FLUXIM1 [E:2022], 0.)
!SBHM1 = SBHM1 + IFGT0 (FLUXIM1 [E:2113], FLUXIM1 [E:2113], 0.)
!SBHM1 = SBHM1 + IFGT0 (-FLUXIM1 [E:2114], -FLUXIM1 [E:2114], 0.)

```

```
!  
!MASS FLUXES REACHING SHAFT IN CULEBRA  
!  
SSHM1 = SHUP1 + IFGT0 (-FLUXJM1 [E:1496], -FLUXJM1 [E:1496], 0.)  
SSHM1 = SSHM1 + IFGT0 (FLUXIM1 [E:1489], FLUXIM1 [E:1489], 0.)  
SSHM1 = SSHM1 + IFGT0 (-FLUXIM1 [E:1862], -FLUXIM1 [E:1862], 0.)  
SSHM1 = SSHM1 + IFGT0 (FLUXIM1 [E:1490], FLUXIM1 [E:1490], 0.)  
SSHM1 = SSHM1 + IFGT0 (-FLUXIM1 [E:1728], -FLUXIM1 [E:1728], 0.)  
SSHM1 = SSHM1 + IFGT0 (FLUXIM1 [E:1491], FLUXIM1 [E:1491], 0.)  
SSHM1 = SSHM1 + IFGT0 (-FLUXIM1 [E:1929], -FLUXIM1 [E:1929], 0.)  
SSHM1 = SSHM1 + IFGT0 (FLUXIM1 [E:1492], FLUXIM1 [E:1492], 0.)  
SSHM1 = SSHM1 + IFGT0 (-FLUXIM1 [E:1795], -FLUXIM1 [E:1795], 0.)  
SSHM1 = SSHM1 + IFGT0 (FLUXIM1 [E:1493], FLUXIM1 [E:1493], 0.)  
SSHM1 = SSHM1 + IFGT0 (-FLUXIM1 [E:2038], -FLUXIM1 [E:2038], 0.)  
SSHM1 = SSHM1 + IFGT0 (FLUXIM1 [E:1494], FLUXIM1 [E:1494], 0.)  
SSHM1 = SSHM1 + IFGT0 (-FLUXIM1 [E:2063], -FLUXIM1 [E:2063], 0.)  
SSHM1 = SSHM1 + IFGT0 (FLUXIM1 [E:1495], FLUXIM1 [E:1495], 0.)  
SSHM1 = SSHM1 + IFGT0 (-FLUXIM1 [E:2172], -FLUXIM1 [E:2172], 0.)  
!
```

```
!MASS FLUXES REACHING SALADO UPPER BOUNDARY
```

```
!  
SSALAD1 = IFGT0 (FLUXJM1 [E:885], FLUXJM1 [E:885], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:886], FLUXJM1 [E:886], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:887], FLUXJM1 [E:887], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:888], FLUXJM1 [E:888], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:889], FLUXJM1 [E:889], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:890], FLUXJM1 [E:890], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:891], FLUXJM1 [E:891], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:892], FLUXJM1 [E:892], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:893], FLUXJM1 [E:893], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:894], FLUXJM1 [E:894], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:895], FLUXJM1 [E:895], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:896], FLUXJM1 [E:896], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:897], FLUXJM1 [E:897], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:898], FLUXJM1 [E:898], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:899], FLUXJM1 [E:899], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:900], FLUXJM1 [E:900], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:901], FLUXJM1 [E:901], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:902], FLUXJM1 [E:902], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:903], FLUXJM1 [E:903], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:904], FLUXJM1 [E:904], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:905], FLUXJM1 [E:905], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:906], FLUXJM1 [E:906], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:907], FLUXJM1 [E:907], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:908], FLUXJM1 [E:908], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:909], FLUXJM1 [E:909], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:910], FLUXJM1 [E:910], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:911], FLUXJM1 [E:911], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:912], FLUXJM1 [E:912], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:913], FLUXJM1 [E:913], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:914], FLUXJM1 [E:914], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:915], FLUXJM1 [E:915], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:916], FLUXJM1 [E:916], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:917], FLUXJM1 [E:917], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:918], FLUXJM1 [E:918], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:919], FLUXJM1 [E:919], 0.)  
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:920], FLUXJM1 [E:920], 0.)
```

```

SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:921], FLUXJM1 [E:921], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:922], FLUXJM1 [E:922], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:923], FLUXJM1 [E:923], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:924], FLUXJM1 [E:924], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:925], FLUXJM1 [E:925], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:926], FLUXJM1 [E:926], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1503], FLUXJM1 [E:1503], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1077], FLUXJM1 [E:1077], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1078], FLUXJM1 [E:1078], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1079], FLUXJM1 [E:1079], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1080], FLUXJM1 [E:1080], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1081], FLUXJM1 [E:1081], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1082], FLUXJM1 [E:1082], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1083], FLUXJM1 [E:1083], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1084], FLUXJM1 [E:1084], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1085], FLUXJM1 [E:1085], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1086], FLUXJM1 [E:1086], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1087], FLUXJM1 [E:1087], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1088], FLUXJM1 [E:1088], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1089], FLUXJM1 [E:1089], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1090], FLUXJM1 [E:1090], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1091], FLUXJM1 [E:1091], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1092], FLUXJM1 [E:1092], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1093], FLUXJM1 [E:1093], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1094], FLUXJM1 [E:1094], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1095], FLUXJM1 [E:1095], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1096], FLUXJM1 [E:1096], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1097], FLUXJM1 [E:1097], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1098], FLUXJM1 [E:1098], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1099], FLUXJM1 [E:1099], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1100], FLUXJM1 [E:1100], 0.)
SSALAD1 = SSALAD1 + IFGT0 (FLUXJM1 [E:1101], FLUXJM1 [E:1101], 0.)
!
! INTEGRATION OF MASSES
!
SWASTE1C = intright (SWASTE1)
SMB39S1C = iflt0 (intright (SMB139S1) - 1.e-7, 0., intright (SMB139S1))
SMBABS1C = iflt0 (intright (SMBABS1) - 1.e-7, 0., intright (SMBABS1))
SMB38N1C = iflt0 (intright (SMB138N1) - 1.e-7, 0., intright (SMB138N1))
SMB38S1C = iflt0 (intright (SMB138S1) - 1.e-7, 0., intright (SMB138S1))
SMB39N1C = iflt0 (intright (SMB139N1) - 1.e-7, 0., intright (SMB139N1))
SMBABN1C = iflt0 (intright (SMBABN1) - 1.e-7, 0., intright (SMBABN1))
SCULBR1C = iflt0 (intright (SCULBR1) - 1.e-7, 0., intright (SCULBR1))
SHUP1C = iflt0 (intright (SHUP1) - 1.e-7, 0., intright (SHUP1))
SURFSH1C = iflt0 (intright (SURFSH1) - 1.e-7, 0., intright (SURFSH1))
SSHM1C = iflt0 (intright (SSHM1) - 1.e-7, 0., intright (SSHM1))
BHUP1C = iflt0 (intright (BHUP1) - 1.e-7, 0., intright (BHUP1))
SURFBH1C = iflt0 (intright (SURFBH1) - 1.e-7, 0., intright (SURFBH1))
!SBHM1C = iflt0 (intright (SBHM1) - 1.e-7, 0., intright (SBHM1))
SSALAD1C = intright (SSALAD1)
!
DELETE ATTRIBUTE, PROPERTY, HISTORY, ELEMENT, NODAL
!
END
$

```

### F.3 SUMMATION FILE FOR NUTS

```
$ type sum_nut_cra1_scn_r1_s1.inp
*INPUT FILES
  DIR = PAWORK:[ANALYSIS.CRA1.NUT.SCN.DATA.R1S1]
  TEMPLATE = ALG_NUT_CRA1_SCN_R1_S1_V%%
  TYPE = CDB
*VECTORS
  ID = %
  VECTOR = 1 TO 100
*TIMES
  READ = SECONDS
  INPUT = YEARS
  OUTPUT = YEARS

  TIMES = 10000
*ITEM
  TYPE = GLOBAL
  NAME =
SWASTE1C, SMB39S1C, SMBABS1C, SMB38N1C, SMB38S1C, SMB39N1C, SMBABN1C, SC
ULBR1C, SHUP1C, SURFSH1C, SSHM1C, BHUP1C, SURFBH1C, SSALAD1C

*OUTPUT
  DRIVER = EXCEL
  WRITE = TIME VS ITEM
  NAME = SUM_NUT_CRA1_SCN_R1_S1.DAT
```

### F.4 NUTS INPUT FILE, UNDISTURBED SCENARIO

```
$ type nut_cra1_iso_r1_s1.inp
** NUTS TITLE **
'NUTS 2.05A RAD. TRANSPORT FOR CRA1 R1S1 (UNDISTURBED SCENARIO)'
** 1.# OF SITES, # OF MATERIAL, (2.SITE NAME, # COMP. TO BE MODELED)1,...,NSITES
**
1,30
'WIPP_SITE' 5
**(1. SITE, 2.COMP., DAUGHTER, PARENT, GROUP NAMES)1,...,NSITES **
'WIPP_SITE'
'AM241L' 'NONE' 'NONE' 'AM241L'
'PU239L' 'NONE' 'NONE' 'PU239L'
'PU238L' 'U234L' 'NONE' 'PU238L'
'U234L' 'TH230L' 'PU238L' 'U234L'
'TH230L' 'TH230D' 'U234L' 'TH230L'
** 1.# OF ELEMENT, (2.ELEM. NAME, TEMP. DEPEND., TABLE LOOK-UP)1,...,NELEMENT
**
5
'AM241L' .FALSE. .FALSE.
'PU239L' .FALSE. .FALSE.
'PU238L' .FALSE. .FALSE.
'U234L' .FALSE. .FALSE.
'TH230L' .FALSE. .FALSE.
** COLLOIDAL TRANSPORT FLAG (T/F) **
.FALSE.
** PH DEPENDENT SOLUBILITY (IS PH REQUIRED (Y/N)) **
'N'
** ORDER OF THE METHOD **
```

```

1
** DEGREE OF IMPLICITNESS **
1.D0
** PRECIPITATE IMPLICITNESS; 1.T/F,IF IMPLICIT 2.# OF ITERATION,TOL. **
.TRUE.
40 1.D-6
** IS MATRIX ADSORPTION REQUIRED (Y/N) **
'N'
** DO YOU HAVE DISPERSION IN THE MATRIX (Y/N) **
'N'
** DOES MATRIX HAVE SYMMETRIC DISPERSION (T/F): ANSWER IF DISPERSION IS Y **
** DO YOU HAVE INJECTION/PRODUCTION IN THE MATRIX (Y/N) **
'N'
** DO YOU HAVE DIRICHLET B.CS. IN THE MATRIX (F/T) **
.FALSE.
** IS CONCENTRATION INITIALIZED MANUALLY IN THE MATRIX (F/T) **
.FALSE.
** OPEN NUTS UNDISTURBED CDB FOR INTRUSION TIME OTHER THAN 350,1000 YRS **
.FALSE.
** PRINT FLAGS OF MATRIX VARIABLES IN A BINARY FILE **
0,0,0,0,0,0,1,1,1,0,0,0,0,1
** TEMP. DEPEND. OF Kd (ENTER DATA IF ADSORP. IS (Y) AND TEMP. DEPEND.) **
** PRINTING FREQUENCY IN A BINARY FILE **
1,1.D12
** DO YOU HAVE EXTERNAL NUCLIDE SOURCE? (T/F) **
.FALSE.
** MINIMUM LIMITS OF TIME TO BE SET IF ZERO ENCOUNTERED **
1.D-18
** INTRUSION TIME, ITERPOLATED INTRUSION TIME, TOLERANCE **
*** END MATERIAL MAP AND START NUCLIDES PROPERTIES ***
** IF NOT TEMP. DEPEND. (ELEMENT NAME, SOLUBILITY LIMIT) 1,...,NELEMENT **
** (COMP. NAME, MOL.(ATOMIC) WT., INITIAL INVENTS., HALF LIFE)1,...,NUCLIDE **
** GROUND WATER PH INPUT **
** STANDARD BR. DENS. IF NOT BRAGFLO RUN (READ ASCII FILE FOR FLUX FIELD) **
** MOLECULAR DIFFUSION INPUT **
** ROCK DENSITY INPUT **
** WASTE MATRIX INPUT (LOCATION OF THE WASTE) **
5
'AM241L' 1 1
'PU239L' 2 1
'PU238L' 3 1
'U234L' 4 1
'TH230L' 5 1
*** (1.SITE NAME, NUMBER OF GRIDS IN THE SITE 2.INDECES)1...NSITES ***
'WIPP_SITE' 33
23,10,1 24,10,1 25,10,1 26,10,1 27,10,1 28,10,1 29,10,1
32,10,1 33,10,1 35,10,1 37,10,1
23,11,1 24,11,1 25,11,1 26,11,1 27,11,1 28,11,1 29,11,1
32,11,1 33,11,1 35,11,1 37,11,1
23,12,1 24,12,1 25,12,1 26,12,1 27,12,1 28,12,1 29,12,1
32,12,1 33,12,1 35,12,1 37,12,1
** MATRIX ADSORPTION INPUT **
** MATRIX DISPERSION INPUT **
** MATRIX SOURCE INPUT (INJECTED NUCLIDES IF ANY) **
** MATRIX DIR. B.CS. INPUT (REP.='GENERAL',ANYWHERE='NOT_GENERAL') **
** TIME DEPENDENT SOURCE IN THE MATRIX **
** MATRIX CONCENTRATION INITIALIZATION **

```

\*\* COLLOID TRANSPORT VELOCITY SCALING FACTORS IN THE MATRIX \*\*  
\$

## F.5 ALGEBRA FILE, UNDISTURBED SCENARIO

```
$ type alg_nut_cra1_post_s1.inp
!=====
!
! ALGEBRA file for post-processing NUTS (non-screening runs) output
!
!
! Author: Joel D. Miller, SNL Org. 9363
! Note: The EPA calculations use the same mesh for S1 to S5, therefore, the
!       difference in element numbering in Castile and the layer above it
!       is not exist any more. For this version the only difference between
S1
!       and S4-S5 is additional fluxes to report in S1 around the Marker
beds.
!
!                                     A.A. Shinta
!
! 20 Dec 02 Modified element and node numbers for the TBM calculation
!           Cliff Hansen
!
! 14 May 03 Modified element numbers for the CRA1 calculation and
uncommented
!           parameters 106-116 to include flux in shaft (not present in TBM)
!           Thomas Lowry
!=====
!
! Eliminate excess output
!
DELETE ALL
!
GRIDVOL = DEL_X * DEL_Y * THICK
!
!*****
!*****
!
! Activities (integrated fluxes) across the repository boundary (EPA units)
!
!   Param 001: Am-241, activity across repository boundary --> EPA1_REP
!   Param 002: Pu-239, activity across repository boundary --> EPA2_REP
!   Param 003: Pu-238, activity across repository boundary --> EPA3_REP
!   Param 004: U--234, activity across repository boundary --> EPA4_REP
!   Param 005: Th-230, activity across repository boundary --> EPA5_REP
!   Param 006: Total activity across repository boundary ----> EPAT_REP
!
!*****
!
! Americium-241 (Am-241) across repository boundary
!
!   Accumulate x-direction outward fluxes from left side of repository
!
FLX1_REP = IFLT0 (FLUXIM1 [E:1407], -1.0*FLUXIM1 [E:1407], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXIM1 [E:1414], -1.0*FLUXIM1 [E:1414], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXIM1 [E:1421], -1.0*FLUXIM1 [E:1421], 0.0)
```

```

!
!   Add x-direction outward flux contributions from right side
!
FLX1_REP = FLX1_REP + IFGT0 (FLUXIM1 [E:1446], FLUXIM1 [E:1446], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXIM1 [E:1443], FLUXIM1 [E:1443], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXIM1 [E:1440], FLUXIM1 [E:1440], 0.0)
!
!   Add y-direction outward fluxes from bottom of repository
!
FLX1_REP = FLX1_REP + IFLT0 (FLUXJM1 [E:1407], -1.0*FLUXJM1 [E:1407], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXJM1 [E:1408], -1.0*FLUXJM1 [E:1408], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXJM1 [E:1409], -1.0*FLUXJM1 [E:1409], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXJM1 [E:1410], -1.0*FLUXJM1 [E:1410], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXJM1 [E:1411], -1.0*FLUXJM1 [E:1411], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXJM1 [E:1412], -1.0*FLUXJM1 [E:1412], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXJM1 [E:1413], -1.0*FLUXJM1 [E:1413], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXJM1 [E:1455], -1.0*FLUXJM1 [E:1455], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXJM1 [E:1466], -1.0*FLUXJM1 [E:1466], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXJM1 [E:1428], -1.0*FLUXJM1 [E:1428], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXJM1 [E:1429], -1.0*FLUXJM1 [E:1429], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXJM1 [E:1458], -1.0*FLUXJM1 [E:1458], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXJM1 [E:1472], -1.0*FLUXJM1 [E:1472], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXJM1 [E:1434], -1.0*FLUXJM1 [E:1434], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXJM1 [E:1435], -1.0*FLUXJM1 [E:1435], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXJM1 [E:1461], -1.0*FLUXJM1 [E:1461], 0.0)
FLX1_REP = FLX1_REP + IFLT0 (FLUXJM1 [E:1478], -1.0*FLUXJM1 [E:1478], 0.0)
!
!   Add Y-direction outward flux contributions from top side
!
FLX1_REP = FLX1_REP + IFGT0 (FLUXJM1 [E:1165], FLUXJM1 [E:1165], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXJM1 [E:1166], FLUXJM1 [E:1166], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXJM1 [E:1167], FLUXJM1 [E:1167], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXJM1 [E:1168], FLUXJM1 [E:1168], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXJM1 [E:1169], FLUXJM1 [E:1169], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXJM1 [E:1170], FLUXJM1 [E:1170], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXJM1 [E:1171], FLUXJM1 [E:1171], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXJM1 [E:1172], FLUXJM1 [E:1172], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXJM1 [E:1469], FLUXJM1 [E:1469], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXJM1 [E:1197], FLUXJM1 [E:1197], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXJM1 [E:1198], FLUXJM1 [E:1198], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXJM1 [E:1199], FLUXJM1 [E:1199], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXJM1 [E:1475], FLUXJM1 [E:1475], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXJM1 [E:1209], FLUXJM1 [E:1209], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXJM1 [E:1210], FLUXJM1 [E:1210], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXJM1 [E:1211], FLUXJM1 [E:1211], 0.0)
FLX1_REP = FLX1_REP + IFGT0 (FLUXJM1 [E:1481], FLUXJM1 [E:1481], 0.0)
!
!   Integrate over time to get activity (Curies)
!
RAD1_REP = INTRIGHT (FLX1_REP)
!
!*****
!
! Plutonium-239 (Pu-239) across repository boundary
!
!   Accumulate x-direction outward fluxes from left side of repository
!

```



```

FLX2_REP =          IFLT0 (FLUXIM2 [E:1407], -1.0*FLUXIM2 [E:1407], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXIM2 [E:1414], -1.0*FLUXIM2 [E:1414], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXIM2 [E:1421], -1.0*FLUXIM2 [E:1421], 0.0)
!
!   Add x-direction outward flux contributions from right side
!
FLX2_REP = FLX2_REP + IFGT0 (FLUXIM2 [E:1446], FLUXIM2 [E:1446], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXIM2 [E:1443], FLUXIM2 [E:1443], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXIM2 [E:1440], FLUXIM2 [E:1440], 0.0)
!
!   Add y-direction outward fluxes from bottom of repository
!
FLX2_REP = FLX2_REP + IFLT0 (FLUXJM2 [E:1407], -1.0*FLUXJM2 [E:1407], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXJM2 [E:1408], -1.0*FLUXJM2 [E:1408], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXJM2 [E:1409], -1.0*FLUXJM2 [E:1409], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXJM2 [E:1410], -1.0*FLUXJM2 [E:1410], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXJM2 [E:1411], -1.0*FLUXJM2 [E:1411], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXJM2 [E:1412], -1.0*FLUXJM2 [E:1412], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXJM2 [E:1413], -1.0*FLUXJM2 [E:1413], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXJM2 [E:1455], -1.0*FLUXJM2 [E:1455], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXJM2 [E:1466], -1.0*FLUXJM2 [E:1466], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXJM2 [E:1428], -1.0*FLUXJM2 [E:1428], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXJM2 [E:1429], -1.0*FLUXJM2 [E:1429], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXJM2 [E:1458], -1.0*FLUXJM2 [E:1458], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXJM2 [E:1472], -1.0*FLUXJM2 [E:1472], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXJM2 [E:1434], -1.0*FLUXJM2 [E:1434], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXJM2 [E:1435], -1.0*FLUXJM2 [E:1435], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXJM2 [E:1461], -1.0*FLUXJM2 [E:1461], 0.0)
FLX2_REP = FLX2_REP + IFLT0 (FLUXJM2 [E:1478], -1.0*FLUXJM2 [E:1478], 0.0)
!
!   Add Y-direction outward flux contributions from top side
!
FLX2_REP = FLX2_REP + IFGT0 (FLUXJM2 [E:1165], FLUXJM2 [E:1165], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXJM2 [E:1166], FLUXJM2 [E:1166], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXJM2 [E:1167], FLUXJM2 [E:1167], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXJM2 [E:1168], FLUXJM2 [E:1168], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXJM2 [E:1169], FLUXJM2 [E:1169], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXJM2 [E:1170], FLUXJM2 [E:1170], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXJM2 [E:1171], FLUXJM2 [E:1171], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXJM2 [E:1172], FLUXJM2 [E:1172], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXJM2 [E:1469], FLUXJM2 [E:1469], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXJM2 [E:1197], FLUXJM2 [E:1197], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXJM2 [E:1198], FLUXJM2 [E:1198], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXJM2 [E:1199], FLUXJM2 [E:1199], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXJM2 [E:1475], FLUXJM2 [E:1475], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXJM2 [E:1209], FLUXJM2 [E:1209], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXJM2 [E:1210], FLUXJM2 [E:1210], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXJM2 [E:1211], FLUXJM2 [E:1211], 0.0)
FLX2_REP = FLX2_REP + IFGT0 (FLUXJM2 [E:1481], FLUXJM2 [E:1481], 0.0)
!
!   Integrate over time to get activity (Curies)
!
RAD2_REP = INTRIGHT (FLX2_REP)
!
!*****
!
! Plutonium-238 (Pu-238) across repository boundary

```

```

!
!   Accumulate x-direction outward fluxes from left side of repository
!
FLX3_REP =          IFLT0 (FLUXIM3 [E:1407], -1.0*FLUXIM3 [E:1407], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXIM3 [E:1414], -1.0*FLUXIM3 [E:1414], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXIM3 [E:1421], -1.0*FLUXIM3 [E:1421], 0.0)
!
!   Add x-direction outward flux contributions from right side
!
FLX3_REP = FLX3_REP + IFGT0 (FLUXIM3 [E:1446], FLUXIM3 [E:1446], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXIM3 [E:1443], FLUXIM3 [E:1443], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXIM3 [E:1440], FLUXIM3 [E:1440], 0.0)
!
!   Accumulate y-direction outward fluxes from bottom of repository
!
FLX3_REP = FLX3_REP + IFLT0 (FLUXJM3 [E:1407], -1.0*FLUXJM3 [E:1407], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXJM3 [E:1408], -1.0*FLUXJM3 [E:1408], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXJM3 [E:1409], -1.0*FLUXJM3 [E:1409], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXJM3 [E:1410], -1.0*FLUXJM3 [E:1410], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXJM3 [E:1411], -1.0*FLUXJM3 [E:1411], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXJM3 [E:1412], -1.0*FLUXJM3 [E:1412], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXJM3 [E:1413], -1.0*FLUXJM3 [E:1413], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXJM3 [E:1455], -1.0*FLUXJM3 [E:1455], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXJM3 [E:1466], -1.0*FLUXJM3 [E:1466], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXJM3 [E:1428], -1.0*FLUXJM3 [E:1428], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXJM3 [E:1429], -1.0*FLUXJM3 [E:1429], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXJM3 [E:1458], -1.0*FLUXJM3 [E:1458], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXJM3 [E:1472], -1.0*FLUXJM3 [E:1472], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXJM3 [E:1434], -1.0*FLUXJM3 [E:1434], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXJM3 [E:1435], -1.0*FLUXJM3 [E:1435], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXJM3 [E:1461], -1.0*FLUXJM3 [E:1461], 0.0)
FLX3_REP = FLX3_REP + IFLT0 (FLUXJM3 [E:1478], -1.0*FLUXJM3 [E:1478], 0.0)
!
!   Add Y-direction outward flux contributions from top side
!
FLX3_REP = FLX3_REP + IFGT0 (FLUXJM3 [E:1165], FLUXJM3 [E:1165], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXJM3 [E:1166], FLUXJM3 [E:1166], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXJM3 [E:1167], FLUXJM3 [E:1167], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXJM3 [E:1168], FLUXJM3 [E:1168], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXJM3 [E:1169], FLUXJM3 [E:1169], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXJM3 [E:1170], FLUXJM3 [E:1170], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXJM3 [E:1171], FLUXJM3 [E:1171], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXJM3 [E:1172], FLUXJM3 [E:1172], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXJM3 [E:1469], FLUXJM3 [E:1469], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXJM3 [E:1197], FLUXJM3 [E:1197], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXJM3 [E:1198], FLUXJM3 [E:1198], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXJM3 [E:1199], FLUXJM3 [E:1199], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXJM3 [E:1475], FLUXJM3 [E:1475], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXJM3 [E:1209], FLUXJM3 [E:1209], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXJM3 [E:1210], FLUXJM3 [E:1210], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXJM3 [E:1211], FLUXJM3 [E:1211], 0.0)
FLX3_REP = FLX3_REP + IFGT0 (FLUXJM3 [E:1481], FLUXJM3 [E:1481], 0.0)
!
!   Integrate over time to get activity (Curies)
!
RAD3_REP = INTRIGHT (FLX3_REP)
!

```

```

!*****
!
! Uranium-234 (U-234) across repository boundary
!
! Accumulate x-direction outward fluxes from left side of repository
!
FLX4_REP = IFLT0 (FLUXIM4 [E:1407], -1.0*FLUXIM4 [E:1407], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXIM4 [E:1414], -1.0*FLUXIM4 [E:1414], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXIM4 [E:1421], -1.0*FLUXIM4 [E:1421], 0.0)
!
! Add x-direction outward flux contributions from right side
!
FLX4_REP = FLX4_REP + IFGT0 (FLUXIM4 [E:1446], FLUXIM4 [E:1446], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXIM4 [E:1443], FLUXIM4 [E:1443], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXIM4 [E:1440], FLUXIM4 [E:1440], 0.0)
!
! Accumulate y-direction outward fluxes from bottom of repository
!
FLX4_REP = FLX4_REP + IFLT0 (FLUXJM4 [E:1407], -1.0*FLUXJM4 [E:1407], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXJM4 [E:1408], -1.0*FLUXJM4 [E:1408], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXJM4 [E:1409], -1.0*FLUXJM4 [E:1409], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXJM4 [E:1410], -1.0*FLUXJM4 [E:1410], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXJM4 [E:1411], -1.0*FLUXJM4 [E:1411], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXJM4 [E:1412], -1.0*FLUXJM4 [E:1412], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXJM4 [E:1413], -1.0*FLUXJM4 [E:1413], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXJM4 [E:1455], -1.0*FLUXJM4 [E:1455], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXJM4 [E:1466], -1.0*FLUXJM4 [E:1466], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXJM4 [E:1428], -1.0*FLUXJM4 [E:1428], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXJM4 [E:1429], -1.0*FLUXJM4 [E:1429], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXJM4 [E:1458], -1.0*FLUXJM4 [E:1458], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXJM4 [E:1472], -1.0*FLUXJM4 [E:1472], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXJM4 [E:1434], -1.0*FLUXJM4 [E:1434], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXJM4 [E:1435], -1.0*FLUXJM4 [E:1435], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXJM4 [E:1461], -1.0*FLUXJM4 [E:1461], 0.0)
FLX4_REP = FLX4_REP + IFLT0 (FLUXJM4 [E:1478], -1.0*FLUXJM4 [E:1478], 0.0)
!
! Add Y-direction outward flux contributions from top side
!
FLX4_REP = FLX4_REP + IFGT0 (FLUXJM4 [E:1165], FLUXJM4 [E:1165], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXJM4 [E:1166], FLUXJM4 [E:1166], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXJM4 [E:1167], FLUXJM4 [E:1167], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXJM4 [E:1168], FLUXJM4 [E:1168], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXJM4 [E:1169], FLUXJM4 [E:1169], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXJM4 [E:1170], FLUXJM4 [E:1170], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXJM4 [E:1171], FLUXJM4 [E:1171], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXJM4 [E:1172], FLUXJM4 [E:1172], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXJM4 [E:1469], FLUXJM4 [E:1469], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXJM4 [E:1197], FLUXJM4 [E:1197], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXJM4 [E:1198], FLUXJM4 [E:1198], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXJM4 [E:1199], FLUXJM4 [E:1199], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXJM4 [E:1475], FLUXJM4 [E:1475], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXJM4 [E:1209], FLUXJM4 [E:1209], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXJM4 [E:1210], FLUXJM4 [E:1210], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXJM4 [E:1211], FLUXJM4 [E:1211], 0.0)
FLX4_REP = FLX4_REP + IFGT0 (FLUXJM4 [E:1481], FLUXJM4 [E:1481], 0.0)
!
! Integrate over time to get activity (Curies)

```

```

!
RAD4_REP = INTRIGHT (FLX4_REP)
!
!*****
!
! Thorium-230 (Th-230) across repository boundary
!
!   Accumulate x-direction outward fluxes from left side of repository
!
FLX5_REP =          IFLT0 (FLUXIM5 [E:1407], -1.0*FLUXIM5 [E:1407], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXIM5 [E:1414], -1.0*FLUXIM5 [E:1414], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXIM5 [E:1421], -1.0*FLUXIM5 [E:1421], 0.0)
!
!   Add x-direction outward flux contributions from right side
!
FLX5_REP = FLX5_REP + IFGT0 (FLUXIM5 [E:1446], FLUXIM5 [E:1446], 0.0)
FLX5_REP = FLX5_REP + IFGT0 (FLUXIM5 [E:1443], FLUXIM5 [E:1443], 0.0)
FLX5_REP = FLX5_REP + IFGT0 (FLUXIM5 [E:1440], FLUXIM5 [E:1440], 0.0)
!
!   Accumulate y-direction outward fluxes from bottom of repository
!
FLX5_REP = FLX5_REP + IFLT0 (FLUXJM5 [E:1407], -1.0*FLUXJM5 [E:1407], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXJM5 [E:1408], -1.0*FLUXJM5 [E:1408], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXJM5 [E:1409], -1.0*FLUXJM5 [E:1409], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXJM5 [E:1410], -1.0*FLUXJM5 [E:1410], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXJM5 [E:1411], -1.0*FLUXJM5 [E:1411], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXJM5 [E:1412], -1.0*FLUXJM5 [E:1412], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXJM5 [E:1413], -1.0*FLUXJM5 [E:1413], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXJM5 [E:1455], -1.0*FLUXJM5 [E:1455], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXJM5 [E:1466], -1.0*FLUXJM5 [E:1466], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXJM5 [E:1428], -1.0*FLUXJM5 [E:1428], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXJM5 [E:1429], -1.0*FLUXJM5 [E:1429], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXJM5 [E:1458], -1.0*FLUXJM5 [E:1458], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXJM5 [E:1472], -1.0*FLUXJM5 [E:1472], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXJM5 [E:1434], -1.0*FLUXJM5 [E:1434], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXJM5 [E:1435], -1.0*FLUXJM5 [E:1435], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXJM5 [E:1461], -1.0*FLUXJM5 [E:1461], 0.0)
FLX5_REP = FLX5_REP + IFLT0 (FLUXJM5 [E:1478], -1.0*FLUXJM5 [E:1478], 0.0)
!
!   Add Y-direction outward flux contributions from top side
!
FLX5_REP = FLX5_REP + IFGT0 (FLUXJM5 [E:1165], FLUXJM5 [E:1165], 0.0)
FLX5_REP = FLX5_REP + IFGT0 (FLUXJM5 [E:1166], FLUXJM5 [E:1166], 0.0)
FLX5_REP = FLX5_REP + IFGT0 (FLUXJM5 [E:1167], FLUXJM5 [E:1167], 0.0)
FLX5_REP = FLX5_REP + IFGT0 (FLUXJM5 [E:1168], FLUXJM5 [E:1168], 0.0)
FLX5_REP = FLX5_REP + IFGT0 (FLUXJM5 [E:1169], FLUXJM5 [E:1169], 0.0)
FLX5_REP = FLX5_REP + IFGT0 (FLUXJM5 [E:1170], FLUXJM5 [E:1170], 0.0)
FLX5_REP = FLX5_REP + IFGT0 (FLUXJM5 [E:1171], FLUXJM5 [E:1171], 0.0)
FLX5_REP = FLX5_REP + IFGT0 (FLUXJM5 [E:1172], FLUXJM5 [E:1172], 0.0)
FLX5_REP = FLX5_REP + IFGT0 (FLUXJM5 [E:1469], FLUXJM5 [E:1469], 0.0)
FLX5_REP = FLX5_REP + IFGT0 (FLUXJM5 [E:1197], FLUXJM5 [E:1197], 0.0)
FLX5_REP = FLX5_REP + IFGT0 (FLUXJM5 [E:1198], FLUXJM5 [E:1198], 0.0)
FLX5_REP = FLX5_REP + IFGT0 (FLUXJM5 [E:1199], FLUXJM5 [E:1199], 0.0)
FLX5_REP = FLX5_REP + IFGT0 (FLUXJM5 [E:1475], FLUXJM5 [E:1475], 0.0)
FLX5_REP = FLX5_REP + IFGT0 (FLUXJM5 [E:1209], FLUXJM5 [E:1209], 0.0)
FLX5_REP = FLX5_REP + IFGT0 (FLUXJM5 [E:1210], FLUXJM5 [E:1210], 0.0)
FLX5_REP = FLX5_REP + IFGT0 (FLUXJM5 [E:1211], FLUXJM5 [E:1211], 0.0)

```

```

FLX5_REP = FLX5_REP + IFGT0(FLUXJM5[E:1481],FLUXJM5[E:1481],0.0)
!
!   Integrate over time to get activity (Curies)
!
RAD5_REP = INTRIGHT(FLX5_REP)
!
!*****
!
DELETE FLX1_REP, FLX2_REP, FLX3_REP, FLX4_REP, FLX5_REP
!
!*****
!
! Convert activities to EPA units and sum to get total
!
!   Conversion factors
!
!   Qi_Ci = amount of radionuclide i in Curies
!   Qi_EPA = amount of radionuclide i in EPA units
!
!    $Qi\_Ci * (1/RLi) * (1.0E6\_Ci / Total\_inventory) = Qi\_EPA$ 
!
!   where Total_inventory is the number of Curies of alpha emitters
!       with half lives greater than twenty years placed in repository,
!       and RLi is the EPA release limit for radionuclide i
!
!   Total_inventory = 4.0736E6 Ci
!   RLi (Am, U, Pu) = 100.0      Ci
!   Rli (Th)         = 10.0      Ci
!
!   Thus, for Am, U, and Pu,  $Qi\_EPA = Qi\_Ci / 407.36$ 
!       for Th,            $Qi\_EPA = Qi\_Ci / 40.736$ 
!
!CI_2_EPA = 407.36
!CI_5_EPA = 40.736
!
! CHANGE FROM 4.07 TO 3.44 MJS 22OCT96
!
!CI_2_EPA = 344.0
!CI_5_EPA = 34.4
!
! CHANGE FROM 3.44 TO 2.96 TSL 14MAY03
!
!CI_2_EPA = 296.0
!CI_5_EPA = 29.6
! CHANGE FROM 2.96 TO 2.48 JWG 2SEP 03
!
CI_2_EPA = 248.0
CI_5_EPA = 24.8
!
EPA1_REP = RAD1_REP/CI_2_EPA
EPA2_REP = RAD2_REP/CI_2_EPA
EPA3_REP = RAD3_REP/CI_2_EPA
EPA4_REP = RAD4_REP/CI_2_EPA
EPA5_REP = RAD5_REP/CI_5_EPA
!
EPAT_REP = EPA1_REP + EPA2_REP + EPA3_REP + EPA4_REP + EPA5_REP
!

```

```

! Delete temporary variables
!
DELETE RAD1_REP, RAD2_REP, RAD3_REP, RAD4_REP, RAD5_REP
!
!*****
!*****
!
! Activities (integrated fluxes) into marker beds at repository (EPA units)
!
!   Param 007: Am-241 in marker beds at north repository border ----->
EPA1_MBN
!   Param 008: Pu-239 in marker beds at north repository border ----->
EPA2_MBN
!   Param 009: Pu-238 in marker beds at north repository border ----->
EPA3_MBN
!   Param 010: U--234 in marker beds at north repository border ----->
EPA4_MBN
!   Param 011: Th-230 in marker beds at north repository border ----->
EPA5_MBN
!
!   Param 012: Am-241 in marker beds at south repository border ----->
EPA1_MBS
!   Param 013: Pu-239 in marker beds at south repository border ----->
EPA2_MBS
!   Param 014: Pu-238 in marker beds at south repository border ----->
EPA3_MBS
!   Param 015: U--234 in marker beds at south repository border ----->
EPA4_MBS
!   Param 016: Th-230 in marker beds at south repository border ----->
EPA5_MBS
!
!   Param 017: Am-241 in all marker beds at repository borders ----->
EPA1_MBT
!   Param 018: Pu-239 in all marker beds at repository borders ----->
EPA2_MBT
!   Param 019: Pu-238 in all marker beds at repository borders ----->
EPA3_MBT
!   Param 020: U--234 in all marker beds at repository borders ----->
EPA4_MBT
!   Param 021: Th-230 in all marker beds at repository borders ----->
EPA5_MBT
!   Param 022: Total activity in marker beds at repository borders -->
EPA_MB_T
!
!*****
!
! North side of repository activity (Ci)
!
!   Fluxes (Ci/s) into MB 138 away from repository, north (right) side
!
FLX1M38N = IFGT0 (FLUXIM1 [E:1384], FLUXIM1 [E:1384], 0.0)
FLX2M38N = IFGT0 (FLUXIM2 [E:1384], FLUXIM2 [E:1384], 0.0)
FLX3M38N = IFGT0 (FLUXIM3 [E:1384], FLUXIM3 [E:1384], 0.0)
FLX4M38N = IFGT0 (FLUXIM4 [E:1384], FLUXIM4 [E:1384], 0.0)
FLX5M38N = IFGT0 (FLUXIM5 [E:1384], FLUXIM5 [E:1384], 0.0)
!
!   Fluxes (Ci/s) into Anhydrite A&B away from repository, north side

```

```

!
FLX1AABN = IFGT0 (FLUXIM1 [E:1316], FLUXIM1 [E:1316], 0.0)
FLX2AABN = IFGT0 (FLUXIM2 [E:1316], FLUXIM2 [E:1316], 0.0)
FLX3AABN = IFGT0 (FLUXIM3 [E:1316], FLUXIM3 [E:1316], 0.0)
FLX4AABN = IFGT0 (FLUXIM4 [E:1316], FLUXIM4 [E:1316], 0.0)
FLX5AABN = IFGT0 (FLUXIM5 [E:1316], FLUXIM5 [E:1316], 0.0)
!
!   Fluxes (Ci/s) into MB 139 away from repository, north (right) side
!
FLX1M39N = IFGT0 (FLUXIM1 [E:1267], FLUXIM1 [E:1267], 0.0)
FLX2M39N = IFGT0 (FLUXIM2 [E:1267], FLUXIM2 [E:1267], 0.0)
FLX3M39N = IFGT0 (FLUXIM3 [E:1267], FLUXIM3 [E:1267], 0.0)
FLX4M39N = IFGT0 (FLUXIM4 [E:1267], FLUXIM4 [E:1267], 0.0)
FLX5M39N = IFGT0 (FLUXIM5 [E:1267], FLUXIM5 [E:1267], 0.0)
!
!   Total outward fluxes into all anhydrite layers, north side of repository
!
FLX1_MBN = FLX1M38N + FLX1AABN + FLX1M39N
FLX2_MBN = FLX2M38N + FLX2AABN + FLX2M39N
FLX3_MBN = FLX3M38N + FLX3AABN + FLX3M39N
FLX4_MBN = FLX4M38N + FLX4AABN + FLX4M39N
FLX5_MBN = FLX5M38N + FLX5AABN + FLX5M39N
!
!   Total activity (Ci) in anhydrite layers at north repository border
!
RAD1_MBN = INTRIGHT (FLX1_MBN)
RAD2_MBN = INTRIGHT (FLX2_MBN)
RAD3_MBN = INTRIGHT (FLX3_MBN)
RAD4_MBN = INTRIGHT (FLX4_MBN)
RAD5_MBN = INTRIGHT (FLX5_MBN)
!
!   Delete fluxes
!
DELETE FLX1_MBN, FLX1M38N, FLX1AABN, FLX1M39N
DELETE FLX2_MBN, FLX2M38N, FLX2AABN, FLX2M39N
DELETE FLX3_MBN, FLX3M38N, FLX3AABN, FLX3M39N
DELETE FLX4_MBN, FLX4M38N, FLX4AABN, FLX4M39N
DELETE FLX5_MBN, FLX5M38N, FLX5AABN, FLX5M39N
!
!*****
!
! South side of repository activity (Ci)
!
!   Fluxes (Ci/s) into MB 138 away from repository, south (left) side
!
FLX1M38S = IFLT0 (FLUXIM1 [E:1361], -1.0*FLUXIM1 [E:1361], 0.0)
FLX2M38S = IFLT0 (FLUXIM2 [E:1361], -1.0*FLUXIM2 [E:1361], 0.0)
FLX3M38S = IFLT0 (FLUXIM3 [E:1361], -1.0*FLUXIM3 [E:1361], 0.0)
FLX4M38S = IFLT0 (FLUXIM4 [E:1361], -1.0*FLUXIM4 [E:1361], 0.0)
FLX5M38S = IFLT0 (FLUXIM5 [E:1361], -1.0*FLUXIM5 [E:1361], 0.0)
!
!   Fluxes (Ci/s) into Anhydrite A&B away from repository, south side
!
FLX1AABS = IFLT0 (FLUXIM1 [E:1173], -1.0*FLUXIM1 [E:1173], 0.0)
FLX2AABS = IFLT0 (FLUXIM2 [E:1173], -1.0*FLUXIM2 [E:1173], 0.0)
FLX3AABS = IFLT0 (FLUXIM3 [E:1173], -1.0*FLUXIM3 [E:1173], 0.0)
FLX4AABS = IFLT0 (FLUXIM4 [E:1173], -1.0*FLUXIM4 [E:1173], 0.0)

```

```

FLX5AABS = IFLT0 (FLUXIM5 [E:1173], -1.0*FLUXIM5 [E:1173], 0.0)
!
! Fluxes (Ci/s) into MB 139 away from repository, south (left) side
!
FLX1M39S = IFLT0 (FLUXIM1 [E:1108], -1.0*FLUXIM1 [E:1108], 0.0)
FLX2M39S = IFLT0 (FLUXIM2 [E:1108], -1.0*FLUXIM2 [E:1108], 0.0)
FLX3M39S = IFLT0 (FLUXIM3 [E:1108], -1.0*FLUXIM3 [E:1108], 0.0)
FLX4M39S = IFLT0 (FLUXIM4 [E:1108], -1.0*FLUXIM4 [E:1108], 0.0)
FLX5M39S = IFLT0 (FLUXIM5 [E:1108], -1.0*FLUXIM5 [E:1108], 0.0)
!
! Total outward fluxes into all anhydrite layers, south side of repository
!
FLX1_MBS = FLX1M38S + FLX1AABS + FLX1M39S
FLX2_MBS = FLX2M38S + FLX2AABS + FLX2M39S
FLX3_MBS = FLX3M38S + FLX3AABS + FLX3M39S
FLX4_MBS = FLX4M38S + FLX4AABS + FLX4M39S
FLX5_MBS = FLX5M38S + FLX5AABS + FLX5M39S
!
! Total activity (Ci) in anhydrite layers at south repository border
!
RAD1_MBS = INTRIGHT (FLX1_MBS)
RAD2_MBS = INTRIGHT (FLX2_MBS)
RAD3_MBS = INTRIGHT (FLX3_MBS)
RAD4_MBS = INTRIGHT (FLX4_MBS)
RAD5_MBS = INTRIGHT (FLX5_MBS)
!
! Delete fluxes
!
DELETE FLX1_MBS, FLX1M38S, FLX1AABS, FLX1M39S
DELETE FLX2_MBS, FLX2M38S, FLX2AABS, FLX2M39S
DELETE FLX3_MBS, FLX3M38S, FLX3AABS, FLX3M39S
DELETE FLX4_MBS, FLX4M38S, FLX4AABS, FLX4M39S
DELETE FLX5_MBS, FLX5M38S, FLX5AABS, FLX5M39S
!
!*****
!
! Total activity (Ci) in anhydrite layers at repository borders
!
RAD1_MBT = RAD1_MBN + RAD1_MBS
RAD2_MBT = RAD2_MBN + RAD2_MBS
RAD3_MBT = RAD3_MBN + RAD3_MBS
RAD4_MBT = RAD4_MBN + RAD4_MBS
RAD5_MBT = RAD5_MBN + RAD5_MBS
!
!*****
!
! Convert to EPA units and sum to get total marker bed activity at repository
!
EPA1_MBN = RAD1_MBN/CI_2_EPA
EPA2_MBN = RAD2_MBN/CI_2_EPA
EPA3_MBN = RAD3_MBN/CI_2_EPA
EPA4_MBN = RAD4_MBN/CI_2_EPA
EPA5_MBN = RAD5_MBN/CI_5_EPA
!
EPA1_MBS = RAD1_MBS/CI_2_EPA
EPA2_MBS = RAD2_MBS/CI_2_EPA
EPA3_MBS = RAD3_MBS/CI_2_EPA

```



```

EPA4_MBS = RAD4_MBS/CI_2_EPA
EPA5_MBS = RAD5_MBS/CI_5_EPA
!
EPA1_MBT = RAD1_MBT/CI_2_EPA
EPA2_MBT = RAD2_MBT/CI_2_EPA
EPA3_MBT = RAD3_MBT/CI_2_EPA
EPA4_MBT = RAD4_MBT/CI_2_EPA
EPA5_MBT = RAD5_MBT/CI_5_EPA
!
EPA_MB_T = EPA1_MBT + EPA2_MBT + EPA3_MBT + EPA4_MBT + EPA5_MBT
!
! Delete temporary variables
!
DELETE RAD1_MBN, RAD2_MBN, RAD3_MBN, RAD4_MBN, RAD5_MBN
DELETE RAD1_MBS, RAD2_MBS, RAD3_MBS, RAD4_MBS, RAD5_MBS
DELETE RAD1_MBT, RAD2_MBT, RAD3_MBT, RAD4_MBT, RAD5_MBT
!
!*****
!*****
!
! Total flux (mRem/yr) in marker beds across l-w boundary
!
! Param 023: Am-241 flux in marker beds at north l-w boundary ---->
F1LW_MBN
! Param 024: Pu-239 flux in marker beds at north l-w boundary ---->
F2LW_MBN
! Param 025: Pu-238 flux in marker beds at north l-w boundary ---->
F3LW_MBN
! Param 026: U--234 flux in marker beds at north l-w boundary ---->
F4LW_MBN
! Param 027: Th-230 flux in marker beds at north l-w boundary ---->
F5LW_MBN
!
! Param 028: Am-241 flux in marker beds at south l-w boundary ---->
F1LW_MBS
! Param 029: Pu-239 flux in marker beds at south l-w boundary ---->
F2LW_MBS
! Param 030: Pu-238 flux in marker beds at south l-w boundary ---->
F3LW_MBS
! Param 031: U--234 flux in marker beds at south l-w boundary ---->
F4LW_MBS
! Param 032: Th-230 flux in marker beds at south l-w boundary ---->
F5LW_MBS
!
! Param 033: Am-241 total flux in all marker beds, l-w boundary -->
F1LW_MBC
! Param 034: Pu-239 total flux in all marker beds, l-w boundary -->
F2LW_MBC
! Param 035: Pu-238 total flux in all marker beds, l-w boundary -->
F3LW_MBC
! Param 036: U--234 total flux in all marker beds, l-w boundary -->
F4LW_MBC
! Param 037: Th-230 total flux in all marker beds, l-w boundary -->
F5LW_MBC
!
!*****
!

```

```

! Fluxes in marker beds at north land-withdrawal boundary (Ci/s)
!
!   Fluxes in MB 138 across l-w boundary, north (right) side
!
F1LWM38N = IFGT0 (FLUXIM1 [E:1401], FLUXIM1 [E:1401], 0.0)
F2LWM38N = IFGT0 (FLUXIM2 [E:1401], FLUXIM2 [E:1401], 0.0)
F3LWM38N = IFGT0 (FLUXIM3 [E:1401], FLUXIM3 [E:1401], 0.0)
F4LWM38N = IFGT0 (FLUXIM4 [E:1401], FLUXIM4 [E:1401], 0.0)
F5LWM38N = IFGT0 (FLUXIM5 [E:1401], FLUXIM5 [E:1401], 0.0)
!
!   Fluxes in Anhydrite A&B across l-w boundary, north side
!
F1LWAABN = IFGT0 (FLUXIM1 [E:1333], FLUXIM1 [E:1333], 0.0)
F2LWAABN = IFGT0 (FLUXIM2 [E:1333], FLUXIM2 [E:1333], 0.0)
F3LWAABN = IFGT0 (FLUXIM3 [E:1333], FLUXIM3 [E:1333], 0.0)
F4LWAABN = IFGT0 (FLUXIM4 [E:1333], FLUXIM4 [E:1333], 0.0)
F5LWAABN = IFGT0 (FLUXIM5 [E:1333], FLUXIM5 [E:1333], 0.0)
!
!   Fluxes in MB 139 across l-w boundary, north (right) side
!
F1LWM39N = IFGT0 (FLUXIM1 [E:1284], FLUXIM1 [E:1284], 0.0)
F2LWM39N = IFGT0 (FLUXIM2 [E:1284], FLUXIM2 [E:1284], 0.0)
F3LWM39N = IFGT0 (FLUXIM3 [E:1284], FLUXIM3 [E:1284], 0.0)
F4LWM39N = IFGT0 (FLUXIM4 [E:1284], FLUXIM4 [E:1284], 0.0)
F5LWM39N = IFGT0 (FLUXIM5 [E:1284], FLUXIM5 [E:1284], 0.0)
!
!   Total fluxes across north land-withdrawal boundary in all anhydrite
layers
!
F1LWMBN = F1LWM38N + F1LWAABN + F1LWM39N
F2LWMBN = F2LWM38N + F2LWAABN + F2LWM39N
F3LWMBN = F3LWM38N + F3LWAABN + F3LWM39N
F4LWMBN = F4LWM38N + F4LWAABN + F4LWM39N
F5LWMBN = F5LWM38N + F5LWAABN + F5LWM39N
!
!   Convert flux units from Ci/s to mRem/yr
!
!   Conversion factors, 1 Ci/s = C_i mRem/yr
!
!           where i = 1 for Am-241
!                   i = 2 for Pu-239
!                   i = 3 for Pu-238
!                   i = 4 for U-234
!                   i = 5 for Am-241
!
C_1 = 6.9426E16
C_2 = 1.3570E16
C_3 = 1.7041E19
C_4 = 2.2406E17
C_5 = 1.6725E16
!
F1LW_MBN = F1LWMBN*C_1
F2LW_MBN = F2LWMBN*C_2
F3LW_MBN = F3LWMBN*C_3
F4LW_MBN = F4LWMBN*C_4
F5LW_MBN = F5LWMBN*C_5
!

```

```

!   Delete fluxes not needed (retained for Param 208-210, after which
!   they are deleted)
!
!!DELETE F1LWM38N, F1LWAABN, F1LWM39N
!!DELETE F2LWM38N, F2LWAABN, F2LWM39N
!!DELETE F3LWM38N, F3LWAABN, F3LWM39N
!!DELETE F4LWM38N, F4LWAABN, F4LWM39N
!!DELETE F5LWM38N, F5LWAABN, F5LWM39N
!
!*****
!
! Fluxes in marker beds at south land-withdrawal boundary (Ci/s)
!
!   Fluxes in MB 138 across l-w boundary, south (left) side
!
F1LWM38S = IFLT0 (FLUXIM1 [E:1344], -1.0*FLUXIM1 [E:1344], 0.0)
F2LWM38S = IFLT0 (FLUXIM2 [E:1344], -1.0*FLUXIM2 [E:1344], 0.0)
F3LWM38S = IFLT0 (FLUXIM3 [E:1344], -1.0*FLUXIM3 [E:1344], 0.0)
F4LWM38S = IFLT0 (FLUXIM4 [E:1344], -1.0*FLUXIM4 [E:1344], 0.0)
F5LWM38S = IFLT0 (FLUXIM5 [E:1344], -1.0*FLUXIM5 [E:1344], 0.0)
!
!   Fluxes in Anhydrite A&B across l-w, south side
!
F1LWAABS = IFLT0 (FLUXIM1 [E:1295], -1.0*FLUXIM1 [E:1295], 0.0)
F2LWAABS = IFLT0 (FLUXIM2 [E:1295], -1.0*FLUXIM2 [E:1295], 0.0)
F3LWAABS = IFLT0 (FLUXIM3 [E:1295], -1.0*FLUXIM3 [E:1295], 0.0)
F4LWAABS = IFLT0 (FLUXIM4 [E:1295], -1.0*FLUXIM4 [E:1295], 0.0)
F5LWAABS = IFLT0 (FLUXIM5 [E:1295], -1.0*FLUXIM5 [E:1295], 0.0)
!
!   Fluxes in MB 139 across l-w boundary, south (left) side
!
F1LWM39S = IFLT0 (FLUXIM1 [E:1246], -1.0*FLUXIM1 [E:1246], 0.0)
F2LWM39S = IFLT0 (FLUXIM2 [E:1246], -1.0*FLUXIM2 [E:1246], 0.0)
F3LWM39S = IFLT0 (FLUXIM3 [E:1246], -1.0*FLUXIM3 [E:1246], 0.0)
F4LWM39S = IFLT0 (FLUXIM4 [E:1246], -1.0*FLUXIM4 [E:1246], 0.0)
F5LWM39S = IFLT0 (FLUXIM5 [E:1246], -1.0*FLUXIM5 [E:1246], 0.0)
!
!   Total fluxes across south land-withdrawal boundary in all anhydrite
layers
!
F1LWMBS = F1LWM38S + F1LWAABS + F1LWM39S
F2LWMBS = F2LWM38S + F2LWAABS + F2LWM39S
F3LWMBS = F3LWM38S + F3LWAABS + F3LWM39S
F4LWMBS = F4LWM38S + F4LWAABS + F4LWM39S
F5LWMBS = F5LWM38S + F5LWAABS + F5LWM39S
!
!   Convert flux units from Ci/s to mRem/yr
!
F1LW_MBS = F1LWMBS*C_1
F2LW_MBS = F2LWMBS*C_2
F3LW_MBS = F3LWMBS*C_3
F4LW_MBS = F4LWMBS*C_4
F5LW_MBS = F5LWMBS*C_5
!
!   Delete fluxes not needed (retained for Param 208-210, after which
!   they are deleted)
!

```

```

!!DELETE F1LWM38S, F1LWAABS, F1LWM39S
!!DELETE F2LWM38S, F2LWAABS, F2LWM39S
!!DELETE F3LWM38S, F3LWAABS, F3LWM39S
!!DELETE F4LWM38S, F4LWAABS, F4LWM39S
!!DELETE F5LWM38S, F5LWAABS, F5LWM39S
!
!*****
!
! Total fluxes across land-withdrawal boundary in all anhydrite layers
(mRem/yr)
!
F1LW_MBT = F1LW_MBN + F1LW_MBS
F2LW_MBT = F2LW_MBN + F2LW_MBS
F3LW_MBT = F3LW_MBN + F3LW_MBS
F4LW_MBT = F4LW_MBN + F4LW_MBS
F5LW_MBT = F5LW_MBN + F5LW_MBS
!
!*****
!*****
!
! Total activity (integrated flux) in marker beds at l-w boundary (EPA units)
!
!   Param 038: Am-241 in all marker beds across north l-w boundary -->
E1LW_MBN
!   Param 039: Pu-239 in all marker beds across north l-w boundary -->
E2LW_MBN
!   Param 040: Pu-238 in all marker beds across north l-w boundary -->
E3LW_MBN
!   Param 041: U--234 in all marker beds across north l-w boundary -->
E4LW_MBN
!   Param 042: Th-230 in all marker beds across north l-w boundary -->
E5LW_MBN
!
!   Param 043: Am-241 in all marker beds across south l-w boundary -->
E1LW_MBS
!   Param 044: Pu-239 in all marker beds across south l-w boundary -->
E2LW_MBS
!   Param 045: Pu-238 in all marker beds across south l-w boundary -->
E3LW_MBS
!   Param 046: U--234 in all marker beds across south l-w boundary -->
E4LW_MBS
!   Param 047: Th-230 in all marker beds across south l-w boundary -->
E5LW_MBS
!
!   Param 048: Am-241 in all marker beds across l-w boundaries ----->
E1LW_MBT
!   Param 049: Pu-239 in all marker beds across l-w boundaries ----->
E2LW_MBT
!   Param 050: Pu-238 in all marker beds across l-w boundaries ----->
E3LW_MBT
!   Param 051: U--234 in all marker beds across l-w boundaries ----->
E4LW_MBT
!   Param 052: Th-230 in all marker beds across l-w boundaries ----->
E5LW_MBT
!   Param 053: Total activity in all marker beds at l-w boundaries -->
EPALWMBT
!

```

```

!*****
!
! Activities in marker beds across north land-withdrawal boundary (Ci)
!
R1LW_MBN = INTRIGHT(F1LWMBN)
R2LW_MBN = INTRIGHT(F2LWMBN)
R3LW_MBN = INTRIGHT(F3LWMBN)
R4LW_MBN = INTRIGHT(F4LWMBN)
R5LW_MBN = INTRIGHT(F5LWMBN)
!
DELETE F1LWMBN, F2LWMBN, F3LWMBN, F4LWMBN, F5LWMBN
!
!*****
!
! Activities in marker beds across south land-withdrawal boundary (Ci)
!
R1LW_MBS = INTRIGHT(F1LWMBN)
R2LW_MBS = INTRIGHT(F2LWMBN)
R3LW_MBS = INTRIGHT(F3LWMBN)
R4LW_MBS = INTRIGHT(F4LWMBN)
R5LW_MBS = INTRIGHT(F5LWMBN)
!
DELETE F1LWMBN, F2LWMBN, F3LWMBN, F4LWMBN, F5LWMBN
!
!*****
!
! Total activity in all anhydrite layers across land-withdrawal boundary
!
R1LW_MBT = R1LW_MBN + R1LW_MBS
R2LW_MBT = R2LW_MBN + R2LW_MBS
R3LW_MBT = R3LW_MBN + R3LW_MBS
R4LW_MBT = R4LW_MBN + R4LW_MBS
R5LW_MBT = R5LW_MBN + R5LW_MBS
!
!*****
!
! Convert to EPA units and sum to get total marker bed activity at l-w bndry
!
E1LW_MBN = R1LW_MBN/CI_2_EPA
E2LW_MBN = R2LW_MBN/CI_2_EPA
E3LW_MBN = R3LW_MBN/CI_2_EPA
E4LW_MBN = R4LW_MBN/CI_2_EPA
E5LW_MBN = R5LW_MBN/CI_5_EPA
!
E1LW_MBS = R1LW_MBS/CI_2_EPA
E2LW_MBS = R2LW_MBS/CI_2_EPA
E3LW_MBS = R3LW_MBS/CI_2_EPA
E4LW_MBS = R4LW_MBS/CI_2_EPA
E5LW_MBS = R5LW_MBS/CI_5_EPA
!
E1LW_MBT = R1LW_MBT/CI_2_EPA
E2LW_MBT = R2LW_MBT/CI_2_EPA
E3LW_MBT = R3LW_MBT/CI_2_EPA
E4LW_MBT = R4LW_MBT/CI_2_EPA
E5LW_MBT = R5LW_MBT/CI_5_EPA
!
EPALWMBT = E1LW_MBT + E2LW_MBT + E3LW_MBT + E4LW_MBT + E5LW_MBT

```

```

!
! Delete temporary variables
!
DELETE R1LW_MBN, R2LW_MBN, R3LW_MBN, R4LW_MBN, R5LW_MBN
DELETE R1LW_MBS, R2LW_MBS, R3LW_MBS, R4LW_MBS, R5LW_MBS
DELETE R1LW_MBT, R2LW_MBT, R3LW_MBT, R4LW_MBT, R5LW_MBT
!
!*****
!*****
!
! Extent of radioactive penetration in marker beds outward from repository
(m)
!
!   Param 054: Am-241 zone length, MB 138 North -----> XL1_M38N
!   Param 055: Pu-239 zone length, MB 138 North -----> XL2_M38N
!   Param 056: Pu-238 zone length, MB 138 North -----> XL3_M38N
!   Param 057: U--234 zone length, MB 138 North -----> XL4_M38N
!   Param 058: Th-230 zone length, MB 138 North -----> XL5_M38N
!
!   Param 059: Am-241 zone length, Anhydrite A&B North --> XL1_AABN
!   Param 060: Pu-239 zone length, Anhydrite A&B North --> XL2_AABN
!   Param 061: Pu-238 zone length, Anhydrite A&B North --> XL3_AABN
!   Param 062: U--234 zone length, Anhydrite A&B North --> XL4_AABN
!   Param 063: Th-230 zone length, Anhydrite A&B North --> XL5_AABN
!
!   Param 064: Am-241 zone length, MB 139 North -----> XL1_M39N
!   Param 065: Pu-239 zone length, MB 139 North -----> XL2_M39N
!   Param 066: Pu-238 zone length, MB 139 North -----> XL3_M39N
!   Param 067: U--234 zone length, MB 139 North -----> XL4_M39N
!   Param 068: Th-230 zone length, MB 139 North -----> XL5_M39N
!
!   Param 069: Am-241 zone length, MB 138 South -----> XL1_M38S
!   Param 070: Pu-239 zone length, MB 138 South -----> XL2_M38S
!   Param 071: Pu-238 zone length, MB 138 South -----> XL3_M38S
!   Param 072: U--234 zone length, MB 138 South -----> XL4_M38S
!   Param 073: Th-230 zone length, MB 138 South -----> XL5_M38S
!
!   Param 074: Am-241 zone length, Anhydrite A&B South --> XL1_AABS
!   Param 075: Pu-239 zone length, Anhydrite A&B South --> XL2_AABS
!   Param 076: Pu-238 zone length, Anhydrite A&B South --> XL3_AABS
!   Param 077: U--234 zone length, Anhydrite A&B South --> XL4_AABS
!   Param 078: Th-230 zone length, Anhydrite A&B South --> XL5_AABS
!
!   Param 079: Am-241 zone length, MB 139 South -----> XL1_M39S
!   Param 080: Pu-239 zone length, MB 139 South -----> XL2_M39S
!   Param 081: Pu-238 zone length, MB 139 South -----> XL3_M39S
!   Param 082: U--234 zone length, MB 139 South -----> XL4_M39S
!   Param 083: Th-230 zone length, MB 139 South -----> XL5_M39S
!
! Maximum values of radioactive penetration zones in marker beds (m)
!
!   Param 084: Maximum Pu-239 penetration in north marker beds --> MAX2_MBN
!   Param 085: Maximum U--234 penetration in north marker beds --> MAX4_MBN
!
!   Param 086: Maximum Pu-239 penetration in south marker beds --> MAX2_MBS
!   Param 087: Maximum U--234 penetration in south marker beds --> MAX4_MBS
!
!

```

```

!*****
!
! Radionuclides in MB 138 away from repository, north (right) side
!
LIMIT ELEMENT 1384 TO 1406
!
!   Define meaningful contamination level as exceeding 1E-7 kg
!
MTOL = 1.0E-7
!
!   Set reference point for front length at the north repository border
!
XREF38N = X[N:3496]
!
!   Determine average x-coordinate of element centroid as element variable
!
XECENT = NOD2ELE(X)
!
!   Compare radionuclides dissolved masses against contamination limit
!   If criterion met then calculate front length as distance from
!   reference point to centroid of element, otherwise set to zero
!
XDIST1 = IFGT0(BMDISM1-MTOL,XECENT-XREF38N,0.0)
XDIST2 = IFGT0(BMDISM2-MTOL,XECENT-XREF38N,0.0)
XDIST3 = IFGT0(BMDISM3-MTOL,XECENT-XREF38N,0.0)
XDIST4 = IFGT0(BMDISM4-MTOL,XECENT-XREF38N,0.0)
XDIST5 = IFGT0(BMDISM5-MTOL,XECENT-XREF38N,0.0)
!
!   Extract maximum values of front length at each time
!
XL1_M38N = SMAX(XDIST1)
XL2_M38N = SMAX(XDIST2)
XL3_M38N = SMAX(XDIST3)
XL4_M38N = SMAX(XDIST4)
XL5_M38N = SMAX(XDIST5)
!
!   Delete temporary variables (tolerance used below, then deleted)
!
DELETE XREF38N, XECENT, XDIST1, XDIST2, XDIST3, XDIST4, XDIST5
!
!*****
!
! Radionuclides in Anhydrite A&B away from repository, north (right) side
!
LIMIT ELEMENT 1316 TO 1338
!
XREFABN = X[N:3289]
XECENT = NOD2ELE(X)
!
XDIST1 = IFGT0(BMDISM1-MTOL,XECENT-XREFABN,0.0)
XDIST2 = IFGT0(BMDISM2-MTOL,XECENT-XREFABN,0.0)
XDIST3 = IFGT0(BMDISM3-MTOL,XECENT-XREFABN,0.0)
XDIST4 = IFGT0(BMDISM4-MTOL,XECENT-XREFABN,0.0)
XDIST5 = IFGT0(BMDISM5-MTOL,XECENT-XREFABN,0.0)
!
XL1_AABN = SMAX(XDIST1)
XL2_AABN = SMAX(XDIST2)

```

```

XL3_AABN = SMAX(XDIST3)
XL4_AABN = SMAX(XDIST4)
XL5_AABN = SMAX(XDIST5)
!
DELETE XREFABN, XECENT, XDIST1, XDIST2, XDIST3, XDIST4, XDIST5
!
!*****
!
! Radionuclides in MB 139 away from repository, north (right) side
!
LIMIT ELEMENT 1267 TO 1289
!
XREF39N = X[N:2806]
XECENT = NOD2ELE(X)
!
XDIST1 = IFGT0(BMDISM1-MTOL,XECENT-XREF39N,0.0)
XDIST2 = IFGT0(BMDISM2-MTOL,XECENT-XREF39N,0.0)
XDIST3 = IFGT0(BMDISM3-MTOL,XECENT-XREF39N,0.0)
XDIST4 = IFGT0(BMDISM4-MTOL,XECENT-XREF39N,0.0)
XDIST5 = IFGT0(BMDISM5-MTOL,XECENT-XREF39N,0.0)
!
XL1_M39N = SMAX(XDIST1)
XL2_M39N = SMAX(XDIST2)
XL3_M39N = SMAX(XDIST3)
XL4_M39N = SMAX(XDIST4)
XL5_M39N = SMAX(XDIST5)
!
DELETE XREF39N, XECENT, XDIST1, XDIST2, XDIST3, XDIST4, XDIST5
!
!*****
!*****
!
! Radionuclides in MB 138 away from repository, south (left) side
!
LIMIT ELEMENT 1339 TO 1360
!
XREF38S = X[N:3473]
XECENT = NOD2ELE(X)
!
XDIST1 = IFGT0(BMDISM1-MTOL,XREF38S-XECENT,0.0)
XDIST2 = IFGT0(BMDISM2-MTOL,XREF38S-XECENT,0.0)
XDIST3 = IFGT0(BMDISM3-MTOL,XREF38S-XECENT,0.0)
XDIST4 = IFGT0(BMDISM4-MTOL,XREF38S-XECENT,0.0)
XDIST5 = IFGT0(BMDISM5-MTOL,XREF38S-XECENT,0.0)
!
XL1_M38S = SMAX(XDIST1)
XL2_M38S = SMAX(XDIST2)
XL3_M38S = SMAX(XDIST3)
XL4_M38S = SMAX(XDIST4)
XL5_M38S = SMAX(XDIST5)
!
DELETE XREF38S, XECENT, XDIST1, XDIST2, XDIST3, XDIST4, XDIST5
!
!*****
!
! Radionuclides in Anhydrite A&B away from repository, south (left) side
!

```



```

LIMIT ELEMENT 1290 TO 1311
!
XREFABS = X[N:3266]
XECENT = NOD2ELE(X)
!
XDIST1 = IFGT0(BMDISM1-MTOL,XREFABS-XECENT,0.0)
XDIST2 = IFGT0(BMDISM2-MTOL,XREFABS-XECENT,0.0)
XDIST3 = IFGT0(BMDISM3-MTOL,XREFABS-XECENT,0.0)
XDIST4 = IFGT0(BMDISM4-MTOL,XREFABS-XECENT,0.0)
XDIST5 = IFGT0(BMDISM5-MTOL,XREFABS-XECENT,0.0)
!
XL1_AABS = SMAX(XDIST1)
XL2_AABS = SMAX(XDIST2)
XL3_AABS = SMAX(XDIST3)
XL4_AABS = SMAX(XDIST4)
XL5_AABS = SMAX(XDIST5)
!
DELETE XREFABS, XECENT, XDIST1, XDIST2, XDIST3, XDIST4, XDIST5
!
!*****
!
! Radionuclides in MB 139 away from repository, south (left) side
!
LIMIT ELEMENT 1241 to 1262
!
XREF39S = X[N:2783]
XECENT = NOD2ELE(X)
!
XDIST1 = IFGT0(BMDISM1-MTOL,XREF39S-XECENT,0.0)
XDIST2 = IFGT0(BMDISM2-MTOL,XREF39S-XECENT,0.0)
XDIST3 = IFGT0(BMDISM3-MTOL,XREF39S-XECENT,0.0)
XDIST4 = IFGT0(BMDISM4-MTOL,XREF39S-XECENT,0.0)
XDIST5 = IFGT0(BMDISM5-MTOL,XREF39S-XECENT,0.0)
!
XL1_M39S = SMAX(XDIST1)
XL2_M39S = SMAX(XDIST2)
XL3_M39S = SMAX(XDIST3)
XL4_M39S = SMAX(XDIST4)
XL5_M39S = SMAX(XDIST5)
!
DELETE XREF39S, XECENT, XDIST1, XDIST2, XDIST3, XDIST4, XDIST5
!
!*****
!*****
!
! Maximum isotope penetration in north marker beds (m), Pu-239 & U-234
!
LIMIT ELEMENT 1267 TO 1289, 1316 TO 1338, 1384 TO 1406
!
XREFMBN = X[N:2806]
XECENT = NOD2ELE(X)
!
XDIST2 = IFGT0(BMDISM2-MTOL,XECENT-XREFMBN,0.0)
XDIST4 = IFGT0(BMDISM4-MTOL,XECENT-XREFMBN,0.0)
!
MAX2_MBN = SMAX(XDIST2)
MAX4_MBN = SMAX(XDIST4)

```

```

!
DELETE XREFMBS, XECENT, XDIST2, XDIST4
!
!*****
!
! Maximum isotope penetration in south marker beds (m), Pu-239 & U-234
!
LIMIT ELEMENT 1241 to 1262, 1290 TO 1311, 1339 TO 1360
!
XREFMBS = X[N:2783]
XECENT = NOD2ELE(X)
!
XDIST2 = IFGT0(BMDISM2-MTOL,XREFMBS-XECENT,0.0)
XDIST4 = IFGT0(BMDISM4-MTOL,XREFMBS-XECENT,0.0)
!
MAX2_MBS = SMAX(XDIST2)
MAX4_MBS = SMAX(XDIST4)
!
DELETE XREFMBS, XECENT, XDIST2, XDIST4
!
!*****
!
LIMIT ELEMENT OFF
!
DELETE MTOL
!
!*****
!*****
!
! Integrated fluxes (Ci) in borehole at Rustler/Culebra (for PANEL
calculations)
!
! Param 088: Am-241 int. flux up bh at Rustler/Culebra (el.1845) -->
A00AM241
! Param 089: Pu-239 int. flux up bh at Rustler/Culebra (el.1845) -->
A00PU239
! Param 090: Pu-238 int. flux up bh at Rustler/Culebra (el.1845) -->
A00PU238
! Param 091: U--234 int. flux up bh at Rustler/Culebra (el.1845) -->
A00U234
! Param 092: Th-230 int. flux up bh at Rustler/Culebra (el.1845) -->
A00TH230
!
!*****
!
! Fluxes up borehole at Rustler/Culebra (Element 1845), (Ci/s)
!
FL1BHRC = IFGT0(FLUXJM1[E:1845],FLUXJM1[E:1845],0.0)
FL2BHRC = IFGT0(FLUXJM2[E:1845],FLUXJM2[E:1845],0.0)
FL3BHRC = IFGT0(FLUXJM3[E:1845],FLUXJM3[E:1845],0.0)
FL4BHRC = IFGT0(FLUXJM4[E:1845],FLUXJM4[E:1845],0.0)
FL5BHRC = IFGT0(FLUXJM5[E:1845],FLUXJM5[E:1845],0.0)
!
! Integrated flux (Ci)
!
A00AM241 = INTRIGHT(FL1BHRC)
A00PU239 = INTRIGHT(FL2BHRC)

```

```

A00PU238 = INTRIGHT (FL3BHRC)
A00U234  = INTRIGHT (FL4BHRC)
A00TH230 = INTRIGHT (FL5BHRC)
!
! Note: Fluxes will be output below as Params 198 to 202
!
!*****
!*****
!
! Activities (integrated fluxes) up borehole (EPA units)
!
!   Param 093: Am-241 up borehole at Magenta Dolomite (el.1912) ---> EPA1BHMD
!   Param 094: Pu-239 up borehole at Magenta Dolomite (el.1912) ---> EPA2BHMD
!   Param 095: Pu-238 up borehole at Magenta Dolomite (el.1912) ---> EPA3BHMD
!   Param 096: U--234 up borehole at Magenta Dolomite (el.1912) ---> EPA4BHMD
!   Param 097: Th-230 up borehole at Magenta Dolomite (el.1912) ---> EPA5BHMD
!   Param 098: Total activity up borehole at Magenta (el.1912) ----> EPATBHMD
!
!   Param 099: Am-241 up borehole at Rustler/Culebra (el.1845) ----> EPA1BHRC
!   Param 100: Pu-239 up borehole at Rustler/Culebra (el.1845) ----> EPA2BHRC
!   Param 101: Pu-238 up borehole at Rustler/Culebra (el.1845) ----> EPA3BHRC
!   Param 102: U--234 up borehole at Rustler/Culebra (el.1845) ----> EPA4BHRC
!   Param 103: Th-230 up borehole at Rustler/Culebra (el.1845) ----> EPA5BHRC
!   Param 104: Total activity up bh at Rustler/Culebra (el.1845) --> EPATBHRC
!
!*****
!
! Radionuclides up borehole at Magenta Dolomite (Ci)
!
!   Fluxes up borehole at Magenta (Ci/s)
!
! FL1BH_MD = IFGT0 (FLUXJM1 [E:1912], FLUXJM1 [E:1912], 0.0)
! FL2BH_MD = IFGT0 (FLUXJM2 [E:1912], FLUXJM2 [E:1912], 0.0)
! FL3BH_MD = IFGT0 (FLUXJM3 [E:1912], FLUXJM3 [E:1912], 0.0)
! FL4BH_MD = IFGT0 (FLUXJM4 [E:1912], FLUXJM4 [E:1912], 0.0)
! FL5BH_MD = IFGT0 (FLUXJM5 [E:1912], FLUXJM5 [E:1912], 0.0)
!
!   Integrate flux to get activity
!
! RN1BH_MD = INTRIGHT (FL1BH_MD)
! RN2BH_MD = INTRIGHT (FL2BH_MD)
! RN3BH_MD = INTRIGHT (FL3BH_MD)
! RN4BH_MD = INTRIGHT (FL4BH_MD)
! RN5BH_MD = INTRIGHT (FL5BH_MD)
!
! DELETE FL1BH_MD, FL2BH_MD, FL3BH_MD, FL4BH_MD, FL5BH_MD
!
!*****
!
! Convert to EPA units and sum to get total activities up borehole
!
!   At Magenta Dolomite
!
! EPA1BHMD = RN1BH_MD/CI_2_EPA
! EPA2BHMD = RN2BH_MD/CI_2_EPA
! EPA3BHMD = RN3BH_MD/CI_2_EPA
! EPA4BHMD = RN4BH_MD/CI_2_EPA

```

```

EPA5BHMD = RN5BH_MD/CI_5_EPA
!
EPATBHMD = EPA1BHMD + EPA2BHMD + EPA3BHMD + EPA4BHMD + EPA5BHMD
!
!   At Rustler/Culebra interface
!
EPA1BHRC = A00AM241/CI_2_EPA
EPA2BHRC = A00PU239/CI_2_EPA
EPA3BHRC = A00PU238/CI_2_EPA
EPA4BHRC = A00U234/CI_2_EPA
EPA5BHRC = A00TH230/CI_5_EPA
!
EPATBHRC = EPA1BHRC + EPA2BHRC + EPA3BHRC + EPA4BHRC + EPA5BHRC
!
!   Delete temporary variables
!
DELETE RN1BH_MD, RN2BH_MD, RN3BH_MD, RN4BH_MD, RN5BH_MD
!
!*****
!*****
!
! Activity down borehole at Castile/Brine interface (EPA units)
!
!   Param 105: Total activity down bh at Castile/Brine (el.1576) --> EPATBHCB
!
!*****
!
! Activity at Castile/Brine (EPA units)
!
!   Fluxes down borehole at Castile/Brine interface (Ci/s)
!
FL1BH_CB = IFLT0 (FLUXJM1 [E:1576], -1.0*FLUXJM1 [E:1576], 0.0)
FL2BH_CB = IFLT0 (FLUXJM2 [E:1576], -1.0*FLUXJM2 [E:1576], 0.0)
FL3BH_CB = IFLT0 (FLUXJM3 [E:1576], -1.0*FLUXJM2 [E:1576], 0.0)
FL4BH_CB = IFLT0 (FLUXJM4 [E:1576], -1.0*FLUXJM2 [E:1576], 0.0)
FL5BH_CB = IFLT0 (FLUXJM5 [E:1576], -1.0*FLUXJM2 [E:1576], 0.0)
!
!   Radionuclides down borehole at Castile/Brine interface (Ci)
!
RN1BH_CB = INTRIGHT (FL1BH_CB)
RN2BH_CB = INTRIGHT (FL2BH_CB)
RN3BH_CB = INTRIGHT (FL3BH_CB)
RN4BH_CB = INTRIGHT (FL4BH_CB)
RN5BH_CB = INTRIGHT (FL5BH_CB)
!
!   Convert to EPA units and sum to get total
!
EPA1BHCB = RN1BH_CB/CI_2_EPA
EPA2BHCB = RN2BH_CB/CI_2_EPA
EPA3BHCB = RN3BH_CB/CI_2_EPA
EPA4BHCB = RN4BH_CB/CI_2_EPA
EPA5BHCB = RN5BH_CB/CI_5_EPA
!
EPATBHCB = EPA1BHCB + EPA2BHCB + EPA3BHCB + EPA4BHCB + EPA5BHCB
!
DELETE FL1BH_CB, FL2BH_CB, FL3BH_CB, FL4BH_CB, FL5BH_CB
DELETE RN1BH_CB, RN2BH_CB, RN3BH_CB, RN4BH_CB, RN5BH_CB

```

```

DELETE EPA1BHCB, EPA2BHCB, EPA3BHCB, EPA4BHCB, EPA5BHCB
!
!*****
!*****
!
! Fluxes (mRem/yr) in shaft at Salado/Rustler interface
!
!   Param 106: Am-241 flux up shaft at Salado/Rustler (el.1488) ---> FL1SH_SR
!   Param 107: Pu-239 flux up shaft at Salado/Rustler (el.1488) ---> FL2SH_SR
!   Param 108: Pu-238 flux up shaft at Salado/Rustler (el.1488) ---> FL3SH_SR
!   Param 109: U--234 flux up shaft at Salado/Rustler (el.1488) ---> FL4SH_SR
!   Param 110: Th-230 flux up shaft at Salado/Rustler (el.1488) ---> FL5SH_SR
!
!*****
!
! Fluxes up shaft at Salado/Rustler interface (Ci/s)
!
FL1SHSR = IFGT0 (FLUXJM1 [E:1488], FLUXJM1 [E:1488], 0.0)
FL2SHSR = IFGT0 (FLUXJM2 [E:1488], FLUXJM2 [E:1488], 0.0)
FL3SHSR = IFGT0 (FLUXJM3 [E:1488], FLUXJM3 [E:1488], 0.0)
FL4SHSR = IFGT0 (FLUXJM4 [E:1488], FLUXJM4 [E:1488], 0.0)
FL5SHSR = IFGT0 (FLUXJM5 [E:1488], FLUXJM5 [E:1488], 0.0)
!
!   Convert flux units from Ci/s to mRem/yr
!
FL1SH_SR = FL1SHSR*C_1
FL2SH_SR = FL2SHSR*C_2
FL3SH_SR = FL3SHSR*C_3
FL4SH_SR = FL4SHSR*C_4
FL5SH_SR = FL5SHSR*C_5
!
!   Delete fluxes not needed
!
DELETE FL1SHSR, FL2SHSR, FL3SHSR, FL4SHSR, FL5SHSR
!
!   Delete flux conversion factors
!
DELETE C_1, C_2, C_3, C_4, C_5
!
!*****
!*****
!
! Activity (integrated flux) in shaft at Rustler/Culebra interface (EPA
units)
!
!   Param 111: Am-241 up shaft at Rustler/Culebra (el.1489) ----->
EPA1SHRC
!   Param 112: Pu-239 up shaft at Rustler/Culebra (el.1489) ----->
EPA2SHRC
!   Param 113: Pu-238 up shaft at Rustler/Culebra (el.1489) ----->
EPA3SHRC
!   Param 114: U--234 up shaft at Rustler/Culebra (el.1489) ----->
EPA4SHRC
!   Param 115: Th-230 up shaft at Rustler/Culebra (el.1489) ----->
EPA5SHRC
!   Param 116: Total activity up shaft at Rustler/Culebra (el.1489) -->
EPATSHRC

```

```

!
!*****
!
! Activity at Rustler/Culebra interface
!
!   Fluxes up shaft at Rustler/Culebra interface (Ci/s)
!
FL1SH_RC = IFGT0 (FLUXJM1 [E:1489], FLUXJM1 [E:1489], 0.0)
FL2SH_RC = IFGT0 (FLUXJM2 [E:1489], FLUXJM2 [E:1489], 0.0)
FL3SH_RC = IFGT0 (FLUXJM3 [E:1489], FLUXJM3 [E:1489], 0.0)
FL4SH_RC = IFGT0 (FLUXJM4 [E:1489], FLUXJM4 [E:1489], 0.0)
FL5SH_RC = IFGT0 (FLUXJM5 [E:1489], FLUXJM5 [E:1489], 0.0)
!
!   Radionuclides up shaft at Rustler/Culebra interface (Ci)
!
RN1SH_RC = INTRIGHT (FL1SH_RC)
RN2SH_RC = INTRIGHT (FL2SH_RC)
RN3SH_RC = INTRIGHT (FL3SH_RC)
RN4SH_RC = INTRIGHT (FL4SH_RC)
RN5SH_RC = INTRIGHT (FL5SH_RC)
!
!   Radionuclides up shaft at Rustler/Culebra interface (EPA units)
!
EPA1SHRC = RN1SH_RC/CI_2_EPA
EPA2SHRC = RN2SH_RC/CI_2_EPA
EPA3SHRC = RN3SH_RC/CI_2_EPA
EPA4SHRC = RN4SH_RC/CI_2_EPA
EPA5SHRC = RN5SH_RC/CI_5_EPA
!
EPATSHRC = EPA1SHRC + EPA2SHRC + EPA3SHRC + EPA4SHRC + EPA5SHRC
!
!   Delete fluxes and activities in Curies
!
DELETE FL1SH_RC, FL2SH_RC, FL3SH_RC, FL4SH_RC, FL5SH_RC
DELETE RN1SH_RC, RN2SH_RC, RN3SH_RC, RN4SH_RC, RN5SH_RC
!
!*****
!*****
!
! Volume-averaged isotope concentration (EPA units/m^3 brine) in waste panel
!
!   Param 117: Am-241 vol-avg concentration in waste panel ----->
EPAC1_WP
!   Param 118: Pu-239 vol-avg concentration in waste panel ----->
EPAC2_WP
!   Param 119: Pu-238 vol-avg concentration in waste panel ----->
EPAC3_WP
!   Param 120: U--234 vol-avg concentration in waste panel ----->
EPAC4_WP
!   Param 121: Th-230 vol-avg concentration in waste panel ----->
EPAC5_WP
!   Param 122: Total vol-avg isotope concentration in waste panel -->
EPACT_WP
!
! Volume-avg isotope concentration (EPA units/m^3 brine) in rest of
repository
!

```

```

!   Param 123: Am-241 vol-avg concentration in rest of repository -->
EPAC1_RR
!   Param 124: Pu-239 vol-avg concentration in rest of repository -->
EPAC2_RR
!   Param 125: Pu-238 vol-avg concentration in rest of repository -->
EPAC3_RR
!   Param 126: U--234 vol-avg concentration in rest of repository -->
EPAC4_RR
!   Param 127: Th-230 vol-avg concentration in rest of repository -->
EPAC5_RR
!   Param 128: Total vol-avg isotope conc. in rest of repository --->
EPACT_RR
!
!*****
!
! Conversion factors (Curies per kilogram), where
!   radionuclides are numbered
!       1 = Am-241
!       2 = Pu-239
!       3 = Pu-238
!       4 = U-234
!       5 = Th-230
!
A1 = 3431.154
A2 = 62.14554
A3 = 17115.25
A4 = 6.247269
A5 = 20.18264
!
!*****
!
! Waste panel
!
LIMIT ELEMENT 1407 TO 1427
!
! Total volume of waste area
!
WPVOL = SUM(GRIDVOL)
!
!*****
!
! Volume-averaged concentration in waste panel
!
!   Add up individual element concentrations (kg/m^3 brine)
!   weighted by element volume
!
CM1WPSUM = SUM(GRIDVOL*CM1)
CM2WPSUM = SUM(GRIDVOL*CM2)
CM3WPSUM = SUM(GRIDVOL*CM3)
CM4WPSUM = SUM(GRIDVOL*CM4)
CM5WPSUM = SUM(GRIDVOL*CM5)
!
!   Determine average concentration (kg/m^3 brine)
!   by dividing by total volume of waste panel
!
CM1_WP  = CM1WPSUM/WPVOL
CM2_WP  = CM2WPSUM/WPVOL

```

```

CM3_WP   = CM3WPSUM/WPVOL
CM4_WP   = CM4WPSUM/WPVOL
CM5_WP   = CM5WPSUM/WPVOL
!
!   Convert from mass to activity per unit volume (Ci/m^3 brine)
!
CCM1_WP  = CM1_WP*A1
CCM2_WP  = CM2_WP*A2
CCM3_WP  = CM3_WP*A3
CCM4_WP  = CM4_WP*A4
CCM5_WP  = CM5_WP*A5
!
!   Convert to EPA units
!
EPAC1_WP = CCM1_WP/CI_2_EPA
EPAC2_WP = CCM2_WP/CI_2_EPA
EPAC3_WP = CCM3_WP/CI_2_EPA
EPAC4_WP = CCM4_WP/CI_2_EPA
EPAC5_WP = CCM5_WP/CI_5_EPA
!
!   Add up total
!
EPACT_WP = EPAC1_WP + EPAC2_WP + EPAC3_WP + EPAC4_WP + EPAC5_WP
!
!   Delete temporary variables
!
DELETE WPVOL
DELETE CM1WPSUM, CM2WPSUM, CM3WPSUM, CM4WPSUM, CM5WPSUM
DELETE CM1_WP,   CM2_WP,   CM3_WP,   CM4_WP,   CM5_WP
DELETE CCM1_WP,  CCM2_WP,  CCM3_WP,  CCM4_WP,  CCM5_WP
!
!*****
!*****
!
! South Rest of repository
!
LIMIT ELEMENT 1428 TO 1433
!
! Total volume of South rest of repository
!
SRRVOL = SUM(GRIDVOL)
!
!*****
!
! Volume-averaged concentration South rest of repository
!
!   Add up individual element concentrations (kg/m^3 brine)
!   weighted by element volume
!
CM1SRSUM = SUM(GRIDVOL*CM1)
CM2SRSUM = SUM(GRIDVOL*CM2)
CM3SRSUM = SUM(GRIDVOL*CM3)
CM4SRSUM = SUM(GRIDVOL*CM4)
CM5SRSUM = SUM(GRIDVOL*CM5)
!
!   Determine average concentration (kg/m^3 brine)
!   by dividing by total volume of South rest of repository

```



```

!
CM1_SRR = CM1SRSUM/SRRVOL
CM2_SRR = CM2SRSUM/SRRVOL
CM3_SRR = CM3SRSUM/SRRVOL
CM4_SRR = CM4SRSUM/SRRVOL
CM5_SRR = CM5SRSUM/SRRVOL
!
! Convert from mass to activity per unit volume (Ci/m^3 brine)
!
CCM1_SRR = CM1_SRR*A1
CCM2_SRR = CM2_SRR*A2
CCM3_SRR = CM3_SRR*A3
CCM4_SRR = CM4_SRR*A4
CCM5_SRR = CM5_SRR*A5
!
! Convert to EPA units
!
EPAC1_SR = CCM1_SRR/CI_2_EPA
EPAC2_SR = CCM2_SRR/CI_2_EPA
EPAC3_SR = CCM3_SRR/CI_2_EPA
EPAC4_SR = CCM4_SRR/CI_2_EPA
EPAC5_SR = CCM5_SRR/CI_5_EPA
!
! Add up total
!
EPACT_SR = EPAC1_SR + EPAC2_SR + EPAC3_SR + EPAC4_SR + EPAC5_SR
!
! Delete temporary variables
!
DELETE CM1_SRR, CM2_SRR, CM3_SRR, CM4_SRR, CM5_SRR
DELETE CCM1_SRR, CCM2_SRR, CCM3_SRR, CCM4_SRR, CCM5_SRR
!
!*****
!*****
!
! North Rest of repository
!
LIMIT ELEMENT 1434 TO 1439
!
! Total volume of North rest of repository
!
NRRVOL = SUM(GRIDVOL)
!
!*****
!
! Volume-averaged concentration North rest of repository
!
! Add up individual element concentrations (kg/m^3 brine)
! weighted by element volume
!
CM1NRSUM = SUM(GRIDVOL*CM1)
CM2NRSUM = SUM(GRIDVOL*CM2)
CM3NRSUM = SUM(GRIDVOL*CM3)
CM4NRSUM = SUM(GRIDVOL*CM4)
CM5NRSUM = SUM(GRIDVOL*CM5)
!
! Determine average concentration (kg/m^3 brine)

```

```

!      by dividing by total volume of North rest of repository
!
CM1_NRR  = CM1NRSUM/NRRVOL
CM2_NRR  = CM2NRSUM/NRRVOL
CM3_NRR  = CM3NRSUM/NRRVOL
CM4_NRR  = CM4NRSUM/NRRVOL
CM5_NRR  = CM5NRSUM/NRRVOL
!
!      Convert from mass to activity per unit volume (Ci/m^3 brine)
!
CCM1_NRR = CM1_NRR*A1
CCM2_NRR = CM2_NRR*A2
CCM3_NRR = CM3_NRR*A3
CCM4_NRR = CM4_NRR*A4
CCM5_NRR = CM5_NRR*A5
!
!      Convert to EPA units
!
EPAC1_NR = CCM1_NRR/CI_2_EPA
EPAC2_NR = CCM2_NRR/CI_2_EPA
EPAC3_NR = CCM3_NRR/CI_2_EPA
EPAC4_NR = CCM4_NRR/CI_2_EPA
EPAC5_NR = CCM5_NRR/CI_5_EPA
!
!      Add up total
!
EPACT_NR = EPAC1_NR + EPAC2_NR + EPAC3_NR + EPAC4_NR + EPAC5_NR
!
!      Delete temporary variables
!
DELETE CM1_NRR,    CM2_NRR,    CM3_NRR,    CM4_NRR,    CM5_NRR
DELETE CCM1_NRR,  CCM2_NRR,  CCM3_NRR,  CCM4_NRR,  CCM5_NRR
!
!*****
!*****
!
! Rest of repository = South Rest of repository + North Rest of repository
!
RRVOL = SRRVOL + NRRVOL
!
!      Determine average concentration (kg/m^3 brine)
!      by dividing by total volume of rest of repository
!
CM1RRSUM = CM1SRSUM + CM1NRSUM
CM2RRSUM = CM2SRSUM + CM2NRSUM
CM3RRSUM = CM3SRSUM + CM3NRSUM
CM4RRSUM = CM4SRSUM + CM4NRSUM
CM5RRSUM = CM5SRSUM + CM5NRSUM
!
CM1_RR  = CM1RRSUM/RRVOL
CM2_RR  = CM2RRSUM/RRVOL
CM3_RR  = CM3RRSUM/RRVOL
CM4_RR  = CM4RRSUM/RRVOL
CM5_RR  = CM5RRSUM/RRVOL
!
CCM1_RR = CM1_RR*A1
CCM2_RR = CM2_RR*A2

```

```

CCM3_RR = CM3_RR*A3
CCM4_RR = CM4_RR*A4
CCM5_RR = CM5_RR*A5
!
!   Convert to EPA units
!
EPAC1_RR = CCM1_RR/CI_2_EPA
EPAC2_RR = CCM2_RR/CI_2_EPA
EPAC3_RR = CCM3_RR/CI_2_EPA
EPAC4_RR = CCM4_RR/CI_2_EPA
EPAC5_RR = CCM5_RR/CI_5_EPA
!
!   Add up total
!
EPACT_RR = EPAC1_RR + EPAC2_RR + EPAC3_RR + EPAC4_RR + EPAC5_RR
!
DELETE CM1SRSUM, CM2SRSUM, CM3SRSUM, CM4SRSUM, CM5SRSUM
DELETE CM1NRSUM, CM2NRSUM, CM3NRSUM, CM4NRSUM, CM5NRSUM
DELETE CM1RRSUM, CM2RRSUM, CM3RRSUM, CM4RRSUM, CM5RRSUM
DELETE RRVOL, SRRVOL, NRRVOL
!*****
!*****
!
! Activity of dissolved mass of isotopes in waste panel (EPA units)
!
!   Param 129: Am-241 dissolved mass activity in waste panel ----->
DMEPA1WP
!   Param 130: Pu-239 dissolved mass activity in waste panel ----->
DMEPA2WP
!   Param 131: Pu-238 dissolved mass activity in waste panel ----->
DMEPA3WP
!   Param 132: U--234 dissolved mass activity in waste panel ----->
DMEPA4WP
!   Param 133: Th-230 dissolved mass activity in waste panel ----->
DMEPA5WP
!   Param 134: Total dissolved mass activity in waste panel ----->
DMEPATWP
!
! Activity of dissolved mass of isotopes in rest of repository (EPA units)
!
!   Param 135: Am-241 dissolved mass activity in rest of repository -->
DMEPA1RR
!   Param 136: Pu-239 dissolved mass activity in rest of repository -->
DMEPA2RR
!   Param 137: Pu-238 dissolved mass activity in rest of repository -->
DMEPA3RR
!   Param 138: U--234 dissolved mass activity in rest of repository -->
DMEPA4RR
!   Param 139: Th-230 dissolved mass activity in rest of repository -->
DMEPA5RR
!   Param 140: Total dissolved mass activity in rest of repository --->
DMEPATRR
!
!*****
!
! Waste panel
!
```

```

LIMIT ELEMENT 1407 TO 1427
!
!*****
!
! Activity of dissolved mass of isotopes in waste panel
!
!   Dissolved masses in waste panel (kg)
!
DM1_WP = SUM(BMDISM1)
DM2_WP = SUM(BMDISM2)
DM3_WP = SUM(BMDISM3)
DM4_WP = SUM(BMDISM4)
DM5_WP = SUM(BMDISM5)
!
!   Activities of dissolved masses (Ci)
!
DMC1_WP = DM1_WP*A1
DMC2_WP = DM2_WP*A2
DMC3_WP = DM3_WP*A3
DMC4_WP = DM4_WP*A4
DMC5_WP = DM5_WP*A5
!
!   Activities converted to EPA units
!
DMEPA1WP = DMC1_WP/CI_2_EPA
DMEPA2WP = DMC2_WP/CI_2_EPA
DMEPA3WP = DMC3_WP/CI_2_EPA
DMEPA4WP = DMC4_WP/CI_2_EPA
DMEPA5WP = DMC5_WP/CI_5_EPA
!
!   Total EPA activity
!
DMEPATWP = DMEPA1WP + DMEPA2WP + DMEPA3WP + DMEPA4WP + DMEPA5WP
!
!   Delete temporary variables
!
DELETE DM1_WP,  DM2_WP,  DM3_WP,  DM4_WP,  DM5_WP
DELETE DMC1_WP, DMC2_WP, DMC3_WP, DMC4_WP, DMC5_WP
!
!*****
!*****
!
! Rest of repository
!
LIMIT ELEMENT 1428 TO 1439
!
!*****
!
! Activity of dissolved mass of isotopes in rest of repository
!
!   Dissolved masses in rest of repository (kg)
!
DM1_RR = SUM(BMDISM1)
DM2_RR = SUM(BMDISM2)
DM3_RR = SUM(BMDISM3)
DM4_RR = SUM(BMDISM4)
DM5_RR = SUM(BMDISM5)

```

```

!
!   Activities of dissolved masses (Ci)
!
DMC1_RR = DM1_RR*A1
DMC2_RR = DM2_RR*A2
DMC3_RR = DM3_RR*A3
DMC4_RR = DM4_RR*A4
DMC5_RR = DM5_RR*A5
!
!   Activities converted to EPA units
!
DMEPA1RR = DMC1_RR/CI_2_EPA
DMEPA2RR = DMC2_RR/CI_2_EPA
DMEPA3RR = DMC3_RR/CI_2_EPA
DMEPA4RR = DMC4_RR/CI_2_EPA
DMEPA5RR = DMC5_RR/CI_5_EPA
!
!   Total EPA activity
!
DMEPATRR = DMEPA1RR + DMEPA2RR + DMEPA3RR + DMEPA4RR + DMEPA5RR
!
!   Delete temporary variables
!
DELETE DM1_RR, DM2_RR, DM3_RR, DM4_RR, DM5_RR
DELETE DMC1_RR, DMC2_RR, DMC3_RR, DMC4_RR, DMC5_RR
!
!*****
!*****
!
! Activity of undissolved mass of isotopes in waste panel (EPA units)
!
!   Param 141: Am-241 undissolved mass activity in waste panel ----->
PMEPA1WP
!   Param 142: Pu-239 undissolved mass activity in waste panel ----->
PMEPA2WP
!   Param 143: Pu-238 undissolved mass activity in waste panel ----->
PMEPA3WP
!   Param 144: U--234 undissolved mass activity in waste panel ----->
PMEPA4WP
!   Param 145: Th-230 undissolved mass activity in waste panel ----->
PMEPA5WP
!   Param 146: Total undissolved mass activity in waste panel ----->
PMEPATWP
!
! Activity of undissolved mass of isotopes in rest of repository (EPA units)
!
!   Param 147: Am-241 undisslvd mass activity in rest of repository -->
PMEPA1RR
!   Param 148: Pu-239 undisslvd mass activity in rest of repository -->
PMEPA2RR
!   Param 149: Pu-238 undisslvd mass activity in rest of repository -->
PMEPA3RR
!   Param 150: U--234 undisslvd mass activity in rest of repository -->
PMEPA4RR
!   Param 151: Th-230 undisslvd mass activity in rest of repository -->
PMEPA5RR
!   Param 152: Total undisslvd mass activity in rest of repository --->

```

```

PMEPATRR
!
!*****
!
! Waste panel
!
LIMIT ELEMENT 1407 TO 1427
!
!*****
!
! Activity of undissolved mass of isotopes in waste panel
!
!   undissolved masses in waste panel (kg)
!
PM1_WP = SUM(BMPRCM1)
PM2_WP = SUM(BMPRCM2)
PM3_WP = SUM(BMPRCM3)
PM4_WP = SUM(BMPRCM4)
PM5_WP = SUM(BMPRCM5)
!
!   Activities of undissolved masses (Ci)
!
PMC1_WP = PM1_WP*A1
PMC2_WP = PM2_WP*A2
PMC3_WP = PM3_WP*A3
PMC4_WP = PM4_WP*A4
PMC5_WP = PM5_WP*A5
!
!   Activities converted to EPA units
!
PMEPA1WP = PMC1_WP/CI_2_EPA
PMEPA2WP = PMC2_WP/CI_2_EPA
PMEPA3WP = PMC3_WP/CI_2_EPA
PMEPA4WP = PMC4_WP/CI_2_EPA
PMEPA5WP = PMC5_WP/CI_5_EPA
!
!   Total EPA activity
!
PMEPATWP = PMEPA1WP + PMEPA2WP + PMEPA3WP + PMEPA4WP + PMEPA5WP
!
!   Delete temporary variables
!
DELETE PM1_WP, PM2_WP, PM3_WP, PM4_WP, PM5_WP
DELETE PMC1_WP, PMC2_WP, PMC3_WP, PMC4_WP, PMC5_WP
!
!*****
!*****
!
! Rest of repository
!
LIMIT ELEMENT 1428 TO 1439
!
!*****
!
! Activity of undissolved mass of isotopes in rest of repository
!
!   Undissolved masses in rest of repository (kg)

```

```

!
PM1_RR = SUM(BMPRCM1)
PM2_RR = SUM(BMPRCM2)
PM3_RR = SUM(BMPRCM3)
PM4_RR = SUM(BMPRCM4)
PM5_RR = SUM(BMPRCM5)
!
!   Activities of undissolved masses (Ci)
!
PMC1_RR = PM1_RR*A1
PMC2_RR = PM2_RR*A2
PMC3_RR = PM3_RR*A3
PMC4_RR = PM4_RR*A4
PMC5_RR = PM5_RR*A5
!
!   Activities converted to EPA units
!
PMEPA1RR = PMC1_RR/CI_2_EPA
PMEPA2RR = PMC2_RR/CI_2_EPA
PMEPA3RR = PMC3_RR/CI_2_EPA
PMEPA4RR = PMC4_RR/CI_2_EPA
PMEPA5RR = PMC5_RR/CI_5_EPA
!
!   Total EPA activity
!
PMEPATRR = PMEPA1RR + PMEPA2RR + PMEPA3RR + PMEPA4RR + PMEPA5RR
!
!   Delete temporary variables
!
DELETE PM1_RR, PM2_RR, PM3_RR, PM4_RR, PM5_RR
DELETE PMC1_RR, PMC2_RR, PMC3_RR, PMC4_RR, PMC5_RR
!
DELETE A1, A2, A3, A4, A5
!
!*****
!*****
!
! Total activities of isotopes in marker beds (Ci)
!
!   Param 153: Am-241 total activity in north marker beds --> TA1_MBN
!   Param 154: Pu-239 total activity in north marker beds --> TA2_MBN
!   Param 155: Pu-238 total activity in north marker beds --> TA3_MBN
!   Param 156: U--234 total activity in north marker beds --> TA4_MBN
!   Param 157: Th-230 total activity in north marker beds --> TA5_MBN
!
!   Param 158: Am-241 total activity in south marker beds --> TA1_MBS
!   Param 159: Pu-239 total activity in south marker beds --> TA2_MBS
!   Param 160: Pu-238 total activity in south marker beds --> TA3_MBS
!   Param 161: U--234 total activity in south marker beds --> TA4_MBS
!   Param 162: Th-230 total activity in south marker beds --> TA5_MBS
!
!   Param 163: Am-241 total activity in all marker beds ----> TA1_MBT
!   Param 164: Pu-239 total activity in all marker beds ----> TA2_MBT
!   Param 165: Pu-238 total activity in all marker beds ----> TA3_MBT
!   Param 166: U--234 total activity in all marker beds ----> TA4_MBT
!   Param 167: Th-230 total activity in all marker beds ----> TA5_MBT
!
!

```

```

! Total activities of isotopes in marker beds (EPA units)
!
!   Param 168: Am-241 total activity in north marker beds --> TEPA1MBN
!   Param 169: Pu-239 total activity in north marker beds --> TEPA2MBN
!   Param 170: Pu-238 total activity in north marker beds --> TEPA3MBN
!   Param 171: U--234 total activity in north marker beds --> TEPA4MBN
!   Param 172: Th-230 total activity in north marker beds --> TEPA5MBN
!
!   Param 173: Am-241 total activity in south marker beds --> TEPA1MBS
!   Param 174: Pu-239 total activity in south marker beds --> TEPA2MBS
!   Param 175: Pu-238 total activity in south marker beds --> TEPA3MBS
!   Param 176: U--234 total activity in south marker beds --> TEPA4MBS
!   Param 177: Th-230 total activity in south marker beds --> TEPA5MBS
!
!   Param 178: Am-241 total activity in all marker beds ----> TEPA1MBT
!   Param 179: Pu-239 total activity in all marker beds ----> TEPA2MBT
!   Param 180: Pu-238 total activity in all marker beds ----> TEPA3MBT
!   Param 181: U--234 total activity in all marker beds ----> TEPA4MBT
!   Param 182: Th-230 total activity in all marker beds ----> TEPA5MBT
!
!   Param 183: Total activity in all marker beds, north ----> TEPATMBN
!   Param 184: Total activity in all marker beds, south ----> TEPATMBS
!   Param 185: Total activity in all marker beds, overall --> TEPATMBT
!
!*****
!
! Total activities of isotopes in north marker beds (Ci)
!
LIMIT ELEMENT 1267 TO 1289, 1316 TO 1338, 1384 TO 1406
!
TA1_MBN = SUM(TOTMMC1)
TA2_MBN = SUM(TOTMMC2)
TA3_MBN = SUM(TOTMMC3)
TA4_MBN = SUM(TOTMMC4)
TA5_MBN = SUM(TOTMMC5)
!
!*****
!
! Total activities of isotopes in south marker beds (Ci)
!
LIMIT ELEMENT 1241 TO 1262, 1290 TO 1311, 1339 TO 1360
!
TA1_MBS = SUM(TOTMMC1)
TA2_MBS = SUM(TOTMMC2)
TA3_MBS = SUM(TOTMMC3)
TA4_MBS = SUM(TOTMMC4)
TA5_MBS = SUM(TOTMMC5)
!
!*****
!
! Total activities of isotopes in north and south marker beds (Ci)
!
TA1_MBT = TA1_MBN + TA1_MBS
TA2_MBT = TA2_MBN + TA2_MBS
TA3_MBT = TA3_MBN + TA3_MBS
TA4_MBT = TA4_MBN + TA4_MBS
TA5_MBT = TA5_MBN + TA5_MBS

```



```

!
!*****
!*****
!
! Total activities of isotopes in north marker beds (EPA units)
!
TEPA1MBN = TA1_MBN/CI_2_EPA
TEPA2MBN = TA2_MBN/CI_2_EPA
TEPA3MBN = TA3_MBN/CI_2_EPA
TEPA4MBN = TA4_MBN/CI_2_EPA
TEPA5MBN = TA5_MBN/CI_5_EPA
!
!*****
!
! Total activities of isotopes in south marker beds (EPA units)
!
TEPA1MBS = TA1_MBS/CI_2_EPA
TEPA2MBS = TA2_MBS/CI_2_EPA
TEPA3MBS = TA3_MBS/CI_2_EPA
TEPA4MBS = TA4_MBS/CI_2_EPA
TEPA5MBS = TA5_MBS/CI_5_EPA
!
!*****
!
! Total activities of isotopes in north and south marker beds (EPA units)
!
TEPA1MBT = TA1_MBT/CI_2_EPA
TEPA2MBT = TA2_MBT/CI_2_EPA
TEPA3MBT = TA3_MBT/CI_2_EPA
TEPA4MBT = TA4_MBT/CI_2_EPA
TEPA5MBT = TA5_MBT/CI_5_EPA
!
!*****
!
! Sum of activity in north marker beds (EPA units)
!
TEPATMBN = TEPA1MBN + TEPA2MBN + TEPA3MBN + TEPA4MBN + TEPA5MBN
!
! Sum of activity in south marker beds (EPA units)
!
TEPATMBS = TEPA1MBS + TEPA2MBS + TEPA3MBS + TEPA4MBS + TEPA5MBS
!
! Sum of activities in north and south marker beds (EPA units)
!
TEPATMBT = TEPATMBN + TEPATMBS
!
!*****
!*****
!
! Total activities of isotopes in waste panel (EPA units)
!
!   Param 186: Am-241 total activity in waste panel -----> TEPA1_WP
!   Param 187: Pu-239 total activity in waste panel -----> TEPA2_WP
!   Param 188: Pu-238 total activity in waste panel -----> TEPA3_WP
!   Param 189: U--234 total activity in waste panel -----> TEPA4_WP
!   Param 190: Th-230 total activity in waste panel -----> TEPA5_WP
!   Param 191: Total isotope activity in waste panel -----> TEPAT_WP

```

```

!
! Total activities of isotopes in rest of repository (EPA units)
!
!   Param 192: Am-241 total activity in rest of repository ---> TEPA1_RR
!   Param 193: Pu-239 total activity in rest of repository ---> TEPA2_RR
!   Param 194: Pu-238 total activity in rest of repository ---> TEPA3_RR
!   Param 195: U--234 total activity in rest of repository ---> TEPA4_RR
!   Param 196: Th-230 total activity in rest of repository ---> TEPA5_RR
!   Param 197: Total isotope activity in rest of repository --> TEPAT_RR
!
!*****
!
! Waste panel
!
LIMIT ELEMENT 1407 TO 1427
!
!*****
!
! Total activities in waste panel (Curies)
!
TA1_WP = SUM(TOTMMC1)
TA2_WP = SUM(TOTMMC2)
TA3_WP = SUM(TOTMMC3)
TA4_WP = SUM(TOTMMC4)
TA5_WP = SUM(TOTMMC5)
!
! Convert to EPA units
!
TEPA1_WP = TA1_WP/CI_2_EPA
TEPA2_WP = TA2_WP/CI_2_EPA
TEPA3_WP = TA3_WP/CI_2_EPA
TEPA4_WP = TA4_WP/CI_2_EPA
TEPA5_WP = TA5_WP/CI_5_EPA
!
! Add isotope activities together for EPA total
!
TEPAT_WP = TEPA1_WP + TEPA2_WP + TEPA3_WP + TEPA4_WP + TEPA5_WP
!
! Delete temporary variables
!
DELETE TA1_WP, TA2_WP, TA3_WP, TA4_WP, TA5_WP
!
!*****
!*****
!
! Rest of repository
!
LIMIT ELEMENT 1428 TO 1439
!
!*****
!
! Total activities in rest of repository (Curies)
!
TA1_RR = SUM(TOTMMC1)
TA2_RR = SUM(TOTMMC2)
TA3_RR = SUM(TOTMMC3)
TA4_RR = SUM(TOTMMC4)

```

```

TA5_RR = SUM(TOTMMC5)
!
! Convert to EPA units
!
TEPA1_RR = TA1_RR/CI_2_EPA
TEPA2_RR = TA2_RR/CI_2_EPA
TEPA3_RR = TA3_RR/CI_2_EPA
TEPA4_RR = TA4_RR/CI_2_EPA
TEPA5_RR = TA5_RR/CI_5_EPA
!
! Add isotope activities together for EPA total
!
TEPAT_RR = TEPA1_RR + TEPA2_RR + TEPA3_RR + TEPA4_RR + TEPA5_RR
!
! Delete temporary variables
!
DELETE TA1_RR, TA2_RR, TA3_RR, TA4_RR, TA5_RR
!
DELETE CI_2_EPA, CI_5_EPA
!
!*****
!*****
!
! Fluxes (Ci/s) in borehole at Rustler/Culebra Interface
!
!   Param 198: Am-241 flux up borehole at Rustler/Culebra (el.1845) -->
FL1BH_RC
!   Param 199: Pu-239 flux up borehole at Rustler/Culebra (el.1845) -->
FL2BH_RC
!   Param 200: Pu-238 flux up borehole at Rustler/Culebra (el.1845) -->
FL3BH_RC
!   Param 201: U--234 flux up borehole at Rustler/Culebra (el.1845) -->
FL4BH_RC
!   Param 202: Th-230 flux up borehole at Rustler/Culebra (el.1845) -->
FL5BH_RC
!
!*****
!
FL1BH_RC = FL1BHRC
FL2BH_RC = FL2BHRC
FL3BH_RC = FL3BHRC
FL4BH_RC = FL4BHRC
FL5BH_RC = FL5BHRC
!
DELETE FL1BHRC, FL2BHRC, FL3BHRC, FL4BHRC, FL5BHRC
!
!*****
!*****
!
! Concentration (kg/m^3 brine) of isotopes in borehole at Rustler/Culebra
!
!   Param 203: Am-241 concen. in bh at Rustler/Culebra (el.1845) --> CON1BHRC
!   Param 204: Pu-239 concen. in bh at Rustler/Culebra (el.1845) --> CON2BHRC
!   Param 205: Pu-238 concen. in bh at Rustler/Culebra (el.1845) --> CON3BHRC
!   Param 206: U--234 concen. in bh at Rustler/Culebra (el.1845) --> CON4BHRC
!   Param 207: Th-230 concen. in bh at Rustler/Culebra (el.1845) --> CON5BHRC
!

```

```

!*****
!
LIMIT ELEMENT OFF
!
CON1BHRC = CM1[E:1845]
CON2BHRC = CM2[E:1845]
CON3BHRC = CM3[E:1845]
CON4BHRC = CM4[E:1845]
CON5BHRC = CM5[E:1845]
!
!*****
!*****
!
! Total activity (int. flux) in each South side m. bed at l-w bndry (EPA
units)
!
!   Param 208: Total activity in MB 138 at South l-w boundary ----->
EPALWMB8S
!   Param 209: Total activity in Anyhd. A/B at South l-w boundary -->
EPALWABS
!   Param 210: Total activity in MB 139 at South l-w boundary ----->
EPALWMB9S
!
!*****
!
! Activities in marker beds across south land-withdrawal boundary (Ci)
!
!   Integrate previously defined fluxes
!
R1LWMB8S = INTRIGHT(F1LWM38S)
R2LWMB8S = INTRIGHT(F2LWM38S)
R3LWMB8S = INTRIGHT(F3LWM38S)
R4LWMB8S = INTRIGHT(F4LWM38S)
R5LWMB8S = INTRIGHT(F5LWM38S)
!
R1LWAABS = INTRIGHT(F1LWAABS)
R2LWAABS = INTRIGHT(F2LWAABS)
R3LWAABS = INTRIGHT(F3LWAABS)
R4LWAABS = INTRIGHT(F4LWAABS)
R5LWAABS = INTRIGHT(F5LWAABS)
!
R1LWMB9S = INTRIGHT(F1LWM39S)
R2LWMB9S = INTRIGHT(F2LWM39S)
R3LWMB9S = INTRIGHT(F3LWM39S)
R4LWMB9S = INTRIGHT(F4LWM39S)
R5LWMB9S = INTRIGHT(F5LWM39S)
!
DELETE F1LWM38S, F1LWAABS, F1LWM39S
DELETE F2LWM38S, F2LWAABS, F2LWM39S
DELETE F3LWM38S, F3LWAABS, F3LWM39S
DELETE F4LWM38S, F4LWAABS, F4LWM39S
DELETE F5LWM38S, F5LWAABS, F5LWM39S
!
!   Convert activities to EPA units
!
E1LWMB8S = R1LWMB8S/CI_2_EPA
E2LWMB8S = R2LWMB8S/CI_2_EPA

```

```

E3LWMB8S = R3LWMB8S/CI_2_EPA
E4LWMB8S = R4LWMB8S/CI_2_EPA
E5LWMB8S = R5LWMB8S/CI_5_EPA
!
E1LWAABS = R1LWAABS/CI_2_EPA
E2LWAABS = R2LWAABS/CI_2_EPA
E3LWAABS = R3LWAABS/CI_2_EPA
E4LWAABS = R4LWAABS/CI_2_EPA
E5LWAABS = R5LWAABS/CI_5_EPA
!
E1LWMB9S = R1LWMB9S/CI_2_EPA
E2LWMB9S = R2LWMB9S/CI_2_EPA
E3LWMB9S = R3LWMB9S/CI_2_EPA
E4LWMB9S = R4LWMB9S/CI_2_EPA
E5LWMB9S = R5LWMB9S/CI_5_EPA
!
DELETE R1LWMB8S, R2LWMB8S, R3LWMB8S, R4LWMB8S, R5LWMB8S
DELETE R1LWAABS, R2LWAABS, R3LWAABS, R4LWAABS, R5LWAABS
DELETE R1LWMB9S, R2LWMB9S, R3LWMB9S, R4LWMB9S, R5LWMB9S
!
!   Sum individual species activities to get total for each marker bed
!
EPALWM8S = E1LWMB8S + E2LWMB8S + E3LWMB8S + E4LWMB8S + E5LWMB8S
EPALWABS = E1LWAABS + E2LWAABS + E3LWAABS + E4LWAABS + E5LWAABS
EPALWM9S = E1LWMB9S + E2LWMB9S + E3LWMB9S + E4LWMB9S + E5LWMB9S
!
DELETE E1LWMB8S, E2LWMB8S, E3LWMB8S, E4LWMB8S, E5LWMB8S
DELETE E1LWAABS, E2LWAABS, E3LWAABS, E4LWAABS, E5LWAABS
DELETE E1LWMB9S, E2LWMB9S, E3LWMB9S, E4LWMB9S, E5LWMB9S
!
!*****
!*****
!
DELETE GRIDVOL
!
!*****
!*****
END
$

```

## APPENDIX G: REPRESENTATIVE SECOTP2D INPUT FILES

### G.1 GENMESH FILE –sets up grid

```
$ type gm_st2d_cra1.inp
!=====
=
!   Grid for 2003 CRA calculations
!   Created for SECOTP2D by Joshua Stein
!   June 25, 2003
!=====
=
!
!
*SETUP
DIM=2
ORIG=0.0000E+00,0.0000E+00
IJKMAX=151, 109
!
*GRID,
DEL,  COORD=X, DEL=50., INRANGE=1,151
!
DEL,  COORD=Y, DEL=50., INRANGE=1,109
!
!
*REGions
REG=1, IRANGE=1,151, JRANGE=1,109
!
!
!
*ELEV
LOC,  THICK=4.0, ELEVAT=0.0, IRANGE=1,151 JRANGE=1,109
!
*END
```

### G.2 MATSET FILE calls parameters, defines parameters/assigns blocks

```
$ cfe ms_st2d_cra1.inp
Your CMS library list consists of:
  PACMS2:[CMS_CRA1.CRA1_MS]

%CMS-S-FETCHED, generation 2 of element
PACMS2:[CMS_CRA1.CRA1_MS]MS_ST2D_CRA1.IN
P fetched
$ type ms_st2d_cra1.inp
!=====
!   TITLE:      SECO INPUT 1996: The WIPP PA CCA Calculation
!   ANALYSTS:   C. T. STOCKMAN, R. L. BLAINE
!   CREATED:    JUNE 12, 1996
!   MODIFIED:
!   PURPOSE:    PREPARE DATABASE FOR PRESECO
!=====
!
*HEADING
RUN=0
SCALE=SOURCE
```

```

SCENARIO=00
TITLE=SECO
!
*PRINT_ASSIGNED_VALUES
!
*UNITS=SI
!
*CREATE_BLOCK
BLOCKID= 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
*RETRIEVE*NAME
COORDINATE, DIM=2, NAMES=X, Y
MATERIAL, 1=CULEBRA, 2=GLOBAL, 3=REFCON, &
4=AM241, 5=PU239, 6=TH230, 7=U234, &
8=AM+3, 9=PU+3, 10=PU+4, 11=TH+4, 12=U+4, 13=U+6
!
PROPERTY, MATERIAL=CULEBRA, NAMES =APOROS, DPOROS, DISP_L, DISPT_L
PROPERTY, MATERIAL=CULEBRA, NAMES =FTORT, DTORT
PROPERTY, MATERIAL=CULEBRA, NAMES =HMBLKLT, SKIN_RES, DNSGRAIN
PROPERTY, MATERIAL=GLOBAL, NAMES =OXSTAT, CLIMTIDX, TRANSIDX
PROPERTY, MATERIAL=REFCON, NAMES =YRSEC
!ISOTOPES
PROPERTY MATERIAL=Am241, NAMES =ATWEIGHT, HALFLIFE
PROPERTY MATERIAL=Pu239, NAMES =ATWEIGHT, HALFLIFE
PROPERTY MATERIAL=Th230, NAMES =ATWEIGHT, HALFLIFE
PROPERTY MATERIAL=U234, NAMES =ATWEIGHT, HALFLIFE
!
PROPERTY MATERIAL=AM+3, NAMES =MKD_AM, MD0
PROPERTY MATERIAL=PU+3, NAMES =MKD_PU, MD0
PROPERTY MATERIAL=PU+4, NAMES =MKD_PU, MD0
PROPERTY MATERIAL=TH+4, NAMES =MKD_TH, MD0
PROPERTY MATERIAL=U+4, NAMES =MKD_U, MD0
PROPERTY MATERIAL=U+6, NAMES =MKD_U, MD0
!
*END
!-----

```

### G.3 LHS FILE—calls up sampled parameters

```

$ type lhs1_st2d_cra1_a1.inp
! TITLE: BRAGFLO 2003 CRA1 (LHS1)
! SCENARIO: S1, S2, S3, S4, S5, and S6
! ANALYSTS: Joshua Stein and Bill Zelinski
! CREATED: April 2003
! MODIFIED: April 7
!
! LHSCALC = CRA1 REALIZATION 1
!=====
!
! DESCRIPTION:
!
! WIPP 2003 Compliance Recertification Analyses (CRA)
!
! This input file to PRELHS is used to generate, as an output file, an LHS
! input file containing all distribution information and execution options
! required to create a sample for Replicate R1 for the WIPP 2003 CRA
!

```

```

! Modified for CRA analyses: LHSBLANK dummy changed to LHSBLANK and
! REFCON MATERIAL (LHSBLANK) changed to REFCON
! #59 dummy replaced with VOLSPALL
!===== No Comments Allowed between *ECHO and *ENDECHO =====
!
*ECHOLHS
TITLE 2002 TBM PA Calculation, Replicate R1 Input File for the LHS Code
NOBS          100
RANDOM SEED    921196800
CORRELATION MATRIX
  3
  18  19 -0.99
  20  21 -0.99
  28  29 -0.75
OUTPUT CORR HIST DATA
*ENDECHO
!
!== PROPERTIES TO BE RETRIEVED FROM WIPP 1997 PA CALCULATION DATABASE ==
!
*RETRIEVE
!1
  MATERIALS,  STEEL
  PROPERTIES, CORRMCO2
!2
  MATERIALS,  WAS_AREA
  PROPERTIES, PROBDEG
!3
  MATERIALS,  WAS_AREA
  PROPERTIES, GRATMICI
!4
  MATERIALS,  WAS_AREA
  PROPERTIES, GRATMICH
!5
  MATERIALS,  CELLULS
  PROPERTIES, FBETA
!6
  MATERIALS,  WAS_AREA
  PROPERTIES, SAT_RGAS
!7
  MATERIALS,  WAS_AREA
  PROPERTIES, SAT_RBRN
!8
  MATERIALS,  WAS_AREA
  PROPERTIES, SAT_WICK
!9
  MATERIALS,  DRZ_PCS
  PROPERTIES, PRMX_LOG
!10
  MATERIALS,  CONC_PCS
  PROPERTIES, PRMX_LOG
!11
  MATERIALS,  SOLU4
  PROPERTIES, SOLCIM
!12
  MATERIALS,  SOLTH4
  PROPERTIES, SOLCIM
!13 dummy placeholder

```



MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!14  
MATERIALS, CONC\_PCS  
PROPERTIES, SAT\_RGAS  
!15  
MATERIALS, CONC\_PCS  
PROPERTIES, SAT\_RBRN  
!16  
MATERIALS, CONC\_PCS  
PROPERTIES, PORE\_DIS  
!17  
MATERIALS, S\_HALITE  
PROPERTIES, POROSITY  
!18  
MATERIALS, S\_HALITE  
PROPERTIES, PRMX\_LOG  
!19  
MATERIALS, S\_HALITE  
PROPERTIES, COMP\_RCK  
!20  
MATERIALS, S\_MB139  
PROPERTIES, PRMX\_LOG  
!21  
MATERIALS, S\_MB139  
PROPERTIES, COMP\_RCK  
!22  
MATERIALS, S\_MB139  
PROPERTIES, RELP\_MOD  
!23  
MATERIALS, S\_MB139  
PROPERTIES, SAT\_RBRN  
!24  
MATERIALS, S\_MB139  
PROPERTIES, SAT\_RGAS  
!25  
MATERIALS, S\_MB139  
PROPERTIES, PORE\_DIS  
!26  
MATERIALS, S\_HALITE  
PROPERTIES, PRESSURE  
!27  
MATERIALS, CASTILER  
PROPERTIES, PRESSURE  
!28  
MATERIALS, CASTILER  
PROPERTIES, PRMX\_LOG  
!29  
MATERIALS, CASTILER  
PROPERTIES, COMP\_RCK  
!30  
MATERIALS, BH\_SAND  
PROPERTIES, PRMX\_LOG  
!31  
MATERIALS, DRZ\_1  
PROPERTIES, PRMX\_LOG  
!32

MATERIALS, CONC\_PLG  
PROPERTIES, PRMX\_LOG  
!33 dummy placeholder  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!34  
MATERIALS, SOLAM3  
PROPERTIES, SOLSIM  
!35  
MATERIALS, SOLAM3  
PROPERTIES, SOLCIM  
!36  
MATERIALS, SOLPU3  
PROPERTIES, SOLSIM  
!37  
MATERIALS, SOLPU3  
PROPERTIES, SOLCIM  
!38  
MATERIALS, SOLPU4  
PROPERTIES, SOLSIM  
!39  
MATERIALS, SOLPU4  
PROPERTIES, SOLCIM  
!40  
MATERIALS, SOLU4  
PROPERTIES, SOLSIM  
!41  
MATERIALS, SOLU6  
PROPERTIES, SOLSIM  
!42  
MATERIALS, SOLU6  
PROPERTIES, SOLCIM  
!43  
MATERIALS, SOLTH4  
PROPERTIES, SOLSIM  
!44  
MATERIALS, PHUMOX3  
PROPERTIES, PHUMCIM  
!45  
MATERIALS, GLOBAL  
PROPERTIES, OXSTAT  
!46  
MATERIALS, CULEBRA  
PROPERTIES, MINP\_FAC  
!47  
MATERIALS, GLOBAL  
PROPERTIES, TRANSIDX  
!48  
MATERIALS, GLOBAL  
PROPERTIES, CLIMTIDX  
!49  
MATERIALS, CULEBRA  
PROPERTIES, HMBLKL  
!50  
MATERIALS, CULEBRA  
PROPERTIES, APOROS  
!51

MATERIALS, CULEBRA  
PROPERTIES, DPOROS  
!52  
MATERIALS, U+6  
PROPERTIES, MKD\_U  
!53  
MATERIALS, U+4  
PROPERTIES, MKD\_U  
!54  
MATERIALS, PU+3  
PROPERTIES, MKD\_PU  
!55  
MATERIALS, PU+4  
PROPERTIES, MKD\_PU  
!56  
MATERIALS, TH+4  
PROPERTIES, MKD\_TH  
!57  
MATERIALS, AM+3  
PROPERTIES, MKD\_AM  
!58  
MATERIALS, BOREHOLE  
PROPERTIES, TAUFALL  
!59 dummy placeholder for VOLSPALL  
MATERIALS, WAS\_AREA  
PROPERTIES, VOLSPALL  
!60  
MATERIALS, GLOBAL  
PROPERTIES, PBRINE  
!61  
MATERIALS, BOREHOLE  
PROPERTIES, DOMEGA  
!62  
MATERIALS, SHFTU  
PROPERTIES, SAT\_RBRN  
!63  
MATERIALS, SHFTU  
PROPERTIES, SAT\_RGAS  
!64  
MATERIALS, SHFTU  
PROPERTIES, PRMX\_LOG  
!65  
MATERIALS, SHFTL\_T1  
PROPERTIES, PRMX\_LOG  
!66  
MATERIALS, SHFTL\_T2  
PROPERTIES, PRMX\_LOG  
!67  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!68  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!69  
MATERIALS, REFCON  
PROPERTIES, LHSBLANK  
!70

```

MATERIALS, REFCON
PROPERTIES, LHSBLANK
!71
MATERIALS, REFCON
PROPERTIES, LHSBLANK
!72
MATERIALS, REFCON
PROPERTIES, LHSBLANK
!73
MATERIALS, REFCON
PROPERTIES, LHSBLANK
!74
MATERIALS, REFCON
PROPERTIES, LHSBLANK
!75
MATERIALS, REFCON
PROPERTIES, LHSBLANK
!

```

#### G.4 ALGEBRA FILE—defines parameters, manipulates parameters

```

$ cfe alg_st2d_cra1.inp
Your CMS library list consists of:
  PACMS2:[CMS_CRA1.CRA1_ALG]

%CMS-S-FETCHED, generation 2 of element
PACMS2:[CMS_CRA1.CRA1_ALG]ALG_ST2D_CRA1.
INP fetched
$ type alg_st2d_cra1.inp
!=====
!TITLE: PREPARE CDB FOR PRESECO
!ANALYSTS: C.T. STOCKMAN, R.L.BLAINE
!CREATED: JUNE 13, 1996
!MODIFIED:
!MODIFIED:
!=====
!OX IS NEG AND 0 FOR LOW OX STATE AND POSITIVE FOR HIGH OX STATE
OX=OXSTAT[B:2]-0.5
ACTCONST=1.128E+13
! Convert the transmissivity index to an integer
! between 1 and 100 to correspond to a given t-field
TRANSIDX = AINT(TRANSIDX*100) + 1
!
!USE CULEBRA BLOCK=1
LIMIT BLOCK 1
!
!AM241=4,AM+3=8
DC_AM241=MAKEPROP(LOG(2)/HALFLIFE[B:4])
SA_AM241=MAKEPROP(ACTCONST/ATWEIGHT[B:4]/HALFLIFE[B:4])
MKD_AM=MAKEPROP(MKD_AM[B:8])
MD0_AM=MAKEPROP(MD0[B:8])
MRTRD_AM=1.0 + DNSGRAIN*(1-DPOROS)*MKD_AM/DPOROS
ZRTRD_AM=MAKEPROP(1.0)
!
!PU239=5,PU+3=9,PU+4=10
DC_PU239=MAKEPROP(LOG(2)/HALFLIFE[B:5])

```

```

SA_PU239=MAKEPROP (ACTCONST/ATWEIGHT [B:5] /HALFLIFE [B:5])
MKD_PU=MAKEPROP (IFGT0 (OX,MKD_PU [B:10],MKD_PU [B:9]))
MD0_PU=MAKEPROP (IFGT0 (OX,MD0 [B:10],MD0 [B:9]))
MRTRD_PU=1.0 + DNSGRAIN*(1-DPOROS)*MKD_PU/DPOROS
ZRTRD_PU=MAKEPROP (1.0)
!
!TH230=6, TH+4=11
DC_TH230=MAKEPROP (LOG (2) /HALFLIFE [B:6])
SA_TH230=MAKEPROP (ACTCONST/ATWEIGHT [B:6] /HALFLIFE [B:6])
MKD_TH=MAKEPROP (MKD_TH [B:11])
MD0_TH=MAKEPROP (MD0 [B:11])
MRTRD_TH=1.0 + DNSGRAIN*(1-DPOROS)*MKD_TH/DPOROS
ZRTRD_TH=MAKEPROP (1.0)
!
!U234=7, U+4=12, U+6=13
DC_U234=MAKEPROP (LOG (2) /HALFLIFE [B:7])
SA_U234=MAKEPROP (ACTCONST/ATWEIGHT [B:7] /HALFLIFE [B:7])
MKD_U=MAKEPROP (IFGT0 (OX,MKD_U [B:13],MKD_U [B:12]))
MD0_U=MAKEPROP (IFGT0 (OX,MD0 [B:13],MD0 [B:12]))
MRTRD_U=1.0 + DNSGRAIN*(1-DPOROS)*MKD_U/DPOROS
ZRTRD_U=MAKEPROP (1.0)
!
LIMIT BLOCK 1
DISP_TRN=MAKEATTR (DISP_L*DISPT_L)
DISP_LNG=MAKEATTR (DISP_L)
FPOROS=MAKEATTR (APOROS)
MPOROS=MAKEATTR (DPOROS)
MTORT=MAKEATTR (DTORT)
F_TORT=MAKEATTR (FTORT)
END

```

## G.5 RELATE INPUT FILE FOR SECOTP2D

```

$ type rel_st2d_cra1.inp
!=====
! Input file to run RELATE for PRESECOTP preparation
! Need to remove all elements blocks except for CULEBRA
! Created by Rebecca Blaine
! June 15, 1996
!=====
*LOCATION,
  XOBJ=0.0, YOBJ=0.0, ANGLE=0.0, UNITS=1.0
*ATTRIBUTE
DISP_TRN = NEAREST CULEBRA DISP_TRN
DISP_LNG = NEAREST CULEBRA DISP_LNG
FPOROS   = NEAREST CULEBRA FPOROS
MPOROS   = NEAREST CULEBRA MPOROS
F_TORT   = NEAREST CULEBRA F_TORT
MTORT    = NEAREST CULEBRA MTORT
*PROPERTY
HMBLKLT  = XFERED CULEBRA HMBLKLT
SKIN_RES = XFERED CULEBRA SKIN_RES
DC_AM241 = XFERED CULEBRA DC_AM241
DC_PU239 = XFERED CULEBRA DC_PU239
DC_TH230 = XFERED CULEBRA DC_TH230

```

```

DC_U234 = XFERED CULEBRA DC_U234
SA_AM241 = XFERED CULEBRA SA_AM241
SA_PU239 = XFERED CULEBRA SA_PU239
SA_TH230 = XFERED CULEBRA SA_TH230
SA_U234 = XFERED CULEBRA SA_U234
MD0_AM = XFERED CULEBRA MD0_AM
MD0_PU = XFERED CULEBRA MD0_PU
MD0_TH = XFERED CULEBRA MD0_TH
MD0_U = XFERED CULEBRA MD0_U
MRTRD_AM = XFERED CULEBRA MRTRD_AM
MRTRD_PU = XFERED CULEBRA MRTRD_PU
MRTRD_TH = XFERED CULEBRA MRTRD_TH
MRTRD_U = XFERED CULEBRA MRTRD_U
ZRTRD_AM = XFERED CULEBRA ZRTRD_AM
ZRTRD_PU = XFERED CULEBRA ZRTRD_PU
ZRTRD_TH = XFERED CULEBRA ZRTRD_TH
ZRTRD_U = XFERED CULEBRA ZRTRD_U
CLIMTIDX = XFERED GLOBAL CLIMTIDX

```

## G.6 PRESECOTP2D INPUT FILE

```

$ type st2d1_cra1.inp
!=====
==
! Input file used to run PRESECOTP2D for the CRA1 calculations.
!
! This input file:
! 1) Applies source coefficient only in y direction.
! 2) Uses fixed time steps
!
! Created by Joseph Kanney
! Oct. 8, 2003
! Input file version 05
!=====
==
!
*CONTROL
  MEDIUM=DUAL
  TIME_SCHEME=EULER
  LIMITER=MUSCL
  CLIMATE=CLIMTIDX
  SOURCE_COEFF, AX=0.0, AY=1.0
!-----
---
*VELOCITY
  STEADY=YES
  STEP=1
!-----
---
*OUTPUT
  STEP=2000
  SCREEN_IO=OFF
  DISCHARGE_STEP=20
!-----
---
*TIME

```

TIME\_GEN=AUTO  
START\_TIME=0.0  
STOP\_TIME =3.15569E+11  
NUM\_STEP=20000

!-----  
---

\*SPECIES

NUCLIDE SYMBOL=PU239, INDEX=1, LAMBDA=DC\_PU239, FREE\_H2O\_DIFF=MD0\_PU &  
  
NUCLIDE SYMBOL=U234, INDEX=2, LAMBDA=DC\_U234, FREE\_H2O\_DIFF=MD0\_U &  
CURIE=SA\_U234  
NUCLIDE SYMBOL=TH230, INDEX=3, LAMBDA=DC\_TH230, FREE\_H2O\_DIFF=MD0\_TH &  
CURIE=SA\_TH230  
NUCLIDE SYMBOL=AM241, INDEX=4, LAMBDA=DC\_AM241, FREE\_H2O\_DIFF=MD0\_AM &  
CURIE=SA\_AM241  
NUCLIDE SYMBOL=TH23A, INDEX=5, LAMBDA=DC\_TH230, FREE\_H2O\_DIFF=MD0\_TH &  
CURIE=SA\_TH230  
CHAIN CHAIN\_NUM=1 NUM\_SPECIES=1 NUC\_INDICES=1  
CHAIN CHAIN\_NUM=2 NUM\_SPECIES=2 NUC\_INDICES=2,3  
CHAIN CHAIN\_NUM=3 NUM\_SPECIES=1 NUC\_INDICES=4  
CHAIN CHAIN\_NUM=4 NUM\_SPECIES=1 NUC\_INDICES=5

!-----  
---

\*PROPERTY

DIFF TORT=MTORT, POROSITY=MPOROS, RETARD=MRTRD  
DUAL BLOCK\_LEN=HMBLKLT SKIN\_RESIST=SKIN\_RES  
ADVEC DISP\_LNG=DISP\_LNG, DISP\_TRN=DISP\_TRN, TORT= F\_TORT, &  
POROSITY=FPOROS, RETARD=ZRTRD

!-----  
---

\*SOURCE

TERM\_DEF SYMBOL=PU239, NUM\_POINTS= 2, &  
TIMES= 0.0, 1.577845E+9, &  
VALUES= 0.0, 1.0, &  
IRANGE=67,67 JRANGE=76,76  
TERM\_DEF SYMBOL=U234, NUM\_POINTS= 2, &  
TIMES= 0.0, 1.577845E+9, &  
VALUES= 0.0, 1.0, &  
IRANGE=67,67 JRANGE=76,76  
TERM\_DEF SYMBOL=TH23A, NUM\_POINTS= 2, &  
TIMES= 0.0, 1.577845E+9, &  
VALUES= 0.0, 1.0, &  
IRANGE=67,67 JRANGE=76,76  
TERM\_DEF SYMBOL=AM241, NUM\_POINTS= 2, &  
TIMES= 0.0, 1.577845E+9, &  
VALUES= 0.0, 1.0, &  
IRANGE=67,67 JRANGE=76,76

!-----  
---

\*DP\_MESH

AUTO INIT\_DIST=.001, NUM\_NODES=21

!-----  
---

\*DISCHARGE\_BOUND

NUM\_BNDS=2  
! Waste Panel Area  
BOUND\_DEF TOP\_LEFT=60,82, BOTTOM\_RIGHT=75,70

```
! LWB  
  BOUND_DEF TOP_LEFT=7,100, BOTTOM_RIGHT=136,22
```

```
!-----
```

```
---
```

```
*END
```

```
$
```



## **APPENDIX H: MODFLOW INPUT FILES (and Associated PEST/DTRKMF Input Files)**

Listed below are the MODFLOW/PEST/DTRKMF INPUT FILES from McKenna, et al. (2004) that are used to input or define original source data for the CRA1 T-Field and flow analyses. All other input files defined in McKenna, et al. (2004) are run control files or contain parameters derived from the following files.

<u>File Name</u>	<u>Description</u>
d###r###t.out	Original base T field in 4 column Arc-Info format (input to base2mod program which converts file to MODFLOW format) Holt and Yarbrough (2002; 2003) and McKenna and Hart (2003) document the development of the original base T field and provide original source data or reference to original source data
culebra.bot	Elevations of the bottom of the Culebra in MODFLOW format (Data/parameter input) from Powers (2002) and described in Holt and Yarbrough (2002; 2003)
culebra.ibd	MODFLOW input ibound array (specifies which cells are active/boundary (constant head) /inactive) in grid; from Powers (2002), Hold and Yarbrough (2002; 2003)
culebra.ihd	MODFLOW input initial heads (data/parameter input) grid populated statistically (kriging) from original head data documented in Beauheim (2002)file TfieldHeads.xls; process described in McKenna and Hart (2003)
culebra.top	Elevations of the top of the Culebra in MODFLOW format (data/parameter input) from Powers (2002) and described in Holt and Yarbrough (2002; 2003)
*.dis	MODFLOW discretization file; used to define grid, documented in Holt and Yarbrough (2002; 2003) and McKenna and Hart (2003)
measured.*	Measured heads at an output location; contains observation well name, date, time, and head; one file for each hydraulic test period.
Zones.inf	Input file for PEST defining high and low transmissivity zones in grid; Derivation of transmissivity zones is documented in Holt and Yarbrough (2002; 2003)

\*.well                   MODFLOW well information input file; contains grid coordinates and pumping rate for wells; documented in McKenna and Hart (2003)

wells.crd                Listing of well names and X-Y coordinates

mfR\*.txt                Mining factors file; contains random values between 1-1000 used as multipliers to evaluate influence of mining on T-fields (Lowry, 2003b).

Full\_mining.dat         Input file specifying which cells are located in a potential mining area covering potential mining areas inside and outside the land withdrawal area; documented in Lowry (2003b)

Part\_mining.dat         Input file specifying which cells are located in a potential mining area covering potential mining areas outside the land withdrawal area; documented in Lowry (2003b)

Representative input files for the above files for T-Field D01r07 are reproduced below:

## H.1   \*\*\*.NAM

Modflow name file, identifies output, input files for specific analysis; first word in file name defines analysis. Steady for Modflow analysis with steady state heads, well name such as h3 for the transient analyses. There is one of these files for each MODFLOW analysis.

### H.1.1 STEADY.NAM

```
# MF2K NAME file
#
# Output Files
LIST           40 steady.lst
DATA           17 steady.hed
DATA           19 steady.drw
DATA (BINARY) 15 steady.bud
#
# Global Input Files
DIS            41 steady.dis
DATA           45 culebra.ihd
DATA           47 culebra.ibd
DATA           33 culebra.top
DATA           34 culebra.bot
DATA           30 Tupdate.mod
#
# Flow Process Input Files----[These are run control files defined in
MODFLOW/PEST User Manual]
BAS6           1 steady.ba6
BCF6           11 steady.bc6
OC             42 steady.oc
LMG            8 steady.lmg
```

## H.1.2 H3.NAM

```
# MF2K NAME file
# h3 WIPP transient model
# Created 05/02/2003 - Thomas Lowry
# Output Files
LIST          40 h3.lst
DATA          17 h3.hed
DATA(BINARY) 19 h3.drw
DATA(BINARY) 15 h3.bud
#
# Global Input Files
DIS           41 h3.dis
DATA         45 steady.hed
DATA         47 culebra.ibd
DATA         33 culebra.top
DATA         34 culebra.bot
DATA         30 Tupdate.mod
#
# Flow Process Input Files ----[These are run control files defined in
MODFLOW/PEST User Manual]

BAS6          1 transient.ba6
BCF6          11 transient.bc6
OC            42 h3.oc
WEL           10 h3.wel
LMG           8 transient.lmg
```

## H.2 \*\*\*\*.DIS

This is a discretization file defines grid and time steps for a MODFLOW run: 100 x 100 grid; 307 rows by 224 columns. First word in file defines MODFLOW analysis, i.e., steady, h3, etc.

### H.2.1 STEADY.DIS

```
# MF2K DISCRETIZATION FILE
#
#
# NLAY NROW NCOL NPER TIMEUNITS LENUNITS
1 307 224 1 1 2
0
CONSTANT 100.0
CONSTANT 100.0
EXTERNAL 33 1.0 (FREE) -1 (calls culebra.top)
EXTERNAL 34 1.0 (FREE) -1 (calls culebra.btm)
86400.0 1 1.0 SS (length, time in seconds; # time steps, time step
multiplier; steady state)
```

### H.2.2 H3.DIS

```
# Discretization file for WIPP transient data
# h3 WIPP transient model
# Created 05/05/2003 - Thomas Lowry
```

```

1 307 224 3 1 2
0
CONSTANT 100.0
CONSTANT 100.0
EXTERNAL 33 1 (FREE) -1
EXTERNAL 34 1 (FREE) -1
5356800.0 8 2.0 TR (Stress period 1; time in seconds, # time
steps, multiplier transient)
10892700.0 8 2.0 TR (Stress period 2; time in seconds, # time
steps,multiplier transient)
22976100.0 1 1.0 TR (stress period 3; time in seconds, # time steps,
multiplier, transient)

```

### H.3 CULEBRA.ihd (partial listing only due to length of file)

MODFLOW initial heads input file (partial filefile contains ~ 70,000 data points/nodes (active) for a 100 x 100 gridstatistical extrapolation of actual measured heads to assign head to all active cells in grid

```

900.000000 900.000000 900.000000 900.000000 900.000000 900.000000 900.000000
900.000000 900.000000 900.000000 900.000000 900.000000 900.000000 900.000000
900.000000 900.000000 900.000000 900.000000 900.000000 900.000000 900.000000
900.000000 900.000000 900.000000 900.000000 900.000000 900.000000 900.000000
900.000000 900.000000 900.000000 900.000000 900.000000 900.000000 900.000000
900.000000 900.000000 900.000000 900.000000 900.000000 900.000000 900.000000
900.000000 900.000000 900.000000 900.000000 900.000000 900.000000 900.000000
900.000000 900.000000 900.000000 900.000000 900.000000 900.000000 900.000000
900.000000 900.000000 900.000000 900.000000 900.000000 900.000000 900.000000
900.000000 900.000000 900.000000 900.000000 900.000000 900.000000 900.000000
900.000000 900.000000 900.000000 900.000000 900.000000 900.000000 900.000000
900.000000 900.000000 900.000000 900.000000 900.000000 900.000000 900.000000
900.000000 900.000000 900.000000 900.000000 900.000000 900.000000 900.000000
900.000000 900.000000 900.000000 900.000000 900.000000 900.000000 900.000000
955.460022 955.450012 955.440002 955.419983 955.409973 955.390015 955.369995
955.349976 955.330017 955.299988 955.280029 955.250000 955.219971 955.190002
955.159973 955.119995 955.090027 955.049988 955.010010 954.969971 954.919983
954.880005 954.830017 954.780029 954.729980 954.679993 954.630005 954.570007
954.510010 954.450012 954.390015 954.330017 954.260010 954.200012 954.130005
954.059998 953.989990 953.909973 953.840027 953.760010 953.679993 953.599976
953.520020 953.440002 953.349976 953.260010 953.179993 953.080017 952.989990
952.900024 952.799988 952.700012 952.599976 952.500000 952.400024 952.289978
952.190002 952.080017 951.969971 951.859985 951.739990 951.630005 951.510010
951.390015 951.270020 951.150024 951.020020 950.900024 950.770020 950.640015
950.510010 950.380005 950.239990 950.109985 949.969971 949.830017 949.690002
949.539978 949.400024 949.250000 949.099976 948.950012 948.799988 948.650024
948.489990 948.340027 948.179993 948.020020 947.849976 947.690002 947.520020
947.359985 947.190002 947.020020 946.840027 946.669983 946.489990 946.320007
946.140015 945.950012 945.770020 945.590027 945.400024 945.210022 945.020020
944.830017 944.640015 944.440002 944.250000 944.049988 943.849976 943.650024
943.440002 943.239990 943.030029 942.820007 942.609985 942.400024 942.190002
941.969971 941.760010 941.539978 941.320007 941.090027 940.869995 940.650024

```

#### H.4 MEASURED.\*\*\*

Input files containing measured head and drawdown data at a specific location. The four columns contain observation well name, date, time and measured head.

##### H.4.1 MEASURED.STEADY

Measured heads at specific well locations for steady state analysis. (Basis for statistical extrapolation heads for CULEBRA.ihd file)

AEC-7	8/7/1981	12:00:00	933.19
DOE-1	8/7/1981	12:00:00	916.55
DOE-2	8/7/1981	12:00:00	940.03
ERDA-9	8/7/1981	12:00:00	921.59
H-1	8/7/1981	12:00:00	927.19
H-2b2	8/7/1981	12:00:00	926.62
H-3b2	8/7/1981	12:00:00	917.16
H-4b	8/7/1981	12:00:00	915.55
H-5b	8/7/1981	12:00:00	936.26
H-6b	8/7/1981	12:00:00	934.20
H-7b1	8/7/1981	12:00:00	913.86
H-9b	8/7/1981	12:00:00	911.57
H-11b4	8/7/1981	12:00:00	915.47
H-12	8/7/1981	12:00:00	914.66
H-14	8/7/1981	12:00:00	920.24
H-15	8/7/1981	12:00:00	919.87
H-17	8/7/1981	12:00:00	915.37
H-18	8/7/1981	12:00:00	937.22
H-19b0	8/7/1981	12:00:00	917.13
P-17	8/7/1981	12:00:00	915.20
WIPP-12	8/7/1981	12:00:00	935.30
WIPP-13	8/7/1981	12:00:00	935.17
WIPP-18	8/7/1981	12:00:00	936.08
WIPP-19	8/7/1981	12:00:00	932.66
WIPP-21	8/7/1981	12:00:00	927.00
WIPP-22	8/7/1981	12:00:00	930.96
WIPP-25	8/7/1981	12:00:00	932.70
WIPP-26	8/7/1981	12:00:00	921.06
WIPP-30	8/7/1981	12:00:00	936.88
WQSP-1	8/7/1981	12:00:00	935.64
WQSP-2	8/7/1981	12:00:00	938.82
WQSP-3	8/7/1981	12:00:00	935.89
WQSP-4	8/7/1981	12:00:00	917.49
WQSP-5	8/7/1981	12:00:00	917.22
WQSP-6	8/7/1981	12:00:00	920.02

##### H.4.2 MEASURED.H3

doe-1	10/15/1985	9:00:00	-0.010383297
doe-1	10/15/1985	11:00:00	-0.045552527
doe-1	10/15/1985	13:04:01	-0.045552527
doe-1	10/15/1985	15:04:01	-0.010383297
doe-1	10/15/1985	23:05:01	-0.024450989
doe-1	10/16/1985	1:05:01	-0.045552527
doe-1	10/16/1985	3:05:01	-0.038518681

doe-1	10/16/1985	11:00:00	-0.003349451
doe-1	10/18/1985	10:25:59	-0.052586374
doe-1	10/18/1985	16:51:00	-0.038518681
doe-1	10/19/1985	2:51:00	-0.087755604
doe-1	10/19/1985	12:17:59	-0.15106022
doe-1	10/19/1985	22:00:00	-0.129958681
doe-1	10/20/1985	8:00:00	-0.193263297
doe-1	10/20/1985	18:00:00	-0.165127912
doe-1	10/22/1985	0:06:00	-0.249534066
doe-1	10/22/1985	11:36:00	-0.305804835
doe-1	10/22/1985	20:06:00	-0.291737143
doe-1	10/23/1985	6:06:00	-0.348007912
doe-1	10/23/1985	16:06:00	-0.390210989
doe-1	10/24/1985	2:06:00	-0.42538022
doe-1	10/24/1985	12:06:00	-0.551989451
doe-1	10/24/1985	22:06:00	-0.573090989
doe-1	10/29/1985	11:13:00	-1.079527912
doe-1	10/29/1985	23:13:00	-1.128764835
doe-1	10/30/1985	9:13:00	-1.15690022
doe-1	10/30/1985	19:13:00	-1.107663297
doe-1	10/31/1985	5:13:00	-1.128764835
doe-1	11/14/1985	9:19:48	-2.634007912
doe-1	11/16/1985	0:01:12	-2.908327912
doe-1	11/16/1985	21:19:48	-2.936463297
doe-1	12/15/1985	4:30:00	-5.243564835
doe-1	12/16/1985	0:56:01	-5.257632527
doe-1	12/16/1985	8:57:01	-5.299835604
doe-1	12/16/1985	9:00:00	-5.292801758
doe-1	12/16/1985	10:00:00	-5.278734066
doe-1	12/16/1985	11:00:00	-5.285767912
doe-1	12/16/1985	21:01:48	-5.285767912
doe-1	12/17/1985	7:01:48	-5.313903297
doe-1	12/17/1985	17:04:12	-5.306869451
doe-1	12/18/1985	3:04:12	-5.356106374
doe-1	12/18/1985	13:12:00	-5.412377143
doe-1	12/18/1985	23:12:00	-5.391275604
doe-1	12/19/1985	9:12:00	-5.426444835
doe-1	12/19/1985	19:12:00	-5.384241758
doe-1	12/20/1985	5:12:00	-5.391275604
doe-1	12/20/1985	15:12:00	-5.398309451
doe-1	12/21/1985	1:12:00	-5.398309451
doe-1	12/21/1985	21:06:00	-5.398309451
doe-1	12/23/1985	13:06:00	-5.349072527
doe-1	12/24/1985	9:10:12	-5.398309451
doe-1	12/25/1985	5:10:12	-5.306869451
doe-1	12/31/1985	11:10:12	-5.039583297
doe-1	1/2/1986	13:10:12	-4.920007912
doe-1	1/15/1986	2:37:12	-4.343232527
doe-1	1/17/1986	4:37:12	-4.251792527
doe-1	2/17/1986	9:34:48	-3.337392527
h-1	10/15/1985	9:00:00	0
h-1	10/17/1985	11:19:48	-0.035169231
h-1	10/19/1985	12:00:00	-0.056270769
h-1	10/23/1985	18:15:00	-0.070338462
h-1	10/29/1985	23:07:12	-0.126609231
h-1	10/30/1985	22:08:24	-0.133643077
h-1	10/31/1985	23:30:00	-0.154744615

h-1	11/14/1985	9:04:12	-0.682283077
h-1	11/15/1985	9:55:48	-0.752621538
h-1	11/16/1985	9:36:00	-0.82296
h-1	12/16/1985	10:00:00	-4.171070769
h-1	12/17/1985	8:10:48	-4.311747692
h-1	12/18/1985	8:45:00	-4.48056
h-1	12/19/1985	9:18:00	-4.649372308
h-1	12/20/1985	9:01:12	-4.811150769
h-1	12/21/1985	8:46:48	-4.972929231
h-1	12/23/1985	11:33:00	-5.331655385
h-1	12/24/1985	8:12:00	-5.479366154
h-1	12/25/1985	8:16:48	-5.655212308
h-1	12/31/1985	8:34:48	-6.632916923
h-1	1/1/1986	11:19:48	-6.794695385
h-1	½/1986	8:28:48	-6.928338462
h-1	1/15/1986	8:49:12	-8.567224615
h-1	1/16/1986	9:04:12	-8.665698462
h-1	1/17/1986	8:45:00	-8.757138462
h-1	2/17/1986	9:37:12	-10.39602462
h-11b1	10/15/1985	18:25:12	0
h-11b1	10/16/1985	10:01:48	-0.014067692
h-11b1	10/17/1985	9:15:00	-0.007033846
h-11b1	10/19/1985	16:49:48	-0.035169231
h-11b1	10/20/1985	15:52:48	-0.119575385
h-11b1	10/22/1985	20:34:48	-0.189913846
h-11b1	10/23/1985	19:19:48	-0.218049231
h-11b1	10/24/1985	17:48:00	-0.281353846
h-11b1	10/30/1985	10:01:48	-0.604910769
h-11b1	11/15/1985	13:30:00	-1.631852308
h-11b1	12/16/1985	11:25:48	-3.495821538
h-11b1	12/18/1985	11:43:48	-3.608363077
h-11b1	12/20/1985	11:46:12	-3.608363077
h-11b1	12/24/1985	11:30:00	-3.622430769
h-11b1	12/31/1985	10:46:12	-3.523956923
h-11b1	½/1986	11:00:00	-3.502855385
h-11b1	1/16/1986	10:25:48	-3.010486154
h-11b1	1/18/1986	10:46:48	-2.736166154
h-11b1	4/21/1986	10:45:00	-2.074984615
h-2b2	10/18/1985	8:19:12	-0.031652308
h-2b2	10/19/1985	7:42:00	-0.031652308
h-2b2	10/20/1985	16:16:48	-0.024618462
h-2b2	11/14/1985	9:07:48	-0.214532308
h-2b2	11/15/1985	9:09:00	-0.235633846
h-2b2	11/16/1985	9:37:48	-0.256735385
h-2b2	12/15/1985	9:01:12	-1.522827692
h-2b2	12/16/1985	9:16:48	-1.586132308
h-2b2	12/17/1985	9:34:12	-1.656470769
h-2b2	12/18/1985	9:40:12	-1.754944615
h-2b2	12/19/1985	9:10:48	-1.797147692
h-2b2	12/20/1985	11:07:48	-1.839350769
h-2b2	12/21/1985	14:06:00	-1.895621538
h-2b2	12/23/1985	13:52:12	-1.951892308
h-2b2	12/24/1985	12:55:12	-2.008163077
h-2b2	12/31/1985	9:07:48	-2.380956923
h-2b2	½/1986	8:43:48	-2.535701538
h-2b2	1/15/1986	11:27:00	-3.140612308
h-2b2	1/17/1986	9:24:00	-3.232052308

h-2b2 2/17/1986 14:37:12 -3.780692308

### H.4.3 MEASURED.H19

doe-1	12/15/1995	12:13:04	-1.100
doe-1	12/16/1995	12:13:04	-1.027
doe-1	12/17/1995	12:13:04	-1.069
doe-1	12/19/1995	12:13:04	-1.656
doe-1	12/23/1995	12:13:04	-2.735
doe-1	1/1/1996	12:13:04	-3.038
doe-1	1/17/1996	12:13:04	-4.108
doe-1	1/18/1996	12:13:04	-4.154
doe-1	1/19/1996	12:13:04	-4.214
doe-1	1/21/1996	12:13:04	-4.313
doe-1	1/25/1996	11:13:04	-4.527
doe-1	1/26/1996	12:13:04	-4.568
doe-1	1/28/1996	12:13:04	-4.661
doe-1	1/29/1996	12:13:04	-4.701
doe-1	1/30/1996	12:13:04	-4.739
doe-1	2/2/1996	12:13:04	-4.853
doe-1	2/7/1996	12:13:04	-5.057
doe-1	2/8/1996	12:13:04	-5.108
doe-1	2/10/1996	13:13:04	-5.368
doe-1	2/13/1996	12:13:04	-5.980
doe-1	2/19/1996	12:13:04	-7.343
doe-1	2/20/1996	12:13:04	-7.590
doe-1	2/21/1996	10:13:04	-7.812
doe-1	2/22/1996	12:13:04	-8.058
doe-1	2/24/1996	12:13:04	-8.481
doe-1	2/25/1996	12:13:04	-8.669
doe-1	2/26/1996	12:13:04	-8.849
doe-1	2/28/1996	12:13:04	-9.179
doe-1	3/3/1996	12:13:04	-9.730
doe-1	3/11/1996	12:13:04	-10.499
doe-1	3/12/1996	12:13:04	-10.569
doe-1	3/13/1996	12:13:04	-10.663
doe-1	3/15/1996	12:13:04	-10.957
doe-1	3/19/1996	12:13:04	-11.874
doe-1	3/28/1996	12:13:04	-13.463
doe-1	3/29/1996	12:13:04	-13.463
doe-1	3/30/1996	12:13:04	-13.335
doe-1	3/31/1996	12:13:04	-13.011
doe-1	4/3/1996	12:13:04	-10.419
doe-1	4/4/1996	11:13:04	-10.151
doe-1	4/5/1996	12:13:04	-9.894
doe-1	4/6/1996	12:13:04	-9.594
doe-1	4/11/1996	12:13:04	-8.451
doe-1	4/12/1996	12:13:04	-8.295
doe-1	4/13/1996	12:13:04	-8.054
doe-1	4/15/1996	12:13:04	-7.758
doe-1	4/16/1996	12:13:04	-7.499
doe-1	4/17/1996	12:13:04	-7.259
doe-1	4/19/1996	12:13:04	-6.890
doe-1	4/26/1996	12:13:04	-5.842
doe-1	4/27/1996	12:13:04	-5.650
doe-1	4/28/1996	12:13:04	-5.557



doe-1	5/11/1996	12:13:04	-4.320
doe-1	5/12/1996	12:13:04	-4.198
doe-1	5/13/1996	12:13:04	-4.101
doe-1	5/14/1996	12:13:04	-4.006
doe-1	5/15/1996	12:13:04	-3.936
doe-1	6/10/1996	12:13:04	-2.593
doe-1	6/11/1996	12:13:04	-2.548
doe-1	6/12/1996	12:13:04	-2.508
doe-1	6/13/1996	12:13:04	-2.482
doe-1	6/14/1996	12:13:04	-2.445
doe-1	7/15/1996	12:13:04	-1.398
doe-1	7/16/1996	12:13:04	-1.368
doe-1	7/17/1996	12:13:04	-1.336
doe-1	8/13/1996	9:02:00	-0.559
doe-1	9/5/1996	12:30:00	-0.187
doe-1	10/15/1996	10:23:00	0.155
doe-1	11/12/1996	11:52:00	0.411
doe-1	12/10/1996	11:37:00	0.647
erda-9	12/15/1995	12:06:23	-2.053781904
erda-9	12/16/1995	12:06:23	-2.034781904
erda-9	12/17/1995	12:06:23	-1.986781904
erda-9	12/19/1995	12:06:23	-1.982781904
erda-9	12/23/1995	12:06:23	-2.165781904
erda-9	1/1/1996	12:06:23	-3.128781904
erda-9	1/17/1996	12:06:23	-5.284781904
erda-9	1/18/1996	12:06:23	-5.446781904
erda-9	1/19/1996	12:06:23	-5.600781904
erda-9	1/21/1996	12:06:23	-5.862781904
erda-9	1/25/1996	10:06:23	-6.310781904
erda-9	1/26/1996	12:06:23	-6.413781904
erda-9	1/28/1996	12:06:23	-6.650781904
erda-9	1/29/1996	12:06:23	-6.750781904
erda-9	1/30/1996	12:06:23	-6.846781904
erda-9	2/2/1996	12:06:23	-7.153781904
erda-9	2/7/1996	10:06:23	-7.702781904
erda-9	2/8/1996	12:06:23	-7.790781904
erda-9	2/10/1996	13:06:23	-7.967781904
erda-9	2/13/1996	12:06:23	-8.278781904
erda-9	2/19/1996	12:06:23	-8.708781904
erda-9	2/20/1996	12:06:23	-8.795781904
erda-9	2/21/1996	10:06:23	-8.882781904
erda-9	2/22/1996	12:06:23	-8.976781904
erda-9	2/24/1996	12:06:23	-9.140781904
erda-9	2/25/1996	12:06:23	-9.199781904
erda-9	2/26/1996	12:06:23	-9.247781904
erda-9	2/28/1996	12:06:23	-9.368781904
erda-9	3/3/1996	12:01:18	-9.535781904
erda-9	3/11/1996	12:01:18	-9.817781904
erda-9	3/12/1996	12:01:18	-9.819781904
erda-9	3/13/1996	12:01:18	-9.821781904
erda-9	3/15/1996	12:01:18	-9.868781904
erda-9	3/19/1996	12:01:18	-9.980781904
erda-9	3/28/1996	12:01:18	-10.2057819
erda-9	3/29/1996	12:01:18	-10.2177819
erda-9	3/30/1996	12:01:18	-10.2437819
erda-9	3/31/1996	12:01:18	-10.2927819
erda-9	4/3/1996	12:01:18	-10.3597819

erda-9	4/4/1996	12:01:18	-10.3867819
erda-9	4/5/1996	12:01:18	-10.4287819
erda-9	4/6/1996	12:01:18	-10.4707819
erda-9	4/11/1996	12:01:18	-10.5137819
erda-9	4/12/1996	12:01:18	-10.5177819
erda-9	4/13/1996	12:01:18	-10.5227819
erda-9	4/15/1996	12:01:18	-10.5707819
erda-9	4/16/1996	12:01:18	-10.5707819
erda-9	4/17/1996	12:01:18	-10.5307819
erda-9	4/19/1996	12:01:18	-10.4427819
erda-9	4/26/1996	12:01:18	-9.968781904
erda-9	4/27/1996	12:01:18	-9.871781904
erda-9	4/28/1996	12:01:18	-9.754781904
erda-9	5/11/1996	12:01:18	-8.606781904
erda-9	5/12/1996	12:01:18	-8.524781904
erda-9	5/13/1996	12:01:18	-8.423781904
erda-9	5/14/1996	12:01:18	-8.325781904
erda-9	5/15/1996	12:01:18	-8.229781904
erda-9	6/10/1996	12:01:18	-6.441781904
erda-9	6/11/1996	12:01:18	-6.370781904
erda-9	6/12/1996	12:01:18	-6.305781904
erda-9	6/13/1996	12:01:18	-6.249781904
erda-9	6/14/1996	12:01:18	-6.191781904
erda-9	7/15/1996	12:01:18	-4.496781904
erda-9	7/16/1996	12:01:18	-4.449781904
erda-9	7/17/1996	12:01:18	-4.397781904
erda-9	8/12/1996	12:01:18	-3.343781904
erda-9	8/13/1996	12:01:18	-3.310781904
erda-9	8/14/1996	12:01:18	-3.278781904
erda-9	8/15/1996	12:01:18	-3.241781904
erda-9	9/3/1996	12:01:18	-2.580781904
erda-9	9/4/1996	12:01:18	-2.557781904
erda-9	9/5/1996	12:01:18	-2.530781904
erda-9	10/14/1996	12:01:18	-1.765781904
erda-9	10/15/1996	12:01:18	-1.738781904
erda-9	10/16/1996	12:01:18	-1.704781904
erda-9	11/13/1996	8:50:00	-1.195306128
erda-9	10/24/1996	16:01:18	-1.534781904
erda-9	10/18/1996	12:01:18	-1.685781904
erda-9	10/18/1996	18:01:18	-1.679781904
erda-9	12/10/1996	13:07:00	-0.709308624
h-1	12/15/1995	12:25:44	-2.847980298
h-1	12/16/1995	12:25:44	-2.769980298
h-1	12/17/1995	12:25:44	-2.721980298
h-1	12/19/1995	12:25:44	-2.766980298
h-1	12/23/1995	12:25:44	-2.778980298
h-1	1/1/1996	12:25:44	-3.171980298
h-1	1/17/1996	12:25:44	-4.759980298
h-1	1/18/1996	12:25:44	-5.077980298
h-1	1/19/1996	12:25:44	-5.139980298
h-1	1/21/1996	12:25:44	-5.406980298
h-1	1/25/1996	10:25:44	-5.761980298
h-1	1/26/1996	12:25:44	-5.913980298
h-1	1/28/1996	12:25:44	-6.093980298
h-1	1/29/1996	12:25:44	-6.225980298
h-1	1/30/1996	12:25:44	-6.312980298
h-1	2/2/1996	12:25:44	-6.674980298

h-1 2/7/1996 10:15:44 -7.105980298  
h-1 2/8/1996 12:25:44 -7.232980298  
h-1 2/10/1996 13:25:44 -7.408980298  
h-1 2/13/1996 12:25:44 -7.709980298  
h-1 2/19/1996 12:25:44 -8.149980298  
h-1 2/20/1996 12:25:44 -8.251980298  
h-1 2/21/1996 11:21:44 -8.340980298  
h-1 2/22/1996 12:25:44 -8.408980298  
h-1 2/24/1996 12:25:44 -8.602980298  
h-1 2/25/1996 12:25:44 -8.651980298  
h-1 2/26/1996 12:25:44 -8.696980298  
h-1 2/28/1996 12:25:44 -8.958980298  
h-1 3/3/1996 12:00:00 -9.186980298  
h-1 3/11/1996 12:00:00 -9.522980298  
h-1 3/12/1996 12:00:00 -9.518980298  
h-1 3/13/1996 12:00:00 -9.537980298  
h-1 3/15/1996 12:00:00 -9.665980298  
h-1 3/19/1996 12:00:00 -9.855980298  
h-1 3/28/1996 12:00:00 -10.0259803  
h-1 3/29/1996 12:00:00 -10.0219803  
h-1 3/30/1996 12:00:00 -10.1079803  
h-1 3/31/1996 12:00:00 -10.1929803  
h-1 4/3/1996 12:00:00 -10.2049803  
h-1 4/4/1996 12:00:00 -10.2969803  
h-1 4/5/1996 12:00:00 -10.3659803  
h-1 4/6/1996 12:00:00 -10.3699803  
h-1 4/11/1996 12:00:00 -10.3949803  
h-1 4/12/1996 12:00:00 -10.4419803  
h-1 4/13/1996 12:00:00 -10.4419803  
h-1 4/15/1996 12:00:00 -10.6179803  
h-1 4/16/1996 12:00:00 -10.5789803  
h-1 4/17/1996 12:00:00 -10.5489803  
h-1 4/19/1996 12:00:00 -10.5539803  
h-1 4/26/1996 12:00:00 -10.4349803  
h-1 4/27/1996 12:00:00 -10.3319803  
h-1 4/28/1996 12:00:00 -10.3109803  
h-1 5/11/1996 12:00:00 -9.584980298  
h-1 5/12/1996 12:00:00 -9.475980298  
h-1 5/13/1996 12:00:00 -9.383980298  
h-1 5/14/1996 12:00:00 -9.302980298  
h-1 5/15/1996 12:00:00 -9.236980298  
h-1 6/10/1996 12:00:00 -7.598980298  
h-1 6/11/1996 12:00:00 -7.550980298  
h-1 6/12/1996 12:00:00 -7.511980298  
h-1 6/13/1996 12:00:00 -7.479980298  
h-1 6/14/1996 12:00:00 -7.418980298  
h-1 7/15/1996 12:00:00 -5.841980298  
h-1 7/16/1996 12:00:00 -5.775980298  
h-1 7/17/1996 12:00:00 -5.723980298  
h-1 8/12/1996 12:00:00 -4.702980298  
h-1 8/13/1996 12:00:00 -4.666980298  
h-1 8/14/1996 12:00:00 -4.627980298  
h-1 8/15/1996 12:00:00 -4.581980298  
h-1 9/3/1996 12:00:00 -3.899980298  
h-1 9/4/1996 12:00:00 -3.873980298  
h-1 9/5/1996 12:00:00 -3.839980298  
h-1 10/14/1996 12:00:00 -3.011980298

h-1	10/15/1996	12:00:00	-2.981980298
h-1	10/16/1996	12:00:00	-2.939980298
h-1	11/13/1996	8:59:00	-2.365222702
h-1	10/24/1996	16:00:00	-2.745980298
h-1	10/18/1996	12:00:00	-2.983980298
h-1	10/18/1996	18:00:00	-2.929980298
h-1	12/10/1996	13:21:00	-1.796450357
h-15	12/15/1995	8:45:00	-2.79447168
h-15	12/16/1995	10:45:00	-3.4452264
h-15	12/17/1995	8:22:00	-2.8099764
h-15	12/19/1995	13:39:00	-2.90997168
h-15	12/23/1995	9:40:00	-2.95617168
h-15	1/18/1996	9:39:00	-4.01877168
h-15	1/29/1996	12:34:00	-4.63092168
h-15	2/8/1996	10:58:00	-5.11602168
h-15	12/10/1996	13:00:00	-1.56666972
h-15	2/21/1996	10:00:00	-6.79077168
h-15	3/11/1996	9:48:00	-9.05457168
h-15	3/29/1996	13:05:00	-10.75242168
h-15	4/4/1996	15:03:00	-11.11047168
h-15	4/15/1996	13:26:00	-10.4628216
h-15	5/15/1996	8:40:00	-8.33647584
h-15	6/10/1996	14:00:00	-6.63610332
h-15	7/16/1996	12:59:00	-4.953333
h-15	8/12/1996	13:13:00	-3.96056892
h-15	9/4/1996	13:24:00	-3.24239916
h-15	10/16/1996	11:11:00	-2.43269796
h-15	11/13/1996	10:38:00	-2.02432692
h-15	12/10/1996	13:00:00	-1.56666972
h-3b2	12/15/1995	12:10:01	-1.871
h-3b2	12/16/1995	12:10:01	-2.264
h-3b2	12/17/1995	12:10:01	-2.885
h-3b2	12/19/1995	12:10:01	-4.258
h-3b2	12/23/1995	12:10:01	-6.506
h-3b2	1/1/1996	12:10:01	-10.254
h-3b2	1/17/1996	12:10:01	-14.494
h-3b2	1/18/1996	12:10:01	-14.831
h-3b2	1/19/1996	12:10:01	-14.927
h-3b2	1/21/1996	12:10:01	-15.27
h-3b2	1/25/1996	12:10:01	-15.808
h-3b2	1/26/1996	12:10:01	-15.995
h-3b2	1/28/1996	12:10:01	-16.262
h-3b2	1/29/1996	12:10:01	-16.428
h-3b2	1/30/1996	12:10:01	-16.558
h-3b2	2/2/1996	12:10:01	-17.011
h-3b2	2/7/1996	12:10:01	-17.626
h-3b2	2/8/1996	12:10:01	-17.745
h-3b2	2/10/1996	13:10:01	-17.97
h-3b2	2/13/1996	12:10:01	-18.384
h-3b2	2/19/1996	12:10:01	-19.283
h-3b2	2/20/1996	12:10:01	-19.251
h-3b2	2/21/1996	12:10:01	-19.012
h-3b2	2/22/1996	12:10:01	-18.811
h-3b2	2/24/1996	12:10:01	-18.607
h-3b2	2/25/1996	12:10:01	-18.499
h-3b2	2/26/1996	12:10:01	-18.394
h-3b2	2/28/1996	12:10:01	-18.4

H-3b2	3/3/1996	12:10:01	-18.201
h-3b2	3/11/1996	12:10:01	-18.064
h-3b2	3/12/1996	12:10:01	-18.008
h-3b2	3/13/1996	12:10:01	-18.001
h-3b2	3/15/1996	12:10:01	-18.08
H-3b2	3/19/1996	12:10:01	-18.288
h-3b2	3/28/1996	12:10:01	-18.461
h-3b2	3/29/1996	12:10:01	-18.456
h-3b2	3/30/1996	12:10:01	-18.548
h-3b2	3/31/1996	12:10:01	-18.625
h-3b2	4/3/1996	12:10:01	-18.596
h-3b2	4/4/1996	12:10:01	-18.654
h-3b2	4/5/1996	12:10:01	-18.698
h-3b2	4/6/1996	12:10:01	-18.65
H-3b2	4/11/1996	12:10:01	-18.383
h-3b2	4/12/1996	12:10:01	-18.13
H-3b2	4/13/1996	12:10:01	-17.699
h-3b2	4/15/1996	12:10:01	-17.025
h-3b2	4/16/1996	12:10:01	-16.581
h-3b2	4/17/1996	12:10:01	-16.164
h-3b2	4/19/1996	12:10:01	-15.456
h-3b2	4/26/1996	12:10:01	-13.37
H-3b2	4/27/1996	12:10:01	-13.048
h-3b2	4/28/1996	12:10:01	-12.836
h-3b2	5/11/1996	12:10:01	-10.216
h-3b2	5/12/1996	12:10:01	-10.001
h-3b2	5/13/1996	12:10:01	-9.819
h-3b2	5/14/1996	12:07:01	-9.646
h-3b2	5/15/1996	12:10:01	-9.494
h-3b2	6/10/1996	12:10:01	-7.079
h-3b2	6/11/1996	12:06:01	-6.949
h-3b2	6/12/1996	12:10:01	-6.833
h-3b2	6/13/1996	12:10:01	-6.731
h-3b2	6/14/1996	12:10:01	-6.609
h-3b2	7/15/1996	12:10:01	-3.987
h-3b2	7/16/1996	12:10:01	-3.904
h-3b2	7/17/1996	12:10:01	-3.834
h-3b2	8/13/1996	12:43:00	-2.298284211
h-3b2	9/5/1996	14:15:00	-1.299671629
h-3b2	11/13/1996	9:35:00	0.201407411
h-3b2	12/10/1996	14:03:00	0.884003354
wipp-21	1/18/1996	9:25:00	-3.580698486
wipp-21	1/19/1996	10:50:00	-3.763601486
wipp-21	2/6/1996	7:50:00	-4.172443486
wipp-21	2/9/1996	11:30:00	-4.215479486
wipp-21	2/8/1996	11:10:00	-5.076199486
wipp-21	2/21/1996	10:15:00	-5.947678486
wipp-21	3/11/1996	11:22:00	-6.64066998
wipp-21	3/28/1996	13:20:00	-7.012819486
wipp-21	4/4/1996	15:30:00	-7.152686486
wipp-21	4/15/1996	11:54:00	-6.145489157
wipp-21	5/13/1996	12:00:00	-6.214355364
wipp-21	6/10/1996	13:00:00	-4.925573486
wipp-21	7/15/1996	12:42:00	-3.646629638
wipp-21	8/12/1996	11:37:00	-2.823514495
wipp-21	9/3/1996	12:22:00	-2.259467465
wipp-21	10/14/1996	11:55:00	-1.623274884

wipp-21	11/11/1996	12:24:00	-1.252709102
wipp-21	12/3/1996	12:00:00	-3.935745486
wipp-21	12/9/1996	12:45:00	-0.980523617
wqsp-5	1/18/1996	10:05:00	-11.68454128
wqsp-5	1/19/1996	10:55:00	-11.85981128
wqsp-5	1/25/1996	9:41:00	-12.71554128
wqsp-5	1/29/1996	12:44:00	-13.38569128
wqsp-5	2/7/1996	11:29:00	-14.36266688
wqsp-5	2/8/1996	9:20:00	-14.61258128
wqsp-5	2/10/1996	14:52:00	-14.81832764
wqsp-5	2/21/1996	9:35:00	-16.19001128
wqsp-5	3/11/1996	10:30:00	-16.1381726
wqsp-5	3/12/1996	8:11:00	-15.99361815
wqsp-5	3/13/1996	15:00:00	-16.09722128
wqsp-5	3/15/1996	18:00:00	-16.08789279
wqsp-5	3/28/1996	12:55:00	-16.53024128
wqsp-5	4/3/1996	9:38:00	-16.62303128
wqsp-5	4/6/1996	7:15:00	-16.46838128
wqsp-5	4/17/1996	11:00:00	-15.76735902
wqsp-5	5/15/1996	11:22:00	-10.34028224
wqsp-5	6/12/1996	12:40:00	-9.03614972
wqsp-5	7/17/1996	11:56:00	-5.488280768
wqsp-5	8/13/1996	8:33:00	-3.85104452
wqsp-5	9/5/1996	11:18:00	-2.757458696
wqsp-5	10/16/1996	10:51:00	-2.3897876
wqsp-5	11/13/1996	11:24:00	-1.469038616
wqsp-5	12/10/1996	14:27:00	-0.636279296
h-14	2/7/1996	10:45:00	1.66132764
h-14	12/10/1996	14:51:00	2.06351124
h-14	4/17/1996	10:27:00	3.27006204
h-14	5/14/1996	13:00:00	3.49899732
h-14	6/12/1996	13:28:00	3.47424756
h-14	7/16/1996	12:10:00	3.7588698
h-14	8/14/1996	13:51:00	3.25768716
h-14	9/4/1996	13:08:00	2.91737796
h-14	10/15/1996	13:42:00	2.7998166
h-14	11/13/1996	10:11:00	2.47188228
h-14	12/10/1996	14:51:00	2.06351124
h-2b2	2/7/1996	9:39:00	1.748063107
h-2b2	12/10/1996	13:41:00	1.643702048
h-2b2	4/17/1996	9:30:00	3.449738455
h-2b2	5/15/1996	10:00:00	3.794206955
h-2b2	6/12/1996	11:36:00	3.688361034
h-2b2	7/17/1996	9:42:00	3.325362181
h-2b2	8/13/1996	12:57:00	3.00599629
h-2b2	9/5/1996	10:07:00	2.640321139
h-2b2	10/15/1996	13:20:00	2.160854164
h-2b2	11/13/1996	10:22:00	1.941473866
h-2b2	12/10/1996	13:41:00	1.643702048
WQSP-4	1/1/1996	14:00:00	18.78104743
WQSP-4	1/18/1996	10:10:00	22.73303743
WQSP-4	1/19/1996	11:10:00	22.75445743
WQSP-4	1/25/1996	8:15:00	23.72906743
WQSP-4	1/29/1996	12:17:00	24.10391743
WQSP-4	2/7/1996	11:40:00	25.04889929
WQSP-4	2/10/1996	14:42:00	25.46674351
WQSP-4	2/21/1996	9:23:00	25.72112743

WQSP-4	3/11/1996	10:38:00	24.28598743
WQSP-4	3/12/1996	13:08:00	24.20994643
WQSP-4	3/13/1996	15:15:00	24.35024743
WQSP-4	3/15/1996	17:30:00	24.40581091
WQSP-4	3/28/1996	13:55:00	24.97142743
WQSP-4	4/3/1996	9:30:00	24.80006743
WQSP-4	4/6/1996	7:24:00	24.62870743
WQSP-4	4/17/1996	11:30:00	18.55599178
WQSP-4	5/15/1996	11:02:00	11.55057221
WQSP-4	6/12/1996	12:10:00	8.847642384
WQSP-4	7/17/1996	11:41:00	6.206736312
WQSP-4	8/13/1996	08:47:00	4.897708704
WQSP-4	9/5/1996	11:27:00	4.146894864
WQSP-4	10/16/1996	11:02:00	3.33732168
WQSP-4	11/13/1996	10:52:00	2.736670608
WQSP-4	12/10/1996	11:50:00	2.165399208

#### H.4.4 MEASURED.H11

h-17	2/6/1996	13:06:00	0
h-17	2/8/1996	8:26:00	-0.120408
h-17	2/21/1996	9:00:00	0.589592
h-17	2/28/1996	11:52:00	0.959592
h-17	3/4/1996	14:57:00	1.079592
h-17	3/7/1996	8:45:00	1.309592
h-17	3/11/1996	9:30:00	1.429592
h-17	3/12/1996	12:12:00	1.347216
h-17	3/14/1996	8:46:00	1.449592
h-17	3/18/1996	7:30:00	1.649592
h-17	3/21/1996	9:00:00	1.859592
h-17	3/29/1996	12:40:00	2.029592
h-17	4/1/1996	8:45:00	2.279592
h-17	4/5/1996	13:30:00	2.179592
h-17	4/16/1996	11:40:00	1.61544
h-17	5/14/1996	11:36:00	0.749808
h-17	6/11/1996	13:15:00	0.176784
h-17	7/16/1996	11:16:00	-0.246888
h-17	8/13/1996	9:37:00	-0.542544
h-17	9/4/1996	12:31:00	-0.682752
h-17	10/16/1996	9:16:00	-0.841248
h-17	11/12/1996	11:17:00	-0.908304
h-17	12/10/1996	11:11:00	-1.030224
h-4b	2/7/1996	10:26:00	0
h-4b	3/14/1996	7:08:00	0.143256
h-4b	4/17/1996	12:22:00	0.316992
h-4b	5/15/1996	11:53:00	0.237744
h-4b	6/12/1996	13:40:00	0.131064
h-4b	7/17/1996	12:24:00	0.048768
h-4b	8/13/1996	7:27:00	-0.082296
h-4b	9/5/1996	10:49:00	-0.13716
h-4b	10/16/1996	10:04:00	-0.185928
h-4b	11/13/1996	9:51:00	-0.13716
h-4b	12/11/1996	9:30:00	-0.231648
h-12	2/6/1996	11:51:00	0.108962647
h-12	3/11/1996	11:32:00	0.099056952
h-12	4/16/1996	12:40:00	0.208019599

h-12	5/14/1996	10:35:00	0.204717701
h-12	6/11/1996	12:00:00	0.095755054
h-12	7/16/1996	10:20:00	0.135377834
h-12	8/14/1996	9:45:00	0.085849358
h-12	9/4/1996	11:26:00	0.033018984
h-12	10/15/1996	9:45:00	0
h-12	11/12/1996	10:26:00	-0.01981139
h-12	12/10/1996	10:16:00	-0.049528476
p-17	2/7/1996	11:28:00	0.504212966
p-17	2/8/1996	8:18:00	0.613332966
p-17	2/21/1996	8:15:00	0.766100966
p-17	3/1/1996	13:38:00	0.864308966
p-17	3/7/1996	8:36:00	1.082548966
p-17	3/12/1996	12:29:00	1.021075123
p-17	3/14/1996	8:31:00	1.137108966
p-17	3/21/1996	9:10:00	1.300788966
p-17	3/28/1996	12:25:00	1.420820966
p-17	4/4/1996	13:45:00	1.628148966
p-17	4/16/1996	11:48:00	1.606447181
p-17	5/14/1996	11:53:00	1.440148301
p-17	6/11/1996	13:37:00	1.174070093
p-17	7/16/1996	11:31:00	0.937925683
p-17	8/13/1996	9:50:00	0.698455296
p-17	9/4/1996	12:53:00	0.56874217
p-17	10/16/1996	9:33:00	0.432377088
p-17	11/12/1996	11:30:00	0.435703066
p-17	12/10/1996	11:22:00	0.302663962

#### H.4.5 MEASURED.P14

d-268	2/14/1989	10:00:03	0
d-268	2/14/1989	10:59:57	0
d-268	2/14/1989	12:00:00	-0.004220308
d-268	2/14/1989	13:59:57	-0.008440615
d-268	2/14/1989	15:09:56	-0.008440615
d-268	2/14/1989	16:59:57	-0.009144
d-268	2/14/1989	18:00:00	-0.018288
d-268	2/14/1989	19:09:59	-0.031159938
d-268	2/14/1989	21:40:02	-0.036083631
d-268	2/14/1989	23:25:01	-0.036083631
d-268	2/15/1989	6:00:00	-0.0192024
d-268	2/15/1989	10:47:00	-0.032777723
d-268	2/15/1989	19:09:59	-0.055567385
d-268	2/16/1989	7:32:01	-0.095378954
d-268	2/16/1989	19:04:57	-0.134346462
d-268	2/17/1989	10:32:01	-0.187311323
d-268	2/17/1989	12:09:56	-0.191531631
d-268	2/17/1989	12:14:59	-0.191531631
d-268	2/17/1989	12:29:57	-0.195751938
d-268	2/17/1989	12:44:56	-0.195751938
d-268	2/17/1989	13:00:03	-0.177463938
d-268	2/17/1989	15:44:56	-0.195048554
d-268	2/17/1989	16:00:03	-0.195048554
d-268	2/17/1989	18:00:00	-0.204895938
d-268	2/17/1989	19:00:03	-0.217064492
d-268	2/18/1989	1:30:00	-0.287191938



d-268	2/18/1989	4:04:57	-0.279173354
d-268	2/18/1989	8:30:03	-0.300556246
d-268	2/18/1989	12:44:56	-0.321657785
d-268	2/18/1989	16:30:00	-0.312232431
d-268	2/20/1989	9:00:00	-0.418935877
d-268	2/20/1989	13:00:03	-0.4315968
d-268	2/20/1989	16:35:02	-0.406063938
d-268	2/22/1989	8:39:59	-0.410987631
d-268	2/22/1989	14:34:57	-0.419428246
d-268	2/28/1989	8:15:04	-0.2660904
d-268	2/28/1989	14:30:03	-0.261870092
d-268	3/7/1989	8:30:03	-0.167827569
h-18	2/14/1989	14:34:57	0
h-18	2/14/1989	22:50:01	-0.01
H-18	2/16/1989	9:15:59	-0.015
h-18	2/16/1989	19:50:01	-0.018
h-18	2/17/1989	9:22:02	-0.01
H-18	2/17/1989	14:45:01	-0.004
h-18	2/17/1989	20:19:58	0
h-18	2/18/1989	0:26:56	-0.018
h-18	2/18/1989	3:22:02	-0.018
h-18	2/18/1989	9:00:00	-0.004
h-18	2/18/1989	13:35:02	-0.02
H-18	2/18/1989	16:59:57	-0.019
h-18	2/20/1989	10:09:59	-0.003
h-18	2/20/1989	13:39:56	-0.011
h-18	2/20/1989	16:15:01	-0.007
h-18	2/22/1989	9:40:02	-0.027
h-18	2/22/1989	15:12:58	-0.054
h-18	2/28/1989	9:35:00	-0.04
H-18	2/28/1989	15:25:03	-0.062
h-18	2/28/1989	15:25:03	-0.062
h-18	3/10/1989	13:20:04	-0.113
h-6b	2/14/1989	14:25:01	0
h-6b	2/14/1989	22:39:56	-0.071041846
h-6b	2/15/1989	9:33:59	-0.078568062
h-6b	2/15/1989	21:20:01	-0.180277477
h-6b	2/16/1989	9:08:04	-0.255469292
h-6b	2/16/1989	19:39:56	-0.350707569
h-6b	2/17/1989	9:12:58	-0.459732185
h-6b	2/17/1989	14:50:04	-0.504115754
h-6b	2/17/1989	17:19:58	-0.526342708
h-6b	2/17/1989	20:30:03	-0.595204062
h-6b	2/18/1989	0:15:59	-0.636492738
h-6b	2/18/1989	3:11:57	-0.636492738
h-6b	2/18/1989	9:09:56	-0.672435692
h-6b	2/18/1989	13:44:59	-0.685096615
h-6b	2/18/1989	17:10:02	-0.687136431
h-6b	2/20/1989	10:20:04	-0.700711754
h-6b	2/20/1989	13:50:01	-0.686925415
h-6b	2/22/1989	9:35:00	-0.578252492
h-6b	2/28/1989	9:09:56	-0.273124246
h-6b	2/28/1989	15:14:59	-0.282619938
h-6b	3/10/1989	13:39:56	-0.134487138
wipp-25	2/14/1989	15:29:57	0
wipp-25	2/14/1989	21:00:00	-0.015052431
wipp-25	2/15/1989	10:30:00	-0.047900492

wipp-25	2/15/1989	19:39:56	-0.109939015
wipp-25	2/16/1989	7:49:01	-0.168882646
wipp-25	2/16/1989	18:20:01	-0.230780492
wipp-25	2/17/1989	10:15:01	-0.3273552
wipp-25	2/17/1989	13:20:04	-0.340016123
wipp-25	2/17/1989	16:20:04	-0.349230462
wipp-25	2/17/1989	19:20:04	-0.3758184
wipp-25	2/18/1989	1:47:00	-0.415840985
wipp-25	2/18/1989	4:22:57	-0.398537723
wipp-25	2/18/1989	7:59:57	-0.406626646
wipp-25	2/18/1989	12:14:59	-0.431948492
wipp-25	2/18/1989	16:00:03	-0.413027446
wipp-25	2/20/1989	8:39:59	-0.366252369
wipp-25	2/20/1989	12:14:59	-0.374692985
wipp-25	2/20/1989	16:09:59	-0.343955077
wipp-25	2/22/1989	9:20:01	-0.248435446
wipp-25	2/22/1989	14:48:03	-0.247661723
wipp-25	2/28/1989	8:45:01	-0.115425415
wipp-25	2/28/1989	15:00:00	-0.106140738
wipp-26	2/14/1989	16:00:03	0
wipp-26	2/14/1989	22:04:57	-0.013856677
wipp-26	2/15/1989	12:29:57	-0.007737231
wipp-26	2/15/1989	18:49:58	-0.021664246
wipp-26	2/16/1989	10:25:58	-0.02286
wipp-26	2/16/1989	18:44:56	-0.030526892
wipp-26	2/17/1989	9:21:01	-0.013223631
wipp-26	2/17/1989	19:39:56	-0.021664246
wipp-26	2/18/1989	1:11:00	-0.038967508
wipp-26	2/18/1989	4:47:00	-0.025884554
wipp-26	2/18/1989	8:15:04	-0.012379569
wipp-26	2/18/1989	12:29:57	-0.0027432
wipp-26	2/18/1989	16:15:01	-0.009636369
wipp-26	2/20/1989	9:25:03	-0.073714708
wipp-26	2/20/1989	12:35:00	-0.086375631
wipp-26	2/20/1989	16:50:01	-0.091369662
wipp-26	2/22/1989	9:00:00	-0.128156677
wipp-26	2/22/1989	14:16:57	-0.136597292
wipp-26	2/28/1989	8:30:03	-0.136808308
wipp-26	2/28/1989	14:45:01	-0.136808308
wipp-26	3/7/1989	8:50:04	-0.059647015

#### H.4.6 MEASURED.W13

doe-2	1/12/1987	9:00:00	0
doe-2	1/12/1987	9:30:00	0
doe-2	1/12/1987	10:00:00	-0.01267968
doe-2	1/12/1987	10:30:00	-0.02218944
doe-2	1/12/1987	11:00:00	-0.04437888
doe-2	1/12/1987	11:30:00	-0.0633984
doe-2	1/12/1987	12:00:00	-0.0950976
doe-2	1/12/1987	12:30:00	-0.1267968
doe-2	1/12/1987	13:00:00	-0.158496
doe-2	1/12/1987	13:30:00	-0.18702528
doe-2	1/12/1987	14:00:00	-0.23140416
doe-2	1/12/1987	15:00:00	-0.30431232
doe-2	1/12/1987	16:00:00	-0.37722048

doe-2	1/12/1987	17:00:00-0.46914816
doe-2	1/12/1987	18:00:00-0.53254656
doe-2	1/12/1987	19:00:00-0.63715392
doe-2	1/12/1987	20:00:00-0.71957184
doe-2	1/12/1987	21:00:00-0.80198976
doe-2	1/12/1987	22:00:00-0.88440768
doe-2	1/12/1987	23:00:00-0.95731584
doe-2	1/13/1987	0:00:00 -1.02071424
doe-2	1/13/1987	1:00:00 -1.08411264
doe-2	1/13/1987	2:00:00 -1.13483136
doe-2	1/13/1987	3:00:00 -1.18555008
doe-2	1/13/1987	4:00:00 -1.23943872
doe-2	1/13/1987	5:00:00 -1.30283712
doe-2	1/13/1987	6:00:00 -1.3630656
doe-2	1/13/1987	7:44:00 -1.46767296
doe-2	1/13/1987	10:07:00-1.61348928
doe-2	1/13/1987	12:00:00-1.6959072
doe-2	1/13/1987	14:00:00-1.77832512
doe-2	1/13/1987	16:00:00-1.87342272
doe-2	1/13/1987	18:00:00-1.97803008
doe-2	1/13/1987	20:00:00-2.0921472
doe-2	1/13/1987	22:11:00-2.22845376
doe-2	1/14/1987	0:00:00 -2.31087168
doe-2	1/14/1987	1:50:00 -2.38377984
doe-2	1/14/1987	4:55:00 -2.4883872
doe-2	1/14/1987	7:00:00 -2.57080512
doe-2	1/14/1987	10:00:00-2.71662144
doe-2	1/14/1987	12:00:00-2.7895296
doe-2	1/14/1987	16:00:00-2.95436544
doe-2	1/14/1987	19:50:00-3.1223712
doe-2	1/14/1987	23:41:00-3.19527936
doe-2	1/16/1987	11:55:00-4.50445632
doe-2	1/21/1987	11:50:00-7.06258176
doe-2	1/21/1987	23:50:00-7.3225152
doe-2	1/30/1987	11:45:00-9.69361536
doe-2	1/30/1987	23:50:00-9.76652352
doe-2	2/17/1987	7:29:00 -12.10592448
doe-2	2/17/1987	9:00:00 -12.12811392
doe-2	2/17/1987	9:30:00 -12.13762368
doe-2	2/17/1987	10:00:00-12.13762368
doe-2	2/17/1987	10:30:00-12.12811392
doe-2	2/17/1987	11:00:00-12.10592448
doe-2	2/17/1987	11:30:00-12.07422528
doe-2	2/17/1987	12:00:00-12.045696
doe-2	2/17/1987	12:30:00-12.0139968
doe-2	2/17/1987	13:00:00-11.9822976
doe-2	2/17/1987	13:30:00-11.94108864
doe-2	2/17/1987	14:00:00-11.89987968
doe-2	2/17/1987	14:30:00-11.86818048
doe-2	2/17/1987	15:00:00-11.82697152
doe-2	2/17/1987	15:30:00-11.78576256
doe-2	2/17/1987	16:00:00-11.73187392
doe-2	2/17/1987	16:30:00-11.69066496
doe-2	2/17/1987	17:00:00-11.649456
doe-2	2/17/1987	17:30:00-11.60824704
doe-2	2/17/1987	18:00:00-11.56703808

doe-2	2/17/1987	18:30:00-11.52582912
doe-2	2/17/1987	19:00:00-11.49412992
doe-2	2/17/1987	19:30:00-11.44024128
doe-2	2/17/1987	20:00:00-11.39903232
doe-2	2/17/1987	21:00:00-11.33880384
doe-2	2/17/1987	22:00:00-11.26589568
doe-2	2/17/1987	23:00:00-11.19298752
doe-2	2/18/1987	0:00:00 -11.12958912
doe-2	2/18/1987	1:00:00 -11.0788704
doe-2	2/18/1987	2:00:00 -11.02498176
doe-2	2/18/1987	3:00:00 -10.9520736
doe-2	2/18/1987	4:00:00 -10.8886752
doe-2	2/18/1987	5:05:00 -10.81576704
doe-2	2/18/1987	6:00:00 -10.7460288
doe-2	2/18/1987	7:00:00 -10.6826304
doe-2	2/18/1987	8:00:00 -10.62874176
doe-2	2/18/1987	9:00:00 -10.5875328
doe-2	2/18/1987	11:00:00-10.47341568
doe-2	2/18/1987	13:00:00-10.36880832
doe-2	2/18/1987	15:00:00-10.26737088
doe-2	2/18/1987	17:00:00-10.16276352
doe-2	2/18/1987	19:00:00-10.0486464
doe-2	2/18/1987	21:00:00-9.94403904
doe-2	2/18/1987	23:05:00-9.86162112
doe-2	2/20/1987	0:00:00 -8.91381504
doe-2	2/20/1987	8:00:00 -8.67607104
doe-2	2/20/1987	12:00:00-8.56195392
doe-2	2/20/1987	16:00:00-8.44466688
doe-2	2/22/1987	0:00:00 -7.5919584
doe-2	2/22/1987	10:10:00-7.3542144
doe-2	2/22/1987	14:00:00-7.24009728
doe-2	2/28/1987	8:20:00 -5.03383296
doe-2	2/28/1987	20:00:00-4.88801664
doe-2	3/11/1987	8:39:00 -3.04946304
doe-2	5/15/1987	14:35:00-0.50084736
h-2b2	1/12/1987	16:47:000
h-2b2	1/13/1987	0:48:00 -0.014067692
h-2b2	1/13/1987	12:07:00-0.007033846
h-2b2	1/14/1987	0:46:00 -0.014067692
h-2b2	1/30/1987	22:25:00-0.021101538
h-2b2	2/17/1987	7:13:00 -0.253218462
h-2b2	2/17/1987	10:46:00-0.260252308
h-2b2	2/17/1987	14:10:00-0.27432
h-2b2	2/17/1987	20:55:00-0.27432
h-2b2	2/18/1987	2:07:00 -0.288387692
h-2b2	2/18/1987	8:26:00 -0.295421538
h-2b2	2/18/1987	14:06:00-0.316523077
h-2b2	2/18/1987	20:44:00-0.309489231
h-2b2	2/20/1987	7:35:00 -0.316523077
h-2b2	2/20/1987	15:14:00-0.344658462
h-2b2	2/20/1987	23:05:00-0.358726154
h-2b2	2/22/1987	9:40:00 -0.379827692
h-2b2	2/22/1987	15:20:00-0.407963077
h-2b2	2/22/1987	23:00:00-0.429064615
h-2b2	2/28/1987	9:58:00 -0.527538462
h-2b2	2/28/1987	21:25:00-0.534572308

h-2b2	3/11/1987	9:05:00	-0.780756923
h-2b2	5/15/1987	15:25:00	-0.745587692
h-6b	1/12/1987	9:13:00	0
h-6b	1/12/1987	10:00:00	-0.009528048
h-6b	1/12/1987	11:05:00	-0.009528048
h-6b	1/12/1987	12:00:00	
h-6b	1/12/1987	18:11:00	
h-6b	1/12/1987	18:55:00	-0.022232112
h-6b	1/12/1987	20:36:00	-0.041288208
h-6b	1/12/1987	21:37:00	-0.06352032
h-6b	1/12/1987	22:09:00	-0.073048368
h-6b	1/12/1987	23:05:00	-0.09528048
h-6b	1/13/1987	0:21:00	-0.104808528
h-6b	1/13/1987	1:53:00	-0.104808528
h-6b	1/13/1987	3:05:00	-0.114336576
h-6b	1/13/1987	4:09:00	-0.114336576
h-6b	1/13/1987	4:55:00	-0.12704064
h-6b	1/13/1987	6:11:00	-0.146096736
h-6b	1/13/1987	6:55:00	-0.155624784
h-6b	1/13/1987	8:28:00	-0.200089008
h-6b	1/13/1987	9:32:00	-0.219145104
h-6b	1/13/1987	10:29:00	-0.228673152
h-6b	1/13/1987	11:27:00	-0.241377216
h-6b	1/13/1987	12:37:00	-0.241377216
h-6b	1/13/1987	13:25:00	-0.241377216
h-6b	1/13/1987	14:35:00	-0.260433312
h-6b	1/13/1987	15:36:00	-0.26996136
h-6b	1/13/1987	16:35:00	-0.292193472
h-6b	1/13/1987	17:35:00	-0.314425584
h-6b	1/13/1987	18:34:00	-0.33348168
h-6b	1/13/1987	19:35:00	-0.36524184
h-6b	1/13/1987	20:30:00	-0.397002
h-6b	1/13/1987	21:37:00	-0.438290208
h-6b	1/13/1987	23:40:00	-0.479578416
h-6b	1/14/1987	1:35:00	-0.501810528
h-6b	1/14/1987	4:45:00	-0.530394672
h-6b	1/14/1987	7:10:00	-0.562154832
h-6b	1/14/1987	9:46:00	-0.625675152
h-6b	1/14/1987	11:04:00	-0.657435312
h-6b	1/14/1987	13:20:00	-0.689195472
h-6b	1/14/1987	15:04:00	-0.708251568
h-6b	1/14/1987	17:30:00	-0.76224384
h-6b	1/14/1987	19:30:00	-0.822588144
h-6b	1/14/1987	21:30:00	-0.863876352
h-6b	1/14/1987	23:28:00	-0.886108464
h-6b	1/16/1987	7:30:00	-1.448263296
h-6b	1/16/1987	19:35:00	-1.626120192
h-6b	1/16/1987	23:40:00	-1.73092872
h-6b	½1/19877:30:00		-2.855238384
h-6b	½1/198719:30:00		-3.00133512
h-6b	1/30/1987	11:00:00	-4.27174152
h-6b	1/30/1987	20:30:00	-4.27174152
h-6b	2/17/1987	9:05:00	-5.500859712
h-6b	2/17/1987	9:55:00	-5.513563776
h-6b	2/17/1987	11:00:00	-5.523091824
h-6b	2/17/1987	12:00:00	-5.532619872

h-6b	2/17/1987	12:57:00-5.545323936
h-6b	2/17/1987	13:58:00-5.545323936
h-6b	2/17/1987	15:08:00-5.532619872
h-6b	2/17/1987	16:04:00-5.523091824
h-6b	2/17/1987	17:00:00-5.513563776
h-6b	2/17/1987	18:00:00-5.500859712
h-6b	2/17/1987	18:55:00-5.491331664
h-6b	2/17/1987	19:58:00-5.481803616
h-6b	2/17/1987	21:15:00-5.481803616
h-6b	2/17/1987	21:55:00-5.472275568
h-6b	2/17/1987	23:00:00-5.472275568
h-6b	2/17/1987	23:55:00-5.459571504
h-6b	2/18/1987	1:00:00 -5.450043456
h-6b	2/18/1987	1:55:00 -5.440515408
h-6b	2/18/1987	3:00:00 -5.427811344
h-6b	2/18/1987	3:55:00 -5.418283296
h-6b	2/18/1987	5:00:00 -5.386523136
h-6b	2/18/1987	5:55:00 -5.376995088
h-6b	2/18/1987	7:00:00 -5.357938992
h-6b	2/18/1987	8:00:00 -5.326178832
h-6b	2/18/1987	9:06:00 -5.313474768
h-6b	2/18/1987	11:25:00-5.284890624
h-6b	2/18/1987	13:05:00-5.262658512
h-6b	2/18/1987	14:55:00-5.221370304
h-6b	2/18/1987	17:05:00-5.180082096
h-6b	2/18/1987	19:00:00-5.126089824
h-6b	2/18/1987	21:00:00-5.084801616
h-6b	2/18/1987	22:55:00-5.06574552
h-6b	2/20/1987	8:15:00 -4.554406944
h-6b	2/20/1987	12:18:00-4.500414672
h-6b	2/20/1987	15:34:00-4.471830528
h-6b	2/20/1987	23:30:00-4.325733792
h-6b	2/22/1987	8:40:00 -3.887443584
h-6b	2/22/1987	14:15:00-3.792163104
h-6b	2/22/1987	23:17:00-3.719114736
h-6b	2/28/1987	8:50:00 -2.63609328
h-6b	2/28/1987	20:15:00-2.585277024
h-6b	3/11/1987	9:25:00 -1.657880352
h-6b	5/15/1987	15:00:00-0.33348168
p-14	1/12/1987	12:25:000
p-14	1/12/1987	17:55:000
p-14	1/13/1987	0:34:00 -0.014067692
p-14	1/13/1987	9:47:00 0
p-14	1/13/1987	13:40:000
p-14	1/13/1987	21:42:00-0.021101538
p-14	1/14/1987	1:22:00 -0.028135385
p-14	1/14/1987	11:35:00-0.007033846
p-14	1/14/1987	19:20:000
p-14	1/16/1987	8:30:00 -0.014067692
p-14	1/16/1987	12:30:00-0.035169231
p-14	1/16/1987	16:30:00-0.028135385
p-14	1/16/1987	20:30:00-0.035169231
p-14	½1/19878:30:00	-0.119575385
p-14	½1/198712:30:00	-0.126609231
p-14	½1/198716:30:00	-0.147710769
p-14	½1/198720:30:00	-0.133643077

p-14	1/30/1987	11:11:00-0.302455385
p-14	1/30/1987	20:45:00-0.309489231
p-14	2/17/1987	8:00:00 -0.527538462
p-14	2/17/1987	9:30:00 -0.534572308
p-14	2/17/1987	13:12:00-0.562707692
p-14	2/17/1987	16:14:00-0.555673846
p-14	2/17/1987	21:25:00-0.541606154
p-14	2/18/1987	3:10:00 -0.555673846
p-14	2/18/1987	9:16:00 -0.534572308
p-14	2/18/1987	14:35:00-0.569741538
p-14	2/18/1987	21:13:00-0.541606154
p-14	2/20/1987	8:25:00 -0.541606154
p-14	2/20/1987	15:43:00-0.569741538
p-14	2/20/1987	22:00:00-0.562707692
p-14	2/22/1987	8:49:00 -0.541606154
p-14	2/22/1987	14:25:00-0.54864
p-14	2/28/1987	9:00:00 -0.471267692
p-14	2/28/1987	14:30:00-0.492369231
p-14	2/28/1987	22:15:00-0.492369231
p-14	3/11/1987	9:33:00 -0.337624615
p-14	5/15/1987	15:15:00-0.084406154
wipp-12	1/12/1987	16:20:000
wipp-12	1/13/1987	1:07:00 -0.000309767
wipp-12	1/13/1987	12:23:00-0.000707115
wipp-12	1/16/1987	10:42:00-0.004902731
wipp-12	1/16/1987	23:14:00-0.011063815
wipp-12	½1/1987	11:12:00-0.127537097
wipp-12	½1/1987	22:40:00-0.14681441
wipp-12	1/30/1987	10:16:00-0.570342744
wipp-12	1/30/1987	22:40:00-0.599375382
wipp-12	2/17/1987	6:50:00 -1.384982393
wipp-12	2/17/1987	10:35:00-1.392549429
wipp-12	2/17/1987	14:28:00-1.398405449
wipp-12	2/17/1987	20:25:00-1.407765793
wipp-12	2/18/1987	2:30:00 -1.415415121
wipp-12	2/18/1987	8:44:00 -1.425357364
wipp-12	2/18/1987	14:23:00-1.432991409
wipp-12	2/18/1987	20:12:00-1.442347051
wipp-12	2/20/1987	7:10:00 -1.509349476
wipp-12	2/20/1987	14:34:00-1.500459954
wipp-12	2/20/1987	22:15:00-1.509881429
wipp-12	2/22/1987	9:00:00 -1.543133735
wipp-12	2/22/1987	14:35:00-1.54733399
wipp-12	2/22/1987	22:15:00-1.552751532
wipp-12	2/28/1987	9:10:00 -1.527629511
wipp-12	2/28/1987	20:35:00-1.520597366
wipp-12	3/11/1987	10:13:00-1.212134343
wipp-12	5/15/1987	13:35:00-0.312186785
wipp-18	1/12/1987	16:17:000
wipp-18	1/13/1987	1:04:00 -0.001467315
wipp-18	1/16/1987	10:46:00-0.116192223
wipp-18	1/16/1987	23:18:00-0.192408672
wipp-18	½1/1987	11:09:00-1.116743857
wipp-18	½1/1987	22:44:00-1.243339786
wipp-18	1/30/1987	10:20:00-3.076511918
wipp-18	1/30/1987	22:44:00-3.179659792

wipp-18 2/17/1987	6:55:00 -6.045632253
wipp-18 2/17/1987	10:33:00-6.079931349
wipp-18 2/17/1987	14:25:00-6.114269425
wipp-18 2/17/1987	20:30:00-6.145608598
wipp-18 2/18/1987	2:33:00 -6.180311415
wipp-18 2/18/1987	8:42:00 -6.215030937
wipp-18 2/18/1987	14:20:00-6.23955651
wipp-18 2/18/1987	20:10:00-6.260746281
wipp-18 2/20/1987	7:14:00 -6.421588172
wipp-18 2/20/1987	14:37:00-6.446406094
wipp-18 2/20/1987	22:20:00-6.481387338
wipp-18 2/22/1987	9:03:00 -6.45349487
wipp-18 2/22/1987	14:38:00-6.440950754
wipp-18 2/22/1987	22:20:00-6.432129454
wipp-18 2/28/1987	9:12:00 -5.857641039
wipp-18 2/28/1987	20:40:00-5.815756864
wipp-18 3/11/1987	10:16:00-4.729436339
wipp-18 5/15/1987	13:40:00-1.500108954
wipp-19 1/13/1987	13:30:000
wipp-19 1/16/1987	14:49:00-0.126425244
wipp-19 1/16/1987	13:25:00-0.579901753
wipp-19 1/30/1987	16:12:00-2.039742031
wipp-19 2/17/1987	12:00:00-4.527674376
wipp-19 2/17/1987	14:40:00-4.583887773
wipp-19 2/17/1987	20:37:00-4.630916775
wipp-19 2/18/1987	2:15:00 -4.632935271
wipp-19 2/18/1987	10:10:00-4.615050204
wipp-19 2/18/1987	15:43:00-4.672296736
wipp-19 2/18/1987	20:18:00-4.673939004
wipp-19 2/20/1987	10:32:00-4.822329621
wipp-19 2/20/1987	14:44:00-4.892906904
wipp-19 2/20/1987	22:30:00-4.930225986
wipp-19 2/22/1987	9:10:00 -4.98754454
wipp-19 2/22/1987	14:48:00-4.979202181
wipp-19 2/22/1987	22:30:00-5.047579941
wipp-19 2/28/1987	9:24:00 -4.914894942
wipp-19 2/28/1987	14:47:00-4.906463004
wipp-19 2/28/1987	20:50:00-4.929352508
wipp-19 3/11/1987	10:25:00-4.308769289
wipp-19 5/15/1987	13:50:00-1.560395186
wipp-25 1/12/1987	17:28:000
wipp-25 1/13/1987	9:25:00 -0.042203077
wipp-25 1/13/1987	21:30:00-0.049236923
wipp-25 1/14/1987	11:50:00-0.028135385
wipp-25 1/16/1987	13:00:00-0.084406154
wipp-25 1/16/1987	12:50:00-0.098473846
wipp-25 1/30/1987	12:50:00-0.133643077
wipp-25 2/18/1987	11:35:00-0.246184615
wipp-25 2/20/1987	11:24:00-0.225083077
wipp-25 3/11/1987	9:30:00 -0.18288
wipp-25 4/2/1987	10:05:00-0.189913846
wipp-30 1/12/1987	14:45:000
wipp-30 1/13/1987	1:25:00 -0.002527495
wipp-30 1/13/1987	10:40:00-0.274439172
wipp-30 1/13/1987	22:15:00-0.329178065
wipp-30 1/30/1987	11:32:00-1.251972836



wipp-30 1/30/1987	22:15:00-1.287008548
wipp-30 2/17/1987	7:40:00 -3.017234287
wipp-30 2/17/1987	13:33:00-3.051124728
wipp-30 2/17/1987	16:36:00-3.071345255
wipp-30 2/17/1987	21:20:00-3.072466831
wipp-30 2/18/1987	3:15:00 -3.096616259
wipp-30 2/18/1987	8:15:00 -3.107549934
wipp-30 2/18/1987	14:30:00-3.122029436
wipp-30 2/18/1987	21:12:00-3.123617019
wipp-30 2/20/1987	6:50:00 -3.258322368
wipp-30 2/20/1987	16:50:00-3.302937174
wipp-30 2/20/1987	23:45:00-3.327323556
wipp-30 2/22/1987	9:50:00 -3.377644973
wipp-30 2/22/1987	15:30:00-3.378987705
wipp-30 2/22/1987	23:40:00-3.39067173
wipp-30 2/28/1987	10:10:00-3.324104948
wipp-30 2/28/1987	21:45:00-3.307351829
wipp-30 3/11/1987	8:51:00 -2.736421087
wipp-30 5/15/1987	14:20:00-0.900863107

#### H.4.7 MEASURED.WQSP1

h-18	½5/199618:39:06-0.000751
h-18	½6/19960:39:06 -0.110137
h-18	½6/19966:39:06 -0.278495
h-18	½6/199612:39:06-0.462384
h-18	½6/199618:39:06-0.625312
h-18	½7/19960:39:06 -0.772723
h-18	½7/19966:39:06 -0.918207
h-18	½7/199612:39:06-1.055658
h-18	½7/199618:39:06-1.166718
h-18	½8/19960:39:06 -1.271195
h-18	½8/19966:39:06 -1.357088
h-18	½8/199612:39:06-1.430897
h-18	½8/199618:39:06-1.398073
h-18	½9/19960:39:06 -1.309302
h-18	½9/19966:39:06 -1.198866
h-18	½9/199612:39:06-1.115497
h-18	½9/199618:39:06-1.026768
h-18	1/30/1996 0:39:06 -0.960308
h-18	1/30/1996 6:39:06 -0.889332
h-18	1/30/1996 12:39:06-0.843652
h-18	1/30/1996 18:39:06-0.797501
h-18	2/2/19960:39:06 -0.537732
h-18	2/2/19966:39:06 -0.500547
h-18	2/2/199612:39:06-0.507875
h-18	2/2/199618:39:06-0.474981
h-18	2/7/19960:39:06 -0.315087
h-18	2/7/19966:39:06 -0.299173
h-18	2/7/199612:39:06-0.300097
h-18	2/7/199618:39:06-0.278429
h-18	2/8/19960:39:06 -0.286091
h-18	2/8/19966:39:06 -0.268123
h-18	2/8/199612:39:06-0.273
h-18	2/8/199618:39:06-0.261151
h-18	2/10/1996 0:39:06 -0.214257

h-18	2/10/1996	6:39:06	-0.21082
h-18	2/10/1996	12:39:06	-0.204542
h-18	2/10/1996	18:39:06	-0.205663
h-18	2/13/1996	0:39:06	-0.186423
h-18	2/13/1996	6:39:06	-0.175812
h-18	2/13/1996	12:39:06	-0.173585
h-18	2/13/1996	18:56:46	-0.173707
h-18	2/19/1996	0:56:46	-0.114212
h-18	2/19/1996	6:56:46	-0.090208
h-18	2/19/1996	12:56:46	-0.11644
h-18	2/19/1996	18:56:46	-0.086781
h-18	2/20/1996	0:56:46	-0.105079
h-18	2/20/1996	6:56:46	-0.089488
wipp-13	½5/1996	18:19:12	-0.25839
wipp-13	½6/1996	0:19:12	-0.474974
wipp-13	½6/1996	6:19:12	-0.628654
wipp-13	½6/1996	12:19:12	-0.746645
wipp-13	½6/1996	18:19:12	-0.855773
wipp-13	½7/1996	0:19:12	-0.931089
wipp-13	½7/1996	6:19:12	-1.013671
wipp-13	½7/1996	12:19:12	-1.066732
wipp-13	½7/1996	18:19:12	-1.149399
wipp-13	½8/1996	0:19:12	-1.196059
wipp-13	½8/1996	6:19:12	-1.260135
wipp-13	½8/1996	12:19:12	-1.07285
wipp-13	½8/1996	18:19:12	-0.910401
wipp-13	½9/1996	0:19:12	-0.796275
wipp-13	½9/1996	6:19:12	-0.714982
wipp-13	½9/1996	12:19:12	-0.641716
wipp-13	½9/1996	18:19:12	-0.62218
wipp-13	1/30/1996	0:19:12	-0.584125
wipp-13	1/30/1996	6:19:12	-0.545388
wipp-13	1/30/1996	12:19:12	-0.514647
wipp-13	1/30/1996	18:19:12	-0.513782
wipp-13	2/2/1996	0:19:12	-0.319765
wipp-13	2/2/1996	6:19:12	-0.270926
wipp-13	2/2/1996	12:19:12	-0.278642
wipp-13	2/2/1996	18:19:12	-0.260437
wipp-13	2/7/1996	0:19:12	-0.179524
wipp-13	2/7/1996	6:19:12	-0.141293
wipp-13	2/7/1996	12:19:12	-0.155738
wipp-13	2/7/1996	18:19:12	-0.131356
wipp-13	2/8/1996	0:19:12	-0.150901
wipp-13	2/8/1996	6:19:12	-0.128278
wipp-13	2/8/1996	12:19:12	-0.124295
wipp-13	2/8/1996	18:19:12	-0.122077
wipp-13	2/10/1996	0:19:12	-0.106254
wipp-13	2/10/1996	6:19:12	-0.101032
wipp-13	2/10/1996	12:19:12	-0.094257
wipp-13	2/10/1996	18:19:12	-0.103314
wipp-13	2/13/1996	0:19:12	-0.049809
wipp-13	2/13/1996	6:19:12	-0.055715
wipp-13	2/13/1996	12:19:12	-0.040949
wipp-13	2/13/1996	18:03:57	-0.071982
wipp-13	2/19/1996	0:03:57	-0.054526
wipp-13	2/19/1996	6:03:57	-0.003733

wipp-13	2/19/1996	12:03:57	-0.033174
wipp-13	2/19/1996	18:03:57	0.007062
wipp-13	2/20/1996	0:03:57	-0.037538
wipp-13	2/20/1996	6:03:57	0.006757
wqsp-3	1/5/1996	12:00:00	
wqsp-3	1/6/1996	00:00:00	0
wqsp-3	1/6/1996	12:00:00	
wqsp-3	1/7/1996	00:00:00	0
wqsp-3	1/7/1996	12:00:00	
wqsp-3	1/8/1996	00:00:00	0
wqsp-3	1/8/1996	12:00:00	
wqsp-3	1/9/1996	00:00:00	0
wqsp-3	1/9/1996	12:00:00	
wqsp-3	1/30/1996	0:00:00	0
wqsp-3	1/30/1996	12:00:00	
wqsp-3	2/2/1996	00:00:00	0
wqsp-3	2/2/1996	12:00:00	
wqsp-3	2/7/1996	00:00:00	0
wqsp-3	2/7/1996	12:00:00	
wqsp-3	2/8/1996	00:00:00	0
wqsp-3	2/8/1996	12:00:00	
wqsp-3	2/10/1996	0:00:00	0
wqsp-3	2/10/1996	12:00:00	
wqsp-3	2/13/1996	0:00:00	0
wqsp-3	2/13/1996	12:00:00	
wqsp-3	2/19/1996	0:00:00	0
wqsp-3	2/19/1996	12:00:00	
wqsp-3	2/20/1996	0:00:00	0
wqsp-3	2/20/1996	12:00:00	

#### H.4.8 MEASURED.WQSP2

doe-2	2/21/1996	0:21:34	-0.235
doe-2	2/22/1996	0:21:34	-0.642
doe-2	2/24/1996	0:21:34	-1.071
doe-2	2/25/1996	0:21:34	-0.991
doe-2	2/26/1996	0:21:34	-0.739
doe-2	2/28/1996	0:21:34	-0.533
doe-2	3/3/1996	0:21:34	-0.329
doe-2	3/11/1996	0:21:34	-0.133
doe-2	2/20/1996	12:21:34	-0.01
Doe-2	2/21/1996	12:21:34	-0.473
doe-2	2/22/1996	12:21:34	-0.779
doe-2	2/24/1996	12:21:34	-1.178
doe-2	2/25/1996	12:21:34	-0.824
doe-2	2/26/1996	12:21:34	-0.678
doe-2	2/28/1996	12:21:34	-0.496
doe-2	3/3/1996	12:21:34	-0.308
doe-2	3/11/1996	12:21:34	-0.126
doe-2	2/21/1996	6:21:34	-0.37
Doe-2	2/22/1996	6:21:34	-0.709
doe-2	2/24/1996	6:21:34	-1.124
doe-2	2/25/1996	6:21:34	-0.898
doe-2	2/26/1996	6:21:34	-0.701
doe-2	2/28/1996	6:21:34	-0.482
doe-2	3/3/1996	6:21:34	-0.298

doe-2	3/11/1996	6:21:34	-0.128
doe-2	2/20/1996	18:21:34	-0.102
doe-2	2/21/1996	18:21:34	-0.566
doe-2	2/22/1996	18:21:34	-0.831
doe-2	2/24/1996	18:21:34	-1.104
doe-2	2/25/1996	18:21:34	-0.789
doe-2	2/26/1996	18:21:34	-0.643
doe-2	2/28/1996	18:21:34	-0.475
doe-2	3/3/1996	18:21:34	-0.281
doe-2	3/11/1996	18:21:34	-0.135
h-18	2/21/1996	0:27:20	-0.027441355
h-18	2/22/1996	0:27:20	-0.113934065
h-18	2/24/1996	0:27:20	-0.365607122
h-18	2/25/1996	0:27:19	-0.491116575
h-18	2/26/1996	0:27:19	-0.521050128
h-18	2/28/1996	0:27:19	-0.472821086
h-18	3/3/1996	0:27:19	-0.357990597
h-18	3/11/1996	0:27:19	-0.193744388
h-18	2/20/1996	12:27:20	-0.031451895
h-18	2/21/1996	12:27:20	-0.065844906
h-18	2/22/1996	12:27:20	-0.175781426
h-18	2/24/1996	12:27:20	-0.445137572
h-18	2/25/1996	12:27:19	-0.515283622
h-18	2/26/1996	12:27:19	-0.520443969
h-18	2/28/1996	12:27:19	-0.462698134
h-18	3/3/1996	12:27:19	-0.343647337
h-18	3/11/1996	12:27:19	-0.184381091
h-18	2/21/1996	6:27:20	-0.034485127
h-18	2/22/1996	6:27:20	-0.138056016
h-18	2/24/1996	6:27:20	-0.404725233
h-18	2/25/1996	6:27:19	-0.505236397
h-18	2/26/1996	6:27:19	-0.514152817
h-18	2/28/1996	6:27:19	-0.446200871
h-18	3/3/1996	6:27:19	-0.333375029
h-18	3/11/1996	6:27:19	-0.188120204
h-18	2/20/1996	18:27:20	-0.012639249
h-18	2/21/1996	18:27:20	-0.081589547
h-18	2/22/1996	18:27:20	-0.199509482
h-18	2/24/1996	18:27:19	-0.474710752
h-18	2/25/1996	18:27:19	-0.52866489
h-18	2/26/1996	18:27:19	-0.503171736
h-18	2/28/1996	18:27:19	-0.455280319
h-18	3/3/1996	18:27:19	-0.317906353
h-18	3/11/1996	18:27:19	-0.184538729
wipp-13	2/21/1996	0:05:12	-0.254224818
wipp-13	2/22/1996	0:05:12	-0.572384963
wipp-13	2/24/1996	0:05:12	-0.969856939
wipp-13	2/25/1996	0:05:12	-0.874419897
wipp-13	2/26/1996	0:05:12	-0.656917488
wipp-13	2/28/1996	0:05:12	-0.431057052
wipp-13	3/3/1996	0:05:11	-0.115159747
wipp-13	3/11/1996	0:05:11	0.165287211
wipp-13	2/20/1996	12:05:12	-0.017223798
wipp-13	2/21/1996	12:05:12	-0.433998466
wipp-13	2/22/1996	12:05:12	-0.685097922
wipp-13	2/24/1996	12:05:12	-1.053273929

wipp-13	2/25/1996	12:05:12	-0.745815662
wipp-13	2/26/1996	12:05:12	-0.581341419
wipp-13	2/28/1996	12:05:12	-0.379086571
wipp-13	3/3/1996	12:05:11	-0.072438773
wipp-13	3/11/1996	12:05:11	0.174076911
wipp-13	2/21/1996	6:05:12	-0.327515282
wipp-13	2/22/1996	6:05:12	-0.621964332
wipp-13	2/24/1996	6:05:12	-1.009103588
wipp-13	2/25/1996	6:05:12	-0.808039278
wipp-13	2/26/1996	6:05:12	-0.622175109
wipp-13	2/28/1996	6:05:12	-0.406598156
wipp-13	3/3/1996	6:05:11	-0.072349546
wipp-13	3/11/1996	6:05:11	0.155209922
wipp-13	2/20/1996	18:05:12	-0.097920902
wipp-13	2/21/1996	18:05:12	-0.48433749
wipp-13	2/22/1996	18:05:12	-0.743518835
wipp-13	2/24/1996	18:05:12	-0.972023759
wipp-13	2/25/1996	18:05:12	-0.716292397
wipp-13	2/26/1996	18:05:12	-0.566096862
wipp-13	2/28/1996	18:05:12	-0.374413884
wipp-13	3/3/1996	18:05:11	-0.016207994
wipp-13	3/11/1996	18:05:11	0.160475665
wqsp-1	2/20/1996	12:15:15	-0.005627077
wqsp-1	2/20/1996	12:45:14	-0.025321846
wqsp-1	2/24/1996	12:00:14	-1.128228923
wqsp-1	2/24/1996	12:30:14	-1.131745846
wqsp-1	2/20/1996	18:43:14	-0.099177231
wqsp-1	2/24/1996	18:28:14	-1.094466462
wqsp-3	2/21/1996	0:00:00	0
wqsp-3	2/22/1996	0:00:00	0
wqsp-3	2/24/1996	0:00:00	0
wqsp-3	2/25/1996	0:00:00	0
wqsp-3	2/26/1996	0:00:00	0
wqsp-3	2/28/1996	0:00:00	0
wqsp-3	3/3/1996	0:00:00	0
wqsp-3	3/11/1996	0:00:00	0
wqsp-3	2/20/1996	12:00:00	0
wqsp-3	2/21/1996	12:00:00	0
wqsp-3	2/22/1996	12:00:00	0
wqsp-3	2/24/1996	12:00:00	0
wqsp-3	2/25/1996	12:00:00	0
wqsp-3	2/26/1996	12:00:00	0
wqsp-3	2/28/1996	12:00:00	0
wqsp-3	3/3/1996	12:00:00	0
wqsp-3	3/11/1996	12:00:00	0
wqsp-3	3/24/1996	12:00:00	0

## H.5 WELLS.CRD

File listing coordinates for all wells used in steady and transient analyses.

H-1	613423	3581684	1
H-3b1	613729	3580895	1
DOE-1	615203	3580333	1











```

892.250000 892.250000 892.250000 892.250000 892.250000 892.250000 892.250000
892.250000 892.250000 892.250000 892.250000 892.250000 892.250000 873.750000
873.130005 872.690002 872.109985 871.340027 870.349976 869.280029 868.190002
866.919983 865.609985 864.500000 863.539978 862.460022 861.109985 859.039978
857.150024 855.460022 854.289978 853.989990 853.669983 852.099976 848.979980
845.710022 843.080017 840.590027 837.570007 834.479980 832.059998 830.440002
829.039978 827.750000 826.570007 825.429993 824.229980 822.919983 821.690002
820.119995 818.489990 817.000000 815.619995 814.469971 813.570007 812.549988
809.309998 803.869995 797.760010 792.869995 790.969971 789.469971 788.400024
787.429993 785.989990 784.109985 782.219971 780.090027 777.440002 774.679993
772.260010 770.229980 768.020020 765.630005 763.299988 761.250000 759.140015
756.849976 754.549988 752.159973 749.440002 746.510010 743.640015 740.890015
738.260010 735.590027 732.809998 729.909973 726.770020 723.239990 719.289978
715.099976 710.690002 705.570007 699.710022 693.789978 688.159973 682.280029
676.599976 672.890015 670.900024 669.820007 669.159973 668.650024 668.270020
668.010010 667.789978 667.510010 667.109985 666.570007 665.869995 665.080017
664.219971 663.299988 662.479980 661.640015 660.590027 659.520020 658.440002
657.380005 656.359985 655.400024 654.479980 653.630005 652.859985 652.219971
651.739990 651.090027 650.349976 649.549988 648.650024 647.659973 646.640015
645.559998 644.419983 643.280029 642.229980 641.210022 639.830017 638.349976

```

## H.9 \*\*\*.WEL

MODFLOW well definition file, contains well grid coordinates and pumping rate information (documented in McKenna and Hart, 2003).

### H.9.1 H3.WEL

```

# Transient testing well package file    Contains data from 1981 to 1996
# h3 WIPP transient model
# Created 05/05/2003 - Thomas Lowry
1 15
1 0
1 163 121 -3.03E-04
0 0
0 0

```

### H.9.2 H19.WEL

```

3 15
1 0
1 165 129 -0.000226
0 0
1 0
1 165 129 -0.000236
0 0
1 0
1 181 137 -0.000244
0 0
1 0
1 165 129 -0.000271
1 0
1 165 129 -0.000252
2 0
1 138 110 -0.00043

```

```
1 165 129 -0.000252
1 0
1 165 129 -0.000252
2 0
1 165 129 -0.000252
1 181 137 -0.000223
2 0
1 165 129 -0.000155
1 181 137 -0.000223
3 0
1 132 122 -0.00045
1 165 129 -0.000155
1 181 137 -0.000223
2 0
1 165 129 -0.000155
1 181 137 -0.000223
2 0
1 165 129 -0.000155
1 181 137 -0.000376
1 0
1 165 129 -0.000155
0 0
```

### H.9.3 P14.WELL

```
# Transient testing well package file    Contains data from 1981 to 1996
# p14 WIPP transient model
# Created 05/05/2003 - Thomas Lowry
1 15
1 0
1 152 75 -3.92E-03
1 0
1 152 75 -3.64E-03
1 0
1 152 75 -3.37E-03
0 0
0 0
```

### H.9.4 W13.WELL

```
# Transient testing well package file    Contains data from 1981 to 1996
# w13 WIPP transient model
# Created 05/05/2003 - Thomas Lowry
1 15
1 0
1 130 110 -1.89E-03
0 0
0 0
```

### H.10 TUPDATE.MOD (partial listing only)

Final calibrated transmissivity field (an output file that is used as input to subsequent analyses) initial file for each realization is a seed file generated as documented in Holt and Yarbrough (2002; 2003) and McKenna and Hart (2003).

4.60469E-04 4.65479E-04 4.68490E-04 4.55617E-04 4.47920E-04  
4.30130E-04 3.51884E-04 3.30065E-04 3.53427E-04 4.54151E-04  
4.58987E-04 4.62488E-04 4.58564E-04 4.51232E-04 4.41266E-04  
4.08602E-04 3.62994E-04 3.91562E-04 9.28753E-07 8.72971E-07  
7.79651E-07 7.65597E-07 7.66479E-07 7.69662E-07 7.73036E-07  
7.78753E-07 7.82168E-07 7.87227E-07 7.86321E-07 7.84693E-07  
7.79651E-07 7.71259E-07 7.60677E-07 7.52662E-07 7.45418E-07  
7.37564E-07 7.29625E-07 7.20444E-07 7.14990E-07 7.03720E-07  
6.91831E-07 6.83754E-07 6.77174E-07 6.67882E-07 6.56448E-07  
5.46009E-05 5.31129E-05 5.11564E-05 4.90795E-05 4.85065E-05  
4.84507E-05 4.81948E-05 4.81948E-05 4.78300E-05 4.78851E-05  
4.82948E-05 4.98655E-05 5.22035E-05 5.21555E-05 5.02921E-05  
5.02921E-05 5.27716E-05 5.40256E-05 5.46009E-05 5.53605E-05  
5.57828E-05 5.61436E-05 5.66761E-05 5.68591E-05 5.68068E-05  
5.72269E-05 5.91562E-05 6.12068E-05 6.23304E-05 7.14990E-07  
7.08925E-07 7.12033E-07 7.12689E-07 7.11214E-07 7.12689E-04  
7.18125E-04 7.15814E-04 7.15814E-04 7.24269E-04 7.16638E-04  
7.13510E-04 7.17299E-04 7.05992E-04 6.92468E-04 6.75772E-04  
6.53732E-04 6.60693E-04 6.57204E-04 6.15744E-04 6.38557E-04  
6.37823E-04 6.25029E-04 6.11787E-04 5.98963E-04 1.06341E-06  
1.24277E-06 1.48114E-06 1.77656E-06 2.10730E-06 2.46204E-06  
2.75435E-06 2.98627E-06 3.10338E-06 3.07068E-06 2.84183E-06  
2.51629E-06 2.12271E-06 1.72531E-06 1.38827E-06 1.11940E-06  
8.71615E-07 6.51392E-07 4.69305E-07 3.28466E-07 2.11925E-07  
1.61769E-07 1.25358E-07 1.00436E-07 8.10484E-08 6.74023E-08  
5.71152E-08 5.05291E-08 4.63911E-08 4.55130E-08 4.65235E-08  
4.97061E-08 5.49010E-08 6.34312E-08 2.00309E-08 1.99251E-08  
1.99894E-08 1.99664E-08 1.97560E-08 1.94626E-08 1.97970E-08  
1.95659E-08 1.90722E-08 1.82936E-08 1.75307E-08 1.76604E-08  
1.76604E-08 1.76970E-08 1.76970E-08 1.74341E-08 1.71396E-08  
1.68345E-08 1.64589E-08 1.59074E-08 1.54703E-08 1.50314E-08  
1.46994E-08 1.42495E-08 1.39508E-08 1.35957E-08 1.32526E-08  
1.27409E-08 1.22462E-08 1.17085E-08 1.12928E-08 1.06586E-08  
1.04016E-08 9.81748E-09 9.31751E-09 8.88178E-09 8.41977E-09  
8.05008E-09 7.63133E-09 7.28954E-09 6.94704E-09 6.58567E-09  
6.26470E-09 5.93882E-09 5.57571E-09 5.22396E-09 4.88427E-09  
4.57720E-09 4.22474E-09 4.00959E-09 3.90391E-09 3.86189E-09  
3.83354E-09 3.80102E-09 3.77225E-09 3.76097E-09 3.74024E-09  
3.72821E-09 3.69318E-09 3.66944E-09 3.63078E-09 3.58426E-09  
3.52371E-09 3.44509E-09 3.36202E-09 3.30522E-09 3.22107E-09  
3.14992E-09 3.09030E-09 3.04719E-09 2.98951E-09 2.95121E-09  
2.91407E-09 2.87078E-09 2.84315E-09 2.80996E-09 2.77396E-09  
2.72396E-09 2.68102E-09 2.64667E-09 2.58523E-09 2.53338E-09  
2.49058E-09 2.43276E-09 2.38122E-09 2.33346E-09 2.27719E-09  
2.23152E-09 2.18877E-09 2.12667E-09 2.07730E-09

## H.11 Other MODFLOW/PEST/DTRKMF input files containing input parameters







8	913.30
9	630.50
10	208.90
11	769.30
12	130.20
13	351.90
14	46.87
15	194.60
16	806.90
17	264.40
18	931.50
19	897.90
20	32.56
21	394.10
22	998.20
23	790.00
24	384.10
25	258.50
26	432.50
27	10.02
28	514.10
29	282.90
30	927.30
31	691.30
32	738.40
33	450.20
34	609.60
35	557.70
36	538.60
37	713.60
38	849.30
39	569.70
40	419.50
41	160.00
42	971.90
43	118.80
44	741.30
45	729.70
46	483.00
47	580.60
48	228.50
49	474.10
50	887.20
51	66.07
52	375.70
53	521.10
54	181.60
55	298.50
56	705.30
57	84.20
58	627.30
59	403.20
60	464.20
61	821.40
62	307.60
63	236.50
64	249.90



65 543.50  
66 18.75  
67 215.40  
68 73.60  
69 317.40  
70 958.60  
71 686.00  
72 860.70  
73 363.80  
74 660.40  
75 940.20  
76 132.50  
77 983.00  
78 672.80  
79 643.20  
80 425.80  
81 961.10  
82 346.10  
83 838.60  
84 491.00  
85 755.40  
86 172.60  
87 591.50  
88 322.70  
89 855.70  
90 272.00  
91 652.50  
92 790.50  
93 163.20  
94 812.70  
95 144.70  
96 26.04  
97 870.30  
98 773.60  
99 53.04  
100 460.40

The table provided below lists the source data used to generate initial T-fields and heads as documented in Holt and Yarbrough (2002, 2003) and McKenna and Hart (2003).

#### Appendix H: Parameters Used in MODFLOW/PEST

Well	UTMX Coord	UTMY Coord	Eleva- tion m asml	Elev. to Culebra Middle m	Log T m/s	Salado Disso- lution m	Culebra Depth m	2000 Freshwat er Head, m asml	CCA Freshwate r Head, m asml
AEC-7	621126	3589381	1114.73	845.59	-6.8	0	269.14	933.19	932.00
CB-1	613191	3578049	1014.15	856.88	-6.5	0	157.27		911.10
D-268	608702	3578877	999.30	883.32	-5.7	0	115.98		915.20
DOE-1	615203	3580333	1056.16	802.72	-4.9	0	253.44	916.55	914.30
DOE-2	613683	3585294	1041.89	787.38	-4.0	0	254.51	940.03	934.70
Engel	614953	3567454	1042.00	837.78	-4.3	9	204.22		
ERDA-9	613696	3581958	1039.00	820.92	-6.3	0	218.08	921.59	NU

Well	UTMX Coord	UTMY Coord	Eleva- tion m asml	Elev. to Culebra Middle m	Log T m/s	Salado Disso- lution m	Culebra Depth m	2000 Freshwat er Head, m asml	CCA Freshwate r Head, m asml
H-1	613423	3581684	1035.68	826.13	-6.0	0	209.55	927.19	921.60
H2b2	612661	3581649		836.25				926.62	924.80
H-2c	612666	3581668	1029.52	836.58	-6.2	0	192.94		
H3b1	613729	3580895	1033.04	825.17	-4.7	0	207.87		914.80
H-3b2	613701	3580906		823.37				917.16	914.80
H-4b	612380	3578483		862.48				915.55	911.40
H-4c	612406	3578499	1016.04	862.73	-6.1	0	153.31		
H-5b	616872	3584801		791.53				936.26	934.20
H-5c	616903	3584802	1068.56	790.74	-6.7	0	277.82		
H-6b	610594	3585008		832.73				934.20	932.00
H-6c	610610	3584983	1020.45	832.84	-4.4	0	187.61		
H-7b1	608124	3574648		886.37				913.86	912.70
H-7c	608095	3574640	964.21	886.33	-2.8	30	77.88		
H-8b				863.16					NU
H-9b	613989	3568261		836.43				911.57	906.40
H-9c	613974	3568234	1038.31	836.53	-4.0	7	201.78		
H-10b	622975	3572473	1124.32	705.07	-7.4	0	419.25		921.30
H-11b2				812.67					912.40
H-11b4	615301	3579131	1039.37	815.44	-4.3	0	223.93	915.47	912.40
H-12	617023	3575452	1044.24	789.27	-6.7	0	254.97	914.66	913.50
H-14	612341	3580354	1019.70	849.47	-6.5	0	170.23	920.24	916.90
H-15	615315	3581859	1060.77	794.98	-6.8	0	265.79	919.87	916.10
H-16	613369	3582212	1039.52	321.79	-6.1	0	217.46		
H-17	615718	3577513	1031.45	812.42	-6.6	0	219.03	915.37	911.00
H-18	612264	3583166	1040.39	826.82	-5.7	0	213.57	937.22	932.40
H-19b0	614514	3580716	1041.50	812.30	-5.2	0	229.20	917.13	NU
P-14			1024.05	846.05	-3.5	14	178.00		926.90
P-15			1008.82	879.58	-7.0	0	129.24		917.80
P-17	613926	3577466	1016.74	842.85	-6.0	0	173.89	915.20	909.30
WIPP-12	613710	3583524	1058.05	807.35	-7.0	0	250.70	935.30	933.60
WIPP-13	612644	3584247	1037.96	820.79	-4.1	0	217.17	935.17	933.70
WIPP-18	613735	3583179	1053.51	810.43	-6.5	0	243.08	936.08	930.50
WIPP-19	613739	3582782	1046.40	812.47	-6.2	0	233.93	932.66	NU
WIPP-21	613743	3582319	1041.53	815.68	-6.6	0	225.85	927.00	NU
WIPP-22	613739	3582653	1044.18	814.67	-6.4	0	229.51	930.96	NU
WIPP-25	606385	3584028	979.16	839.10	-3.5	48	140.06	932.70	928.70
WIPP-26	604014	3581162	960.65	900.45	-2.9	52	60.20	921.06	918.50
WIPP-27			968.40	875.07	-3.3	70	92.97	941.04	938.10
WIPP-28			1020.05	888.14	-3.6	45	131.98		937.50

Well	UTMX Coord	UTMY Coord	Eleva- tion m asml	Elev. to Culebra Middle m	Log T m/s	Salado Disso- lution m	Culebra Depth m	2000 Freshwat er Head, m asml	CCA Freshwate r Head, m asml
WIPP-29			9070.37	899.14	-3.0	115	8.23	905.36	NU
WIPP-30	613721	3589701	1044.70	849.01	-6.7	0	195.69	936.88	934.10
WQSP-1	612561	3583427	1041.40	825.61	-4.5	0	215.79	935.64	NU
WQSP-2	613776	3583973	1055.00	805.28	-4.7	0	249.72	938.82	NU
WQSP-3	614686	3583518	1059.90	799.52	-6.8	0	260.38	935.89	NU
WQSP-4	614728	3580766	1045.60	809.18	-4.9	0	236.42	917.49	NU
WQSP-5	613668	3580353	1030.70	830.03	-5.9	0	200.67	917.22	NU
WQSP-6	612605	3580736	1024.70	844.39	-6.6	0	180.31	920.02	NU
USGS-1	606462	3569459	1044.10	881.66	-3.3	37	162.44		909.80

NA: Not Available

NU: Not Used

NE: Not equilibrated













0 0 0 2 999.999  
 'NaPu(CO3)2.6H2O(c)\_\_\_\_\_deactivated' 12 12 1 0 0 0 0 0 2 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0  
 0 0 0 2 999.999  
 'PuPO4(c)\_\_\_\_\_deactivated' 0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 1 0 0 0  
 0 0 0 2 999.999  
  
 'ThO2(am)\_\_\_\_\_Hydrous\_Thorium\_Oxide' 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0  
 0 0 0 0 2 -451.408 FRM91  
 'Th(SO4)2.9H2O(s)\_\_\_\_\_ ' 18 17 0 0 0 0 0 0 2 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0  
 0 0 0 0 2 -1775.90 FR92  
 'Th(SO4)2.8H2O(s)\_\_\_\_\_ ' 16 16 0 0 0 0 0 0 2 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0  
 0 0 0 0 2 -1680.00 FR92  
 'Th(SO4)2.Na2SO4.6H2O(16C,s)\_\_\_\_\_ ' 12 18 2 0 0 0 0 0 3 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0  
 0 0 0 0 2 -2011.29 FR92  
 'Th(SO4)2.K2SO4.4H2O(16C,s)\_\_\_\_\_ ' 8 16 0 2 0 0 0 0 3 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0  
 0 0 0 0 2 -1837.57 FR92  
 'Th(SO4)2.2K2SO4.2H2O(16C,s)\_\_\_\_\_ ' 4 18 0 4 0 0 0 0 4 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0  
 0 0 0 0 2 -2181.81 FR92  
 '2[Th(SO4)2.7/2K2SO4(16C,s)]\_\_\_\_\_ ' 0 44 0 14 0 0 0 0 11 0 0 0 0 0 0 0 0 0 0 2 0 0 0 0 0 0 0  
 0 0 0 0 2 -5581.66 =2[-2790.83] FR92  
  
 'UO2(am)\_\_\_\_\_Hydrous\_U(IV)\_Oxide' 0 2 0 1 0 0  
 0 0 0 2 -399.67 RFSMMN  
  
 'NpO2OH(aged)\_\_\_\_\_NpO2OH(aged) ' 1 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0  
 0 0 0 2 -454.369 FNK95/NFRK95  
 'NpO2OH(amor)\_\_\_\_\_NpO2OH(amor) ' 1 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0  
 0 0 0 2 -452.757 FNK95/NFRK95  
 '2[NaNpO2CO3.7/2H2O(s)]\_\_\_\_\_ ' 14 17 2 0 0 0 0 0 2 0 0 0 0 0 0 0 0 0 0 2 0 0 0 0 0 0  
 0 0 0 2 -2096.116 =2\*(-1048.058) FNK95/NFRK95  
 'Na3NpO2(CO3)2(s)\_\_\_\_\_Na3NpO2(CO3)2(s) ' 0 8 3 0 0 0 0 0 0 2 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0  
 0 0 0 2 -1144.597 FNK95/NFRK95  
 'KNpO2CO3(s)\_\_\_\_\_KNpO2CO3(s) ' 0 5 0 1 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0  
 0 0 0 2 -727.330 Novak et al. 1997  
 'K3NpO2(CO3)2(s)\_\_\_\_\_K3NpO2(CO3)2(s) ' 0 8 0 3 0 0 0 0 2 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0  
 0 0 0 2 -1173.546 Novak et al. 1997  
  
 'H2Ox.2H2O(s)\_\_\_\_\_H2C2O4.2H2O(s) ' 6 2 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  
 0 0 0 2 -191.346 ERG\_ox\_memo  
 'NaHOx.H2O(s)\_\_\_\_\_NaHC2O4.H2O(s) ' 3 1 1 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  
 0 0 0 2 -202.253 ERG\_ox\_memo  
 'Na2Ox(s)\_\_\_\_\_Na2C2O4(s) ' 0 0 2 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  
 0 0 0 2 -203.823 ERG\_ox\_memo  
 'CO2("solid",DISABLED)\_\_\_\_\_ ' 0 2 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  
 0 0 0 2 0.0  
  
 'CaSO4\_\_\_\_\_Anhydrite' 0 4 0 0 0 1 0 1 0  
 0 0 0 2 -533.73 HMW84  
 'NaK3(SO4)2\_\_\_\_\_Aphthitalite/Glaserite' 0 8 1 3 0 0 0 2 0  
 0 0 0 2 -1057.05 HMW84  
 'CaCl2.6H2O\_\_\_\_\_Antarcticite' 12 6 0 0 0 1 2 0  
 0 0 0 2 -893.65 HMW84  
 'CaCO3\_\_\_\_\_Aragonite' 0 3 0 0 0 1 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  
 0 0 0 2 -455.17 HMW84  
 'K2SO4\_\_\_\_\_Arcanite' 0 4 0 2 0 0 0 1 0  
 0 0 0 2 -532.39 HMW84  
 'MgCl2.6H2O\_\_\_\_\_Bischofite' 12 6 0 0 1 0 2 0  
 0 0 0 2 -853.1 HMW84  
 'Na2Mg(SO4)2.4H2O\_\_\_\_\_Bloedite' 8 12 2 0 1 0 0 2 0  
 0 0 0 2 -1383.6 HMW84  
 'Mg(OH)2\_\_\_\_\_Brucite' 2 2 0 0 1 0  
 0 0 0 2 -335.4 HMW84  
 'Na6CO3(SO4)2\_\_\_\_\_Burkeite' 0 11 6 0 0 0 0 2 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0





1	.125	4.73	.0	.0007	Na+ Am(CO3)3=-	FK98/Fanghanel et al. 1999
1	.0554	.2755	.0	-.00118	Na+ ClO4-	P91
1	.0	.0	.0	.0	Na+ NpO2(OH)2-	FNK95
1	.10	.34	.0	.0	Na+ NpO2CO3-	FNK95
1	.48	4.4	.0	.0	Na+ NpO2(CO3)2=-	FNK95
1	1.80	22.7	.0	.0	Na+ NpO2(CO3)3=-	FNK95
1	-.0533	.0396	.0	.00795	Na+ H2PO4-	P91
1	-.0583	1.466	.0	.0294	Na+ HPO4=	P91
1	.1781	3.851	.0	-.05154	Na+ PO4=-	P91
1	.12	.0	.0	.0	Na+ Th(SO4)3=	FR92
1	.0	.0	.0	.0	Na+ Th(OH)3(CO3)-	
1	1.31	30.	.0	.0	Na+ Th(CO3)5===	FRSMHC97
1	-0.2448	.29	.0	.068	Na+ HOx-	SAND99/Mizera
1	-0.2176	1.74	.0	.122	Na+ Ox=	SAND99/Mizera
1	0.1426	.22	.0	-.00629	Na+ Ac-	SAND99/NBC96
1	-0.0563	.29	.0	.047	Na+ Lac-	SAND99/Moore et al 99
1	-0.1296	.29	.0	.013	Na+ H2Cit-	SAND99/Mizera
1	-0.0989	1.74	.0	.027	Na+ HCit=	SAND99/Mizera
1	0.0887	5.22	.0	.047	Na+ Cit=-	SAND99/Mizera
1	-0.2345	.29	.0	.059	Na+ H3EDTA-	SAND99/Mizera
1	-0.1262	1.74	.0	.054	Na+ H2EDTA=	SAND99/Mizera
1	0.5458	5.22	.0	-0.048	Na+ HEDTA=-	SAND99/Mizera
1	1.016	11.6	.0	.001	Na+ EDTA==	SAND99/Mizera
1	-.2239	.29	.0	.002	Na+ AmEDTA-	SAND99
1	-.4226	1.75	.0	.142	Na+ NpO2Cit=	SAND99
1	.683	5.911	.0	.0	Na+ NpO2EDTA=-	SAND99/PBMC98
1	-.5418	.29	.0	.095	Na+ NpO2Ox-	SAND99/Borkowski et al 01
1	.41	17.25	.0	.0	Na+ U(OH)4(CO3)2==	Rai96
1	1.31	30.0	.0	.0	Na+ U(CO3)5===	Rai96
1	.0	.0	.0	.0	Na+ U(SO4)3=	
1	2.022	19.22	.0	-.305	Na+ Am(CO3)4=-	FK98/Fanghanel et al. 1999
1	-.354	0.40	.0	.051	Na+ Am(SO4)2-	FK98
1	-.8285	.2575	.0	.256	Na+ NpO2H2EDTA-	PBMC98
1	.1742	.29	.0	-.06923	Na+ CaCit-	analogy w/Mg (ERG_org_memo)
1	.2134	1.74	.0	.00869	Na+ CaEDTA=	analogy w/Mg (ERG_org_memo)
1	.0	.0	.0	.0	Na+ UnuAn#2-	
1	.0	.0	.0	.0	Na+ UnuAn#3-	
1	.0	.0	.0	.0	Na+ UnuAn#4-	
1	.0	.0	.0	.0	Na+ U(OH)2(CO3)2=	
1	.1742	.29	.0	-.06923	Na+ MgCit-	ERG_org_memo
1	.2134	1.74	.0	.00869	Na+ MgEDTA=	ERG_org_memo
1	.4733	-1.504	.0	.0	Na+ NpO2HEDTA=	PBMC98
1	.04835	.2122	.0	-.00084	K+ Cl-	HMW84
1	.04995	.7793	.0	.0	K+ SO4=	HMW84
1	-.0003	.1735	.0	.0	K+ HSO4-	HMW84
1	.1298	.320	.0	.0041	K+ OH-	HMW84
1	.0296	-.013	.0	-.008	K+ HCO3-	HMW84
1	.1488	1.43	.0	-.0015	K+ CO3=	HMW84
1	.035	.14	.0	.0	K+ B(OH)4-	FW86
1	-.13	.0	.0	.0	K+ B3O3(OH)4-	FW86
1	-.022	.0	.0	.0	K+ B4O5(OH)4=	FW86
1	.0	.0	.0	.0	K+ Br-	
1	-.240	.224	.0	.0284	K+ Am(CO3)2-	analogy w/ Na (FK98)
1	.125	4.73	.0	.0007	K+ Am(CO3)3=-	analogy w/ Na (FK98)
1	.0	.0	.0	.0	K+ ClO4-	
1	.0	.0	.0	.0	K+ NpO2(OH)2-	Novak et al. 1997 (made)
analogy w/Na+)						
1	.10	.34	.0	.0	K+ NpO2CO3-	Novak et al. 1997 (made)
analogy w/Na+)						
1	.48	4.4	.0	.0	K+ NpO2(CO3)2=-	Novak et al. 1997 (made)
analogy w/Na+)						
1	2.34	22.7	-96.	-.22	K+ NpO2(CO3)3=-	Novak et al. 1997 (calculated)

from K+ data)

1	-.0678	-.1042	.0	.0	K+ H2PO4-	P91
1	.0248	1.274	.0	.0164	K+ HPO4=	P91
1	.3729	3.972	.0	-.08680	K+ PO4=-	P91
1	.90	.0	.0	.0	K+ Th(SO4)3=	FR92
1	.0	.0	.0	.0	K+ Th(OH)3(CO3)-	
1	1.31	30.	.0	.0	K+ Th(CO3)5===	analogy w/ Na (FRSMHC97)
1	-0.2448	.29	.0	.068	K+ HOx-	analogy w/ Na (SAND99/Mizera)
1	-0.2176	1.74	.0	.122	K+ Ox=	analogy w/ Na (SAND99/Mizera)
1	.1587	.3251	.0	-.0066	K+ Ac-	P91
1	-0.0563	.29	.0	.047	K+ Lac-	analogy w/ Na (SAND99/Moore
et al 99)						
1	-0.1296	.29	.0	.013	K+ H2Cit-	analogy w/ Na (SAND99/Mizera)
1	-0.0989	1.74	.0	.027	K+ HCit=	analogy w/ Na (SAND99/Mizera)
1	0.0887	5.22	.0	.047	K+ Cit=-	analogy w/ Na (SAND99/Mizera)
1	-0.2345	.29	.0	.059	K+ H3EDTA-	analogy w/ Na (SAND99/Mizera)
1	-0.1262	1.74	.0	.054	K+ H2EDTA=	analogy w/ Na (SAND99/Mizera)
1	0.5458	5.22	.0	-0.048	K+ HEDTA=-	analogy w/ Na (SAND99/Mizera)
1	1.016	11.6	.0	.001	K+ EDTA==	analogy w/ Na (SAND99/Mizera)
1	-.2239	.29	.0	.002	K+ AmEDTA-	analogy w/ Na (SAND99)
1	-.4226	1.75	.0	.142	K+ NpO2Cit=	analogy w/ Na (SAND99)
1	.683	5.911	.0	.0	K+ NpO2EDTA=-	analogy w/ Na (SAND99/PBMC98)
1	-.5418	.29	.0	.095	K+ NpO2Ox-	analogy w/ Na
(SAND99/Borkowski et al 01)						
1	.41	17.25	.0	.0	K+ U(OH)4(CO3)2==	analogy w/ Na (Rai96)
1	1.31	30.0	.0	.0	K+ U(CO3)5===	analogy w/ Na, analogy w/Th
(FRSMHC97)						
1	.0	.0	.0	.0	K+ U(SO4)3=	
1	2.022	19.22	.0	-.305	K+ Am(CO3)4=-	analogy w/ Na (FK98)
1	-.354	0.40	.0	.051	K+ Am(SO4)2-	analogy w/ Na (FK98)
1	-.8285	.2575	.0	.256	K+ NpO2H2EDTA-	analogy w/ Na (PBMC98)
1	.1742	.29	.0	-.06923	K+ CaCit-	analogy w/ Na, analogy w/ Mg
(ERG_org_memo)						
1	.2134	1.74	.0	.00869	K+ CaEDTA=	analogy w/ Na, analogy w/ Mg
(ERG_org_memo)						
1	.0	.0	.0	.0	K+ UnuAn#2-	
1	.0	.0	.0	.0	K+ UnuAn#3-	
1	.0	.0	.0	.0	K+ UnuAn#4-	
1	.0	.0	.0	.0	K+ U(OH)2(CO3)2=	
1	.1742	.29	.0	-.06923	K+ MgCit-	analogy w/ Na (ERG_org_memo)
1	.2134	1.74	.0	.00869	K+ MgEDTA=	analogy w/ Na (ERG_org_memo)
1	.4733	-1.504	.0	.0	K+ NpO2HEDTA=	analogy w/ Na (PBMC98)
1	.3159	1.614	.0	-.00034	Ca++ Cl-	HMW84
2	.20	3.1973	-54.24	.0	Ca++ SO4=	HMW84
1	.2145	2.53	.0	.0	Ca++ HSO4-	HMW84
1	-.1747	-.2303	-5.72	.0	Ca++ OH-	HMW84
1	.4	2.977	.0	.0	Ca++ HCO3-	HMW84
2	.0	.0	.0	.0	Ca++ CO3=	HMW84
1	.0	.0	.0	.0	Ca++ B(OH)4-	FW86
1	.0	.0	.0	.0	Ca++ B3O3(OH)4-	FW86
2	.0	.0	.0	.0	Ca++ B4O5(OH)4=	FW86
1	.0	.0	.0	.0	Ca++ Br-	
1	.0	.0	.0	.0	Ca++ Am(CO3)2-	
3	.0	.0	.0	.0	Ca++ Am(CO3)3=-	
1	.4511	1.756	.0	-.00500	Ca++ ClO4-	P91
1	.0	.0	.0	.0	Ca++ NpO2(OH)2-	
1	.10	.34	.0	.0	Ca++ NpO2CO3-	by analogy w/ Mg++ (Al
Mahamid et al. 1998)						
3	.48	4.4	.0	.0	Ca++ NpO2(CO3)2=-	by analogy w/ Mg++ (Al
Mahamid et al. 1998)						
3	2.07	22.7	-48.	-.11	Ca++ NpO2(CO3)3=-	by analogy w/ Mg++ (Al
Mahamid et al. 1998)						

1	.0	.0	.0	.0	Ca++ H2PO4-	
2	.0	.0	.0	.0	Ca++ HPO4=	
3	.0	.0	.0	.0	Ca++ PO4=-	
2	.0	.0	.0	.0	Ca++ Th (SO4) 3=	
1	.0	.0	.0	.0	Ca++ Th (OH) 3 (CO3) -	
3	.0	.0	.0	.0	Ca++ Th (CO3) 5===	
1	.0	.0	.0	.0	Ca++ HOx-	
2	.0	.0	.0	.0	Ca++ Ox=	
1	.0	.0	.0	.0	Ca++ Ac-	
1	.0	.0	.0	.0	Ca++ Lac-	
1	.0	.0	.0	.0	Ca++ H2Cit-	
2	.0	.0	.0	.0	Ca++ HCit=	
3	.0	.0	.0	.0	Ca++ Cit=-	
3	.0	.0	.0	.0	Ca++ H3EDTA-	
3	.0	.0	.0	.0	Ca++ H2EDTA=	
3	.0	.0	.0	.0	Ca++ HEDTA=-	
3	.0	.0	.0	.0	Ca++ EDTA==	
3	.0	.0	.0	.0	Ca++ AmEDTA-	
2	.0	.0	.0	.0	Ca++ NpO2Cit=	
3	.0	.0	.0	.0	Ca++ NpO2EDTA===	
1	.0	.0	.0	.0	Ca++ NpO2Ox-	
3	.0	.0	.0	.0	Ca++ U (OH) 4 (CO3) 2==	
3	.0	.0	.0	.0	Ca++ U (CO3) 5===	
2	.0	.0	.0	.0	Ca++ U (SO4) 3=	
3	.0	.0	.0	.0	Ca++ Am (CO3) 4===	
1	.0	.0	.0	.0	Ca++ Am (SO4) 2-	
1	.0	.0	.0	.0	Ca++ NpO2H2EDTA-	
1	.0	.0	.0	.0	Ca++ CaCit-	
3	.0	.0	.0	.0	Ca++ CaEDTA=	
3	.0	.0	.0	.0	Ca++ UnuAn#2-	
1	.0	.0	.0	.0	Ca++ UnuAn#3-	
3	.0	.0	.0	.0	Ca++ UnuAn#4-	
2	.0	.0	.0	.0	Ca++ U (OH) 2 (CO3) 2=	
1	.0	.0	.0	.0	Ca++ MgCit-	
2	.0	.0	.0	.0	Ca++ MgEDTA=	
2	.0	.0	.0	.0	Ca++ NpO2HEDTA=	
1	.35235	1.6815	.0	.00519	Mg++ Cl-	HMW84
2	.2210	3.343	-37.23	.025	Mg++ SO4=	HMW84
1	.4746	1.729	.0	.0	Mg++ HSO4-	HMW84
1	.0	.0	.0	.0	Mg++ OH-	HMW84
1	.329	.6072	.0	.0	Mg++ HCO3-	HMW84
2	.0	.0	.0	.0	Mg++ CO3=	HMW84
1	.0	.0	.0	.0	Mg++ B (OH) 4-	FW86
1	.0	.0	.0	.0	Mg++ B3O3 (OH) 4-	FW86
2	.0	.0	.0	.0	Mg++ B4O5 (OH) 4=	FW86
1	.0	.0	.0	.0	Mg++ Br-	
1	.0	.0	.0	.0	Mg++ Am (CO3) 2-	
3	.0	.0	.0	.0	Mg++ Am (CO3) 3=-	
1	.4961	2.008	.0	.009578	Mg++ ClO4-	P91
1	.0	.0	.0	.0	Mg++ NpO2 (OH) 2-	
1	.10	.34	.0	.0	Mg++ NpO2CO3-	Al Mahamid et al. 1998 (made
analogy w/ Na)						
3	.48	4.4	.0	.0	Mg++ NpO2 (CO3) 2=-	Al Mahamid et al. 1998 (made
analogy w/ Na)						
3	2.07	22.7	-48.	-.11	Mg++ NpO2 (CO3) 3=-	Al Mahamid et al. 1998
(averaged Na and K values)						
1	.0	.0	.0	.0	Mg++ H2PO4-	
2	.0	.0	.0	.0	Mg++ HPO4=	
3	.0	.0	.0	.0	Mg++ PO4=-	
2	.0	.0	.0	.0	Mg++ Th (SO4) 3=	
1	.0	.0	.0	.0	Mg++ Th (OH) 3 (CO3) -	
3	.0	.0	.0	.0	Mg++ Th (CO3) 5===	

1	.0	.0	.0	.0	Mg++ HOx-	
2	.0	.0	.0	.0	Mg++ Ox=	
1	.0	.0	.0	.0	Mg++ Ac-	
1	.0	.0	.0	.0	Mg++ Lac-	
1	.0	.0	.0	.0	Mg++ H2Cit-	
2	.0	.0	.0	.0	Mg++ HCit=	
3	.0	.0	.0	.0	Mg++ Cit=-	
3	.0	.0	.0	.0	Mg++ H3EDTA-	
3	.0	.0	.0	.0	Mg++ H2EDTA=	
3	.0	.0	.0	.0	Mg++ HEDTA=-	
3	.0	.0	.0	.0	Mg++ EDTA==	
3	.0	.0	.0	.0	Mg++ AmEDTA-	
2	.0	.0	.0	.0	Mg++ NpO2Cit=	
3	.0	.0	.0	.0	Mg++ NpO2EDTA===-	
1	.0	.0	.0	.0	Mg++ NpO2Ox-	
3	.0	.0	.0	.0	Mg++ U(OH)4(CO3)2==	
3	.0	.0	.0	.0	Mg++ U(CO3)5===	
2	.0	.0	.0	.0	Mg++ U(SO4)3=	
3	.0	.0	.0	.0	Mg++ Am(CO3)4===-	
1	.0	.0	.0	.0	Mg++ Am(SO4)2-	
1	.0	.0	.0	.0	Mg++ NpO2H2EDTA-	
1	.0	.0	.0	.0	Mg++ CaCit-	
3	.0	.0	.0	.0	Mg++ CaEDTA=	
3	.0	.0	.0	.0	Mg++ UnuAn#2-	
1	.0	.0	.0	.0	Mg++ UnuAn#3-	
2	.0	.0	.0	.0	Mg++ UnuAn#4-	
2	.0	.0	.0	.0	Mg++ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	Mg++ MgCit-	
2	.0	.0	.0	.0	Mg++ MgEDTA=	
2	.0	.0	.0	.0	Mg++ NpO2HEDTA=	
1	-.10	1.658	.0	.0	MgOH+ Cl-	HMW84
1	.0	.0	.0	.0	MgOH+ SO4=	HMW84
1	.0	.0	.0	.0	MgOH+ HSO4-	HMW84
1	.0	.0	.0	.0	MgOH+ OH-	HMW84
1	.0	.0	.0	.0	MgOH+ HCO3-	HMW84
1	.0	.0	.0	.0	MgOH+ CO3=	HMW84
1	.0	.0	.0	.0	MgOH+ B(OH)4-	
1	.0	.0	.0	.0	MgOH+ B3O3(OH)4-	
1	.0	.0	.0	.0	MgOH+ B4O5(OH)4=	
1	.0	.0	.0	.0	MgOH+ Br-	
1	.0	.0	.0	.0	MgOH+ Am(CO3)2-	
1	.0	.0	.0	.0	MgOH+ Am(CO3)3=-	
1	.0	.0	.0	.0	MgOH+ ClO4-	
1	.0	.0	.0	.0	MgOH+ NpO2(OH)2-	
1	.0	.0	.0	.0	MgOH+ NpO2CO3-	
1	.0	.0	.0	.0	MgOH+ NpO2(CO3)2=-	
1	.0	.0	.0	.0	MgOH+ NpO2(CO3)3=-	
1	.0	.0	.0	.0	MgOH+ H2PO4-	
1	.0	.0	.0	.0	MgOH+ HPO4=	
1	.0	.0	.0	.0	MgOH+ PO4=-	
1	.0	.0	.0	.0	MgOH+ Th(SO4)3=	
1	.0	.0	.0	.0	MgOH+ Th(OH)3(CO3)-	
1	.0	.0	.0	.0	MgOH+ Th(CO3)5===	
1	.0	.0	.0	.0	MgOH+ HOx-	
1	.0	.0	.0	.0	MgOH+ Ox=	
1	.0	.0	.0	.0	MgOH+ Ac-	
1	.0	.0	.0	.0	MgOH+ Lac-	
1	.0	.0	.0	.0	MgOH+ H2Cit-	
1	.0	.0	.0	.0	MgOH+ HCit=	
1	.0	.0	.0	.0	MgOH+ Cit=-	
1	.0	.0	.0	.0	MgOH+ H3EDTA-	
1	.0	.0	.0	.0	MgOH+ H2EDTA=	

1	.0	.0	.0	.0	MgOH+ HEDTA=-	
1	.0	.0	.0	.0	MgOH+ EDTA==	
1	.0	.0	.0	.0	MgOH+ AmEDTA-	
1	.0	.0	.0	.0	MgOH+ NpO2Cit=	
1	.0	.0	.0	.0	MgOH+ NpO2EDTA===-	
1	.0	.0	.0	.0	MgOH+ NpO2Ox-	
1	.0	.0	.0	.0	MgOH+ U(OH)4(CO3)2==	
1	.0	.0	.0	.0	MgOH+ U(CO3)5===	
1	.0	.0	.0	.0	MgOH+ U(SO4)3=	
1	.0	.0	.0	.0	MgOH+ Am(CO3)4==-	
1	.0	.0	.0	.0	MgOH+ Am(SO4)2-	
1	.0	.0	.0	.0	MgOH+ NpO2H2EDTA-	
1	.0	.0	.0	.0	MgOH+ CaCit-	
1	.0	.0	.0	.0	MgOH+ CaEDTA=	
1	.0	.0	.0	.0	MgOH+ UnuAn#2-	
1	.0	.0	.0	.0	MgOH+ UnuAn#3-	
1	.0	.0	.0	.0	MgOH+ UnuAn#4-	
1	.0	.0	.0	.0	MgOH+ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	MgOH+ MgCit-	
1	.0	.0	.0	.0	MgOH+ MgEDTA=	
1	.0	.0	.0	.0	MgOH+ NpO2HEDTA=	
1	.1775	.2945	.0	.0008	H+ Cl-	HMW84
1	.0298	.0	.0	.0438	H+ SO4=	HMW84
1	.2065	.5556	.0	.0	H+ HSO4-	HMW84
1	.0	.0	.0	.0	H+ OH-	HMW84
1	.0	.0	.0	.0	H+ HCO3-	HMW84
1	.0	.0	.0	.0	H+ CO3=	HMW84
1	.0	.0	.0	.0	H+ B(OH)4-	FW86
1	.0	.0	.0	.0	H+ B3O3(OH)4-	FW86
1	.0	.0	.0	.0	H+ B4O5(OH)4=	FW86
1	.0	.0	.0	.0	H+ Br-	
1	.0	.0	.0	.0	H+ Am(CO3)2-	
1	.0	.0	.0	.0	H+ Am(CO3)3=-	
1	.1747	.2931	.0	.00819	H+ ClO4-	P91
1	.0	.0	.0	.0	H+ NpO2(OH)2-	
1	.0	.0	.0	.0	H+ NpO2CO3-	
1	.0	.0	.0	.0	H+ NpO2(CO3)2=-	
1	.0	.0	.0	.0	H+ NpO2(CO3)3=-	
1	.0	.0	.0	.0	H+ H2PO4-	
1	.0	.0	.0	.0	H+ HPO4=	
1	.0	.0	.0	.0	H+ PO4=-	
1	.84	.0	.0	.0	H+ Th(SO4)3=	FR92
1	.0	.0	.0	.0	H+ Th(OH)3(CO3)-	
1	.0	.0	.0	.0	H+ Th(CO3)5===	
1	.0	.0	.0	.0	H+ HOx-	
1	.0	.0	.0	.0	H+ Ox=	
1	.0	.0	.0	.0	H+ Ac-	NBC96/Mesmer et al. 89
1	.0	.0	.0	.0	H+ Lac-	
1	.0	.0	.0	.0	H+ H2Cit-	
1	.0	.0	.0	.0	H+ HCit=	
1	.0	.0	.0	.0	H+ Cit=-	
1	.0	.0	.0	.0	H+ H3EDTA-	
1	.0	.0	.0	.0	H+ H2EDTA=	
1	.0	.0	.0	.0	H+ HEDTA=-	
1	.0	.0	.0	.0	H+ EDTA==	
1	.0	.0	.0	.0	H+ AmEDTA-	
1	.0	.0	.0	.0	H+ NpO2Cit=	
1	.0	.0	.0	.0	H+ NpO2EDTA===-	
1	.0	.0	.0	.0	H+ NpO2Ox-	
1	.0	.0	.0	.0	H+ U(OH)4(CO3)2==	
1	.0	.0	.0	.0	H+ U(CO3)5===	
1	.0	.0	.0	.0	H+ U(SO4)3=	



1	.0	.0	.0	.0	H+ Am (CO3) 4==-
1	.0	.0	.0	.0	H+ Am (SO4) 2-
1	.0	.0	.0	.0	H+ NpO2H2EDTA-
1	.0	.0	.0	.0	H+ CaCit-
1	.0	.0	.0	.0	H+ CaEDTA=
1	.0	.0	.0	.0	H+ UnuAn#2-
1	.0	.0	.0	.0	H+ UnuAn#3-
1	.0	.0	.0	.0	H+ UnuAn#4-
1	.0	.0	.0	.0	H+ U (OH) 2 (CO3) 2=
1	.0	.0	.0	.0	H+ MgCit-
1	.0	.0	.0	.0	H+ MgEDTA=
1	.0	.0	.0	.0	H+ NpO2HEDTA=
1	.16	.0	.0	.0	MgB (OH) 4+ Cl- FW86
1	.0	.0	.0	.0	MgB (OH) 4+ SO4=
1	.0	.0	.0	.0	MgB (OH) 4+ HSO4-
1	.0	.0	.0	.0	MgB (OH) 4+ OH-
1	.0	.0	.0	.0	MgB (OH) 4+ HCO3-
1	.0	.0	.0	.0	MgB (OH) 4+ CO3=
1	.0	.0	.0	.0	MgB (OH) 4+ B (OH) 4-
1	.0	.0	.0	.0	MgB (OH) 4+ B3O3 (OH) 4-
1	.0	.0	.0	.0	MgB (OH) 4+ B4O5 (OH) 4=
1	.0	.0	.0	.0	MgB (OH) 4+ Br-
1	.0	.0	.0	.0	MgB (OH) 4+ Am (CO3) 2-
1	.0	.0	.0	.0	MgB (OH) 4+ Am (CO3) 3=-
1	.0	.0	.0	.0	MgB (OH) 4+ ClO4-
1	.0	.0	.0	.0	MgB (OH) 4+ NpO2 (OH) 2-
1	.0	.0	.0	.0	MgB (OH) 4+ NpO2CO3-
1	.0	.0	.0	.0	MgB (OH) 4+ NpO2 (CO3) 2=-
1	.0	.0	.0	.0	MgB (OH) 4+ NpO2 (CO3) 3=-
1	.0	.0	.0	.0	MgB (OH) 4+ H2PO4-
1	.0	.0	.0	.0	MgB (OH) 4+ HPO4=
1	.0	.0	.0	.0	MgB (OH) 4+ PO4=-
1	.0	.0	.0	.0	MgB (OH) 4+ Th (SO4) 3=
1	.0	.0	.0	.0	MgB (OH) 4+ Th (OH) 3 (CO3) -
1	.0	.0	.0	.0	MgB (OH) 4+ Th (CO3) 5===
1	.0	.0	.0	.0	MgB (OH) 4+ HOx-
1	.0	.0	.0	.0	MgB (OH) 4+ Ox=
1	.0	.0	.0	.0	MgB (OH) 4+ Ac-
1	.0	.0	.0	.0	MgB (OH) 4+ Lac-
1	.0	.0	.0	.0	MgB (OH) 4+ H2Cit-
1	.0	.0	.0	.0	MgB (OH) 4+ HCit=
1	.0	.0	.0	.0	MgB (OH) 4+ Cit=-
1	.0	.0	.0	.0	MgB (OH) 4+ H3EDTA-
1	.0	.0	.0	.0	MgB (OH) 4+ H2EDTA=
1	.0	.0	.0	.0	MgB (OH) 4+ HEDTA=-
1	.0	.0	.0	.0	MgB (OH) 4+ EDTA==
1	.0	.0	.0	.0	MgB (OH) 4+ AmEDTA-
1	.0	.0	.0	.0	MgB (OH) 4+ NpO2Cit=
1	.0	.0	.0	.0	MgB (OH) 4+ NpO2EDTA=-
1	.0	.0	.0	.0	MgB (OH) 4+ NpO2Ox-
1	.0	.0	.0	.0	MgB (OH) 4+ U (OH) 4 (CO3) 2==
1	.0	.0	.0	.0	MgB (OH) 4+ U (CO3) 5===
1	.0	.0	.0	.0	MgB (OH) 4+ U (SO4) 3=
1	.0	.0	.0	.0	MgB (OH) 4+ Am (CO3) 4=-
1	.0	.0	.0	.0	MgB (OH) 4+ Am (SO4) 2-
1	.0	.0	.0	.0	MgB (OH) 4+ NpO2H2EDTA-
1	.0	.0	.0	.0	MgB (OH) 4+ CaCit-
1	.0	.0	.0	.0	MgB (OH) 4+ CaEDTA=
1	.0	.0	.0	.0	MgB (OH) 4+ UnuAn#2-
1	.0	.0	.0	.0	MgB (OH) 4+ UnuAn#3-
1	.0	.0	.0	.0	MgB (OH) 4+ UnuAn#4-
1	.0	.0	.0	.0	MgB (OH) 4+ U (OH) 2 (CO3) 2=

1	.0	.0	.0	.0	MgB (OH) 4+ MgCit-	
1	.0	.0	.0	.0	MgB (OH) 4+ MgEDTA=	
1	.0	.0	.0	.0	MgB (OH) 4+ NpO2HEDTA=	
1	.12	.0	.0	.0	CaB (OH) 4+ Cl-	FW86
1	.0	.0	.0	.0	CaB (OH) 4+ SO4=	
1	.0	.0	.0	.0	CaB (OH) 4+ HSO4-	
1	.0	.0	.0	.0	CaB (OH) 4+ OH-	
1	.0	.0	.0	.0	CaB (OH) 4+ HCO3-	
1	.0	.0	.0	.0	CaB (OH) 4+ CO3=	
1	.0	.0	.0	.0	CaB (OH) 4+ B (OH) 4-	
1	.0	.0	.0	.0	CaB (OH) 4+ B3O3 (OH) 4-	
1	.0	.0	.0	.0	CaB (OH) 4+ B4O5 (OH) 4=	
1	.0	.0	.0	.0	CaB (OH) 4+ Br-	
1	.0	.0	.0	.0	CaB (OH) 4+ Am (CO3) 2-	
1	.0	.0	.0	.0	CaB (OH) 4+ Am (CO3) 3=-	
1	.0	.0	.0	.0	CaB (OH) 4+ ClO4-	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2 (OH) 2-	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2CO3-	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2 (CO3) 2=-	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2 (CO3) 3=-	
1	.0	.0	.0	.0	CaB (OH) 4+ H2PO4-	
1	.0	.0	.0	.0	CaB (OH) 4+ HPO4=	
1	.0	.0	.0	.0	CaB (OH) 4+ PO4=-	
1	.0	.0	.0	.0	CaB (OH) 4+ Th (SO4) 3=	
1	.0	.0	.0	.0	CaB (OH) 4+ Th (OH) 3 (CO3) -	
1	.0	.0	.0	.0	CaB (OH) 4+ Th (CO3) 5===	
1	.0	.0	.0	.0	CaB (OH) 4+ HOx-	
1	.0	.0	.0	.0	CaB (OH) 4+ Ox=	
1	.0	.0	.0	.0	CaB (OH) 4+ Ac-	
1	.0	.0	.0	.0	CaB (OH) 4+ Lac-	
1	.0	.0	.0	.0	CaB (OH) 4+ H2Cit-	
1	.0	.0	.0	.0	CaB (OH) 4+ HCit=	
1	.0	.0	.0	.0	CaB (OH) 4+ Cit=-	
1	.0	.0	.0	.0	CaB (OH) 4+ H3EDTA-	
1	.0	.0	.0	.0	CaB (OH) 4+ H2EDTA=	
1	.0	.0	.0	.0	CaB (OH) 4+ HEDTA=-	
1	.0	.0	.0	.0	CaB (OH) 4+ EDTA==	
1	.0	.0	.0	.0	CaB (OH) 4+ AmEDTA-	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2Cit=	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2EDTA=-	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2Ox-	
1	.0	.0	.0	.0	CaB (OH) 4+ U (OH) 4 (CO3) 2==	
1	.0	.0	.0	.0	CaB (OH) 4+ U (CO3) 5===	
1	.0	.0	.0	.0	CaB (OH) 4+ U (SO4) 3=	
1	.0	.0	.0	.0	CaB (OH) 4+ Am (CO3) 4=-	
1	.0	.0	.0	.0	CaB (OH) 4+ Am (SO4) 2-	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2H2EDTA-	
1	.0	.0	.0	.0	CaB (OH) 4+ CaCit-	
1	.0	.0	.0	.0	CaB (OH) 4+ CaEDTA=	
1	.0	.0	.0	.0	CaB (OH) 4+ UnuAn#2-	
1	.0	.0	.0	.0	CaB (OH) 4+ UnuAn#3-	
1	.0	.0	.0	.0	CaB (OH) 4+ UnuAn#4-	
1	.0	.0	.0	.0	CaB (OH) 4+ U (OH) 2 (CO3) 2=	
1	.0	.0	.0	.0	CaB (OH) 4+ MgCit-	
1	.0	.0	.0	.0	CaB (OH) 4+ MgEDTA=	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2HEDTA=	
1	.5856	5.6	.0	-0.0166	Am+++ Cl-	FK98/Konnecke et al. 1997
3	1.792	15.04	.0	.600	Am+++ SO4=	FK98
1	.0	.0	.0	.0	Am+++ HSO4-	
1	.0	.0	.0	.0	Am+++ OH-	
1	.0	.0	.0	.0	Am+++ HCO3-	

3	.0	.0	.0	.0	Am+++ CO3=	
1	.0	.0	.0	.0	Am+++ B(OH) 4-	
1	.0	.0	.0	.0	Am+++ B3O3(OH) 4-	
3	.0	.0	.0	.0	Am+++ B4O5(OH) 4=	
1	.0	.0	.0	.0	Am+++ Br-	
1	.0	.0	.0	.0	Am+++ Am(CO3) 2-	
3	.0	.0	.0	.0	Am+++ Am(CO3) 3=-	
1	.80	5.35	.0	-0.0048	Am+++ ClO4-	FRF90
1	.0	.0	.0	.0	Am+++ NpO2(OH) 2-	
1	.0	.0	.0	.0	Am+++ NpO2CO3-	
3	.0	.0	.0	.0	Am+++ NpO2(CO3) 2=-	
3	.0	.0	.0	.0	Am+++ NpO2(CO3) 3=-	
1	.0	.0	-92.9	.0	Am+++ H2PO4-	RFF95 (from Nd-H2PO4 value)
3	.0	.0	.0	.0	Am+++ HPO4=	
3	.0	.0	.0	.0	Am+++ PO4=-	
3	.0	.0	.0	.0	Am+++ Th(SO4) 3=	
1	.0	.0	.0	.0	Am+++ Th(OH) 3(CO3) -	
3	.0	.0	.0	.0	Am+++ Th(CO3) 5===	
1	.0	.0	.0	.0	Am+++ HOx-	
3	.0	.0	.0	.0	Am+++ Ox=	
1	.0	.0	.0	.0	Am+++ Ac-	
1	.0	.0	.0	.0	Am+++ Lac-	
1	.0	.0	.0	.0	Am+++ H2Cit-	
3	.0	.0	.0	.0	Am+++ HCit=	
3	.0	.0	.0	.0	Am+++ Cit=-	
3	.0	.0	.0	.0	Am+++ H3EDTA-	
3	.0	.0	.0	.0	Am+++ H2EDTA=	
3	.0	.0	.0	.0	Am+++ HEDTA=-	
3	.0	.0	.0	.0	Am+++ EDTA==	
3	.0	.0	.0	.0	Am+++ AmEDTA-	
3	.0	.0	.0	.0	Am+++ NpO2Cit=	
3	.0	.0	.0	.0	Am+++ NpO2EDTA===	
1	.0	.0	.0	.0	Am+++ NpO2Ox-	
3	.0	.0	.0	.0	Am+++ U(OH) 4(CO3) 2==	
3	.0	.0	.0	.0	Am+++ U(CO3) 5===	
3	.0	.0	.0	.0	Am+++ U(SO4) 3=	
3	.0	.0	.0	.0	Am+++ Am(CO3) 4=-	
1	.0	.0	.0	.0	Am+++ Am(SO4) 2-	
1	.0	.0	.0	.0	Am+++ NpO2H2EDTA-	
1	.0	.0	.0	.0	Am+++ CaCit-	
3	.0	.0	.0	.0	Am+++ CaEDTA=	
3	.0	.0	.0	.0	Am+++ UnuAn#2-	
1	.0	.0	.0	.0	Am+++ UnuAn#3-	
3	.0	.0	.0	.0	Am+++ UnuAn#4-	
3	.0	.0	.0	.0	Am+++ U(OH) 2(CO3) 2=	
1	.0	.0	.0	.0	Am+++ MgCit-	
3	.0	.0	.0	.0	Am+++ MgEDTA=	
3	.0	.0	.0	.0	Am+++ NpO2HEDTA=	
1	-.072	.403	.0	.0388	AmCO3+ Cl-	FK98/Fanghanel et al. 1999
1	.0	.0	.0	.0	AmCO3+ SO4=	
1	.0	.0	.0	.0	AmCO3+ HSO4-	
1	.0	.0	.0	.0	AmCO3+ OH-	
1	.0	.0	.0	.0	AmCO3+ HCO3-	
1	.0	.0	.0	.0	AmCO3+ CO3=	
1	.0	.0	.0	.0	AmCO3+ B(OH) 4-	
1	.0	.0	.0	.0	AmCO3+ B3O3(OH) 4-	
1	.0	.0	.0	.0	AmCO3+ B4O5(OH) 4=	
1	.0	.0	.0	.0	AmCO3+ Br-	
1	.0	.0	.0	.0	AmCO3+ Am(CO3) 2-	
1	.0	.0	.0	.0	AmCO3+ Am(CO3) 3=-	
1	.0	.0	.0	.0	AmCO3+ ClO4-	
1	.0	.0	.0	.0	AmCO3+ NpO2(OH) 2-	

1	.0	.0	.0	.0	AmCO3+ NpO2CO3-	
1	.0	.0	.0	.0	AmCO3+ NpO2 (CO3) 2=-	
1	.0	.0	.0	.0	AmCO3+ NpO2 (CO3) 3=-	
1	.0	.0	.0	.0	AmCO3+ H2PO4-	
1	.0	.0	.0	.0	AmCO3+ HPO4=	
1	.0	.0	.0	.0	AmCO3+ PO4=-	
1	.0	.0	.0	.0	AmCO3+ Th (SO4) 3=	
1	.0	.0	.0	.0	AmCO3+ Th (OH) 3 (CO3) -	
1	.0	.0	.0	.0	AmCO3+ Th (CO3) 5===	
1	.0	.0	.0	.0	AmCO3+ HOx-	
1	.0	.0	.0	.0	AmCO3+ Ox=	
1	.0	.0	.0	.0	AmCO3+ Ac-	
1	.0	.0	.0	.0	AmCO3+ Lac-	
1	.0	.0	.0	.0	AmCO3+ H2Cit-	
1	.0	.0	.0	.0	AmCO3+ HCit=	
1	.0	.0	.0	.0	AmCO3+ Cit=-	
1	.0	.0	.0	.0	AmCO3+ H3EDTA-	
1	.0	.0	.0	.0	AmCO3+ H2EDTA=	
1	.0	.0	.0	.0	AmCO3+ HEDTA=-	
1	.0	.0	.0	.0	AmCO3+ EDTA==	
1	.0	.0	.0	.0	AmCO3+ AmEDTA-	
1	.0	.0	.0	.0	AmCO3+ NpO2Cit=	
1	.0	.0	.0	.0	AmCO3+ NpO2EDTA=-	
1	.0	.0	.0	.0	AmCO3+ NpO2Ox-	
1	.0	.0	.0	.0	AmCO3+ U (OH) 4 (CO3) 2==	
1	.0	.0	.0	.0	AmCO3+ U (CO3) 5===	
1	.0	.0	.0	.0	AmCO3+ U (SO4) 3=	
1	.0	.0	.0	.0	AmCO3+ Am (CO3) 4=-	
1	.0	.0	.0	.0	AmCO3+ Am (SO4) 2-	
1	.0	.0	.0	.0	AmCO3+ NpO2H2EDTA-	
1	.0	.0	.0	.0	AmCO3+ CaCit-	
1	.0	.0	.0	.0	AmCO3+ CaEDTA=	
1	.0	.0	.0	.0	AmCO3+ UnuAn#2-	
1	.0	.0	.0	.0	AmCO3+ UnuAn#3-	
1	.0	.0	.0	.0	AmCO3+ UnuAn#4-	
1	.0	.0	.0	.0	AmCO3+ U (OH) 2 (CO3) 2=	
1	.0	.0	.0	.0	AmCO3+ MgCit-	
1	.0	.0	.0	.0	AmCO3+ MgEDTA=	
1	.0	.0	.0	.0	AmCO3+ NpO2HEDTA=	
1	1.092	13.7	-160.	-.112	Th++++ Cl-	Roy92
3	1.56	.0	.0	.0	Th++++ SO4=	FR92
1	1.44	.0	.0	.0	Th++++ HSO4-	FR92
1	.0	.0	.0	.0	Th++++ OH-	
1	.0	.0	.0	.0	Th++++ HCO3-	
3	.0	.0	.0	.0	Th++++ CO3=	
1	.0	.0	.0	.0	Th++++ B (OH) 4-	
1	.0	.0	.0	.0	Th++++ B3O3 (OH) 4-	
3	.0	.0	.0	.0	Th++++ B4O5 (OH) 4=	
1	.0	.0	.0	.0	Th++++ Br-	
1	.0	.0	.0	.0	Th++++ Am (CO3) 2-	
3	.0	.0	.0	.0	Th++++ Am (CO3) 3=-	
1	1.19	27.3	.0	-.057	Th++++ ClO4-	CFN960119
1	.0	.0	.0	.0	Th++++ NpO2 (OH) 2-	
1	.0	.0	.0	.0	Th++++ NpO2CO3-	
3	.0	.0	.0	.0	Th++++ NpO2 (CO3) 2=-	
3	.0	.0	.0	.0	Th++++ NpO2 (CO3) 3=-	
1	.0	.0	.0	.0	Th++++ H2PO4-	
3	.0	.0	.0	.0	Th++++ HPO4=	
3	.0	.0	.0	.0	Th++++ PO4=-	
3	.0	.0	.0	.0	Th++++ Th (SO4) 3=	
1	.0	.0	.0	.0	Th++++ Th (OH) 3 (CO3) -	
3	.0	.0	.0	.0	Th++++ Th (CO3) 5===	

1	.0	.0	.0	.0	Th++++ HOx-	
3	.0	.0	.0	.0	Th++++ Ox=	
1	.0	.0	.0	.0	Th++++ Ac-	
1	.0	.0	.0	.0	Th++++ Lac-	
1	.0	.0	.0	.0	Th++++ H2Cit-	
3	.0	.0	.0	.0	Th++++ HCit=	
3	.0	.0	.0	.0	Th++++ Cit=-	
3	.0	.0	.0	.0	Th++++ H3EDTA-	
3	.0	.0	.0	.0	Th++++ H2EDTA=	
3	.0	.0	.0	.0	Th++++ HEDTA=-	
3	.0	.0	.0	.0	Th++++ EDTA==	
3	.0	.0	.0	.0	Th++++ AmEDTA-	
3	.0	.0	.0	.0	Th++++ NpO2Cit=	
3	.0	.0	.0	.0	Th++++ NpO2EDTA==-	
1	.0	.0	.0	.0	Th++++ NpO2Ox-	
3	.0	.0	.0	.0	Th++++ U (OH) 4 (CO3) 2==	
3	.0	.0	.0	.0	Th++++ U (CO3) 5===	
3	.0	.0	.0	.0	Th++++ U (SO4) 3=	
3	.0	.0	.0	.0	Th++++ Am (CO3) 4==-	
1	.0	.0	.0	.0	Th++++ Am (SO4) 2-	
1	.0	.0	.0	.0	Th++++ NpO2H2EDTA-	
1	.0	.0	.0	.0	Th++++ CaCit-	
3	.0	.0	.0	.0	Th++++ CaEDTA=	
3	.0	.0	.0	.0	Th++++ UnuAn#2-	
1	.0	.0	.0	.0	Th++++ UnuAn#3-	
3	.0	.0	.0	.0	Th++++ UnuAn#4-	
3	.0	.0	.0	.0	Th++++ U (OH) 2 (CO3) 2=	
1	.0	.0	.0	.0	Th++++ MgCit-	
3	.0	.0	.0	.0	Th++++ MgEDTA=	
3	.0	.0	.0	.0	Th++++ NpO2HEDTA=	
1	.593	3.15	.0	-0.006	AmCl++ Cl-	FK98/Konnecke et al. 1997
2	.0	.0	.0	.0	AmCl++ SO4=	
1	.0	.0	.0	.0	AmCl++ HSO4-	
1	.0	.0	.0	.0	AmCl++ OH-	
1	.0	.0	.0	.0	AmCl++ HCO3-	
2	.0	.0	.0	.0	AmCl++ CO3=	
1	.0	.0	.0	.0	AmCl++ B (OH) 4-	
1	.0	.0	.0	.0	AmCl++ B3O3 (OH) 4-	
2	.0	.0	.0	.0	AmCl++ B4O5 (OH) 4=	
1	.0	.0	.0	.0	AmCl++ Br-	
1	.0	.0	.0	.0	AmCl++ Am (CO3) 2-	
3	.0	.0	.0	.0	AmCl++ Am (CO3) 3=-	
1	.0	.0	.0	.0	AmCl++ ClO4-	
1	.0	.0	.0	.0	AmCl++ NpO2 (OH) 2-	
1	.0	.0	.0	.0	AmCl++ NpO2CO3-	
3	.0	.0	.0	.0	AmCl++ NpO2 (CO3) 2=-	
3	.0	.0	.0	.0	AmCl++ NpO2 (CO3) 3=-	
1	.0	.0	.0	.0	AmCl++ H2PO4-	
2	.0	.0	.0	.0	AmCl++ HPO4=	
3	.0	.0	.0	.0	AmCl++ PO4=-	
2	.0	.0	.0	.0	AmCl++ Th (SO4) 3=	
1	.0	.0	.0	.0	AmCl++ Th (OH) 3 (CO3) -	
3	.0	.0	.0	.0	AmCl++ Th (CO3) 5===	
1	.0	.0	.0	.0	AmCl++ HOx-	
2	.0	.0	.0	.0	AmCl++ Ox=	
1	.0	.0	.0	.0	AmCl++ Ac-	
1	.0	.0	.0	.0	AmCl++ Lac-	
1	.0	.0	.0	.0	AmCl++ H2Cit-	
2	.0	.0	.0	.0	AmCl++ HCit=	
3	.0	.0	.0	.0	AmCl++ Cit=-	
1	.0	.0	.0	.0	AmCl++ H3EDTA-	
2	.0	.0	.0	.0	AmCl++ H2EDTA=	

3	.0	.0	.0	.0	AmCl++ HEDTA=-	
3	.0	.0	.0	.0	AmCl++ EDTA==	
1	.0	.0	.0	.0	AmCl++ NpO2H2EDTA-	
2	.0	.0	.0	.0	AmCl++ NpO2Cit=	
3	.0	.0	.0	.0	AmCl++ NpO2EDTA==-	
1	.0	.0	.0	.0	AmCl++ NpO2Ox-	
3	.0	.0	.0	.0	AmCl++ U(OH)4(CO3)2==	
3	.0	.0	.0	.0	AmCl++ U(CO3)5===	
2	.0	.0	.0	.0	AmCl++ U(SO4)3=	
3	.0	.0	.0	.0	AmCl++ Am(CO3)4==-	
1	.0	.0	.0	.0	AmCl++ Am(SO4)2-	
1	.0	.0	.0	.0	AmCl++ NpO2H2EDTA-	
1	.0	.0	.0	.0	AmCl++ CaCit-	
2	.0	.0	.0	.0	AmCl++ CaEDTA=	
1	.0	.0	.0	.0	AmCl++ UnuAn#2-	
1	.0	.0	.0	.0	AmCl++ UnuAn#3-	
1	.0	.0	.0	.0	AmCl++ UnuAn#4-	
2	.0	.0	.0	.0	AmCl++ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	AmCl++ MgCit-	
2	.0	.0	.0	.0	AmCl++ MgEDTA=	
2	.0	.0	.0	.0	AmCl++ NpO2HEDTA=	
1	.1415	.281	.0	.0	NpO2+ Cl-	NFRK95
1	.0	.0	.0	.0	NpO2+ SO4=	
1	.0	.0	.0	.0	NpO2+ HSO4-	
1	.0	.0	.0	.0	NpO2+ OH-	
1	.0	.0	.0	.0	NpO2+ HCO3-	
1	.0	.0	.0	.0	NpO2+ CO3=	
1	.0	.0	.0	.0	NpO2+ B(OH)4-	
1	.0	.0	.0	.0	NpO2+ B3O3(OH)4-	
1	.0	.0	.0	.0	NpO2+ B4O5(OH)4=	
1	.0	.0	.0	.0	NpO2+ Br-	
1	.0	.0	.0	.0	NpO2+ Am(CO3)2-	
1	.0	.0	.0	.0	NpO2+ Am(CO3)3=-	
1	.257	.180	.0	.0081	NpO2+ ClO4-	NFRK95
1	.0	.0	.0	.0	NpO2+ NpO2(OH)2-	
1	.0	.0	.0	.0	NpO2+ NpO2CO3-	
1	.0	.0	.0	.0	NpO2+ NpO2(CO3)2=-	
1	.0	.0	.0	.0	NpO2+ NpO2(CO3)3=-	
1	.0	.0	.0	.0	NpO2+ H2PO4-	
1	.0	.0	.0	.0	NpO2+ HPO4=	
1	.0	.0	.0	.0	NpO2+ PO4=-	
1	.0	.0	.0	.0	NpO2+ Th(SO4)3=	
1	.0	.0	.0	.0	NpO2+ Th(OH)3(CO3)-	
1	.0	.0	.0	.0	NpO2+ Th(CO3)5===	
1	.0	.0	.0	.0	NpO2+ HOx-	
1	.0	.0	.0	.0	NpO2+ Ox=	
1	.0	.0	.0	.0	NpO2+ Ac-	
1	.0	.0	.0	.0	NpO2+ Lac-	
1	.0	.0	.0	.0	NpO2+ H2Cit-	
1	.0	.0	.0	.0	NpO2+ HCit=	
1	.0	.0	.0	.0	NpO2+ Cit=-	
1	.0	.0	.0	.0	NpO2+ H3EDTA-	
1	.0	.0	.0	.0	NpO2+ H2EDTA=	
1	.0	.0	.0	.0	NpO2+ HEDTA=-	
1	.0	.0	.0	.0	NpO2+ EDTA==	
1	.0	.0	.0	.0	NpO2+ AmEDTA-	
1	.0	.0	.0	.0	NpO2+ NpO2Cit=	
1	.0	.0	.0	.0	NpO2+ NpO2EDTA=-	
1	.0	.0	.0	.0	NpO2+ NpO2Ox-	
1	.0	.0	.0	.0	NpO2+ U(OH)4(CO3)2==	
1	.0	.0	.0	.0	NpO2+ U(CO3)5===	
1	.0	.0	.0	.0	NpO2+ U(SO4)3=	

1	.0	.0	.0	.0	NpO2+ Am (CO3) 4==-
1	.0	.0	.0	.0	NpO2+ Am (SO4) 2-
1	.0	.0	.0	.0	NpO2+ NpO2H2EDTA-
1	.0	.0	.0	.0	NpO2+ CaCit-
1	.0	.0	.0	.0	NpO2+ CaEDTA=
1	.0	.0	.0	.0	NpO2+ UnuAn#2-
1	.0	.0	.0	.0	NpO2+ UnuAn#3-
1	.0	.0	.0	.0	NpO2+ UnuAn#4-
1	.0	.0	.0	.0	NpO2+ U(OH) 2 (CO3) 2=
1	.0	.0	.0	.0	NpO2+ MgCit-
1	.0	.0	.0	.0	NpO2+ MgEDTA=
1	.0	.0	.0	.0	NpO2+ NpO2HEDTA=
1	1.644	15.5	.0	.1	U++++ Cl- RFSMMN (values really are
different from Th++++ values)					
3	.0	.0	.0	.0	U++++ SO4=
1	.0	.0	.0	.0	U++++ HSO4-
1	.0	.0	.0	.0	U++++ OH-
1	.0	.0	.0	.0	U++++ HCO3-
3	.0	.0	.0	.0	U++++ CO3=
1	.0	.0	.0	.0	U++++ B(OH) 4-
1	.0	.0	.0	.0	U++++ B3O3(OH) 4-
3	.0	.0	.0	.0	U++++ B4O5(OH) 4=
1	.0	.0	.0	.0	U++++ Br-
1	.0	.0	.0	.0	U++++ Am (CO3) 2-
3	.0	.0	.0	.0	U++++ Am (CO3) 3=-
1	.0	.0	.0	.0	U++++ ClO4-
1	.0	.0	.0	.0	U++++ NpO2(OH) 2-
1	.0	.0	.0	.0	U++++ NpO2CO3-
3	.0	.0	.0	.0	U++++ NpO2(CO3) 2=-
3	.0	.0	.0	.0	U++++ NpO2(CO3) 3=-
1	.0	.0	.0	.0	U++++ H2PO4-
3	.0	.0	.0	.0	U++++ HPO4=
3	.0	.0	.0	.0	U++++ PO4=-
3	.0	.0	.0	.0	U++++ Th(SO4) 3=
1	.0	.0	.0	.0	U++++ Th(OH) 3(CO3) -
3	.0	.0	.0	.0	U++++ Th(CO3) 5===
1	.0	.0	.0	.0	U++++ HOx-
3	.0	.0	.0	.0	U++++ Ox=
1	.0	.0	.0	.0	U++++ Ac-
1	.0	.0	.0	.0	U++++ Lac-
1	.0	.0	.0	.0	U++++ H2Cit-
3	.0	.0	.0	.0	U++++ HCit=
3	.0	.0	.0	.0	U++++ Cit=-
3	.0	.0	.0	.0	U++++ H3EDTA-
3	.0	.0	.0	.0	U++++ H2EDTA=
3	.0	.0	.0	.0	U++++ HEDTA=-
3	.0	.0	.0	.0	U++++ EDTA==
3	.0	.0	.0	.0	U++++ AmEDTA-
3	.0	.0	.0	.0	U++++ NpO2Cit=
3	.0	.0	.0	.0	U++++ NpO2EDTA=-
1	.0	.0	.0	.0	U++++ NpO2Ox-
3	.0	.0	.0	.0	U++++ U(OH) 4(CO3) 2==
3	.0	.0	.0	.0	U++++ U(CO3) 5===
3	.0	.0	.0	.0	U++++ U(SO4) 3=
3	.0	.0	.0	.0	U++++ Am(CO3) 4=-
1	.0	.0	.0	.0	U++++ Am(SO4) 2-
1	.0	.0	.0	.0	U++++ NpO2H2EDTA-
1	.0	.0	.0	.0	U++++ CaCit-
3	.0	.0	.0	.0	U++++ CaEDTA=
3	.0	.0	.0	.0	U++++ UnuAn#2-
1	.0	.0	.0	.0	U++++ UnuAn#3-
3	.0	.0	.0	.0	U++++ UnuAn#4-

3	.0	.0	.0	.0	U++++ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	U++++ MgCit-	
3	.0	.0	.0	.0	U++++ MgEDTA=	
3	.0	.0	.0	.0	U++++ NpO2HEDTA=	
1	1.0	7.856	.0	.0	UOH+++ Cl-	RFSMMN
3	.0	.0	.0	.0	UOH+++ SO4=	
1	.0	.0	.0	.0	UOH+++ HSO4-	
1	.0	.0	.0	.0	UOH+++ OH-	
1	.0	.0	.0	.0	UOH+++ HCO3-	
3	.0	.0	.0	.0	UOH+++ CO3=	
1	.0	.0	.0	.0	UOH+++ B(OH)4-	
1	.0	.0	.0	.0	UOH+++ B3O3(OH)4-	
3	.0	.0	.0	.0	UOH+++ B4O5(OH)4=	
1	.0	.0	.0	.0	UOH+++ Br-	
1	.0	.0	.0	.0	UOH+++ Am(CO3)2-	
3	.0	.0	.0	.0	UOH+++ Am(CO3)3=-	
1	.0	.0	.0	.0	UOH+++ ClO4-	
1	.0	.0	.0	.0	UOH+++ NpO2(OH)2-	
1	.0	.0	.0	.0	UOH+++ NpO2CO3-	
3	.0	.0	.0	.0	UOH+++ NpO2(CO3)2=-	
3	.0	.0	.0	.0	UOH+++ NpO2(CO3)3=-	
1	.0	.0	.0	.0	UOH+++ H2PO4-	
3	.0	.0	.0	.0	UOH+++ HPO4=	
3	.0	.0	.0	.0	UOH+++ PO4=-	
3	.0	.0	.0	.0	UOH+++ Th(SO4)3=	
1	.0	.0	.0	.0	UOH+++ Th(OH)3(CO3)-	
3	.0	.0	.0	.0	UOH+++ Th(CO3)5=-	
1	.0	.0	.0	.0	UOH+++ HOx-	
3	.0	.0	.0	.0	UOH+++ Ox=	
1	.0	.0	.0	.0	UOH+++ Ac-	
1	.0	.0	.0	.0	UOH+++ Lac-	
1	.0	.0	.0	.0	UOH+++ H2Cit-	
3	.0	.0	.0	.0	UOH+++ HCit=	
3	.0	.0	.0	.0	UOH+++ Cit=-	
3	.0	.0	.0	.0	UOH+++ H3EDTA-	
3	.0	.0	.0	.0	UOH+++ H2EDTA=	
3	.0	.0	.0	.0	UOH+++ HEDTA=-	
3	.0	.0	.0	.0	UOH+++ EDTA==	
3	.0	.0	.0	.0	UOH+++ AmEDTA-	
3	.0	.0	.0	.0	UOH+++ NpO2Cit=	
3	.0	.0	.0	.0	UOH+++ NpO2EDTA=-	
1	.0	.0	.0	.0	UOH+++ NpO2Ox-	
3	.0	.0	.0	.0	UOH+++ U(OH)4(CO3)2==	
3	.0	.0	.0	.0	UOH+++ U(CO3)5=-	
3	.0	.0	.0	.0	UOH+++ U(SO4)3=	
3	.0	.0	.0	.0	UOH+++ Am(CO3)4=-	
1	.0	.0	.0	.0	UOH+++ Am(SO4)2-	
1	.0	.0	.0	.0	UOH+++ NpO2H2EDTA-	
1	.0	.0	.0	.0	UOH+++ CaCit-	
3	.0	.0	.0	.0	UOH+++ CaEDTA=	
3	.0	.0	.0	.0	UOH+++ UnuAn#2-	
1	.0	.0	.0	.0	UOH+++ UnuAn#3-	
3	.0	.0	.0	.0	UOH+++ UnuAn#4-	
3	.0	.0	.0	.0	UOH+++ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	UOH+++ MgCit-	
3	.0	.0	.0	.0	UOH+++ MgEDTA=	
3	.0	.0	.0	.0	UOH+++ NpO2HEDTA=	
1	1.061	5.22	.0	.109	UAc+++ Cl-	analogy w/ Th (SAND99)
3	.0	.0	.0	.0	UAc+++ SO4=	
1	.0	.0	.0	.0	UAc+++ HSO4-	
1	.0	.0	.0	.0	UAc+++ OH-	



1	.0	.0	.0	.0	UAc+++ HCO3-
3	.0	.0	.0	.0	UAc+++ CO3=
1	.0	.0	.0	.0	UAc+++ B(OH) 4-
1	.0	.0	.0	.0	UAc+++ B3O3(OH) 4-
3	.0	.0	.0	.0	UAc+++ B4O5(OH) 4=
1	.0	.0	.0	.0	UAc+++ Br-
1	.0	.0	.0	.0	UAc+++ Am(CO3) 2-
3	.0	.0	.0	.0	UAc+++ Am(CO3) 3=-
1	.0	.0	.0	.0	UAc+++ ClO4-
1	.0	.0	.0	.0	UAc+++ NpO2(OH) 2-
1	.0	.0	.0	.0	UAc+++ NpO2CO3-
3	.0	.0	.0	.0	UAc+++ NpO2(CO3) 2=-
3	.0	.0	.0	.0	UAc+++ NpO2(CO3) 3=-
1	.0	.0	.0	.0	UAc+++ H2PO4-
3	.0	.0	.0	.0	UAc+++ HPO4=
3	.0	.0	.0	.0	UAc+++ PO4=-
3	.0	.0	.0	.0	UAc+++ Th(SO4) 3=
1	.0	.0	.0	.0	UAc+++ Th(OH) 3(CO3) -
3	.0	.0	.0	.0	UAc+++ Th(CO3) 5=-
1	.0	.0	.0	.0	UAc+++ HOx-
1	.0	.0	.0	.0	UAc+++ Ox=
1	.0	.0	.0	.0	UAc+++ Ac-
1	.0	.0	.0	.0	UAc+++ Lac-
1	.0	.0	.0	.0	UAc+++ H2Cit-
3	.0	.0	.0	.0	UAc+++ HCit=
3	.0	.0	.0	.0	UAc+++ Cit=-
3	.0	.0	.0	.0	UAc+++ H3EDTA-
3	.0	.0	.0	.0	UAc+++ H2EDTA=
3	.0	.0	.0	.0	UAc+++ HEDTA=-
3	.0	.0	.0	.0	UAc+++ EDTA=-
3	.0	.0	.0	.0	UAc+++ AmEDTA-
3	.0	.0	.0	.0	UAc+++ NpO2Cit=
3	.0	.0	.0	.0	UAc+++ NpO2EDTA=-
1	.0	.0	.0	.0	UAc+++ NpO2Ox-
3	.0	.0	.0	.0	UAc+++ U(OH) 4(CO3) 2=-
3	.0	.0	.0	.0	UAc+++ U(CO3) 5=-
3	.0	.0	.0	.0	UAc+++ U(SO4) 3=
3	.0	.0	.0	.0	UAc+++ Am(CO3) 4=-
1	.0	.0	.0	.0	UAc+++ Am(SO4) 2-
1	.0	.0	.0	.0	UAc+++ NpO2H2EDTA-
1	.0	.0	.0	.0	UAc+++ CaCit-
3	.0	.0	.0	.0	UAc+++ CaEDTA=
3	.0	.0	.0	.0	UAc+++ UnuAn#2-
1	.0	.0	.0	.0	UAc+++ UnuAn#3-
3	.0	.0	.0	.0	UAc+++ UnuAn#4-
3	.0	.0	.0	.0	UAc+++ U(OH) 2(CO3) 2=
1	.0	.0	.0	.0	UAc+++ MgCit-
3	.0	.0	.0	.0	UAc+++ MgEDTA=
3	.0	.0	.0	.0	UAc+++ NpO2HEDTA=

1	-.343	1.74	.0	.5
2	.0	.0	.0	.0
1	.0	.0	.0	.0
1	.0	.0	.0	.0
1	.0	.0	.0	.0
2	.0	.0	.0	.0
1	.0	.0	.0	.0
1	.0	.0	.0	.0
2	.0	.0	.0	.0
1	.0	.0	.0	.0
1	.0	.0	.0	.0
3	.0	.0	.0	.0
1	.0	.0	.0	.0

ThOx++ Cl-
ThOx++ SO4=
ThOx++ HSO4-
ThOx++ OH-
ThOx++ HCO3-
ThOx++ CO3=
ThOx++ B(OH) 4-
ThOx++ B3O3(OH) 4-
ThOx++ B4O5(OH) 4=
ThOx++ Br-
ThOx++ Am(CO3) 2-
ThOx++ Am(CO3) 3=-
ThOx++ ClO4-

SAND99/Borkowski et al 01

1	.0	.0	.0	.0	ThOx++ NpO2 (OH) 2-
1	.0	.0	.0	.0	ThOx++ NpO2CO3-
3	.0	.0	.0	.0	ThOx++ NpO2 (CO3) 2=-
3	.0	.0	.0	.0	ThOx++ NpO2 (CO3) 3==-
1	.0	.0	.0	.0	ThOx++ H2PO4-
2	.0	.0	.0	.0	ThOx++ HPO4=
3	.0	.0	.0	.0	ThOx++ PO4=-
2	.0	.0	.0	.0	ThOx++ Th (SO4) 3=
1	.0	.0	.0	.0	ThOx++ Th (OH) 3 (CO3) -
3	.0	.0	.0	.0	ThOx++ Th (CO3) 5===
1	.0	.0	.0	.0	ThOx++ HOx-
2	.0	.0	.0	.0	ThOx++ Ox=
1	.0	.0	.0	.0	ThOx++ Ac-
1	.0	.0	.0	.0	ThOx++ Lac-
1	.0	.0	.0	.0	ThOx++ H2Cit-
2	.0	.0	.0	.0	ThOx++ HCit=
3	.0	.0	.0	.0	ThOx++ Cit=-
3	.0	.0	.0	.0	ThOx++ H3EDTA-
3	.0	.0	.0	.0	ThOx++ H2EDTA=
3	.0	.0	.0	.0	ThOx++ HEDTA=-
3	.0	.0	.0	.0	ThOx++ EDTA==
3	.0	.0	.0	.0	ThOx++ AmEDTA-
2	.0	.0	.0	.0	ThOx++ NpO2Cit=
3	.0	.0	.0	.0	ThOx++ NpO2EDTA=-
1	.0	.0	.0	.0	ThOx++ NpO2Ox-
3	.0	.0	.0	.0	ThOx++ U (OH) 4 (CO3) 2==
3	.0	.0	.0	.0	ThOx++ U (CO3) 5===
2	.0	.0	.0	.0	ThOx++ U (SO4) 3=
3	.0	.0	.0	.0	ThOx++ Am (CO3) 4=-
1	.0	.0	.0	.0	ThOx++ Am (SO4) 2-
1	.0	.0	.0	.0	ThOx++ NpO2H2EDTA-
1	.0	.0	.0	.0	ThOx++ CaCit-
2	.0	.0	.0	.0	ThOx++ CaEDTA=
1	.0	.0	.0	.0	ThOx++ UnuAn#2-
1	.0	.0	.0	.0	ThOx++ UnuAn#3-
1	.0	.0	.0	.0	ThOx++ UnuAn#4-
2	.0	.0	.0	.0	ThOx++ U (OH) 2 (CO3) 2=
1	.0	.0	.0	.0	ThOx++ MgCit-
2	.0	.0	.0	.0	ThOx++ MgEDTA=
2	.0	.0	.0	.0	ThOx++ NpO2HEDTA=
1	.3088	1.74	.0	-.132	AmAc++ Cl-        ERG_org_memo
2	.0	.0	.0	.0	AmAc++ SO4=
1	.0	.0	.0	.0	AmAc++ HSO4-
1	.0	.0	.0	.0	AmAc++ OH-
1	.0	.0	.0	.0	AmAc++ HCO3-
2	.0	.0	.0	.0	AmAc++ CO3=
1	.0	.0	.0	.0	AmAc++ B (OH) 4-
1	.0	.0	.0	.0	AmAc++ B3O3 (OH) 4-
2	.0	.0	.0	.0	AmAc++ B4O5 (OH) 4=
1	.0	.0	.0	.0	AmAc++ Br-
1	.0	.0	.0	.0	AmAc++ Am (CO3) 2-
3	.0	.0	.0	.0	AmAc++ Am (CO3) 3=-
1	.0	.0	.0	.0	AmAc++ ClO4-
1	.0	.0	.0	.0	AmAc++ NpO2 (OH) 2-
1	.0	.0	.0	.0	AmAc++ NpO2CO3-
3	.0	.0	.0	.0	AmAc++ NpO2 (CO3) 2=-
3	.0	.0	.0	.0	AmAc++ NpO2 (CO3) 3==-
1	.0	.0	.0	.0	AmAc++ H2PO4-
2	.0	.0	.0	.0	AmAc++ HPO4=
3	.0	.0	.0	.0	AmAc++ PO4=-
2	.0	.0	.0	.0	AmAc++ Th (SO4) 3=
1	.0	.0	.0	.0	AmAc++ Th (OH) 3 (CO3) -

3	.0	.0	.0	.0	AmAc++ Th (CO3) 5===	
1	.0	.0	.0	.0	AmAc++ HOx-	
2	.0	.0	.0	.0	AmAc++ Ox=	
1	.0	.0	.0	.0	AmAc++ Ac-	
1	.0	.0	.0	.0	AmAc++ Lac-	
1	.0	.0	.0	.0	AmAc++ H2Cit-	
2	.0	.0	.0	.0	AmAc++ HCit=	
3	.0	.0	.0	.0	AmAc++ Cit=-	
3	.0	.0	.0	.0	AmAc++ H3EDTA-	
3	.0	.0	.0	.0	AmAc++ H2EDTA=	
3	.0	.0	.0	.0	AmAc++ HEDTA=-	
3	.0	.0	.0	.0	AmAc++ EDTA==	
3	.0	.0	.0	.0	AmAc++ AmEDTA-	
2	.0	.0	.0	.0	AmAc++ NpO2Cit=	
3	.0	.0	.0	.0	AmAc++ NpO2EDTA==-	
1	.0	.0	.0	.0	AmAc++ NpO2Ox-	
3	.0	.0	.0	.0	AmAc++ U (OH) 4 (CO3) 2==	
3	.0	.0	.0	.0	AmAc++ U (CO3) 5===	
2	.0	.0	.0	.0	AmAc++ U (SO4) 3=	
3	.0	.0	.0	.0	AmAc++ Am (CO3) 4==-	
1	.0	.0	.0	.0	AmAc++ Am (SO4) 2-	
1	.0	.0	.0	.0	AmAc++ NpO2H2EDTA-	
1	.0	.0	.0	.0	AmAc++ CaCit-	
2	.0	.0	.0	.0	AmAc++ CaEDTA=	
1	.0	.0	.0	.0	AmAc++ UnuAn#2-	
1	.0	.0	.0	.0	AmAc++ UnuAn#3-	
1	.0	.0	.0	.0	AmAc++ UnuAn#4-	
2	.0	.0	.0	.0	AmAc++ U (OH) 2 (CO3) 2=	
1	.0	.0	.0	.0	AmAc++ MgCit-	
2	.0	.0	.0	.0	AmAc++ MgEDTA=	
2	.0	.0	.0	.0	AmAc++ NpO2HEDTA=	
1	0.8397	1.74	.0	-0.332	AmLac++ Cl-	SAND99/Moore et al 1999
2	.0	.0	.0	.0	AmLac++ SO4=	
1	.0	.0	.0	.0	AmLac++ HSO4-	
1	.0	.0	.0	.0	AmLac++ OH-	
1	.0	.0	.0	.0	AmLac++ HCO3-	
2	.0	.0	.0	.0	AmLac++ CO3=	
1	.0	.0	.0	.0	AmLac++ B (OH) 4-	
1	.0	.0	.0	.0	AmLac++ B3O3 (OH) 4-	
2	.0	.0	.0	.0	AmLac++ B4O5 (OH) 4=	
1	.0	.0	.0	.0	AmLac++ Br-	
1	.0	.0	.0	.0	AmLac++ Am (CO3) 2-	
3	.0	.0	.0	.0	AmLac++ Am (CO3) 3=-	
1	.0	.0	.0	.0	AmLac++ ClO4-	
1	.0	.0	.0	.0	AmLac++ NpO2 (OH) 2-	
1	.0	.0	.0	.0	AmLac++ NpO2CO3-	
3	.0	.0	.0	.0	AmLac++ NpO2 (CO3) 2=-	
3	.0	.0	.0	.0	AmLac++ NpO2 (CO3) 3=-	
1	.0	.0	.0	.0	AmLac++ H2PO4-	
2	.0	.0	.0	.0	AmLac++ HPO4=	
3	.0	.0	.0	.0	AmLac++ PO4=-	
2	.0	.0	.0	.0	AmLac++ Th (SO4) 3=	
1	.0	.0	.0	.0	AmLac++ Th (OH) 3 (CO3) -	
3	.0	.0	.0	.0	AmLac++ Th (CO3) 5===	
1	.0	.0	.0	.0	AmLac++ HOx-	
2	.0	.0	.0	.0	AmLac++ Ox=	
1	.0	.0	.0	.0	AmLac++ Ac-	
1	.0	.0	.0	.0	AmLac++ Lac-	
1	.0	.0	.0	.0	AmLac++ H2Cit-	
2	.0	.0	.0	.0	AmLac++ HCit=	
3	.0	.0	.0	.0	AmLac++ Cit=-	
3	.0	.0	.0	.0	AmLac++ H3EDTA-	

3	.0	.0	.0	.0	AmLac++ H2EDTA=	
3	.0	.0	.0	.0	AmLac++ HEDTA=-	
3	.0	.0	.0	.0	AmLac++ EDTA==	
3	.0	.0	.0	.0	AmLac++ AmEDTA-	
2	.0	.0	.0	.0	AmLac++ NpO2Cit=	
3	.0	.0	.0	.0	AmLac++ NpO2EDTA===	
1	.0	.0	.0	.0	AmLac++ NpO2Ox-	
3	.0	.0	.0	.0	AmLac++ U (OH) 4 (CO3) 2==	
3	.0	.0	.0	.0	AmLac++ U (CO3) 5===	
2	.0	.0	.0	.0	AmLac++ U (SO4) 3=	
3	.0	.0	.0	.0	AmLac++ Am (CO3) 4==-	
1	.0	.0	.0	.0	AmLac++ Am (SO4) 2-	
1	.0	.0	.0	.0	AmLac++ NpO2H2EDTA-	
1	.0	.0	.0	.0	AmLac++ CaCit-	
2	.0	.0	.0	.0	AmLac++ CaEDTA=	
1	.0	.0	.0	.0	AmLac++ UnuAn#2-	
1	.0	.0	.0	.0	AmLac++ UnuAn#3-	
1	.0	.0	.0	.0	AmLac++ UnuAn#4-	
2	.0	.0	.0	.0	AmLac++ U (OH) 2 (CO3) 2=	
1	.0	.0	.0	.0	AmLac++ MgCit-	
2	.0	.0	.0	.0	AmLac++ MgEDTA=	
2	.0	.0	.0	.0	AmLac++ NpO2HEDTA=	
1	-.9374	.29	.0	.248	AmOx+ Cl-	SAND99/Borkowski et al 01
1	.0	.0	.0	.0	AmOx+ SO4=	
1	.0	.0	.0	.0	AmOx+ HS04-	
1	.0	.0	.0	.0	AmOx+ OH-	
1	.0	.0	.0	.0	AmOx+ HCO3-	
1	.0	.0	.0	.0	AmOx+ CO3=	
1	.0	.0	.0	.0	AmOx+ B (OH) 4-	
1	.0	.0	.0	.0	AmOx+ B3O3 (OH) 4-	
2	.0	.0	.0	.0	AmOx+ B4O5 (OH) 4=	
1	.0	.0	.0	.0	AmOx+ Br-	
1	.0	.0	.0	.0	AmOx+ Am (CO3) 2-	
1	.0	.0	.0	.0	AmOx+ Am (CO3) 3=-	
1	.0	.0	.0	.0	AmOx+ ClO4-	
1	.0	.0	.0	.0	AmOx+ NpO2 (OH) 2-	
1	.0	.0	.0	.0	AmOx+ NpO2CO3-	
1	.0	.0	.0	.0	AmOx+ NpO2 (CO3) 2=-	
1	.0	.0	.0	.0	AmOx+ NpO2 (CO3) 3=-	
1	.0	.0	.0	.0	AmOx+ H2PO4-	
1	.0	.0	.0	.0	AmOx+ HPO4=	
1	.0	.0	.0	.0	AmOx+ PO4=-	
1	.0	.0	.0	.0	AmOx+ Th (SO4) 3=	
1	.0	.0	.0	.0	AmOx+ Th (OH) 3 (CO3) -	
1	.0	.0	.0	.0	AmOx+ Th (CO3) 5===	
1	.0	.0	.0	.0	AmOx+ HOx-	
1	.0	.0	.0	.0	AmOx+ Ox=	
1	.0	.0	.0	.0	AmOx+ Ac-	
1	.0	.0	.0	.0	AmOx+ Lac-	
1	.0	.0	.0	.0	AmOx+ H2Cit-	
1	.0	.0	.0	.0	AmOx+ HCit=	
1	.0	.0	.0	.0	AmOx+ Cit=-	
1	.0	.0	.0	.0	AmOx+ H3EDTA-	
1	.0	.0	.0	.0	AmOx+ H2EDTA=	
1	.0	.0	.0	.0	AmOx+ HEDTA=-	
1	.0	.0	.0	.0	AmOx+ EDTA==	
1	.0	.0	.0	.0	AmOx+ AmEDTA-	
1	.0	.0	.0	.0	AmOx+ NpO2Cit=	
1	.0	.0	.0	.0	AmOx+ NpO2EDTA===	
1	.0	.0	.0	.0	AmOx+ NpO2Ox-	
1	.0	.0	.0	.0	AmOx+ U (OH) 4 (CO3) 2==	
1	.0	.0	.0	.0	AmOx+ U (CO3) 5===	

1	.0	.0	.0	.0	AmOx+	U(SO4)3=	
1	.0	.0	.0	.0	AmOx+	Am(CO3)4==-	
1	.0	.0	.0	.0	AmOx+	Am(SO4)2-	
1	.0	.0	.0	.0	AmOx+	NpO2H2EDTA-	
1	.0	.0	.0	.0	AmOx+	CaCit-	
1	.0	.0	.0	.0	AmOx+	CaEDTA=	
1	.0	.0	.0	.0	AmOx+	UnuAn#2-	
1	.0	.0	.0	.0	AmOx+	UnuAn#3-	
1	.0	.0	.0	.0	AmOx+	UnuAn#4-	
1	.0	.0	.0	.0	AmOx+	U(OH)2(CO3)2=	
1	.0	.0	.0	.0	AmOx+	MgCit-	
1	.0	.0	.0	.0	AmOx+	MgEDTA=	
1	.0	.0	.0	.0	AmOx+	NpO2HEDTA=	
1	-.7467	.29	.0	.319	UCit+	Cl-	analogy w/ Th (SAND99)
1	.0	.0	.0	.0	UCit+	SO4=	
1	.0	.0	.0	.0	UCit+	HSO4-	
1	.0	.0	.0	.0	UCit+	OH-	
1	.0	.0	.0	.0	UCit+	HCO3-	
1	.0	.0	.0	.0	UCit+	CO3=	
1	.0	.0	.0	.0	UCit+	B(OH)4-	
1	.0	.0	.0	.0	UCit+	B3O3(OH)4-	
1	.0	.0	.0	.0	UCit+	B4O5(OH)4=	
1	.0	.0	.0	.0	UCit+	Br-	
1	.0	.0	.0	.0	UCit+	Am(CO3)2-	
1	.0	.0	.0	.0	UCit+	Am(CO3)3=-	
1	.0	.0	.0	.0	UCit+	ClO4-	
1	.0	.0	.0	.0	UCit+	NpO2(OH)2-	
1	.0	.0	.0	.0	UCit+	NpO2CO3-	
1	.0	.0	.0	.0	UCit+	NpO2(CO3)2=-	
1	.0	.0	.0	.0	UCit+	NpO2(CO3)3=-	
1	.0	.0	.0	.0	UCit+	H2PO4-	
1	.0	.0	.0	.0	UCit+	HPO4=	
1	.0	.0	.0	.0	UCit+	PO4=-	
1	.0	.0	.0	.0	UCit+	Th(SO4)3=	
1	.0	.0	.0	.0	UCit+	Th(OH)3(CO3)-	
1	.0	.0	.0	.0	UCit+	Th(CO3)5===	
1	.0	.0	.0	.0	UCit+	HOx-	
1	.0	.0	.0	.0	UCit+	Ox=	
1	.0	.0	.0	.0	UCit+	Ac-	
1	.0	.0	.0	.0	UCit+	Lac-	
1	.0	.0	.0	.0	UCit+	H2Cit-	
1	.0	.0	.0	.0	UCit+	HCit=	
1	.0	.0	.0	.0	UCit+	Cit=-	
1	.0	.0	.0	.0	UCit+	H3EDTA-	
1	.0	.0	.0	.0	UCit+	H2EDTA=	
1	.0	.0	.0	.0	UCit+	HEDTA=-	
1	.0	.0	.0	.0	UCit+	EDTA==	
1	.0	.0	.0	.0	UCit+	AmEDTA-	
1	.0	.0	.0	.0	UCit+	NpO2Cit=	
1	.0	.0	.0	.0	UCit+	NpO2EDTA=-	
1	.0	.0	.0	.0	UCit+	NpO2Ox-	
1	.0	.0	.0	.0	UCit+	U(OH)4(CO3)2==	
1	.0	.0	.0	.0	UCit+	U(CO3)5===	
1	.0	.0	.0	.0	UCit+	U(SO4)3=	
1	.0	.0	.0	.0	UCit+	Am(CO3)4=-	
1	.0	.0	.0	.0	UCit+	Am(SO4)2-	
1	.0	.0	.0	.0	UCit+	NpO2H2EDTA-	
1	.0	.0	.0	.0	UCit+	CaCit-	
1	.0	.0	.0	.0	UCit+	CaEDTA=	
1	.0	.0	.0	.0	UCit+	UnuAn#2-	
1	.0	.0	.0	.0	UCit+	UnuAn#3-	
1	.0	.0	.0	.0	UCit+	UnuAn#4-	

1	.0	.0	.0	.0	UCit+ U(OH)2 (CO3) 2=	
1	.0	.0	.0	.0	UCit+ MgCit-	
1	.0	.0	.0	.0	UCit+ MgEDTA=	
1	.0	.0	.0	.0	UCit+ NpO2HEDTA=	
1	.6677	5.22	.0	.341	ULac+++ Cl-	analogy w/ Th (SAND99/Moore et al 1999)
3	.0	.0	.0	.0	ULac+++ SO4=	
1	.0	.0	.0	.0	ULac+++ HSO4-	
1	.0	.0	.0	.0	ULac+++ OH-	
1	.0	.0	.0	.0	ULac+++ HCO3-	
3	.0	.0	.0	.0	ULac+++ CO3=	
1	.0	.0	.0	.0	ULac+++ B(OH) 4-	
1	.0	.0	.0	.0	ULac+++ B3O3(OH) 4-	
3	.0	.0	.0	.0	ULac+++ B4O5(OH) 4=	
1	.0	.0	.0	.0	ULac+++ Br-	
1	.0	.0	.0	.0	ULac+++ Am(CO3) 2-	
3	.0	.0	.0	.0	ULac+++ Am(CO3) 3=-	
1	.0	.0	.0	.0	ULac+++ ClO4-	
1	.0	.0	.0	.0	ULac+++ NpO2(OH) 2-	
1	.0	.0	.0	.0	ULac+++ NpO2CO3-	
3	.0	.0	.0	.0	ULac+++ NpO2(CO3) 2=-	
3	.0	.0	.0	.0	ULac+++ NpO2(CO3) 3=-	
1	.0	.0	.0	.0	ULac+++ H2PO4-	
3	.0	.0	.0	.0	ULac+++ HPO4=	
3	.0	.0	.0	.0	ULac+++ PO4=-	
3	.0	.0	.0	.0	ULac+++ Th(SO4) 3=	
1	.0	.0	.0	.0	ULac+++ Th(OH) 3(CO3) -	
3	.0	.0	.0	.0	ULac+++ Th(CO3) 5===	
1	.0	.0	.0	.0	ULac+++ HOx-	
3	.0	.0	.0	.0	ULac+++ Ox=	
1	.0	.0	.0	.0	ULac+++ Ac-	
1	.0	.0	.0	.0	ULac+++ Lac-	
1	.0	.0	.0	.0	ULac+++ H2Cit-	
3	.0	.0	.0	.0	ULac+++ HCit=	
3	.0	.0	.0	.0	ULac+++ Cit=-	
3	.0	.0	.0	.0	ULac+++ H3EDTA-	
3	.0	.0	.0	.0	ULac+++ H2EDTA=	
3	.0	.0	.0	.0	ULac+++ HEDTA=-	
3	.0	.0	.0	.0	ULac+++ EDTA==	
3	.0	.0	.0	.0	ULac+++ AmEDTA-	
3	.0	.0	.0	.0	ULac+++ NpO2Cit=	
3	.0	.0	.0	.0	ULac+++ NpO2EDTA=-	
1	.0	.0	.0	.0	ULac+++ NpO2Ox-	
3	.0	.0	.0	.0	ULac+++ U(OH) 4(CO3) 2==	
3	.0	.0	.0	.0	ULac+++ U(CO3) 5===	
3	.0	.0	.0	.0	ULac+++ U(SO4) 3=	
3	.0	.0	.0	.0	ULac+++ Am(CO3) 4=-	
1	.0	.0	.0	.0	ULac+++ Am(SO4) 2-	
1	.0	.0	.0	.0	ULac+++ NpO2H2EDTA-	
1	.0	.0	.0	.0	ULac+++ CaCit-	
3	.0	.0	.0	.0	ULac+++ CaEDTA=	
1	.0	.0	.0	.0	ULac+++ UnuAn#2-	
1	.0	.0	.0	.0	ULac+++ UnuAn#3-	
1	.0	.0	.0	.0	ULac+++ UnuAn#4-	
3	.0	.0	.0	.0	ULac+++ U(OH) 2(CO3) 2=	
1	.0	.0	.0	.0	ULac+++ MgCit-	
3	.0	.0	.0	.0	ULac+++ MgEDTA=	
3	.0	.0	.0	.0	ULac+++ NpO2HEDTA=	
1	-.343	1.74	.0	.5	UOx++ Cl-	analogy w/Th
2	.0	.0	.0	.0	UOx++ SO4=	(SAND99/Borkowski et al 01)

1	.0	.0	.0	.0	UOx++ HSO4-	
1	.0	.0	.0	.0	UOx++ OH-	
1	.0	.0	.0	.0	UOx++ HCO3-	
2	.0	.0	.0	.0	UOx++ CO3=	
1	.0	.0	.0	.0	UOx++ B(OH) 4-	
1	.0	.0	.0	.0	UOx++ B3O3(OH) 4-	
2	.0	.0	.0	.0	UOx++ B4O5(OH) 4=	
1	.0	.0	.0	.0	UOx++ Br-	
1	.0	.0	.0	.0	UOx++ Am(CO3) 2-	
3	.0	.0	.0	.0	UOx++ Am(CO3) 3=-	
1	.0	.0	.0	.0	UOx++ ClO4-	
1	.0	.0	.0	.0	UOx++ NpO2(OH) 2-	
1	.0	.0	.0	.0	UOx++ NpO2CO3-	
3	.0	.0	.0	.0	UOx++ NpO2(CO3) 2=-	
3	.0	.0	.0	.0	UOx++ NpO2(CO3) 3=-	
1	.0	.0	.0	.0	UOx++ H2PO4-	
2	.0	.0	.0	.0	UOx++ HPO4=	
3	.0	.0	.0	.0	UOx++ PO4=-	
2	.0	.0	.0	.0	UOx++ Th(SO4) 3=	
1	.0	.0	.0	.0	UOx++ Th(OH) 3(CO3) -	
3	.0	.0	.0	.0	UOx++ Th(CO3) 5===	
1	.0	.0	.0	.0	UOx++ HOx-	
2	.0	.0	.0	.0	UOx++ Ox=	
1	.0	.0	.0	.0	UOx++ Ac-	
1	.0	.0	.0	.0	UOx++ Lac-	
1	.0	.0	.0	.0	UOx++ H2Cit-	
2	.0	.0	.0	.0	UOx++ HCit=	
3	.0	.0	.0	.0	UOx++ Cit=-	
3	.0	.0	.0	.0	UOx++ H3EDTA-	
3	.0	.0	.0	.0	UOx++ H2EDTA=	
3	.0	.0	.0	.0	UOx++ HEDTA=-	
3	.0	.0	.0	.0	UOx++ EDTA==	
3	.0	.0	.0	.0	UOx++ AmEDTA-	
3	.0	.0	.0	.0	UOx++ NpO2Cit=	
3	.0	.0	.0	.0	UOx++ NpO2EDTA=-	
1	.0	.0	.0	.0	UOx++ NpO2Ox-	
3	.0	.0	.0	.0	UOx++ U(OH) 4(CO3) 2==	
3	.0	.0	.0	.0	UOx++ U(CO3) 5===	
2	.0	.0	.0	.0	UOx++ U(SO4) 3=	
3	.0	.0	.0	.0	UOx++ Am(CO3) 4=-	
1	.0	.0	.0	.0	UOx++ Am(SO4) 2-	
1	.0	.0	.0	.0	UOx++ NpO2H2EDTA-	
1	.0	.0	.0	.0	UOx++ CaCit-	
2	.0	.0	.0	.0	UOx++ CaEDTA=	
1	.0	.0	.0	.0	UOx++ UnuAn#2-	
1	.0	.0	.0	.0	UOx++ UnuAn#3-	
1	.0	.0	.0	.0	UOx++ UnuAn#4-	
2	.0	.0	.0	.0	UOx++ U(OH) 2(CO3) 2=	
1	.0	.0	.0	.0	UOx++ MgCit-	
2	.0	.0	.0	.0	UOx++ MgEDTA=	
2	.0	.0	.0	.0	UOx++ NpO2HEDTA=	
1	1.061	5.22	.0	.109	ThAc+++ Cl-	SAND99
3	.0	.0	.0	.0	ThAc+++ SO4=	
1	.0	.0	.0	.0	ThAc+++ HSO4-	
1	.0	.0	.0	.0	ThAc+++ OH-	
1	.0	.0	.0	.0	ThAc+++ HCO3-	
3	.0	.0	.0	.0	ThAc+++ CO3=	
1	.0	.0	.0	.0	ThAc+++ B(OH) 4-	
1	.0	.0	.0	.0	ThAc+++ B3O3(OH) 4-	
3	.0	.0	.0	.0	ThAc+++ B4O5(OH) 4=	
1	.0	.0	.0	.0	ThAc+++ Br-	
1	.0	.0	.0	.0	ThAc+++ Am(CO3) 2-	

3	.0	.0	.0	.0	ThAc+++ Am (CO3) 3=-	
1	.0	.0	.0	.0	ThAc+++ ClO4-	
1	.0	.0	.0	.0	ThAc+++ NpO2 (OH) 2-	
1	.0	.0	.0	.0	ThAc+++ NpO2CO3-	
3	.0	.0	.0	.0	ThAc+++ NpO2 (CO3) 2=-	
3	.0	.0	.0	.0	ThAc+++ NpO2 (CO3) 3=-	
1	.0	.0	.0	.0	ThAc+++ H2PO4-	
3	.0	.0	.0	.0	ThAc+++ HPO4=	
3	.0	.0	.0	.0	ThAc+++ PO4=-	
3	.0	.0	.0	.0	ThAc+++ Th (SO4) 3=	
1	.0	.0	.0	.0	ThAc+++ Th (OH) 3 (CO3) -	
3	.0	.0	.0	.0	ThAc+++ Th (CO3) 5===	
1	.0	.0	.0	.0	ThAc+++ HOx-	
3	.0	.0	.0	.0	ThAc+++ Ox=	
1	.0	.0	.0	.0	ThAc+++ Ac-	
1	.0	.0	.0	.0	ThAc+++ Lac-	
1	.0	.0	.0	.0	ThAc+++ H2Cit-	
3	.0	.0	.0	.0	ThAc+++ HCit=	
3	.0	.0	.0	.0	ThAc+++ Cit=-	
3	.0	.0	.0	.0	ThAc+++ H3EDTA-	
3	.0	.0	.0	.0	ThAc+++ H2EDTA=	
3	.0	.0	.0	.0	ThAc+++ HEDTA=-	
3	.0	.0	.0	.0	ThAc+++ EDTA==	
3	.0	.0	.0	.0	ThAc+++ AmEDTA-	
3	.0	.0	.0	.0	ThAc+++ NpO2Cit=	
3	.0	.0	.0	.0	ThAc+++ NpO2EDTA=-	
1	.0	.0	.0	.0	ThAc+++ NpO2Ox-	
3	.0	.0	.0	.0	ThAc+++ U (OH) 4 (CO3) 2==	
3	.0	.0	.0	.0	ThAc+++ U (CO3) 5===	
3	.0	.0	.0	.0	ThAc+++ U (SO4) 3=	
3	.0	.0	.0	.0	ThAc+++ Am (CO3) 4=-	
1	.0	.0	.0	.0	ThAc+++ Am (SO4) 2-	
1	.0	.0	.0	.0	ThAc+++ NpO2H2EDTA-	
1	.0	.0	.0	.0	ThAc+++ CaCit-	
3	.0	.0	.0	.0	ThAc+++ CaEDTA=	
1	.0	.0	.0	.0	ThAc+++ UnuAn#2-	
1	.0	.0	.0	.0	ThAc+++ UnuAn#3-	
1	.0	.0	.0	.0	ThAc+++ UnuAn#4-	
3	.0	.0	.0	.0	ThAc+++ U (OH) 2 (CO3) 2=	
1	.0	.0	.0	.0	ThAc+++ MgCit-	
3	.0	.0	.0	.0	ThAc+++ MgEDTA=	
3	.0	.0	.0	.0	ThAc+++ NpO2HEDTA=	
1	-.7467	.29	.0	.319	ThCit+ Cl-	SAND99
1	.0	.0	.0	.0	ThCit+ SO4=	
1	.0	.0	.0	.0	ThCit+ HSO4-	
1	.0	.0	.0	.0	ThCit+ OH-	
1	.0	.0	.0	.0	ThCit+ HCO3-	
1	.0	.0	.0	.0	ThCit+ CO3=	
1	.0	.0	.0	.0	ThCit+ B (OH) 4-	
1	.0	.0	.0	.0	ThCit+ B3O3 (OH) 4-	
1	.0	.0	.0	.0	ThCit+ B4O5 (OH) 4=	
1	.0	.0	.0	.0	ThCit+ Br-	
1	.0	.0	.0	.0	ThCit+ Am (CO3) 2-	
1	.0	.0	.0	.0	ThCit+ Am (CO3) 3=-	
1	.0	.0	.0	.0	ThCit+ ClO4-	
1	.0	.0	.0	.0	ThCit+ NpO2 (OH) 2-	
1	.0	.0	.0	.0	ThCit+ NpO2CO3-	
1	.0	.0	.0	.0	ThCit+ NpO2 (CO3) 2=-	
1	.0	.0	.0	.0	ThCit+ NpO2 (CO3) 3=-	
1	.0	.0	.0	.0	ThCit+ H2PO4-	
1	.0	.0	.0	.0	ThCit+ HPO4=	
1	.0	.0	.0	.0	ThCit+ PO4=-	



1	.0	.0	.0	.0	ThCit+ Th(SO4)3=	
1	.0	.0	.0	.0	ThCit+ Th(OH)3(CO3)-	
1	.0	.0	.0	.0	ThCit+ Th(CO3)5===	
1	.0	.0	.0	.0	ThCit+ HOx-	
1	.0	.0	.0	.0	ThCit+ Ox=	
1	.0	.0	.0	.0	ThCit+ Ac-	
1	.0	.0	.0	.0	ThCit+ Lac-	
1	.0	.0	.0	.0	ThCit+ H2Cit-	
1	.0	.0	.0	.0	ThCit+ HCit=	
1	.0	.0	.0	.0	ThCit+ Cit=-	
1	.0	.0	.0	.0	ThCit+ H3EDTA-	
1	.0	.0	.0	.0	ThCit+ H2EDTA=	
1	.0	.0	.0	.0	ThCit+ HEDTA=-	
1	.0	.0	.0	.0	ThCit+ EDTA==	
1	.0	.0	.0	.0	ThCit+ AmEDTA-	
1	.0	.0	.0	.0	ThCit+ NpO2Cit=	
1	.0	.0	.0	.0	ThCit+ NpO2EDTA=-	
1	.0	.0	.0	.0	ThCit+ NpO2Ox-	
1	.0	.0	.0	.0	ThCit+ U(OH)4(CO3)2==	
1	.0	.0	.0	.0	ThCit+ U(CO3)5===	
1	.0	.0	.0	.0	ThCit+ U(SO4)3=	
1	.0	.0	.0	.0	ThCit+ Am(CO3)4=-	
1	.0	.0	.0	.0	ThCit+ Am(SO4)2-	
1	.0	.0	.0	.0	ThCit+ NpO2H2EDTA-	
1	.0	.0	.0	.0	ThCit+ CaCit-	
1	.0	.0	.0	.0	ThCit+ CaEDTA=	
1	.0	.0	.0	.0	ThCit+ UnuAn#2-	
1	.0	.0	.0	.0	ThCit+ UnuAn#3-	
1	.0	.0	.0	.0	ThCit+ UnuAn#4-	
1	.0	.0	.0	.0	ThCit+ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	ThCit+ MgCit-	
1	.0	.0	.0	.0	ThCit+ MgEDTA=	
1	.0	.0	.0	.0	ThCit+ NpO2HEDTA=	
1	.6677	5.22	.0	.341	ThLac+++ Cl-	SAND99/Moore et al 99
3	.0	.0	.0	.0	ThLac+++ SO4=	
1	.0	.0	.0	.0	ThLac+++ HSO4-	
1	.0	.0	.0	.0	ThLac+++ OH-	
1	.0	.0	.0	.0	ThLac+++ HCO3-	
3	.0	.0	.0	.0	ThLac+++ CO3=	
1	.0	.0	.0	.0	ThLac+++ B(OH)4-	
1	.0	.0	.0	.0	ThLac+++ B3O3(OH)4-	
3	.0	.0	.0	.0	ThLac+++ B4O5(OH)4=	
1	.0	.0	.0	.0	ThLac+++ Br-	
1	.0	.0	.0	.0	ThLac+++ Am(CO3)2-	
3	.0	.0	.0	.0	ThLac+++ Am(CO3)3=-	
1	.0	.0	.0	.0	ThLac+++ ClO4-	
1	.0	.0	.0	.0	ThLac+++ NpO2(OH)2-	
1	.0	.0	.0	.0	ThLac+++ NpO2CO3-	
3	.0	.0	.0	.0	ThLac+++ NpO2(CO3)2=-	
3	.0	.0	.0	.0	ThLac+++ NpO2(CO3)3=-	
1	.0	.0	.0	.0	ThLac+++ H2PO4-	
3	.0	.0	.0	.0	ThLac+++ HPO4=	
3	.0	.0	.0	.0	ThLac+++ PO4=-	
3	.0	.0	.0	.0	ThLac+++ Th(SO4)3=	
1	.0	.0	.0	.0	ThLac+++ Th(OH)3(CO3)-	
3	.0	.0	.0	.0	ThLac+++ Th(CO3)5===	
1	.0	.0	.0	.0	ThLac+++ HOx-	
3	.0	.0	.0	.0	ThLac+++ Ox=	
1	.0	.0	.0	.0	ThLac+++ Ac-	
1	.0	.0	.0	.0	ThLac+++ Lac-	
1	.0	.0	.0	.0	ThLac+++ H2Cit-	
3	.0	.0	.0	.0	ThLac+++ HCit=	

3	.0	.0	.0	.0	ThLac+++ Cit=-
3	.0	.0	.0	.0	ThLac+++ H3EDTA-
3	.0	.0	.0	.0	ThLac+++ H2EDTA=
3	.0	.0	.0	.0	ThLac+++ HEDTA=-
3	.0	.0	.0	.0	ThLac+++ EDTA==
3	.0	.0	.0	.0	ThLac+++ AmEDTA-
3	.0	.0	.0	.0	ThLac+++ NpO2Cit=
3	.0	.0	.0	.0	ThLac+++ NpO2EDTA==-
1	.0	.0	.0	.0	ThLac+++ NpO2Ox-
3	.0	.0	.0	.0	ThLac+++ U(OH)4(CO3)2==
3	.0	.0	.0	.0	ThLac+++ U(CO3)5===
3	.0	.0	.0	.0	ThLac+++ U(SO4)3=
3	.0	.0	.0	.0	ThLac+++ Am(CO3)4==-
1	.0	.0	.0	.0	ThLac+++ Am(SO4)2-
1	.0	.0	.0	.0	ThLac+++ NpO2H2EDTA-
1	.0	.0	.0	.0	ThLac+++ CaCit-
3	.0	.0	.0	.0	ThLac+++ CaEDTA=
1	.0	.0	.0	.0	ThLac+++ UnuAn#2-
1	.0	.0	.0	.0	ThLac+++ UnuAn#3-
1	.0	.0	.0	.0	ThLac+++ UnuAn#4-
3	.0	.0	.0	.0	ThLac+++ U(OH)2(CO3)2=
1	.0	.0	.0	.0	ThLac+++ MgCit-
3	.0	.0	.0	.0	ThLac+++ MgEDTA=
3	.0	.0	.0	.0	ThLac+++ NpO2HEDTA=
1	-0.055	1.6	.0	0.050	AmOH++ Cl- FK98/Konnecke et al. 1997
2	.0	.0	.0	.0	AmOH++ SO4=
1	.0	.0	.0	.0	AmOH++ HSO4-
1	.0	.0	.0	.0	AmOH++ OH-
1	.0	.0	.0	.0	AmOH++ HCO3-
2	.0	.0	.0	.0	AmOH++ CO3=
1	.0	.0	.0	.0	AmOH++ B(OH)4-
1	.0	.0	.0	.0	AmOH++ B3O3(OH)4-
2	.0	.0	.0	.0	AmOH++ B4O5(OH)4=
1	.0	.0	.0	.0	AmOH++ Br-
1	.0	.0	.0	.0	AmOH++ Am(CO3)2-
3	.0	.0	.0	.0	AmOH++ Am(CO3)3=-
1	.0	.0	.0	.0	AmOH++ ClO4-
1	.0	.0	.0	.0	AmOH++ NpO2(OH)2-
1	.0	.0	.0	.0	AmOH++ NpO2CO3-
3	.0	.0	.0	.0	AmOH++ NpO2(CO3)2=-
3	.0	.0	.0	.0	AmOH++ NpO2(CO3)3=-
1	.0	.0	.0	.0	AmOH++ H2PO4-
2	.0	.0	.0	.0	AmOH++ HPO4=
3	.0	.0	.0	.0	AmOH++ PO4=-
2	.0	.0	.0	.0	AmOH++ Th(SO4)3=
1	.0	.0	.0	.0	AmOH++ Th(OH)3(CO3)-
3	.0	.0	.0	.0	AmOH++ Th(CO3)5===
1	.0	.0	.0	.0	AmOH++ HOx-
2	.0	.0	.0	.0	AmOH++ Ox=
1	.0	.0	.0	.0	AmOH++ Ac-
1	.0	.0	.0	.0	AmOH++ Lac-
1	.0	.0	.0	.0	AmOH++ H2Cit-
2	.0	.0	.0	.0	AmOH++ HCit=
3	.0	.0	.0	.0	AmOH++ Cit=-
3	.0	.0	.0	.0	AmOH++ H3EDTA-
3	.0	.0	.0	.0	AmOH++ H2EDTA=
3	.0	.0	.0	.0	AmOH++ HEDTA=-
3	.0	.0	.0	.0	AmOH++ EDTA==
3	.0	.0	.0	.0	AmOH++ AmEDTA-
3	.0	.0	.0	.0	AmOH++ NpO2Cit=
3	.0	.0	.0	.0	AmOH++ NpO2EDTA==-
1	.0	.0	.0	.0	AmOH++ NpO2Ox-

3	.0	.0	.0	.0	AmOH++ U(OH)4(CO3)2==
3	.0	.0	.0	.0	AmOH++ U(CO3)5===
2	.0	.0	.0	.0	AmOH++ U(SO4)3=
3	.0	.0	.0	.0	AmOH++ Am(CO3)4==-
1	.0	.0	.0	.0	AmOH++ Am(SO4)2-
1	.0	.0	.0	.0	AmOH++ NpO2H2EDTA-
1	.0	.0	.0	.0	AmOH++ CaCit-
2	.0	.0	.0	.0	AmOH++ CaEDTA=
1	.0	.0	.0	.0	AmOH++ UnuAn#2-
1	.0	.0	.0	.0	AmOH++ UnuAn#3-
1	.0	.0	.0	.0	AmOH++ UnuAn#4-
2	.0	.0	.0	.0	AmOH++ U(OH)2(CO3)2=
1	.0	.0	.0	.0	AmOH++ MgCit-
2	.0	.0	.0	.0	AmOH++ MgEDTA=
2	.0	.0	.0	.0	AmOH++ NpO2HEDTA=
1	-0.616	-0.45	.0	.050	Am(OH)2+ Cl- FK98/Konnecke et al. 1997
1	.0	.0	.0	.0	Am(OH)2+ SO4=
1	.0	.0	.0	.0	Am(OH)2+ HSO4-
1	.0	.0	.0	.0	Am(OH)2+ OH-
1	.0	.0	.0	.0	Am(OH)2+ HCO3-
1	.0	.0	.0	.0	Am(OH)2+ CO3=
1	.0	.0	.0	.0	Am(OH)2+ B(OH)4-
1	.0	.0	.0	.0	Am(OH)2+ B3O3(OH)4-
1	.0	.0	.0	.0	Am(OH)2+ B4O5(OH)4=
1	.0	.0	.0	.0	Am(OH)2+ Br-
1	.0	.0	.0	.0	Am(OH)2+ Am(CO3)2-
1	.0	.0	.0	.0	Am(OH)2+ Am(CO3)3=-
1	.0	.0	.0	.0	Am(OH)2+ ClO4-
1	.0	.0	.0	.0	Am(OH)2+ NpO2(OH)2-
1	.0	.0	.0	.0	Am(OH)2+ NpO2CO3-
1	.0	.0	.0	.0	Am(OH)2+ NpO2(CO3)2=-
1	.0	.0	.0	.0	Am(OH)2+ NpO2(CO3)3=-
1	.0	.0	.0	.0	Am(OH)2+ H2PO4-
1	.0	.0	.0	.0	Am(OH)2+ HPO4=
1	.0	.0	.0	.0	Am(OH)2+ PO4=-
1	.0	.0	.0	.0	Am(OH)2+ Th(SO4)3=
1	.0	.0	.0	.0	Am(OH)2+ Th(OH)3(CO3)-
1	.0	.0	.0	.0	Am(OH)2+ Th(CO3)5===
1	.0	.0	.0	.0	Am(OH)2+ HOx-
1	.0	.0	.0	.0	Am(OH)2+ Ox=
1	.0	.0	.0	.0	Am(OH)2+ Ac-
1	.0	.0	.0	.0	Am(OH)2+ Lac-
1	.0	.0	.0	.0	Am(OH)2+ H2Cit-
1	.0	.0	.0	.0	Am(OH)2+ HCit=
1	.0	.0	.0	.0	Am(OH)2+ Cit=-
1	.0	.0	.0	.0	Am(OH)2+ H3EDTA-
1	.0	.0	.0	.0	Am(OH)2+ H2EDTA=
1	.0	.0	.0	.0	Am(OH)2+ HEDTA=-
1	.0	.0	.0	.0	Am(OH)2+ EDTA==
1	.0	.0	.0	.0	Am(OH)2+ AmEDTA-
1	.0	.0	.0	.0	Am(OH)2+ NpO2Cit=
1	.0	.0	.0	.0	Am(OH)2+ NpO2EDTA=-
1	.0	.0	.0	.0	Am(OH)2+ NpO2Ox-
1	.0	.0	.0	.0	Am(OH)2+ U(OH)4(CO3)2==
1	.0	.0	.0	.0	Am(OH)2+ U(CO3)5===
1	.0	.0	.0	.0	Am(OH)2+ U(SO4)3=
1	.0	.0	.0	.0	Am(OH)2+ Am(CO3)4=-
1	.0	.0	.0	.0	Am(OH)2+ Am(SO4)2-
1	.0	.0	.0	.0	Am(OH)2+ NpO2H2EDTA-
1	.0	.0	.0	.0	Am(OH)2+ CaCit-
1	.0	.0	.0	.0	Am(OH)2+ CaEDTA=
1	.0	.0	.0	.0	Am(OH)2+ UnuAn#2-

1	.0	.0	.0	.0	Am(OH)2+ UnuAn#3-	
1	.0	.0	.0	.0	Am(OH)2+ UnuAn#4-	
1	.0	.0	.0	.0	Am(OH)2+ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	Am(OH)2+ MgCit-	
1	.0	.0	.0	.0	Am(OH)2+ MgEDTA=	
1	.0	.0	.0	.0	Am(OH)2+ NpO2HEDTA=	
1	.516	1.75	.0	.010	AmCl2+ Cl-	FK98/Konnecke et al. 1997
1	.0	.0	.0	.0	AmCl2+ SO4=	
1	.0	.0	.0	.0	AmCl2+ HSO4-	
1	.0	.0	.0	.0	AmCl2+ OH-	
1	.0	.0	.0	.0	AmCl2+ HCO3-	
1	.0	.0	.0	.0	AmCl2+ CO3=	
1	.0	.0	.0	.0	AmCl2+ B(OH)4-	
1	.0	.0	.0	.0	AmCl2+ B3O3(OH)4-	
1	.0	.0	.0	.0	AmCl2+ B4O5(OH)4=	
1	.0	.0	.0	.0	AmCl2+ Br-	
1	.0	.0	.0	.0	AmCl2+ Am(CO3)2-	
1	.0	.0	.0	.0	AmCl2+ Am(CO3)3=-	
1	.0	.0	.0	.0	AmCl2+ ClO4-	
1	.0	.0	.0	.0	AmCl2+ NpO2(OH)2-	
1	.0	.0	.0	.0	AmCl2+ NpO2CO3-	
1	.0	.0	.0	.0	AmCl2+ NpO2(CO3)2=-	
1	.0	.0	.0	.0	AmCl2+ NpO2(CO3)3=-	
1	.0	.0	.0	.0	AmCl2+ H2PO4-	
1	.0	.0	.0	.0	AmCl2+ HPO4=	
1	.0	.0	.0	.0	AmCl2+ PO4=-	
1	.0	.0	.0	.0	AmCl2+ Th(SO4)3=	
1	.0	.0	.0	.0	AmCl2+ Th(OH)3(CO3)-	
1	.0	.0	.0	.0	AmCl2+ Th(CO3)5=-	
1	.0	.0	.0	.0	AmCl2+ HOx-	
1	.0	.0	.0	.0	AmCl2+ Ox=	
1	.0	.0	.0	.0	AmCl2+ Ac-	
1	.0	.0	.0	.0	AmCl2+ Lac-	
1	.0	.0	.0	.0	AmCl2+ H2Cit-	
1	.0	.0	.0	.0	AmCl2+ HCit=	
1	.0	.0	.0	.0	AmCl2+ Cit=-	
1	.0	.0	.0	.0	AmCl2+ H3EDTA-	
1	.0	.0	.0	.0	AmCl2+ H2EDTA=	
1	.0	.0	.0	.0	AmCl2+ HEDTA=-	
1	.0	.0	.0	.0	AmCl2+ EDTA=-	
1	.0	.0	.0	.0	AmCl2+ AmEDTA-	
1	.0	.0	.0	.0	AmCl2+ NpO2Cit=	
1	.0	.0	.0	.0	AmCl2+ NpO2EDTA=-	
1	.0	.0	.0	.0	AmCl2+ NpO2Ox-	
1	.0	.0	.0	.0	AmCl2+ U(OH)4(CO3)2=-	
1	.0	.0	.0	.0	AmCl2+ U(CO3)5=-	
1	.0	.0	.0	.0	AmCl2+ U(SO4)3=	
1	.0	.0	.0	.0	AmCl2+ Am(CO3)4=-	
1	.0	.0	.0	.0	AmCl2+ Am(SO4)2-	
1	.0	.0	.0	.0	AmCl2+ NpO2H2EDTA-	
1	.0	.0	.0	.0	AmCl2+ CaCit-	
1	.0	.0	.0	.0	AmCl2+ CaEDTA=	
1	.0	.0	.0	.0	AmCl2+ UnuAn#2-	
1	.0	.0	.0	.0	AmCl2+ UnuAn#3-	
1	.0	.0	.0	.0	AmCl2+ UnuAn#4-	
1	.0	.0	.0	.0	AmCl2+ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	AmCl2+ MgCit-	
1	.0	.0	.0	.0	AmCl2+ MgEDTA=	
1	.0	.0	.0	.0	AmCl2+ NpO2HEDTA=	
1	-0.091	-.39	.0	0.048	AmSO4+ Cl-	FK98
1	.0	.0	.0	.0	AmSO4+ SO4=	

1	.0	.0	.0	.0	AmSO4+ HSO4-
1	.0	.0	.0	.0	AmSO4+ OH-
1	.0	.0	.0	.0	AmSO4+ HCO3-
1	.0	.0	.0	.0	AmSO4+ CO3=
1	.0	.0	.0	.0	AmSO4+ B(OH)4-
1	.0	.0	.0	.0	AmSO4+ B3O3(OH)4-
1	.0	.0	.0	.0	AmSO4+ B4O5(OH)4=
1	.0	.0	.0	.0	AmSO4+ Br-
1	.0	.0	.0	.0	AmSO4+ Am(CO3)2-
1	.0	.0	.0	.0	AmSO4+ Am(CO3)3=-
1	.0	.0	.0	.0	AmSO4+ ClO4-
1	.0	.0	.0	.0	AmSO4+ NpO2(OH)2-
1	.0	.0	.0	.0	AmSO4+ NpO2CO3-
1	.0	.0	.0	.0	AmSO4+ NpO2(CO3)2=-
1	.0	.0	.0	.0	AmSO4+ NpO2(CO3)3=-
1	.0	.0	.0	.0	AmSO4+ H2PO4-
1	.0	.0	.0	.0	AmSO4+ HPO4=
1	.0	.0	.0	.0	AmSO4+ PO4=-
1	.0	.0	.0	.0	AmSO4+ Th(SO4)3=
1	.0	.0	.0	.0	AmSO4+ Th(OH)3(CO3)-
1	.0	.0	.0	.0	AmSO4+ Th(CO3)5=-
1	.0	.0	.0	.0	AmSO4+ HOx-
1	.0	.0	.0	.0	AmSO4+ Ox=
1	.0	.0	.0	.0	AmSO4+ Ac-
1	.0	.0	.0	.0	AmSO4+ Lac-
1	.0	.0	.0	.0	AmSO4+ H2Cit-
1	.0	.0	.0	.0	AmSO4+ HCit=
1	.0	.0	.0	.0	AmSO4+ Cit=-
1	.0	.0	.0	.0	AmSO4+ H3EDTA-
1	.0	.0	.0	.0	AmSO4+ H2EDTA=
1	.0	.0	.0	.0	AmSO4+ HEDTA=-
1	.0	.0	.0	.0	AmSO4+ EDTA==
1	.0	.0	.0	.0	AmSO4+ AmEDTA-
1	.0	.0	.0	.0	AmSO4+ NpO2Cit=
1	.0	.0	.0	.0	AmSO4+ NpO2EDTA=-
1	.0	.0	.0	.0	AmSO4+ NpO2Ox-
1	.0	.0	.0	.0	AmSO4+ U(OH)4(CO3)2==
1	.0	.0	.0	.0	AmSO4+ U(CO3)5=-
1	.0	.0	.0	.0	AmSO4+ U(SO4)3=
1	.0	.0	.0	.0	AmSO4+ Am(CO3)4=-
1	.0	.0	.0	.0	AmSO4+ Am(SO4)2-
1	.0	.0	.0	.0	AmSO4+ NpO2H2EDTA-
1	.0	.0	.0	.0	AmSO4+ CaCit-
1	.0	.0	.0	.0	AmSO4+ CaEDTA=
1	.0	.0	.0	.0	AmSO4+ UnuAn#2-
1	.0	.0	.0	.0	AmSO4+ UnuAn#3-
1	.0	.0	.0	.0	AmSO4+ UnuAn#4-
1	.0	.0	.0	.0	AmSO4+ U(OH)2(CO3)2=
1	.0	.0	.0	.0	AmSO4+ MgCit-
1	.0	.0	.0	.0	AmSO4+ MgEDTA=
1	.0	.0	.0	.0	AmSO4+ NpO2HEDTA=
1	-0.616	-0.45	.0	.050	Pu(OH)2+ Cl- analogy w/ Am (FK98)
1	.0	.0	.0	.0	Pu(OH)2+ SO4=
1	.0	.0	.0	.0	Pu(OH)2+ HSO4-
1	.0	.0	.0	.0	Pu(OH)2+ OH-
1	.0	.0	.0	.0	Pu(OH)2+ HCO3-
1	.0	.0	.0	.0	Pu(OH)2+ CO3=
1	.0	.0	.0	.0	Pu(OH)2+ B(OH)4-
1	.0	.0	.0	.0	Pu(OH)2+ B3O3(OH)4-
1	.0	.0	.0	.0	Pu(OH)2+ B4O5(OH)4=
1	.0	.0	.0	.0	Pu(OH)2+ Br-
1	.0	.0	.0	.0	Pu(OH)2+ Am(CO3)2-

1	.0	.0	.0	.0	Pu(OH)2+ Am(CO3)3=-
1	.0	.0	.0	.0	Pu(OH)2+ ClO4-
1	.0	.0	.0	.0	Pu(OH)2+ NpO2(OH)2-
1	.0	.0	.0	.0	Pu(OH)2+ NpO2CO3-
1	.0	.0	.0	.0	Pu(OH)2+ NpO2(CO3)2=-
1	.0	.0	.0	.0	Pu(OH)2+ NpO2(CO3)3=-
1	.0	.0	.0	.0	Pu(OH)2+ H2PO4-
1	.0	.0	.0	.0	Pu(OH)2+ HPO4=
1	.0	.0	.0	.0	Pu(OH)2+ PO4=-
1	.0	.0	.0	.0	Pu(OH)2+ Th(SO4)3=
1	.0	.0	.0	.0	Pu(OH)2+ Th(OH)3(CO3)-
1	.0	.0	.0	.0	Pu(OH)2+ Th(CO3)5=-
1	.0	.0	.0	.0	Pu(OH)2+ HOx-
1	.0	.0	.0	.0	Pu(OH)2+ Ox=
1	.0	.0	.0	.0	Pu(OH)2+ Ac-
1	.0	.0	.0	.0	Pu(OH)2+ Lac-
1	.0	.0	.0	.0	Pu(OH)2+ H2Cit-
1	.0	.0	.0	.0	Pu(OH)2+ HCit=
1	.0	.0	.0	.0	Pu(OH)2+ Cit=-
1	.0	.0	.0	.0	Pu(OH)2+ H3EDTA-
1	.0	.0	.0	.0	Pu(OH)2+ H2EDTA=
1	.0	.0	.0	.0	Pu(OH)2+ HEDTA=-
1	.0	.0	.0	.0	Pu(OH)2+ EDTA==
1	.0	.0	.0	.0	Pu(OH)2+ AmEDTA-
1	.0	.0	.0	.0	Pu(OH)2+ NpO2Cit=
1	.0	.0	.0	.0	Pu(OH)2+ NpO2EDTA=-
1	.0	.0	.0	.0	Pu(OH)2+ NpO2Ox-
1	.0	.0	.0	.0	Pu(OH)2+ U(OH)4(CO3)2=-
1	.0	.0	.0	.0	Pu(OH)2+ U(CO3)5=-
1	.0	.0	.0	.0	Pu(OH)2+ U(SO4)3=
1	.0	.0	.0	.0	Pu(OH)2+ Am(CO3)4=-
1	.0	.0	.0	.0	Pu(OH)2+ Am(SO4)2-
1	.0	.0	.0	.0	Pu(OH)2+ NpO2H2EDTA-
1	.0	.0	.0	.0	Pu(OH)2+ CaCit-
1	.0	.0	.0	.0	Pu(OH)2+ CaEDTA=
1	.0	.0	.0	.0	Pu(OH)2+ UnuAn#2-
1	.0	.0	.0	.0	Pu(OH)2+ UnuAn#3-
1	.0	.0	.0	.0	Pu(OH)2+ UnuAn#4-
1	.0	.0	.0	.0	Pu(OH)2+ U(OH)2(CO3)2=
1	.0	.0	.0	.0	Pu(OH)2+ MgCit-
1	.0	.0	.0	.0	Pu(OH)2+ MgEDTA=
1	.0	.0	.0	.0	Pu(OH)2+ NpO2HEDTA=
1	.4671	1.74	.0	.143	ThAc2++ Cl- Moore et al 1999
2	.0	.0	.0	.0	ThAc2++ SO4=
1	.0	.0	.0	.0	ThAc2++ HSO4-
1	.0	.0	.0	.0	ThAc2++ OH-
1	.0	.0	.0	.0	ThAc2++ HCO3-
2	.0	.0	.0	.0	ThAc2++ CO3=
1	.0	.0	.0	.0	ThAc2++ B(OH)4-
1	.0	.0	.0	.0	ThAc2++ B3O3(OH)4-
2	.0	.0	.0	.0	ThAc2++ B4O5(OH)4=
1	.0	.0	.0	.0	ThAc2++ Br-
1	.0	.0	.0	.0	ThAc2++ Am(CO3)2-
3	.0	.0	.0	.0	ThAc2++ Am(CO3)3=-
1	.0	.0	.0	.0	ThAc2++ ClO4-
1	.0	.0	.0	.0	ThAc2++ NpO2(OH)2-
1	.0	.0	.0	.0	ThAc2++ NpO2CO3-
3	.0	.0	.0	.0	ThAc2++ NpO2(CO3)2=-
3	.0	.0	.0	.0	ThAc2++ NpO2(CO3)3=-
1	.0	.0	.0	.0	ThAc2++ H2PO4-
2	.0	.0	.0	.0	ThAc2++ HPO4=
3	.0	.0	.0	.0	ThAc2++ PO4=-

2	.0	.0	.0	.0	ThAc2++ Th (SO4) 3=
1	.0	.0	.0	.0	ThAc2++ Th (OH) 3 (CO3) -
3	.0	.0	.0	.0	ThAc2++ Th (CO3) 5===
1	.0	.0	.0	.0	ThAc2++ HOx-
2	.0	.0	.0	.0	ThAc2++ Ox=
1	.0	.0	.0	.0	ThAc2++ Ac-
1	.0	.0	.0	.0	ThAc2++ Lac-
1	.0	.0	.0	.0	ThAc2++ H2Cit-
2	.0	.0	.0	.0	ThAc2++ HCit=
3	.0	.0	.0	.0	ThAc2++ Cit=-
3	.0	.0	.0	.0	ThAc2++ H3EDTA-
3	.0	.0	.0	.0	ThAc2++ H2EDTA=
3	.0	.0	.0	.0	ThAc2++ HEDTA=-
3	.0	.0	.0	.0	ThAc2++ EDTA==
3	.0	.0	.0	.0	ThAc2++ AmEDTA-
3	.0	.0	.0	.0	ThAc2++ NpO2Cit=
3	.0	.0	.0	.0	ThAc2++ NpO2EDTA===
1	.0	.0	.0	.0	ThAc2++ NpO2Ox-
3	.0	.0	.0	.0	ThAc2++ U (OH) 4 (CO3) 2==
3	.0	.0	.0	.0	ThAc2++ U (CO3) 5===
2	.0	.0	.0	.0	ThAc2++ U (SO4) 3=
3	.0	.0	.0	.0	ThAc2++ Am (CO3) 4=-
1	.0	.0	.0	.0	ThAc2++ Am (SO4) 2-
1	.0	.0	.0	.0	ThAc2++ NpO2H2EDTA-
1	.0	.0	.0	.0	ThAc2++ CaCit-
3	.0	.0	.0	.0	ThAc2++ CaEDTA=
1	.0	.0	.0	.0	ThAc2++ UnuAn#2-
1	.0	.0	.0	.0	ThAc2++ UnuAn#3-
1	.0	.0	.0	.0	ThAc2++ UnuAn#4-
2	.0	.0	.0	.0	ThAc2++ U (OH) 2 (CO3) 2=
1	.0	.0	.0	.0	ThAc2++ MgCit-
2	.0	.0	.0	.0	ThAc2++ MgEDTA=
2	.0	.0	.0	.0	ThAc2++ NpO2HEDTA=
1	-.9374	.29	.0	.248	PuOx+ Cl- analogy w/ Am
(SAND99/Borkowski et al 01)					
1	.0	.0	.0	.0	PuOx+ SO4=
1	.0	.0	.0	.0	PuOx+ HSO4-
1	.0	.0	.0	.0	PuOx+ OH-
1	.0	.0	.0	.0	PuOx+ HCO3-
1	.0	.0	.0	.0	PuOx+ CO3=
1	.0	.0	.0	.0	PuOx+ B (OH) 4-
1	.0	.0	.0	.0	PuOx+ B3O3 (OH) 4-
1	.0	.0	.0	.0	PuOx+ B4O5 (OH) 4=
1	.0	.0	.0	.0	PuOx+ Br-
1	.0	.0	.0	.0	PuOx+ Am (CO3) 2-
1	.0	.0	.0	.0	PuOx+ Am (CO3) 3=-
1	.0	.0	.0	.0	PuOx+ ClO4-
1	.0	.0	.0	.0	PuOx+ NpO2 (OH) 2-
1	.0	.0	.0	.0	PuOx+ NpO2CO3-
1	.0	.0	.0	.0	PuOx+ NpO2 (CO3) 2=-
1	.0	.0	.0	.0	PuOx+ NpO2 (CO3) 3=-
1	.0	.0	.0	.0	PuOx+ H2PO4-
1	.0	.0	.0	.0	PuOx+ HPO4=
1	.0	.0	.0	.0	PuOx+ PO4=-
1	.0	.0	.0	.0	PuOx+ Th (SO4) 3=
1	.0	.0	.0	.0	PuOx+ Th (OH) 3 (CO3) -
1	.0	.0	.0	.0	PuOx+ Th (CO3) 5===
1	.0	.0	.0	.0	PuOx+ HOx-
1	.0	.0	.0	.0	PuOx+ Ox=
1	.0	.0	.0	.0	PuOx+ Ac-
1	.0	.0	.0	.0	PuOx+ Lac-
1	.0	.0	.0	.0	PuOx+ H2Cit-

1	.0	.0	.0	.0	PuOx+ HCit=	
1	.0	.0	.0	.0	PuOx+ Cit=-	
1	.0	.0	.0	.0	PuOx+ H3EDTA-	
1	.0	.0	.0	.0	PuOx+ H2EDTA=	
1	.0	.0	.0	.0	PuOx+ HEDTA=-	
1	.0	.0	.0	.0	PuOx+ EDTA==	
1	.0	.0	.0	.0	PuOx+ AmEDTA-	
1	.0	.0	.0	.0	PuOx+ NpO2Cit=	
1	.0	.0	.0	.0	PuOx+ NpO2EDTA=-	
1	.0	.0	.0	.0	PuOx+ NpO2Ox-	
1	.0	.0	.0	.0	PuOx+ U(OH)4(CO3)2=	
1	.0	.0	.0	.0	PuOx+ U(CO3)5=	
1	.0	.0	.0	.0	PuOx+ U(SO4)3=	
1	.0	.0	.0	.0	PuOx+ Am(CO3)4=-	
1	.0	.0	.0	.0	PuOx+ Am(SO4)2-	
1	.0	.0	.0	.0	PuOx+ NpO2H2EDTA-	
1	.0	.0	.0	.0	PuOx+ CaCit-	
1	.0	.0	.0	.0	PuOx+ CaEDTA=	
1	.0	.0	.0	.0	PuOx+ UnuAn#2-	
1	.0	.0	.0	.0	PuOx+ UnuAn#3-	
1	.0	.0	.0	.0	PuOx+ UnuAn#4-	
1	.0	.0	.0	.0	PuOx+ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	PuOx+ MgCit-	
1	.0	.0	.0	.0	PuOx+ MgEDTA=	
1	.0	.0	.0	.0	PuOx+ NpO2HEDTA=	
1	.5058	1.74	.0	0.225	ThLac2++ Cl-	Moore et al 1999
2	.0	.0	.0	.0	ThLac2++ SO4=	
1	.0	.0	.0	.0	ThLac2++ HSO4-	
1	.0	.0	.0	.0	ThLac2++ OH-	
1	.0	.0	.0	.0	ThLac2++ HCO3-	
2	.0	.0	.0	.0	ThLac2++ CO3=	
1	.0	.0	.0	.0	ThLac2++ B(OH)4-	
1	.0	.0	.0	.0	ThLac2++ B3O3(OH)4-	
2	.0	.0	.0	.0	ThLac2++ B4O5(OH)4=	
1	.0	.0	.0	.0	ThLac2++ Br-	
1	.0	.0	.0	.0	ThLac2++ Am(CO3)2-	
3	.0	.0	.0	.0	ThLac2++ Am(CO3)3=-	
1	.0	.0	.0	.0	ThLac2++ ClO4-	
1	.0	.0	.0	.0	ThLac2++ NpO2(OH)2-	
1	.0	.0	.0	.0	ThLac2++ NpO2CO3-	
3	.0	.0	.0	.0	ThLac2++ NpO2(CO3)2=-	
3	.0	.0	.0	.0	ThLac2++ NpO2(CO3)3=-	
1	.0	.0	.0	.0	ThLac2++ H2PO4-	
2	.0	.0	.0	.0	ThLac2++ HPO4=	
3	.0	.0	.0	.0	ThLac2++ PO4=-	
2	.0	.0	.0	.0	ThLac2++ Th(SO4)3=	
1	.0	.0	.0	.0	ThLac2++ Th(OH)3(CO3)-	
3	.0	.0	.0	.0	ThLac2++ Th(CO3)5=	
1	.0	.0	.0	.0	ThLac2++ HOx-	
2	.0	.0	.0	.0	ThLac2++ Ox=	
1	.0	.0	.0	.0	ThLac2++ Ac-	
1	.0	.0	.0	.0	ThLac2++ Lac-	
1	.0	.0	.0	.0	ThLac2++ H2Cit-	
2	.0	.0	.0	.0	ThLac2++ HCit=	
3	.0	.0	.0	.0	ThLac2++ Cit=-	
1	.0	.0	.0	.0	ThLac2++ H3EDTA-	
2	.0	.0	.0	.0	ThLac2++ H2EDTA=	
3	.0	.0	.0	.0	ThLac2++ HEDTA=-	
3	.0	.0	.0	.0	ThLac2++ EDTA==	
1	.0	.0	.0	.0	ThLac2++ AmEDTA-	
2	.0	.0	.0	.0	ThLac2++ NpO2Cit=	
3	.0	.0	.0	.0	ThLac2++ NpO2EDTA=-	



1	.0	.0	.0	.0	ThLac2++ NpO2Ox-	
3	.0	.0	.0	.0	ThLac2++ U(OH)4(CO3)2==	
3	.0	.0	.0	.0	ThLac2++ U(CO3)5===	
2	.0	.0	.0	.0	ThLac2++ U(SO4)3=	
3	.0	.0	.0	.0	ThLac2++ Am(CO3)4===-	
1	.0	.0	.0	.0	ThLac2++ Am(SO4)2-	
1	.0	.0	.0	.0	ThLac2++ NpO2H2EDTA-	
1	.0	.0	.0	.0	ThLac2++ CaCit-	
2	.0	.0	.0	.0	ThLac2++ CaEDTA=	
1	.0	.0	.0	.0	ThLac2++ UnuAn#2-	
1	.0	.0	.0	.0	ThLac2++ UnuAn#3-	
1	.0	.0	.0	.0	ThLac2++ UnuAn#4-	
2	.0	.0	.0	.0	ThLac2++ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	ThLac2++ MgCit-	
2	.0	.0	.0	.0	ThLac2++ MgEDTA=	
2	.0	.0	.0	.0	ThLac2++ NpO2HEDTA=	
1	-.0833	.29	.0	.0987	CaAc+ Cl-	analogy w/Mg (ERG_org_memo)
1	.0	.0	.0	.0	CaAc+ SO4=	
1	.0	.0	.0	.0	CaAc+ HSO4-	
1	.0	.0	.0	.0	CaAc+ OH-	
1	.0	.0	.0	.0	CaAc+ HCO3-	
1	.0	.0	.0	.0	CaAc+ CO3=	
1	.0	.0	.0	.0	CaAc+ B(OH)4-	
1	.0	.0	.0	.0	CaAc+ B3O3(OH)4-	
1	.0	.0	.0	.0	CaAc+ B4O5(OH)4=	
1	.0	.0	.0	.0	CaAc+ Br-	
1	.0	.0	.0	.0	CaAc+ Am(CO3)2-	
1	.0	.0	.0	.0	CaAc+ Am(CO3)3=-	
1	.0	.0	.0	.0	CaAc+ ClO4-	
1	.0	.0	.0	.0	CaAc+ NpO2(OH)2-	
1	.0	.0	.0	.0	CaAc+ NpO2CO3-	
1	.0	.0	.0	.0	CaAc+ NpO2(CO3)2=-	
1	.0	.0	.0	.0	CaAc+ NpO2(CO3)3=-	
1	.0	.0	.0	.0	CaAc+ H2PO4-	
1	.0	.0	.0	.0	CaAc+ HPO4=	
1	.0	.0	.0	.0	CaAc+ PO4=-	
1	.0	.0	.0	.0	CaAc+ Th(SO4)3=	
1	.0	.0	.0	.0	CaAc+ Th(OH)3(CO3)-	
1	.0	.0	.0	.0	CaAc+ Th(CO3)5===	
1	.0	.0	.0	.0	CaAc+ HOx-	
1	.0	.0	.0	.0	CaAc+ Ox=	
1	.0	.0	.0	.0	CaAc+ Ac-	
1	.0	.0	.0	.0	CaAc+ Lac-	
1	.0	.0	.0	.0	CaAc+ H2Cit-	
1	.0	.0	.0	.0	CaAc+ HCit=	
1	.0	.0	.0	.0	CaAc+ Cit=-	
1	.0	.0	.0	.0	CaAc+ H3EDTA-	
1	.0	.0	.0	.0	CaAc+ H2EDTA=	
1	.0	.0	.0	.0	CaAc+ HEDTA=-	
1	.0	.0	.0	.0	CaAc+ EDTA==	
1	.0	.0	.0	.0	CaAc+ AmEDTA-	
1	.0	.0	.0	.0	CaAc+ NpO2Cit=	
1	.0	.0	.0	.0	CaAc+ NpO2EDTA=-	
1	.0	.0	.0	.0	CaAc+ NpO2Ox-	
1	.0	.0	.0	.0	CaAc+ U(OH)4(CO3)2==	
1	.0	.0	.0	.0	CaAc+ U(CO3)5===	
1	.0	.0	.0	.0	CaAc+ U(SO4)3=	
1	.0	.0	.0	.0	CaAc+ Am(CO3)4=-	
1	.0	.0	.0	.0	CaAc+ Am(SO4)2-	
1	.0	.0	.0	.0	CaAc+ NpO2H2EDTA-	
1	.0	.0	.0	.0	CaAc+ CaCit-	
1	.0	.0	.0	.0	CaAc+ CaEDTA=	

1	.0	.0	.0	.0	CaAc+ UnuAn#2-	
1	.0	.0	.0	.0	CaAc+ UnuAn#3-	
1	.0	.0	.0	.0	CaAc+ UnuAn#4-	
1	.0	.0	.0	.0	CaAc+ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	CaAc+ MgCit-	
1	.0	.0	.0	.0	CaAc+ MgEDTA=	
1	.0	.0	.0	.0	CaAc+ NpO2HEDTA=	
1	.0	.0	.0	.0	CaLac+ Cl-	
1	.0	.0	.0	.0	CaLac+ SO4=	
1	.0	.0	.0	.0	CaLac+ HSO4-	
1	.0	.0	.0	.0	CaLac+ OH-	
1	.0	.0	.0	.0	CaLac+ HCO3-	
1	.0	.0	.0	.0	CaLac+ CO3=	
1	.0	.0	.0	.0	CaLac+ B(OH)4-	
1	.0	.0	.0	.0	CaLac+ B3O3(OH)4-	
1	.0	.0	.0	.0	CaLac+ B4O5(OH)4=	
1	.0	.0	.0	.0	CaLac+ Br-	
1	.0	.0	.0	.0	CaLac+ Am(CO3)2-	
1	.0	.0	.0	.0	CaLac+ Am(CO3)3=-	
1	.0	.0	.0	.0	CaLac+ ClO4-	
1	.0	.0	.0	.0	CaLac+ NpO2(OH)2-	
1	.0	.0	.0	.0	CaLac+ NpO2CO3-	
1	.0	.0	.0	.0	CaLac+ NpO2(CO3)2=-	
1	.0	.0	.0	.0	CaLac+ NpO2(CO3)3=-	
1	.0	.0	.0	.0	CaLac+ H2PO4-	
1	.0	.0	.0	.0	CaLac+ HPO4=	
1	.0	.0	.0	.0	CaLac+ PO4=-	
1	.0	.0	.0	.0	CaLac+ Th(SO4)3=	
1	.0	.0	.0	.0	CaLac+ Th(OH)3(CO3)-	
1	.0	.0	.0	.0	CaLac+ Th(CO3)5=-	
1	.0	.0	.0	.0	CaLac+ HOx-	
1	.0	.0	.0	.0	CaLac+ Ox=	
1	.0	.0	.0	.0	CaLac+ Ac-	
1	.0	.0	.0	.0	CaLac+ Lac-	
1	.0	.0	.0	.0	CaLac+ H2Cit-	
1	.0	.0	.0	.0	CaLac+ HCit=	
1	.0	.0	.0	.0	CaLac+ Cit=-	
1	.0	.0	.0	.0	CaLac+ H3EDTA-	
1	.0	.0	.0	.0	CaLac+ H2EDTA=	
1	.0	.0	.0	.0	CaLac+ HEDTA=-	
1	.0	.0	.0	.0	CaLac+ EDTA=-	
1	.0	.0	.0	.0	CaLac+ AmEDTA-	
1	.0	.0	.0	.0	CaLac+ NpO2Cit=	
1	.0	.0	.0	.0	CaLac+ NpO2EDTA=-	
1	.0	.0	.0	.0	CaLac+ NpO2Ox-	
1	.0	.0	.0	.0	CaLac+ U(OH)4(CO3)2=-	
1	.0	.0	.0	.0	CaLac+ U(CO3)5=-	
1	.0	.0	.0	.0	CaLac+ U(SO4)3=	
1	.0	.0	.0	.0	CaLac+ Am(CO3)4=-	
1	.0	.0	.0	.0	CaLac+ Am(SO4)2-	
1	.0	.0	.0	.0	CaLac+ NpO2H2EDTA-	
1	.0	.0	.0	.0	CaLac+ CaCit-	
1	.0	.0	.0	.0	CaLac+ CaEDTA=	
1	.0	.0	.0	.0	CaLac+ UnuAn#2-	
1	.0	.0	.0	.0	CaLac+ UnuAn#3-	
1	.0	.0	.0	.0	CaLac+ UnuAn#4-	
1	.0	.0	.0	.0	CaLac+ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	CaLac+ MgCit-	
1	.0	.0	.0	.0	CaLac+ MgEDTA=	
1	.0	.0	.0	.0	CaLac+ NpO2HEDTA=	
1	-.0833	.29	.0	.0987	MgAc+ Cl-	ERG_org_memo

1	.0	.0	.0	.0	MgAc+ SO4=
1	.0	.0	.0	.0	MgAc+ HSO4-
1	.0	.0	.0	.0	MgAc+ OH-
1	.0	.0	.0	.0	MgAc+ HCO3-
1	.0	.0	.0	.0	MgAc+ CO3=
1	.0	.0	.0	.0	MgAc+ B(OH) 4-
1	.0	.0	.0	.0	MgAc+ B3O3(OH) 4-
1	.0	.0	.0	.0	MgAc+ B4O5(OH) 4=
1	.0	.0	.0	.0	MgAc+ Br-
1	.0	.0	.0	.0	MgAc+ Am(CO3) 2-
1	.0	.0	.0	.0	MgAc+ Am(CO3) 3=-
1	.0	.0	.0	.0	MgAc+ ClO4-
1	.0	.0	.0	.0	MgAc+ NpO2(OH) 2-
1	.0	.0	.0	.0	MgAc+ NpO2CO3-
1	.0	.0	.0	.0	MgAc+ NpO2(CO3) 2=-
1	.0	.0	.0	.0	MgAc+ NpO2(CO3) 3=-
1	.0	.0	.0	.0	MgAc+ H2PO4-
1	.0	.0	.0	.0	MgAc+ HPO4=
1	.0	.0	.0	.0	MgAc+ PO4=-
1	.0	.0	.0	.0	MgAc+ Th(SO4) 3=
1	.0	.0	.0	.0	MgAc+ Th(OH) 3(CO3) -
1	.0	.0	.0	.0	MgAc+ Th(CO3) 5===
1	.0	.0	.0	.0	MgAc+ HOx-
1	.0	.0	.0	.0	MgAc+ Ox=
1	.0	.0	.0	.0	MgAc+ Ac-
1	.0	.0	.0	.0	MgAc+ Lac-
1	.0	.0	.0	.0	MgAc+ H2Cit-
1	.0	.0	.0	.0	MgAc+ HCit=
1	.0	.0	.0	.0	MgAc+ Cit=-
1	.0	.0	.0	.0	MgAc+ H3EDTA-
1	.0	.0	.0	.0	MgAc+ H2EDTA=
1	.0	.0	.0	.0	MgAc+ HEDTA=-
1	.0	.0	.0	.0	MgAc+ EDTA==
1	.0	.0	.0	.0	MgAc+ AmEDTA-
1	.0	.0	.0	.0	MgAc+ NpO2Cit=
1	.0	.0	.0	.0	MgAc+ NpO2EDTA=-
1	.0	.0	.0	.0	MgAc+ NpO2Ox-
1	.0	.0	.0	.0	MgAc+ U(OH) 4(CO3) 2==
1	.0	.0	.0	.0	MgAc+ U(CO3) 5===
1	.0	.0	.0	.0	MgAc+ U(SO4) 3=
1	.0	.0	.0	.0	MgAc+ Am(CO3) 4=-
1	.0	.0	.0	.0	MgAc+ Am(SO4) 2-
1	.0	.0	.0	.0	MgAc+ NpO2H2EDTA-
1	.0	.0	.0	.0	MgAc+ CaCit-
1	.0	.0	.0	.0	MgAc+ CaEDTA=
1	.0	.0	.0	.0	MgAc+ UnuAn#2-
1	.0	.0	.0	.0	MgAc+ UnuAn#3-
1	.0	.0	.0	.0	MgAc+ UnuAn#4-
1	.0	.0	.0	.0	MgAc+ U(OH) 2(CO3) 2=
1	.0	.0	.0	.0	MgAc+ MgCit-
1	.0	.0	.0	.0	MgAc+ MgEDTA=
1	.0	.0	.0	.0	MgAc+ NpO2HEDTA=
1	.0	.0	.0	.0	MgLac+ Cl-
1	.0	.0	.0	.0	MgLac+ SO4=
1	.0	.0	.0	.0	MgLac+ HSO4-
1	.0	.0	.0	.0	MgLac+ OH-
1	.0	.0	.0	.0	MgLac+ HCO3-
1	.0	.0	.0	.0	MgLac+ CO3=
1	.0	.0	.0	.0	MgLac+ B(OH) 4-
1	.0	.0	.0	.0	MgLac+ B3O3(OH) 4-
1	.0	.0	.0	.0	MgLac+ B4O5(OH) 4=
1	.0	.0	.0	.0	MgLac+ Br-

1	.0	.0	.0	.0	MgLac+ Am (CO3) 2-
1	.0	.0	.0	.0	MgLac+ Am (CO3) 3=-
1	.0	.0	.0	.0	MgLac+ ClO4-
1	.0	.0	.0	.0	MgLac+ NpO2 (OH) 2-
1	.0	.0	.0	.0	MgLac+ NpO2CO3-
1	.0	.0	.0	.0	MgLac+ NpO2 (CO3) 2=-
1	.0	.0	.0	.0	MgLac+ NpO2 (CO3) 3=-
1	.0	.0	.0	.0	MgLac+ H2PO4-
1	.0	.0	.0	.0	MgLac+ HPO4=
1	.0	.0	.0	.0	MgLac+ PO4=-
1	.0	.0	.0	.0	MgLac+ Th (SO4) 3=
1	.0	.0	.0	.0	MgLac+ Th (OH) 3 (CO3) -
1	.0	.0	.0	.0	MgLac+ Th (CO3) 5=-
1	.0	.0	.0	.0	MgLac+ HOx-
1	.0	.0	.0	.0	MgLac+ Ox=
1	.0	.0	.0	.0	MgLac+ Ac-
1	.0	.0	.0	.0	MgLac+ Lac-
1	.0	.0	.0	.0	MgLac+ H2Cit-
1	.0	.0	.0	.0	MgLac+ HCit=
1	.0	.0	.0	.0	MgLac+ Cit=-
1	.0	.0	.0	.0	MgLac+ H3EDTA-
1	.0	.0	.0	.0	MgLac+ H2EDTA=
1	.0	.0	.0	.0	MgLac+ HEDTA=-
1	.0	.0	.0	.0	MgLac+ EDTA=-
1	.0	.0	.0	.0	MgLac+ AmEDTA-
1	.0	.0	.0	.0	MgLac+ NpO2Cit=
1	.0	.0	.0	.0	MgLac+ NpO2EDTA=-
1	.0	.0	.0	.0	MgLac+ NpO2Ox-
1	.0	.0	.0	.0	MgLac+ U (OH) 4 (CO3) 2=-
1	.0	.0	.0	.0	MgLac+ U (CO3) 5=-
1	.0	.0	.0	.0	MgLac+ U (SO4) 3=
1	.0	.0	.0	.0	MgLac+ Am (CO3) 4=-
1	.0	.0	.0	.0	MgLac+ Am (SO4) 2-
1	.0	.0	.0	.0	MgLac+ NpO2H2EDTA-
1	.0	.0	.0	.0	MgLac+ CaCit-
1	.0	.0	.0	.0	MgLac+ CaEDTA=
1	.0	.0	.0	.0	MgLac+ UnuAn#2-
1	.0	.0	.0	.0	MgLac+ UnuAn#3-
1	.0	.0	.0	.0	MgLac+ UnuAn#4-
1	.0	.0	.0	.0	MgLac+ U (OH) 2 (CO3) 2=
1	.0	.0	.0	.0	MgLac+ MgCit-
1	.0	.0	.0	.0	MgLac+ MgEDTA=
1	.0	.0	.0	.0	MgLac+ NpO2HEDTA=
1	.0	.0	.0	.0	UnuCat#1+ Cl-
1	.0	.0	.0	.0	UnuCat#1+ SO4=
1	.0	.0	.0	.0	UnuCat#1+ HSO4-
1	.0	.0	.0	.0	UnuCat#1+ OH-
1	.0	.0	.0	.0	UnuCat#1+ HCO3-
1	.0	.0	.0	.0	UnuCat#1+ CO3=
1	.0	.0	.0	.0	UnuCat#1+ B (OH) 4-
1	.0	.0	.0	.0	UnuCat#1+ B3O3 (OH) 4-
1	.0	.0	.0	.0	UnuCat#1+ B4O5 (OH) 4=
1	.0	.0	.0	.0	UnuCat#1+ Br-
1	.0	.0	.0	.0	UnuCat#1+ Am (CO3) 2-
1	.0	.0	.0	.0	UnuCat#1+ Am (CO3) 3=-
1	.0	.0	.0	.0	UnuCat#1+ ClO4-
1	.0	.0	.0	.0	UnuCat#1+ NpO2 (OH) 2-
1	.0	.0	.0	.0	UnuCat#1+ NpO2CO3-
1	.0	.0	.0	.0	UnuCat#1+ NpO2 (CO3) 2=-
1	.0	.0	.0	.0	UnuCat#1+ NpO2 (CO3) 3=-
1	.0	.0	.0	.0	UnuCat#1+ H2PO4-
1	.0	.0	.0	.0	UnuCat#1+ HPO4=







































































































0 0 0 0 0 0 Am(CO3)3-- H2EDTA=  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- HEDTA=-  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- EDTA=-  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- AmEDTA-  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- NpO2Cit=  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- NpO2EDTA=-  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- NpO2Ox-  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- U(OH)3CO3-  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- U(CO3)5===  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- U(SO4)3=  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- Am(CO3)4=-  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- Am(SO4)2-  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- NpO2H2EDTA-  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- CaCit-  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- CaEDTA=  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- UnuAn#2-  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- UnuAn#3-  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- UnuAn#4-  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- U(OH)2(CO3)2=  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- MgCit-  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- MgEDTA=  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 Am(CO3)3-- NpO2HEDTA=  
  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 ClO4- NpO2(OH)2-  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 ClO4- NpO2CO3-:  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 ClO4- NpO2(CO3)2=-:  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 ClO4- NpO2(CO3)3=-:  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 ClO4- H2PO4-:  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 ClO4- HPO4-:  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 ClO4- PO4-:  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 ClO4- Th(SO4)3=:  
 .0 .0 .0 .0 0 .0  
 0 0 0 0 0 0 ClO4- Th(OH)3CO3-:  
 .0 .0 .0 .0 0 .0 0





















0 0 0 0 0 0 0 PO4=- MgCit-  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 PO4=- MgEDTA=  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 PO4=- NpO2HEDTA=  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= Th(OH)3CO3-:  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= Th(CO3)5===:  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= HOx-  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= Ox=  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= Ac-  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= Lac-  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= H2Cit=  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= HCit=  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= Cit=-  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= H3EDTA-  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= H2EDTA=  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= HEDTA=-  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= EDTA==  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= AmEDTA-  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= NpO2Cit=  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= NpO2EDTA===  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= NpO2Ox-  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= U(OH)3CO3-  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= U(CO3)5===  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= U(SO4)3=  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= Am(CO3)4=-  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= Am(SO4)2-  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= NpO2H2EDTA-  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= CaCit-  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= CaEDTA=  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= UnuAn#2-  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= UnuAn#3-  
.0 .0 .0 .0 0 .0  
0 0 0 0 0 0 0 Th(SO4)3= UnuAn#4-  
.0 .0 .0 .0 0 .0 0





































```

0 0 0 0 0 0 UnuAn#4- U(OH)2(CO3)2=
.0 .0 .0 .0 0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 UnuAn#4- MgCit-
.0 .0 .0 .0 0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 UnuAn#4- MgEDTA=
.0 .0 .0 .0 0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 UnuAn#4- NpO2HEDTA=
.0 .0 .0 .0 0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 U(OH)2(CO3)2= MgCit-
.0 .0 .0 .0 0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 U(OH)2(CO3)2= MgEDTA=
.0 .0 .0 .0 0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 U(OH)2(CO3)2= NpO2HEDTA=
.0 .0 .0 .0 0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 MgCit- MgEDTA=
.0 .0 .0 .0 0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 MgCit- NpO2HEDTA=
.0 .0 .0 .0 0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 MgEDTA= NpO2HEDTA=
.0 .0 .0 .0 0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
.100 .051 .183 .183 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 CO2-Cations HMW84 lambda
.0 .0 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 CaCO3-Cations HMW84
.0 .0 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 MgCO3-Cations HMW84
-.097 -.14 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 B(OH)3-Cations FW86
.0 .0 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 NpO2OH-Cations
.0 -.07 .0 .0 .0 .29 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 H3PO4-Cations PS76
.0 .0 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 Th(SO4)2-Cations
.0 .0 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 H2Ox-Cations ERG_org_memo
-.2 -.2 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 Am(OH)3(aq)-Cations Na+ FK98, K+ by analogy w Na
.0 .0 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 HAC-Cations
.0 .0 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 NpO2Ac-Cations
.0 .0 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 HLac-Cations
.0 .0 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 H3Citrate-Cations
.0 .0 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 AmCit-Cations
.0 .0 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 NpO2Lac-Cations
.0 .0 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 Th(OH)4-Cations
.0 .0 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 U(OH)4-Cations
.0 .0 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 U(SO4)2-Cations
-.2 -.2 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 Pu(OH)3(aq)-Cations analogy w Am
.0 .0 .0 .0 .0 .0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

```













































































HCit= Cit=-  
77 78 79 80 88 107 H3EDTA- H2EDTA= HEDTA=- EDTA==  
AmEDTA- NpO2Cit=  
108 109 60 58 63 45 NpO2EDTA=- NpO2Ox- U(OH)4(CO3)2== U(CO3)5===  
U(SO4)3= Am(CO3)4===  
46 93 117 118 123 124 Am(SO4)2- NpO2H2EDTA- CaCit- CaEDTA=  
UnuAn#2- UnuAn#3-  
125 59 112 113 122 UnuAn#4- U(OH)2(CO3)2= MgCit- MgEDTA=  
NpO2HEDTA=  
  
14 15 16 17 68 32 CO2 CaCO3 MgCO3 B(OH)3 NpO2OH H3PO4  
neutral map ELMAP(3,) Th(SO4)2 H2Ox Am(OH)3(aq) HAc NpO2Ac HLac  
54 81 42 70 106 84 H3Cit AmCit NpO2Lac Th(OH)4 U(OH)4 U(SO4)2  
72 87 110 53 61 62 Pu(OH)3(aq) PuCit(aq) CaOx(aq) H4EDTA ThEDTA UEDTA  
49 92 119 76 98 103 MgOx(aq) UnuNeu#1  
114 126

'nEQUALACT' 0

2 (Oxygen)

'nREDOX' 0

'nIONEX' 0 0 'nMF'

1234567890123456789012345678901234567890123456789012345678901234567890123456  
78901234567890123456789012345678901234567890123456789012

1 2 3 4 5 6 7 8  
9 0 1 2 3  
  
1 1 1 1

This database release is described in Giambalvo memo to Brush, 20November02, "Release of FMT database 021120.chemdat."

(in records package 522977)

Data values without explicit references are from HMW84 or FW86

#### +III References

See Giambalvo memo to Brush, 25July2002, "Recommended Parameter Values for Modeling An(III) Solubility in WIPP Brines" for

overview and comparison to PAVT database. ERMS 522982.

FRF90 == Felmy, Rai, and Fulton, 1990. The solubility of AmOHCO3(c) and the aqueous thermodynamics of the

system Na-Am-HCO3-CO3-OH-H2O, RCA 50:193-204. (Am+++ - ClO4- Pitzers)

RFF92 == Rai, Felmy, and Fulton, 1992. Solubility and ion activity product of AmPO4.xH2O, RCA 56:7-14.

RFF95 == Rai, Felmy, and Fulton, 1995. Nd+++ and Am+++ ion interactions with sulfate ion and their influence on

NdPO4(c) solubility, J. Soln. Chem. 24(9):879-895. (Am+++ - H2PO4-

Pitzers)

RRFFN96 == Rao, Rai, Felmy, Fulton, and Novak, 1996. Solubility of NaNd(CO3)2.6H2O in concentrated Na2CO3 and

NaHCO3 solutions, RCA 75:141-147.

FK98 == Fanghanel and Kim, 1998. Spectroscopic evaluation of thermodynamics of trivalent

actinides in brines. J. Alloys and Compounds, 271-273:728-737. (Review paper incl.

Fanghanel et al. 1994, Konnecke et al. 1997 and Fanghanel et al. 1999).

Fanghanel et al 1994 == Fanghanel, Kim, Paviot, Klenze, and Hauser, 1994.

Thermodynamics of radioactive trace elements in

concentrated electrolyte solutions: Hydrolysis of Cm3+ in NaCl-solutions, RCA 66/67:81-87.

Konnecke et al. 1997 == Konnecke, Fanghanel, and Kim, 1997. Thermodynamics of trivalent actinides in concentrated

electrolyte solutions: Modelling the chloride complexation of Cm(III), RCA 76:131-135.



Fanghanel et al. 1999 == Fanghanel, Konnecke, Weger, Paviet-Hartmann, Neck, and Kim, 1999. Thermodynamics of Cm(III) in concentrated salt solutions: Carbonate complexation in NaCl solution at 25C, J. Soln. Chem. 28(4):447-462.

#### +IV References

See Giambalvo memo to Brush 26July2002 "Recommended Parameter Values for Modeling An(IV) Solubility in WIPP Brines" for overview and comparison to PAVT database. ERMS 522986.

FRM91 == Felmy, Rai, and Mason, 1991. The solubility of hydrous thorium(IV) oxide in chloride media:

Development of an aqueous ion-interaction model, RCA 55:177-185.

FR92 == Felmy and Rai, 1992. An aqueous thermodynamic model for a high valence 4:2 electrolyte Th<sup>4+</sup>-SO<sub>4</sub><sup>2-</sup> in the system Na-K-Li-NH<sub>4</sub>-Th-SO<sub>4</sub>-HSO<sub>4</sub>-H<sub>2</sub>O to high concentration, J Soln Chem 21(5):407-423.

Roy92 == Roy, Vogel, Good, Davis, Roy, Johnson, Felmy, and Pitzer, 1992. Activity coefficients in electrolyte mixtures: HCl + ThCl<sub>4</sub> + H<sub>2</sub>O for 5-55 C, J Phys Chem 96(26):11065-11072.

RR87 == Ryan and Rai, 1987. Thorium(IV) hydrous oxide solubility, Inorg. Chem. 26:4140-4142.

FRSMMN == Rai et al. 1997 Solubility of Th(IV) and U(IV) Hydrous Oxides in Conc NaCl and MgCl<sub>2</sub> Solutions RCA 79:239-247

FRSMHC97 == Felmy, Rai, Sterner, Mason, Hess, Conradson, 1997 "Thermo Models for Highly Charged Aq Species Solubility of Th(IV) Hydrous Oxide in Conc NaHCO<sub>3</sub> and Na<sub>2</sub>O<sub>3</sub> Solns" J Soln Chem 26:233-248.

FR99 == Felmy and Rai, 1999. Application of Pitzer's Equations for Modeling the Aqueous Thermodynamics of Actinide

Species in Natural Waters: A Review. J. Soln. Chem. 28:533-553 (SAND99-0340J).

CFN960119 == Novak to Nowak, 19Jan96, "Preliminary inorganic model for thorium solubility in WIPP brines, in database file HMW\_3TH5\_960119.CHEMDAT" WPO 30930.

ERG\_th\_memo == Giambalvo to Brush, 26July02, "Recommended Parameter Values for Modeling An(IV) Solubility in WIPP Brines" ERMS 522986.

Rai96 == U(IV) Fax from Dhan Rai, 13 Mar 96

#### +V References

See Giambalvo memo to Brush 26July2002 "Recommended Parameter Values for Modeling An(V) Solubility in WIPP Brines" for overview. ERMS# 522990.

NFRK95 == Neck, Fanghanel, Rudolph, and Kim, 1995. Thermodynamics of Np(V) in concentrated salt solutions:

Chloride complexation and ion interaction (Pitzer) parameters for the NpO<sub>2</sub><sup>+</sup> ion, RCA 69:39-47.

FNK95 == Fanghanel, Neck, and Kim, 1995. Thermodynamics of Np(V) in concentrated salt solutions: II.

Ion interaction (Pitzer) parameters for Np(V) hydrolysis species and carbonate complexes, RCA 69:169-176.

Novak et al. 1997 == Novak, Al Mahamid, Becraft, Carpenter, Hakem, and Prussin, 1997. Measurement and

thermodynamic modeling of Np(V) solubility in aqueous K<sub>2</sub>CO<sub>3</sub> solutions to high concentrations, J. Soln. Chem. 26(7):681-697.

Al Mahamid et al. 1998 == Al Mahamid, Novak, Becraft, Carpenter, and Hakem, 1998. Solubility of Np(V) in K-Cl-CO<sub>3</sub>

and Na-K-Cl-CO<sub>3</sub> solutions to high concentrations: Measurements and thermodynamic model predictions,

RCA 81:93-101. (see also SAND97-1230J)

ERG\_release\_memo == Giambalvo memo to Brush 20November02 "Release of FMT Database

FMT\_021120.CHEMDAT"

#### Organic Ligand References

See Giambalvo memo to Brush, 25July2002, "Recommended Parameter Values for Modeling Organic Ligands in WIPP Brines" for

overview and comparison to PAVT database. ERMS 522981

RCM96 == RC Moore, 22FEB96 memorandum "Final Model Parameters for Deprotonation of..."

NBC96 == Novak, Borkowski, and Choppin, 1996. Thermodynamic modeling of neptunium(V)-acetate complexation in concentrated NaCl media, RCA 74:111-116.

SAND99 == Choppin et al., 2001. "Waste Isolation Pilot Plant Actinide Source Term Test Program: Solubility

Studies and Development of Modeling Parameters" SAND99-0943.

Mesmer et al 89 == Mesmer, Patterson, Busey, Holmes. Ionization of acetic acid in NaCl(aq) media: A

Potentiometric study to 573 K and 130 bar. J. Phys. Chem. 93:7483-7490.

Mizera == Mizera, Bond, Choppin, and Moore, 1999. "Dissociation constants of carboxylic acids at high ionic strengths" in Reed et al., eds, Actinide Speciation in High Ionic Strength Media. p 113-124.

CEX96 == Choppin, Erten, Xia, 1996. Variation of stability constants of thorium citrate complexes with ionic

strength. RCA 74:123-127 (raw data used in SAND99).

BPBC99 == Bronikowski, Pokrovsky, Borkowski, Choppin, 1999. "UO<sub>2</sub> and NpO<sub>2</sub> complexation with citrate in brine

solutions" in Reed et al, eds, Actinide Speciation in High Ionic Strength

Media.

PBMC98 == Pokrovsky, Bronikowski, Moore, Choppin, 1998. Interaction of neptunyl(V) and Uranyl(VI) with EDTA

in NaCl media: Experimental study and Pitzer modeling. RCA 80:23-29.

Moore et al 99 == Moore, Borkowski, Bronikowski, Chen, Pokrovsky, Xia, Choppin, 1999. Thermodynamic modeling of

actinide complexation with acetate and lactate at high ionic strength. J.

Soln. Chem. 28:521-531.

Borkowski et al 01 == Borkowski, Moore, Bronikowski, Chen, Pokrovsky, Xia, Choppin, 2001. Thermodynamic modeling

of actinide complexation with oxalate at high ionic strength. J.

Radioanalytical and Nuclear Chem. 248:467-471.

ERG\_org\_memo == Giambalvo to Brush, 25July02. "Recommended Parameter Values for Modeling Organic Ligands in WIPP Brines."

ERMS 522981

ERG\_ox\_memo == Giambalvo to Brush, 31July02. "Recommended u<sub>0</sub>/RT Values for Modeling the Solubility of Oxalate Solids

in WIPP Brines." ERMS 523057

#### General References

HMW84 == Harvie, Moller, Weare (1984) GCA 48 pp.723-751

FW86 == Felmy and Weare (1986) GCA 50 pp.2771-2783

PS76 == Pitzer and Silvester (1976) J Soln Chem 5#4 pp.269-278

P91 == Pitzer (1991) CRC Handbook, Activity Coef in Electrolyte Solns

CFN95a == Novak (1995a) 18Jan95 Memo "Creation and Definition of the Database for FMT called "HMW\_NP\_AM.CHEMDAT..."

R&H73 == Robie and Hemingway 1973 J.Reas.US.Geol.Surv. v1n5 pp 543-547

Lang65 == Langmuir 1965 j.Geology v73 730-754

FO76 == Fuger and Oetting, 1976, The Chemical Thermodynamics of Actinide Elements and Compounds. Part 2.

The Actinide Aqueous Ions., Int. Atomic Energy Agency, Vienna, Austria.

CFN950705 == Novak memo to EJNowak (perchlorate G/RT)

APPENDIX I: DATABASE FILE FOR FMT CODE



'B4O5(OH)4=' B4O5(OH)4=' 4 9 0 0 0 0 0 0 0 0 0 0 0 0 4 0 0 0 0 0 0 0 0 0 0 0  
 0 0 -2 1 -1239.10 FW86  
 'CaB(OH)4+' CaB(OH)4+' 4 4 0 0 0 1 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0  
 0 0 1 1 -692.30 FW86  
 'MgB(OH)4+' MgB(OH)4+' 4 4 0 0 1 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0  
 0 0 1 1 -651.89 FW86  
 'Br-' Br-' 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0  
 0 0 -1 1 -999.99 arbitrary  
 'ClO4-' perchlorate' 0 1 0 0 0 0  
 0 0 -1 1 -73.81 CFN950705  
  
 'NaOH(aq) to.titrate.base.only' 1 1 1 0  
 0 0 0 1 500. arbitrary  
 'HCl(aq) to.titrate.acid.only' 1 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  
 0 0 0 1 500. arbitrary  
 'HClO4(aq) to.titrate.acid.only' 1 0 1 0 0 0 0  
 0 0 0 1 500. arbitrary  
 'PosIon POSITIVE.ION' 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  
 0 0 1 1 0. arbitrary  
 'NegIon NEGATIVE.ION' 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  
 0 0 -1 1 0. arbitrary  
 'PosIon(OH) (aq) to.titrate.base' 1 1 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  
 0 0 0 1 500. arbitrary  
 'HNegIon(aq) to.titrate.acid' 1 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  
 0 0 0 1 500. arbitrary  
  
 'H3PO4(aq) H3PO4(aq) ' 3 4 0 1 0 0 0 0  
 0 0 0 1 -460.90 RFF92  
 'H2PO4-' H2PO4-' 2 4 0 1 0 0 0 0  
 0 0 -1 1 -455.96 RFF92  
 'HPO4=' HPO4=' 1 4 0 1 0 0 0 0  
 0 0 -2 1 -439.367 CFN95a  
 'PO4==-' PO4==' 0 4 0 1 0 0 0 0  
 0 0 -3 1 -410.947 RFF92  
  
 'Am+++ Am+++' 0 1 0 0 0 0 0 0  
 0 0 3 1 -241.694 FO76  
 'AmCO3+ AmCO3+' 0 3 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0  
 0 0 1 1 -473.29 FK98/Fanghanel et al 1999  
 'Am(CO3)2- Am(CO3)2-' 0 6 0 0 0 0 0 0 0 2 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0  
 0 0 -1 1 -697.52 FK98/Fanghanel et al 1999  
 'Am(CO3)3=- Am(CO3)3==' 0 9 0 0 0 0 0 0 0 3 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0  
 0 0 -3 1 -915.53 FK98/Fanghanel et al 1999  
 'AmOH++ AmOH++' 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0  
 0 0 2 1 -319.96 FK98/Fanghanel et al 1994  
 'Am(OH)2+ Am(OH)2+' 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0  
 0 0 1 1 -396.89 FK98/Fanghanel et al 1994  
 'Am(OH)3(aq) Am(OH)3(aq) ' 3 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0  
 0 0 0 1 -469.53 FK98/Fanghanel et al 1994  
 'AmCl++ AmCl++' 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0  
 0 0 2 1 -295.20 FK98/Konnecke et al 1997  
 'AmCl2+ AmCl2+' 0 0 0 0 0 0 2 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0  
 0 0 1 1 -345.90 FK98/Konnecke et al 1997  
 'Am(CO3)4=== Am(CO3)4===-' 0 12 0 0 0 0 0 0 0 4 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0  
 0 0 -5 1 -1123.40 FK98/Fanghanel et al 1999  
 'Am(SO4)2- Am(SO4)2-' 0 8 0 0 0 0 0 0 2 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0  
 0 0 -1 1 -850.99 FK98  
 'AmSO4+ AmSO4+' 0 4 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0  
 0 0 1 1 -549.56 FK98  
  
 'Pu(OH)2+ deactivated' 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0  
 0 0 1 1 999.999  
 'Pu(OH)3(aq) deactivated' 3 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0















1	1.80	22.7	.0	.0	Na+ NpO2 (CO3) 3===	FNK95
1	-.0533	.0396	.0	.00795	Na+ H2PO4-	P91
1	-.0583	1.466	.0	.0294	Na+ HPO4=	P91
1	.1781	3.851	.0	-.05154	Na+ PO4=-	P91
1	.12	.0	.0	.0	Na+ Th (SO4) 3=	FR92
1	.0	.0	.0	.0	Na+ Th (OH) 3 (CO3) -	
1	1.31	30.	.0	.0	Na+ Th (CO3) 5===	FRSMHC97
1	-0.2448	.29	.0	.068	Na+ HOx-	SAND99/Mizera
1	-0.2176	1.74	.0	.122	Na+ Ox=	SAND99/Mizera
1	0.1426	.22	.0	-.00629	Na+ Ac-	SAND99/NBC96
1	-0.0563	.29	.0	.047	Na+ Lac-	SAND99/Moore et al 99
1	-0.1296	.29	.0	.013	Na+ H2Cit-	SAND99/Mizera
1	-0.0989	1.74	.0	.027	Na+ HCit=	SAND99/Mizera
1	0.0887	5.22	.0	.047	Na+ Cit=-	SAND99/Mizera
1	-0.2345	.29	.0	.059	Na+ H3EDTA-	SAND99/Mizera
1	-0.1262	1.74	.0	.054	Na+ H2EDTA=	SAND99/Mizera
1	0.5458	5.22	.0	-0.048	Na+ HEDTA=-	SAND99/Mizera
1	1.016	11.6	.0	.001	Na+ EDTA==	SAND99/Mizera
1	-.2239	.29	.0	.002	Na+ AmEDTA-	SAND99
1	-.4226	1.75	.0	.142	Na+ NpO2Cit=	SAND99
1	.683	5.911	.0	.0	Na+ NpO2EDTA=-	SAND99/PBMC98
1	-.5418	.29	.0	.095	Na+ NpO2Ox-	SAND99/Borkowski et al 01
1	.41	17.25	.0	.0	Na+ U (OH) 4 (CO3) 2==	Rai96
1	1.31	30.0	.0	.0	Na+ U (CO3) 5===	Rai96
1	.0	.0	.0	.0	Na+ U (SO4) 3=	
1	2.022	19.22	.0	-.305	Na+ Am (CO3) 4===	FK98/Fanghanel et al. 1999
1	-.354	0.40	.0	.051	Na+ Am (SO4) 2-	FK98
1	-.8285	.2575	.0	.256	Na+ NpO2H2EDTA-	PBMC98
1	.1742	.29	.0	-.06923	Na+ CaCit-	analogy w/Mg (ERG_org_memo)
1	.2134	1.74	.0	.00869	Na+ CaEDTA=	analogy w/Mg (ERG_org_memo)
1	.0	.0	.0	.0	Na+ UnuAn#2-	
1	.0	.0	.0	.0	Na+ UnuAn#3-	
1	.0	.0	.0	.0	Na+ UnuAn#4-	
1	.0	.0	.0	.0	Na+ U (OH) 2 (CO3) 2=	
1	.1742	.29	.0	-.06923	Na+ MgCit-	ERG_org_memo
1	.2134	1.74	.0	.00869	Na+ MgEDTA=	ERG_org_memo
1	.4733	-1.504	.0	.0	Na+ NpO2HEDTA=	PBMC98
1	.04835	.2122	.0	-.00084	K+ Cl-	HMW84
1	.04995	.7793	.0	.0	K+ SO4=	HMW84
1	-.0003	.1735	.0	.0	K+ HSO4-	HMW84
1	.1298	.320	.0	.0041	K+ OH-	HMW84
1	.0296	-.013	.0	-.008	K+ HCO3-	HMW84
1	.1488	1.43	.0	-.0015	K+ CO3=	HMW84
1	.035	.14	.0	.0	K+ B (OH) 4-	FW86
1	-.13	.0	.0	.0	K+ B3O3 (OH) 4-	FW86
1	-.022	.0	.0	.0	K+ B4O5 (OH) 4=	FW86
1	.0	.0	.0	.0	K+ Br-	
1	-.240	.224	.0	.0284	K+ Am (CO3) 2-	analogy w/ Na (FK98)
1	.125	4.73	.0	.0007	K+ Am (CO3) 3=-	analogy w/ Na (FK98)
1	.0	.0	.0	.0	K+ ClO4-	
1	.0	.0	.0	.0	K+ NpO2 (OH) 2-	Novak et al. 1997 (made
analogy w/Na+)						
1	.10	.34	.0	.0	K+ NpO2CO3-	Novak et al. 1997 (made
analogy w/Na+)						
1	.48	4.4	.0	.0	K+ NpO2 (CO3) 2=-	Novak et al. 1997 (made
analogy w/Na+)						
1	2.34	22.7	-96.	-.22	K+ NpO2 (CO3) 3===	Novak et al. 1997 (calculated
from K+ data)						
1	-.0678	-.1042	.0	.0	K+ H2PO4-	P91
1	.0248	1.274	.0	.0164	K+ HPO4=	P91
1	.3729	3.972	.0	-.08680	K+ PO4=-	P91
1	.90	.0	.0	.0	K+ Th (SO4) 3=	FR92

1	.0	.0	.0	.0	K+ Th(OH)3(CO3)-	
1	1.31	30.	.0	.0	K+ Th(CO3)5===	analogy w/ Na (FRSMHC97)
1	-0.2448	.29	.0	.068	K+ HOx-	analogy w/ Na (SAND99/Mizera)
1	-0.2176	1.74	.0	.122	K+ Ox=	analogy w/ Na (SAND99/Mizera)
1	.1587	.3251	.0	-.0066	K+ Ac-	P91
1	-0.0563	.29	.0	.047	K+ Lac-	analogy w/ Na (SAND99/Moore et al 99)
1	-0.1296	.29	.0	.013	K+ H2Cit-	analogy w/ Na (SAND99/Mizera)
1	-0.0989	1.74	.0	.027	K+ HCit=	analogy w/ Na (SAND99/Mizera)
1	0.0887	5.22	.0	.047	K+ Cit=-	analogy w/ Na (SAND99/Mizera)
1	-0.2345	.29	.0	.059	K+ H3EDTA-	analogy w/ Na (SAND99/Mizera)
1	-0.1262	1.74	.0	.054	K+ H2EDTA=	analogy w/ Na (SAND99/Mizera)
1	0.5458	5.22	.0	-0.048	K+ HEDTA=-	analogy w/ Na (SAND99/Mizera)
1	1.016	11.6	.0	.001	K+ EDTA=	analogy w/ Na (SAND99/Mizera)
1	-.2239	.29	.0	.002	K+ AmEDTA-	analogy w/ Na (SAND99)
1	-.4226	1.75	.0	.142	K+ NpO2Cit=	analogy w/ Na (SAND99)
1	.683	5.911	.0	.0	K+ NpO2EDTA=-	analogy w/ Na (SAND99/PBMC98)
1	-.5418	.29	.0	.095	K+ NpO2Ox-	analogy w/ Na (SAND99/Borkowski et al 01)
1	.41	17.25	.0	.0	K+ U(OH)4(CO3)2==	analogy w/ Na (Rai96)
1	1.31	30.0	.0	.0	K+ U(CO3)5===	analogy w/ Na, analogy w/Th (FRSMHC97)
1	.0	.0	.0	.0	K+ U(SO4)3=	
1	2.022	19.22	.0	-.305	K+ Am(CO3)4===	analogy w/ Na (FK98)
1	-.354	0.40	.0	.051	K+ Am(SO4)2-	analogy w/ Na (FK98)
1	-.8285	.2575	.0	.256	K+ NpO2H2EDTA-	analogy w/ Na (PBMC98)
1	.1742	.29	.0	-.06923	K+ CaCit-	analogy w/ Na, analogy w/ Mg (ERG_org_memo)
1	.2134	1.74	.0	.00869	K+ CaEDTA=	analogy w/ Na, analogy w/ Mg (ERG_org_memo)
1	.0	.0	.0	.0	K+ UnuAn#2-	
1	.0	.0	.0	.0	K+ UnuAn#3-	
1	.0	.0	.0	.0	K+ UnuAn#4-	
1	.0	.0	.0	.0	K+ U(OH)2(CO3)2=	
1	.1742	.29	.0	-.06923	K+ MgCit-	analogy w/ Na (ERG_org_memo)
1	.2134	1.74	.0	.00869	K+ MgEDTA=	analogy w/ Na (ERG_org_memo)
1	.4733	-1.504	.0	.0	K+ NpO2HEDTA=	analogy w/ Na (PBMC98)
1	.3159	1.614	.0	-.00034	Ca++ Cl-	HMW84
2	.20	3.1973	-54.24	.0	Ca++ SO4=	HMW84
1	.2145	2.53	.0	.0	Ca++ HSO4-	HMW84
1	-.1747	-.2303	-5.72	.0	Ca++ OH-	HMW84
1	.4	2.977	.0	.0	Ca++ HCO3-	HMW84
2	.0	.0	.0	.0	Ca++ CO3=	HMW84
1	.0	.0	.0	.0	Ca++ B(OH)4-	FW86
1	.0	.0	.0	.0	Ca++ B3O3(OH)4-	FW86
2	.0	.0	.0	.0	Ca++ B4O5(OH)4=	FW86
1	.0	.0	.0	.0	Ca++ Br-	
1	.0	.0	.0	.0	Ca++ Am(CO3)2-	
3	.0	.0	.0	.0	Ca++ Am(CO3)3=-	
1	.4511	1.756	.0	-.00500	Ca++ ClO4-	P91
1	.0	.0	.0	.0	Ca++ NpO2(OH)2-	
1	.10	.34	.0	.0	Ca++ NpO2CO3-	by analogy w/ Mg++ (Al Mahamid et al. 1998)
3	.48	4.4	.0	.0	Ca++ NpO2(CO3)2=-	by analogy w/ Mg++ (Al Mahamid et al. 1998)
3	2.07	22.7	-48.	-.11	Ca++ NpO2(CO3)3=-	by analogy w/ Mg++ (Al Mahamid et al. 1998)
1	.0	.0	.0	.0	Ca++ H2PO4-	
2	.0	.0	.0	.0	Ca++ HPO4=	
3	.0	.0	.0	.0	Ca++ PO4=-	
2	.0	.0	.0	.0	Ca++ Th(SO4)3=	
1	.0	.0	.0	.0	Ca++ Th(OH)3(CO3)-	

3	.0	.0	.0	.0	Ca++ Th (CO3) 5===	
1	.0	.0	.0	.0	Ca++ HOx-	
2	.0	.0	.0	.0	Ca++ Ox=	
1	.0	.0	.0	.0	Ca++ Ac-	
1	.0	.0	.0	.0	Ca++ Lac-	
1	.0	.0	.0	.0	Ca++ H2Cit-	
2	.0	.0	.0	.0	Ca++ HCit=	
3	.0	.0	.0	.0	Ca++ Cit=-	
3	.0	.0	.0	.0	Ca++ H3EDTA-	
3	.0	.0	.0	.0	Ca++ H2EDTA=	
3	.0	.0	.0	.0	Ca++ HEDTA=-	
3	.0	.0	.0	.0	Ca++ EDTA==	
3	.0	.0	.0	.0	Ca++ AmEDTA-	
2	.0	.0	.0	.0	Ca++ NpO2Cit=	
3	.0	.0	.0	.0	Ca++ NpO2EDTA==-	
1	.0	.0	.0	.0	Ca++ NpO2Ox-	
3	.0	.0	.0	.0	Ca++ U(OH) 4 (CO3) 2==	
3	.0	.0	.0	.0	Ca++ U (CO3) 5===	
2	.0	.0	.0	.0	Ca++ U (SO4) 3=	
3	.0	.0	.0	.0	Ca++ Am (CO3) 4===	
1	.0	.0	.0	.0	Ca++ Am (SO4) 2-	
1	.0	.0	.0	.0	Ca++ NpO2H2EDTA-	
1	.0	.0	.0	.0	Ca++ CaCit-	
3	.0	.0	.0	.0	Ca++ CaEDTA=	
3	.0	.0	.0	.0	Ca++ UnuAn#2-	
1	.0	.0	.0	.0	Ca++ UnuAn#3-	
3	.0	.0	.0	.0	Ca++ UnuAn#4-	
2	.0	.0	.0	.0	Ca++ U(OH) 2 (CO3) 2=	
1	.0	.0	.0	.0	Ca++ MgCit-	
2	.0	.0	.0	.0	Ca++ MgEDTA=	
2	.0	.0	.0	.0	Ca++ NpO2HEDTA=	
1	.35235	1.6815	.0	.00519	Mg++ Cl-	HMW84
2	.2210	3.343	-37.23	.025	Mg++ SO4=	HMW84
1	.4746	1.729	.0	.0	Mg++ HSO4-	HMW84
1	.0	.0	.0	.0	Mg++ OH-	HMW84
1	.329	.6072	.0	.0	Mg++ HCO3-	HMW84
2	.0	.0	.0	.0	Mg++ CO3=	HMW84
1	.0	.0	.0	.0	Mg++ B(OH) 4-	FW86
1	.0	.0	.0	.0	Mg++ B3O3(OH) 4-	FW86
2	.0	.0	.0	.0	Mg++ B4O5(OH) 4=	FW86
1	.0	.0	.0	.0	Mg++ Br-	
1	.0	.0	.0	.0	Mg++ Am (CO3) 2-	
3	.0	.0	.0	.0	Mg++ Am (CO3) 3=-	
1	.4961	2.008	.0	.009578	Mg++ ClO4-	P91
1	.0	.0	.0	.0	Mg++ NpO2(OH) 2-	
1	.10	.34	.0	.0	Mg++ NpO2CO3-	Al Mahamid et al. 1998 (made
analogy w/ Na)						
3	.48	4.4	.0	.0	Mg++ NpO2(CO3) 2=-	Al Mahamid et al. 1998 (made
analogy w/ Na)						
3	2.07	22.7	-48.	-.11	Mg++ NpO2(CO3) 3=-	Al Mahamid et al. 1998
(averaged Na and K values)						
1	.0	.0	.0	.0	Mg++ H2PO4-	
2	.0	.0	.0	.0	Mg++ HPO4=	
3	.0	.0	.0	.0	Mg++ PO4=-	
2	.0	.0	.0	.0	Mg++ Th (SO4) 3=	
1	.0	.0	.0	.0	Mg++ Th (OH) 3 (CO3) -	
3	.0	.0	.0	.0	Mg++ Th (CO3) 5===	
1	.0	.0	.0	.0	Mg++ HOx-	
2	.0	.0	.0	.0	Mg++ Ox=	
1	.0	.0	.0	.0	Mg++ Ac-	
1	.0	.0	.0	.0	Mg++ Lac-	
1	.0	.0	.0	.0	Mg++ H2Cit-	

2	.0	.0	.0	.0	Mg++	HCit=	
3	.0	.0	.0	.0	Mg++	Cit=-	
3	.0	.0	.0	.0	Mg++	H3EDTA-	
3	.0	.0	.0	.0	Mg++	H2EDTA=	
3	.0	.0	.0	.0	Mg++	HEDTA=-	
3	.0	.0	.0	.0	Mg++	EDTA==	
3	.0	.0	.0	.0	Mg++	AmEDTA-	
2	.0	.0	.0	.0	Mg++	NpO2Cit=	
3	.0	.0	.0	.0	Mg++	NpO2EDTA==-	
1	.0	.0	.0	.0	Mg++	NpO2Ox-	
3	.0	.0	.0	.0	Mg++	U(OH)4(CO3)2==	
3	.0	.0	.0	.0	Mg++	U(CO3)5===	
2	.0	.0	.0	.0	Mg++	U(SO4)3=	
3	.0	.0	.0	.0	Mg++	Am(CO3)4===	
1	.0	.0	.0	.0	Mg++	Am(SO4)2-	
1	.0	.0	.0	.0	Mg++	NpO2H2EDTA-	
1	.0	.0	.0	.0	Mg++	CaCit-	
3	.0	.0	.0	.0	Mg++	CaEDTA=	
3	.0	.0	.0	.0	Mg++	UnuAn#2-	
1	.0	.0	.0	.0	Mg++	UnuAn#3-	
2	.0	.0	.0	.0	Mg++	UnuAn#4-	
2	.0	.0	.0	.0	Mg++	U(OH)2(CO3)2=	
1	.0	.0	.0	.0	Mg++	MgCit-	
2	.0	.0	.0	.0	Mg++	MgEDTA=	
2	.0	.0	.0	.0	Mg++	NpO2HEDTA=	
1	-.10	1.658	.0	.0	MgOH+	Cl-	HMW84
1	.0	.0	.0	.0	MgOH+	SO4=	HMW84
1	.0	.0	.0	.0	MgOH+	HSO4-	HMW84
1	.0	.0	.0	.0	MgOH+	OH-	HMW84
1	.0	.0	.0	.0	MgOH+	HCO3-	HMW84
1	.0	.0	.0	.0	MgOH+	CO3=	HMW84
1	.0	.0	.0	.0	MgOH+	B(OH)4-	
1	.0	.0	.0	.0	MgOH+	B3O3(OH)4-	
1	.0	.0	.0	.0	MgOH+	B4O5(OH)4=	
1	.0	.0	.0	.0	MgOH+	Br-	
1	.0	.0	.0	.0	MgOH+	Am(CO3)2-	
1	.0	.0	.0	.0	MgOH+	Am(CO3)3=-	
1	.0	.0	.0	.0	MgOH+	ClO4-	
1	.0	.0	.0	.0	MgOH+	NpO2(OH)2-	
1	.0	.0	.0	.0	MgOH+	NpO2CO3-	
1	.0	.0	.0	.0	MgOH+	NpO2(CO3)2=-	
1	.0	.0	.0	.0	MgOH+	NpO2(CO3)3=-	
1	.0	.0	.0	.0	MgOH+	H2PO4-	
1	.0	.0	.0	.0	MgOH+	HPO4=	
1	.0	.0	.0	.0	MgOH+	PO4=-	
1	.0	.0	.0	.0	MgOH+	Th(SO4)3=	
1	.0	.0	.0	.0	MgOH+	Th(OH)3(CO3)-	
1	.0	.0	.0	.0	MgOH+	Th(CO3)5===	
1	.0	.0	.0	.0	MgOH+	HOx-	
1	.0	.0	.0	.0	MgOH+	Ox=	
1	.0	.0	.0	.0	MgOH+	Ac-	
1	.0	.0	.0	.0	MgOH+	Lac-	
1	.0	.0	.0	.0	MgOH+	H2Cit-	
1	.0	.0	.0	.0	MgOH+	HCit=	
1	.0	.0	.0	.0	MgOH+	Cit=-	
1	.0	.0	.0	.0	MgOH+	H3EDTA-	
1	.0	.0	.0	.0	MgOH+	H2EDTA=	
1	.0	.0	.0	.0	MgOH+	HEDTA=-	
1	.0	.0	.0	.0	MgOH+	EDTA==	
1	.0	.0	.0	.0	MgOH+	AmEDTA-	
1	.0	.0	.0	.0	MgOH+	NpO2Cit=	
1	.0	.0	.0	.0	MgOH+	NpO2EDTA==-	

1	.0	.0	.0	.0	MgOH+ NpO2Ox-	
1	.0	.0	.0	.0	MgOH+ U(OH)4(CO3)2==	
1	.0	.0	.0	.0	MgOH+ U(CO3)5===	
1	.0	.0	.0	.0	MgOH+ U(SO4)3=	
1	.0	.0	.0	.0	MgOH+ Am(CO3)4==-	
1	.0	.0	.0	.0	MgOH+ Am(SO4)2-	
1	.0	.0	.0	.0	MgOH+ NpO2H2EDTA-	
1	.0	.0	.0	.0	MgOH+ CaCit-	
1	.0	.0	.0	.0	MgOH+ CaEDTA=	
1	.0	.0	.0	.0	MgOH+ UnuAn#2-	
1	.0	.0	.0	.0	MgOH+ UnuAn#3-	
1	.0	.0	.0	.0	MgOH+ UnuAn#4-	
1	.0	.0	.0	.0	MgOH+ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	MgOH+ MgCit-	
1	.0	.0	.0	.0	MgOH+ MgEDTA=	
1	.0	.0	.0	.0	MgOH+ NpO2HEDTA=	
1	.1775	.2945	.0	.0008	H+ Cl-	HMW84
1	.0298	.0	.0	.0438	H+ SO4=	HMW84
1	.2065	.5556	.0	.0	H+ HSO4-	HMW84
1	.0	.0	.0	.0	H+ OH-	HMW84
1	.0	.0	.0	.0	H+ HCO3-	HMW84
1	.0	.0	.0	.0	H+ CO3=	HMW84
1	.0	.0	.0	.0	H+ B(OH)4-	FW86
1	.0	.0	.0	.0	H+ B3O3(OH)4-	FW86
1	.0	.0	.0	.0	H+ B4O5(OH)4=	FW86
1	.0	.0	.0	.0	H+ Br-	
1	.0	.0	.0	.0	H+ Am(CO3)2-	
1	.0	.0	.0	.0	H+ Am(CO3)3=-	
1	.1747	.2931	.0	.00819	H+ ClO4-	P91
1	.0	.0	.0	.0	H+ NpO2(OH)2-	
1	.0	.0	.0	.0	H+ NpO2CO3-	
1	.0	.0	.0	.0	H+ NpO2(CO3)2=-	
1	.0	.0	.0	.0	H+ NpO2(CO3)3=-	
1	.0	.0	.0	.0	H+ H2PO4-	
1	.0	.0	.0	.0	H+ HPO4=	
1	.0	.0	.0	.0	H+ PO4=-	
1	.84	.0	.0	.0	H+ Th(SO4)3=	FR92
1	.0	.0	.0	.0	H+ Th(OH)3(CO3)-	
1	.0	.0	.0	.0	H+ Th(CO3)5===	
1	.0	.0	.0	.0	H+ HOx-	
1	.0	.0	.0	.0	H+ Ox=	
1	.0	.0	.0	.0	H+ Ac-	NBC96/Mesmer et al. 89
1	.0	.0	.0	.0	H+ Lac-	
1	.0	.0	.0	.0	H+ H2Cit-	
1	.0	.0	.0	.0	H+ HCit=	
1	.0	.0	.0	.0	H+ Cit=-	
1	.0	.0	.0	.0	H+ H3EDTA-	
1	.0	.0	.0	.0	H+ H2EDTA=	
1	.0	.0	.0	.0	H+ HEDTA=-	
1	.0	.0	.0	.0	H+ EDTA==	
1	.0	.0	.0	.0	H+ AmEDTA-	
1	.0	.0	.0	.0	H+ NpO2Cit=	
1	.0	.0	.0	.0	H+ NpO2EDTA=-	
1	.0	.0	.0	.0	H+ NpO2Ox-	
1	.0	.0	.0	.0	H+ U(OH)4(CO3)2==	
1	.0	.0	.0	.0	H+ U(CO3)5===	
1	.0	.0	.0	.0	H+ U(SO4)3=	
1	.0	.0	.0	.0	H+ Am(CO3)4==-	
1	.0	.0	.0	.0	H+ Am(SO4)2-	
1	.0	.0	.0	.0	H+ NpO2H2EDTA-	
1	.0	.0	.0	.0	H+ CaCit-	
1	.0	.0	.0	.0	H+ CaEDTA=	

1	.0	.0	.0	.0	H+ UnuAn#2-	
1	.0	.0	.0	.0	H+ UnuAn#3-	
1	.0	.0	.0	.0	H+ UnuAn#4-	
1	.0	.0	.0	.0	H+ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	H+ MgCit-	
1	.0	.0	.0	.0	H+ MgEDTA=	
1	.0	.0	.0	.0	H+ NpO2HEDTA=	
1	.16	.0	.0	.0	MgB(OH)4+ Cl-	FW86
1	.0	.0	.0	.0	MgB(OH)4+ SO4=	
1	.0	.0	.0	.0	MgB(OH)4+ HSO4-	
1	.0	.0	.0	.0	MgB(OH)4+ OH-	
1	.0	.0	.0	.0	MgB(OH)4+ HCO3-	
1	.0	.0	.0	.0	MgB(OH)4+ CO3=	
1	.0	.0	.0	.0	MgB(OH)4+ B(OH)4-	
1	.0	.0	.0	.0	MgB(OH)4+ B3O3(OH)4-	
1	.0	.0	.0	.0	MgB(OH)4+ B4O5(OH)4=	
1	.0	.0	.0	.0	MgB(OH)4+ Br-	
1	.0	.0	.0	.0	MgB(OH)4+ Am(CO3)2-	
1	.0	.0	.0	.0	MgB(OH)4+ Am(CO3)3=-	
1	.0	.0	.0	.0	MgB(OH)4+ ClO4-	
1	.0	.0	.0	.0	MgB(OH)4+ NpO2(OH)2-	
1	.0	.0	.0	.0	MgB(OH)4+ NpO2CO3-	
1	.0	.0	.0	.0	MgB(OH)4+ NpO2(CO3)2=-	
1	.0	.0	.0	.0	MgB(OH)4+ NpO2(CO3)3=-	
1	.0	.0	.0	.0	MgB(OH)4+ H2PO4-	
1	.0	.0	.0	.0	MgB(OH)4+ HPO4=	
1	.0	.0	.0	.0	MgB(OH)4+ PO4=-	
1	.0	.0	.0	.0	MgB(OH)4+ Th(SO4)3=	
1	.0	.0	.0	.0	MgB(OH)4+ Th(OH)3(CO3)-	
1	.0	.0	.0	.0	MgB(OH)4+ Th(CO3)5===	
1	.0	.0	.0	.0	MgB(OH)4+ HOx-	
1	.0	.0	.0	.0	MgB(OH)4+ Ox=	
1	.0	.0	.0	.0	MgB(OH)4+ Ac-	
1	.0	.0	.0	.0	MgB(OH)4+ Lac-	
1	.0	.0	.0	.0	MgB(OH)4+ H2Cit-	
1	.0	.0	.0	.0	MgB(OH)4+ HCit=	
1	.0	.0	.0	.0	MgB(OH)4+ Cit=-	
1	.0	.0	.0	.0	MgB(OH)4+ H3EDTA-	
1	.0	.0	.0	.0	MgB(OH)4+ H2EDTA=	
1	.0	.0	.0	.0	MgB(OH)4+ HEDTA=-	
1	.0	.0	.0	.0	MgB(OH)4+ EDTA==	
1	.0	.0	.0	.0	MgB(OH)4+ AmEDTA-	
1	.0	.0	.0	.0	MgB(OH)4+ NpO2Cit=	
1	.0	.0	.0	.0	MgB(OH)4+ NpO2EDTA=-	
1	.0	.0	.0	.0	MgB(OH)4+ NpO2Ox-	
1	.0	.0	.0	.0	MgB(OH)4+ U(OH)4(CO3)2==	
1	.0	.0	.0	.0	MgB(OH)4+ U(CO3)5===	
1	.0	.0	.0	.0	MgB(OH)4+ U(SO4)3=	
1	.0	.0	.0	.0	MgB(OH)4+ Am(CO3)4=-	
1	.0	.0	.0	.0	MgB(OH)4+ Am(SO4)2-	
1	.0	.0	.0	.0	MgB(OH)4+ NpO2H2EDTA-	
1	.0	.0	.0	.0	MgB(OH)4+ CaCit-	
1	.0	.0	.0	.0	MgB(OH)4+ CaEDTA=	
1	.0	.0	.0	.0	MgB(OH)4+ UnuAn#2-	
1	.0	.0	.0	.0	MgB(OH)4+ UnuAn#3-	
1	.0	.0	.0	.0	MgB(OH)4+ UnuAn#4-	
1	.0	.0	.0	.0	MgB(OH)4+ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	MgB(OH)4+ MgCit-	
1	.0	.0	.0	.0	MgB(OH)4+ MgEDTA=	
1	.0	.0	.0	.0	MgB(OH)4+ NpO2HEDTA=	
1	.12	.0	.0	.0	CaB(OH)4+ Cl-	FW86



1	.0	.0	.0	.0	CaB (OH) 4+ SO4=	
1	.0	.0	.0	.0	CaB (OH) 4+ HSO4-	
1	.0	.0	.0	.0	CaB (OH) 4+ OH-	
1	.0	.0	.0	.0	CaB (OH) 4+ HCO3-	
1	.0	.0	.0	.0	CaB (OH) 4+ CO3=	
1	.0	.0	.0	.0	CaB (OH) 4+ B (OH) 4-	
1	.0	.0	.0	.0	CaB (OH) 4+ B3O3 (OH) 4-	
1	.0	.0	.0	.0	CaB (OH) 4+ B4O5 (OH) 4=	
1	.0	.0	.0	.0	CaB (OH) 4+ Br-	
1	.0	.0	.0	.0	CaB (OH) 4+ Am (CO3) 2-	
1	.0	.0	.0	.0	CaB (OH) 4+ Am (CO3) 3=-	
1	.0	.0	.0	.0	CaB (OH) 4+ ClO4-	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2 (OH) 2-	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2CO3-	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2 (CO3) 2=-	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2 (CO3) 3=-	
1	.0	.0	.0	.0	CaB (OH) 4+ H2PO4-	
1	.0	.0	.0	.0	CaB (OH) 4+ HPO4=	
1	.0	.0	.0	.0	CaB (OH) 4+ PO4=-	
1	.0	.0	.0	.0	CaB (OH) 4+ Th (SO4) 3=	
1	.0	.0	.0	.0	CaB (OH) 4+ Th (OH) 3 (CO3) -	
1	.0	.0	.0	.0	CaB (OH) 4+ Th (CO3) 5===	
1	.0	.0	.0	.0	CaB (OH) 4+ HOx-	
1	.0	.0	.0	.0	CaB (OH) 4+ Ox=	
1	.0	.0	.0	.0	CaB (OH) 4+ Ac-	
1	.0	.0	.0	.0	CaB (OH) 4+ Lac-	
1	.0	.0	.0	.0	CaB (OH) 4+ H2Cit-	
1	.0	.0	.0	.0	CaB (OH) 4+ HCit=	
1	.0	.0	.0	.0	CaB (OH) 4+ Cit=-	
1	.0	.0	.0	.0	CaB (OH) 4+ H3EDTA-	
1	.0	.0	.0	.0	CaB (OH) 4+ H2EDTA=	
1	.0	.0	.0	.0	CaB (OH) 4+ HEDTA=-	
1	.0	.0	.0	.0	CaB (OH) 4+ EDTA==	
1	.0	.0	.0	.0	CaB (OH) 4+ AmEDTA-	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2Cit=	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2EDTA=-	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2Ox-	
1	.0	.0	.0	.0	CaB (OH) 4+ U (OH) 4 (CO3) 2==	
1	.0	.0	.0	.0	CaB (OH) 4+ U (CO3) 5===	
1	.0	.0	.0	.0	CaB (OH) 4+ U (SO4) 3=	
1	.0	.0	.0	.0	CaB (OH) 4+ Am (CO3) 4=-	
1	.0	.0	.0	.0	CaB (OH) 4+ Am (SO4) 2-	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2H2EDTA-	
1	.0	.0	.0	.0	CaB (OH) 4+ CaCit-	
1	.0	.0	.0	.0	CaB (OH) 4+ CaEDTA=	
1	.0	.0	.0	.0	CaB (OH) 4+ UnuAn#2-	
1	.0	.0	.0	.0	CaB (OH) 4+ UnuAn#3-	
1	.0	.0	.0	.0	CaB (OH) 4+ UnuAn#4-	
1	.0	.0	.0	.0	CaB (OH) 4+ U (OH) 2 (CO3) 2=	
1	.0	.0	.0	.0	CaB (OH) 4+ MgCit-	
1	.0	.0	.0	.0	CaB (OH) 4+ MgEDTA=	
1	.0	.0	.0	.0	CaB (OH) 4+ NpO2HEDTA=	
1	.5856	5.6	.0	-0.0166	Am+++ Cl-	FK98/Konnecke et al. 1997
3	1.792	15.04	.0	.600	Am+++ SO4=	FK98
1	.0	.0	.0	.0	Am+++ HSO4-	
1	.0	.0	.0	.0	Am+++ OH-	
1	.0	.0	.0	.0	Am+++ HCO3-	
3	.0	.0	.0	.0	Am+++ CO3=	
1	.0	.0	.0	.0	Am+++ B (OH) 4-	
1	.0	.0	.0	.0	Am+++ B3O3 (OH) 4-	
3	.0	.0	.0	.0	Am+++ B4O5 (OH) 4=	
1	.0	.0	.0	.0	Am+++ Br-	

1	.0	.0	.0	.0	Am+++ Am (CO3) 2-	
3	.0	.0	.0	.0	Am+++ Am (CO3) 3=-	
1	.80	5.35	.0	-0.0048	Am+++ ClO4-	FRF90
1	.0	.0	.0	.0	Am+++ NpO2 (OH) 2-	
1	.0	.0	.0	.0	Am+++ NpO2CO3-	
3	.0	.0	.0	.0	Am+++ NpO2 (CO3) 2=-	
3	.0	.0	.0	.0	Am+++ NpO2 (CO3) 3=-	
1	.0	.0	-92.9	.0	Am+++ H2PO4-	RFF95 (from Nd-H2PO4 value)
3	.0	.0	.0	.0	Am+++ HPO4=	
3	.0	.0	.0	.0	Am+++ PO4=-	
3	.0	.0	.0	.0	Am+++ Th (SO4) 3=	
1	.0	.0	.0	.0	Am+++ Th (OH) 3 (CO3) -	
3	.0	.0	.0	.0	Am+++ Th (CO3) 5===	
1	.0	.0	.0	.0	Am+++ HOx-	
3	.0	.0	.0	.0	Am+++ Ox=	
1	.0	.0	.0	.0	Am+++ Ac-	
1	.0	.0	.0	.0	Am+++ Lac-	
1	.0	.0	.0	.0	Am+++ H2Cit-	
3	.0	.0	.0	.0	Am+++ HCit=	
3	.0	.0	.0	.0	Am+++ Cit=-	
3	.0	.0	.0	.0	Am+++ H3EDTA-	
3	.0	.0	.0	.0	Am+++ H2EDTA=	
3	.0	.0	.0	.0	Am+++ HEDTA=-	
3	.0	.0	.0	.0	Am+++ EDTA==	
3	.0	.0	.0	.0	Am+++ AmEDTA-	
3	.0	.0	.0	.0	Am+++ NpO2Cit=	
3	.0	.0	.0	.0	Am+++ NpO2EDTA===	
1	.0	.0	.0	.0	Am+++ NpO2Ox-	
3	.0	.0	.0	.0	Am+++ U (OH) 4 (CO3) 2==	
3	.0	.0	.0	.0	Am+++ U (CO3) 5===	
3	.0	.0	.0	.0	Am+++ U (SO4) 3=	
3	.0	.0	.0	.0	Am+++ Am (CO3) 4=-	
1	.0	.0	.0	.0	Am+++ Am (SO4) 2-	
1	.0	.0	.0	.0	Am+++ NpO2H2EDTA-	
1	.0	.0	.0	.0	Am+++ CaCit-	
3	.0	.0	.0	.0	Am+++ CaEDTA=	
3	.0	.0	.0	.0	Am+++ UnuAn#2-	
1	.0	.0	.0	.0	Am+++ UnuAn#3-	
3	.0	.0	.0	.0	Am+++ UnuAn#4-	
3	.0	.0	.0	.0	Am+++ U (OH) 2 (CO3) 2=	
1	.0	.0	.0	.0	Am+++ MgCit-	
3	.0	.0	.0	.0	Am+++ MgEDTA=	
3	.0	.0	.0	.0	Am+++ NpO2HEDTA=	
1	-.072	.403	.0	.0388	AmCO3+ Cl-	FK98/Fanghanel et al. 1999
1	.0	.0	.0	.0	AmCO3+ SO4=	
1	.0	.0	.0	.0	AmCO3+ HSO4-	
1	.0	.0	.0	.0	AmCO3+ OH-	
1	.0	.0	.0	.0	AmCO3+ HCO3-	
1	.0	.0	.0	.0	AmCO3+ CO3=	
1	.0	.0	.0	.0	AmCO3+ B (OH) 4-	
1	.0	.0	.0	.0	AmCO3+ B3O3 (OH) 4-	
1	.0	.0	.0	.0	AmCO3+ B4O5 (OH) 4=	
1	.0	.0	.0	.0	AmCO3+ Br-	
1	.0	.0	.0	.0	AmCO3+ Am (CO3) 2-	
1	.0	.0	.0	.0	AmCO3+ Am (CO3) 3=-	
1	.0	.0	.0	.0	AmCO3+ ClO4-	
1	.0	.0	.0	.0	AmCO3+ NpO2 (OH) 2-	
1	.0	.0	.0	.0	AmCO3+ NpO2CO3-	
1	.0	.0	.0	.0	AmCO3+ NpO2 (CO3) 2=-	
1	.0	.0	.0	.0	AmCO3+ NpO2 (CO3) 3=-	
1	.0	.0	.0	.0	AmCO3+ H2PO4-	
1	.0	.0	.0	.0	AmCO3+ HPO4=	

1	.0	.0	.0	.0	AmCO3+ PO4=-	
1	.0	.0	.0	.0	AmCO3+ Th (SO4) 3=	
1	.0	.0	.0	.0	AmCO3+ Th (OH) 3 (CO3) -	
1	.0	.0	.0	.0	AmCO3+ Th (CO3) 5===	
1	.0	.0	.0	.0	AmCO3+ HOx-	
1	.0	.0	.0	.0	AmCO3+ Ox=	
1	.0	.0	.0	.0	AmCO3+ Ac-	
1	.0	.0	.0	.0	AmCO3+ Lac-	
1	.0	.0	.0	.0	AmCO3+ H2Cit-	
1	.0	.0	.0	.0	AmCO3+ HCit=	
1	.0	.0	.0	.0	AmCO3+ Cit=-	
1	.0	.0	.0	.0	AmCO3+ H3EDTA-	
1	.0	.0	.0	.0	AmCO3+ H2EDTA=	
1	.0	.0	.0	.0	AmCO3+ HEDTA=-	
1	.0	.0	.0	.0	AmCO3+ EDTA==	
1	.0	.0	.0	.0	AmCO3+ AmEDTA-	
1	.0	.0	.0	.0	AmCO3+ NpO2Cit=	
1	.0	.0	.0	.0	AmCO3+ NpO2EDTA==-	
1	.0	.0	.0	.0	AmCO3+ NpO2Ox-	
1	.0	.0	.0	.0	AmCO3+ U (OH) 4 (CO3) 2==	
1	.0	.0	.0	.0	AmCO3+ U (CO3) 5===	
1	.0	.0	.0	.0	AmCO3+ U (SO4) 3=	
1	.0	.0	.0	.0	AmCO3+ Am (CO3) 4==-	
1	.0	.0	.0	.0	AmCO3+ Am (SO4) 2-	
1	.0	.0	.0	.0	AmCO3+ NpO2H2EDTA-	
1	.0	.0	.0	.0	AmCO3+ CaCit-	
1	.0	.0	.0	.0	AmCO3+ CaEDTA=	
1	.0	.0	.0	.0	AmCO3+ UnuAn#2-	
1	.0	.0	.0	.0	AmCO3+ UnuAn#3-	
1	.0	.0	.0	.0	AmCO3+ UnuAn#4-	
1	.0	.0	.0	.0	AmCO3+ U (OH) 2 (CO3) 2=	
1	.0	.0	.0	.0	AmCO3+ MgCit-	
1	.0	.0	.0	.0	AmCO3+ MgEDTA=	
1	.0	.0	.0	.0	AmCO3+ NpO2HEDTA=	
1	1.092	13.7	-160.	-.112	Th++++ Cl-	Roy92
3	1.56	.0	.0	.0	Th++++ SO4=	FR92
1	1.44	.0	.0	.0	Th++++ HSO4-	FR92
1	.0	.0	.0	.0	Th++++ OH-	
1	.0	.0	.0	.0	Th++++ HCO3-	
3	.0	.0	.0	.0	Th++++ CO3=	
1	.0	.0	.0	.0	Th++++ B (OH) 4-	
1	.0	.0	.0	.0	Th++++ B3O3 (OH) 4-	
3	.0	.0	.0	.0	Th++++ B4O5 (OH) 4=	
1	.0	.0	.0	.0	Th++++ Br-	
1	.0	.0	.0	.0	Th++++ Am (CO3) 2-	
3	.0	.0	.0	.0	Th++++ Am (CO3) 3=-	
1	1.19	27.3	.0	-.057	Th++++ ClO4-	CFN960119
1	.0	.0	.0	.0	Th++++ NpO2 (OH) 2-	
1	.0	.0	.0	.0	Th++++ NpO2CO3-	
3	.0	.0	.0	.0	Th++++ NpO2 (CO3) 2=-	
3	.0	.0	.0	.0	Th++++ NpO2 (CO3) 3==-	
1	.0	.0	.0	.0	Th++++ H2PO4-	
3	.0	.0	.0	.0	Th++++ HPO4=	
3	.0	.0	.0	.0	Th++++ PO4=-	
3	.0	.0	.0	.0	Th++++ Th (SO4) 3=	
1	.0	.0	.0	.0	Th++++ Th (OH) 3 (CO3) -	
3	.0	.0	.0	.0	Th++++ Th (CO3) 5===	
1	.0	.0	.0	.0	Th++++ HOx-	
3	.0	.0	.0	.0	Th++++ Ox=	
1	.0	.0	.0	.0	Th++++ Ac-	
1	.0	.0	.0	.0	Th++++ Lac-	
1	.0	.0	.0	.0	Th++++ H2Cit-	

3	.0	.0	.0	.0	Th++++ HCit=	
3	.0	.0	.0	.0	Th++++ Cit=-	
3	.0	.0	.0	.0	Th++++ H3EDTA-	
3	.0	.0	.0	.0	Th++++ H2EDTA=	
3	.0	.0	.0	.0	Th++++ HEDTA=-	
3	.0	.0	.0	.0	Th++++ EDTA==	
3	.0	.0	.0	.0	Th++++ AmEDTA-	
3	.0	.0	.0	.0	Th++++ NpO2Cit=	
3	.0	.0	.0	.0	Th++++ NpO2EDTA==-	
1	.0	.0	.0	.0	Th++++ NpO2Ox-	
3	.0	.0	.0	.0	Th++++ U(OH)4(CO3)2==	
3	.0	.0	.0	.0	Th++++ U(CO3)5===	
3	.0	.0	.0	.0	Th++++ U(SO4)3=	
3	.0	.0	.0	.0	Th++++ Am(CO3)4==-	
1	.0	.0	.0	.0	Th++++ Am(SO4)2-	
1	.0	.0	.0	.0	Th++++ NpO2H2EDTA-	
1	.0	.0	.0	.0	Th++++ CaCit-	
3	.0	.0	.0	.0	Th++++ CaEDTA=	
3	.0	.0	.0	.0	Th++++ UnuAn#2-	
1	.0	.0	.0	.0	Th++++ UnuAn#3-	
3	.0	.0	.0	.0	Th++++ UnuAn#4-	
3	.0	.0	.0	.0	Th++++ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	Th++++ MgCit-	
3	.0	.0	.0	.0	Th++++ MgEDTA=	
3	.0	.0	.0	.0	Th++++ NpO2HEDTA=	
1	.593	3.15	.0	-0.006	AmCl++ Cl-	FK98/Konnecke et al. 1997
2	.0	.0	.0	.0	AmCl++ SO4=	
1	.0	.0	.0	.0	AmCl++ HSO4-	
1	.0	.0	.0	.0	AmCl++ OH-	
1	.0	.0	.0	.0	AmCl++ HCO3-	
2	.0	.0	.0	.0	AmCl++ CO3=	
1	.0	.0	.0	.0	AmCl++ B(OH)4-	
1	.0	.0	.0	.0	AmCl++ B3O3(OH)4-	
2	.0	.0	.0	.0	AmCl++ B4O5(OH)4=	
1	.0	.0	.0	.0	AmCl++ Br-	
1	.0	.0	.0	.0	AmCl++ Am(CO3)2-	
3	.0	.0	.0	.0	AmCl++ Am(CO3)3=-	
1	.0	.0	.0	.0	AmCl++ ClO4-	
1	.0	.0	.0	.0	AmCl++ NpO2(OH)2-	
1	.0	.0	.0	.0	AmCl++ NpO2CO3-	
3	.0	.0	.0	.0	AmCl++ NpO2(CO3)2=-	
3	.0	.0	.0	.0	AmCl++ NpO2(CO3)3=-	
1	.0	.0	.0	.0	AmCl++ H2PO4-	
2	.0	.0	.0	.0	AmCl++ HPO4=	
3	.0	.0	.0	.0	AmCl++ PO4=-	
2	.0	.0	.0	.0	AmCl++ Th(SO4)3=	
1	.0	.0	.0	.0	AmCl++ Th(OH)3(CO3)-	
3	.0	.0	.0	.0	AmCl++ Th(CO3)5===	
1	.0	.0	.0	.0	AmCl++ HOx-	
2	.0	.0	.0	.0	AmCl++ Ox=	
1	.0	.0	.0	.0	AmCl++ Ac-	
1	.0	.0	.0	.0	AmCl++ Lac-	
1	.0	.0	.0	.0	AmCl++ H2Cit-	
2	.0	.0	.0	.0	AmCl++ HCit=	
3	.0	.0	.0	.0	AmCl++ Cit=-	
1	.0	.0	.0	.0	AmCl++ H3EDTA-	
2	.0	.0	.0	.0	AmCl++ H2EDTA=	
3	.0	.0	.0	.0	AmCl++ HEDTA=-	
3	.0	.0	.0	.0	AmCl++ EDTA==	
1	.0	.0	.0	.0	AmCl++ NpO2H2EDTA-	
2	.0	.0	.0	.0	AmCl++ NpO2Cit=	
3	.0	.0	.0	.0	AmCl++ NpO2EDTA==-	

1	.0	.0	.0	.0	AmCl++ NpO2Ox-	
3	.0	.0	.0	.0	AmCl++ U(OH)4(CO3)2==	
3	.0	.0	.0	.0	AmCl++ U(CO3)5===	
2	.0	.0	.0	.0	AmCl++ U(SO4)3=	
3	.0	.0	.0	.0	AmCl++ Am(CO3)4==-	
1	.0	.0	.0	.0	AmCl++ Am(SO4)2-	
1	.0	.0	.0	.0	AmCl++ NpO2H2EDTA-	
1	.0	.0	.0	.0	AmCl++ CaCit-	
2	.0	.0	.0	.0	AmCl++ CaEDTA=	
1	.0	.0	.0	.0	AmCl++ UnuAn#2-	
1	.0	.0	.0	.0	AmCl++ UnuAn#3-	
1	.0	.0	.0	.0	AmCl++ UnuAn#4-	
2	.0	.0	.0	.0	AmCl++ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	AmCl++ MgCit-	
2	.0	.0	.0	.0	AmCl++ MgEDTA=	
2	.0	.0	.0	.0	AmCl++ NpO2HEDTA=	
1	.1415	.281	.0	.0	NpO2+ Cl-	NFRK95
1	.0	.0	.0	.0	NpO2+ SO4=	
1	.0	.0	.0	.0	NpO2+ HSO4-	
1	.0	.0	.0	.0	NpO2+ OH-	
1	.0	.0	.0	.0	NpO2+ HCO3-	
1	.0	.0	.0	.0	NpO2+ CO3=	
1	.0	.0	.0	.0	NpO2+ B(OH)4-	
1	.0	.0	.0	.0	NpO2+ B3O3(OH)4-	
1	.0	.0	.0	.0	NpO2+ B4O5(OH)4=	
1	.0	.0	.0	.0	NpO2+ Br-	
1	.0	.0	.0	.0	NpO2+ Am(CO3)2-	
1	.0	.0	.0	.0	NpO2+ Am(CO3)3=-	
1	.257	.180	.0	.0081	NpO2+ ClO4-	NFRK95
1	.0	.0	.0	.0	NpO2+ NpO2(OH)2-	
1	.0	.0	.0	.0	NpO2+ NpO2CO3-	
1	.0	.0	.0	.0	NpO2+ NpO2(CO3)2=-	
1	.0	.0	.0	.0	NpO2+ NpO2(CO3)3=-	
1	.0	.0	.0	.0	NpO2+ H2PO4-	
1	.0	.0	.0	.0	NpO2+ HPO4=	
1	.0	.0	.0	.0	NpO2+ PO4=-	
1	.0	.0	.0	.0	NpO2+ Th(SO4)3=	
1	.0	.0	.0	.0	NpO2+ Th(OH)3(CO3)-	
1	.0	.0	.0	.0	NpO2+ Th(CO3)5===	
1	.0	.0	.0	.0	NpO2+ HOx-	
1	.0	.0	.0	.0	NpO2+ Ox=	
1	.0	.0	.0	.0	NpO2+ Ac-	
1	.0	.0	.0	.0	NpO2+ Lac-	
1	.0	.0	.0	.0	NpO2+ H2Cit-	
1	.0	.0	.0	.0	NpO2+ HCit=	
1	.0	.0	.0	.0	NpO2+ Cit=-	
1	.0	.0	.0	.0	NpO2+ H3EDTA-	
1	.0	.0	.0	.0	NpO2+ H2EDTA=	
1	.0	.0	.0	.0	NpO2+ HEDTA=-	
1	.0	.0	.0	.0	NpO2+ EDTA==	
1	.0	.0	.0	.0	NpO2+ AmEDTA-	
1	.0	.0	.0	.0	NpO2+ NpO2Cit=	
1	.0	.0	.0	.0	NpO2+ NpO2EDTA=-	
1	.0	.0	.0	.0	NpO2+ NpO2Ox-	
1	.0	.0	.0	.0	NpO2+ U(OH)4(CO3)2==	
1	.0	.0	.0	.0	NpO2+ U(CO3)5===	
1	.0	.0	.0	.0	NpO2+ U(SO4)3=	
1	.0	.0	.0	.0	NpO2+ Am(CO3)4=-	
1	.0	.0	.0	.0	NpO2+ Am(SO4)2-	
1	.0	.0	.0	.0	NpO2+ NpO2H2EDTA-	
1	.0	.0	.0	.0	NpO2+ CaCit-	
1	.0	.0	.0	.0	NpO2+ CaEDTA=	

1	.0	.0	.0	.0	NpO2+	UnuAn#2-		
1	.0	.0	.0	.0	NpO2+	UnuAn#3-		
1	.0	.0	.0	.0	NpO2+	UnuAn#4-		
1	.0	.0	.0	.0	NpO2+	U(OH)2(CO3)2=		
1	.0	.0	.0	.0	NpO2+	MgCit-		
1	.0	.0	.0	.0	NpO2+	MgEDTA=		
1	.0	.0	.0	.0	NpO2+	NpO2HEDTA=		
1	1.644	15.5	.0	.1	U++++	Cl-	RFSMMN	(values really are
different from Th++++ values)								
3	.0	.0	.0	.0	U++++	SO4=		
1	.0	.0	.0	.0	U++++	H2SO4-		
1	.0	.0	.0	.0	U++++	OH-		
1	.0	.0	.0	.0	U++++	HCO3-		
3	.0	.0	.0	.0	U++++	CO3=		
1	.0	.0	.0	.0	U++++	B(OH)4-		
1	.0	.0	.0	.0	U++++	B3O3(OH)4-		
3	.0	.0	.0	.0	U++++	B4O5(OH)4=		
1	.0	.0	.0	.0	U++++	Br-		
1	.0	.0	.0	.0	U++++	Am(CO3)2-		
3	.0	.0	.0	.0	U++++	Am(CO3)3=-		
1	.0	.0	.0	.0	U++++	ClO4-		
1	.0	.0	.0	.0	U++++	NpO2(OH)2-		
1	.0	.0	.0	.0	U++++	NpO2CO3-		
3	.0	.0	.0	.0	U++++	NpO2(CO3)2=-		
3	.0	.0	.0	.0	U++++	NpO2(CO3)3=-		
1	.0	.0	.0	.0	U++++	H2PO4-		
3	.0	.0	.0	.0	U++++	HPO4=		
3	.0	.0	.0	.0	U++++	PO4=-		
3	.0	.0	.0	.0	U++++	Th(SO4)3=		
1	.0	.0	.0	.0	U++++	Th(OH)3(CO3)-		
3	.0	.0	.0	.0	U++++	Th(CO3)5===		
1	.0	.0	.0	.0	U++++	HOx-		
3	.0	.0	.0	.0	U++++	Ox=		
1	.0	.0	.0	.0	U++++	Ac-		
1	.0	.0	.0	.0	U++++	Lac-		
1	.0	.0	.0	.0	U++++	H2Cit-		
3	.0	.0	.0	.0	U++++	HCit=		
3	.0	.0	.0	.0	U++++	Cit=-		
3	.0	.0	.0	.0	U++++	H3EDTA-		
3	.0	.0	.0	.0	U++++	H2EDTA=		
3	.0	.0	.0	.0	U++++	HEDTA=-		
3	.0	.0	.0	.0	U++++	EDTA==		
3	.0	.0	.0	.0	U++++	AmEDTA-		
3	.0	.0	.0	.0	U++++	NpO2Cit=		
3	.0	.0	.0	.0	U++++	NpO2EDTA=-		
1	.0	.0	.0	.0	U++++	NpO2Ox-		
3	.0	.0	.0	.0	U++++	U(OH)4(CO3)2==		
3	.0	.0	.0	.0	U++++	U(CO3)5===		
3	.0	.0	.0	.0	U++++	U(SO4)3=		
3	.0	.0	.0	.0	U++++	Am(CO3)4=-		
1	.0	.0	.0	.0	U++++	Am(SO4)2-		
1	.0	.0	.0	.0	U++++	NpO2H2EDTA-		
1	.0	.0	.0	.0	U++++	CaCit-		
3	.0	.0	.0	.0	U++++	CaEDTA=		
3	.0	.0	.0	.0	U++++	UnuAn#2-		
1	.0	.0	.0	.0	U++++	UnuAn#3-		
3	.0	.0	.0	.0	U++++	UnuAn#4-		
3	.0	.0	.0	.0	U++++	U(OH)2(CO3)2=		
1	.0	.0	.0	.0	U++++	MgCit-		
3	.0	.0	.0	.0	U++++	MgEDTA=		
3	.0	.0	.0	.0	U++++	NpO2HEDTA=		

1	1.0	7.856	.0	.0	UOH+++ Cl-	RFSMMN
3	.0	.0	.0	.0	UOH+++ SO4=	
1	.0	.0	.0	.0	UOH+++ HSO4-	
1	.0	.0	.0	.0	UOH+++ OH-	
1	.0	.0	.0	.0	UOH+++ HCO3-	
3	.0	.0	.0	.0	UOH+++ CO3=	
1	.0	.0	.0	.0	UOH+++ B (OH) 4-	
1	.0	.0	.0	.0	UOH+++ B3O3 (OH) 4-	
3	.0	.0	.0	.0	UOH+++ B4O5 (OH) 4=	
1	.0	.0	.0	.0	UOH+++ Br-	
1	.0	.0	.0	.0	UOH+++ Am (CO3) 2-	
3	.0	.0	.0	.0	UOH+++ Am (CO3) 3=-	
1	.0	.0	.0	.0	UOH+++ ClO4-	
1	.0	.0	.0	.0	UOH+++ NpO2 (OH) 2-	
1	.0	.0	.0	.0	UOH+++ NpO2CO3-	
3	.0	.0	.0	.0	UOH+++ NpO2 (CO3) 2=-	
3	.0	.0	.0	.0	UOH+++ NpO2 (CO3) 3=-	
1	.0	.0	.0	.0	UOH+++ H2PO4-	
3	.0	.0	.0	.0	UOH+++ HPO4=	
3	.0	.0	.0	.0	UOH+++ PO4=-	
3	.0	.0	.0	.0	UOH+++ Th (SO4) 3=	
1	.0	.0	.0	.0	UOH+++ Th (OH) 3 (CO3) -	
3	.0	.0	.0	.0	UOH+++ Th (CO3) 5=-	
1	.0	.0	.0	.0	UOH+++ HOx-	
3	.0	.0	.0	.0	UOH+++ Ox=	
1	.0	.0	.0	.0	UOH+++ Ac-	
1	.0	.0	.0	.0	UOH+++ Lac-	
1	.0	.0	.0	.0	UOH+++ H2Cit-	
3	.0	.0	.0	.0	UOH+++ HCit=	
3	.0	.0	.0	.0	UOH+++ Cit=-	
3	.0	.0	.0	.0	UOH+++ H3EDTA-	
3	.0	.0	.0	.0	UOH+++ H2EDTA=	
3	.0	.0	.0	.0	UOH+++ HEDTA=-	
3	.0	.0	.0	.0	UOH+++ EDTA=-	
3	.0	.0	.0	.0	UOH+++ AmEDTA-	
3	.0	.0	.0	.0	UOH+++ NpO2Cit=	
3	.0	.0	.0	.0	UOH+++ NpO2EDTA=-	
1	.0	.0	.0	.0	UOH+++ NpO2Ox-	
3	.0	.0	.0	.0	UOH+++ U (OH) 4 (CO3) 2=-	
3	.0	.0	.0	.0	UOH+++ U (CO3) 5=-	
3	.0	.0	.0	.0	UOH+++ U (SO4) 3=	
3	.0	.0	.0	.0	UOH+++ Am (CO3) 4=-	
1	.0	.0	.0	.0	UOH+++ Am (SO4) 2-	
1	.0	.0	.0	.0	UOH+++ NpO2H2EDTA-	
1	.0	.0	.0	.0	UOH+++ CaCit-	
3	.0	.0	.0	.0	UOH+++ CaEDTA=	
3	.0	.0	.0	.0	UOH+++ UnuAn#2-	
1	.0	.0	.0	.0	UOH+++ UnuAn#3-	
3	.0	.0	.0	.0	UOH+++ UnuAn#4-	
3	.0	.0	.0	.0	UOH+++ U (OH) 2 (CO3) 2=	
1	.0	.0	.0	.0	UOH+++ MgCit-	
3	.0	.0	.0	.0	UOH+++ MgEDTA=	
3	.0	.0	.0	.0	UOH+++ NpO2HEDTA=	
1	1.061	5.22	.0	.109	UAc+++ Cl-	analogy w/ Th (SAND99)
3	.0	.0	.0	.0	UAc+++ SO4=	
1	.0	.0	.0	.0	UAc+++ HSO4-	
1	.0	.0	.0	.0	UAc+++ OH-	
1	.0	.0	.0	.0	UAc+++ HCO3-	
3	.0	.0	.0	.0	UAc+++ CO3=	
1	.0	.0	.0	.0	UAc+++ B (OH) 4-	
1	.0	.0	.0	.0	UAc+++ B3O3 (OH) 4-	
3	.0	.0	.0	.0	UAc+++ B4O5 (OH) 4=	

1	.0	.0	.0	.0	UAc+++ Br-
1	.0	.0	.0	.0	UAc+++ Am (CO3) 2-
3	.0	.0	.0	.0	UAc+++ Am (CO3) 3=-
1	.0	.0	.0	.0	UAc+++ ClO4-
1	.0	.0	.0	.0	UAc+++ NpO2 (OH) 2-
1	.0	.0	.0	.0	UAc+++ NpO2CO3-
3	.0	.0	.0	.0	UAc+++ NpO2 (CO3) 2=-
3	.0	.0	.0	.0	UAc+++ NpO2 (CO3) 3=-
1	.0	.0	.0	.0	UAc+++ H2PO4-
3	.0	.0	.0	.0	UAc+++ HPO4=
3	.0	.0	.0	.0	UAc+++ PO4=-
3	.0	.0	.0	.0	UAc+++ Th (SO4) 3=
1	.0	.0	.0	.0	UAc+++ Th (OH) 3 (CO3) -
3	.0	.0	.0	.0	UAc+++ Th (CO3) 5=-
1	.0	.0	.0	.0	UAc+++ HOx-
1	.0	.0	.0	.0	UAc+++ Ox=
1	.0	.0	.0	.0	UAc+++ Ac-
1	.0	.0	.0	.0	UAc+++ Lac-
1	.0	.0	.0	.0	UAc+++ H2Cit-
3	.0	.0	.0	.0	UAc+++ HCit=
3	.0	.0	.0	.0	UAc+++ Cit=-
3	.0	.0	.0	.0	UAc+++ H3EDTA-
3	.0	.0	.0	.0	UAc+++ H2EDTA=
3	.0	.0	.0	.0	UAc+++ HEDTA=-
3	.0	.0	.0	.0	UAc+++ EDTA==
3	.0	.0	.0	.0	UAc+++ AmEDTA-
3	.0	.0	.0	.0	UAc+++ NpO2Cit=
3	.0	.0	.0	.0	UAc+++ NpO2EDTA=-
1	.0	.0	.0	.0	UAc+++ NpO2Ox-
3	.0	.0	.0	.0	UAc+++ U (OH) 4 (CO3) 2==
3	.0	.0	.0	.0	UAc+++ U (CO3) 5=-
3	.0	.0	.0	.0	UAc+++ U (SO4) 3=
3	.0	.0	.0	.0	UAc+++ Am (CO3) 4=-
1	.0	.0	.0	.0	UAc+++ Am (SO4) 2-
1	.0	.0	.0	.0	UAc+++ NpO2H2EDTA-
1	.0	.0	.0	.0	UAc+++ CaCit-
3	.0	.0	.0	.0	UAc+++ CaEDTA=
3	.0	.0	.0	.0	UAc+++ UnuAn#2-
1	.0	.0	.0	.0	UAc+++ UnuAn#3-
3	.0	.0	.0	.0	UAc+++ UnuAn#4-
3	.0	.0	.0	.0	UAc+++ U (OH) 2 (CO3) 2=
1	.0	.0	.0	.0	UAc+++ MgCit-
3	.0	.0	.0	.0	UAc+++ MgEDTA=
3	.0	.0	.0	.0	UAc+++ NpO2HEDTA=

1	-.343	1.74	.0	.5
2	.0	.0	.0	.0
1	.0	.0	.0	.0
1	.0	.0	.0	.0
1	.0	.0	.0	.0
2	.0	.0	.0	.0
1	.0	.0	.0	.0
1	.0	.0	.0	.0
2	.0	.0	.0	.0
1	.0	.0	.0	.0
1	.0	.0	.0	.0
3	.0	.0	.0	.0
1	.0	.0	.0	.0
1	.0	.0	.0	.0
3	.0	.0	.0	.0
3	.0	.0	.0	.0
1	.0	.0	.0	.0

ThOx++ Cl-
ThOx++ SO4=
ThOx++ HSO4-
ThOx++ OH-
ThOx++ HCO3-
ThOx++ CO3=
ThOx++ B (OH) 4-
ThOx++ B3O3 (OH) 4-
ThOx++ B4O5 (OH) 4=
ThOx++ Br-
ThOx++ Am (CO3) 2-
ThOx++ Am (CO3) 3=-
ThOx++ ClO4-
ThOx++ NpO2 (OH) 2-
ThOx++ NpO2CO3-
ThOx++ NpO2 (CO3) 2=-
ThOx++ NpO2 (CO3) 3=-
ThOx++ H2PO4-

SAND99/Borkowski et al 01



2	.0	.0	.0	.0	ThOx++ HPO4=
3	.0	.0	.0	.0	ThOx++ PO4=-
2	.0	.0	.0	.0	ThOx++ Th (SO4) 3=
1	.0	.0	.0	.0	ThOx++ Th (OH) 3 (CO3) -
3	.0	.0	.0	.0	ThOx++ Th (CO3) 5===
1	.0	.0	.0	.0	ThOx++ HOx-
2	.0	.0	.0	.0	ThOx++ Ox=
1	.0	.0	.0	.0	ThOx++ Ac-
1	.0	.0	.0	.0	ThOx++ Lac-
1	.0	.0	.0	.0	ThOx++ H2Cit-
2	.0	.0	.0	.0	ThOx++ HCit=
3	.0	.0	.0	.0	ThOx++ Cit=-
3	.0	.0	.0	.0	ThOx++ H3EDTA-
3	.0	.0	.0	.0	ThOx++ H2EDTA=
3	.0	.0	.0	.0	ThOx++ HEDTA=-
3	.0	.0	.0	.0	ThOx++ EDTA==
3	.0	.0	.0	.0	ThOx++ AmEDTA-
2	.0	.0	.0	.0	ThOx++ NpO2Cit=
3	.0	.0	.0	.0	ThOx++ NpO2EDTA==-
1	.0	.0	.0	.0	ThOx++ NpO2Ox-
3	.0	.0	.0	.0	ThOx++ U (OH) 4 (CO3) 2==
3	.0	.0	.0	.0	ThOx++ U (CO3) 5===
2	.0	.0	.0	.0	ThOx++ U (SO4) 3=
3	.0	.0	.0	.0	ThOx++ Am (CO3) 4==-
1	.0	.0	.0	.0	ThOx++ Am (SO4) 2-
1	.0	.0	.0	.0	ThOx++ NpO2H2EDTA-
1	.0	.0	.0	.0	ThOx++ CaCit-
2	.0	.0	.0	.0	ThOx++ CaEDTA=
1	.0	.0	.0	.0	ThOx++ UnuAn#2-
1	.0	.0	.0	.0	ThOx++ UnuAn#3-
1	.0	.0	.0	.0	ThOx++ UnuAn#4-
2	.0	.0	.0	.0	ThOx++ U (OH) 2 (CO3) 2=
1	.0	.0	.0	.0	ThOx++ MgCit-
2	.0	.0	.0	.0	ThOx++ MgEDTA=
2	.0	.0	.0	.0	ThOx++ NpO2HEDTA=
1	.3088	1.74	.0	-.132	AmAc++ Cl-        ERG_org_memo
2	.0	.0	.0	.0	AmAc++ SO4=
1	.0	.0	.0	.0	AmAc++ HSO4-
1	.0	.0	.0	.0	AmAc++ OH-
1	.0	.0	.0	.0	AmAc++ HCO3-
2	.0	.0	.0	.0	AmAc++ CO3=
1	.0	.0	.0	.0	AmAc++ B (OH) 4-
1	.0	.0	.0	.0	AmAc++ B3O3 (OH) 4-
2	.0	.0	.0	.0	AmAc++ B4O5 (OH) 4=
1	.0	.0	.0	.0	AmAc++ Br-
1	.0	.0	.0	.0	AmAc++ Am (CO3) 2-
3	.0	.0	.0	.0	AmAc++ Am (CO3) 3=-
1	.0	.0	.0	.0	AmAc++ ClO4-
1	.0	.0	.0	.0	AmAc++ NpO2 (OH) 2-
1	.0	.0	.0	.0	AmAc++ NpO2CO3-
3	.0	.0	.0	.0	AmAc++ NpO2 (CO3) 2=-
3	.0	.0	.0	.0	AmAc++ NpO2 (CO3) 3=-
1	.0	.0	.0	.0	AmAc++ H2PO4-
2	.0	.0	.0	.0	AmAc++ HPO4=
3	.0	.0	.0	.0	AmAc++ PO4=-
2	.0	.0	.0	.0	AmAc++ Th (SO4) 3=
1	.0	.0	.0	.0	AmAc++ Th (OH) 3 (CO3) -
3	.0	.0	.0	.0	AmAc++ Th (CO3) 5===
1	.0	.0	.0	.0	AmAc++ HOx-
2	.0	.0	.0	.0	AmAc++ Ox=
1	.0	.0	.0	.0	AmAc++ Ac-
1	.0	.0	.0	.0	AmAc++ Lac-

1	.0	.0	.0	.0	AmAc++ H2Cit-
2	.0	.0	.0	.0	AmAc++ HCl-
3	.0	.0	.0	.0	AmAc++ Cit=-
3	.0	.0	.0	.0	AmAc++ H3EDTA-
3	.0	.0	.0	.0	AmAc++ H2EDTA=
3	.0	.0	.0	.0	AmAc++ HEDTA=-
3	.0	.0	.0	.0	AmAc++ EDTA==
3	.0	.0	.0	.0	AmAc++ AmEDTA-
2	.0	.0	.0	.0	AmAc++ NpO2Cit=
3	.0	.0	.0	.0	AmAc++ NpO2EDTA=-
1	.0	.0	.0	.0	AmAc++ NpO2Ox-
3	.0	.0	.0	.0	AmAc++ U(OH)4(CO3)2=-
3	.0	.0	.0	.0	AmAc++ U(CO3)5=-
2	.0	.0	.0	.0	AmAc++ U(SO4)3=
3	.0	.0	.0	.0	AmAc++ Am(CO3)4=-
1	.0	.0	.0	.0	AmAc++ Am(SO4)2-
1	.0	.0	.0	.0	AmAc++ NpO2H2EDTA-
1	.0	.0	.0	.0	AmAc++ CaCit-
2	.0	.0	.0	.0	AmAc++ CaEDTA=
1	.0	.0	.0	.0	AmAc++ UnuAn#2-
1	.0	.0	.0	.0	AmAc++ UnuAn#3-
1	.0	.0	.0	.0	AmAc++ UnuAn#4-
2	.0	.0	.0	.0	AmAc++ U(OH)2(CO3)2=
1	.0	.0	.0	.0	AmAc++ MgCit-
2	.0	.0	.0	.0	AmAc++ MgEDTA=
2	.0	.0	.0	.0	AmAc++ NpO2HEDTA=

1	0.8397	1.74	.0	-0.332
2	.0	.0	.0	.0
1	.0	.0	.0	.0
1	.0	.0	.0	.0
1	.0	.0	.0	.0
2	.0	.0	.0	.0
1	.0	.0	.0	.0
1	.0	.0	.0	.0
2	.0	.0	.0	.0
1	.0	.0	.0	.0
1	.0	.0	.0	.0
1	.0	.0	.0	.0
3	.0	.0	.0	.0
1	.0	.0	.0	.0
1	.0	.0	.0	.0
3	.0	.0	.0	.0
3	.0	.0	.0	.0
1	.0	.0	.0	.0
2	.0	.0	.0	.0
3	.0	.0	.0	.0
2	.0	.0	.0	.0
1	.0	.0	.0	.0
3	.0	.0	.0	.0
1	.0	.0	.0	.0
3	.0	.0	.0	.0
3	.0	.0	.0	.0
3	.0	.0	.0	.0
3	.0	.0	.0	.0
3	.0	.0	.0	.0
2	.0	.0	.0	.0

AmLac++ Cl-
AmLac++ SO4=
AmLac++ HSO4-
AmLac++ OH-
AmLac++ HCO3-
AmLac++ CO3=
AmLac++ B(OH)4-
AmLac++ B3O3(OH)4-
AmLac++ B4O5(OH)4=
AmLac++ Br-
AmLac++ Am(CO3)2-
AmLac++ Am(CO3)3=-
AmLac++ ClO4-
AmLac++ NpO2(OH)2-
AmLac++ NpO2CO3-
AmLac++ NpO2(CO3)2=-
AmLac++ NpO2(CO3)3=-
AmLac++ H2PO4-
AmLac++ HPO4=
AmLac++ PO4=-
AmLac++ Th(SO4)3=
AmLac++ Th(OH)3(CO3)-
AmLac++ Th(CO3)5=-
AmLac++ HOx-
AmLac++ Ox=
AmLac++ Ac-
AmLac++ Lac-
AmLac++ H2Cit-
AmLac++ HCl-
AmLac++ Cit=-
AmLac++ H3EDTA-
AmLac++ H2EDTA=
AmLac++ HEDTA=-
AmLac++ EDTA==
AmLac++ AmEDTA-
AmLac++ NpO2Cit=

SAND99/Moore et al 1999

3	.0	.0	.0	.0	AmLac++ NpO2EDTA==-	
1	.0	.0	.0	.0	AmLac++ NpO2Ox-	
3	.0	.0	.0	.0	AmLac++ U(OH)4(CO3)2==	
3	.0	.0	.0	.0	AmLac++ U(CO3)5===	
2	.0	.0	.0	.0	AmLac++ U(SO4)3=	
3	.0	.0	.0	.0	AmLac++ Am(CO3)4==-	
1	.0	.0	.0	.0	AmLac++ Am(SO4)2-	
1	.0	.0	.0	.0	AmLac++ NpO2H2EDTA-	
1	.0	.0	.0	.0	AmLac++ CaCit-	
2	.0	.0	.0	.0	AmLac++ CaEDTA=	
1	.0	.0	.0	.0	AmLac++ UnuAn#2-	
1	.0	.0	.0	.0	AmLac++ UnuAn#3-	
1	.0	.0	.0	.0	AmLac++ UnuAn#4-	
2	.0	.0	.0	.0	AmLac++ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	AmLac++ MgCit-	
2	.0	.0	.0	.0	AmLac++ MgEDTA=	
2	.0	.0	.0	.0	AmLac++ NpO2HEDTA=	
1	-.9374	.29	.0	.248	AmOx+ Cl-	SAND99/Borkowski et al 01
1	.0	.0	.0	.0	AmOx+ SO4=	
1	.0	.0	.0	.0	AmOx+ HSO4-	
1	.0	.0	.0	.0	AmOx+ OH-	
1	.0	.0	.0	.0	AmOx+ HCO3-	
1	.0	.0	.0	.0	AmOx+ CO3=	
1	.0	.0	.0	.0	AmOx+ B(OH)4-	
1	.0	.0	.0	.0	AmOx+ B3O3(OH)4-	
2	.0	.0	.0	.0	AmOx+ B4O5(OH)4=	
1	.0	.0	.0	.0	AmOx+ Br-	
1	.0	.0	.0	.0	AmOx+ Am(CO3)2-	
1	.0	.0	.0	.0	AmOx+ Am(CO3)3=-	
1	.0	.0	.0	.0	AmOx+ ClO4-	
1	.0	.0	.0	.0	AmOx+ NpO2(OH)2-	
1	.0	.0	.0	.0	AmOx+ NpO2CO3-	
1	.0	.0	.0	.0	AmOx+ NpO2(CO3)2=-	
1	.0	.0	.0	.0	AmOx+ NpO2(CO3)3=-	
1	.0	.0	.0	.0	AmOx+ H2PO4-	
1	.0	.0	.0	.0	AmOx+ HPO4=	
1	.0	.0	.0	.0	AmOx+ PO4=-	
1	.0	.0	.0	.0	AmOx+ Th(SO4)3=	
1	.0	.0	.0	.0	AmOx+ Th(OH)3(CO3)-	
1	.0	.0	.0	.0	AmOx+ Th(CO3)5===	
1	.0	.0	.0	.0	AmOx+ HOx-	
1	.0	.0	.0	.0	AmOx+ Ox=	
1	.0	.0	.0	.0	AmOx+ Ac-	
1	.0	.0	.0	.0	AmOx+ Lac-	
1	.0	.0	.0	.0	AmOx+ H2Cit-	
1	.0	.0	.0	.0	AmOx+ HCit=	
1	.0	.0	.0	.0	AmOx+ Cit=-	
1	.0	.0	.0	.0	AmOx+ H3EDTA-	
1	.0	.0	.0	.0	AmOx+ H2EDTA=	
1	.0	.0	.0	.0	AmOx+ HEDTA=-	
1	.0	.0	.0	.0	AmOx+ EDTA==	
1	.0	.0	.0	.0	AmOx+ AmEDTA-	
1	.0	.0	.0	.0	AmOx+ NpO2Cit=	
1	.0	.0	.0	.0	AmOx+ NpO2EDTA==-	
1	.0	.0	.0	.0	AmOx+ NpO2Ox-	
1	.0	.0	.0	.0	AmOx+ U(OH)4(CO3)2==	
1	.0	.0	.0	.0	AmOx+ U(CO3)5===	
1	.0	.0	.0	.0	AmOx+ U(SO4)3=	
1	.0	.0	.0	.0	AmOx+ Am(CO3)4=-	
1	.0	.0	.0	.0	AmOx+ Am(SO4)2-	
1	.0	.0	.0	.0	AmOx+ NpO2H2EDTA-	
1	.0	.0	.0	.0	AmOx+ CaCit-	

1	.0	.0	.0	.0	AmOx+ CaEDTA=	
1	.0	.0	.0	.0	AmOx+ UnuAn#2-	
1	.0	.0	.0	.0	AmOx+ UnuAn#3-	
1	.0	.0	.0	.0	AmOx+ UnuAn#4-	
1	.0	.0	.0	.0	AmOx+ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	AmOx+ MgCit-	
1	.0	.0	.0	.0	AmOx+ MgEDTA=	
1	.0	.0	.0	.0	AmOx+ NpO2HEDTA=	
1	-.7467	.29	.0	.319	UCit+ Cl-	analogy w/ Th (SAND99)
1	.0	.0	.0	.0	UCit+ SO4=	
1	.0	.0	.0	.0	UCit+ HSO4-	
1	.0	.0	.0	.0	UCit+ OH-	
1	.0	.0	.0	.0	UCit+ HCO3-	
1	.0	.0	.0	.0	UCit+ CO3=	
1	.0	.0	.0	.0	UCit+ B(OH)4-	
1	.0	.0	.0	.0	UCit+ B3O3(OH)4-	
1	.0	.0	.0	.0	UCit+ B4O5(OH)4=	
1	.0	.0	.0	.0	UCit+ Br-	
1	.0	.0	.0	.0	UCit+ Am(CO3)2-	
1	.0	.0	.0	.0	UCit+ Am(CO3)3=-	
1	.0	.0	.0	.0	UCit+ ClO4-	
1	.0	.0	.0	.0	UCit+ NpO2(OH)2-	
1	.0	.0	.0	.0	UCit+ NpO2CO3-	
1	.0	.0	.0	.0	UCit+ NpO2(CO3)2=-	
1	.0	.0	.0	.0	UCit+ NpO2(CO3)3=-	
1	.0	.0	.0	.0	UCit+ H2PO4-	
1	.0	.0	.0	.0	UCit+ HPO4=	
1	.0	.0	.0	.0	UCit+ PO4=-	
1	.0	.0	.0	.0	UCit+ Th(SO4)3=	
1	.0	.0	.0	.0	UCit+ Th(OH)3(CO3)-	
1	.0	.0	.0	.0	UCit+ Th(CO3)5===	
1	.0	.0	.0	.0	UCit+ HOx-	
1	.0	.0	.0	.0	UCit+ Ox=	
1	.0	.0	.0	.0	UCit+ Ac-	
1	.0	.0	.0	.0	UCit+ Lac-	
1	.0	.0	.0	.0	UCit+ H2Cit-	
1	.0	.0	.0	.0	UCit+ HCit=	
1	.0	.0	.0	.0	UCit+ Cit=-	
1	.0	.0	.0	.0	UCit+ H3EDTA-	
1	.0	.0	.0	.0	UCit+ H2EDTA=	
1	.0	.0	.0	.0	UCit+ HEDTA=-	
1	.0	.0	.0	.0	UCit+ EDTA==	
1	.0	.0	.0	.0	UCit+ AmEDTA-	
1	.0	.0	.0	.0	UCit+ NpO2Cit=	
1	.0	.0	.0	.0	UCit+ NpO2EDTA=-	
1	.0	.0	.0	.0	UCit+ NpO2Ox-	
1	.0	.0	.0	.0	UCit+ U(OH)4(CO3)2==	
1	.0	.0	.0	.0	UCit+ U(CO3)5===	
1	.0	.0	.0	.0	UCit+ U(SO4)3=	
1	.0	.0	.0	.0	UCit+ Am(CO3)4=-	
1	.0	.0	.0	.0	UCit+ Am(SO4)2-	
1	.0	.0	.0	.0	UCit+ NpO2H2EDTA-	
1	.0	.0	.0	.0	UCit+ CaCit-	
1	.0	.0	.0	.0	UCit+ CaEDTA=	
1	.0	.0	.0	.0	UCit+ UnuAn#2-	
1	.0	.0	.0	.0	UCit+ UnuAn#3-	
1	.0	.0	.0	.0	UCit+ UnuAn#4-	
1	.0	.0	.0	.0	UCit+ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	UCit+ MgCit-	
1	.0	.0	.0	.0	UCit+ MgEDTA=	
1	.0	.0	.0	.0	UCit+ NpO2HEDTA=	

1	.6677	5.22	.0	.341	ULac+++ Cl-	analogy w/ Th (SAND99/Moore
et al 1999)						
3	.0	.0	.0	.0	ULac+++ SO4=	
1	.0	.0	.0	.0	ULac+++ HSO4-	
1	.0	.0	.0	.0	ULac+++ OH-	
1	.0	.0	.0	.0	ULac+++ HCO3-	
3	.0	.0	.0	.0	ULac+++ CO3=	
1	.0	.0	.0	.0	ULac+++ B(OH) 4-	
1	.0	.0	.0	.0	ULac+++ B3O3(OH) 4-	
3	.0	.0	.0	.0	ULac+++ B4O5(OH) 4=	
1	.0	.0	.0	.0	ULac+++ Br-	
1	.0	.0	.0	.0	ULac+++ Am(CO3) 2-	
3	.0	.0	.0	.0	ULac+++ Am(CO3) 3=-	
1	.0	.0	.0	.0	ULac+++ ClO4-	
1	.0	.0	.0	.0	ULac+++ NpO2(OH) 2-	
1	.0	.0	.0	.0	ULac+++ NpO2CO3-	
3	.0	.0	.0	.0	ULac+++ NpO2(CO3) 2=-	
3	.0	.0	.0	.0	ULac+++ NpO2(CO3) 3=-	
1	.0	.0	.0	.0	ULac+++ H2PO4-	
3	.0	.0	.0	.0	ULac+++ HPO4=	
3	.0	.0	.0	.0	ULac+++ PO4=-	
3	.0	.0	.0	.0	ULac+++ Th(SO4) 3=	
1	.0	.0	.0	.0	ULac+++ Th(OH) 3(CO3) -	
3	.0	.0	.0	.0	ULac+++ Th(CO3) 5===	
1	.0	.0	.0	.0	ULac+++ HOx-	
3	.0	.0	.0	.0	ULac+++ Ox=	
1	.0	.0	.0	.0	ULac+++ Ac-	
1	.0	.0	.0	.0	ULac+++ Lac-	
1	.0	.0	.0	.0	ULac+++ H2Cit-	
3	.0	.0	.0	.0	ULac+++ HCit=	
3	.0	.0	.0	.0	ULac+++ Cit=-	
3	.0	.0	.0	.0	ULac+++ H3EDTA-	
3	.0	.0	.0	.0	ULac+++ H2EDTA=	
3	.0	.0	.0	.0	ULac+++ HEDTA=-	
3	.0	.0	.0	.0	ULac+++ EDTA==	
3	.0	.0	.0	.0	ULac+++ AmEDTA-	
3	.0	.0	.0	.0	ULac+++ NpO2Cit=	
3	.0	.0	.0	.0	ULac+++ NpO2EDTA=-	
1	.0	.0	.0	.0	ULac+++ NpO2Ox-	
3	.0	.0	.0	.0	ULac+++ U(OH) 4(CO3) 2=-	
3	.0	.0	.0	.0	ULac+++ U(CO3) 5===	
3	.0	.0	.0	.0	ULac+++ U(SO4) 3=	
3	.0	.0	.0	.0	ULac+++ Am(CO3) 4=-	
1	.0	.0	.0	.0	ULac+++ Am(SO4) 2-	
1	.0	.0	.0	.0	ULac+++ NpO2H2EDTA-	
1	.0	.0	.0	.0	ULac+++ CaCit-	
3	.0	.0	.0	.0	ULac+++ CaEDTA=	
1	.0	.0	.0	.0	ULac+++ UnuAn#2-	
1	.0	.0	.0	.0	ULac+++ UnuAn#3-	
1	.0	.0	.0	.0	ULac+++ UnuAn#4-	
3	.0	.0	.0	.0	ULac+++ U(OH) 2(CO3) 2=	
1	.0	.0	.0	.0	ULac+++ MgCit-	
3	.0	.0	.0	.0	ULac+++ MgEDTA=	
3	.0	.0	.0	.0	ULac+++ NpO2HEDTA=	
1	-.343	1.74	.0	.5	UOx++ Cl-	analogy w/Th
(SAND99/Borkowski et al 01)						
2	.0	.0	.0	.0	UOx++ SO4=	
1	.0	.0	.0	.0	UOx++ HSO4-	
1	.0	.0	.0	.0	UOx++ OH-	
1	.0	.0	.0	.0	UOx++ HCO3-	
2	.0	.0	.0	.0	UOx++ CO3=	
1	.0	.0	.0	.0	UOx++ B(OH) 4-	

1	.0	.0	.0	.0	UOx++ B3O3 (OH) 4-	
2	.0	.0	.0	.0	UOx++ B4O5 (OH) 4=	
1	.0	.0	.0	.0	UOx++ Br-	
1	.0	.0	.0	.0	UOx++ Am (CO3) 2-	
3	.0	.0	.0	.0	UOx++ Am (CO3) 3=-	
1	.0	.0	.0	.0	UOx++ ClO4-	
1	.0	.0	.0	.0	UOx++ NpO2 (OH) 2-	
1	.0	.0	.0	.0	UOx++ NpO2CO3-	
3	.0	.0	.0	.0	UOx++ NpO2 (CO3) 2=-	
3	.0	.0	.0	.0	UOx++ NpO2 (CO3) 3=-	
1	.0	.0	.0	.0	UOx++ H2PO4-	
2	.0	.0	.0	.0	UOx++ HPO4=	
3	.0	.0	.0	.0	UOx++ PO4=-	
2	.0	.0	.0	.0	UOx++ Th (SO4) 3=	
1	.0	.0	.0	.0	UOx++ Th (OH) 3 (CO3) -	
3	.0	.0	.0	.0	UOx++ Th (CO3) 5===	
1	.0	.0	.0	.0	UOx++ HOx-	
2	.0	.0	.0	.0	UOx++ Ox=	
1	.0	.0	.0	.0	UOx++ Ac-	
1	.0	.0	.0	.0	UOx++ Lac-	
1	.0	.0	.0	.0	UOx++ H2Cit-	
2	.0	.0	.0	.0	UOx++ HCit=	
3	.0	.0	.0	.0	UOx++ Cit=-	
3	.0	.0	.0	.0	UOx++ H3EDTA-	
3	.0	.0	.0	.0	UOx++ H2EDTA=	
3	.0	.0	.0	.0	UOx++ HEDTA=-	
3	.0	.0	.0	.0	UOx++ EDTA==	
3	.0	.0	.0	.0	UOx++ AmEDTA-	
3	.0	.0	.0	.0	UOx++ NpO2Cit=	
3	.0	.0	.0	.0	UOx++ NpO2EDTA=-	
1	.0	.0	.0	.0	UOx++ NpO2Ox-	
3	.0	.0	.0	.0	UOx++ U (OH) 4 (CO3) 2==	
3	.0	.0	.0	.0	UOx++ U (CO3) 5===	
2	.0	.0	.0	.0	UOx++ U (SO4) 3=	
3	.0	.0	.0	.0	UOx++ Am (CO3) 4=-	
1	.0	.0	.0	.0	UOx++ Am (SO4) 2-	
1	.0	.0	.0	.0	UOx++ NpO2H2EDTA-	
1	.0	.0	.0	.0	UOx++ CaCit-	
2	.0	.0	.0	.0	UOx++ CaEDTA=	
1	.0	.0	.0	.0	UOx++ UnuAn#2-	
1	.0	.0	.0	.0	UOx++ UnuAn#3-	
1	.0	.0	.0	.0	UOx++ UnuAn#4-	
2	.0	.0	.0	.0	UOx++ U (OH) 2 (CO3) 2=	
1	.0	.0	.0	.0	UOx++ MgCit-	
2	.0	.0	.0	.0	UOx++ MgEDTA=	
2	.0	.0	.0	.0	UOx++ NpO2HEDTA=	
1	1.061	5.22	.0	.109	ThAc+++ Cl-	SAND99
3	.0	.0	.0	.0	ThAc+++ SO4=	
1	.0	.0	.0	.0	ThAc+++ HSO4-	
1	.0	.0	.0	.0	ThAc+++ OH-	
1	.0	.0	.0	.0	ThAc+++ HCO3-	
3	.0	.0	.0	.0	ThAc+++ CO3=	
1	.0	.0	.0	.0	ThAc+++ B (OH) 4-	
1	.0	.0	.0	.0	ThAc+++ B3O3 (OH) 4-	
3	.0	.0	.0	.0	ThAc+++ B4O5 (OH) 4=	
1	.0	.0	.0	.0	ThAc+++ Br-	
1	.0	.0	.0	.0	ThAc+++ Am (CO3) 2-	
3	.0	.0	.0	.0	ThAc+++ Am (CO3) 3=-	
1	.0	.0	.0	.0	ThAc+++ ClO4-	
1	.0	.0	.0	.0	ThAc+++ NpO2 (OH) 2-	
1	.0	.0	.0	.0	ThAc+++ NpO2CO3-	
3	.0	.0	.0	.0	ThAc+++ NpO2 (CO3) 2=-	

3	.0	.0	.0	.0	ThAc+++ NpO2 (CO3) 3==-	
1	.0	.0	.0	.0	ThAc+++ H2PO4-	
3	.0	.0	.0	.0	ThAc+++ HPO4=	
3	.0	.0	.0	.0	ThAc+++ PO4=-	
3	.0	.0	.0	.0	ThAc+++ Th (SO4) 3=	
1	.0	.0	.0	.0	ThAc+++ Th (OH) 3 (CO3) -	
3	.0	.0	.0	.0	ThAc+++ Th (CO3) 5===	
1	.0	.0	.0	.0	ThAc+++ HOx-	
3	.0	.0	.0	.0	ThAc+++ Ox=	
1	.0	.0	.0	.0	ThAc+++ Ac-	
1	.0	.0	.0	.0	ThAc+++ Lac-	
1	.0	.0	.0	.0	ThAc+++ H2Cit-	
3	.0	.0	.0	.0	ThAc+++ HCit=	
3	.0	.0	.0	.0	ThAc+++ Cit=-	
3	.0	.0	.0	.0	ThAc+++ H3EDTA-	
3	.0	.0	.0	.0	ThAc+++ H2EDTA=	
3	.0	.0	.0	.0	ThAc+++ HEDTA=-	
3	.0	.0	.0	.0	ThAc+++ EDTA==	
3	.0	.0	.0	.0	ThAc+++ AmEDTA-	
3	.0	.0	.0	.0	ThAc+++ NpO2Cit=	
3	.0	.0	.0	.0	ThAc+++ NpO2EDTA===	
1	.0	.0	.0	.0	ThAc+++ NpO2Ox-	
3	.0	.0	.0	.0	ThAc+++ U (OH) 4 (CO3) 2==	
3	.0	.0	.0	.0	ThAc+++ U (CO3) 5===	
3	.0	.0	.0	.0	ThAc+++ U (SO4) 3=	
3	.0	.0	.0	.0	ThAc+++ Am (CO3) 4==-	
1	.0	.0	.0	.0	ThAc+++ Am (SO4) 2-	
1	.0	.0	.0	.0	ThAc+++ NpO2H2EDTA-	
1	.0	.0	.0	.0	ThAc+++ CaCit-	
3	.0	.0	.0	.0	ThAc+++ CaEDTA=	
1	.0	.0	.0	.0	ThAc+++ UnuAn#2-	
1	.0	.0	.0	.0	ThAc+++ UnuAn#3-	
1	.0	.0	.0	.0	ThAc+++ UnuAn#4-	
3	.0	.0	.0	.0	ThAc+++ U (OH) 2 (CO3) 2=	
1	.0	.0	.0	.0	ThAc+++ MgCit-	
3	.0	.0	.0	.0	ThAc+++ MgEDTA=	
3	.0	.0	.0	.0	ThAc+++ NpO2HEDTA=	
1	-.7467	.29	.0	.319	ThCit+ Cl-	SAND99
1	.0	.0	.0	.0	ThCit+ SO4=	
1	.0	.0	.0	.0	ThCit+ HSO4-	
1	.0	.0	.0	.0	ThCit+ OH-	
1	.0	.0	.0	.0	ThCit+ HCO3-	
1	.0	.0	.0	.0	ThCit+ CO3=	
1	.0	.0	.0	.0	ThCit+ B (OH) 4-	
1	.0	.0	.0	.0	ThCit+ B3O3 (OH) 4-	
1	.0	.0	.0	.0	ThCit+ B4O5 (OH) 4=	
1	.0	.0	.0	.0	ThCit+ Br-	
1	.0	.0	.0	.0	ThCit+ Am (CO3) 2-	
1	.0	.0	.0	.0	ThCit+ Am (CO3) 3=-	
1	.0	.0	.0	.0	ThCit+ ClO4-	
1	.0	.0	.0	.0	ThCit+ NpO2 (OH) 2-	
1	.0	.0	.0	.0	ThCit+ NpO2CO3-	
1	.0	.0	.0	.0	ThCit+ NpO2 (CO3) 2=-	
1	.0	.0	.0	.0	ThCit+ NpO2 (CO3) 3==-	
1	.0	.0	.0	.0	ThCit+ H2PO4-	
1	.0	.0	.0	.0	ThCit+ HPO4=	
1	.0	.0	.0	.0	ThCit+ PO4=-	
1	.0	.0	.0	.0	ThCit+ Th (SO4) 3=	
1	.0	.0	.0	.0	ThCit+ Th (OH) 3 (CO3) -	
1	.0	.0	.0	.0	ThCit+ Th (CO3) 5===	
1	.0	.0	.0	.0	ThCit+ HOx-	
1	.0	.0	.0	.0	ThCit+ Ox=	

1	.0	.0	.0	.0	ThCit+ Ac-	
1	.0	.0	.0	.0	ThCit+ Lac-	
1	.0	.0	.0	.0	ThCit+ H2Cit-	
1	.0	.0	.0	.0	ThCit+ HCit=	
1	.0	.0	.0	.0	ThCit+ Cit=-	
1	.0	.0	.0	.0	ThCit+ H3EDTA-	
1	.0	.0	.0	.0	ThCit+ H2EDTA=	
1	.0	.0	.0	.0	ThCit+ HEDTA=-	
1	.0	.0	.0	.0	ThCit+ EDTA==	
1	.0	.0	.0	.0	ThCit+ AmEDTA-	
1	.0	.0	.0	.0	ThCit+ NpO2Cit=	
1	.0	.0	.0	.0	ThCit+ NpO2EDTA===-	
1	.0	.0	.0	.0	ThCit+ NpO2Ox-	
1	.0	.0	.0	.0	ThCit+ U(OH)4(CO3)2==	
1	.0	.0	.0	.0	ThCit+ U(CO3)5===	
1	.0	.0	.0	.0	ThCit+ U(SO4)3=	
1	.0	.0	.0	.0	ThCit+ Am(CO3)4==-	
1	.0	.0	.0	.0	ThCit+ Am(SO4)2-	
1	.0	.0	.0	.0	ThCit+ NpO2H2EDTA-	
1	.0	.0	.0	.0	ThCit+ CaCit-	
1	.0	.0	.0	.0	ThCit+ CaEDTA=	
1	.0	.0	.0	.0	ThCit+ UnuAn#2-	
1	.0	.0	.0	.0	ThCit+ UnuAn#3-	
1	.0	.0	.0	.0	ThCit+ UnuAn#4-	
1	.0	.0	.0	.0	ThCit+ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	ThCit+ MgCit-	
1	.0	.0	.0	.0	ThCit+ MgEDTA=	
1	.0	.0	.0	.0	ThCit+ NpO2HEDTA=	
1	.6677	5.22	.0	.341	ThLac+++ Cl-	SAND99/Moore et al 99
3	.0	.0	.0	.0	ThLac+++ SO4=	
1	.0	.0	.0	.0	ThLac+++ HSO4-	
1	.0	.0	.0	.0	ThLac+++ OH-	
1	.0	.0	.0	.0	ThLac+++ HCO3-	
3	.0	.0	.0	.0	ThLac+++ CO3=	
1	.0	.0	.0	.0	ThLac+++ B(OH)4-	
1	.0	.0	.0	.0	ThLac+++ B3O3(OH)4-	
3	.0	.0	.0	.0	ThLac+++ B4O5(OH)4=	
1	.0	.0	.0	.0	ThLac+++ Br-	
1	.0	.0	.0	.0	ThLac+++ Am(CO3)2-	
3	.0	.0	.0	.0	ThLac+++ Am(CO3)3=-	
1	.0	.0	.0	.0	ThLac+++ ClO4-	
1	.0	.0	.0	.0	ThLac+++ NpO2(OH)2-	
1	.0	.0	.0	.0	ThLac+++ NpO2CO3-	
3	.0	.0	.0	.0	ThLac+++ NpO2(CO3)2=-	
3	.0	.0	.0	.0	ThLac+++ NpO2(CO3)3=-	
1	.0	.0	.0	.0	ThLac+++ H2PO4-	
3	.0	.0	.0	.0	ThLac+++ HPO4=	
3	.0	.0	.0	.0	ThLac+++ PO4=-	
3	.0	.0	.0	.0	ThLac+++ Th(SO4)3=	
1	.0	.0	.0	.0	ThLac+++ Th(OH)3(CO3)-	
3	.0	.0	.0	.0	ThLac+++ Th(CO3)5===	
1	.0	.0	.0	.0	ThLac+++ HOx-	
3	.0	.0	.0	.0	ThLac+++ Ox=	
1	.0	.0	.0	.0	ThLac+++ Ac-	
1	.0	.0	.0	.0	ThLac+++ Lac-	
1	.0	.0	.0	.0	ThLac+++ H2Cit-	
3	.0	.0	.0	.0	ThLac+++ HCit=	
3	.0	.0	.0	.0	ThLac+++ Cit=-	
3	.0	.0	.0	.0	ThLac+++ H3EDTA-	
3	.0	.0	.0	.0	ThLac+++ H2EDTA=	
3	.0	.0	.0	.0	ThLac+++ HEDTA=-	
3	.0	.0	.0	.0	ThLac+++ EDTA==	



3	.0	.0	.0	.0	ThLac+++ AmEDTA-
3	.0	.0	.0	.0	ThLac+++ NpO2Cit=
3	.0	.0	.0	.0	ThLac+++ NpO2EDTA==-
1	.0	.0	.0	.0	ThLac+++ NpO2Ox-
3	.0	.0	.0	.0	ThLac+++ U(OH)4(CO3)2==
3	.0	.0	.0	.0	ThLac+++ U(CO3)5===
3	.0	.0	.0	.0	ThLac+++ U(SO4)3=
3	.0	.0	.0	.0	ThLac+++ Am(CO3)4==-
1	.0	.0	.0	.0	ThLac+++ Am(SO4)2-
1	.0	.0	.0	.0	ThLac+++ NpO2H2EDTA-
1	.0	.0	.0	.0	ThLac+++ CaCit-
3	.0	.0	.0	.0	ThLac+++ CaEDTA=
1	.0	.0	.0	.0	ThLac+++ UnuAn#2-
1	.0	.0	.0	.0	ThLac+++ UnuAn#3-
1	.0	.0	.0	.0	ThLac+++ UnuAn#4-
3	.0	.0	.0	.0	ThLac+++ U(OH)2(CO3)2=
1	.0	.0	.0	.0	ThLac+++ MgCit-
3	.0	.0	.0	.0	ThLac+++ MgEDTA=
3	.0	.0	.0	.0	ThLac+++ NpO2HEDTA=
1	-0.055	1.6	.0	0.050	AmOH++ Cl- FK98/Konnecke et al. 1997
2	.0	.0	.0	.0	AmOH++ SO4=
1	.0	.0	.0	.0	AmOH++ HSO4-
1	.0	.0	.0	.0	AmOH++ OH-
1	.0	.0	.0	.0	AmOH++ HCO3-
2	.0	.0	.0	.0	AmOH++ CO3=
1	.0	.0	.0	.0	AmOH++ B(OH)4-
1	.0	.0	.0	.0	AmOH++ B3O3(OH)4-
2	.0	.0	.0	.0	AmOH++ B4O5(OH)4=
1	.0	.0	.0	.0	AmOH++ Br-
1	.0	.0	.0	.0	AmOH++ Am(CO3)2-
3	.0	.0	.0	.0	AmOH++ Am(CO3)3=-
1	.0	.0	.0	.0	AmOH++ ClO4-
1	.0	.0	.0	.0	AmOH++ NpO2(OH)2-
1	.0	.0	.0	.0	AmOH++ NpO2CO3-
3	.0	.0	.0	.0	AmOH++ NpO2(CO3)2=-
3	.0	.0	.0	.0	AmOH++ NpO2(CO3)3=-
1	.0	.0	.0	.0	AmOH++ H2PO4-
2	.0	.0	.0	.0	AmOH++ HPO4=
3	.0	.0	.0	.0	AmOH++ PO4=-
2	.0	.0	.0	.0	AmOH++ Th(SO4)3=
1	.0	.0	.0	.0	AmOH++ Th(OH)3(CO3)-
3	.0	.0	.0	.0	AmOH++ Th(CO3)5===
1	.0	.0	.0	.0	AmOH++ HOx-
2	.0	.0	.0	.0	AmOH++ Ox=
1	.0	.0	.0	.0	AmOH++ Ac-
1	.0	.0	.0	.0	AmOH++ Lac-
1	.0	.0	.0	.0	AmOH++ H2Cit-
2	.0	.0	.0	.0	AmOH++ HCit=
3	.0	.0	.0	.0	AmOH++ Cit=-
3	.0	.0	.0	.0	AmOH++ H3EDTA-
3	.0	.0	.0	.0	AmOH++ H2EDTA=
3	.0	.0	.0	.0	AmOH++ HEDTA=-
3	.0	.0	.0	.0	AmOH++ EDTA==
3	.0	.0	.0	.0	AmOH++ AmEDTA-
3	.0	.0	.0	.0	AmOH++ NpO2Cit=
3	.0	.0	.0	.0	AmOH++ NpO2EDTA==-
1	.0	.0	.0	.0	AmOH++ NpO2Ox-
3	.0	.0	.0	.0	AmOH++ U(OH)4(CO3)2==
3	.0	.0	.0	.0	AmOH++ U(CO3)5===
2	.0	.0	.0	.0	AmOH++ U(SO4)3=
3	.0	.0	.0	.0	AmOH++ Am(CO3)4==-
1	.0	.0	.0	.0	AmOH++ Am(SO4)2-

1	.0	.0	.0	.0	AmOH++ NpO2H2EDTA-
1	.0	.0	.0	.0	AmOH++ CaCit-
2	.0	.0	.0	.0	AmOH++ CaEDTA=
1	.0	.0	.0	.0	AmOH++ UnuAn#2-
1	.0	.0	.0	.0	AmOH++ UnuAn#3-
1	.0	.0	.0	.0	AmOH++ UnuAn#4-
2	.0	.0	.0	.0	AmOH++ U(OH)2(CO3)2=
1	.0	.0	.0	.0	AmOH++ MgCit-
2	.0	.0	.0	.0	AmOH++ MgEDTA=
2	.0	.0	.0	.0	AmOH++ NpO2HEDTA=
1	-0.616	-0.45	.0	.050	Am(OH)2+ Cl- FK98/Konnecke et al. 1997
1	.0	.0	.0	.0	Am(OH)2+ SO4=
1	.0	.0	.0	.0	Am(OH)2+ HSO4-
1	.0	.0	.0	.0	Am(OH)2+ OH-
1	.0	.0	.0	.0	Am(OH)2+ HCO3-
1	.0	.0	.0	.0	Am(OH)2+ CO3=
1	.0	.0	.0	.0	Am(OH)2+ B(OH)4-
1	.0	.0	.0	.0	Am(OH)2+ B3O3(OH)4-
1	.0	.0	.0	.0	Am(OH)2+ B4O5(OH)4=
1	.0	.0	.0	.0	Am(OH)2+ Br-
1	.0	.0	.0	.0	Am(OH)2+ Am(CO3)2-
1	.0	.0	.0	.0	Am(OH)2+ Am(CO3)3=-
1	.0	.0	.0	.0	Am(OH)2+ ClO4-
1	.0	.0	.0	.0	Am(OH)2+ NpO2(OH)2-
1	.0	.0	.0	.0	Am(OH)2+ NpO2CO3-
1	.0	.0	.0	.0	Am(OH)2+ NpO2(CO3)2=-
1	.0	.0	.0	.0	Am(OH)2+ NpO2(CO3)3=-
1	.0	.0	.0	.0	Am(OH)2+ H2PO4-
1	.0	.0	.0	.0	Am(OH)2+ HPO4=
1	.0	.0	.0	.0	Am(OH)2+ PO4=-
1	.0	.0	.0	.0	Am(OH)2+ Th(SO4)3=
1	.0	.0	.0	.0	Am(OH)2+ Th(OH)3(CO3)-
1	.0	.0	.0	.0	Am(OH)2+ Th(CO3)5=-
1	.0	.0	.0	.0	Am(OH)2+ HOx-
1	.0	.0	.0	.0	Am(OH)2+ Ox=
1	.0	.0	.0	.0	Am(OH)2+ Ac-
1	.0	.0	.0	.0	Am(OH)2+ Lac-
1	.0	.0	.0	.0	Am(OH)2+ H2Cit-
1	.0	.0	.0	.0	Am(OH)2+ HCit=
1	.0	.0	.0	.0	Am(OH)2+ Cit=-
1	.0	.0	.0	.0	Am(OH)2+ H3EDTA-
1	.0	.0	.0	.0	Am(OH)2+ H2EDTA=
1	.0	.0	.0	.0	Am(OH)2+ HEDTA=-
1	.0	.0	.0	.0	Am(OH)2+ EDTA==
1	.0	.0	.0	.0	Am(OH)2+ AmEDTA-
1	.0	.0	.0	.0	Am(OH)2+ NpO2Cit=
1	.0	.0	.0	.0	Am(OH)2+ NpO2EDTA=-
1	.0	.0	.0	.0	Am(OH)2+ NpO2Ox-
1	.0	.0	.0	.0	Am(OH)2+ U(OH)4(CO3)2=-
1	.0	.0	.0	.0	Am(OH)2+ U(CO3)5=-
1	.0	.0	.0	.0	Am(OH)2+ U(SO4)3=
1	.0	.0	.0	.0	Am(OH)2+ Am(CO3)4=-
1	.0	.0	.0	.0	Am(OH)2+ Am(SO4)2-
1	.0	.0	.0	.0	Am(OH)2+ NpO2H2EDTA-
1	.0	.0	.0	.0	Am(OH)2+ CaCit-
1	.0	.0	.0	.0	Am(OH)2+ CaEDTA=
1	.0	.0	.0	.0	Am(OH)2+ UnuAn#2-
1	.0	.0	.0	.0	Am(OH)2+ UnuAn#3-
1	.0	.0	.0	.0	Am(OH)2+ UnuAn#4-
1	.0	.0	.0	.0	Am(OH)2+ U(OH)2(CO3)2=
1	.0	.0	.0	.0	Am(OH)2+ MgCit-
1	.0	.0	.0	.0	Am(OH)2+ MgEDTA=

1	.0	.0	.0	.0	Am(OH)2+ NpO2HEDTA=
1	.516	1.75	.0	.010	AmCl2+ Cl- FK98/Konnecke et al. 1997
1	.0	.0	.0	.0	AmCl2+ SO4=
1	.0	.0	.0	.0	AmCl2+ HSO4-
1	.0	.0	.0	.0	AmCl2+ OH-
1	.0	.0	.0	.0	AmCl2+ HCO3-
1	.0	.0	.0	.0	AmCl2+ CO3=
1	.0	.0	.0	.0	AmCl2+ B(OH)4-
1	.0	.0	.0	.0	AmCl2+ B3O3(OH)4-
1	.0	.0	.0	.0	AmCl2+ B4O5(OH)4=
1	.0	.0	.0	.0	AmCl2+ Br-
1	.0	.0	.0	.0	AmCl2+ Am(CO3)2-
1	.0	.0	.0	.0	AmCl2+ Am(CO3)3=-
1	.0	.0	.0	.0	AmCl2+ ClO4-
1	.0	.0	.0	.0	AmCl2+ NpO2(OH)2-
1	.0	.0	.0	.0	AmCl2+ NpO2CO3-
1	.0	.0	.0	.0	AmCl2+ NpO2(CO3)2=-
1	.0	.0	.0	.0	AmCl2+ NpO2(CO3)3=-
1	.0	.0	.0	.0	AmCl2+ H2PO4-
1	.0	.0	.0	.0	AmCl2+ HPO4=
1	.0	.0	.0	.0	AmCl2+ PO4=-
1	.0	.0	.0	.0	AmCl2+ Th(SO4)3=
1	.0	.0	.0	.0	AmCl2+ Th(OH)3(CO3)-
1	.0	.0	.0	.0	AmCl2+ Th(CO3)5=-
1	.0	.0	.0	.0	AmCl2+ HOx-
1	.0	.0	.0	.0	AmCl2+ Ox=
1	.0	.0	.0	.0	AmCl2+ Ac-
1	.0	.0	.0	.0	AmCl2+ Lac-
1	.0	.0	.0	.0	AmCl2+ H2Cit-
1	.0	.0	.0	.0	AmCl2+ HCit=
1	.0	.0	.0	.0	AmCl2+ Cit=-
1	.0	.0	.0	.0	AmCl2+ H3EDTA-
1	.0	.0	.0	.0	AmCl2+ H2EDTA=
1	.0	.0	.0	.0	AmCl2+ HEDTA=-
1	.0	.0	.0	.0	AmCl2+ EDTA==
1	.0	.0	.0	.0	AmCl2+ AmEDTA-
1	.0	.0	.0	.0	AmCl2+ NpO2Cit=
1	.0	.0	.0	.0	AmCl2+ NpO2EDTA=-
1	.0	.0	.0	.0	AmCl2+ NpO2Ox-
1	.0	.0	.0	.0	AmCl2+ U(OH)4(CO3)2=-
1	.0	.0	.0	.0	AmCl2+ U(CO3)5=-
1	.0	.0	.0	.0	AmCl2+ U(SO4)3=
1	.0	.0	.0	.0	AmCl2+ Am(CO3)4=-
1	.0	.0	.0	.0	AmCl2+ Am(SO4)2-
1	.0	.0	.0	.0	AmCl2+ NpO2H2EDTA-
1	.0	.0	.0	.0	AmCl2+ CaCit-
1	.0	.0	.0	.0	AmCl2+ CaEDTA=
1	.0	.0	.0	.0	AmCl2+ UnuAn#2-
1	.0	.0	.0	.0	AmCl2+ UnuAn#3-
1	.0	.0	.0	.0	AmCl2+ UnuAn#4-
1	.0	.0	.0	.0	AmCl2+ U(OH)2(CO3)2=
1	.0	.0	.0	.0	AmCl2+ MgCit-
1	.0	.0	.0	.0	AmCl2+ MgEDTA=
1	.0	.0	.0	.0	AmCl2+ NpO2HEDTA=
1	-0.091	-.39	.0	0.048	AmSO4+ Cl- FK98
1	.0	.0	.0	.0	AmSO4+ SO4=
1	.0	.0	.0	.0	AmSO4+ HSO4-
1	.0	.0	.0	.0	AmSO4+ OH-
1	.0	.0	.0	.0	AmSO4+ HCO3-
1	.0	.0	.0	.0	AmSO4+ CO3=
1	.0	.0	.0	.0	AmSO4+ B(OH)4-

1	.0	.0	.0	.0	AmSO4+ B3O3 (OH) 4-
1	.0	.0	.0	.0	AmSO4+ B4O5 (OH) 4=
1	.0	.0	.0	.0	AmSO4+ Br-
1	.0	.0	.0	.0	AmSO4+ Am (CO3) 2-
1	.0	.0	.0	.0	AmSO4+ Am (CO3) 3=-
1	.0	.0	.0	.0	AmSO4+ ClO4-
1	.0	.0	.0	.0	AmSO4+ NpO2 (OH) 2-
1	.0	.0	.0	.0	AmSO4+ NpO2CO3-
1	.0	.0	.0	.0	AmSO4+ NpO2 (CO3) 2=-
1	.0	.0	.0	.0	AmSO4+ NpO2 (CO3) 3=-
1	.0	.0	.0	.0	AmSO4+ H2PO4-
1	.0	.0	.0	.0	AmSO4+ HPO4=
1	.0	.0	.0	.0	AmSO4+ PO4=-
1	.0	.0	.0	.0	AmSO4+ Th (SO4) 3=
1	.0	.0	.0	.0	AmSO4+ Th (OH) 3 (CO3) -
1	.0	.0	.0	.0	AmSO4+ Th (CO3) 5=-
1	.0	.0	.0	.0	AmSO4+ HOx-
1	.0	.0	.0	.0	AmSO4+ Ox=
1	.0	.0	.0	.0	AmSO4+ Ac-
1	.0	.0	.0	.0	AmSO4+ Lac-
1	.0	.0	.0	.0	AmSO4+ H2Cit-
1	.0	.0	.0	.0	AmSO4+ HCit=
1	.0	.0	.0	.0	AmSO4+ Cit=-
1	.0	.0	.0	.0	AmSO4+ H3EDTA-
1	.0	.0	.0	.0	AmSO4+ H2EDTA=
1	.0	.0	.0	.0	AmSO4+ HEDTA=-
1	.0	.0	.0	.0	AmSO4+ EDTA=-
1	.0	.0	.0	.0	AmSO4+ AmEDTA-
1	.0	.0	.0	.0	AmSO4+ NpO2Cit=
1	.0	.0	.0	.0	AmSO4+ NpO2EDTA=-
1	.0	.0	.0	.0	AmSO4+ NpO2Ox-
1	.0	.0	.0	.0	AmSO4+ U (OH) 4 (CO3) 2=-
1	.0	.0	.0	.0	AmSO4+ U (CO3) 5=-
1	.0	.0	.0	.0	AmSO4+ U (SO4) 3=
1	.0	.0	.0	.0	AmSO4+ Am (CO3) 4=-
1	.0	.0	.0	.0	AmSO4+ Am (SO4) 2-
1	.0	.0	.0	.0	AmSO4+ NpO2H2EDTA-
1	.0	.0	.0	.0	AmSO4+ CaCit-
1	.0	.0	.0	.0	AmSO4+ CaEDTA=
1	.0	.0	.0	.0	AmSO4+ UnuAn#2-
1	.0	.0	.0	.0	AmSO4+ UnuAn#3-
1	.0	.0	.0	.0	AmSO4+ UnuAn#4-
1	.0	.0	.0	.0	AmSO4+ U (OH) 2 (CO3) 2=
1	.0	.0	.0	.0	AmSO4+ MgCit-
1	.0	.0	.0	.0	AmSO4+ MgEDTA=
1	.0	.0	.0	.0	AmSO4+ NpO2HEDTA=
1	-0.616	-0.45	.0	.050	Pu (OH) 2+ Cl- analogy w/ Am (FK98)
1	.0	.0	.0	.0	Pu (OH) 2+ SO4=
1	.0	.0	.0	.0	Pu (OH) 2+ HSO4-
1	.0	.0	.0	.0	Pu (OH) 2+ OH-
1	.0	.0	.0	.0	Pu (OH) 2+ HCO3-
1	.0	.0	.0	.0	Pu (OH) 2+ CO3=
1	.0	.0	.0	.0	Pu (OH) 2+ B (OH) 4-
1	.0	.0	.0	.0	Pu (OH) 2+ B3O3 (OH) 4-
1	.0	.0	.0	.0	Pu (OH) 2+ B4O5 (OH) 4=
1	.0	.0	.0	.0	Pu (OH) 2+ Br-
1	.0	.0	.0	.0	Pu (OH) 2+ Am (CO3) 2-
1	.0	.0	.0	.0	Pu (OH) 2+ Am (CO3) 3=-
1	.0	.0	.0	.0	Pu (OH) 2+ ClO4-
1	.0	.0	.0	.0	Pu (OH) 2+ NpO2 (OH) 2-
1	.0	.0	.0	.0	Pu (OH) 2+ NpO2CO3-
1	.0	.0	.0	.0	Pu (OH) 2+ NpO2 (CO3) 2=-

1	.0	.0	.0	.0	Pu(OH)2+ NpO2(CO3)3==-
1	.0	.0	.0	.0	Pu(OH)2+ H2PO4-
1	.0	.0	.0	.0	Pu(OH)2+ HPO4=
1	.0	.0	.0	.0	Pu(OH)2+ PO4=-
1	.0	.0	.0	.0	Pu(OH)2+ Th(SO4)3=
1	.0	.0	.0	.0	Pu(OH)2+ Th(OH)3(CO3)-
1	.0	.0	.0	.0	Pu(OH)2+ Th(CO3)5===
1	.0	.0	.0	.0	Pu(OH)2+ HOx-
1	.0	.0	.0	.0	Pu(OH)2+ Ox=
1	.0	.0	.0	.0	Pu(OH)2+ Ac-
1	.0	.0	.0	.0	Pu(OH)2+ Lac-
1	.0	.0	.0	.0	Pu(OH)2+ H2Cit-
1	.0	.0	.0	.0	Pu(OH)2+ HCit=
1	.0	.0	.0	.0	Pu(OH)2+ Cit=-
1	.0	.0	.0	.0	Pu(OH)2+ H3EDTA-
1	.0	.0	.0	.0	Pu(OH)2+ H2EDTA=
1	.0	.0	.0	.0	Pu(OH)2+ HEDTA=-
1	.0	.0	.0	.0	Pu(OH)2+ EDTA==
1	.0	.0	.0	.0	Pu(OH)2+ AmEDTA-
1	.0	.0	.0	.0	Pu(OH)2+ NpO2Cit=
1	.0	.0	.0	.0	Pu(OH)2+ NpO2EDTA=-
1	.0	.0	.0	.0	Pu(OH)2+ NpO2Ox-
1	.0	.0	.0	.0	Pu(OH)2+ U(OH)4(CO3)2==
1	.0	.0	.0	.0	Pu(OH)2+ U(CO3)5===
1	.0	.0	.0	.0	Pu(OH)2+ U(SO4)3=
1	.0	.0	.0	.0	Pu(OH)2+ Am(CO3)4=-
1	.0	.0	.0	.0	Pu(OH)2+ Am(SO4)2-
1	.0	.0	.0	.0	Pu(OH)2+ NpO2H2EDTA-
1	.0	.0	.0	.0	Pu(OH)2+ CaCit-
1	.0	.0	.0	.0	Pu(OH)2+ CaEDTA=
1	.0	.0	.0	.0	Pu(OH)2+ UnuAn#2-
1	.0	.0	.0	.0	Pu(OH)2+ UnuAn#3-
1	.0	.0	.0	.0	Pu(OH)2+ UnuAn#4-
1	.0	.0	.0	.0	Pu(OH)2+ U(OH)2(CO3)2=
1	.0	.0	.0	.0	Pu(OH)2+ MgCit-
1	.0	.0	.0	.0	Pu(OH)2+ MgEDTA=
1	.0	.0	.0	.0	Pu(OH)2+ NpO2HEDTA=
1	.4671	1.74	.0	.143	ThAc2++ Cl- Moore et al 1999
2	.0	.0	.0	.0	ThAc2++ SO4=
1	.0	.0	.0	.0	ThAc2++ HSO4-
1	.0	.0	.0	.0	ThAc2++ OH-
1	.0	.0	.0	.0	ThAc2++ HCO3-
2	.0	.0	.0	.0	ThAc2++ CO3=
1	.0	.0	.0	.0	ThAc2++ B(OH)4-
1	.0	.0	.0	.0	ThAc2++ B3O3(OH)4-
2	.0	.0	.0	.0	ThAc2++ B4O5(OH)4=
1	.0	.0	.0	.0	ThAc2++ Br-
1	.0	.0	.0	.0	ThAc2++ Am(CO3)2-
3	.0	.0	.0	.0	ThAc2++ Am(CO3)3=-
1	.0	.0	.0	.0	ThAc2++ ClO4-
1	.0	.0	.0	.0	ThAc2++ NpO2(OH)2-
1	.0	.0	.0	.0	ThAc2++ NpO2CO3-
3	.0	.0	.0	.0	ThAc2++ NpO2(CO3)2=-
3	.0	.0	.0	.0	ThAc2++ NpO2(CO3)3=-
1	.0	.0	.0	.0	ThAc2++ H2PO4-
2	.0	.0	.0	.0	ThAc2++ HPO4=
3	.0	.0	.0	.0	ThAc2++ PO4=-
2	.0	.0	.0	.0	ThAc2++ Th(SO4)3=
1	.0	.0	.0	.0	ThAc2++ Th(OH)3(CO3)-
3	.0	.0	.0	.0	ThAc2++ Th(CO3)5===
1	.0	.0	.0	.0	ThAc2++ HOx-
2	.0	.0	.0	.0	ThAc2++ Ox=

1	.0	.0	.0	.0	ThAc2++ Ac-	
1	.0	.0	.0	.0	ThAc2++ Lac-	
1	.0	.0	.0	.0	ThAc2++ H2Cit-	
2	.0	.0	.0	.0	ThAc2++ HCit=	
3	.0	.0	.0	.0	ThAc2++ Cit=-	
3	.0	.0	.0	.0	ThAc2++ H3EDTA-	
3	.0	.0	.0	.0	ThAc2++ H2EDTA=	
3	.0	.0	.0	.0	ThAc2++ HEDTA=-	
3	.0	.0	.0	.0	ThAc2++ EDTA==	
3	.0	.0	.0	.0	ThAc2++ AmEDTA-	
3	.0	.0	.0	.0	ThAc2++ NpO2Cit=	
3	.0	.0	.0	.0	ThAc2++ NpO2EDTA===	
1	.0	.0	.0	.0	ThAc2++ NpO2Ox-	
3	.0	.0	.0	.0	ThAc2++ U(OH)4(CO3)2==	
3	.0	.0	.0	.0	ThAc2++ U(CO3)5===	
2	.0	.0	.0	.0	ThAc2++ U(SO4)3=	
3	.0	.0	.0	.0	ThAc2++ Am(CO3)4==-	
1	.0	.0	.0	.0	ThAc2++ Am(SO4)2-	
1	.0	.0	.0	.0	ThAc2++ NpO2H2EDTA-	
1	.0	.0	.0	.0	ThAc2++ CaCit-	
3	.0	.0	.0	.0	ThAc2++ CaEDTA=	
1	.0	.0	.0	.0	ThAc2++ UnuAn#2-	
1	.0	.0	.0	.0	ThAc2++ UnuAn#3-	
1	.0	.0	.0	.0	ThAc2++ UnuAn#4-	
2	.0	.0	.0	.0	ThAc2++ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	ThAc2++ MgCit-	
2	.0	.0	.0	.0	ThAc2++ MgEDTA=	
2	.0	.0	.0	.0	ThAc2++ NpO2HEDTA=	
1	-.9374	.29	.0	.248	PuOx+ Cl-	analogy w/ Am
(SAND99/Borkowski et al 01)						
1	.0	.0	.0	.0	PuOx+ SO4=	
1	.0	.0	.0	.0	PuOx+ HSO4-	
1	.0	.0	.0	.0	PuOx+ OH-	
1	.0	.0	.0	.0	PuOx+ HCO3-	
1	.0	.0	.0	.0	PuOx+ CO3=	
1	.0	.0	.0	.0	PuOx+ B(OH)4-	
1	.0	.0	.0	.0	PuOx+ B3O3(OH)4-	
1	.0	.0	.0	.0	PuOx+ B4O5(OH)4=	
1	.0	.0	.0	.0	PuOx+ Br-	
1	.0	.0	.0	.0	PuOx+ Am(CO3)2-	
1	.0	.0	.0	.0	PuOx+ Am(CO3)3=-	
1	.0	.0	.0	.0	PuOx+ ClO4-	
1	.0	.0	.0	.0	PuOx+ NpO2(OH)2-	
1	.0	.0	.0	.0	PuOx+ NpO2CO3-	
1	.0	.0	.0	.0	PuOx+ NpO2(CO3)2=-	
1	.0	.0	.0	.0	PuOx+ NpO2(CO3)3=-	
1	.0	.0	.0	.0	PuOx+ H2PO4-	
1	.0	.0	.0	.0	PuOx+ HPO4=	
1	.0	.0	.0	.0	PuOx+ PO4=-	
1	.0	.0	.0	.0	PuOx+ Th(SO4)3=	
1	.0	.0	.0	.0	PuOx+ Th(OH)3(CO3)-	
1	.0	.0	.0	.0	PuOx+ Th(CO3)5===	
1	.0	.0	.0	.0	PuOx+ HOx-	
1	.0	.0	.0	.0	PuOx+ Ox=	
1	.0	.0	.0	.0	PuOx+ Ac-	
1	.0	.0	.0	.0	PuOx+ Lac-	
1	.0	.0	.0	.0	PuOx+ H2Cit-	
1	.0	.0	.0	.0	PuOx+ HCit=	
1	.0	.0	.0	.0	PuOx+ Cit=-	
1	.0	.0	.0	.0	PuOx+ H3EDTA-	
1	.0	.0	.0	.0	PuOx+ H2EDTA=	
1	.0	.0	.0	.0	PuOx+ HEDTA=-	

1	.0	.0	.0	.0	PuOx+ EDTA==	
1	.0	.0	.0	.0	PuOx+ AmEDTA-	
1	.0	.0	.0	.0	PuOx+ NpO2Cit=	
1	.0	.0	.0	.0	PuOx+ NpO2EDTA==-	
1	.0	.0	.0	.0	PuOx+ NpO2Ox-	
1	.0	.0	.0	.0	PuOx+ U(OH)4(CO3)2==	
1	.0	.0	.0	.0	PuOx+ U(CO3)5===	
1	.0	.0	.0	.0	PuOx+ U(SO4)3=	
1	.0	.0	.0	.0	PuOx+ Am(CO3)4==-	
1	.0	.0	.0	.0	PuOx+ Am(SO4)2-	
1	.0	.0	.0	.0	PuOx+ NpO2H2EDTA-	
1	.0	.0	.0	.0	PuOx+ CaCit-	
1	.0	.0	.0	.0	PuOx+ CaEDTA=	
1	.0	.0	.0	.0	PuOx+ UnuAn#2-	
1	.0	.0	.0	.0	PuOx+ UnuAn#3-	
1	.0	.0	.0	.0	PuOx+ UnuAn#4-	
1	.0	.0	.0	.0	PuOx+ U(OH)2(CO3)2=	
1	.0	.0	.0	.0	PuOx+ MgCit-	
1	.0	.0	.0	.0	PuOx+ MgEDTA=	
1	.0	.0	.0	.0	PuOx+ NpO2HEDTA=	
1	.5058	1.74	.0	0.225	ThLac2++ Cl-	Moore et al 1999
2	.0	.0	.0	.0	ThLac2++ SO4=	
1	.0	.0	.0	.0	ThLac2++ HSO4-	
1	.0	.0	.0	.0	ThLac2++ OH-	
1	.0	.0	.0	.0	ThLac2++ HCO3-	
2	.0	.0	.0	.0	ThLac2++ CO3=	
1	.0	.0	.0	.0	ThLac2++ B(OH)4-	
1	.0	.0	.0	.0	ThLac2++ B3O3(OH)4-	
2	.0	.0	.0	.0	ThLac2++ B4O5(OH)4=	
1	.0	.0	.0	.0	ThLac2++ Br-	
1	.0	.0	.0	.0	ThLac2++ Am(CO3)2-	
3	.0	.0	.0	.0	ThLac2++ Am(CO3)3=-	
1	.0	.0	.0	.0	ThLac2++ ClO4-	
1	.0	.0	.0	.0	ThLac2++ NpO2(OH)2-	
1	.0	.0	.0	.0	ThLac2++ NpO2CO3-	
3	.0	.0	.0	.0	ThLac2++ NpO2(CO3)2=-	
3	.0	.0	.0	.0	ThLac2++ NpO2(CO3)3=-	
1	.0	.0	.0	.0	ThLac2++ H2PO4-	
2	.0	.0	.0	.0	ThLac2++ HPO4=	
3	.0	.0	.0	.0	ThLac2++ PO4=-	
2	.0	.0	.0	.0	ThLac2++ Th(SO4)3=	
1	.0	.0	.0	.0	ThLac2++ Th(OH)3(CO3)-	
3	.0	.0	.0	.0	ThLac2++ Th(CO3)5===	
1	.0	.0	.0	.0	ThLac2++ HOx-	
2	.0	.0	.0	.0	ThLac2++ Ox=	
1	.0	.0	.0	.0	ThLac2++ Ac-	
1	.0	.0	.0	.0	ThLac2++ Lac-	
1	.0	.0	.0	.0	ThLac2++ H2Cit-	
2	.0	.0	.0	.0	ThLac2++ HCit=	
3	.0	.0	.0	.0	ThLac2++ Cit=-	
1	.0	.0	.0	.0	ThLac2++ H3EDTA-	
2	.0	.0	.0	.0	ThLac2++ H2EDTA=	
3	.0	.0	.0	.0	ThLac2++ HEDTA=-	
3	.0	.0	.0	.0	ThLac2++ EDTA==	
1	.0	.0	.0	.0	ThLac2++ AmEDTA-	
2	.0	.0	.0	.0	ThLac2++ NpO2Cit=	
3	.0	.0	.0	.0	ThLac2++ NpO2EDTA==-	
1	.0	.0	.0	.0	ThLac2++ NpO2Ox-	
3	.0	.0	.0	.0	ThLac2++ U(OH)4(CO3)2==	
3	.0	.0	.0	.0	ThLac2++ U(CO3)5===	
2	.0	.0	.0	.0	ThLac2++ U(SO4)3=	
3	.0	.0	.0	.0	ThLac2++ Am(CO3)4=-	

1	.0	.0	.0	.0	ThLac2++ Am(SO4)2-
1	.0	.0	.0	.0	ThLac2++ NpO2H2EDTA-
1	.0	.0	.0	.0	ThLac2++ CaCit-
2	.0	.0	.0	.0	ThLac2++ CaEDTA=
1	.0	.0	.0	.0	ThLac2++ UnuAn#2-
1	.0	.0	.0	.0	ThLac2++ UnuAn#3-
1	.0	.0	.0	.0	ThLac2++ UnuAn#4-
2	.0	.0	.0	.0	ThLac2++ U(OH)2(CO3)2=
1	.0	.0	.0	.0	ThLac2++ MgCit-
2	.0	.0	.0	.0	ThLac2++ MgEDTA=
2	.0	.0	.0	.0	ThLac2++ NpO2HEDTA=
1	-.0833	.29	.0	.0987	CaAc+ Cl- analogy w/Mg (ERG_org_memo)
1	.0	.0	.0	.0	CaAc+ SO4=
1	.0	.0	.0	.0	CaAc+ HSO4-
1	.0	.0	.0	.0	CaAc+ OH-
1	.0	.0	.0	.0	CaAc+ HCO3-
1	.0	.0	.0	.0	CaAc+ CO3=
1	.0	.0	.0	.0	CaAc+ B(OH)4-
1	.0	.0	.0	.0	CaAc+ B3O3(OH)4-
1	.0	.0	.0	.0	CaAc+ B4O5(OH)4=
1	.0	.0	.0	.0	CaAc+ Br-
1	.0	.0	.0	.0	CaAc+ Am(CO3)2-
1	.0	.0	.0	.0	CaAc+ Am(CO3)3=-
1	.0	.0	.0	.0	CaAc+ ClO4-
1	.0	.0	.0	.0	CaAc+ NpO2(OH)2-
1	.0	.0	.0	.0	CaAc+ NpO2CO3-
1	.0	.0	.0	.0	CaAc+ NpO2(CO3)2=-
1	.0	.0	.0	.0	CaAc+ NpO2(CO3)3=-
1	.0	.0	.0	.0	CaAc+ H2PO4-
1	.0	.0	.0	.0	CaAc+ HPO4=
1	.0	.0	.0	.0	CaAc+ PO4=-
1	.0	.0	.0	.0	CaAc+ Th(SO4)3=
1	.0	.0	.0	.0	CaAc+ Th(OH)3(CO3)-
1	.0	.0	.0	.0	CaAc+ Th(CO3)5===
1	.0	.0	.0	.0	CaAc+ HOx-
1	.0	.0	.0	.0	CaAc+ Ox=
1	.0	.0	.0	.0	CaAc+ Ac-
1	.0	.0	.0	.0	CaAc+ Lac-
1	.0	.0	.0	.0	CaAc+ H2Cit-
1	.0	.0	.0	.0	CaAc+ HCit=
1	.0	.0	.0	.0	CaAc+ Cit=-
1	.0	.0	.0	.0	CaAc+ H3EDTA-
1	.0	.0	.0	.0	CaAc+ H2EDTA=
1	.0	.0	.0	.0	CaAc+ HEDTA=-
1	.0	.0	.0	.0	CaAc+ EDTA==
1	.0	.0	.0	.0	CaAc+ AmEDTA-
1	.0	.0	.0	.0	CaAc+ NpO2Cit=
1	.0	.0	.0	.0	CaAc+ NpO2EDTA=-
1	.0	.0	.0	.0	CaAc+ NpO2Ox-
1	.0	.0	.0	.0	CaAc+ U(OH)4(CO3)2==
1	.0	.0	.0	.0	CaAc+ U(CO3)5===
1	.0	.0	.0	.0	CaAc+ U(SO4)3=
1	.0	.0	.0	.0	CaAc+ Am(CO3)4=-
1	.0	.0	.0	.0	CaAc+ Am(SO4)2-
1	.0	.0	.0	.0	CaAc+ NpO2H2EDTA-
1	.0	.0	.0	.0	CaAc+ CaCit-
1	.0	.0	.0	.0	CaAc+ CaEDTA=
1	.0	.0	.0	.0	CaAc+ UnuAn#2-
1	.0	.0	.0	.0	CaAc+ UnuAn#3-
1	.0	.0	.0	.0	CaAc+ UnuAn#4-
1	.0	.0	.0	.0	CaAc+ U(OH)2(CO3)2=
1	.0	.0	.0	.0	CaAc+ MgCit-



1	.0	.0	.0	.0	CaAc+ MgEDTA=	
1	.0	.0	.0	.0	CaAc+ NpO2HEDTA=	
1	.0	.0	.0	.0	CaLac+ Cl-	
1	.0	.0	.0	.0	CaLac+ SO4=	
1	.0	.0	.0	.0	CaLac+ HSO4-	
1	.0	.0	.0	.0	CaLac+ OH-	
1	.0	.0	.0	.0	CaLac+ HCO3-	
1	.0	.0	.0	.0	CaLac+ CO3=	
1	.0	.0	.0	.0	CaLac+ B(OH) 4-	
1	.0	.0	.0	.0	CaLac+ B3O3(OH) 4-	
1	.0	.0	.0	.0	CaLac+ B4O5(OH) 4=	
1	.0	.0	.0	.0	CaLac+ Br-	
1	.0	.0	.0	.0	CaLac+ Am(CO3) 2-	
1	.0	.0	.0	.0	CaLac+ Am(CO3) 3=-	
1	.0	.0	.0	.0	CaLac+ ClO4-	
1	.0	.0	.0	.0	CaLac+ NpO2(OH) 2-	
1	.0	.0	.0	.0	CaLac+ NpO2CO3-	
1	.0	.0	.0	.0	CaLac+ NpO2(CO3) 2=-	
1	.0	.0	.0	.0	CaLac+ NpO2(CO3) 3=-	
1	.0	.0	.0	.0	CaLac+ H2PO4-	
1	.0	.0	.0	.0	CaLac+ HPO4=	
1	.0	.0	.0	.0	CaLac+ PO4=-	
1	.0	.0	.0	.0	CaLac+ Th(SO4) 3=	
1	.0	.0	.0	.0	CaLac+ Th(OH) 3(CO3) -	
1	.0	.0	.0	.0	CaLac+ Th(CO3) 5=-	
1	.0	.0	.0	.0	CaLac+ HOx-	
1	.0	.0	.0	.0	CaLac+ Ox=	
1	.0	.0	.0	.0	CaLac+ Ac-	
1	.0	.0	.0	.0	CaLac+ Lac-	
1	.0	.0	.0	.0	CaLac+ H2Cit-	
1	.0	.0	.0	.0	CaLac+ HCit=	
1	.0	.0	.0	.0	CaLac+ Cit=-	
1	.0	.0	.0	.0	CaLac+ H3EDTA-	
1	.0	.0	.0	.0	CaLac+ H2EDTA=	
1	.0	.0	.0	.0	CaLac+ HEDTA=-	
1	.0	.0	.0	.0	CaLac+ EDTA=-	
1	.0	.0	.0	.0	CaLac+ AmEDTA-	
1	.0	.0	.0	.0	CaLac+ NpO2Cit=	
1	.0	.0	.0	.0	CaLac+ NpO2EDTA=-	
1	.0	.0	.0	.0	CaLac+ NpO2Ox-	
1	.0	.0	.0	.0	CaLac+ U(OH) 4(CO3) 2=-	
1	.0	.0	.0	.0	CaLac+ U(CO3) 5=-	
1	.0	.0	.0	.0	CaLac+ U(SO4) 3=	
1	.0	.0	.0	.0	CaLac+ Am(CO3) 4=-	
1	.0	.0	.0	.0	CaLac+ Am(SO4) 2-	
1	.0	.0	.0	.0	CaLac+ NpO2H2EDTA-	
1	.0	.0	.0	.0	CaLac+ CaCit-	
1	.0	.0	.0	.0	CaLac+ CaEDTA=	
1	.0	.0	.0	.0	CaLac+ UnuAn#2-	
1	.0	.0	.0	.0	CaLac+ UnuAn#3-	
1	.0	.0	.0	.0	CaLac+ UnuAn#4-	
1	.0	.0	.0	.0	CaLac+ U(OH) 2(CO3) 2=	
1	.0	.0	.0	.0	CaLac+ MgCit-	
1	.0	.0	.0	.0	CaLac+ MgEDTA=	
1	.0	.0	.0	.0	CaLac+ NpO2HEDTA=	
1	-.0833	.29	.0	.0987	MgAc+ Cl-	ERG_org_memo
1	.0	.0	.0	.0	MgAc+ SO4=	
1	.0	.0	.0	.0	MgAc+ HSO4-	
1	.0	.0	.0	.0	MgAc+ OH-	
1	.0	.0	.0	.0	MgAc+ HCO3-	
1	.0	.0	.0	.0	MgAc+ CO3=	

1	.0	.0	.0	.0	MgAc+ B(OH) 4-
1	.0	.0	.0	.0	MgAc+ B3O3(OH) 4-
1	.0	.0	.0	.0	MgAc+ B4O5(OH) 4=
1	.0	.0	.0	.0	MgAc+ Br-
1	.0	.0	.0	.0	MgAc+ Am(CO3) 2-
1	.0	.0	.0	.0	MgAc+ Am(CO3) 3=-
1	.0	.0	.0	.0	MgAc+ ClO4-
1	.0	.0	.0	.0	MgAc+ NpO2(OH) 2-
1	.0	.0	.0	.0	MgAc+ NpO2CO3-
1	.0	.0	.0	.0	MgAc+ NpO2(CO3) 2=-
1	.0	.0	.0	.0	MgAc+ NpO2(CO3) 3=-
1	.0	.0	.0	.0	MgAc+ H2PO4-
1	.0	.0	.0	.0	MgAc+ HPO4=
1	.0	.0	.0	.0	MgAc+ PO4=-
1	.0	.0	.0	.0	MgAc+ Th(SO4) 3=
1	.0	.0	.0	.0	MgAc+ Th(OH) 3(CO3) -
1	.0	.0	.0	.0	MgAc+ Th(CO3) 5===
1	.0	.0	.0	.0	MgAc+ HOx-
1	.0	.0	.0	.0	MgAc+ Ox=
1	.0	.0	.0	.0	MgAc+ Ac-
1	.0	.0	.0	.0	MgAc+ Lac-
1	.0	.0	.0	.0	MgAc+ H2Cit-
1	.0	.0	.0	.0	MgAc+ HCit=
1	.0	.0	.0	.0	MgAc+ Cit=-
1	.0	.0	.0	.0	MgAc+ H3EDTA-
1	.0	.0	.0	.0	MgAc+ H2EDTA=
1	.0	.0	.0	.0	MgAc+ HEDTA=-
1	.0	.0	.0	.0	MgAc+ EDTA==
1	.0	.0	.0	.0	MgAc+ AmEDTA-
1	.0	.0	.0	.0	MgAc+ NpO2Cit=
1	.0	.0	.0	.0	MgAc+ NpO2EDTA=-
1	.0	.0	.0	.0	MgAc+ NpO2Ox-
1	.0	.0	.0	.0	MgAc+ U(OH) 4(CO3) 2==
1	.0	.0	.0	.0	MgAc+ U(CO3) 5===
1	.0	.0	.0	.0	MgAc+ U(SO4) 3=
1	.0	.0	.0	.0	MgAc+ Am(CO3) 4=-
1	.0	.0	.0	.0	MgAc+ Am(SO4) 2-
1	.0	.0	.0	.0	MgAc+ NpO2H2EDTA-
1	.0	.0	.0	.0	MgAc+ CaCit-
1	.0	.0	.0	.0	MgAc+ CaEDTA=
1	.0	.0	.0	.0	MgAc+ UnuAn#2-
1	.0	.0	.0	.0	MgAc+ UnuAn#3-
1	.0	.0	.0	.0	MgAc+ UnuAn#4-
1	.0	.0	.0	.0	MgAc+ U(OH) 2(CO3) 2=
1	.0	.0	.0	.0	MgAc+ MgCit-
1	.0	.0	.0	.0	MgAc+ MgEDTA=
1	.0	.0	.0	.0	MgAc+ NpO2HEDTA=
1	.0	.0	.0	.0	MgLac+ Cl-
1	.0	.0	.0	.0	MgLac+ SO4=
1	.0	.0	.0	.0	MgLac+ HSO4-
1	.0	.0	.0	.0	MgLac+ OH-
1	.0	.0	.0	.0	MgLac+ HCO3-
1	.0	.0	.0	.0	MgLac+ CO3=
1	.0	.0	.0	.0	MgLac+ B(OH) 4-
1	.0	.0	.0	.0	MgLac+ B3O3(OH) 4-
1	.0	.0	.0	.0	MgLac+ B4O5(OH) 4=
1	.0	.0	.0	.0	MgLac+ Br-
1	.0	.0	.0	.0	MgLac+ Am(CO3) 2-
1	.0	.0	.0	.0	MgLac+ Am(CO3) 3=-
1	.0	.0	.0	.0	MgLac+ ClO4-
1	.0	.0	.0	.0	MgLac+ NpO2(OH) 2-
1	.0	.0	.0	.0	MgLac+ NpO2CO3-

1	.0	.0	.0	.0	MgLac+ NpO2 (CO3) 2=-
1	.0	.0	.0	.0	MgLac+ NpO2 (CO3) 3=-
1	.0	.0	.0	.0	MgLac+ H2PO4-
1	.0	.0	.0	.0	MgLac+ HPO4=
1	.0	.0	.0	.0	MgLac+ PO4=-
1	.0	.0	.0	.0	MgLac+ Th (SO4) 3=
1	.0	.0	.0	.0	MgLac+ Th (OH) 3 (CO3) -
1	.0	.0	.0	.0	MgLac+ Th (CO3) 5=-
1	.0	.0	.0	.0	MgLac+ HOx-
1	.0	.0	.0	.0	MgLac+ Ox=
1	.0	.0	.0	.0	MgLac+ Ac-
1	.0	.0	.0	.0	MgLac+ Lac-
1	.0	.0	.0	.0	MgLac+ H2Cit-
1	.0	.0	.0	.0	MgLac+ HCit=
1	.0	.0	.0	.0	MgLac+ Cit=-
1	.0	.0	.0	.0	MgLac+ H3EDTA-
1	.0	.0	.0	.0	MgLac+ H2EDTA=
1	.0	.0	.0	.0	MgLac+ HEDTA=-
1	.0	.0	.0	.0	MgLac+ EDTA==
1	.0	.0	.0	.0	MgLac+ AmEDTA-
1	.0	.0	.0	.0	MgLac+ NpO2Cit=
1	.0	.0	.0	.0	MgLac+ NpO2EDTA=-
1	.0	.0	.0	.0	MgLac+ NpO2Ox-
1	.0	.0	.0	.0	MgLac+ U (OH) 4 (CO3) 2==
1	.0	.0	.0	.0	MgLac+ U (CO3) 5=-
1	.0	.0	.0	.0	MgLac+ U (SO4) 3=
1	.0	.0	.0	.0	MgLac+ Am (CO3) 4=-
1	.0	.0	.0	.0	MgLac+ Am (SO4) 2-
1	.0	.0	.0	.0	MgLac+ NpO2H2EDTA-
1	.0	.0	.0	.0	MgLac+ CaCit-
1	.0	.0	.0	.0	MgLac+ CaEDTA=
1	.0	.0	.0	.0	MgLac+ UnuAn#2-
1	.0	.0	.0	.0	MgLac+ UnuAn#3-
1	.0	.0	.0	.0	MgLac+ UnuAn#4-
1	.0	.0	.0	.0	MgLac+ U (OH) 2 (CO3) 2=
1	.0	.0	.0	.0	MgLac+ MgCit-
1	.0	.0	.0	.0	MgLac+ MgEDTA=
1	.0	.0	.0	.0	MgLac+ NpO2HEDTA=
1	.0	.0	.0	.0	UnuCat#1+ Cl-
1	.0	.0	.0	.0	UnuCat#1+ SO4=
1	.0	.0	.0	.0	UnuCat#1+ HSO4-
1	.0	.0	.0	.0	UnuCat#1+ OH-
1	.0	.0	.0	.0	UnuCat#1+ HCO3-
1	.0	.0	.0	.0	UnuCat#1+ CO3=
1	.0	.0	.0	.0	UnuCat#1+ B (OH) 4-
1	.0	.0	.0	.0	UnuCat#1+ B3O3 (OH) 4-
1	.0	.0	.0	.0	UnuCat#1+ B4O5 (OH) 4=
1	.0	.0	.0	.0	UnuCat#1+ Br-
1	.0	.0	.0	.0	UnuCat#1+ Am (CO3) 2-
1	.0	.0	.0	.0	UnuCat#1+ Am (CO3) 3=-
1	.0	.0	.0	.0	UnuCat#1+ ClO4-
1	.0	.0	.0	.0	UnuCat#1+ NpO2 (OH) 2-
1	.0	.0	.0	.0	UnuCat#1+ NpO2CO3-
1	.0	.0	.0	.0	UnuCat#1+ NpO2 (CO3) 2=-
1	.0	.0	.0	.0	UnuCat#1+ NpO2 (CO3) 3=-
1	.0	.0	.0	.0	UnuCat#1+ H2PO4-
1	.0	.0	.0	.0	UnuCat#1+ HPO4=
1	.0	.0	.0	.0	UnuCat#1+ PO4=-
1	.0	.0	.0	.0	UnuCat#1+ Th (SO4) 3=
1	.0	.0	.0	.0	UnuCat#1+ Th (OH) 3 (CO3) -
1	.0	.0	.0	.0	UnuCat#1+ Th (CO3) 5=-
1	.0	.0	.0	.0	UnuCat#1+ HOx-



















































































































































































































































#### +IV References

See Giambalvo memo to Brush 26July2002 "Recommended Parameter Values for Modeling An(IV) Solubility in WIPP Brines" for overview and comparison to PAVT database. ERMS 522986.

FRM91 == Felmy, Rai, and Mason, 1991. The solubility of hydrous thorium(IV) oxide in chloride media:  
Development of an aqueous ion-interaction model, RCA 55:177-185.

FR92 == Felmy and Rai, 1992. An aqueous thermodynamic model for a high valence 4:2 electrolyte Th<sup>4+</sup>-SO<sub>4</sub><sup>2-</sup> in the system Na-K-Li-NH<sub>4</sub>-Th-SO<sub>4</sub>-HSO<sub>4</sub>-H<sub>2</sub>O to high concentration, J Soln Chem 21(5):407-423.

Roy92 == Roy, Vogel, Good, Davis, Roy, Johnson, Felmy, and Pitzer, 1992. Activity coefficients in electrolyte mixtures: HCl + ThCl<sub>4</sub> + H<sub>2</sub>O for 5-55 C, J Phys Chem 96(26):11065-11072.

RR87 == Ryan and Rai, 1987. Thorium(IV) hydrous oxide solubility, Inorg. Chem. 26:4140-4142.

RFSMMN == Rai et al. 1997 Solubility of Th(IV) and U(IV) Hydrous Oxides in Conc NaCl and MgCl<sub>2</sub> Solutions  
RCA 79:239-247

FRSMHC97 == Felmy, Rai, Sterner, Mason, Hess, Conradson, 1997 "Thermo Models for Highly Charged Aq Species  
Solubility of Th(IV) Hydrous Oxide in Conc NaHCO<sub>3</sub> and Na<sub>2</sub>O<sub>3</sub> Solns" J Soln Chem 26:233-248.

FR99 == Felmy and Rai, 1999. Application of Pitzer's Equations for Modeling the Aqueous Thermodynamics of Actinide Species in Natural Waters: A Review. J. Soln. Chem. 28:533-553 (SAND99-0340J).

CFN960119 == Novak to Nowak, 19Jan96, "Preliminary inorganic model for thorium solubility in WIPP brines, in database file HMW\_3TH5\_960119.CHEMDAT" WPO 30930.

ERG\_th\_memo == Giambalvo to Brush, 26July02, "Recommended Parameter Values for Modeling An(IV) Solubility in WIPP Brines"  
ERMS 522986.

Rai96 == U(IV) Fax from Dhan Rai, 13 Mar 96

#### +V References

See Giambalvo memo to Brush 26July2002 "Recommended Parameter Values for Modeling An(V) Solubility in WIPP Brines" for overview. ERMS# 522990.

NFRK95 == Neck, Fanghanel, Rudolph, and Kim, 1995. Thermodynamics of Np(V) in concentrated salt solutions:  
Chloride complexation and ion interaction (Pitzer) parameters for the NpO<sub>2</sub><sup>+</sup> ion, RCA 69:39-47.

FNK95 == Fanghanel, Neck, and Kim, 1995. Thermodynamics of Np(V) in concentrated salt solutions: II.  
Ion interaction (Pitzer) parameters for Np(V) hydrolysis species and carbonate complexes,  
RCA 69:169-176.

Novak et al. 1997 == Novak, Al Mahamid, Becraft, Carpenter, Hakem, and Prussin, 1997. Measurement and thermodynamic modeling of Np(V) solubility in aqueous K<sub>2</sub>CO<sub>3</sub> solutions to high concentrations,  
J. Soln. Chem. 26(7):681-697.

Al Mahamid et al. 1998 == Al Mahamid, Novak, Becraft, Carpenter, and Hakem, 1998. Solubility of Np(V) in K-Cl-CO<sub>3</sub> and Na-K-Cl-CO<sub>3</sub> solutions to high concentrations: Measurements and thermodynamic model predictions,  
RCA 81:93-101. (see also SAND97-1230J)

ERG\_release\_memo == Giambalvo memo to Brush 20November02 "Release of FMT Database FMT\_021120.CHEMDAT"

#### Organic Ligand References

See Giambalvo memo to Brush, 25July2002, "Recommended Parameter Values for Modeling Organic Ligands in WIPP Brines" for



overview and comparison to PAVT database. ERMS 522981

RCM96 == RC Moore, 22FEB96 memorandum "Final Model Parameters for Deprotonation of..."

NBC96 == Novak, Borkowski, and Choppin, 1996. Thermodynamic modeling of neptunium(V)-acetate complexation in concentrated NaCl media, RCA 74:111-116.

SAND99 == Choppin et al., 2001. "Waste Isolation Pilot Plant Actinide Source Term Test Program: Solubility Studies and Development of Modeling Parameters" SAND99-0943.

Mesmer et al 89 == Mesmer, Patterson, Busey, Holmes. Ionization of acetic acid in NaCl(aq) media: A Potentiometric study to 573 K and 130 bar. J. Phys. Chem. 93:7483-7490.

Mizera == Mizera, Bond, Choppin, and Moore, 1999. "Dissociation constants of carboxylic acids at high ionic strengths" in Reed et al., eds, Actinide Speciation in High Ionic Strength Media. p 113-124.

CEX96 == Choppin, Erten, Xia, 1996. Variation of stability constants of thorium citrate complexes with ionic strength. RCA 74:123-127 (raw data used in SAND99).

BPBC99 == Bronikowski, Pokrovsky, Borkowski, Choppin, 1999. "UO<sub>2</sub> and NpO<sub>2</sub> complexation with citrate in brine solutions" in Reed et al., eds, Actinide Speciation in High Ionic Strength Media.

PBMC98 == Pokrovsky, Bronikowski, Moore, Choppin, 1998. Interaction of neptunyl(V) and Uranyl(VI) with EDTA in NaCl media: Experimental study and Pitzer modeling. RCA 80:23-29.

Moore et al 99 == Moore, Borkowski, Bronikowski, Chen, Pokrovsky, Xia, Choppin, 1999. Thermodynamic modeling of actinide complexation with acetate and lactate at high ionic strength. J. Soln. Chem. 28:521-531.

Borkowski et al 01 == Borkowski, Moore, Bronikowski, Chen, Pokrovsky, Xia, Choppin, 2001. Thermodynamic modeling of actinide complexation with oxalate at high ionic strength. J. Radioanalytical and Nuclear Chem. 248:467-471.

ERG\_org\_memo == Giambalvo to Brush, 25July02. "Recommended Parameter Values for Modeling Organic Ligands in WIPP Brines." ERMS 522981

ERG\_ox\_memo == Giambalvo to Brush, 31July02. "Recommended u<sub>0</sub>/RT Values for Modeling the Solubility of Oxalate Solids in WIPP Brines." ERMS 523057

#### General References

HMW84 == Harvie, Moller, Weare (1984) GCA 48 pp.723-751

FW86 == Felmy and Weare (1986) GCA 50 pp.2771-2783

PS76 == Pitzer and Silvester (1976) J Soln Chem 5#4 pp.269-278

P91 == Pitzer (1991) CRC Handbook, Activity Coef in Electrolyte Solns

CFN95a == Novak (1995a) 18Jan95 Memo "Creation and Definition of the Database for FMT called "HMW\_NP\_AM.CHEMDAT..."

R&H73 == Robie and Hemingway 1973 J.Reas.US.Geol.Surv. v1n5 pp 543-547

Lang65 == Langmuir 1965 j.Geology v73 730-754

FO76 == Fuger and Oetting, 1976, The Chemical Thermodynamics of Actinide Elements and Compounds. Part 2. The Actinide Aqueous Ions., Int. Atomic Energy Agency, Vienna, Austria.

CFN950705 == Novak memo to EJNowak (perchlorate G/RT)

