

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
RMA Species list								
08/06/01	LIFEFORM CODES							
	LIFE FORM GREAT GROUPS		ATTRIBUTES		TYPE			
			A= ANNUAL		G= GRASS	T= TREE		
	SOURCE		PER= PERENNIAL		F= FORB	AQ= AQUATIC		
	N= NATIVE		CS= COOL SEASON		SS= SEMI-SHRUB	SC= SUCCULENT		
	I= INTRODUCED		WS= WARM SEASON		WV= WOODY VINE	CR= CRYPTOGRAM		

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Acer</i>	<i>negundo</i>			<i>Aceraceae</i>	Box-elder	N	T	
<i>Acer</i>	<i>saccharinum</i>			<i>Aceraceae</i>	Silver maple	I	T	
<i>Yucca</i>	<i>glauca</i>			<i>Agavaceae</i>	Yucca/Spanish bayonet	N	S	
<i>Alisma</i>	<i>gramineum</i>			<i>Alismataceae</i>	Narrowleaf water plantain	N	AQ	
<i>Sagittaria</i>	<i>cuneata</i>			<i>Alismataceae</i>	Arrowhead	N	AQ	PER
<i>Spergularia</i>	<i>rubra</i>			<i>Alsinoaceae</i>	Sand spurry	I	F	A
<i>Amaranthus</i>	<i>albus</i>			<i>Amaranthaceae</i>	White pigweed	N	F	A
<i>Amaranthus</i>	<i>arenicola</i>			<i>Amaranthaceae</i>	Sand pigweed	N	F	A
<i>Amaranthus</i>	<i>blitoides</i>			<i>Amaranthaceae</i>	Prostrate pigweed	I	F	A
<i>Amaranthus</i>	<i>palmerii</i>			<i>Amaranthaceae</i>	Palmer's pigweed	I	F	A
<i>Amaranthus</i>	<i>retroflexus</i>			<i>Amaranthaceae</i>	Rough pigweed	I	F	A
<i>Froelichia</i>	<i>gracilis</i>			<i>Amaranthaceae</i>	Froelichia/Snakecotton	N	F	A
<i>Rhus</i>	<i>trilobata</i>			<i>Anacardiaceae</i>	Skunkbush sumac	N	S	
<i>Berula</i>	<i>erecta</i>			<i>Apiaceae</i>	Cutlef waterparsnip	N	F	PER
<i>Cymopterus</i>	<i>montanus</i>			<i>Apiaceae</i>	Mountain springparsely	N	F	PER
<i>Lomatium</i>	<i>orientale</i>			<i>Apiaceae</i>	Biscuit-root	N	F	PER
<i>Apocynum</i>	<i>cannabinum</i>			<i>Apocynaceae</i>	Dogbane/Indian hemp	N	F	PER
<i>Asclepias</i>	<i>incarnata</i>			<i>Asclepiadaceae</i>	Swamp milkweed	N	F	PER
<i>Asclepias</i>	<i>pumila</i>			<i>Asclepiadaceae</i>	Little milkweed	N	F	PER
<i>Asclepias</i>	<i>speciosa</i>			<i>Asclepiadaceae</i>	Showy milkweed	N	F	PER
<i>Asclepias</i>	<i>subverticillata</i>			<i>Asclepiadaceae</i>	Whorled milkweed	N	F	PER
<i>Asclepias</i>	<i>viridiflora</i>			<i>Asclepiadaceae</i>	Green milkweed	N	F	PER
<i>Asparagus</i>	<i>officinalis</i>			<i>Asparagaceae</i>	Wild asparagus	I	F	PER
<i>Achillea</i>	<i>lanulosa</i>			<i>Asteraceae</i>	Yarrow	N	F	PER
<i>Acroptilon</i>	<i>repens</i>			<i>Asteraceae</i>	Russian knapweed	I	F	PER
<i>Ambrosia</i>	<i>acanthicarpa</i>			<i>Asteraceae</i>	Sand bur	N	F	A
<i>Ambrosia</i>	<i>psilostachya</i>			<i>Asteraceae</i>	Western ragweed	N	F	A
<i>Ambrosia</i>	<i>tomentosa</i>			<i>Asteraceae</i>	Tomentose ragweed	N	F	PER
<i>Ambrosia</i>	<i>trifida</i>			<i>Asteraceae</i>	Giant ragweed	N	F	A
<i>Anaphalis</i>	<i>margaritacea</i>			<i>Asteraceae</i>	Pearly everlasting	N	F	PER
<i>Antennaria</i>	<i>rosea</i>			<i>Asteraceae</i>	Pussytoes	N	F	PER
<i>Artemisia</i>	<i>dracunculoides</i>			<i>Asteraceae</i>	Green sage/Tarragon	N	SS	
<i>Artemisia</i>	<i>filifolia</i>			<i>Asteraceae</i>	Sand sagebrush	N	SS	
<i>Artemisia</i>	<i>absinthium</i>			<i>Asteraceae</i>	Wormwood	I	SS	PER

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Artemisia</i>	<i>frigida</i>			<i>Asteraceae</i>	Fringed sage	N	SS	
<i>Artemisia</i>	<i>ludoviciana</i>			<i>Asteraceae</i>	Prairie sage	N	F	PER
<i>Aster</i>	<i>ericoides</i>			<i>Asteraceae</i>	Heath aster	N	F	PER
<i>Aster</i>	<i>falcatus</i>			<i>Asteraceae</i>	White aster	N	F	PER
<i>Bidens</i>	<i>cernua</i>			<i>Asteraceae</i>	Nodding bur-marigold	N	F	A
<i>Bidens</i>	<i>frondosa</i>			<i>Asteraceae</i>	Beggar's tick	N	F	A
<i>Brickellia</i>	<i>rosmarinifolia</i>			<i>Asteraceae</i>	Kuhnia	N	F	PER
<i>Brickellia</i>	<i>eupatorioides</i>			<i>Asteraceae</i>	False bonset	N	F	PER
<i>Carduus</i>	<i>nutans</i>			<i>Asteraceae</i>	Musk thistle	I	F	PER
<i>Chrysothamnus</i>	<i>nauseosus</i>			<i>Asteraceae</i>	Rubber rabbitbrush	N	S	
<i>Cirsium</i>	<i>arvensis</i>			<i>Asteraceae</i>	Canada thistle	I	F	PER
<i>Cirsium</i>	<i>canescens</i>			<i>Asteraceae</i>	Hoary thistle	N	F	PER
<i>Cirsium</i>	<i>undulatum</i>			<i>Asteraceae</i>	Wavy-leaf Thistle	N	F	PER
<i>Cirsium</i>	<i>vulgare</i>			<i>Asteraceae</i>	Bull thistle	I	F	PER
<i>Conyza</i>	<i>canadensis</i>			<i>Asteraceae</i>	Horseweed	N	F	A
<i>Coreopsis</i>	<i>tinctoria</i>			<i>Asteraceae</i>	Plains coreopsis	N	F	PER
<i>Cosmos</i>	<i>bipinnatus</i>			<i>Asteraceae</i>	Cosmos	I	G	A
<i>Dyssodia</i>	<i>papposa</i>			<i>Asteraceae</i>	Fetid marigold	N	F	A
<i>Erigeron</i>	<i>divergens</i>			<i>Asteraceae</i>	Spreading fleabane	N	F	PER
<i>Erigeron</i>	<i>pumilus</i>			<i>Asteraceae</i>	Low daisy	N	F	PER
<i>Euthamia</i>	<i>graminifolia</i>			<i>Asteraceae</i>	Flat top goldenrod	N	F	Per
<i>Euthamia</i>	<i>occidentalis</i>			<i>Asteraceae</i>	Western golden top	N	F	PER
<i>Evax</i>	<i>prolifera</i>			<i>Asteraceae</i>	Fluffweed	N	F	A
<i>Gaillardia</i>	<i>aristata</i>			<i>Asteraceae</i>	Blanket flower	N	F	PER
<i>Gnaphalium</i>	<i>palustre</i>			<i>Asteraceae</i>	Lowland cudweed	N	F	A
<i>Gnaphalium</i>	<i>uliginosum</i>			<i>Asteraceae</i>	Marsh cudweed	I	G	A
<i>Grindellia</i>	<i>sqarrosa</i>			<i>Asteraceae</i>	Curlycup gumweed	N	F	A
<i>Gutierrezia</i>	<i>sarothrae</i>			<i>Asteraceae</i>	Broom snake weed	N	F	PER
<i>Helianthus</i>	<i>annuus</i>			<i>Asteraceae</i>	Annual sunflower	N	F	A
<i>Helianthus</i>	<i>ciliaris</i>			<i>Asteraceae</i>	Texas blueweed	N	F	PER
<i>Helianthus</i>	<i>petiolaris</i>			<i>Asteraceae</i>	Praire sunflower	N	F	A
<i>Heterotheca</i>	<i>villosa</i>			<i>Asteraceae</i>	Hairy golden aster	N	F	PER
<i>Hymenopappus</i>	<i>filifolius</i>			<i>Asteraceae</i>	Hymenopappus	N	F	PER
<i>Iva</i>	<i>xanthifolia</i>			<i>Asteraceae</i>	Marsh elder	N	F	A
<i>Lactuca</i>	<i>serriola</i>			<i>Asteraceae</i>	Prickly lettuce	I	F	A
<i>Lactuca</i>	<i>tartarica</i>			<i>Asteraceae</i>	Blue lettuce	I	F	A
<i>Liatris</i>	<i>punctata</i>			<i>Asteraceae</i>	gayfeather	N	F	PER
<i>Lygodesmia</i>	<i>juncea</i>			<i>Asteraceae</i>	Skeleton weed	N	F	PER
<i>Machaeranthera</i>	<i>canescens</i>			<i>Asteraceae</i>	Silvery tansy aster	N	F	PER
<i>Machaeranthera</i>	<i>pattersonii</i>			<i>Asteraceae</i>	Patterson's tansy aster	N	F	PER
<i>Machaeranthera</i>	<i>pinnatifida</i>			<i>Asteraceae</i>	Tansy aster	N	F	PER
<i>Nothocalais</i>	<i>cuspidata</i>			<i>Asteraceae</i>	False dandelion	N	F	PER
<i>Onopordum</i>	<i>acanthium</i>			<i>Asteraceae</i>	Scotch thistle	I	F	PER
<i>Packera</i>	<i>plattensis</i>			<i>Asteraceae</i>	Platte's groundsel	N	F	PER

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Picradeniopsis</i>	<i>oppositifolia</i>			Asteraceae	Plains bahia	N	F	PER
<i>Podospermum</i>	<i>laciniatum</i>			Asteraceae	False salsify	N	F	PER
<i>Pseudognaphalium</i>	<i>stramineum</i>			Asteraceae	Cudweed	I	F	A
<i>Pseudognaphalium</i>	<i>canescens</i>			Asteraceae	Cudweed	I	F	A
<i>Ratibida</i>	<i>columnifera</i>			Asteraceae	Prairie coneflower	N	F	PER
<i>Ratibida</i>	<i>tagetes</i>			Asteraceae	Green conflower	N	F	PER
<i>Rudbeckia</i>	<i>hirta</i>			Asteraceae	Black-eyed Susan	N	F	PER
<i>Senecio</i>	<i>spartioides</i>			Asteraceae	Groundsel	N	F	PER
<i>Senecio</i>	<i>tridenticulata</i>			Asteraceae	Three-toothed groundsel	N	F	PER
<i>Solidago</i>	<i>canadensis</i>			Asteraceae	Canada goldenrod	N	F	PER
<i>Solidago</i>	<i>missouriensis</i>			Asteraceae	Missouri goldenrod	N	F	PER
<i>Solidago</i>	<i>mollis</i>			Asteraceae	Soft goldenrod	N	F	PER
<i>Solidago</i>	<i>serotinoides</i>			Asteraceae	Giant goldenrod	N	F	PER
<i>Solidago</i>	<i>speciosa</i>		<i>pallida</i>	Asteraceae	Showy goldenrod	N	F	PER
<i>Sonchus</i>	<i>arvensis</i>			Asteraceae	Perennial sow-thistle	I	F	PER
<i>Sonchus</i>	<i>asper</i>			Asteraceae	Spiny sow-thistle	I	F	A
<i>Stephanomeria</i>	<i>pauciflora</i>			Asteraceae	Wire lettuce	N	F	
<i>Taraxacum</i>	<i>officinale</i>			Asteraceae	Dandelion	I	F	A
<i>Thelesperma</i>	<i>megapotamicum</i>			Asteraceae	Green thread/Hopi tea	N	F	PER
<i>Tragopogon</i>	<i>dubius</i>			Asteraceae	Salsify	I	F	A
<i>Verbensia</i>	<i>encelioides</i>			Asteraceae	Cow pen daisy	N	F	A
<i>Vernonia</i>	<i>baldwinii</i>			Asteraceae	Iron weed	N	F	PER
<i>Xanthium</i>	<i>strumarium</i>			Asteraceae	Cockle bur	N	F	A
<i>Catalpa</i>	<i>speciosa</i>			Bignoniaceae	Showy catalpa	I	T	
<i>Cryptantha</i>	<i>fendleri</i>			Boraginaceae	Fendler cryptantha	N	G	A
<i>Cryptantha</i>	<i>minima</i>			Boraginaceae	Small cryptantha	N	G	A
<i>Lappula</i>	<i>redowskii</i>			Boraginaceae	Sand stickseed	N	F	A
<i>Lithospermum</i>	<i>incisum</i>			Boraginaceae	Puccoon	N	F	PER
<i>Capsella</i>	<i>bursa-pastoris</i>			Brassicaceae	Sheperd's purse	I	F	A
<i>Cardaria</i>	<i>chalepensis</i>			Brassicaceae	White top/Hoary cress	I	F	A
<i>Cardaria</i>	<i>draba</i>			Brassicaceae	White top	I	F	PER
<i>Chorispora</i>	<i>tenella</i>			Brassicaceae	Common blue mustard	I	F	A
<i>Erysimum</i>	<i>asperum</i>			Brassicaceae	Western wallflower	N	F	PER
<i>Alyssum</i>	<i>desertorum</i>			Brassicaceae	Desert alyssum	I	F	A
<i>Alyssum</i>	<i>minus</i>			Brassicaceae	Alyssum	I	F	A
<i>Descurania</i>	<i>pinnata</i>			Brassicaceae	Tansy-mustard	I	F	A
<i>Descurania</i>	<i>richardsonii</i>			Brassicaceae	Western tansy-mustard	N	F	A
<i>Descurania</i>	<i>sophia</i>			Brassicaceae	Flixweed	I	F	A
<i>Draba</i>	<i>reptans</i>			Brassicaceae	White draba	N	F	A
<i>Lepidium</i>	<i>densiflorum</i>			Brassicaceae	Prairie peppergrass	N	F	A
<i>Lepidium</i>	<i>perfoliatum</i>			Brassicaceae	Clasping pepperweed	I	F	A
<i>Lesquerella</i>	<i>ludoviciana</i>			Brassicaceae	Bladderpod	N	F	PER
<i>Nasturtium</i>	<i>officinale</i>			Brassicaceae	Watercress	I	F	PER
<i>Rorippa</i>	<i>sinuata</i>			Brassicaceae	Cress	N	F	PER

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Sisymbrium</i>	<i>altissimum</i>			Brassicaceae	Tall Tumble-mustard	I	F	A
<i>Sisymbrium</i>	<i>officinale</i>			Brassicaceae	Tumble-mustard	I	F	A
<i>Thlaspi</i>	<i>arvense</i>			Brassicaceae	Field pennycress	I	F	A
<i>Coryphantha</i>	<i>vivipara</i>			Cactaceae	Ball cactus	N	SC	
<i>Echinocereus</i>	<i>viridiflorus</i>			Cactaceae	Hedgehog cactus	N	SC	
<i>Opuntia</i>	<i>polyacantha</i>			Cactaceae	Prickly Pear cactus	N	SC	
<i>Campanula</i>	<i>rotundifolia</i>			Campanulaceae	Common harebell	N	F	PER
<i>Cleome</i>	<i>serrulata</i>			Capparaceae	Rocky Mtn. bee plant	N	F	A
<i>Polanisia</i>	<i>dodecandra</i>			Capparaceae	Clammy-weed	N	F	A
<i>Symphoricarpos</i>	<i>occidentalis</i>			Caprifoliaceae	Western snowberry	N	S	
<i>Gypsophila</i>	<i>paniculata</i>			Caryophyllaceae	Baby's breath	I	F	PER
<i>Saponaria</i>	<i>officinalis</i>			Caryophyllaceae	Bouncing bet	I	F	PER
<i>Ceratophyllum</i>	<i>demersum</i>			Ceratophyllaceae	Hornwort	N	AQ	
<i>Atriplex</i>	<i>canescens</i>			Chenopodiaceae	4-wing saltbush	N	SS	
<i>Atriplex</i>	<i>heterosperma</i>			Chenopodiaceae	Orache	I	F	A
<i>Atriplex</i>	<i>patula</i>			Chenopodiaceae	Spear orache	N	F	A
<i>Bassia</i>	<i>hyssopifolia</i>			Chenopodiaceae	Five hook bassia	I	F	A
<i>Chenopodium</i>	<i>glaucum</i>			Chenopodiaceae	Goosefoot	I	F	A
<i>Chenopodium</i>	<i>album</i>			Chenopodiaceae	White goosefoot	N	F	A
<i>Chenopodium</i>	<i>leptophyllum</i>			Chenopodiaceae	Narrowleaf goosefoot	N	F	A
<i>Chenopodium</i>	<i>rubrum</i>			Chenopodiaceae	Red goosefoot	N	F	A
<i>Cycloloma</i>	<i>atriplicifolium</i>			Chenopodiaceae	Winged tumbleweed	N	F	A
<i>Kochia</i>	<i>scoparia</i>			Chenopodiaceae	Kochia	I	F	A
<i>Krascheninnikovia</i>	<i>lanata</i>			Chenopodiaceae	Winterfat	N	S	
<i>Salsola</i>	<i>collina</i>			Chenopodiaceae	Slender russian-thistle	I	F	A
<i>Salsola</i>	<i>kali</i>			Chenopodiaceae	Russian-thistle	I	F	A
<i>Tradescantia</i>	<i>occidentalis</i>			Commelinaceae	Spiderwort	N	F	PER
<i>Maianthemum</i>	<i>amplexicaule</i>			Convallariaceae	False solomon's seal	N	F	PER
<i>Convolvulus</i>	<i>arvensis</i>			Convolvulaceae	Field bindweed	I	F	PER
<i>Evolvulus</i>	<i>nuttallianus</i>			Convolvulaceae	Evolvulus	N	F	PER
<i>Ipomoea</i>	<i>leptophylla</i>			Convolvulaceae	Bush morning-glory	N	F	PER
<i>Cucurbita</i>	<i>foetidissima</i>			Cucurbitaceae	Wild gourd	N	F	PER
<i>Juniperus</i>				Cupressaceae	Tammy juniper	?	T	
<i>Sabina</i>	<i>scopulorum</i>			Cupressaceae	Rocky Mtn. juniper	N	T	
<i>Carex</i>	<i>filifolia</i>			Cyperaceae	Threadleaf sedge	N	G	PER, \
<i>Carex</i>	<i>foenea</i>		<i>foenea</i>	Cyperaceae	Dryspike sedge	N	G	PER
<i>Carex</i>	<i>lanuginosa</i>			Cyperaceae	Wooly sedge	N	G	PER
<i>Carex</i>	<i>nebrascensis</i>			Cyperaceae	Nebraska sedge	N	G	PER, \
<i>Carex</i>	<i>pensylvanica</i>			Cyperaceae	Sun sedge	N	G	PER, \
<i>Carex</i>	<i>praegracilis</i>			Cyperaceae	Sedge	N	G	PER, \
<i>Cyperus</i>	<i>aristatus</i>			Cyperaceae	Flat sedge	N	G	A
<i>Cyperus</i>	<i>erythrorhizos</i>			Cyperaceae	Galingale	N	G	A
<i>Eleocharis</i>	<i>acicularis</i>			Cyperaceae	Slender spikerush	N	G	PER, \
<i>Eleocharis</i>	<i>macrostachya</i>			Cyperaceae	Common spikerush	N	G	PER, \

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Mariscus</i>	<i>schweinitzii</i>			Cyperaceae	Rush	N	G	PER
<i>Schoenoplectus</i>	<i>saximontanus</i>			Cyperaceae	Bulrush	N	G	PER
<i>Schoenoplectus</i>	<i>lacustris</i>	<i>acutus</i>		Cyperaceae	Great bulrush	N	G	PER
<i>Schoenoplectus</i>	<i>pungens</i>			Cyperaceae	Chairmaker's rush	N	G	PER
<i>Schoenoplectus</i>	<i>tabernaemontani</i>			Cyperaceae	Giant bulrush	N	G	PER
<i>Scirpus</i>	<i>tabernaemontani</i>			Cyperaceae	Tule	N	G	PER
<i>Elaeagnus</i>	<i>angustifolia</i>			Elaeagnaceae	Russian-olive	I	T	
<i>Shepherdia</i>	<i>argentea</i>			Elaeagnaceae	Silver buffaloberry	N	T	
<i>Hippochaete</i>	<i>laevigata</i>			Equisetaceae	Scouring rush	N	G	PER
<i>Agaloma</i>	<i>marginata</i>			Euphorbiaceae	Snow-on-the-mtn.	N	F	A
<i>Chamaesyce</i>	<i>glyptosperma</i>			Euphorbiaceae	Ribseed sandmat	N	F	A
<i>Chamaesyce</i>	<i>serpyllifolia</i>			Euphorbiaceae	Thyme-leaved spurge	N	F	A
<i>Croton</i>	<i>texensis</i>			Euphorbiaceae	Croton	N	F	A
<i>Euphorbia</i>	<i>spathulatus</i>			Euphorbiaceae	Warty spurge	N	F	A
<i>Poinsettia</i>	<i>dentata</i>			Euphorbiaceae	Poinsettia	N	F	A
<i>Tithymalus</i>	<i>esula</i>			Euphorbiaceae	Leafy spurge	I	F	
<i>Psoraleidium</i>	<i>tenuiflorum</i>			Fabaceae	Slimflower scurfpea	N	F	PER
<i>Vexibia</i>	<i>nuttalliana</i>			Fabaceae	Sophora	N	F	PER
<i>Astragalus</i>	<i>agrestis</i>			Fabaceae	Purple milkvetch	N	F	PER
<i>Astragalus</i>	<i>bisulcatus</i>			Fabaceae	Two-grooved milkvetch	N	F	PER
<i>Astragalus</i>	<i>ceramicus</i>			Fabaceae	Pot-shard milkvetch	N	F	PER
<i>Astragalus</i>	<i>crassicaulus</i>			Fabaceae	Ground plum	N	F	PER
<i>Astragalus</i>	<i>lotiflorus</i>			Fabaceae	Lotus milkvetch	N	F	PER
<i>Astragalus</i>	<i>missouriensis</i>			Fabaceae	Missouri milkvetch	N	F	PER
<i>Dalea</i>	<i>aurea</i>			Fabaceae	Golden prairie clover	N	F	PER
<i>Dalea</i>	<i>cylindriceps</i>			Fabaceae	Compact prairie clover	N	F	PER
<i>Dalea</i>	<i>purpurea</i>			Fabaceae	Purple prairie clover	N	F	PER
<i>Gleditsia</i>	<i>triacanthos</i>			Fabaceae	Honey locust	I	T	
<i>Glycyrrhiza</i>	<i>lepidota</i>			Fabaceae	Wild licorice	N	F	PER
<i>Lupinus</i>	<i>argenteus</i>			Fabaceae	Silvery lupine	N	F	PER
<i>Medicago</i>	<i>sativa</i>			Fabaceae	Alfalfa	I	F	PER
<i>Melilotus</i>	<i>albus</i>			Fabaceae	White sweetclover	I	F	PER
<i>Melilotus</i>	<i>officinale</i>			Fabaceae	Yellow sweetclover	I	F	PER
<i>Oxytropis</i>	<i>lambertii</i>			Fabaceae	Colorado locoweed	N	F	PER
<i>Psoraleidium</i>	<i>lanceolatum</i>			Fabaceae	Narrowleaf scurfpea	N	F	PER
<i>Robinia</i>	<i>neomexicana</i>			Fabaceae	New Mexico locust	N	T	
<i>Robinia</i>	<i>pseudoacacia</i>			Fabaceae	Black locust	?		
<i>Trifolium</i>	<i>fragiferum</i>			Fabaceae	Strawberry clover	I	F	PER
<i>Vicia</i>	<i>villosa</i>			Fabaceae	Wooly vetch	I	F	PER
<i>Quercus</i>	<i>alba</i>			Fagaceae	White oak	N	T	
<i>Corydalis</i>	<i>aurea</i>			Fumariaceae	Golden smoke	N	F	A
<i>Erodium</i>	<i>cicutarium</i>			Geraniaceae	Fillaree/Crane's bill	I	F	A
<i>Ribes</i>	<i>aureum</i>			Grossulariaceae	Golden currant	N	SS	
<i>Myriophyllum</i>	<i>exalbescens</i>			Haloragaceae	American watermilfoil	N	AQ	

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Myriophyllum</i>	<i>sibiricum</i>			<i>Haloragaceae</i>	Water milfoil	N	AQ	
<i>Delphinium</i>	<i>virescens</i>			<i>Helleboraceae</i>	Larkspur	N	F	PER
<i>Hypericum</i>	<i>perforatum</i>			<i>Hypericaceae</i>	Klamath weed	I	F	PER
<i>Juncus</i>	<i>arcticus</i>			<i>Juncaceae</i>	Arctic rush	N	G	PER
<i>Juncus</i>	<i>balticus</i>			<i>Juncaceae</i>	Baltic rush	N	G	PER
<i>Juncus</i>	<i>bufonius</i>			<i>Juncaceae</i>	Toad rush	N	G	PER
<i>Juncus</i>	<i>compressus</i>			<i>Juncaceae</i>	Path rush	I	G	PER, \
<i>Juncus</i>	<i>interior</i>			<i>Juncaceae</i>	Inland rush	N	G	PER
<i>Juncus</i>	<i>tenuis</i>			<i>Juncaceae</i>	Rush	N	G	PER
<i>Salvia</i>	<i>reflexa</i>			<i>Lamiaceae</i>	Blue sage/ Narrowleaf sage	N	F	A
<i>Hedeoma</i>	<i>hispidum</i>			<i>Lamiaceae</i>	False pennyroyal	?	F	A
<i>Lycopus</i>	<i>americanus</i>			<i>Lamiaceae</i>	Water horsehound	N	F	PER
<i>Mentha</i>	<i>arvensis</i>			<i>Lamiaceae</i>	Field mint	N	F	PER
<i>Mentha</i>	<i>spicata</i>			<i>Lamiaceae</i>	Spearmint	I	F	PER
<i>Monarda</i>	<i>pectinata</i>			<i>Lamiaceae</i>	Horsemint	N	F	PER
<i>Nepeta</i>	<i>cataria</i>			<i>Lamiaceae</i>	Catnip	I	F	PER
<i>Salvia</i>	<i>azurea</i>			<i>Lamiaceae</i>	Blue sage	N	F	PER
<i>Scutellaria</i>	<i>galericulata</i>			<i>Lamiaceae</i>	Marsh scullcap	?		
<i>Teucrium</i>	<i>canadense</i>			<i>Lamiaceae</i>	Germander	N	F	PER
<i>Lemna</i>	<i>minor</i>			<i>Lemnaceae</i>	Duckweed	N	AQ	
<i>Leucocrinum</i>	<i>montanum</i>			<i>Liliaceae</i>	Sand lily	N	F	PER
<i>Linum</i>	<i>lewisii</i>			<i>Linaceae</i>	Blue Flax	N	F	PER
<i>Mentzelia</i>	<i>nuda</i>			<i>Loasaceae</i>	Blazingstar	N	F	PER
<i>Ammania</i>	<i>robusta</i>			<i>Lythraceae</i>	Toothcup	N	F	A
<i>Ammannia</i>	<i>coccinea</i>			<i>Lythraceae</i>	Valley redstem/Loosestrife	N	F	A
<i>Hibiscus</i>	<i>trionum</i>			<i>Malvaceae</i>	Flower-of-an-hour	I	F	A
<i>Malva</i>	<i>neglecta</i>			<i>Malvaceae</i>	Buttonweed	I	F	A
<i>Sphaeralcea</i>	<i>coccinea</i>			<i>Malvaceae</i>	Scarlet globemallow	N	F	PER
<i>Marsilea</i>	<i>mucronata</i>			<i>Marsileaceae</i>	Water clover	N	AQ	PER
<i>Toxicoscordian</i>	<i>venenosum</i>			<i>Melanthiaceae</i>	Death camas	N	F	PER
<i>Morus</i>	<i>alba</i>			<i>Moraceae</i>	White mulberry	I	T	
<i>Abronia</i>	<i>fragrans</i>			<i>Nyctaginaceae</i>	Sand verbena	N	F	PER
<i>Oxybaphus</i>	<i>linearis</i>			<i>Nyctaginaceae</i>	Narrowleaf umbrella-wort	N	F	PER
<i>Oxybaphus</i>	<i>nyctagineus</i>			<i>Nyctaginaceae</i>	Heartleaf umbrella-wort	N	F	PER
<i>Fraxinus</i>	<i>pensylvanica</i>			<i>Oleaceae</i>	Green ash	?	T	
<i>Ligustrum</i>	<i>vulgare</i>			<i>Oleaceae</i>	Privet	I	T	
<i>Syringa</i>	<i>vulgaris</i>			<i>Oleaceae</i>	Common lilac	I	T	
<i>Calylophus</i>	<i>serrulatus</i>			<i>Onagraceae</i>	Serrate evening-primrose	N	F	PER
<i>Epilobium</i>	<i>brachycarpum</i>			<i>Onagraceae</i>	Willow-herb	N	F	A
<i>Epilobium</i>	<i>ciliatum</i>			<i>Onagraceae</i>	Northern willow-herb	N	F	PER
<i>Gaura</i>	<i>coccinea</i>			<i>Onagraceae</i>	Small-flowered butterfly-weed	N	F	PER
<i>Gaura</i>	<i>parviflora</i>			<i>Onagraceae</i>	Scarlet butterfly-weed	N	F	A
<i>Gayophytum</i>	<i>ramosissimum</i>			<i>Onagraceae</i>	Gray smoke	N	F	A
<i>Oenothera</i>	<i>albicaulis</i>			<i>Onagraceae</i>	Prairie evening-primrose	N	F	A

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Oenothera</i>	<i>caespitosa</i>			<i>Onagraceae</i>	Stemless evening-primrose	N	F	PER
<i>Oenothera</i>	<i>coronopifolia</i>			<i>Onagraceae</i>	Cutleaf evening-primrose	N	F	PER
<i>Oenothera</i>	<i>nuttallii</i>			<i>Onagraceae</i>	Nuttall's evening-primrose	N	F	PER
<i>Oenothera</i>	<i>villosa</i>			<i>Onagraceae</i>	Tall evening-primrose	N	F	PER
<i>Argemone</i>	<i>polyanthemos</i>			<i>Papaveraceae</i>	Prickly poppy	N	F	PER
<i>Picea</i>	<i>pungens</i>			<i>Pinaceae</i>	Blue spruce	N	T	
<i>Pinus</i>	<i>nigra</i>			<i>Pinaceae</i>	Austrian pine	?	T	
<i>Pinus</i>	<i>ponderosa</i>			<i>Pinaceae</i>	Ponderosa pine	N	T	
<i>Pinus</i>	<i>sylvestris</i>			<i>Pinaceae</i>	Scotch pine	?	T	
<i>Plantago</i>	<i>lanceolata</i>			<i>Plantaginaceae</i>	Narrowleaf plantain	I	F	PER
<i>Plantago</i>	<i>patagonica</i>			<i>Plantaginaceae</i>	Woolly plantain	N	F	A
<i>Agropyron</i>	<i>cristatum</i>			<i>Poaceae</i>	Crested wheatgrass	I	G	PER
<i>Agrostis</i>	<i>gigantea</i>			<i>Poaceae</i>	Redtop	N	G	PER
<i>Andropogon</i>	<i>gerardii</i>			<i>Poaceae</i>	Big bluestem	N	G	PER, \
<i>Andropogon</i>	<i>hallii</i>			<i>Poaceae</i>	Sand bluestem	N	G	PER, \
<i>Aristida</i>	<i>purpurea</i>			<i>Poaceae</i>	Purple threeawn	N	G	PER, (
<i>Aristida</i>	<i>purpurea</i>	<i>fendleriana</i>		<i>Poaceae</i>	Fendler's threeawn	N	G	PER, (
<i>Beckmania</i>	<i>syzigachne</i>			<i>Poaceae</i>	Sloughgrass	N	G	A
<i>Bouteloua</i>	<i>gracilis</i>			<i>Poaceae</i>	Blue grama	N	G	PER, \
<i>Bouteloua</i>	<i>curtipendula</i>			<i>Poaceae</i>	Side-oats grama	N	G	PER, \
<i>Bromus</i>	<i>inermis</i>			<i>Poaceae</i>	Smooth brome	I	G	PER
<i>Bromus</i>	<i>japonicus</i>			<i>Poaceae</i>	Japanese brome	I	G	A
<i>Bromus</i>	<i>tectorum</i>			<i>Poaceae</i>	Cheatgrass	I	G	A
<i>Buchloe</i>	<i>dactyloides</i>			<i>Poaceae</i>	Buffalo-grass	N	G	PER, \
<i>Calamovilfa</i>	<i>longifolia</i>			<i>Poaceae</i>	Prairie sandreed	N	G	PER, \
<i>Cenchrus</i>	<i>longispinus</i>			<i>Poaceae</i>	Sand bur	N	G	A
<i>Chloris</i>	<i>verticillata</i>			<i>Poaceae</i>	Windmillgrass	N	G	PER
<i>Chloris</i>	<i>virgata</i>			<i>Poaceae</i>	Feathergingergrass	N	G	PER
<i>Cynodon</i>	<i>dactylon</i>			<i>Poaceae</i>	Bermudagrass	I	G	PER
<i>Distichlis</i>	<i>stricta</i>			<i>Poaceae</i>	Inland saltgrass	N	G	PER, (
<i>Echinochloa</i>	<i>crus-galli</i>			<i>Poaceae</i>	Barnyardgrass	I	G	PER
<i>Elymus</i>	<i>dasystachya</i>			<i>Poaceae</i>	Wheatgrass	?	G	PER
<i>Elymus</i>	<i>canadensis</i>			<i>Poaceae</i>	Canada wildrye	N	G	PER, (
<i>Elymus</i>	<i>elymoides</i>			<i>Poaceae</i>	Squirreltail	N	G	PER, (
<i>Elymus</i>	<i>trachycaulus</i>			<i>Poaceae</i>	Slender wheatgrass	N	G	PER, (
<i>Elytrigia</i>	<i>elongata</i>			<i>Poaceae</i>	Tall wheatgrass	I	G	PER
<i>Elytrigia</i>	<i>intermedium</i>			<i>Poaceae</i>	Intermediate wheatgrass	I	G	PER
<i>Elytrigia</i>	<i>intermedium</i>		<i>barbulatum</i>	<i>Poaceae</i>	Pubescent wheatgrass	I	G	PER
<i>Elytrigia</i>	<i>ponticum</i>			<i>Poaceae</i>	Wheatgrass	?		
<i>Elytrigia</i>	<i>repens</i>			<i>Poaceae</i>	Quackgrass	I	G	PER
<i>Eragrostis</i>	<i>cilianensis</i>			<i>Poaceae</i>	Stinkgrass	I	G	A
<i>Eragrostis</i>	<i>diffusa</i>			<i>Poaceae</i>	Spreading lovegrass	N	G	A
<i>Eragrostis</i>	<i>secundiflora</i>	<i>oxylepsis</i>		<i>Poaceae</i>	Lovegrass	N	G	PER
<i>Hesperostipa</i>	<i>comata</i>			<i>Poaceae</i>	Needle-and-thread	N	G	PER, (

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Hordeum</i>	<i>jubatum</i>			<i>Poaceae</i>	Foxtail barley	N	G	PER, C
<i>Hordeum</i>	<i>pusillum</i>			<i>Poaceae</i>	Little barley	N	G	PER, C
<i>Leersia</i>	<i>oryzoides</i>			<i>Poaceae</i>	Rice cutgrass	N	G	PER
<i>Lolium</i>	<i>perenne</i>			<i>Poaceae</i>	Ryegrass	I	F	PER
<i>Lolium</i>	<i>pratensis</i>			<i>Poaceae</i>	Meadow fescue	N	G	PER
<i>Monroa</i>	<i>squarrosa</i>			<i>Poaceae</i>	False buffalobgrass	N	G	A
<i>Muhlenbergia</i>	<i>asperifolia</i>			<i>Poaceae</i>	Alkali muhly	N	G	PER
<i>Muhlenbergia</i>	<i>racemosa</i>			<i>Poaceae</i>	Marsh muhly	N	G	PER
<i>Nassella</i>	<i>viridula</i>			<i>Poaceae</i>	Green needlegrass	N	G	PER, C
<i>Oryzopsis</i>	<i>hymenoides</i>			<i>Poaceae</i>	Indian ricegrass	N	G	PER, C
<i>Panicum</i>	<i>capillare</i>			<i>Poaceae</i>	Witchgrass	N	G	A
<i>Panicum</i>	<i>virgatum</i>			<i>Poaceae</i>	Swichgrass	N	G	PER, \
<i>Pascopyrum</i>	<i>smithii</i>			<i>Poaceae</i>	Western wheatgrass	N	G	PER, C
<i>Paspalum</i>	<i>dilatatum</i>			<i>Poaceae</i>	Dallisgrass	I	G	PER
<i>Phalaris</i>	<i>arundinacea</i>			<i>Poaceae</i>	Canary reed grass	I	G	PER
<i>Phleum</i>	<i>pratense</i>			<i>Poaceae</i>	Timothy	I	G	PER
<i>Poa</i>	<i>pratensis</i>			<i>Poaceae</i>	Kentucky bluegrass	N	G	PER
<i>Poa</i>	<i>secunda</i>			<i>Poaceae</i>	Sandberg bluegrass	N	G	PER
<i>Polypogon</i>	<i>monspeliensis</i>			<i>Poaceae</i>	Rabbitfoot grass	I	G	PER
<i>Schedonnardus</i>	<i>paniculatus</i>			<i>Poaceae</i>	Tumblegrass	N	G	PER
<i>Schizachyrium</i>	<i>scoparium</i>			<i>Poaceae</i>	Little bluestem	N	G	PER, \
<i>Secale</i>	<i>cereale</i>			<i>Poaceae</i>	Cereal rye	I	G	A
<i>Setaria</i>	<i>viridis</i>			<i>Poaceae</i>	Green bottlebrush	I	G	A
<i>Sorghastrum</i>	<i>avenaceum</i>			<i>Poaceae</i>	Yellow indian grass	N	G	PER, \
<i>Spartina</i>	<i>pectinata</i>			<i>Poaceae</i>	Prairie cordgrass	N	G	PER, \
<i>Sphenopholis</i>	<i>obtusata</i>			<i>Poaceae</i>	Praire wedgegrass	N	G	PER
<i>Sporobolus</i>	<i>airoides</i>			<i>Poaceae</i>	Alkalai sacaton	N	G	PER, \
<i>Sporobolus</i>	<i>cryptandrus</i>			<i>Poaceae</i>	Sand dropseed	N	G	PER, \
<i>Vulpia</i>	<i>octoflora</i>			<i>Poaceae</i>	Six-weeks fescue	N	G	A
<i>Ipomopsis</i>	<i>laxiflora</i>			<i>Polemoniaceae</i>	Gilia	N	F	PER
<i>Leptocdactylon</i>	<i>pungens</i>			<i>Polemoniaceae</i>	Prickly gilia	N	F	PER
<i>Eriogonum</i>	<i>annuum</i>			<i>Polygonaceae</i>	Annual wild buckwheat	N	F	A
<i>Eriogonum</i>	<i>effusum</i>			<i>Polygonaceae</i>	Bushy wild buckwheat	N	F	PER
<i>Fallopia</i>	<i>convolvulus</i>			<i>Polygonaceae</i>	Black bindweed	I	F	A
<i>Polygonum</i>	<i>arenastrum</i>			<i>Polygonaceae</i>	Knotweed/Devil's shoestring	I	F	A
<i>Polygonum</i>	<i>aviculare</i>			<i>Polygonaceae</i>	Prostrate knotweed			
<i>Polygonum</i>	<i>bicorne</i>			<i>Polygonaceae</i>	Smartweed	?		
<i>Polygonum</i>	<i>lapathifolia</i>			<i>Polygonaceae</i>	Smartweed	N	F	A
<i>Polygonum</i>	<i>pensylvanicum</i>			<i>Polygonaceae</i>	Pinkweed	N	F	A
<i>Polygonum</i>	<i>persicaria</i>			<i>Polygonaceae</i>	Spotted lady's thumb	I	F	A
<i>Polygonum</i>	<i>ramosissimum</i>			<i>Polygonaceae</i>	Branched knotweed	N	F	A
<i>Rumex</i>	<i>maritimus</i>	<i>fueginus</i>		<i>Polygonaceae</i>	Golden dock	N	F	A
<i>Rumex</i>	<i>crispus</i>			<i>Polygonaceae</i>	Curly-leaf dock	I	F	PER
<i>Rumex</i>	<i>stenophyllus</i>			<i>Polygonaceae</i>	Dock	I	F	PER

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Rumex</i>	<i>triangulivalvis</i>			<i>Polygonaceae</i>	Willow-leaf dock	N	F	PER
<i>Rumex</i>	<i>venosus</i>			<i>Polygonaceae</i>	Veiny dock/Wild begonia	N	F	PER
<i>Portulaca</i>	<i>oleracea</i>			<i>Portulacaceae</i>	Purslane	N	F	A
<i>Talinum</i>	<i>parviflorum</i>			<i>Portulacaceae</i>	Prairie fameflower	N	F	PER
<i>Steironema</i>	<i>ciliatum</i>			<i>Primulaceae</i>	Fringed loose-strife	N	F	PER
<i>Clematis</i>	<i>ligusticifolia</i>			<i>Ranunculaceae</i>	Western virgin's bower	N	F	PER
<i>Myosurus</i>	<i>minimus</i>			<i>Ranunculaceae</i>	Mousetail	N	F	A
<i>Padus</i>	<i>virginiana</i>	<i>melanocarpa</i>		<i>Rosaceae</i>	Chokecherry	N	T	
<i>Potentilla</i>	<i>norvegica</i>			<i>Rosaceae</i>	Norway cinquefoil	N	F	PER
<i>Potentilla</i>	<i>supina</i>	<i>paradoxa</i>		<i>Rosaceae</i>	Cinquefoil	I	F	PER
<i>Prunus</i>	<i>americana</i>			<i>Rosaceae</i>	American plum	N	T	
<i>Pyrus</i>	<i>malus</i>			<i>Rosaceae</i>	Apple	?	T	
<i>Rosa</i>	<i>arkansana</i>			<i>Rosaceae</i>	Prairie's rose	N	SS	
<i>Rosa</i>	<i>woodsii</i>			<i>Rosaceae</i>	Wood's rose	N	SS	
<i>Populus</i>	<i>alba</i>			<i>Salicaceae</i>	White poplar	I	T	
<i>Populus</i>	<i>deltoides</i>			<i>Salicaceae</i>	Plains cottonwood	N	T	
<i>Populus</i>	<i>tremuloides</i>			<i>Salicaceae</i>	Quaking aspen	N	T	
<i>Salix</i>	<i>lucida</i>	<i>caudata</i>		<i>Salicaceae</i>	Willow	N	T	
<i>Salix</i>	<i>amygdaloides</i>			<i>Salicaceae</i>	Peachleaved willow	N	T	
<i>Salix</i>	<i>exigua</i>			<i>Salicaceae</i>	Sandbar willow	N	T	
<i>Comandra</i>	<i>umbellata</i>			<i>Santalaceae</i>	Bastard toadflax	N	F	PER
<i>Limosella</i>	<i>aquatica</i>			<i>Scrophulariaceae</i>	Mudwort	N	F	PER
<i>Linaria</i>	<i>genistifolia</i>	<i>dalmatica</i>		<i>Scrophulariaceae</i>	Toadflax	I	F	PER
<i>Linaria</i>	<i>vulgaris</i>			<i>Scrophulariaceae</i>	Butter-and-eggs	I	F	PER
<i>Mimulus</i>	<i>glabratus</i>			<i>Scrophulariaceae</i>	Monkey flower	N	F	PER
<i>Penstemon</i>	<i>albidus</i>			<i>Scrophulariaceae</i>	White beardtongue	N	F	PER
<i>Penstemon</i>	<i>angustifolius</i>			<i>Scrophulariaceae</i>	Narrowleaf penstemon	N	F	PER
<i>Verbascum</i>	<i>thapsus</i>			<i>Scrophulariaceae</i>	Great mullien	I	F	A
<i>Veronica</i>	<i>americana</i>			<i>Scrophulariaceae</i>	American speedwell	N	F	PER
<i>Veronica</i>	<i>catenata</i>			<i>Scrophulariaceae</i>	Water Speedwell	N	F	PER
<i>Ailanthus</i>	<i>altissima</i>			<i>Simaroubaceae</i>	Tree-of-heaven	I	T	
<i>Lycium</i>	<i>barbarum</i>			<i>Solanaceae</i>	Matrimony bush	I	F	PER
<i>Physalis</i>	<i>hederifolia</i>			<i>Solanaceae</i>	Ground cherry	N	F	PER
<i>Physalis</i>	<i>heterophylla</i>			<i>Solanaceae</i>	Ground cherry	N	F	PER
<i>Physalis</i>	<i>virginiana</i>			<i>Solanaceae</i>	Ground cherry	N	F	PER
<i>Quincula</i>	<i>lobata</i>			<i>Solanaceae</i>	Chinese lantern	?	F	
<i>Solanum</i>	<i>physalifolium</i>			<i>Solanaceae</i>	Nightshade	N	F	PER
<i>Solanum</i>	<i>rostratum</i>			<i>Solanaceae</i>	Buffalo bur	N	F	A
<i>Solanum</i>	<i>triflorum</i>			<i>Solanaceae</i>	Nightshade	N	F	A
<i>Tamarix</i>				<i>Tamaricaceae</i>	Tamarisk	I	T	
<i>Typha</i>	<i>angustifolia</i>			<i>Typhaceae</i>	Narrowleaf cattail	I	F	PER
<i>Typha</i>	<i>latifolia</i>			<i>Typhaceae</i>	Broadleaf cattail	N	F	PER
<i>Celtis</i>	<i>reticulata</i>			<i>Ulmaceae</i>	Hackberry	N	T	
<i>Ulmus</i>	<i>americana</i>			<i>Ulmaceae</i>	American elm	N	T	

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
RMA Species list								
08/06/01	LIFEFORM CODES							
	LIFE FORM GREAT GROUPS		ATTRIBUTES		TYPE			
			A= ANNUAL		G= GRASS	T= TREE		
	SOURCE		PER= PERENNIAL		F= FORB	AQ= AQUATIC		
	N= NATIVE		CS= COOL SEASON		SS= SEMI-SHRUB	SC= SUCCULENT		
	I= INTRODUCED		WS= WARM SEASON		WV= WOODY VINE	CR= CRYPTOGRAM		

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Acer</i>	<i>negundo</i>			<i>Aceraceae</i>	Box-elder	N	T	
<i>Acer</i>	<i>saccharinum</i>			<i>Aceraceae</i>	Silver maple	I	T	
<i>Yucca</i>	<i>glauca</i>			<i>Agavaceae</i>	Yucca/Spanish bayonet	N	S	
<i>Alisma</i>	<i>gramineum</i>			<i>Alismataceae</i>	Narrowleaf water plantain	N	AQ	
<i>Sagittaria</i>	<i>cuneata</i>			<i>Alismataceae</i>	Arrowhead	N	AQ	PER
<i>Spergularia</i>	<i>rubra</i>			<i>Alsinoaceae</i>	Sand spurry	I	F	A
<i>Amaranthus</i>	<i>albus</i>			<i>Amaranthaceae</i>	White pigweed	N	F	A
<i>Amaranthus</i>	<i>arenicola</i>			<i>Amaranthaceae</i>	Sand pigweed	N	F	A
<i>Amaranthus</i>	<i>blitoides</i>			<i>Amaranthaceae</i>	Prostrate pigweed	I	F	A
<i>Amaranthus</i>	<i>palmerii</i>			<i>Amaranthaceae</i>	Palmer's pigweed	I	F	A
<i>Amaranthus</i>	<i>retroflexus</i>			<i>Amaranthaceae</i>	Rough pigweed	I	F	A
<i>Froelichia</i>	<i>gracilis</i>			<i>Amaranthaceae</i>	Froelichia/Snakecotton	N	F	A
<i>Rhus</i>	<i>trilobata</i>			<i>Anacardiaceae</i>	Skunkbush sumac	N	S	
<i>Berula</i>	<i>erecta</i>			<i>Apiaceae</i>	Cutlef waterparsnip	N	F	PER
<i>Cymopterus</i>	<i>montanus</i>			<i>Apiaceae</i>	Mountain springparsely	N	F	PER
<i>Lomatium</i>	<i>orientale</i>			<i>Apiaceae</i>	Biscuit-root	N	F	PER
<i>Apocynum</i>	<i>cannabinum</i>			<i>Apocynaceae</i>	Dogbane/Indian hemp	N	F	PER
<i>Asclepias</i>	<i>incarnata</i>			<i>Asclepiadaceae</i>	Swamp milkweed	N	F	PER
<i>Asclepias</i>	<i>pumila</i>			<i>Asclepiadaceae</i>	Little milkweed	N	F	PER
<i>Asclepias</i>	<i>speciosa</i>			<i>Asclepiadaceae</i>	Showy milkweed	N	F	PER
<i>Asclepias</i>	<i>subverticillata</i>			<i>Asclepiadaceae</i>	Whorled milkweed	N	F	PER
<i>Asclepias</i>	<i>viridiflora</i>			<i>Asclepiadaceae</i>	Green milkweed	N	F	PER
<i>Asparagus</i>	<i>officianale</i>			<i>Asparagaceae</i>	Wild asparagus	I	F	PER
<i>Achillea</i>	<i>lanulosa</i>			<i>Asteraceae</i>	Yarrow	N	F	PER
<i>Acroptilon</i>	<i>repens</i>			<i>Asteraceae</i>	Russian knapweed	I	F	PER
<i>Ambrosia</i>	<i>acanthicarpa</i>			<i>Asteraceae</i>	Sand bur	N	F	A
<i>Ambrosia</i>	<i>psilostachya</i>			<i>Asteraceae</i>	Western ragweed	N	F	A
<i>Ambrosia</i>	<i>tomentosa</i>			<i>Asteraceae</i>	Tomentose ragweed	N	F	PER
<i>Ambrosia</i>	<i>trifida</i>			<i>Asteraceae</i>	Giant ragweed	N	F	A
<i>Anaphalis</i>	<i>margaritacea</i>			<i>Asteraceae</i>	Pearly everlasting	N	F	PER
<i>Antennaria</i>	<i>rosea</i>			<i>Asteraceae</i>	Pussytoes	N	F	PER
<i>Artemisia</i>	<i>dracunculul</i>			<i>Asteraceae</i>	Green sage/Tarragon	N	SS	
<i>Artemisia</i>	<i>filifolia</i>			<i>Asteraceae</i>	Sand sagebrush	N	SS	
<i>Artemisia</i>	<i>absinthium</i>			<i>Asteraceae</i>	Wormwood	I	SS	PER

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Artemisia</i>	<i>frigida</i>			<i>Asteraceae</i>	Fringed sage	N	SS	
<i>Artemisia</i>	<i>ludoviciana</i>			<i>Asteraceae</i>	Prairie sage	N	F	PER
<i>Aster</i>	<i>ericoides</i>			<i>Asteraceae</i>	Heath aster	N	F	PER
<i>Aster</i>	<i>falcatus</i>			<i>Asteraceae</i>	White aster	N	F	PER
<i>Bidens</i>	<i>cernua</i>			<i>Asteraceae</i>	Nodding bur-marigold	N	F	A
<i>Bidens</i>	<i>frondosa</i>			<i>Asteraceae</i>	Beggar's tick	N	F	A
<i>Brickellia</i>	<i>rosmarinifolia</i>			<i>Asteraceae</i>	Kuhnia	N	F	PER
<i>Brickellia</i>	<i>eupatorioides</i>			<i>Asteraceae</i>	False bonset	N	F	PER
<i>Carduus</i>	<i>nutans</i>			<i>Asteraceae</i>	Musk thistle	I	F	PER
<i>Chrysothamnus</i>	<i>nauseosus</i>			<i>Asteraceae</i>	Rubber rabbitbrush	N	S	
<i>Cirsium</i>	<i>arvensis</i>			<i>Asteraceae</i>	Canada thistle	I	F	PER
<i>Cirsium</i>	<i>canescens</i>			<i>Asteraceae</i>	Hoary thistle	N	F	PER
<i>Cirsium</i>	<i>undulatum</i>			<i>Asteraceae</i>	Wavy-leaf Thistle	N	F	PER
<i>Cirsium</i>	<i>vulgare</i>			<i>Asteraceae</i>	Bull thistle	I	F	PER
<i>Conyza</i>	<i>canadensis</i>			<i>Asteraceae</i>	Horseweed	N	F	A
<i>Coreopsis</i>	<i>tinctoria</i>			<i>Asteraceae</i>	Plains coreopsis	N	F	PER
<i>Cosmos</i>	<i>bipinnatus</i>			<i>Asteraceae</i>	Cosmos	I	G	A
<i>Dyssodia</i>	<i>papposa</i>			<i>Asteraceae</i>	Fetid marigold	N	F	A
<i>Erigeron</i>	<i>divergens</i>			<i>Asteraceae</i>	Spreading fleabane	N	F	PER
<i>Erigeron</i>	<i>pumilus</i>			<i>Asteraceae</i>	Low daisy	N	F	PER
<i>Euthamia</i>	<i>graminifolia</i>			<i>Asteraceae</i>	Flat top goldenrod	N	F	Per
<i>Euthamia</i>	<i>occidentalis</i>			<i>Asteraceae</i>	Western golden top	N	F	PER
<i>Evax</i>	<i>prolifera</i>			<i>Asteraceae</i>	Fluffweed	N	F	A
<i>Gaillardia</i>	<i>aristata</i>			<i>Asteraceae</i>	Blanket flower	N	F	PER
<i>Gnaphalium</i>	<i>palustre</i>			<i>Asteraceae</i>	Lowland cudweed	N	F	A
<i>Gnaphalium</i>	<i>uliginosum</i>			<i>Asteraceae</i>	Marsh cudweed	I	G	A
<i>Grindellia</i>	<i>squarrosa</i>			<i>Asteraceae</i>	Curlycup gumweed	N	F	A
<i>Gutierrezia</i>	<i>sarothrae</i>			<i>Asteraceae</i>	Broom snake weed	N	F	PER
<i>Helianthus</i>	<i>annuus</i>			<i>Asteraceae</i>	Annual sunflower	N	F	A
<i>Helianthus</i>	<i>ciliaris</i>			<i>Asteraceae</i>	Texas blueweed	N	F	PER
<i>Helianthus</i>	<i>petiolaris</i>			<i>Asteraceae</i>	Praire sunflower	N	F	A
<i>Heterotheca</i>	<i>villosa</i>			<i>Asteraceae</i>	Hairy golden aster	N	F	PER
<i>Hymenopappus</i>	<i>filifolius</i>			<i>Asteraceae</i>	Hymenopappus	N	F	PER
<i>Iva</i>	<i>xanthifolia</i>			<i>Asteraceae</i>	Marsh elder	N	F	A
<i>Lactuca</i>	<i>serriola</i>			<i>Asteraceae</i>	Prickly lettuce	I	F	A
<i>Lactuca</i>	<i>tartarica</i>			<i>Asteraceae</i>	Blue lettuce	I	F	A
<i>Liatris</i>	<i>punctata</i>			<i>Asteraceae</i>	gayfeather	N	F	PER
<i>Lygodesmia</i>	<i>juncea</i>			<i>Asteraceae</i>	Skeleton weed	N	F	PER
<i>Machaeranthera</i>	<i>canescens</i>			<i>Asteraceae</i>	Silvery tansy aster	N	F	PER
<i>Machaeranthera</i>	<i>pattersonii</i>			<i>Asteraceae</i>	Patterson's tansy aster	N	F	PER
<i>Machaeranthera</i>	<i>pinnatifida</i>			<i>Asteraceae</i>	Tansy aster	N	F	PER
<i>Nothocalais</i>	<i>cuspidata</i>			<i>Asteraceae</i>	False dandelion	N	F	PER
<i>Onopordum</i>	<i>acanthium</i>			<i>Asteraceae</i>	Scotch thistle	I	F	PER
<i>Packera</i>	<i>plattensis</i>			<i>Asteraceae</i>	Platte's groundsel	N	F	PER

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Picradeniopsis</i>	<i>oppositifolia</i>			Asteraceae	Plains bahia	N	F	PER
<i>Podospermum</i>	<i>laciniatum</i>			Asteraceae	False salsify	N	F	PER
<i>Pseudognaphalium</i>	<i>stramineum</i>			Asteraceae	Cudweed	I	F	A
<i>Pseudognaphalium</i>	<i>canescens</i>			Asteraceae	Cudweed	I	F	A
<i>Ratibida</i>	<i>columnifera</i>			Asteraceae	Prairie coneflower	N	F	PER
<i>Ratibida</i>	<i>tagetes</i>			Asteraceae	Green conflower	N	F	PER
<i>Rudbeckia</i>	<i>hirta</i>			Asteraceae	Black-eyed Susan	N	F	PER
<i>Senecio</i>	<i>spartioides</i>			Asteraceae	Groundsel	N	F	PER
<i>Senecio</i>	<i>tridenticulata</i>			Asteraceae	Three-toothed groundsel	N	F	PER
<i>Solidago</i>	<i>canadensis</i>			Asteraceae	Canada goldenrod	N	F	PER
<i>Solidago</i>	<i>missouriensis</i>			Asteraceae	Missouri goldenrod	N	F	PER
<i>Solidago</i>	<i>mollis</i>			Asteraceae	Soft goldenrod	N	F	PER
<i>Solidago</i>	<i>serotinoides</i>			Asteraceae	Giant goldenrod	N	F	PER
<i>Solidago</i>	<i>speciosa</i>		<i>pallida</i>	Asteraceae	Showy goldenrod	N	F	PER
<i>Sonchus</i>	<i>arvensis</i>			Asteraceae	Perennial sow-thistle	I	F	PER
<i>Sonchus</i>	<i>asper</i>			Asteraceae	Spiny sow-thistle	I	F	A
<i>Stephanomeria</i>	<i>pauciflora</i>			Asteraceae	Wire lettuce	N	F	
<i>Taraxacum</i>	<i>officinale</i>			Asteraceae	Dandelion	I	F	A
<i>Thelesperma</i>	<i>megapotamicum</i>			Asteraceae	Green thread/Hopi tea	N	F	PER
<i>Tragopogon</i>	<i>dubius</i>			Asteraceae	Salsify	I	F	A
<i>Verbensia</i>	<i>encelioides</i>			Asteraceae	Cow pen daisy	N	F	A
<i>Vernonia</i>	<i>baldwinii</i>			Asteraceae	Iron weed	N	F	PER
<i>Xanthium</i>	<i>strumarium</i>			Asteraceae	Cockle bur	N	F	A
<i>Catalpa</i>	<i>speciosa</i>			Bignoniaceae	Showy catalpa	I	T	
<i>Cryptantha</i>	<i>fendleri</i>			Boraginaceae	Fendler cryptantha	N	G	A
<i>Cryptantha</i>	<i>minima</i>			Boraginaceae	Small cryptantha	N	G	A
<i>Lappula</i>	<i>redowskii</i>			Boraginaceae	Sand stickseed	N	F	A
<i>Lithospermum</i>	<i>incisum</i>			Boraginaceae	Puccoon	N	F	PER
<i>Capsella</i>	<i>bursa-pastoris</i>			Brassicaceae	Sheperd's purse	I	F	A
<i>Cardaria</i>	<i>chalepensis</i>			Brassicaceae	White top/Hoary cress	I	F	A
<i>Cardaria</i>	<i>draba</i>			Brassicaceae	White top	I	F	PER
<i>Chorispora</i>	<i>tenella</i>			Brassicaceae	Common blue mustard	I	F	A
<i>Erysimum</i>	<i>asperum</i>			Brassicaceae	Western wallflower	N	F	PER
<i>Alyssum</i>	<i>desertorum</i>			Brassicaceae	Desert alyssum	I	F	A
<i>Alyssum</i>	<i>minus</i>			Brassicaceae	Alyssum	I	F	A
<i>Descurania</i>	<i>pinnata</i>			Brassicaceae	Tansy-mustard	I	F	A
<i>Descurania</i>	<i>richardsonii</i>			Brassicaceae	Western tansy-mustard	N	F	A
<i>Descurania</i>	<i>sophia</i>			Brassicaceae	Flixweed	I	F	A
<i>Draba</i>	<i>reptans</i>			Brassicaceae	White draba	N	F	A
<i>Lepidium</i>	<i>densiflorum</i>			Brassicaceae	Prairie peppergrass	N	F	A
<i>Lepidium</i>	<i>perfoliatum</i>			Brassicaceae	Clasping pepperweed	I	F	A
<i>Lesquerella</i>	<i>ludoviciana</i>			Brassicaceae	Bladderpod	N	F	PER
<i>Nasturtium</i>	<i>officinale</i>			Brassicaceae	Watercress	I	F	PER
<i>Rorippa</i>	<i>sinuata</i>			Brassicaceae	Cress	N	F	PER

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Sisymbrium</i>	<i>altissimum</i>			Brassicaceae	Tall Tumble-mustard	I	F	A
<i>Sisymbrium</i>	<i>officinale</i>			Brassicaceae	Tumble-mustard	I	F	A
<i>Thlaspi</i>	<i>arvense</i>			Brassicaceae	Field pennycress	I	F	A
<i>Coryphantha</i>	<i>vivipara</i>			Cactaceae	Ball cactus	N	SC	
<i>Echinocereus</i>	<i>viridiflorus</i>			Cactaceae	Hedgehog cactus	N	SC	
<i>Opuntia</i>	<i>polyacantha</i>			Cactaceae	Prickly Pear cactus	N	SC	
<i>Campanula</i>	<i>rotundifolia</i>			Campanulaceae	Common harebell	N	F	PER
<i>Cleome</i>	<i>serrulata</i>			Capparaceae	Rocky Mtn. bee plant	N	F	A
<i>Polanisia</i>	<i>dodecandra</i>			Capparaceae	Clammy-weed	N	F	A
<i>Symphoricarpos</i>	<i>occidentalis</i>			Caprifoliaceae	Western snowberry	N	S	
<i>Gypsophila</i>	<i>paniculata</i>			Caryophyllaceae	Baby's breath	I	F	PER
<i>Saponaria</i>	<i>officinalis</i>			Caryophyllaceae	Bouncing bet	I	F	PER
<i>Ceratophyllum</i>	<i>demersum</i>			Ceratophyllaceae	Hornwort	N	AQ	
<i>Atriplex</i>	<i>canescens</i>			Chenopodiaceae	4-wing saltbush	N	SS	
<i>Atriplex</i>	<i>heterosperma</i>			Chenopodiaceae	Orache	I	F	A
<i>Atriplex</i>	<i>patula</i>			Chenopodiaceae	Spear orache	N	F	A
<i>Bassia</i>	<i>hyssopifolia</i>			Chenopodiaceae	Five hook bassia	I	F	A
<i>Chenopodium</i>	<i>glaucum</i>			Chenopodiaceae	Goosefoot	I	F	A
<i>Chenopodium</i>	<i>album</i>			Chenopodiaceae	White goosefoot	N	F	A
<i>Chenopodium</i>	<i>leptophyllum</i>			Chenopodiaceae	Narrowleaf goosefoot	N	F	A
<i>Chenopodium</i>	<i>rubrum</i>			Chenopodiaceae	Red goosefoot	N	F	A
<i>Cycloloma</i>	<i>atriplicifolium</i>			Chenopodiaceae	Winged tumbleweed	N	F	A
<i>Kochia</i>	<i>scoparia</i>			Chenopodiaceae	Kochia	I	F	A
<i>Krascheninnikovia</i>	<i>lanata</i>			Chenopodiaceae	Winterfat	N	S	
<i>Salsola</i>	<i>collina</i>			Chenopodiaceae	Slender russian-thistle	I	F	A
<i>Salsola</i>	<i>kali</i>			Chenopodiaceae	Russian-thistle	I	F	A
<i>Tradescantia</i>	<i>occidentalis</i>			Commelinaceae	Spiderwort	N	F	PER
<i>Maianthemum</i>	<i>amplexicaule</i>			Convallariaceae	False solomon's seal	N	F	PER
<i>Convolvulus</i>	<i>arvensis</i>			Convolvulaceae	Field bindweed	I	F	PER
<i>Evolvulus</i>	<i>nuttallianus</i>			Convolvulaceae	Evolvulus	N	F	PER
<i>Ipomoea</i>	<i>leptophylla</i>			Convolvulaceae	Bush morning-glory	N	F	PER
<i>Cucurbita</i>	<i>foetidissima</i>			Cucurbitaceae	Wild gourd	N	F	PER
<i>Juniperus</i>				Cupressaceae	Tammy juniper	?	T	
<i>Sabina</i>	<i>scopulorum</i>			Cupressaceae	Rocky Mtn. juniper	N	T	
<i>Carex</i>	<i>filifolia</i>			Cyperaceae	Threadleaf sedge	N	G	PER, \
<i>Carex</i>	<i>foenea</i>		<i>foenea</i>	Cyperaceae	Dryspike sedge	N	G	PER
<i>Carex</i>	<i>lanuginosa</i>			Cyperaceae	Wooly sedge	N	G	PER
<i>Carex</i>	<i>nebrascensis</i>			Cyperaceae	Nebraska sedge	N	G	PER, \
<i>Carex</i>	<i>pensylvanica</i>			Cyperaceae	Sun sedge	N	G	PER, \
<i>Carex</i>	<i>praegracilis</i>			Cyperaceae	Sedge	N	G	PER, \
<i>Cyperus</i>	<i>aristatus</i>			Cyperaceae	Flat sedge	N	G	A
<i>Cyperus</i>	<i>erythrorhizos</i>			Cyperaceae	Galingale	N	G	A
<i>Eleocharis</i>	<i>acicularis</i>			Cyperaceae	Slender spikerush	N	G	PER, \
<i>Eleocharis</i>	<i>macrostachya</i>			Cyperaceae	Common spikerush	N	G	PER, \

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Mariscus</i>	<i>schweinitzii</i>			Cyperaceae	Rush	N	G	PER
<i>Schoenoplectus</i>	<i>saximontanus</i>			Cyperaceae	Bulrush	N	G	PER
<i>Schoenoplectus</i>	<i>lacustris</i>	<i>acutus</i>		Cyperaceae	Great bulrush	N	G	PER
<i>Schoenoplectus</i>	<i>pungens</i>			Cyperaceae	Chairmaker's rush	N	G	PER
<i>Schoenoplectus</i>	<i>tabernaemontani</i>			Cyperaceae	Giant bulrush	N	G	PER
<i>Scirpus</i>	<i>tabernaemontani</i>			Cyperaceae	Tule	N	G	PER
<i>Elaeagnus</i>	<i>angustifolia</i>			Elaeagnaceae	Russian-olive	I	T	
<i>Shepherdia</i>	<i>argentea</i>			Elaeagnaceae	Silver buffaloberry	N	T	
<i>Hippochaete</i>	<i>laevigata</i>			Equisetaceae	Scouring rush	N	G	PER
<i>Agaloma</i>	<i>marginata</i>			Euphorbiaceae	Snow-on-the-mtn.	N	F	A
<i>Chamaesyce</i>	<i>glyptosperma</i>			Euphorbiaceae	Ribseed sandmat	N	F	A
<i>Chamaesyce</i>	<i>serpyllifolia</i>			Euphorbiaceae	Thyme-leaved spurge	N	F	A
<i>Croton</i>	<i>texensis</i>			Euphorbiaceae	Croton	N	F	A
<i>Euphorbia</i>	<i>spathulatus</i>			Euphorbiaceae	Warty spurge	N	F	A
<i>Poinsettia</i>	<i>dentata</i>			Euphorbiaceae	Poinsettia	N	F	A
<i>Tithymalus</i>	<i>esula</i>			Euphorbiaceae	Leafy spurge	I	F	
<i>Psoraleidium</i>	<i>tenuiflorum</i>			Fabaceae	Slimflower scurfpea	N	F	PER
<i>Vexibia</i>	<i>nuttalliana</i>			Fabaceae	Sophora	N	F	PER
<i>Astragalus</i>	<i>agrestis</i>			Fabaceae	Purple milkvetch	N	F	PER
<i>Astragalus</i>	<i>bisulcatus</i>			Fabaceae	Two-grooved milkvetch	N	F	PER
<i>Astragalus</i>	<i>ceramicus</i>			Fabaceae	Pot-shard milkvetch	N	F	PER
<i>Astragalus</i>	<i>crassicaulus</i>			Fabaceae	Ground plum	N	F	PER
<i>Astragalus</i>	<i>lotiflorus</i>			Fabaceae	Lotus milkvetch	N	F	PER
<i>Astragalus</i>	<i>missouriensis</i>			Fabaceae	Missouri milkvetch	N	F	PER
<i>Dalea</i>	<i>aurea</i>			Fabaceae	Golden prairie clover	N	F	PER
<i>Dalea</i>	<i>cylindriceps</i>			Fabaceae	Compact prairie clover	N	F	PER
<i>Dalea</i>	<i>purpurea</i>			Fabaceae	Purple prairie clover	N	F	PER
<i>Gleditsia</i>	<i>triacanthos</i>			Fabaceae	Honey locust	I	T	
<i>Glycyrrhiza</i>	<i>lepidota</i>			Fabaceae	Wild licorice	N	F	PER
<i>Lupinus</i>	<i>argenteus</i>			Fabaceae	Silvery lupine	N	F	PER
<i>Medicago</i>	<i>sativa</i>			Fabaceae	Alfalfa	I	F	PER
<i>Melilotus</i>	<i>albus</i>			Fabaceae	White sweetclover	I	F	PER
<i>Melilotus</i>	<i>officinale</i>			Fabaceae	Yellow sweetclover	I	F	PER
<i>Oxytropis</i>	<i>lambertii</i>			Fabaceae	Colorado locoweed	N	F	PER
<i>Psoraleidium</i>	<i>lanceolatum</i>			Fabaceae	Narrowleaf scurfpea	N	F	PER
<i>Robinia</i>	<i>neomexicana</i>			Fabaceae	New Mexico locust	N	T	
<i>Robinia</i>	<i>pseudoacacia</i>			Fabaceae	Black locust	?		
<i>Trifolium</i>	<i>fragiferum</i>			Fabaceae	Strawberry clover	I	F	PER
<i>Vicia</i>	<i>villosa</i>			Fabaceae	Wooly vetch	I	F	PER
<i>Quercus</i>	<i>alba</i>			Fagaceae	White oak	N	T	
<i>Corydalis</i>	<i>aurea</i>			Fumariaceae	Golden smoke	N	F	A
<i>Erodium</i>	<i>cicutarium</i>			Geraniaceae	Fillaree/Crane's bill	I	F	A
<i>Ribes</i>	<i>aureum</i>			Grossulariaceae	Golden currant	N	SS	
<i>Myriophyllum</i>	<i>exalbescens</i>			Haloragaceae	American watermilfoil	N	AQ	

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Myriophyllum</i>	<i>sibiricum</i>			<i>Haloragaceae</i>	Water milfoil	N	AQ	
<i>Delphinium</i>	<i>virescens</i>			<i>Helleboraceae</i>	Larkspur	N	F	PER
<i>Hypericum</i>	<i>perforatum</i>			<i>Hypericaceae</i>	Klamath weed	I	F	PER
<i>Juncus</i>	<i>arcticus</i>			<i>Juncaceae</i>	Arctic rush	N	G	PER
<i>Juncus</i>	<i>balticus</i>			<i>Juncaceae</i>	Baltic rush	N	G	PER
<i>Juncus</i>	<i>bufonius</i>			<i>Juncaceae</i>	Toad rush	N	G	PER
<i>Juncus</i>	<i>compressus</i>			<i>Juncaceae</i>	Path rush	I	G	PER, \
<i>Juncus</i>	<i>interior</i>			<i>Juncaceae</i>	Inland rush	N	G	PER
<i>Juncus</i>	<i>tenuis</i>			<i>Juncaceae</i>	Rush	N	G	PER
<i>Salvia</i>	<i>reflexa</i>			<i>Lamiaceae</i>	Blue sage/ Narrowleaf sage	N	F	A
<i>Hedeoma</i>	<i>hispidum</i>			<i>Lamiaceae</i>	False pennyroyal	?	F	A
<i>Lycopus</i>	<i>americanus</i>			<i>Lamiaceae</i>	Water horsehound	N	F	PER
<i>Mentha</i>	<i>arvensis</i>			<i>Lamiaceae</i>	Field mint	N	F	PER
<i>Mentha</i>	<i>spicata</i>			<i>Lamiaceae</i>	Spearmint	I	F	PER
<i>Monarda</i>	<i>pectinata</i>			<i>Lamiaceae</i>	Horsemint	N	F	PER
<i>Nepeta</i>	<i>cataria</i>			<i>Lamiaceae</i>	Catnip	I	F	PER
<i>Salvia</i>	<i>azurea</i>			<i>Lamiaceae</i>	Blue sage	N	F	PER
<i>Scutellaria</i>	<i>galericulata</i>			<i>Lamiaceae</i>	Marsh scullcap	?		
<i>Teucrium</i>	<i>canadense</i>			<i>Lamiaceae</i>	Germander	N	F	PER
<i>Lemna</i>	<i>minor</i>			<i>Lemnaceae</i>	Duckweed	N	AQ	
<i>Leucocrinum</i>	<i>montanum</i>			<i>Liliaceae</i>	Sand lily	N	F	PER
<i>Linum</i>	<i>lewisii</i>			<i>Linaceae</i>	Blue Flax	N	F	PER
<i>Mentzelia</i>	<i>nuda</i>			<i>Loasaceae</i>	Blazingstar	N	F	PER
<i>Ammania</i>	<i>robusta</i>			<i>Lythraceae</i>	Toothcup	N	F	A
<i>Ammannia</i>	<i>coccinea</i>			<i>Lythraceae</i>	Valley redstem/Loosestrife	N	F	A
<i>Hibiscus</i>	<i>trionum</i>			<i>Malvaceae</i>	Flower-of-an-hour	I	F	A
<i>Malva</i>	<i>neglecta</i>			<i>Malvaceae</i>	Buttonweed	I	F	A
<i>Sphaeralcea</i>	<i>coccinea</i>			<i>Malvaceae</i>	Scarlet globemallow	N	F	PER
<i>Marsilea</i>	<i>mucronata</i>			<i>Marsileaceae</i>	Water clover	N	AQ	PER
<i>Toxicoscordian</i>	<i>venenosum</i>			<i>Melanthiaceae</i>	Death camas	N	F	PER
<i>Morus</i>	<i>alba</i>			<i>Moraceae</i>	White mulberry	I	T	
<i>Abronia</i>	<i>fragrans</i>			<i>Nyctaginaceae</i>	Sand verbena	N	F	PER
<i>Oxybaphus</i>	<i>linearis</i>			<i>Nyctaginaceae</i>	Narrowleaf umbrella-wort	N	F	PER
<i>Oxybaphus</i>	<i>nyctagineus</i>			<i>Nyctaginaceae</i>	Heartleaf umbrella-wort	N	F	PER
<i>Fraxinus</i>	<i>pensylvanica</i>			<i>Oleaceae</i>	Green ash	?	T	
<i>Ligustrum</i>	<i>vulgare</i>			<i>Oleaceae</i>	Privet	I	T	
<i>Syringa</i>	<i>vulgaris</i>			<i>Oleaceae</i>	Common lilac	I	T	
<i>Calylophus</i>	<i>serrulatus</i>			<i>Onagraceae</i>	Serrate evening-primrose	N	F	PER
<i>Epilobium</i>	<i>brachycarpum</i>			<i>Onagraceae</i>	Willow-herb	N	F	A
<i>Epilobium</i>	<i>ciliatum</i>			<i>Onagraceae</i>	Northern willow-herb	N	F	PER
<i>Gaura</i>	<i>coccinea</i>			<i>Onagraceae</i>	Small-flowered butterfly-weed	N	F	PER
<i>Gaura</i>	<i>parviflora</i>			<i>Onagraceae</i>	Scarlet butterfly-weed	N	F	A
<i>Gayophytum</i>	<i>ramosissimum</i>			<i>Onagraceae</i>	Gray smoke	N	F	A
<i>Oenothera</i>	<i>albicaulis</i>			<i>Onagraceae</i>	Prairie evening-primrose	N	F	A

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Oenothera</i>	<i>caespitosa</i>			<i>Onagraceae</i>	Stemless evening-primrose	N	F	PER
<i>Oenothera</i>	<i>coronopifolia</i>			<i>Onagraceae</i>	Cutleaf evening-primrose	N	F	PER
<i>Oenothera</i>	<i>nuttallii</i>			<i>Onagraceae</i>	Nuttall's evening-primrose	N	F	PER
<i>Oenothera</i>	<i>villosa</i>			<i>Onagraceae</i>	Tall evening-primrose	N	F	PER
<i>Argemone</i>	<i>polyanthemos</i>			<i>Papaveraceae</i>	Prickly poppy	N	F	PER
<i>Picea</i>	<i>pungens</i>			<i>Pinaceae</i>	Blue spruce	N	T	
<i>Pinus</i>	<i>nigra</i>			<i>Pinaceae</i>	Austrian pine	?	T	
<i>Pinus</i>	<i>ponderosa</i>			<i>Pinaceae</i>	Ponderosa pine	N	T	
<i>Pinus</i>	<i>sylvestris</i>			<i>Pinaceae</i>	Scotch pine	?	T	
<i>Plantago</i>	<i>lanceolata</i>			<i>Plantaginaceae</i>	Narrowleaf plantain	I	F	PER
<i>Plantago</i>	<i>patagonica</i>			<i>Plantaginaceae</i>	Woolly plantain	N	F	A
<i>Agropyron</i>	<i>cristatum</i>			<i>Poaceae</i>	Crested wheatgrass	I	G	PER
<i>Agrostis</i>	<i>gigantea</i>			<i>Poaceae</i>	Redtop	N	G	PER
<i>Andropogon</i>	<i>gerardii</i>			<i>Poaceae</i>	Big bluestem	N	G	PER, \
<i>Andropogon</i>	<i>hallii</i>			<i>Poaceae</i>	Sand bluestem	N	G	PER, \
<i>Aristida</i>	<i>purpurea</i>			<i>Poaceae</i>	Purple threeawn	N	G	PER, (
<i>Aristida</i>	<i>purpurea</i>	<i>fendleriana</i>		<i>Poaceae</i>	Fendler's threeawn	N	G	PER, (
<i>Beckmania</i>	<i>syzigachne</i>			<i>Poaceae</i>	Sloughgrass	N	G	A
<i>Bouteloua</i>	<i>gracilis</i>			<i>Poaceae</i>	Blue grama	N	G	PER, \
<i>Bouteloua</i>	<i>curtipendula</i>			<i>Poaceae</i>	Side-oats grama	N	G	PER, \
<i>Bromus</i>	<i>inermis</i>			<i>Poaceae</i>	Smooth brome	I	G	PER
<i>Bromus</i>	<i>japonicus</i>			<i>Poaceae</i>	Japanese brome	I	G	A
<i>Bromus</i>	<i>tectorum</i>			<i>Poaceae</i>	Cheatgrass	I	G	A
<i>Buchloe</i>	<i>dactyloides</i>			<i>Poaceae</i>	Buffalo-grass	N	G	PER, \
<i>Calamovilfa</i>	<i>longifolia</i>			<i>Poaceae</i>	Prairie sandreed	N	G	PER, \
<i>Cenchrus</i>	<i>longispinus</i>			<i>Poaceae</i>	Sand bur	N	G	A
<i>Chloris</i>	<i>verticillata</i>			<i>Poaceae</i>	Windmillgrass	N	G	PER
<i>Chloris</i>	<i>virgata</i>			<i>Poaceae</i>	Feathergingergrass	N	G	PER
<i>Cynodon</i>	<i>dactylon</i>			<i>Poaceae</i>	Bermudagrass	I	G	PER
<i>Distichlis</i>	<i>stricta</i>			<i>Poaceae</i>	Inland saltgrass	N	G	PER, (
<i>Echinochloa</i>	<i>crus-galli</i>			<i>Poaceae</i>	Barnyardgrass	I	G	PER
<i>Elymus</i>	<i>dasystachya</i>			<i>Poaceae</i>	Wheatgrass	?	G	PER
<i>Elymus</i>	<i>canadensis</i>			<i>Poaceae</i>	Canada wildrye	N	G	PER, (
<i>Elymus</i>	<i>elymoides</i>			<i>Poaceae</i>	Squirreltail	N	G	PER, (
<i>Elymus</i>	<i>trachycaulus</i>			<i>Poaceae</i>	Slender wheatgrass	N	G	PER, (
<i>Elytrigia</i>	<i>elongata</i>			<i>Poaceae</i>	Tall wheatgrass	I	G	PER
<i>Elytrigia</i>	<i>intermedium</i>			<i>Poaceae</i>	Intermediate wheatgrass	I	G	PER
<i>Elytrigia</i>	<i>intermedium</i>		<i>barbulatum</i>	<i>Poaceae</i>	Pubescent wheatgrass	I	G	PER
<i>Elytrigia</i>	<i>ponticum</i>			<i>Poaceae</i>	Wheatgrass	?		
<i>Elytrigia</i>	<i>repens</i>			<i>Poaceae</i>	Quackgrass	I	G	PER
<i>Eragrostis</i>	<i>cilianensis</i>			<i>Poaceae</i>	Stinkgrass	I	G	A
<i>Eragrostis</i>	<i>diffusa</i>			<i>Poaceae</i>	Spreading lovegrass	N	G	A
<i>Eragrostis</i>	<i>secundiflora</i>	<i>oxylepsis</i>		<i>Poaceae</i>	Lovegrass	N	G	PER
<i>Hesperostipa</i>	<i>comata</i>			<i>Poaceae</i>	Needle-and-thread	N	G	PER, (

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Hordeum</i>	<i>jubatum</i>			<i>Poaceae</i>	Foxtail barley	N	G	PER, C
<i>Hordeum</i>	<i>pusillum</i>			<i>Poaceae</i>	Little barley	N	G	PER, C
<i>Leersia</i>	<i>oryzoides</i>			<i>Poaceae</i>	Rice cutgrass	N	G	PER
<i>Lolium</i>	<i>perenne</i>			<i>Poaceae</i>	Ryegrass	I	F	PER
<i>Lolium</i>	<i>pratensis</i>			<i>Poaceae</i>	Meadow fescue	N	G	PER
<i>Monroa</i>	<i>squarrosa</i>			<i>Poaceae</i>	False buffalোগrass	N	G	A
<i>Muhlenbergia</i>	<i>asperifolia</i>			<i>Poaceae</i>	Alkali muhly	N	G	PER
<i>Muhlenbergia</i>	<i>racemosa</i>			<i>Poaceae</i>	Marsh muhly	N	G	PER
<i>Nassella</i>	<i>viridula</i>			<i>Poaceae</i>	Green needlegrass	N	G	PER, C
<i>Oryzopsis</i>	<i>hymenoides</i>			<i>Poaceae</i>	Indian ricegrass	N	G	PER, C
<i>Panicum</i>	<i>capillare</i>			<i>Poaceae</i>	Witchgrass	N	G	A
<i>Panicum</i>	<i>virgatum</i>			<i>Poaceae</i>	Swichgrass	N	G	PER, \
<i>Pascopyrum</i>	<i>smithii</i>			<i>Poaceae</i>	Western wheatgrass	N	G	PER, C
<i>Paspalum</i>	<i>dilatatum</i>			<i>Poaceae</i>	Dallisgrass	I	G	PER
<i>Phalaris</i>	<i>arundinacea</i>			<i>Poaceae</i>	Canary reed grass	I	G	PER
<i>Phleum</i>	<i>pratense</i>			<i>Poaceae</i>	Timothy	I	G	PER
<i>Poa</i>	<i>pratensis</i>			<i>Poaceae</i>	Kentucky bluegrass	N	G	PER
<i>Poa</i>	<i>secunda</i>			<i>Poaceae</i>	Sandberg bluegrass	N	G	PER
<i>Polypogon</i>	<i>monspeliensis</i>			<i>Poaceae</i>	Rabbitfoot grass	I	G	PER
<i>Schedonnardus</i>	<i>paniculatus</i>			<i>Poaceae</i>	Tumblegrass	N	G	PER
<i>Schizachyrium</i>	<i>scoparium</i>			<i>Poaceae</i>	Little bluestem	N	G	PER, \
<i>Secale</i>	<i>cereale</i>			<i>Poaceae</i>	Cereal rye	I	G	A
<i>Setaria</i>	<i>viridis</i>			<i>Poaceae</i>	Green bottlebrush	I	G	A
<i>Sorghastrum</i>	<i>avenaceum</i>			<i>Poaceae</i>	Yellow indian grass	N	G	PER, \
<i>Spartina</i>	<i>pectinata</i>			<i>Poaceae</i>	Prairie cordgrass	N	G	PER, \
<i>Sphenopholis</i>	<i>obtusata</i>			<i>Poaceae</i>	Praire wedgegrass	N	G	PER
<i>Sporobolus</i>	<i>airoides</i>			<i>Poaceae</i>	Alkalai sacaton	N	G	PER, \
<i>Sporobolus</i>	<i>cryptandrus</i>			<i>Poaceae</i>	Sand dropseed	N	G	PER, \
<i>Vulpia</i>	<i>octoflora</i>			<i>Poaceae</i>	Six-weeks fescue	N	G	A
<i>Ipomopsis</i>	<i>laxiflora</i>			<i>Polemoniaceae</i>	Gilia	N	F	PER
<i>Leptocdactylon</i>	<i>pungens</i>			<i>Polemoniaceae</i>	Prickly gilia	N	F	PER
<i>Eriogonum</i>	<i>annuum</i>			<i>Polygonaceae</i>	Annual wild buckwheat	N	F	A
<i>Eriogonum</i>	<i>effusum</i>			<i>Polygonaceae</i>	Bushy wild buckwheat	N	F	PER
<i>Fallopia</i>	<i>convolvulus</i>			<i>Polygonaceae</i>	Black bindweed	I	F	A
<i>Polygonum</i>	<i>arenastrum</i>			<i>Polygonaceae</i>	Knotweed/Devil's shoestring	I	F	A
<i>Polygonum</i>	<i>aviculare</i>			<i>Polygonaceae</i>	Prostrate knotweed			
<i>Polygonum</i>	<i>bicorne</i>			<i>Polygonaceae</i>	Smartweed	?		
<i>Polygonum</i>	<i>lapathifolia</i>			<i>Polygonaceae</i>	Smartweed	N	F	A
<i>Polygonum</i>	<i>pensylvanicum</i>			<i>Polygonaceae</i>	Pinkweed	N	F	A
<i>Polygonum</i>	<i>persicaria</i>			<i>Polygonaceae</i>	Spotted lady's thumb	I	F	A
<i>Polygonum</i>	<i>ramosissimum</i>			<i>Polygonaceae</i>	Branched knotweed	N	F	A
<i>Rumex</i>	<i>maritimus</i>	<i>fueginus</i>		<i>Polygonaceae</i>	Golden dock	N	F	A
<i>Rumex</i>	<i>crispus</i>			<i>Polygonaceae</i>	Curly-leaf dock	I	F	PER
<i>Rumex</i>	<i>stenophyllus</i>			<i>Polygonaceae</i>	Dock	I	F	PER

GENUS	SPECIES	SUB-SPECIES	VARIETY	FAMILY	COMMON NAME	SOURCE	TYPE	ATTRI
<i>Rumex</i>	<i>triangulivalvis</i>			<i>Polygonaceae</i>	Willow-leaf dock	N	F	PER
<i>Rumex</i>	<i>venosus</i>			<i>Polygonaceae</i>	Veiny dock/Wild begonia	N	F	PER
<i>Portulaca</i>	<i>oleracea</i>			<i>Portulacaceae</i>	Purslane	N	F	A
<i>Talinum</i>	<i>parviflorum</i>			<i>Portulacaceae</i>	Prairie fameflower	N	F	PER
<i>Steironema</i>	<i>ciliatum</i>			<i>Primulaceae</i>	Fringed loose-strife	N	F	PER
<i>Clematis</i>	<i>ligusticifolia</i>			<i>Ranunculaceae</i>	Western virgin's bower	N	F	PER
<i>Myosurus</i>	<i>minimus</i>			<i>Ranunculaceae</i>	Mousetail	N	F	A
<i>Padus</i>	<i>virginiana</i>	<i>melanocarpa</i>		<i>Rosaceae</i>	Chokecherry	N	T	
<i>Potentilla</i>	<i>norvegica</i>			<i>Rosaceae</i>	Norway cinquefoil	N	F	PER
<i>Potentilla</i>	<i>supina</i>	<i>paradoxa</i>		<i>Rosaceae</i>	Cinquefoil	I	F	PER
<i>Prunus</i>	<i>americana</i>			<i>Rosaceae</i>	American plum	N	T	
<i>Pyrus</i>	<i>malus</i>			<i>Rosaceae</i>	Apple	?	T	
<i>Rosa</i>	<i>arkansana</i>			<i>Rosaceae</i>	Prairie's rose	N	SS	
<i>Rosa</i>	<i>woodsii</i>			<i>Rosaceae</i>	Wood's rose	N	SS	
<i>Populus</i>	<i>alba</i>			<i>Salicaceae</i>	White poplar	I	T	
<i>Populus</i>	<i>deltoides</i>			<i>Salicaceae</i>	Plains cottonwood	N	T	
<i>Populus</i>	<i>tremuloides</i>			<i>Salicaceae</i>	Quaking aspen	N	T	
<i>Salix</i>	<i>lucida</i>	<i>caudata</i>		<i>Salicaceae</i>	Willow	N	T	
<i>Salix</i>	<i>amygdaloides</i>			<i>Salicaceae</i>	Peachleaved willow	N	T	
<i>Salix</i>	<i>exigua</i>			<i>Salicaceae</i>	Sandbar willow	N	T	
<i>Comandra</i>	<i>umbellata</i>			<i>Santalaceae</i>	Bastard toadflax	N	F	PER
<i>Limosella</i>	<i>aquatica</i>			<i>Scrophulariaceae</i>	Mudwort	N	F	PER
<i>Linaria</i>	<i>genistifolia</i>	<i>dalmatica</i>		<i>Scrophulariaceae</i>	Toadflax	I	F	PER
<i>Linaria</i>	<i>vulgaris</i>			<i>Scrophulariaceae</i>	Butter-and-eggs	I	F	PER
<i>Mimulus</i>	<i>glabratus</i>			<i>Scrophulariaceae</i>	Monkey flower	N	F	PER
<i>Penstemon</i>	<i>albidus</i>			<i>Scrophulariaceae</i>	White beardtongue	N	F	PER
<i>Penstemon</i>	<i>angustifolius</i>			<i>Scrophulariaceae</i>	Narrowleaf penstemon	N	F	PER
<i>Verbascum</i>	<i>thapsus</i>			<i>Scrophulariaceae</i>	Great mullien	I	F	A
<i>Veronica</i>	<i>americana</i>			<i>Scrophulariaceae</i>	American speedwell	N	F	PER
<i>Veronica</i>	<i>catenata</i>			<i>Scrophulariaceae</i>	Water Speedwell	N	F	PER
<i>Ailanthus</i>	<i>altissima</i>			<i>Simaroubaceae</i>	Tree-of-heaven	I	T	
<i>Lycium</i>	<i>barbarum</i>			<i>Solanaceae</i>	Matrimony bush	I	F	PER
<i>Physalis</i>	<i>hederifolia</i>			<i>Solanaceae</i>	Ground cherry	N	F	PER
<i>Physalis</i>	<i>heterophylla</i>			<i>Solanaceae</i>	Ground cherry	N	F	PER
<i>Physalis</i>	<i>virginiana</i>			<i>Solanaceae</i>	Ground cherry	N	F	PER
<i>Quincula</i>	<i>lobata</i>			<i>Solanaceae</i>	Chinese lantern	?	F	
<i>Solanum</i>	<i>physalifolium</i>			<i>Solanaceae</i>	Nightshade	N	F	PER
<i>Solanum</i>	<i>rostratum</i>			<i>Solanaceae</i>	Buffalo bur	N	F	A
<i>Solanum</i>	<i>triflorum</i>			<i>Solanaceae</i>	Nightshade	N	F	A
<i>Tamarix</i>				<i>Tamaricaceae</i>	Tamarisk	I	T	
<i>Typha</i>	<i>angustifolia</i>			<i>Typhaceae</i>	Narrowleaf cattail	I	F	PER
<i>Typha</i>	<i>latifolia</i>			<i>Typhaceae</i>	Broadleaf cattail	N	F	PER
<i>Celtis</i>	<i>reticulata</i>			<i>Ulmaceae</i>	Hackberry	N	T	
<i>Ulmus</i>	<i>americana</i>			<i>Ulmaceae</i>	American elm	N	T	

