Harmonized Tariff Schedule of the United States (2007) (Prelim. - Eff. 1/1/07)

Annotated for Statistical Reporting Purposes

CHAPTER 70

GLASS AND GLASSWARE

XIII 70-1

Notes

- 1. This chapter does not cover:
 - (a) Goods of heading 3207 (for example, vitrifiable enamels and glazes, glass frit, other glass in the form of powder, granules or flakes);
 - (b) Articles of chapter 71 (for example, imitation jewelry);
 - (c) Optical fiber cables of heading 8544, electrical insulators (heading 8546) or fittings of insulating material of heading 8547;
 - (d) Optical fibers, optically worked optical elements, hypodermic syringes, artificial eyes, thermometers, barometers, hydrometers or other articles of chapter 90;
 - (e) Lamps or lighting fittings, illuminated signs, illuminated name-plates or the like, having a permanently fixed light source, or parts thereof of heading 9405;
 - (f) Toys, games, sports equipment, Christmas tree ornaments or other articles of chapter 95 (excluding glass eyes without mechanisms for dolls or for other articles of chapter 95); or
 - (g) Buttons, fitted vacuum flasks, scent or similar sprays or other articles of chapter 96.
- 2. For the purposes of headings 7003, 7004 and 7005:
 - (a) Glass is not regarded as "worked" by reason of any process it has undergone before annealing;
 - (b) Cutting to shape does not affect the classification of glass in sheets;
 - (c) The expression "absorbent, reflecting or non-reflecting layer" means a microscopically thin coating of metal or of a chemical compound (for example, metal oxide) which absorbs, for example, infrared light; or which improves the reflecting qualities of the glass while still allowing it to retain a degree of transparency or translucency; or which prevents light from being reflected on the surface of the glass.
- 3. The products referred to in heading 7006 remain classified in that heading whether or not they have the character of articles.
- 4. For the purposes of heading 7019, the expression "glass wool" means:
 - (a) Mineral wools with a silica (SiO₂) content not less than 60 percent by weight;
 - (b) Mineral wools with a silica (SiO₂) content less than 60 percent but with an alkaline oxide (K₂O or Na₂O) content exceeding 5 percent by weight or a boric oxide (B₂O₃) content exceeding 2 percent by weight.

Mineral wools which do not comply with the above specifications fall in heading 6806.

5. Throughout the tariff schedule, the expression "glass" includes fused quartz and other fused silica.

Subheading Note

 For the purposes of subheadings 7013.21, 7013.31 and 7013.91, the expression "<u>lead crystal</u>" means only glass having a minimum lead monoxide (PbO) content by weight of 24 percent.

Harmonized Tariff Schedule of the United States (2007) (Prelim. – Eff. 1/1/07) (Prelim. – Eff. 1/1/07)

Annotated for Statistical Reporting Purposes

XIII 70-2

Additional U.S. Notes

- For the purposes of this chapter, the term "fused quartz or other fused silica" means glass containing more than 95 percent silica by weight.
- 2. For the purposes of headings 7003 through 7005, the expression "colored throughout the mass" refers to glass that has a transmittance of normally incident light of less than 66 percent at one or more wavelengths from 400 to 700 millimicrons, inclusive, or a transmittance of less than 80 percent at one or more wavelengths from 525 to 575 millimicrons, inclusive, for glass 6 mm in thickness, or of the equivalent transmittances for any other thickness, provided that, in determining such light transmittances, the effect of surface irregularities or configurations, or of other surface treatment (except flashing applied prior to solidification) and the effect of wire netting within the glass, shall be eliminated.
- 3. For the purposes of headings 7003 and 7004, glass of the same size and thickness imported in any shipment in quantities over 4.6 m² shall be denied entry unless it is--
 - (a) Packed in units containing, as nearly as the particular size permits, 4.6 m², or multiples thereof; or
 - (b) Packed in units containing multiples of the number of sheets of the same size and thickness which would be contained in a unit if packed to contain, as nearly as such size permits, 4.6 or 9.3 m²; or
 - (c) Otherwise packed in a manner which conforms to the packing practices of the domestic glass industry as determined and published from time to time by the Secretary of the Treasury.
- 4. For the purposes of heading 7005, the expression "polished," as used with reference to glass, refers to glass one or both of the surfaces of which have been made smooth and glossy, in whole or in part, by abrasive or chemical means or by floating the glass over molten metal.
- 5. For the purposes of subheading 7018.10.20, the term "<u>imitation precious or semiprecious stones</u>" means glass made into shapes suitable for use in jewelry or for other ornamental purposes in a manner similar to natural gemstones, whether or not in imitation thereof, but does not include natural gemstones, synthetic gemstones, reconstructed natural gemstones or imitation pearls.

Statistical Note

1. For the purposes of headings 7003 and 7004, in determining the surface area of cast or rolled glass having irregular surfaces (such as corrugated glass), superficial area shall be used.

Heading/	Stat.		Unit		Rates of Duty	70-3
	Suf-	Article Description	of		,	2
	fix		Quantity	General	Special	
7001.00		Cullet and other waste and scrap of glass; glass in the mass:				
		Glass in the mass:				
7001.00.10	00	Of fused quartz or other fused silica	kg	Free		30%
7001.00.20	00	Other	kg	3%	Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P,SG)	50%
7001.00.50	00	Other	kg	Free		10%
7002		Glass in balls (other than microspheres of heading 7018), rods or tubes, unworked:				
7002.10 7002.10.10	00	Balls: Not over 6 mm in diameter	kg	3.9%	Free (A+,AU,BH, CA,CL,D,E,IL,J, JO,MA,MX,P,SG)	60%
7002.10.20 7002.20	00	Other	kg	Free		55%
7002.20.10 7002.20.50	00 00	Of fused quartz or other fused silica Other	kg kg	Free 6%	Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P,SG)	40% 65%
7002.31.00 7002.32.00	00	Tubes: Of fused quartz or other fused silica Of other glass having a linear coefficient of expansion not exceeding 5 x 10 ⁻⁶ per Kelvin within	kg	Free	·	40%
		a temperature range of 0°C to 300°C	kg	6%	Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P,SG)	65%
7002.39.00		Other		6%	Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P,SG)	65%
	10 90	Of a length not exceeding 200 mm	No. kg		, , , ,	
7003 7003.12.00	00	Cast glass and rolled glass, in sheets or profiles, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked: Nonwired sheets: Colored throughout the mass (body tinted), opacified, flashed or having an absorbent,				
		reflecting or non-reflecting layer	m²	1.4%	Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,P,SG)	12%
7003.19.00	00	Other	m²	1.3%	Free (A,AU,B,BH, CA,CL,E,IL,J,JO,	21%
7003.20.00	00	Wired sheets	m²	1.1%	MA,MX,P,SG) Free (A,AU,B,BH, CA,CA,CL,E,IL,J,	21%
7003.30.00	00	Profiles	m²	6.3%	JO,MA,MX,P,SG) Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,P,SG)	60%
					I	I

70-4 Heading/	Stat.		Unit		Rates of Duty	
Subheading	Stat. Suf-	Article Description	of		1	2
)	fix	·	Quantity	General	Special	_
7004		Drawn glass and blown glass, in sheets, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked:				
7004.20		Glass, colored throughout the mass (body tinted), opacified, flashed or having an absorbent, reflecting or non-reflecting layer:				
7004.20.10	00	,	m²	Free		60%
7004.20.20		Other: In rectangular shape		1¢/kg + 1.6%	Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P,SG)	6.2¢/kg + 5%
	10	Measuring less than 5 mm in thickness	m²		WA,WA,F,SG)	
	20	Measuring 5 mm and over in thickness	kg m ²			
7004.20.50	00	Other	kg m²	7.2%	Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,P,SG)	60%
7004.90		Other glass: In rectangular shape:			, , , ,	
7004.90.05	00	Measuring not over 1.5 mm in thickness: Measuring not over 0.26 m² in area	m² kg	Free		3.3¢/kg
7004.90.10	00	Measuring over 0.26 m ² in area		Free		4.2¢/kg
		Measuring over 1.5 but not over 2 mm in thickness:	9			
7004.90.15	00		$m^2 \dots kg$	Free		4.6¢/kg
7004.90.20	00	Measuring over 0.26 m ² in area	m²	Free		5.5¢/kg
7004.90.25		Measuring over 2 but not over 3.5 mm in thickness	J	0.7¢/kg	Free (A,AU,BH,CA, CL,E,IL,J,JO,	5.3¢/kg
	10	Measuring not over 0.26 m² in area	m²		MA,MX,P,SG)	
	20	Measuring over 0.26 but not over 0.58 m ² in area	kg m ²			
	50	Measuring over 0.58 m ² in area	kg m² kg			
7004.90.30		Measuring over 3.5 mm in thickness: Measuring not over 0.65 m² in area Measuring not over 0.26 m² in area:		Free		3.3¢/kg
	10	Measuring over 3.5 but not over 5 mm in thickness	m² kg			
	20	Measuring over 5 mm in thickness	m² kg			
	50	Measuring over 0.26 but not over 0.65 m ² in area	m^2			
7004.90.40	00	Measuring over 0.65 m ² in area	kg m²	Free		5.3¢/kg
7004.90.50	00	Other	kg m²	5%	Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,P,SG)	60%

Float glass and surface ground or polished glass, in sheets, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked: Nonwired glass, having an absorbent, reflecting or non-reflecting layer: Suitable for use in liquid crystal displays, measuring not over 1.2 mm in thickness and not over 0.8 m² in area Other Other Other nonwired glass: Colored throughout the mass (body tinted), opacified, flashed or merely surface ground: Measuring less than 10 mm in thickness Measuring 5 mm or more but less than 10 mm in thickness Measuring 10 mm or more in thickness Other:	. m ²	. 4.4%	Free (A,AU,B,BH, CA,CL,E,IL,J,JO,MA,MX,P,SG) Free (A+,AU,B,BH,CA,CL,D,E,IL,J,JO,MA,MX,P) 7.2¢/m² + 0.2% (SG) Free (A+,AU,BH,	60% 60% \$2.13/m ² +
sheets, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked: Nonwired glass, having an absorbent, reflecting or non-reflecting layer: Suitable for use in liquid crystal displays, measuring not over 1.2 mm in thickness and not over 0.8 m² in area Other Other Other nonwired glass: Colored throughout the mass (body tinted), opacified, flashed or merely surface ground: Measuring less than 10 mm in thickness Measuring 5 mm or more but less than 10 mm in thickness Measuring 10 mm or more in thickness Other:	m ²	. Free . 4.4% . 14.5¢/m² + 0.4%	Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,P,SG) Free (A+,AU,B,BH, CA,CL,D,E,IL,J, JO,MA,MX,P) 7.2¢/m² + 0.2% (SG)	60% \$2.13/m ² +
sheets, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked: Nonwired glass, having an absorbent, reflecting or non-reflecting layer: Suitable for use in liquid crystal displays, measuring not over 1.2 mm in thickness and not over 0.8 m² in area Other Other Other nonwired glass: Colored throughout the mass (body tinted), opacified, flashed or merely surface ground: Measuring less than 10 mm in thickness Measuring 5 mm or more but less than 10 mm in thickness Measuring 10 mm or more in thickness Other:	. m ²	. 14.5¢/m² + 0.4%	CA,CL,E,IL,J,JO, MA,MX,P,SG) Free (A+,AU,B,BH, CA,CL,D,E,IL,J, JO,MA,MX,P) 7.2¢/m² + 0.2% (SG)	60% \$2.13/m ² +
non-reflecting layer, but not otherwise worked: Nonwired glass, having an absorbent, reflecting or non-reflecting layer: Suitable for use in liquid crystal displays, measuring not over 1.2 mm in thickness and not over 0.8 m² in area Other Other Other nonwired glass: Colored throughout the mass (body tinted), opacified, flashed or merely surface ground: Measuring less than 10 mm in thickness Measuring 5 mm or more but less than 10 mm in thickness Measuring 10 mm or more in thickness Other:	. m ²	. 14.5¢/m² + 0.4%	CA,CL,E,IL,J,JO, MA,MX,P,SG) Free (A+,AU,B,BH, CA,CL,D,E,IL,J, JO,MA,MX,P) 7.2¢/m² + 0.2% (SG)	60% \$2.13/m ² +
non-reflecting layer: Suitable for use in liquid crystal displays, measuring not over 1.2 mm in thickness and not over 0.8 m² in area Other Other Other nonwired glass: Colored throughout the mass (body tinted), opacified, flashed or merely surface ground: Measuring less than 10 mm in thickness Measuring 5 mm or more but less than 10 mm in thickness Measuring 10 mm or more in thickness Other:	. m ²	. 14.5¢/m² + 0.4%	CA,CL,E,IL,J,JO, MA,MX,P,SG) Free (A+,AU,B,BH, CA,CL,D,E,IL,J, JO,MA,MX,P) 7.2¢/m² + 0.2% (SG)	60% \$2.13/m ² +
Suitable for use in liquid crystal displays, measuring not over 1.2 mm in thickness and not over 0.8 m² in area Other Other nonwired glass: Colored throughout the mass (body tinted), opacified, flashed or merely surface ground: Measuring less than 10 mm in thickness Measuring 5 mm or more but less than 10 mm in thickness Measuring 10 mm or more in thickness Other:	. m ²	. 14.5¢/m² + 0.4%	CA,CL,E,IL,J,JO, MA,MX,P,SG) Free (A+,AU,B,BH, CA,CL,D,E,IL,J, JO,MA,MX,P) 7.2¢/m² + 0.2% (SG)	60% \$2.13/m ² +
measuring not over 1.2 mm in thickness and not over 0.8 m² in area Other Other nonwired glass: Colored throughout the mass (body tinted), opacified, flashed or merely surface ground: Measuring less than 10 mm in thickness Measuring 5 mm or more but less than 10 mm in thickness Measuring 10 mm or more in thickness Other:	. m ²	. 14.5¢/m² + 0.4%	CA,CL,E,IL,J,JO, MA,MX,P,SG) Free (A+,AU,B,BH, CA,CL,D,E,IL,J, JO,MA,MX,P) 7.2¢/m² + 0.2% (SG)	60% \$2.13/m ² +
Other	. m ²	. 14.5¢/m² + 0.4%	CA,CL,E,IL,J,JO, MA,MX,P,SG) Free (A+,AU,B,BH, CA,CL,D,E,IL,J, JO,MA,MX,P) 7.2¢/m² + 0.2% (SG)	60% \$2.13/m ² +
Other nonwired glass: Colored throughout the mass (body tinted), opacified, flashed or merely surface ground: Measuring less than 10 mm in thickness Measuring less than 5 mm in thickness Measuring 5 mm or more but less than 10 mm in thickness Measuring 10 mm or more in thickness	. m ²	. 14.5¢/m² + 0.4%	CA,CL,E,IL,J,JO, MA,MX,P,SG) Free (A+,AU,B,BH, CA,CL,D,E,IL,J, JO,MA,MX,P) 7.2¢/m² + 0.2% (SG)	\$2.13/m ² +
Other nonwired glass: Colored throughout the mass (body tinted), opacified, flashed or merely surface ground: Measuring less than 10 mm in thickness Measuring less than 5 mm in thickness Measuring 5 mm or more but less than 10 mm in thickness Measuring 10 mm or more in thickness Other:	m²	. 14.5¢/m² + 0.4%	CA,CL,E,IL,J,JO, MA,MX,P,SG) Free (A+,AU,B,BH, CA,CL,D,E,IL,J, JO,MA,MX,P) 7.2¢/m² + 0.2% (SG)	\$2.13/m ² +
Colored throughout the mass (body tinted), opacified, flashed or merely surface ground: Measuring less than 10 mm in thickness	. m²	0.4%	MA,MX,P,SG) Free (A+,AU,B,BH, CA,CL,D,E,IL,J, JO,MA,MX,P) 7.2¢/m² + 0.2% (SG)	\$2.13/m² + 5%
Colored throughout the mass (body tinted), opacified, flashed or merely surface ground: Measuring less than 10 mm in thickness	. m²	0.4%	Free (A+,AU,B,BH, CA,CL,D,E,IL,J, JO,MA,MX,P) 7.2¢/m² + 0.2% (SG)	\$2.13/m ² + 5%
opacified, flashed or merely surface ground: Measuring less than 10 mm in thickness Measuring less than 5 mm in thickness Measuring 5 mm or more but less than 10 mm in thickness Measuring 10 mm or more in thickness	. m²	0.4%	CA,CL,D,E,IL,J, JO,MA,MX,P) 7.2¢/m² + 0.2% (SG)	\$2.13/m ² + 5%
Measuring less than 10 mm in thickness	. m²	0.4%	CA,CL,D,E,IL,J, JO,MA,MX,P) 7.2¢/m² + 0.2% (SG)	\$2.13/m ² + 5%
Measuring less than 5 mm in thickness Measuring 5 mm or more but less than 10 mm in thickness Measuring 10 mm or more in thickness	. m²	0.4%	CA,CL,D,E,IL,J, JO,MA,MX,P) 7.2¢/m² + 0.2% (SG)	5%
Measuring 5 mm or more but less than 10 mm in thickness	m ²		JO,MA,MX,P) 7.2¢/m² + 0.2% (SG)	070
Measuring 5 mm or more but less than 10 mm in thickness	m ²	. 5.6%	7.2¢/m² + 0.2% (SG)	
Measuring 5 mm or more but less than 10 mm in thickness	m ²	5.6%		
Measuring 5 mm or more but less than 10 mm in thickness	m ²	5.6%	Free (A+ All BH	
10 mm in thickness		5.6%	Free (A+ All RH	
Measuring 10 mm or more in thickness	m²	5.6%	Free (A+ All BH	1
				55%
		1	CA,CL,D,E,IL,J,	
			JO,MA,MX,P, SG)	
			30)	
Measuring less than 10 mm in thickness:				
Measuring not over 0.65 m ² in area:				
Suitable for use in liquid crystal displays]	Free		\$1.35/m ²
Measuring not over 0.26 m ² in	1			ψ1.55/111
	m ²			
Measuring over 0.26 m² but not	m ²			
	1'''	18.7¢/m²	Free (A+.AU.B.BH.	\$1.35/m ²
	1	, , , , , , , , , , , , , , , , , , ,	CA,CL,D,E,	
			IL,J,JO,	
Measuring not over 0.26 m ² in			MA,MX,P,SG)	
area	m²			
	2			
over 0.65 m² in area	m-			
	Measuring not over 0.26 m² in area	Measuring not over 0.26 m² in area	Measuring not over 0.26 m² in area m² Measuring over 0.26 m² but not over 0.65 m² in area m² Other 18.7¢/m² Measuring not over 0.26 m² in area m² Measuring over 0.26 m² but not m²	Measuring not over 0.26 m² in area m² Measuring over 0.26 m² but not over 0.65 m² in area m² Other 18.7¢/m² Free (A+,AU,B,BH, CA,CL,D,E, IL,J,JO, MA,MX,P,SG) Measuring not over 0.26 m² in area m² Measuring over 0.26 m² but not m²

70-6						
Heading/	Stat.	Antiala Dana da Car	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7005 (con.) 7005.29		Float glass and surface ground or polished glass, in sheets, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked (con.): Other nonwired glass (con.):				
(con.)		Other (con.): Measuring less than 10 mm in thickness (con.):				
7005.29.14		Measuring over 0.65 m ² in area: Suitable for use in liquid crystal displays, measuring not over 0.8 m ² in		_		
	10	area Measuring less than 5 mm in thickness	m ²	Free		\$2.13/m ²
7005.29.18	50	Measuring 5 mm or more but less than 10 mm in thickness Other	m² 	14.5¢/m²	Free (A+,AU,B,BH,	\$2.13/m ²
	10	Measuring less than 5 mm in			CA,CL,D,E,IL, J,JO,MA,MX,P) 7.2¢/m² (SG)	
		thickness	m ²			
	50	Measuring 5 mm or more but less than 10 mm in thickness	m²			
7005.29.25	00	Measuring 10 mm or more in thickness	m ²	4.9%	Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P,SG)	50%
7005.30.00	00	Wired glass	m ²	29.1¢/m²	Free (A,AU,B,BH, CA,CL,E,IL,J, JO,MA,MX,P,SG)	\$2.48/m ²
7006.00 7006.00.10		Glass of heading 7003, 7004 or 7005, bent, edge-worked, engraved, drilled, enameled or otherwise worked, but not framed or fitted with other materials: Strips not over 15.2 cm in width, measuring over				
		2 mm in thickness, and having all longitudinal edges ground or otherwise smoothed or processed	m ²	8.8%	Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P,SG)	53%
7006.00.20	00	Other: Glass, drawn or blown and not containing wire netting and not surface ground or polished	m²	6.4%	Free (A,AU,B,BH, CA,CL,E,IL,J,	60%
7006.00.40		Other		4.9%	JO,MA,MX,P, SG) Free (A,AU,B,BH,	60%
	10	Having an absorbent or reflecting layer			CA,CL,E,IL,J, JO,MA,MX,P,SG)	
	50	Other	m²			

Heading/	Stat.		Unit		Rates of Duty	70-7
	Suf-	Article Description	of		1	2
7007	fix	Cofety place association of the other of the	Quantity	General	Special	
7007		Safety glass, consisting of toughened (tempered) or laminated glass:				
		Toughened (tempered) safety glass:				
7007.11.00		Of size and shape suitable for incorporation in		5 50/	Face (A* ALLD DLL	500/
		vehicles, aircraft, spacecraft or vessels		5.5%	Free (A*,AU,B,BH, CA,CL,E,IL,J,	50%
					JO,MA,MX,P,	
	40	5 4 11 6 4 6 7	2		SG)	
	10 90	For motor vehicles of chapter 87Other	m² m²			
7007.19.00	00	Other	m ²	5%	Free (A,AU,BH,CA,	50%
					CL,E,IL,J,JO,	
		Laminated safety glass:			MA,MX,P,SG)	
7007.21		Of size and shape suitable for incorporation in				
		vehicles, aircraft, spacecraft or vessels:			_	2001
7007.21.10		Windshields		4.9%	Free (A,AU,B,BH, C,CA,CL,E,IL,J,	60%
					JO,MA,MX,P,SG)	
	10	For motor vehicles of chapter 87	m_{2}^{2}			
7007.21.50	90 00	Other	m ²	4.9%	Free (A,AU,B,BH,	60%
7007.21.30	00	Other		4.970	CA,CL,E,IL,J,JO,	00 %
			,,		MA,MX,P,SG)	/
7007.29.00	00	Other	X	4.9%	Free (A,AU,BH,CA, CL,E,IL,J,JO,	60%
					MA,MX,P,SG)	
7008.00.00	00	Multiple-walled insulating units of glass	No	3.9%	Free (A,AU,BH,CA,	50%
					CL,E,IL,J,JO, MA,MX,P,SG)	
					1111 1,1111 1,11 1,00)	
7009		Glass mirrors, whether or not framed, including rear-view				
7009.10.00	00	mirrors: Rear-view mirrors for vehicles	No	3.9%	Free (A,AU,B,BH,	50%
7 000. 10.00	00	ridal vidwillimole for vollidide	110	0.070	CA,CL,E,IL,J,JO,	0070
		Others			MA,MX,P,SG)	
7009.91		Other: Unframed:				
7009.91.10	00	Not over 929 cm ² in reflecting area	cm²	7.8%	Free (A,AU,B,BH,	50%
			No.		CA,CL,E,IL,J,JO,	
					MA,MX,P, SG)	
7009.91.50	00	Over 929 cm ² in reflecting area		6.5%	Freé (A,AU,B,BH,	45%
		_	No.		CA,CL,E,IL,J,JO,	
					MA,MX,P, SG)	
7009.92		Framed:			,	
7009.92.10	00	Not over 929 cm ² in reflecting area		7.8%	Free (A,AU,B,BH,	50%
			No.		CA,CL,E,IL,J,JO, MA,MX,P,	
					SG)	
7009.92.50	00	Over 929 cm ² in reflecting area		6.5%	Free (A,AU,B,BH,	45%
			No.		CA,CL,E,IL,J,JO, MA,MX,P,	
					SG)	
			l	l	1	J

XIII

70-8						
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
7010		Carboys, bottles, flasks, jars, pots, vials, ampoules and other containers, of glass, of a kind used for the conveyance or packing of goods; preserving jars of glass; stoppers, lids and other closures, of glass:				
7010.10.00 7010.20		Stoppers, lids and other closures:	gross			50¢/gross
7010.20.20	00	Produced by automatic machine	gross	2.5%	Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P,SG)	25%
7010.20.30	00	Other	gross	5.2% <u>1</u> /	Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P, SG)	75%
7010.90 7010.90.05	10	Other: Serum bottles, vials and other pharmaceutical containers		Free		50¢/gross
	10 20	Of a capacity exceeding 0.33 liter but not	gross gross			
	30	, and the second	gross			
	40	Containers (with or without their closures) of a kind used for the conveyance or packing of perfume or other toilet preparations; other containers if fitted with or designed for use with ground glass stoppers:	gross			
7010.90.20		Produced by automatic machine		2.5%	Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P,SG)	25%
	10 20	Of a capacity exceeding 0.33 liter but not	gross gross			
	30	Č	gross			
	40	Of a capacity not exceeding 0.15 liter				
7010.90.30		Other		5.2%	Free (A*,AU,BH, CA,CL,E,IL,J,JO, MA,MX,P, SG)	75%
	10 20	Of a capacity exceeding 1 liter	gross gross			
	30	Of a capacity exceeding 0.15 liter but not exceeding 0.33 liter	gross			
	40	Of a capacity not exceeding 0.15 liter	gross			

Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
/0.1.0 /	fix	On the section of the least	Quantity	General	Special	
'010 (con.)		Carboys, bottles, flasks, jars, pots, vials, ampoules and				
		other containers, of glass, of a kind used for the conveyance or packing of goods; preserving jars of glass;				
		stoppers, lids and other closures, of glass (con.):				
010.90		Other (con.):				
con.)				_		4.00/
010.90.50		Other containers (with or without their closures) Of a capacity exceeding 1 liter:		Free		4.9%
	05	Having a mouth with an outer diameter of				
	00	38 mm or more	gross			
	09	Other	gross			
		Of a capacity exceeding 0.473 liter but not exceeding 1 liter:				
	15	Having a mouth with an outer diameter of				
	. •	38 mm or more	gross			
	19	Other	gross			
		Of a capacity exceeding 0.33 liter but not exceeding 0.473 liter:				
	25	Having a mouth with an outer diameter of				
		38 mm or more	gross			
		0.0				
	29	Other	gross			
35		exceeding 0.33 liter	gross			
	35	Having a mouth with an outer diameter of	91000			
		38 mm or more	gross			
	00	Other				
	39	Other	gross			
		exceeding 0.15 liter:				
	45	Having a mouth with an outer diameter of				
		38 mm or more	gross			
	40	Other	~~~~			
	49 55	Other	gross gross			
	55	or a capacity not exceeding 0.110 liter	gioss			
						Ī

70-10						
· ·	Stat.	A	Unit		Rates of Duty	_
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7011		Glass envelopes (including bulbs and tubes), open, and glass parts thereof, without fittings, for electric lamps, cathode-ray tubes or the like:	-			
7011.10 7011.10.10 7011.10.50		For electric lighting: Bulbs for incandescent lamps Other	hundreds hundreds	Free 4.6%	Free (A,AU,BH,CA,	20% 55%
7011.20 7011.20 10	00	For cathode-ray tubes:	علم ما ما ما	E 20/	CL,E,IL,J,JO, MA,MX,P,SG)	EE0/
7011.20.10	UU	Cones Other:	nunareas	□ 5.2%	Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P, SG)	25%
7011.20.45	00	Monochrome glass envelopes, the foregoing certified by the importer as being for actual use in automatic data processing machine data or graphic display cathode ray tubes	hundreds	Free		55%
7011.20.85		Other		5.2% <u>1</u> /	Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P,	55%
	10	Front panels for cathode-ray television picture tubes, including video monitor tubes, color, non-projection: With greatest diagonal measurement not exceeding 50 cm	hundreds		SG)	
	20	With greatest diagonal measurement exceeding 50 cm but not exceeding 67 cm	hundreds			
7044.00.00	30 40	Other	hundreds	0.00/	Francia All Surge	.F.0/
7011.90.00	00	Other	nundreds	0.6%	Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P, SG)	35%
7012.00.00	00	Glass inners for vacuum flasks or for other vacuum vessels	. No	6.6%	Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P,	37.5¢ each + 45%
					SG)	
1/ See hos	adina	₃ 9902.02.97.				
<u>ı</u> / See nea	uiii(y 3302.02.31.				

Heading/	Stat.		Unit		Rates of Duty	70-11
	Suf-		of		1	2
	fix		Quantity	General	Special	
7013 7013.10 7013.10.10		Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018): Of glass-ceramics: Kitchenware, non-glazed, greater than 75 percent by volume crystalline, of lithium aluminosilicate, having a linear coefficient of expansion not exceeding 10 x 10 ⁻⁷ per Kelvin within a temperature range of 0°C to 300°C, transparent, haze-free, exhibiting transmittances of infrared radiations in excess of 75 percent at a wavelength of 2.5 microns when measured on a sample 3 mm in thickness, and containing β-quartz solid solution as the predominant crystal phase	No	6.9%	Free (A,AU,BH,CA, CL,E,IL,J,JO,	75%
7013.10.50	00	Other	No	26%	MA,MX,P, SG) Free (A+,AU,BH, CA,D,E,IL,J,P) 1.7% (MX)	75%
7013.21		Drinking glasses, other than of glass-ceramics: Of lead crystal:			7.8% (JO) 15.6(SG) 15.6% (CL) 20.2% (MA)	
7013.21.10	00	Valued not over \$1 each	No	15%	Free (A+,BH,CA, D,E,IL,J,JO,P) 1.3% (MX) 7.5% (CL) 8% (SG) 9.3% (AU) 12% (MA)	60%
7013.21.20	00	Valued over \$1 but not over \$3 each	No	14%	Free (A+,BH,CA, D,E,IL,J,JO,P) 0.9% (MX) 7%(SG) 7% (CL) 8.7% (AU)	60%
7013.21.30	00	Valued over \$3 but not over \$5 each	No	7.3%	10.8% (MA) Free (A+,AU,BH, CA,CL,D,E,IL,J, JO,MA,P,SG)	60%
7013.21.50	00	Valued over \$5 each	No	3%	0.7% (MX) Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P,SG)	60%

70-12						
	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
7013 (con.) 7013.29		Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018) (con.): Drinking glasses, other than of glass-ceramics (con.): Other:				
7013.29 7013.29.05	00	Pressed and toughened (specially tempered) Other:	No	12.5%	Free (A+,AU,BH, CA,D,E,IL,J,JO, MA,P) 0.8% (MX) 6.2%(SG) 6.2% (CL)	50%
7013.29.10	00		No	28.5%	Free (A+,BH,CA, D,E,IL,J,P) 2.5% (MX) <u>1</u> / 9.6% (JO) 17.1% (CL) 18.2% (SG) 19.9% (AU) 22.8% (MA)	60%
7013.29.20	00	Valued over \$0.30 but not over \$3 each	No	22.5%	22.6% (MA) Free (A+,BH,CA, D,E,IL,J,P) 2% (MX) 1/ 7.6% (JO) 13.5% (CL) 14.4% (SG) 15.7% (AU) 18% (MA)	60%
7013.29.30	00	Valued over \$3 each: Cut or engraved: Valued over \$3 but not over \$5 each	No	11.3%	Free (A+,BH,CA, D,E,IL,J,JO, MA,P) 1% (MX) 5.6%(SG) 5.6% (CL)	60%
7013.29.40	00	Valued over \$5 each	No	5%	7% (AU) Free (A+,AU,BH, CA,CL,D,E,IL,J, JO,MA,MX,P, SG)	60%
7013.29.50	00	Other: Valued over \$3 but not over \$5 each	No	7.5%	Free (A+,AU,BH, CA,D,E,IL,J,JO, MA,P,SG) 1% (MX)	60%
7013.29.60	00	Valued over \$5 each	No	5%	3.7% (CL) Free (A+,AU,BH, CA,CL,D,E,IL,J, JO,MX,P,SG) 3.8% (MA)	60%

Heading/	Stat.		Unit		Rates of Duty	70-13
Subheading		Article Description	of		1	2
7040 /	fix		Quantity	General	Special	
7013 (con.) 7013.31		Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018) (con.): Glassware of a kind used for table (other than drinking glasses) or kitchen purposes other than that of glass-ceramics: Of lead crystal:				
7013.31.10	00	Valued not over \$1 each	No	15%	Free (A+,BH,CA, D,E,IL,J,JO, MA,P) 1.3% (MX) 7.5% (CL) 8% (SG) 9.3% (AU)	60%
7013.31.20	00	Valued over \$1 but not over \$3 each	No	14%	Free (A+,BH,CA, D,E,IL,J,JO, MA,P) 0.9% (MX) 7%(SG) 7% (CL) 8.7% (AU)	60%
7013.31.30	00	Valued over \$3 but not over \$5 each	No	10.5%	Free (A,BH,CA, CL,E,IL,J,JO, MA,P) 0.7% (MX) 5.2% (SG) 6.5% (AU)	60%
7013.31.50	00		No	6%	Free (A,AÚ,BH,CA, CL,E,IL,J,JO, MA,MX,P, SG)	60%
7013.32 7013.32.10	00	Of glass having a linear coefficient of expansion not exceeding 5 x 10 ⁻⁶ per Kelvin within a temperature range of 0°C to 300°C: Pressed and toughened (specially tempered)	No	12 5%	Free (A+,AU,BH,	50%
7 0 10.02.10	50			12.070	CA,D,E,IL,J,JO, MA,P) 0.8% (MX) 6.2% (SG) 6.2% (CL)	70
7013.32.20	00	Other: Valued not over \$3 each	No	22.5%	Free (A+,BH,CA, D,E,IL,J, MA,P) 2% (MX) 7.6% (JO) 13.5% (CL) 14.4% (SG) 15.7% (AU)	60%
7013.32.30	00	Valued over \$3 but not over \$5 each	No	11.3%	Free (A+,BH,CA, D,E,IL,J,JO, MA,P) 1% (MX) 5.6% (CL) 6% (SG)	60%
7013.32.40	00	Valued over \$5 each	No	7.2%	7% (AU) Free (A+,AU,BH, CA,CL,D,E,IL,J, JO,MA,P,SG) 0.4% (MX)	60%

Stat.					
		Unit		Rates of Duty	
Suf-	Article Description	of		1	2
fix		Quantity	General	Special	
	indoor decoration or similar purposes (other than that of heading 7010 or 7018) (con.): Glassware of a kind used for table (other than drinking glasses) or kitchen purposes other than that of glassceramics (con.):				
00	Pressed and toughened (specially tempered)	No	12.5%	Free (A+,AU,BH, CA,D,E,IL,J,JO, MA,P) 0.8% (MX) 6.2%(CL,SG)	50%
00	Valued not over \$3 each	No	22.5%	Free (A+,BH,CA, D,E,IL,J, MA,P) 2% (MX) 7.6% (JO) 13.5% (CL) 14.4% (SG) 15.7% (AU)	60%
00	Valued over \$3 each: Cut or engraved: Valued over \$3 but not over \$5 each	No	11.3%	Free (A+,BH,CA, D,E,IL,J,JO, MA,P) 1% (MX) 6% (CL.SG)	60%
00		No	7.2%	7% (AU) Free (A+,AU,BH, CA,CL,D,E,IL,J, JO,MA,P,SG) 0.4% (MX)	60%
00	Valued over \$3 but not over \$5 each	No	15%	Free (A+,BH,CA, D,E,IL,J,JO, MA,P) 1% (MX) 7.5%(SG)	60%
00	Valued over \$5 each	No	7.2%	7.5% (CL) 9.3% (AU) Free (A+,AU,BH, CA,CL,D,E,IL,J, JO,MA,P,SG) 0.4% (MX) <u>1</u> /	60%
	00 00 00 00	fix Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018) (con.): Glassware of a kind used for table (other than drinking glasses) or kitchen purposes other than that of glass-ceramics (con.): Other: Pressed and toughened (specially tempered) . Other: Valued over \$3 each: Cut or engraved: Valued over \$3 but not over \$5 each Other: Valued over \$5 each Other: Valued over \$5 each Other: Valued over \$5 each	fix Quantity Quantity Quantity Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018) (con.): Glassware of a kind used for table (other than drinking glasses) or kitchen purposes other than that of glass-ceramics (con.): Other: Other: Other: Valued over \$3 each	fix Quantity General Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018) (con.): Glassware of a kind used for table (other than drinking glasses) or kitchen purposes other than that of glassceramics (con.): Other: Pressed and toughened (specially tempered) No	Special Spec

^{1/} See subheading 9906.70.03.

Heading/	Stat.		Unit		Rates of Duty	70-1
	Suf-	Article Description	of		1	2
_	fix		Quantity	General	Special	
7013 (con.) 7013.91		Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018) (con.): Other glassware: Of lead crystal:				
7013.91.10	00	Valued not over \$1 each	No	20%	Free (A+,BH,CA, D,E,IL,J,JO, MA,P) 1.3% (MX) 10% (CL) 12% (SG)	60%
7013.91.20	00	Valued over \$1 but not over \$3 each	No	14%	14% (AU) Free (A+,BH,CA, D,E,IL,J,JO, MA,P) 0.9% (MX) 7%(SG) 7% (CL) 8.7% (AU)	60%
7013.91.30	00	Valued over \$3 but not over \$5 each	No	10.5%	Free (A+,AU,BH, CA,D,E,IL,J,JO, MA,P) 0.7% (MX) 5.2%(SG) 5.2% (CL)	60%
7013.91.50	00	Valued over \$5 each	No	6%	Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P, SG)	160%

XIII

70-16						
	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7013 (con.)	TIX	Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of	Quantity	General	Special	
7013.99		heading 7010 or 7018) (con.): Other glassware (con.): Other:				
7013.99.10	00	Glassware decorated with metal flecking, glass pictorial scenes or glass thread- or ribbon-like effects, any of the foregoing embedded or introduced into the body of the glassware prior to its solidification; millefiori glassware; glassware colored prior to solidification, and characterized by random distribution of numerous bubbles, seeds or stones, throughout the mass of the glass	No	15%	Free (A+,AU,BH,	60%
					CA,D,E,IL,J,JO, MA,P) 1.3% (MX) 7.5%(CL) 8% (SG)	
7013.99.20	00	Pressed and toughened (specially tempered) Other:	No	12.5%	Free (A+,AU,BH, CA,D,E,IL,J,JO, MA,P) 0.8% (MX) 6.2%(SG) 6.2% (CL)	50%
7013.99.30	00	Smokers' articles; perfume bottles fitted with ground glass stoppers	No	9%	Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P,	60%
7013.99.35	00		No	6.6%	(SG) Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P, SG)	55%
7013.99.40		Other: Valued not over \$0.30 each	No	38%	Free (A+,BH,CA, D,E,IL,J, MA,P) 2.5% (MX) <u>1</u> / 11.4% (JO) 22.8%(SG) 22.8% (CL) 26.6% (AU)	60%
7013.99.50	00	Valued over \$0.30 but not over \$3 each	No	30%	Free (A+,BH,CA, D,E,IL,J, MA,P) 2% (MX) <u>1</u> / 9% (JO) 18%(SG) 18% (CL) 21% (AU)	60%

^{1/} See subheading 9906.70.04.

XIII

Sub-reading Suffered Suffer	Heading/	Stat.		Unit		Rates of Duty	70-1
Classware of a kind used for table, kitchen, follet, office, indoor decoration or similar purposes (other than that of indoor decoration or similar purposes (other than that of heading 7010 or 7018) (con.): Other (con.):	Subheading		Article Description			1	2
Indoor decoration or similar purposes (other than that of heading 7010 or 7018) (con.)	7040 ()	fix		Quantity	General	Special	
Valued over \$3 each: Cut or engraved: Valued over \$3 but not over \$5 each No. 15% Free (A+BH,CA, D.E.IL.,J.JO, MA,P.) 1% (MX) 1/ 7.5% (SG) 7.5% (CL) 9.3% (AU) Free (A+AU,BH, CA,C.D.E.IL.J.JO, J.D.M.A.P.SG) 0.4% (MX) 1/ 1/ 1.5% (SG) 0.4% (MX) 1/ 1/ 1/ 1/ 1/ 1.5% (SG) 0.4% (MX) 1/ 1/ 1/ 1/ 1.5% (SG) 0.4% (MX) 1/ 1/ 1/ 1/ 1/ 1.5% (SG) 0.4% (MX) 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/	7013.99		indoor decoration or similar purposes (other than that of heading 7010 or 7018) (con.): Other glassware (con.): Other (con.): Other (con.):				
No.	7013.99.60	00	Valued over \$3 each: Cut or engraved: Valued over \$3 but not over	. No	15%	D,E,IL,J,JO, MA,P) 1% (MX) 1/	60%
Valued over \$3 but not over No. 11.3% Free (A+,AU,BH, CA,D,E,IL,J,JO, MA,P) 1% (MX) 1/ 5.6% (CL) 6% (SG) Free (A+,AU,BH, CA,CL,D,E,IL,J,JO, MA,P) 1% (MX) 1/ 5.6% (CL) 6% (SG) Free (A+,AU,BH, CA,CL,D,E,IL,J,JO, MA,P,SG) 0.4% (MX) 1/ Signaling glassware and optical elements of glass (other than those of heading 7015), not optically worked: Optical elements: Lens blanks (other than for spectacles) No. 4.1% Free (A,AU,BH,CA,CL,E,IL,J,JO, MA,MX,P,SG) Free (A,AU,B,BH,CA,CL,E,IL,J,JO, MA,MX,P,SG) Free (A,AU,B,BH,CA,CL,E,IL,J,JO, MA,MX,P,SG) Free (A,AU,B,BH,CA,CL,E,IL,J,JO,MA,MX,P,SG) Fr	7013.99.70	00		. No	7.2%	7.5% (CL) 9.3% (AU) Free (A+,AU,BH, CA,CL,D,E,IL,J, JO,MA,P,SG)	60%
CA,CL,D,E,IL,J, JO,MA,P,SG CA,CL,D,E,IL,J, JO,MA,P,SG CA,CL,D,E,IL,J, JO,MA,P,SG CA,CL,D,E,IL,J, JO,MA,P,SG CA,CL,D,E,IL,J, JO,MA,P,SG CA,CL,D,E,IL,J, JO,MA,P,SG CA,CL,D,E,IL,J,D, IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	7013.99.80	00	Valued over \$3 but not over	. No	.11.3%	CA,D,E,IL,J,JO, MA,P) 1% (MX) <u>1</u> / 5.6% (CL)	60%
Signaling glassware and optical elements of glass (other than those of heading 7015), not optically worked: Optical elements: Lens blanks (other than for spectacles) Other: Other: Lenses and filters, and parts thereof Other: Condition of the properties of plass (other than those of heading 7015), not optically worked: Optical elements: Lens blanks (other than for spectacles) No. 4.1% Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P,SG) Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,P,SG) Other: Other: Condition of the properties of plass (other than those of heading 7015), not optically worked: Optical elements: No. 4.1% Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,P,SG) Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,P,SG) Other: Other: Other: Condition of the properties of th	7013.99.90	00	Valued over \$5 each	No	7.2%	CA,CL,D,E,IL,J, JO,MA,P,SG)	60%
7014.00.10 00 Lens blanks (other than for spectacles) No	7014.00		than those of heading 7015), not optically worked:			0.4% (MX) <u>1</u> /	
7014.00.20 00 Other No. 5% Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,P, (SG)) 50% 7014.00.30 00 Lenses and filters, and parts thereof No. 3.4% Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,P,SG) 60% 7014.00.50 00 Other No. 3.3% Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,P,SG) 60%	7014.00.10	00	Lens blanks (other than for spectacles)	No	4.1%	CL,E,IL,J,JO,	40%
7014.00.30 00 Lenses and filters, and parts thereof No. 3.4% Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,P,SG) 60% 7014.00.50 00 Other No. 3.3% Free (A,AU,B,BH, CA,CL,E,IL,J,JO, CA,CL,E,IL,J,CA,CL,E,IL,J,CA,CL,E,IL,J,CA,CL,E,IL,J,CA,CL,E,IL,J,CA,CL,E,IL,J,CA,CL,E,IL	7014.00.20	00		No	5%	Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,P,	50%
7014.00.50 00 Other	7014.00.30	00		No	3.4%	CA,CL,E,IL,J,JO,	60%
	7014.00.50	00	Other	No	3.3%	Free (A,AU,B,BH, CA,CL,E,IL,J,JO,	60%

70-18						
-	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
7015		Clock or watch glasses and similar glasses, glasses for				
		noncorrective or corrective spectacles, curved, bent,				
		hollowed or the like, not optically worked, hollow glass				
		spheres and their segments, for the manufacture of such				
7015.10.00	nn	glasses: Glasses for corrective spectacles	No	Free		40%
7015.10.00	00	Other:	1100	1100		70 /0
7010.00		Watch glasses:				
7015.90.10	00	Round	No	Free		60%
7015.90.20		Other	No			60%
7015.90.50	00	Other	X	Free		60%
7016		Paving blocks, slabs, bricks, squares, tiles and other				
		articles of pressed or molded glass, whether or not wired,				
		of a kind used for building or construction purposes; glass				
		cubes and other glass smallwares, whether or not on a backing, for mosaics or similar decorative purposes;				
		leaded glass windows and the like; multicellular or foam				
		glass in blocks, panels, plates, shells or similar forms:				
7016.10.00	00	Glass cubes and other glass smallwares, whether or				
		not on a backing, for mosaics or similar decorative				
		purposes	X	2.7%	Free (A,AU,BH,CA,	60%
		' '			CL,E,IL,J,JO,	
					MA,MX,P,SG)	
7016.90		Other:				
7016.90.10		Paving blocks, slabs, bricks, squares, tiles and				
		other articles of pressed or molded glass		8%	Free (A,AU,BH,CA,	60%
					CL,E,IL,J,JO,	
					MA,MX,P,	
	10	Bricks and blocks	No		SG)	
	50	Other				
7016.90.50		Other		5%	Free (A,AU,BH,CA,	60%
7010.50.50	00	Other	^	370	CL,E,IL,J,JO,	00 70
					MA,MX,P,	
					SG)	
					,	
7017		Laboratory, hygienic or pharmaceutical glassware,				
		whether or not graduated or calibrated:				
7017.10		Of fused quartz or other fused silica:				
7017.10.30	00	Quartz reactor tubes and holders designed for				
		insertion into diffusion and oxidation furnaces for	\ <u>\</u>	-		500/
		production of semiconductor wafers	X	ree		50%
7017.10.60	nn	Other	×	4 6%	Free (A,AU,BH,CA,	50%
, 5 , , , 10.00	00	Outor	1^ · · · · · ·	7.070	CL,E,IL,J,JO,	00 /0
					MA,MX,P,SG)	
7017.20.00	00	Of other glass having a linear coefficient of expansion	1		, ,,, ,,,,,,,,,,,,,,,,,,,,,,,,	
,		not exceeding 5 x 10 ⁻⁶ per Kelvin within a temperature				
		range of 0°C to 300°C	X	6.7% <u>1</u> /	Free (A,AU,BH,CA,	85%
		_		_	CL,E,IL,J,JO,	
			1		MA,MX,P,	
		.			SG)	
7017.90		Other:	.	 		050/
7017.90.10		Microscope slides and micro cover glasses			F=== (A ALL DLL CA	85%
7017.90.50	UU	Other	X	6.7%	Free (A,AU,BH,CA,	85%
					CL,E,IL,J,JO,	
			1		MA,MX,P, SG)	
					1 30)	
			1			
			1			
			1			
	l		I]	1	I

U	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7018		Glass beads, imitation pearls, imitation precious or semiprecious stones and similar glass smallwares and articles thereof other than imitation jewelry; glass eyes other than prosthetic articles; statuettes and other ornaments of lamp-worked glass, other than imitation jewelry; glass microspheres not exceeding 1 mm in	Quantity	Goriora	opeola.	
7018.10		diameter: Glass beads, imitation pearls, imitation precious or semiprecious stones and similar glass smallwares:				
7018.10.10	00	Imitation pearls and imitation pearl beads of all shapes and colors, drilled or not drilled, but not strung (except temporarily) and not set	×	4%	Free (A,AU,BH,CA, CL,E,IL,J,JO,	60%
7018.10.20	00	Imitation precious or semiprecious stones (except imitation beads thereof)	x	Free	MA,MX,P,SG)	20%
7018.10.50 7018.20.00		Other			Free (A+,AU,BH, CA,CL,D,E,IL,J, JO,MA,MX,P, SG)	40% 60%
7018.90 7018.90.10	00	Other: Glass eyes, except prosthetic articles	x	3.2%	Free (A,AU,BH,CA, CL,E,IL,J,JO,	70%
7018.90.50	00	Other	X	6.6%	MA,MX,P,SG) Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P, SG)	60%
7019		Glass fibers (including glass wool) and articles thereof (for example, yarn, woven fabrics): Slivers, rovings, yarn and chopped strands:				
7019.11.00	00	Chopped strands, of a length of not more than 50 mm	kg	4.9%	Free (A,BH,CA, CL,E,IL,J,JO, MA,MX,P,SG)	50%
7019.12.00		Rovings		4.8%	3% (AU) Free (A,BH,CA, CL,E,IL,J,JO, MA,MX,P,SG)	50%
	40	Of a kind used in industry as packing or lubricating materials	kg		3% (AU)	
7019.19	80	Other	kg			
7019.19.05	00	Not colored: Fiberglass rubber reinforcing yarn, made from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment	. kg	Free		50%
7019.19.15		Other		6.5%	Free (BH,CA,CL, IL,JO,MA,MX,P, SG)	50%
	40	Of a kind used in industry as packing or lubricating materials (201)	kg		3% (AU)	
	80	Other (201)				

70-20	٥.				.	
	Stat.		Unit		Rates of Duty	1 o
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7019 (con.)		Glass fibers (including glass wool) and articles thereof (for example, yarn, woven fabrics) (con.): Slivers, rovings, yarn and chopped strands (con.): Other (con.): Yarns (con.): Colored:				
7019.19.24	00	Fiberglass rubber reinforcing yarn, made from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment	, kg	Free		60%
7019.19.28	00	Other (201)	kg	7%	Free (BH,CA,CL, IL,JO,MA,MX,P, SG) 3% (AU)	60%
7019.19.30	00	Chopped strands, of a length more than 50 mm	kg	4.9%	Free (A,BH,CA, CL,E,IL,J,JO, MA,MX,P,SG) 3% (AU)	50%
7019.19.70	00	Fiberglass rubber reinforcing cord, made from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds		Free		50%
7019.19.90	00	Other	kg	4.2%	Free (A+,BH,CA, CL,D,E*,IL,J*, JO,MA,MX,P,SG) 3% (AU)	50%
7019.31.00	00	Thin sheets (voiles), webs, mats, mattresses, boards and similar nonwoven products: Mats	kg	4.3%	Free (A,AU,B,BH, CA,CL,E,IL,J,JO,	50%
7019.32.00	00	Thin sheets (voiles)	kg	4.3%	MA,MX,P,SG) Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,P,SG)	50%
7019.39 7019.39.10		Other: Insulation products		4.9%	Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,P,SG)	50%
	10 20 90	Batts Pipe coverings Other			WINT, WINT, I GOT	
7019.39.50	00	Other	x	4.9%	Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,P,SG)	50%

	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7019 (con.)		Glass fibers (including glass wool) and articles thereof				
7019.40		(for example, yarn, woven fabrics) (con.): Woven fabrics of rovings:				
		Of a width not exceeding 30 cm:				
7019.40.05	00	Fiberglass tire cord fabric woven from electrically nonconductive continuous fiberglass				
		filaments 9 microns in diameter to 11 microns				
		in diameter and impregnated with resorcinol				
		formaldehyde latex treatment for adhesion to polymeric compounds (622)	m²	Free		50%
7040 40 45			kg	00/	F (DILOA OL	
7019.40.15	00	Other (622)	m² kg	6%	Free (BH,CA,CL, IL,JO,MA,MX,P,	50%
			1.5		SG)	
		Other:			3% (AU)	
		Not colored:				
7019.40.30	00	Fiberglass tire cord fabric woven from				
		electrically nonconductive continuous fiberglass filaments 9 microns in diameter				
		to 11 microns in diameter and impregnated				
		with resorcinol formaldehyde latex treatment for adhesion to polymeric				
		compounds (622)	m²	Free		50%
7019.40.40		Other	kg	7.3%	Free (BH,CA,CL,	50%
013.40.40		Culci		7.570	IL,JO,MA,MX,P,	30 70
					SG) 3% (AU)	
	30	Silica filament fabric of filaments with a			3 % (AO)	
		silica content greater than 93 percent	l m²			
		(622)				
	60	Other (622)	kg m²			
		Colored:	kg			
7019.40.70	00	Fiberglass tire cord fabric woven from				
		electrically nonconductive continuous fiberglass filaments 9 microns in diameter				
		to 11 microns in meter and impregnated				
		with resorcinol formaldehyde latex treatment for adhesion to polymeric				
		compounds (622)	m²	Free		60%
7010 10 00			kg	70/	Fron (DILICA CI	600/
7019.40.90		Other		7%	Free (BH,CA,CL, IL,JO,MA,MX,P,	60%
					SG)	
	30	Silica filament fabric of filaments with a			3% (AU)	
		silica content greater than 93 percent	2			
		(622)	m² ka			
	60	Other (622)	kg m²			
			kg			

XIII

70-22						
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of	0	1	2
	fix		Quantity	General	Special	
7019 (con.)		Glass fibers (including glass wool) and articles thereof (for example, yarn, woven fabrics) (con.): Other woven fabrics:				
7019.51 7019.51.10	00	Of a width not exceeding 30 cm: Fiberglass tire cord woven from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds (622)	. m² kg	. Free		50%
7019.51.90		Other		. 6%	Free (BH,CA,CL, IL,JO,MA,MX,P, SG) 3% (AU)	50%
	10	Weighing 185 grams or less per square meter (622)	m ²			
	90	Other (622)	kg m² kg			
7019.52		Of a width exceeding 30 cm, plain weave, weighing less than 250g/m², of filaments measuring per single yarn not more than 136 tex: Not colored:				
7019.52.30	00	Fiberglass tire cord fabric woven from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric	, m²	Free		509/
			kg	. Free		50%
7019.52.40		Other		. 7.3%	Free (BH,CA,CL, IL,JO,MA,MX,P, SG) 3% (AU)	50%
	10	Weighing 185 grams or less per square meter (622)	m² kg		3% (AG)	
	21	Weighing more than 215 grams per square meter, with a filament diameter of 7 to 13 microns (622)	m² kg			
	96	Other (622)	m² kg			
ı	l		Í	I		1

Heading/	Stat.		Unit	1	Rates of Duty	70-
	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
7019 (con.) 7019.52		Glass fibers (including glass wool) and articles thereof (for example, yarn, woven fabrics) (con.): Other woven fabrics (con.): Of a width exceeding 30 cm, plain weave,				
(con.)		weighing less than 250g/m², of filaments measuring per single yarn not more than 136 tex (con.): Colored:				
7019.52.70	00	Fiberglass tire cord fabric woven from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric	m² kg	Free		60%
7019.52.90		Other		7%	Free (BH,CA,CL, IL,JO,MA,MX,P, SG)	60%
	10	Weighing 185 grams or less per square meter (622)	m² kg		3% (AU)	
	21	Weighing more than 215 grams per square meter, with a filament diameter of 7 to 13 microns (622)	m² kg			
	96	Other (622)	m² kg			

70-24	١٠.					
Heading/	Stat.	Addista Danaminking	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7019 (con.)		Glass fibers (including glass wool) and articles thereof (for example, yarn, woven fabrics) (con.): Other woven fabrics (con.):				
7019.59		Other: Not colored:				
7019.59.30	00	Fiberglass tire cord fabric woven from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds (622)	m² kg	Free		50%
7019.59.40		Other		7.3%	Free (BH,CA,CL, IL,JO,MA,MX,P, SG) 3% (AU)	50%
	10	Weighing 185 grams or less per square meter (622)	m² kg		3.0 (1.0)	
	21	Weighing more than 215 grams per square meter, with a filament diameter of 7 to 13 microns (622)	m² kg			
	96	Other (622)	m² kg			
7019.59.70	00	Fiberglass tire cord fabric woven from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds (622)	m²	Free		60%
7019.59.90		Other	kg 	7%	Free (BH,CA,CL, IL,JO,MA,MX,P, SG) 3% (AU)	60%
	10	Weighing 185 grams or less per square meter (622)	m² kg		570 (110)	
	21	Weighing more than 215 grams per square meter, with a filament diameter of 7 to 13 microns (622)	m² kg			
	96	Other (622)	m² kg			
!	•	•	•	•	-	•

11	Ot - 1		I 15-2	1	Detec (CD)	70-25
	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
	fix	, 11.5.5 2 3351 ptol	Quantity	General	Special	<u> </u>
7019 (con.)		Glass fibers (including glass wool) and articles thereof				
7010 00		(for example, yarn, woven fabrics) (con.):				
7019.90 7019.90.10	00	Other: Woven	x	4.8%	Free (A+,AU,BH, CA,CL,D,E,IL,J,	60%
7019.90.50		Other		4.3%	JO,MA,MX,P,SG) Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,P,SG)	50%
	20 40 50	Glass fibers in bulk Glass fiber filters Other	X		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
7020.00 7020.00.30	00	Other articles of glass: Quartz reactor tubes and holders designed for insertion into diffusion and oxidation furnaces for production of semiconductor wafers	×	Free		55%
7020.00.60	00	Other	. ×	5% <u>1</u> /	Free (A,AU,BH,CA, CL,E,IL,J,JO, MA,MX,P, SG)	55%
<u>1</u> / See hea	adin	g 9902.04.32.				