

Hazardous Materials Inventory

Hazardous and Extremely Hazardous Materials Potentially Utilized or Produced During
Construction, Drilling, Production, and Reclamation Operations by Rock Well Petroleum
at the Poison Spider Oil Field

Material or Product Name	Hazardous Ingredients	CAS #	RCRA #	Reportable Quantity
Potassium Chloride	Potassium Chloride	7447-40-7	~~	~~
Federal Granular	Silica, crystalline, quartz	14808-60-7	~~	~~
	Silica, crystalline, Cristobalite	14464-46-1	~~	~~
	Silica, crystalline, Tridymite	15468-32-3	~~	~~
	Gypsum	13397-24-5	~~	~~
	Bentonite	1302-78-9	~~	~~
Magnafrac Plus	Ammonium Nitrate	6484-52-2	~~	~~
	Sodium Nitrate	7631-99-4	~~	100lbs
	Aluminum	7429-90-5	~~	~~
Crude Oil, Sour	Crude Oil (Petroleum)	08002-05-9	~~	~~
	Hydrogen Sulfide	07783-06-4	U135	100lbs
	Ethyl Benzene	100-41-4	~~	~~
	Benzene	71-43-2	~~	~~
76 Marok (all Grades)	Solvent Refined Distillate, Heavy Naphthenic ..C20-50	64741-96-4	~~	~~
Draegersorb 400	Calcium hydroxide	1305-62-0	~~	~~
	Water 12-20	7732-18-5	~~	~~
	Sodium hydroxide	1310-73-2	~~	1000lbs
Oxygen, Compressed gas	Oxygen	7782-44-7	~~	~~
Cast Booster	Pentaerythritol Tetranitrate	78-11-5	~~	~~
	Trinitrotoluene	118-96-7	~~	~~
	RDX	121-82-4	~~	~~
	HMX	2691-41-0	~~	~~
	Aluminum	7429-90-5	~~	~~
Hammer ES	Vegetable Based Oil	68956-68-3	~~	~~
Platinum PAC	Carboxymethylcellulose sodium salt	9004-32-4	~~	~~
Poly Plus	Anionic polyacrylamide	None Given	~~	~~
	Petroleum distillates, hydrotreated light	64742-47-8	~~	~~

Ringfree	Water	7732-18-5	~~	~~
	Acrylic polymer	None Given	~~	~~
Lokset Resin Cartridge All H	Calcium Carbonate	471-34-1	~~	~~
	Polyester Resin	None Given	~~	~~
	Styrene Monomer	100-42-5	~~	~~
	Diethylene Glycol	57-55-6	~~	~~
	Benzoyl Peroxide	94-36-0	~~	~~
Case Drilling Detergent	Proprietary Ingredients	None Given	~~	~~
	Isopropyl alcohol	67-63-0	~~	~~
Conductivity Standard Solutions	Potassium Chloride	7447-40-7	~~	~~
	Water, Deionized	7732-18-5	~~	~~
Chevron 1000 THF	Highly refined mineral oil (C15 - C50)	Mixture	~~	~~
	Zinc alkyl dithiophosphate	68649-42-3	~~	~~
Chevron RPM Universal Gear Lubricant	Highly refined mineral oil (C15-C50)	Mixture	~~	~~
	Ammonium Nitrate	6484-52-5	~~	~~
Dyno Split	Sodium Nitrate	7631-99-4	~~	~~
	Sodium Perchlorate	7601-89-0	~~	~~
	Aluminum	7429-90-5	~~	~~
	Hexamethylene Tetramine (HMT)	100-97-0	~~	~~
	Nitric Acid	7697-37-0	~~	1000lbs
	Acetone, 99+96	Acetone	67-64-1	U002
Formaldehyde		0-01-1	U122	100lbs
Ultra Clorox Regular Bleach	Sodium hydroxide	1310-73-2	~~	100lbs
	Sodium hypochlorite	7681-52-9	~~	100lbs
Windex Concentrate	Ammonia	1336-21-6	~~	100lbs
	2-Butoxyethanol	111-76-2	~~	~~
	Water	7732-18-5	~~	~~
Quaker State HD SAE Motor Oil, all Grades	HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES	64742-54-7	~~	~~
	SOLVENT-DEWAXED HEAVY PARAFFINIC DISTILLATE	64742-65-0	~~	~~

	DETERGENT/INHIBITOR SYSTEM	None Given	~~	~~
	POUR POINT DEPRESSANT	None Given	~~	~~
WD-40 Aerosol	Aliphatic Petroleum Distillates	8052-41-3	~~	~~
	Petroleum Base Oil	64742-65-0	~~	~~
	LVP Hydrocarbon Fluid	64742-47-8	~~	~~
	Carbon Dioxide	124-38-9	~~	~~
	Non-hazardous Ingredients	None Given	~~	~~
Acetone	Acetone	67-64-1	U002	5000lbs
D-Gel, Dyno Split, Extra Gelatin	Nitroglycerin (NG)	55-63-0	P081	10lbs
	Ethylene Glycol Dinitrate (EGDN)	628-96-6	~~	~~
	Nitrocellulose	9004-70-0	~~	~~
	Ammonium Nitrate	6484-52-2	~~	~~
	Sodium Nitrate	7631-99-4	~~	100lbs
	Sulfur	7704-34-9	~~	~~
Dyno, Powermite	Ammonium Nitrate	6484-52-2	~~	~~
	Sodium Nitrate	7631-99-4	~~	100lbs
	Aluminum	7429-90-5	~~	~~
	Mineral Oil (mist)	64742-35-4	~~	~~
ANFO, Dyno mix	Ammonium Nitrate	6484-52-2	~~	~~
	Fuel Oil	68476-34-6	~~	~~
	Guar Gum (Nuisance Dust)	9000-30-0	~~	~~
Tanner Gas and freeze-ban	Methanol	67-56-1	U154	5000lbs
	Aliphatic Ester	None Given	~~	~~
	Hea-Hipa Borate	None Given	~~	~~
	Amino Alcohol	None Given	~~	~~
	Colorant	None Given	~~	~~
Chevron DELO 400	Highly refined mineral oil (C15 - C50)	Mixture	~~	~~
	Zinc dialkyldithiophosphate	68649-42-3	~~	~~
Chevron Drive Train Fluid HD	Highly refined mineral oil (C15 - C50)	Mixture	~~	~~
	Zinc alkyl dithiophosphate	68649-42-3	~~	~~
Chevron RPM® Automotive LC Grease EP	DISTILLATES, SOLVENT DEWAXED HEAVY PARAFFINIC	64742650	~~	~~
	RESIDUAL OILS SOLVENT REFINED DISTILLATES, SOLVENT-REFINED HEAVY PARAFFINIC	64742014	~~	~~
	ZINC ALKYL DITHIOPHOSPHATE	64741884	~~	~~
		68649423	~~	~~

Chevron RPM® Universal Gear Lubricant	Highly refined mineral oil (C15 - C50)	Mixture	~~	~~
	Non-hazardous additive blend in refined oil	Mixture	~~	~~
Chevron 1000 THF	Highly refined mineral oil (C15 - C50)	Mixture	~~	~~
	Zinc alkyl dithiophosphate	68649-42-3	~~	~~
2 DIESEL FUEL	Diesel Fuel, No. 2	68476-34-6	~~	~~
A-0600	Iron oxide (45-50%)	1309-38-2	~~	~~
	Styrene/acrylate copolymer (40-50%)	25767-47-9	~~	~~
	Polyolefin (1-10%)	9003-07-0	~~	~~
WINDEX CONCENTRATE	2-Butoxyethanol	111-76-2	~~	~~
	Water	7732-18-5	~~	~~
Regular Unleaded Gasoline (Conventional, CARB and RFG)	Gasoline (Conventional, CARB and RFG)	Mixture	~~	~~
	Miscellaneous Hydrocarbons	Mixture	~~	~~
	Xylene, mixed isomers	1330-20-7	U239	100lbs
	Toluene	108-88-3	U220	1000lbs
	1,2,4-Trimethyl Benzene (Pseudocumene)	95-63-6	~~	~~
	Styrene	100-42-5	~~	1000lbs
	Benzene	71-43-2	U019	10lbs
	Ethyl Benzene	100-41-4	U038	10lbs
	Hexane	110-54-3	~~	5000lbs
	Cyclohexane	110-82-7	U056	1000lbs
	Naphthalene	91-20-3	U165	100lbs
	Methyl Tert-Butyl Ether (MTBE)	1634-04-4	~~	1000lbs
	Ethyl Tert-Butyl Ether (ETBE)	637-92-3	~~	~~
	Tert-Amyl Methyl Ether (TAME)	994-05-8	~~	~~
	Diisopropyl Ether (DIPE)	108-20-3	~~	~~
KRYLON® PAINT ALL® Fast Dry Enamel	Propane	74-98-6	~~	~~
	Butane	106-97-8	~~	~~
	Ethylbenzene	100-41-4	~~	1000lbs
	Xylene.	1330-20-7	U239	100lbs
	Acetone.	67-64-1	U002	5000lbs
	Talc	14807-96-6	~~	~~
	Calcium Carbonate.	471-34-1	~~	~~
	Titanium Dioxide.	13463-67-7	~~	~~

Super Glue Instant Adhesive	Carbon Black.	1333-86-4	~~	~~
	Ethyl cyanoacrylate	7085-85-0	~~	~~
Toner	Poly (methyl methacrylate)	9011-14-7	~~	~~
	HYDROQUINONE	123-31-9	~~	100lbs
	Bisphenol A propylene oxide fumarate polymer (85-90%)	39382-25-7	~~	~~
	Carbon black (10-15%)	1333-86-4	~~	~~
QUAKER STATE HD SAE MOTOR OIL - ALL GRADES	Polyolefin (<5%)	9003-07-0	~~	~~
	HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES	64742-54-7	~~	~~
	SOLVENT-DEWAXED HEAVY PARAFFINIC DISTILLATE	64742-65-0	~~	~~
	DETERGENT/INHIBITOR SYSTEM	Mixture	~~	~~
	POUR POINT DEPRESSANT	Mixture	~~	~~
White Out Water Based Correction Fluid				
	Ethylene Glycol	107-21-1	~~	5000lbs