Repackaging means the physical transfer of a chemical substance or mixture, as is, from one container to another container or containers in preparation for distribution of the chemical substance or mixture in commerce.

Reportable chemical substance means a chemical substance described in §710.45.

Reporting year means the calendar year in which information to be reported to EPA during an IUR submission period is generated, i.e., calendar year 2005 and the calendar year at 4-year intervals thereafter.

Site-limited means a chemical substance is manufactured and processed only within a site and is not distributed for commercial purposes as a substance or as part of a mixture or article outside the site. Imported substances are never site-limited. Although a site-limited chemical substance is not distributed for commercial purposes outside the site at which it is manufactured and processed, the substance is considered to have been manufactured and processed for commercial purposes.

Submission period means the period in which the information generated during the reporting year is submitted to EPA.

Use means any utilization of a chemical substance or mixture that is not otherwise covered by the terms manufacture or process. Relabeling or redistributing a container holding a chemical substance or mixture where no repackaging of the chemical substance or mixture occurs does not constitute use or processing of the chemical substance or mixture.

§ 710.45 Chemical substances for which information must be reported.

Any chemical substance which is in the Master Inventory File at the beginning of a submission period described in §710.53, unless the chemical substance is specifically excluded by §710.46.

§ 710.46 Chemical substances for which information is not required.

The following groups or categories of chemical substances are exempted

from some or all of the reporting requirements of this subpart, with the following exception: A chemical substance described in paragraph (a)(1), (a)(2), or (a)(4), or (b) of this section is requirements of this subpart if that substance is the subject of a rule proposed or promulgated under section 4, 5(a)(2), 5(b)(4), or 6 of the Act, or is the subject of an order issued under section 5(e) or 5(f) of the Act, or is the subject of relief that has been granted under a civil action under section 5 or 7 of the Act.

- (a) *Full exemptions*. The following categories of chemical substances are exempted from the reporting requirements of this subpart.
- (1) Polymers. (i) Any chemical substance described with the word fragments "*polym*", "*alkyd", or "*oxylated" in the Chemical Abstracts Service Index or Preferred Nomenclature in the Chemical Substance Identities section of the 1985 edition of the Inventory or in the Master Inventory File, where the asterisk (*) indicates that any sets of characters may precede, or follow, the character string defined.
- (ii) Any chemical substance which is identified in the 1985 edition of the Inventory or the Master Inventory File as siloxane and silicone, silsesquioxane, a protein (albumin, casein, gelatin, gluten, hemoglobin), an enzyme, a polysaccharide (starch, cellulose, gum), rubber, or lignin.
- (iii) This exclusion does not apply to a polymeric substance that has been hydrolyzed, depolymerized, or otherwise chemically modified, except in cases where the intended product of this reaction is totally polymeric in structure.
- (2) Microorganisms. Any combination of chemical substances that is a living organism, and that meets the definition of "microorganism" at §725.3 of this chapter. Any chemical substance produced from a living microorganism is reportable under this subpart unless otherwise excluded.
- (3) Naturally occurring chemical substances. Any naturally occurring chemical substance, as described in §710.4(b). The applicability of this exclusion is determined in each case by the specific

activities of the person who manufactures the substance in question. Some chemical substances can be manufactured both as described in §710.4(b) and by means other than those described in §710.4(b). If a person described in §710.48 manufactures a chemical substance by means other than those described in §710.4(b), the person must report regardless of whether the substance also could have been produced as described in §710.4(b). Any chemical substance that is produced from such a naturally occurring chemical substance described in §710.4(b) is reportable unless otherwise excluded.

- (4) Certain forms of natural gas. Chemical substances with the following Chemical Abstract Service (CAS) Registry Numbers: CAS No. 64741–48–6, Natural gas (petroleum), raw liquid mix; CAS No. 68919–39–1, Natural gas condensates; CAS No. 8006–61–9, Gasoline natural; CAS No. 68425–31–0, Gasoline (natural gas), natural; CAS No. 8006–14–2, Natural gas; and CAS No. 68410–63–9, Natural gas, dried.
- (b) Partial exemptions. The following groups of chemical substances are partially exempted from the reporting requirements of this subpart (i.e., the information described in §710.52(c)(4) need not be reported for these substances). Such chemical substances are not excluded from the other reporting requirements under this subpart. A chemical substance described in paragraph (b)(3) of this section qualifies for a partial reporting exemption during the 2006 submission period; in subsequent submission periods, the chemical substances described in paragraph (b)(3) of this section will be subject to full reporting under this subpart (i.e., all of the information described in this subpart must be reported), unless otherwise exempted.
- (1) Petroleum process streams. EPA has designated the following chemical substances, listed by CAS Number, as partially exempt from reporting under the IUR.

| VENTOR | OFDATE HEFORING |
|--------------------------|---|
| CAS No. | Product |
| 7732-18-5 | Water |
| 8002-05-9 | Petroleum |
| 8002-74-2 | Paraffin waxes and hydrocarbon waxes |
| 8006-20-0 | Fuel gases, low and medium B.T.U. |
| 8008-20-6 | Kerosine (petroleum) |
| 8009-03-8 | Petrolatum |
| 8012-95-1 | Paraffin oils |
| 8030-30-6 | Naphtha |
| 8032-32-4 | Ligroine |
| 8042-47-5 | White mineral oil (petroleum) |
| 8052-41-3 | Stoddard solvent |
| 8052-42-4 | Asphalt |
| 63231–60–7 | Paraffin waxes and hydrocarbon waxes, microcryst. |
| 64741–41–9 | Naphtha (petroleum), heavy straight-run |
| 64741-42-0 | Naphtha (petroleum), full-range straight-run |
| 64741-43-1 | Gas oils (petroleum), straight-run |
| 64741-44-2 | Distillates (petroleum), straight-run middle |
| 64741-45-3 | Residues (petroleum), atm. tower |
| 64741-46-4 | Naphtha (petroleum), light straight-run |
| 64741–47–5 64741–49–7 | Natural gas condensates (petroleum) Condensates (petroleum), vacuum tower |
| 64741–50–0 | Distillates (petroleum), light paraffinic |
| 64741–51–1 | Distillates (petroleum), heavy paraffinic |
| 64741–52–2 | Distillates (petroleum), light naphthenic |
| 64741-53-3 | Distillates (petroleum), heavy naphthenic |
| 64741-54-4 | Naphtha (petroleum), heavy catalytic cracked |
| 64741-55-5 | Naphtha (petroleum), light catalytic cracked |
| 64741-56-6 | Residues (petroleum), vacuum |
| 64741-57-7 | Gas oils (petroleum), heavy vacuum |
| 64741-58-8 | Gas oils (petroleum), light vacuum |
| 64741–59–9 | Distillates (petroleum), light catalytic cracked |
| 64741–60–2 | Distillates (petroleum), intermediate catalytic cracked |
| 64741–61–3 | Distillates (petroleum), heavy catalytic cracked |
| 64741–62–4 | Clarified oils (petroleum), catalytic cracked |
| 64741–63–5 | Naphtha (petroleum), light catalytic reformed |
| 64741–64–6 | Naphtha (petroleum), full-range alkylate |
| 64741–65–7 | Naphtha (petroleum), heavy alkylate |
| 64741-66-8 | Naphtha (petroleum), light alkylate |
| 64741–67–9 | Residues (petroleum), catalytic reformer fractionator |
| 64741–68–0 64741–69–1 | Naphtha (petroleum), heavy catalytic reformed Naphtha (petroleum), light hydrocracked |
| 64741-09-1 | Naphtha (petroleum), isomerization |
| 64741–73–7 | Distillates (petroleum), alkylate |
| 64741–74–8 | Naphtha (petroleum), light thermal cracked |
| 64741–75–9 | Residues (petroleum), hydrocracked |
| 64741-76-0 | Distillates (petroleum), heavy hydrocracked |
| 64741-77-1 | Distillates (petroleum), light hydrocracked |
| 64741-78-2 | Naphtha (petroleum), heavy hydrocracked |
| 64741-79-3 | Coke (petroleum) |
| 64741-80-6 | Residues (petroleum), thermal cracked |
| 64741-81-7 | Distillates (petroleum), heavy thermal cracked |
| 64741-82-8 | Distillates (petroleum), light thermal cracked |
| 64741–83–9 | Naphtha (petroleum), heavy thermal cracked |
| 64741–84–0 | Naphtha (petroleum), solvent-refined light |
| 64741-85-1 | Raffinates (petroleum), sorption process |
| 64741-86-2 | Distillates (petroleum), sweetened middle |
| 64741-87-3 | Naphtha (petroleum), sweetened |
| 64741–88–4 | Distillates (petroleum), solvent-refined heavy paraffinic |
| | |

| CAS NUMBERS | OF PA | RTIALLY | EXEMPT | Снем- |
|-------------|----------|---------|---------|--------|
| ICAL SUBST | ANCES | TERME | D "PETF | ROLEUM |
| PROCESS S1 | REAMS" | FOR P | URPOSES | OF IN- |
| VENTORY UP | DATE REI | PORTING | -Contin | ued |

| VENTOR | OI BITTE THE OITHING CONGINGOR | VEITION | O DATE THE OTTING |
|--------------------------|--|--------------------------|---|
| CAS No. | Product | CAS No. | Product |
| 64741–89–5 | Distillates (petroleum), solvent-refined light par- | 64742–37–6 | Distillates (petroleum), clay-treated light par- |
| 64741-90-8 | Gas oils (petroleum), solvent-refined | 64742-38-7 | Distillates (petroleum), clay-treated middle |
| 64741-91-9 | Distillates (petroleum), solvent-refined middle | 64742-39-8 | Neutralizing agents (petroleum), spent sodium |
| 64741–92–0 | Naphtha (petroleum), solvent-refined heavy | 017 12 00 0 | carbonate |
| 64741-95-3 | Residual oils (petroleum), solvent deasphalted | 64742-40-1 | Neutralizing agents (petroleum), spent sodium |
| 64741–96–4 | Distillates (petroleum), solvent-refined heavy | | hydroxide |
| 64741–97–5 | naphthenic Distillates (petroleum), solvent-refined light naphthenic | 64742–41–2 64742–42–3 | Residual oils (petroleum), clay-treated Hydrocarbon waxes (petroleum), clay-treated microcryst. |
| 64741-98-6 | Extracts (petroleum), heavy naphtha solvent | 64742-43-4 | Paraffin waxes (petroleum), clay-treated |
| 64741-99-7 | Extracts (petroleum), light naphtha solvent | 64742-44-5 | Distillates (petroleum), clay-treated heavy |
| 64742-01-4 | Residual oils (petroleum), solvent-refined | | naphthenic |
| 64742-03-6 | Extracts (petroleum), light naphthenic distillate solvent | 64742-45-6 | Distillates (petroleum), clay-treated light naph- thenic |
| 64742–04–7 | Extracts (petroleum), heavy paraffinic distillate solvent | 64742–46–7 64742–47–8 | Distillates (petroleum), hydrotreated middle Distillates (petroleum), hydrotreated light |
| 64742-05-8 | Extracts (petroleum), light paraffinic distillate | 64742-48-9 | Naphtha (petroleum), hydrotreated heavy |
| | solvent | 64742-49-0 | Naphtha (petroleum), hydrotreated light |
| 64742-06-9 | Extracts (petroleum), middle distillate solvent | 64742-50-3 | Lubricating oils (petroleum), clay-treated spent |
| 64742-07-0 | Raffinates (petroleum), residual oil | 64742-51-4 | Paraffin waxes (petroleum), hydrotreated |
| | decarbonization | 64742-52-5 | Distillates (petroleum), hydrotreated heavy |
| 64742-08-1 | Raffinates (petroleum), heavy naphthenic dis- tillate decarbonization | 64742–53–6 | naphthenic Distillates (petroleum), hydrotreated light naph- |
| 64742-09-2 | Raffinates (petroleum), heavy paraffinic dis- tillate decarbonization | 64742–54–7 | thenic Distillates (petroleum), hydrotreated heavy par- |
| 64742-10-5 | Extracts (petroleum), residual oil solvent | 04742 04 7 | affinic |
| 64742-11-6 | Extracts (petroleum), heavy naphthenic dis- | 64742-55-8 | Distillates (petroleum), hydrotreated light par- |
| | tillate solvent | | affinic |
| 64742-12-7 | Gas oils (petroleum), acid-treated | 64742–56–9 | Distillates (petroleum), solvent-dewaxed light |
| 64742-13-8 | Distillates (petroleum), acid-treated middle | 0.17.10 57.0 | paraffinic |
| 64742-14-9 | Distillates (petroleum), acid-treated light | 64742-57-0 | Residual oils (petroleum), hydrotreated |
| 64742-15-0 | Naphtha (petroleum), acid-treated | 64742-58-1 | Lubricating oils (petroleum), hydrotreated spent |
| 64742–16–1 64742–18–3 | Petroleum resins Distillates (petroleum), acid-treated heavy | 64742–59–2 64742–60–5 | Gas oils (petroleum), hydrotreated vacuum Hydrocarbon waxes (petroleum), hydrotreated |
| 64742-19-4 | naphthenic Distillates (petroleum), acid-treated light naph- thenic | 64742-61-6 64742-62-7 | microcryst. Slack wax (petroleum) Residual oils (petroleum), solvent-dewaxed |
| 64742–20–7 | Distillates (petroleum), acid-treated heavy par- affinic | 64742-63-8 | Distillates (petroleum), solvent-dewaxed heavy naphthenic |
| 64742–21–8 | Distillates (petroleum), acid-treated light par- affinic | 64742-64-9 | Distillates (petroleum), solvent-dewaxed light naphthenic |
| 64742–22–9 | Naphtha (petroleum), chemically neutralized heavy | 64742-65-0 | Distillates (petroleum), solvent-dewaxed heavy paraffinic |
| 64742–23–0 | Naphtha (petroleum), chemically neutralized light | 64742–67–2 64742–68–3 | Foots oil (petroleum) Naphthenic oils (petroleum), catalytic dewaxed |
| 64742-24-1 | Sludges (petroleum), acid | | heavy |
| 64742-25-2 | Lubricating oils (petroleum), acid-treated spent | 64742-69-4 | Naphthenic oils (petroleum), catalytic dewaxed |
| 64742–26–3 | Hydrocarbon waxes (petroleum), acid-treated | | light |
| 64742–27–4 | Distillates (petroleum), chemically neutralized heavy paraffinic | 64742–70–7 | Paraffin oils (petroleum), catalytic dewaxed heavy |
| 64742–28–5 | Distillates (petroleum), chemically neutralized light paraffinic | 64742–71–8 | Paraffin oils (petroleum), catalytic dewaxed light |
| 64742–29–6 | Gas oils (petroleum), chemically neutralized | 64742-72-9 | Distillates (petroleum), catalytic dewaxed mid- |
| 64742–30–9 | Distillates (petroleum), chemically neutralized middle | 64742-73-0 | dle Naphtha (petroleum), hydrodesulfurized light |
| 64742–31–0 | Distillates (petroleum), chemically neutralized light | 64742–75–2 | Naphthenic oils (petroleum), complex dewaxed heavy |
| 64742–32–1 | Lubricating oils (petroleum), chemically neutralized spent | 64742–76–3 | Naphthenic oils (petroleum), complex dewaxed light |
| 64742–33–2 | Hydrocarbon waxes (petroleum), chemically neutralized | 64742–78–5 | Residues (petroleum), hydrodesulfurized at- mospheric tower |
| 64742–34–3 | Distillates (petroleum), chemically neutralized heavy naphthenic | 64742-79-6 64742-80-9 | Gas oils (petroleum), hydrodesulfurized Distillates (petroleum), hydrodesulfurized mid- |
| 64742–35–4 | Distillates (petroleum), chemically neutralized light naphthenic | 64742–81–0 | dle Kerosine (petroleum), hydrodesulfurized |
| 64742–36–5 | Distillates (petroleum), clay-treated heavy par- affinic | 64742-82-1 | Naphtha (petroleum), hydrodesulfurized heavy Naphtha (petroleum), light steam-cracked |
| | | | |

CAS NUMBERS OF PARTIALLY EXEMPT CHEMICAL SUBSTANCES TERMED "PETROLEUM PROCESS STREAMS" FOR PURPOSES OF INVENTORY UPDATE REPORTING—Continued

| VEIVI OI II | OF BATE THE OTTING | VENTOR | OI DATE THE OITHING COMMINGO |
|------------------------|---|--|---|
| CAS No. | Product | CAS No. | Product |
| 1742–85–4 | Residues (petroleum), hydrodesulfurized vacu- | 68308-03-2 | Tail gas (petroleum), gas oil catalytic cracking absorber |
| 1742–86–5 | Gas oils (petroleum), hydrodesulfurized heavy vacuum | 68308-04-3 68308-05-4 | Tail gas (petroleum), gas recovery plant Tail gas (petroleum), gas recovery plant |
| 1742–87–6 | Gas oils (petroleum), hydrodesulfurized light vacuum | 68308-06-5 | deethanizer Tail gas (petroleum), hydrodesulfurized dis- |
| 1742–88–7 1742–89–8 | Solvent naphtha (petroleum), medium aliph. Solvent naphtha (petroleum), light aliph. | | tillate and hydrodesulfurized naphtha fractionator, acid-free |
| 1742–90–1 1742–91–2 | Residues (petroleum), steam-cracked Distillates (petroleum), steam-cracked | 68308-07-6 | Tail gas (petroleum), hydrodesulfurized vacu- um gas oil stripper, hydrogen sulfide-free |
| 1742–92–3 1742–93–4 | Petroleum resins, oxidized Asphalt, oxidized | 68308-08-7 | Tail gas (petroleum), isomerized naphtha fractionation stabilizer |
| 1742–94–5 1742–95–6 | Solvent naphtha (petroleum), heavy arom. Solvent naphtha (petroleum), light arom. | 68308-09-8 | Tail gas (petroleum), light straight-run naphtha stabilizer, hydrogen sulfide-free |
| 1742–96–7 1742–97–8 | Solvent naphtha (petroleum), heavy aliph. Distillates (petroleum), oxidized heavy | 68308-10-1 | Tail gas (petroleum), straight-run distillate hydrodesulfurizer, hydrogen sulfide-free |
| 1742–98–9 1742–99–0 | Distillates (petroleum), oxidized light Residual oils (petroleum), oxidized | 68308-11-2 | Tail gas (petroleum), propane-propylene alkylation feed prep deethanizer |
| 1743–00–6 1743–01–7 | Hydrocarbon waxes (petroleum), oxidized Petrolatum (petroleum), oxidized | 68308-12-3 | Tail gas (petroleum), vacuum gas oil hydrodesulfurizer, hydrogen sulfide-free |
| 1743–02–8 1743–03–9 | Alkenes, C>10 .alpha | 68308-27-0 | Fuel gases, refinery |
| 1743-03-9 1743-04-0 | Phenols (petroleum) Coke (petroleum), recovery | 68333-22-2 68333-23-3 | Residues (petroleum), atmospheric Naphtha (petroleum), heavy coker |
| 1743-05-1 | Coke (petroleum), calcined | 68333-24-4 | Hydrocarbon waxes (petroleum), oxidized, |
| 1743-06-2 | Extracts (petroleum), gas oil solvent | | compds. with triethanolamine |
| 1743-07-3 | Sludges (petroleum), chemically neutralized | 68333-25-5 | Distillates (petroleum), hydrodesulfurized light |
| 1754-89-8 | Naphthenic acids (petroleum), crude | | catalytic cracked |
| 1771–71–7 | Paraffins (petroleum), normal C>10 | 68333–26–6 | Clarified oils (petroleum), hydrodesulfurized |
| 1771–72–8 7674–12–8 | Paraffins (petroleum), normal C5-20 Residual oils (petroleum), oxidized, compounds with triethanolamine | 68333–27–7 | catalytic cracked Distillates (petroleum), hydrodesulfurized intermediate catalytic cracked |
| 7674–13–9 | Petrolatum (petroleum), oxidized, partially deacidified | 68333–28–8 | Distillates (petroleum), hydrodesulfurized heavy catalytic cracked |
| 7674–15–1 7674–16–2 | Petrolatum (petroleum), oxidized, Me ester Hydrocarbon waxes (petroleum), oxidized, par- | 68333–29–9 | Residues (petroleum), light naphtha solvent extracts |
| 7674–17–3 | tially deacidified Distillates (petroleum), oxidized light, com- | 68333–30–2 | Distillates (petroleum), oxidized heavy thermal cracked |
| | pounds with triethanolamine | 68333-81-3 | Alkanes, C4-12 |
| 7674–18–4 | Distillates (petroleum), oxidized light, Bu esters | 68333-88-0 | Aromatic hydrocarbons, C9-17 |
| 7891–79–6 | Distillates (petroleum), heavy arom. | 68334-30-5 | Fuels, diesel |
| 7891–80–9 | Distillates (petroleum), light arom. | 68409–99–4 | Gases (petroleum), catalytic cracked |
| 7891–82–1 | Hydrocarbon waxes (petroleum), oxidized, | 68410-00-4 | overheads |
| 7891–83–2 | compounds with ethanolamine Hydrocarbon waxes (petroleum), oxidized, | 68410-05-9 | Distillates (petroleum), crude oil Distillates (petroleum), straight-run light |
| 031-03-2 | compounds with isopropanolamine | 68410-12-8 | Distillates (petroleum), steam-cracked, C5-10 |
| 7891–85–4 | Hydrocarbon waxes (petroleum), oxidized, compounds with triisopropanolamine | 001.0 12 0 | fraction, high-temp. stripping products with light steam-cracked petroleum naphtha C5 |
| 3131-05-5 | Hydrocarbon oils, process blends | 60/10 71 0 | fraction polymers |
| 3131–49–7 3131–75–9 | Aromatic hydrocarbons, C6-10, acid-treated, neutralized Gases (petroleum), C3-4 | 68410–71–9 68410–96–8 | Raffinates (petroleum), catalytic reformer ethylene glycol-water countercurrent exts. Distillates (petroleum), hydrotreated middle, in- |
| 3153–22–0 | Paraffin waxes and Hydrocarbon waxes, oxidized | 68410-97-9 | termediate boiling Distillates (petroleum), light distillate |
| 3187–57–5 | Pitch, coal tar-petroleum | 355 07 -0 | hydrotreating process, low-boiling |
| 3187–58–6 | Pitch, petroleum, arom. | 68410-98-0 | Distillates (petroleum), hydrotreated heavy |
| 3187-60-0 | Hydrocarbons, C4, ethane-propane-cracked | | naphtha, deisohexanizer overheads |
| 3307–98–2 | Tail gas (petroleum), catalytic cracked distillate and catalytic cracked naphtha fractionation | 68411–00–7 68425–29–6 | Alkenes, C>8 Distillates (petroleum), naphtha-raffinate |
| 3307–99–3 | absorber Tail gas (petroleum), catalytic polymn. naphtha fractionation stabilizer | 68425–33–2 68425–34–3 | pyrolyzate-derived, gasoline-blending Petrolatum (petroleum), oxidized, barium salt Petrolatum (petroleum), oxidized, calcium salt |
| 3308-00-9 | Tail gas (petroleum), catalytic reformed naph- | 68425–35–4 | Raffinates (petroleum), reformer, Lurgi unit- sepd. |
| | free | 68425-39-8 | Alkenes, C>10 .alpha, oxidized |
| 3308-01-0 | Tail gas (petroleum), cracked distillate hydrotreater stripper | 68441–09–8 | Hydrocarbon waxes (petroleum), clay-treated microcryst., contg. polyethylene, oxidized |
| 3308-02-1 | Tail gas (petroleum), distn., hydrogen sulfide- free | 68459–78–9 68475–57–0 | Alkenes, C18-24 .alpha, dimers Alkanes, C1-2 |
| 3308–00–9 3308–01–0 | fractionation stabilizer Tail gas (petroleum), catalytic reformed naph- tha fractionation stabilizer, hydrogen sulfide- free Tail gas (petroleum), cracked distillate hydrotreater stripper Tail gas (petroleum), distn., hydrogen sulfide- | 68425-34-3 68425-35-4 68425-39-8 68441-09-8 68459-78-9 | Petrolatum (petroleum), oxidized, ca Raffinates (petroleum), reformer, sepd. Alkenes, C>10 .alpha, oxidized Hydrocarbon waxes (petroleum), microcryst., contg. polyethylene, c Alkenes, C18-24 .alpha, dimers |

CAS NUMBERS OF PARTIALLY EXEMPT CHEMICAL SUBSTANCES TERMED "PETROLEUM PROCESS STREAMS" FOR PURPOSES OF INVENTORY UPDATE REPORTING—Continued

| CAS No. | Product | CAS No. | Product |
|--------------------------|---|------------|---|
| 68475–58–1 68475–59–2 | Alkanes, C2-3 Alkanes, C3-4 | 68477–44–1 | Distillates (petroleum), heavy naphthenic, mixed with steam-cracked petroleum dis- |
| | | | |
| 68475-60-5 | Alkanes, C4-5 | 68477-47-4 | tillates C5-12 fraction Distillates (petroleum), mixed heavy olefin vac- |
| 68475–61–6 | Alkenes, C5, naphtha-raffinate pyrolyzate-de- rived | | uum, heart-cut |
| 68475–70–7 | Aromatic hydrocarbons, C6-8, naphtha-raf- finate pyrolyzate-derived | 68477–48–5 | Distillates (petroleum), mixed heavy olefin vac- uum, low-boiling |
| 68475–79–6 | Distillates (petroleum), catalytic reformed depentanizer | 68477–53–2 | Distillates (petroleum), steam-cracked, C5-12 fraction |
| 68475–80–9 | Distillates (petroleum), light steam-cracked naphtha | 68477–54–3 | Distillates (petroleum), steam-cracked, C8-12 fraction |
| 68476-26-6 | Fuel gases | 68477-55-4 | Distillates (petroleum), steam-cracked, C5-10 |
| 68476–28–8 | Fuel gases, C6-8 catalytic reformer | | fraction, mixed with light steam-cracked pe- |
| 68476–29–9 | Fuel gases, crude oil distillates | | troleum naphtha C5 fraction |
| 68476–30–2 | Fuel oil, no. 2 | 68477–58–7 | Distillates (petroleum), steam-cracked petro- |
| 68476–31–3 | Fuel oil, no. 4 | | leum distillates, C5-18 fraction |
| 68476–32–4 | Fuel oil, residues-straight-run gas oils, high- sulfur | 68477–59–8 | Distillates (petroleum), steam-cracked petro- leum distillates cyclopentadiene conc. |
| 68476-33-5 | Fuel oil, residual | 68477–60–1 | Extracts (petroleum), cold-acid |
| 68476–34–6 | Fuels, diesel, no. 2 | 68477–61–2 | Extracts (petroleum), cold-acid, C4-6 |
| 68476-39-1 | Hydrocarbons, alipharomC4-5-olefinic | 68477–62–3 | Extracts (petroleum), cold-acid, C3-5, butene- |
| 68476-40-4 | Hydrocarbons, C3-4 | | rich |
| 68476-42-6 | Hydrocarbons, C4-5 | 68477–63–4 | Extracts (petroleum), reformer recycle |
| 68476–43–7 | Hydrocarbons, C4-6, C5-rich | 68477–64–5 | Gases (petroleum), acetylene manuf. off |
| 68476–44–8 | Hydrocarbons, C>3 | 68477-65-6 | Gases (petroleum), amine system feed |
| 68476–45–9 | Hydrocarbons, C5-10 arom. conc., ethylene- manufby-product | 68477–66–7 | Gases (petroleum), benzene unit hydrodesulfurizer off |
| 68476-46-0 | Hydrocarbons, C3-11, catalytic cracker dis- tillates | 68477–67–8 | Gases (petroleum), benzene unit recycle, hy- drogen-rich |
| 68476–47–1 68476–49–3 | Hydrocarbons, C2-6, C6-8 catalytic reformer Hydrocarbons, C2-4, C3-rich | 68477–68–9 | Gases (petroleum), blend oil, hydrogen-nitro- gen-rich |
| 68476-50-6 | Hydrocarbons, C≥5, C5-6-rich | 68477-69-0 | Gases (petroleum), butane splitter overheads |
| 68476–52–8 | Hydrocarbons, C4, ethylene-manufby-product | 68477-70-3 | Gases (petroleum), C2-3 |
| 68476-53-9 | Hydrocarbons, C≥20, petroleum wastes | 68477-71-4 | Gases (petroleum), catalytic-cracked gas oil |
| 68476-54-0 | Hydrocarbons, C3-5, polymn. unit feed | 004/7-/1-4 | depropanizer bottoms, C4-rich acid-free |
| 68476-55-1 | Hydrocarbons, C5-rich | 68477-72-5 | Gases (petroleum), catalytic-cracked naphtha |
| 68476-56-2 | Hydrocarbons, cyclic C5 and C6 | 004/1-12-3 | debutanizer bottoms, C3-5-rich |
| 68476-77-7 | Lubricating oils, refined used | 68477-73-6 | Gases (petroleum), catalytic cracked naphtha |
| 68476–81–3 | Paraffin waxes and Hydrocarbon waxes, | | depropanizer overhead, C3-rich acid-free |
| 00470 04 0 | oxidized, calcium salts | 68477-74-7 | Gases (petroleum), catalytic cracker |
| 68476-84-6 | Petroleum products, gases, inorg. | 68477-75-8 | Gases (petroleum), catalytic cracker, C1-5-rich |
| 68476-85-7 | Petroleum gases, liquefied | 68477–76–9 | Gases (petroleum), catalytic polymd. naphtha |
| 68476-86-8 | Petroleum gases, liquefied, sweetened | 00477 77 0 | stabilizer overhead, C2-4-rich |
| 68477–25–8 | Waste gases, vent gas, C1-6 | 68477–77–0 | Gases (petroleum), catalytic reformed naphtha |
| 68477–26–9 68477–29–2 | Wastes, petroleum Distillates (petroleum), catalytic reformer | 68477-79-2 | stripper overheads Gases (petroleum), catalytic reformer, C1-4- |
| 68477–30–5 | fractionator residue, high-boiling Distillates (petroleum), catalytic reformer fractionator residue, intermediate-boiling | 68477–80–5 | rich Gases (petroleum), C6-8 catalytic reformer recycle |
| 68477–31–6 | Distillates (petroleum), catalytic reformer | 68477-81-6 | Gases (petroleum), C6-8 catalytic reformer |
| 68477–33–8 | fractionator residue, low-boiling Gases (petroleum), C3-4, isobutane-rich | 68477–82–7 | Gases (petroleum), C6-8 catalytic reformer recycle, hydrogen-rich |
| 68477–34–9 | Distillates (petroleum), C3-5, 2-methyl-2- butene-rich | 68477–83–8 | Gases (petroleum), C3-5 olefinic-paraffinic alkylation feed |
| 68477–35–0 | Distillates (petroleum), C3-6, piperylene-rich | 68477-84-9 | Gases (petroleum), C2-return stream |
| 68477–36–1 | Distillates (petroleum), cracked steam-cracked, | 68477–85–0 | Gases (petroleum), C4-rich |
| 00477-30-1 | C5-18 fraction | 68477–86–1 | Gases (petroleum), deethanizer overheads |
| 68477–38–3 | Distillates (petroleum), cracked steam-cracked | 68477–87–2 | Gases (petroleum), deisobutanizer tower |
| 68477–39–4 | petroleum distillates Distillates (petroleum), cracked stripped steam- cracked petroleum distillates, C8-10 fraction | 68477–88–3 | overheads Gases (petroleum), deethanizer overheads, C3-rich |
| 68477–40–7 | Distillates (petroleum), cracked stripped steam- | 68477-89-4 | Distillates (petroleum), depentanizer overheads |
| 68477–41–8 | cracked petroleum distillates, C10-12 fraction Gases (petroleum), extractive, C3-5, buta- | 68477–90–7 | Gases (petroleum), depropanizer dry, propenerich |
| | diene-butene-rich | 68477-91-8 | Gases (petroleum), depropanizer overheads |
| 68477–42–9 | Gases (petroleum), extractive, C3-5, butene-isobutylene-rich | 68477–92–9 | Gases (petroleum), dry sour, gas-concnunit- off |

CAS NUMBERS OF PARTIALLY EXEMPT CHEMICAL SUBSTANCES TERMED "PETROLEUM PROCESS STREAMS" FOR PURPOSES OF INVENTORY UPDATE REPORTING—Continued

| CAS No. | Product | CAS No. | Product |
|--------------------------|---|--------------------------|---|
| 68477–93–0 | Gases (petroleum), gas concn. reabsorber distn. | 68513-13-3 | Fuel gases, thermal cracked catalytic cracking residue |
| 68477–94–1 | Gases (petroleum), gas recovery plant depropanizer overheads | 68513-14-4 | Gases (petroleum), catalytic reformed straight- run naphtha stabilizer overheads |
| 68477-95-2 | Gases (petroleum), Girbatol unit feed | 68513-15-5 | Gases (petroleum), full-range straight-run |
| 68477-96-3 | Gases (petroleum), hydrogen absorber off | | naphtha dehexanizer off |
| 68477-97-4 | Gases (petroleum), hydrogen-rich | 68513–16–6 | Gases (petroleum), hydrocracking |
| 68478-00-2 | Gases (petroleum), recycle, hydrogen-rich | 00540 47 7 | depropanizer off, hydrocarbon-rich |
| 68478-01-3 | Gases (petroleum), reformer make-up, hydro- gen-rich | 68513–17–7 | Gases (petroleum), light straight-run naphtha stabilizer off |
| 68478-02-4 68478-03-5 | Gases (petroleum), reforming hydrotreater Gases (petroleum), reforming hydrotreater, hy- | 68513-18-8 | Gases (petroleum), reformer effluent high-pressure flash drum off |
| 68478-04-6 | drogen-methane-rich Gases (petroleum), reforming hydrotreater | 68513-19-9 | Gases (petroleum), reformer effluent low-pres- sure flash drum off |
| | make-up, hydrogen-rich | 68513-62-2 | Disulfides, C5-12-alkyl |
| 68478-05-7 | Gases (petroleum), thermal cracking distn. | 68513–63–3 | Distillates (petroleum), catalytic reformed |
| 68478-08-0 | Naphtha (petroleum), light steam-cracked, C5- | 68513-65-5 | straight-run naphtha overheads Butane, branched and linear |
| | fraction, oligomer conc. | 68513-66-6 | Residues (petroleum), alkylation splitter, C4- |
| 68478-10-4 | Naphtha (petroleum), light steam-cracked, debenzenized, C8-16-cycloalkadiene conc. | 68513-67-7 | rich |
| 68478-12-6 | Residues (petroleum), butane splitter bottoms | 68513-68-8 | Residues (petroleum), cyclooctadiene bottoms Residues (petroleum), deethanizer tower |
| 68478-13-7 | Residues (petroleum), catalytic reformer | 68513-69-9 | Residues (petroleum), steam-cracked light |
| | fractionator residue distn. | 68513-74-6 | Waste gases, ethylene oxide absorber-reactor |
| 68478-15-9 | Residues (petroleum), C6-8 catalytic reformer | 68514-15-8 | Gasoline, vapor-recovery |
| 68478-16-0 | Residual oils (petroleum), deisobutanizer tower | 68514-29-4 | Hydrocarbons, amylene feed debutanizer |
| 68478–17–1 | Residues (petroleum), heavy coker gas oil and | | overheads nonextractable raffinates |
| 68478-18-2 | vacuum gas oil Residues (petroleum), heavy olefin vacuum | 68514–31–8 | Hydrocarbons, C1-4 |
| 68478-19-3 | Residues (petroleum), neavy oleim vacuum Residual oils (petroleum), propene purifn. split- | 68514-32-9 | Hydrocarbons, C10 and C12, olefin-rich |
| 00.70 .0 0 | ter | 68514-33-0 68514-34-1 | Hydrocarbons, C12 and C14, olefin-rich Hydrocarbons, C9-14, ethylene-manufby- |
| 68478–20–6 | Residues (petroleum), steam-cracked petro- leum distillates cyclopentadiene conc., C4- | | product |
| | cyclopentadiene-free | 68514–35–2 68514–38–5 | Hydrocarbons, C14-30, olefin-rich Hydrocarbons, C4-10-unsatd. |
| 68478-22-8 | Tail gas (petroleum), catalytic cracked naphtha | 68514-36-3 | Hydrocarbons, C1-4, sweetened |
| | stabilization absorber | 68514-37-4 | Hydrocarbons, C4-5-unsatd. |
| 68478-24-0 | Tail gas (petroleum), catalytic cracker, catalytic | 68514-79-4 | Petroleum products, hydrofiner-powerformer |
| | reformer and hydrodesulfurizer combined | | reformates |
| 00470 05 4 | fractionater | 68515-25-3 | Benzene, C1-9-alkyl derivs. |
| 68478–25–1 | Tail gas (petroleum), catalytic cracker re- | 68515–26–4 | Benzene, di-C12-14-alkyl derivs. |
| 60470 06 0 | fractionation absorber | 68515–27–5 | Benzene, di-C10-14-alkyl derivs., fractionation |
| 68478–26–2 | Tail gas (petroleum), catalytic reformed naph- tha fractionation stabilizer | 00545 00 0 | overheads, heavy ends |
| 68478-27-3 | Tail gas (petroleum), catalytic reformed naph- | 68515–28–6 | Benzene, di-C10-14-alkyl derivs., fractionation overheads, light ends |
| 69479 29 4 | tha separator Tail gas (petroleum), catalytic reformed naph- | 68515–29–7 | Benzene, di-C10-14-alkyl derivs., fractionation |
| 68478–28–4 | tha stabilizer | 00545 00 0 | overheads, middle cut |
| 68478-29-5 | Tail gas (petroleum), cracked distillate | 68515-30-0 68515-32-2 | Benzene, mono-C20-48-alkyl derivs. Benzene, mono-C12-14-alkyl derivs., fraction- |
| 00470 00 0 | hydrotreater separator | | ation bottoms |
| 68478–30–8 | Tail gas (petroleum), hydrodesulfurized | 68515–33–3 | Benzene, mono-C10-12-alkyl derivs., fraction- |
| 68478-32-0 | straight-run naphtha separator Tail gas (petroleum), saturate gas plant mixed | 68515-34-4 | ation bottoms, heavy ends Benzene, mono-C12-14-alkyl derivs., fraction- |
| 68478-33-1 | stream, C4-rich Tail gas (petroleum), saturate gas recovery | 68515–35–5 | ation bottoms, heavy ends Benzene, mono-C10-12-alkyl derivs., fraction- |
| | plant, C1-2-rich | 30313-03-3 | ation bottoms, light ends |
| 68478–34–2 | Tail gas (petroleum), vacuum residues thermal cracker | 68515-36-6 | Benzene, mono-C12-14-alkyl derivs., fraction- ation bottoms, light ends |
| 68512-61-8 | Residues (petroleum), heavy coker and light vacuum | 68516-20-1 | Naphtha (petroleum), steam-cracked middle arom. |
| 68512-62-9 | Residues (petroleum), light vacuum | 68526-52-3 | Alkenes, C6 |
| 68512-78-7 | Solvent naphtha (petroleum), light arom., | 68526-53-4 | Alkenes, C6-8, C7-rich |
| | hydrotreated | 68526-54-5 | Alkenes, C7-9, C8-rich |
| 68512-91-4 | Hydrocarbons, C3-4-rich, petroleum distillates | 68526-55-6 | Alkenes, C8-10, C9-rich |
| 68513-02-0 | Naphtha (petroleum), full-range coker | 68526-56-7 | Alkenes, C9-11, C10-rich |
| 68513-11-1 | Fuel gases, hydrotreater fractionation, | 68526-57-8 | Alkenes, C10-12, C11-rich |
| | scrubbed | 68526-58-9 | Alkenes, C11-13, C12-rich |
| 68513-12-2 | Fuel gases, saturate gas unit fractionater-ab- | 68526-77-2 | Aromatic hydrocarbons, ethane cracking scrub- |
| | sorber overheads | | ber effluent and flare drum |
| | | | |

CAS NUMBERS OF PARTIALLY EXEMPT CHEMICAL SUBSTANCES TERMED "PETROLEUM PROCESS STREAMS" FOR PURPOSES OF INVENTORY UPDATE REPORTING—Continued

| CAS No. | Product | CAS No. | Product |
|--------------------------|---|--------------------------|---|
| 68526-99-8 | Alkenes, C6-9 .alpha | 68606-24-6 | Hydrocarbons, C4, butene concentrator by- |
| 68527-00-4 | Alkenes, C8-9 .alpha | | product |
| 68527-11-7 | Alkenes, C5 | 68606-25-7 | Hydrocarbons, C2-4 |
| 68527–13–9 | Gases (petroleum), acid, ethanolamine scrub- | 68606-26-8 | Hydrocarbons, C3 |
| 00507 44 0 | ber | 68606–27–9 68606–28–0 | Gases (petroleum), alkylation feed |
| 68527-14-0 68527-15-1 | Gases (petroleum), methane-rich off | 00000-20-0 | Hydrocarbons, C5 and C10-aliph. and C6-8-arom. |
| 68527-15-1 | Gases (petroleum), oil refinery gas distn. off Hydrocarbons, C1-3 | 68606-31-5 | Hydrocarbons, C3-5, butadiene purifn. by-prod- |
| 68527-18-4 | Gas oils (petroleum), steam-cracked | 00000 01 0 | uct |
| 68527-19-5 | Hydrocarbons, C1-4, debutanizer fraction | 68606-34-8 | Gases (petroleum), depropanizer bottoms frac- |
| 68527-21-9 | Naphtha (petroleum), clay-treated full-range | | tionation off |
| | straight-run | 68606-36-0 | Hydrocarbons, C5-unsatd. rich, isoprene purifn. |
| 68527–22–0 | Naphtha (petroleum), clay-treated light straight- | | by-product |
| | run | 68607-11-4 | Petroleum products, refinery gases |
| 68527–23–1 | Naphtha (petroleum), light steam-cracked arom. | 68607–30–7 68608–56–0 | Residues (petroleum), topping plant, low-sulfur Waste gases, from carbon black manuf. |
| 68527–26–4 | Naphtha (petroleum), light steam-cracked, | 68647-60–9 | Hydrocarbons, C>4 |
| 00027 20 4 | debenzenized | 68647-61-0 | Hydrocarbons, C4-5, tert-amylene concentrator |
| 68527-27-5 | Naphtha (petroleum), full-range alkylate, bu- | | by-product |
| | tane-contg. | 68647–62–1 | Hydrocarbons, C4-5, butene concentrator by- |
| 68553-00-4 | Fuel oil, no. 6 | 00050 00 0 | product, sour |
| 68553-14-0 | Hydrocarbons, C8-11 | 68650–36–2 68650–37–3 | Aromatic hydrocarbons, C8, o-xylene-lean Paraffin waxes (petroleum), oxidized, sodium |
| 68602-79-9 | Distillates (petroleum), benzene unit | 00000-07-0 | salts |
| 68602-81-3 | hydrotreater dipentanizer overheads Distillates, hydrocarbon resin prodn. higher | 68782-97-8 | Distillates (petroleum), hydrofined lubricating-oil |
| 00002 01 0 | boiling | 68782-98-9 | Extracts (petroleum), clarified oil solvent, con- |
| 68602-82-4 | Gases (petroleum), benzene unit hydrotreater | | densed-ring-aromcontg. |
| | depentenizer overheads | 68782–99–0 | Extracts (petroleum), heavy clarified oil solvent, |
| 68602-83-5 | Gases (petroleum), C1-5, wet | C0700 00 C | condensed-ring-aromcontg. |
| 68602-84-6 | Gases (petroleum), secondary absorber off, | 68783-00-6 | Extracts (petroleum), heavy naphthenic dis- tillate solvent, arom. conc. |
| | fluidized catalytic cracker overheads | 68783-01-7 | Extracts (petroleum), heavy naphthenic dis- |
| 68602–96–0 | fractionater Distillates (petroleum), oxidized light, strong | | tillate solvent, paraffinic conc. |
| 00002-90-0 | acid components, compds. with | 68783-02-8 | Extracts (petroleum), intermediate clarified oil |
| | diethanolamine | | solvent, condensed-ring-aromcontg. |
| 68602-97-1 | Distillates (petroleum), oxidized light, strong | 68783-04-0 | Extracts (petroleum), solvent-refined heavy |
| | acid components, sodium salts | 68783-05-1 | paraffinic distillate solvent Gases (petroleum), ammonia-hydrogen sulfide, |
| 68602–98–2 | Distillates (petroleum), oxidized light, strong | 00703-03-1 | water-satd. |
| 00000 00 0 | acid components | 68783-06-2 | Gases (petroleum), hydrocracking low-pressure |
| 68602–99–3 | Distillates (petroleum), oxidized light, strong acid-free | | separator |
| 68603-00-9 | Distillates (petroleum), thermal cracked naph- | 68783-07-3 | Gases (petroleum), refinery blend |
| | tha and gas oil | 68783-08-4 | Gas oils (petroleum), heavy atmospheric |
| 68603-01-0 | Distillates (petroleum), thermal cracked naph- | 68783-09-5 | Naphtha (petroleum), catalytic cracked light distd. |
| | tha and gas oil, C5-dimer-contg. | 68783-12-0 | Naphtha (petroleum), unsweetened |
| 68603-02-1 | Distillates (petroleum), thermal cracked naph- | 68783-13-1 | Residues (petroleum), coker scrubber, con- |
| 00000 00 0 | tha and gas oil, dimerized | | densed-ring-aromcontg. |
| 68603-03-2 | Distillates (petroleum), thermal cracked naph- tha and gas oil, extractive | 68783-15-3 | Alkenes, C6-7 .alpha |
| 68603-08-7 | Naphtha (petroleum), aromcontg. | 68783-61-9 | Fuel gases, refinery, sweetened |
| 68603-09-8 | Hydrocarbon waxes (petroleum), oxidized, cal- | 68783–62–0 68783–64–2 | Fuel gases, refinery, unsweetened Gases (petroleum), catalytic cracking |
| | cium salts | 68783-65-3 | Gases (petroleum), C2-4, sweetened |
| 68603-10-1 | Hydrocarbon waxes (petroleum), oxidized, Me | 68783-66-4 | Naphtha (petroleum), light, sweetened |
| | esters, barium salts | 68814-47-1 | Waste gases, refinery vent |
| 68603–11–2 | Hydrocarbon waxes (petroleum), oxidized, Me | 68814–67–5 | Gases (petroleum), refinery |
| 68603-12-3 | esters, calcium salts | 68814–89–1 | Extracts (petroleum), heavy paraffinic dis- |
| 00003-12-3 | Hydrocarbon waxes (petroleum), oxidized, Me esters, sodium salts | 68814-87-9 | tillates, solvent-deasphalted Distillates (petroleum), full-range straight-run |
| 68603-13-4 | Petrolatum (petroleum), oxidized, ester with | 00014 07 3 | middle |
| | sorbitol | 68814-90-4 | Gases (petroleum), platformer products sepa- |
| 68603-14-5 | Residual oils (petroleum), oxidized, calcium | | rator off |
| | salts | 68814-91-5 | Alkenes, C5-9 .alpha |
| 68603–31–6 | Alkenes, C10, tert-amylene concentrator by- | 68855-57-2 | Alkenes, C6-12 .alpha |
| 60600 00 7 | product | 68855-58-3 | Alkenes, C10-16 .alpha |
| 68603–32–7 68606–09–7 | Alkenes, C15-20 .alpha, isomerized Fuel gases, expander off | 68855–59–4 68855–60–7 | Alkenes, C14-18 .alpha Alkenes, C14-20 .alpha |
| 68606-10-0 | Gasoline, pyrolysis, debutanizer bottoms | 68911–58–0 | Gases (petroleum), hydrotreated sour kerosine |
| 68606-11-1 | | 230 00 0 | depentanizer stabilizer off |
| | | | • |

CAS NUMBERS OF PARTIALLY EXEMPT CHEMICAL SUBSTANCES TERMED "PETROLEUM PROCESS STREAMS" FOR PURPOSES OF INVENTORY UPDATE REPORTING—Continued

| VENTON | O BATE TIES OTTING | VENTON | O DATE THE OTTING COMMINGO |
|--------------------------|---|------------|---|
| CAS No. | Product | CAS No. | Product |
| 68911–59–1 | Gases (petroleum), hydrotreated sour kerosine flash drum | 68955–27–1 | Distillates (petroleum), petroleum residues vac- |
| 68915–96–8 68915–97–9 | Distillates (petroleum), heavy straight-run Gas oils (petroleum), straight-run, high-boiling | 68955–28–2 | Gases (petroleum), light steam-cracked, buta- diene conc. |
| 68918-69-4 | | COOFF 04 7 | |
| | Petrolatum (petroleum), oxidized, zinc salt | 68955-31-7 | Gases (petroleum), butadiene process, inorg. |
| 68918-73-0 | Residues (petroleum), clay-treating filter wash | 68955–32–8 | Natural gas, substitute, steam-reformed |
| 68918–93–4 | Paraffin waxes and Hydrocarbon waxes, | | desulfurized naphtha |
| 68918-98-9 | oxidized, alkali metal salts Fuel gases, refinery, hydrogen sulfide-free | 68955–33–9 | Gases (petroleum), sponge absorber off, fluid- ized catalytic cracker and gas oil desulfurizer |
| 68918-99-0 | Gases (petroleum), crude oil fractionation off | | overhead fractionation |
| 68919-00-6 | Gases (petroleum), dehexanizer off | 68955-34-0 | Gases (petroleum), straight-run naphtha cata- |
| 68919-01-7 | Gases (petroleum), distillate unifiner | | lytic reformer stabilizer overhead |
| | desulfurization stripper off | 68955–35–1 | Naphtha (petroleum), catalytic reformed |
| 68919–02–8 | Gases (petroleum), fluidized catalytic cracker | 68955–36–2 | Residues (petroleum), steam-cracked, resinous |
| | fractionation off | 68955-76-0 | Aromatic hydrocarbons, C9-16, biphenyl deriv |
| 68919-03-9 | Gases (petroleum), fluidized catalytic cracker | | rich |
| | scrubbing secondary absorber off | 68955-96-4 | Disulfides, dialkyl and di-Ph, naphtha sweet- |
| 68919-04-0 | Gases (petroleum), heavy distillate | | ening |
| 000.0 0. 0 | hydrotreater desulfurization stripper off | 68956-47-8 | Fuel oil, isoprene reject absorption |
| 68919-05-1 | Gases (petroleum), light straight run gasoline | 68956-48-9 | Fuel oil, residual, wastewater skimmings |
| 00313-03-1 | fractionation stabilizer off | | |
| 00040 00 0 | | 68956-52-5 | Hydrocarbons, C4-8 |
| 68919-06-2 | Gases (petroleum), naphtha unifiner | 68956-54-7 | Hydrocarbons, C4-unsatd. |
| | desulfurization stripper off | 68956-55-8 | Hydrocarbons, C5-unsatd. |
| 68919–07–3 | Gases (petroleum), platformer stabilizer off, | 68956–70–7 | Petroleum products, C5-12, reclaimed, waste- |
| | light ends fractionation | | water treatment |
| 68919-08-4 | Gases (petroleum), preflash tower off, crude | 68988-79-4 | Benzene, C10-12-alkyl derivs., distn. residues |
| | distn. | 68988-99-8 | Phenols, sodium salts, mixed with sulfur com- |
| 68919-09-5 | Gases (petroleum), straight-run naphtha cata- | | pounds, gasoline alk. scrubber residues |
| | lytic reforming off | 68989-88-8 | Gases (petroleum), crude distn. and catalytic |
| 68919-10-8 | Gases (petroleum), straight-run stabilizer off | | cracking |
| 68919-11-9 | Gases (petroleum), tar stripper off | 68990-35-2 | Distillates (petroleum), arom., hydrotreated, |
| 68919-12-0 | Gases (petroleum), unifiner stripper off | | dicyclopentadiene-rich |
| 68919-15-3 | Hydrocarbons, C6-12, benzene-recovery | 68991-49-1 | Alkanes, C10-13, aromfree desulfurized |
| 68919-17-5 | Hydrocarbons, C12-20, catalytic alkylation by- | 68991-50-4 | Alkanes, C14-17, aromfree desulfurized |
| | products | 68991–51–5 | Alkanes, C10-13, desulfurized |
| 68919-19-7 | Gases (petroleum), fluidized catalytic cracker | 68991–52–6 | Alkenes, C10-16 |
| 00010 10 7 | splitter residues | 69013–21–4 | Fuel oil, pyrolysis |
| 68919-20-0 | Gases (petroleum), fluidized catalytic cracker | 69029-75-0 | Oils, reclaimed |
| 00010 20 0 | splitter overheads | 69430–33–7 | Hydrocarbons, C6-30 |
| 68919-37-9 | Naphtha (petroleum), full-range reformed | 70024-88-3 | Ethene, thermal cracking products |
| 68920-06-9 | Hydrocarbons, C7-9 | 70528-71-1 | Distillates (petroleum), heavy distillate solvent |
| 68920-07-0 | Hydrocarbons, C<10-linear | 70320-71-1 | ext. heart-cut |
| | | 70528-72-2 | |
| 68920-64-9 | Disulfides, di-C1-2-alkyl | 10320-12-2 | Distillates (petroleum), heavy distillate solvent |
| 68921–07–3 | Distillates (petroleum), hydrotreated light cata- | 70500 70 0 | ext. vacuum overheads |
| 68921-09-5 | lytic cracked | 70528–73–3 | Residues (petroleum), heavy distillate solvent |
| | Distillates (petroleum), naphtha unifiner stripper | 70500 70 0 | ext. vacuum |
| 68921-08-4 | Distillates (petroleum), light straight-run gaso- | 70592-76-6 | Distillates (petroleum), intermediate vacuum |
| | line fractionation stabilizer overheads | 70592-77-7 | Distillates (petroleum), light vacuum |
| 68921–67–5 | Hydrocarbons, ethylene-manufby-product | 70592–78–8 | Distillates (petroleum), vacuum |
| | distn. residues | 70592-79-9 | Residues (petroleum), atm. tower, light |
| 68952–76–1 | Gases (petroleum), catalytic cracked naphtha debutanizer | 70693-00-4 | Hydrocarbon waxes (petroleum), oxidized, so- dium salts |
| 68952-77-2 | Tail gas (petroleum), catalytic cracked distillate | 70693-06-0 | Aromatic hydrocarbons, C9-11 |
| 00002 2 | and naphtha stabilizer | 70913–85–8 | Residues (petroleum), solvent-extd. vacuum |
| 68952-78-3 | Tail gas (petroleum), catalytic | 70310 03 0 | distilled atm. residuum |
| 00332 70 0 | hydrodesulfurized distillate fractionation sta- | 70913-86-9 | Alkanes, C18-70 |
| | 1 | 70955-08-7 | Alkanes, C4-6 |
| COOEO 70 4 | bilizer, hydrogen sulfide-free | | |
| 68952-79-4 | Tail gas (petroleum), catalytic | 70955-09-8 | Alkenes, C13-14 .alpha |
| | hydrodesulfurized naphtha separator | 70955-10-1 | Alkenes, C15-18 .alpha |
| 68952–80–7 | Tail gas (petroleum), straight-run naphtha | 70955-17-8 | Aromatic hydrocarbons, C12-20 |
| | hydrodesulfurizer | 71243–66–8 | Hydrocarbon waxes (petroleum), clay-treated, |
| 68952-81-8 | Tail gas (petroleum), thermal-cracked distillate, | | microcryst., oxidized, potassium salts |
| | gas oil and naphtha absorber | 71302-82-4 | Hydrocarbons, C5-8, Houdry butadiene manuf. |
| 68952-82-9 | Tail gas (petroleum), thermal cracked hydro- | | by-product |
| | carbon fractionation stabilizer, petroleum | 71329-37-8 | Residues (petroleum), catalytic cracking |
| | coking | | depropanizer, C4-rich |
| 68953-80-0 | Benzene, mixed with toluene, dealkylation | 71808-30-5 | Tail gas (petroleum), thermal cracking ab- |
| | product | | sorber |
| | | | |

CAS NUMBERS OF PARTIALLY EXEMPT CHEMICAL SUBSTANCES TERMED "PETROLEUM PROCESS STREAMS" FOR PURPOSES OF INVENTORY UPDATE REPORTING—Continued

| CAS No. | Product | | |
|------------|---|--|--|
| 72230–71–8 | Distillates (petroleum), cracked steam-cracked, C5-17 fraction | | |
| 72623–83–7 | Lubricating oils (petroleum), C>25, hydrotreated bright stock-based | | |
| 72623–84–8 | Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based, contg. solvent deasphalted residual oil | | |
| 72623-85-9 | Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, high-viscosity | | |
| 72623-86-0 | Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | | |
| 72623-87-1 | Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | | |
| 93762-80-2 | Alkenes, C15-18 | | |

- (2) Specific exempted chemical substances—(i) Exemption. EPA has determined that, at this time, the information in §710.52(c)(4) associated with the chemicals listed in paragraph (b)(2)(iv) of this section is of low current interest.
- (ii) Considerations. In making its determination of whether this partial exemption should apply to a particular chemical substance, EPA will consider the totality of information available for the chemical substance in question, including but not limited to, one or more of the following considerations:
- (A) Whether the chemical qualifies or has qualified in past IUR collections for the reporting of the information described in §710.52(c)(4) (i.e., at least one site manufactures 300,000 pounds or more of the chemical).
- (B) The chemical substance's chemical and physical properties or potential for persistence, bioaccumulation, health effects, or environmental effects (considered independently or together).
- (C) The information needs of EPA, other federal agencies, tribes, states, and local governments, as well as members of the public.
- (D) The availability of other complementary risk screening information.
- (E) The availability of comparable processing and use information.
- (F) Whether the potential risks of the chemical substance are adequately managed by EPA or another agency or authority.
- (iii) Amendments. EPA may amend the chemical list in paragraph (b)(2)(iv) of this section on its own initiative or

in response to a request from the public based on EPA's determination of whether the information in \$710.52(c)(4) is of low interest.

- (A) Any person may request that EPA amend the chemical list in paragraph (b)(2)(iv) of this section. Your request must be in writing and must be submitted to the address provided in §710.59(d). Requests must identify the chemical in question, as well as its CAS Number or other chemical identification number as identified in §710.52(c)(3)(i). Your request should provide sufficient information for EPA to determine whether collection of the information in §710.52(c)(4) for the chemical in question is of low interest. In preparing your request, please refer to the considerations outlined in paragraph (b)(2)(ii) of this section. If a request related to a particular chemical is resubmitted, any subsequent request must clearly identify new information contained in the request. EPA may request other information that it believes necessary to evaluate the request. EPA will issue a written response to each request within 120 days of receipt of the request, and will maintain copies of these responses in a public docket that will be established for each reporting cycle.
- (B) As needed, the Agency will initiate rulemaking to make revisions to the list in paragraph (b)(2)(iv) of this section.
- (C) To assist EPA in reaching a decision regarding a particular request prior to a given reporting year, requests must be submitted to EPA no later than 12 months prior to the start of the reporting year, i.e., by January 1, 2004, or by each January 1 at 4-year intervals thereafter.
- (iv) *List of chemical substances.* EPA has designated the following chemical substances, listed by CAS Number, as partially exempt from reporting under the IUR.

CAS NUMBERS OF PARTIALLY EXEMPT CHEMICAL SUBSTANCES UNDER § 710.46(B)(2)

| CAS No. | Chemical |
|---------|-----------------|
| 50–70–4 | D-Glucitol |
| 50–81–7 | L-Ascorbic acid |
| 50–99–7 | D-Glucose |

CAS NUMBERS OF PARTIALLY EXEMPT CHEMICAL SUBSTANCES UNDER §710.46(B)(2)—Continued

CAS NUMBERS OF PARTIALLY EXEMPT CHEMICAL SUBSTANCES UNDER §710.46(B)(2)—Continued

| Commuca | | Continued | |
|------------------------|---------------------------------------|--------------------------|--|
| CAS No. | Chemical | CAS No. | Chemical |
| 56-87-1 | L-Lysine | 8016-70-4 | Soybean oil, hydro- |
| 57-50-1 | .alphaD-Gluco- | | genated |
| | pyranoside, .betaD- | 8021-99-6 | Charcoal, bone |
| | fructofuranosyl | 8029–43–4 | Syrups, hydrolyzed starch |
| 58-95-7 | 2H-1-Benzopyran-6-ol, | 9004–53–9 | Dextrin |
| | 3,4-dihydro-2,5,7,8- | 9005-25-8 | Starch |
| | tetramethyl-2-[(4R,8R)- | 9050-36-6 | Maltodextrin |
| | 4,8,12- | 11103-57-4 | Vitamin A |
| | trimethyltridecyl]-, ace- | 16291–96–6 | Charcoal |
| =0 00 0 | tate, (2R)- | 26836–47–5 | D-Glucitol, |
| 59-02-9 | 2H-1-Benzopyran-6-ol, | 61789-44-4 | monooctadecanoate Fatty acids, castor-oil |
| | 3,4-dihydro-2,5,7,8- | 61789–97–7 | Tallow |
| | tetramethyl-2-[(4R,8R)- | 61789–99–9 | Lard |
| | 4,8,12- | 64147–40–6 | Castor oil, dehydrated |
| 59–51–8 | trimethyltridecyl]-, (2R)- Methionine | 64755-01-7 | Fatty acids, tallow, cal- |
| 69–65–8 | D-Mannitol | | cium salts |
| 87–79–6 | L-Sorbose | 65996-63-6 | Starch, acid-hydrolyzed |
| 123–94–4 | Octadecanoic acid, 2,3- | 65996–64–7 | Starch, enzyme- |
| 120 01 1 | dihydroxypropyl ester | | _ hydrolyzed |
| 124-38-9 | Carbon dioxide | 67701-01-3 | Fatty acids, C12-18 |
| 137-08-6 | .betaAlanine, N-[(2R)- | 68002–85–7 | Fatty acids, C14-22 and |
| | 2,4-dihydroxy-3,3-di- | 68131–37–3 | C16-22-unsatd. |
| | methyl-1-oxobutyl]-, cal- | 00131-37-3 | Syrups, hydrolyzed starch, dehydrated |
| | cium alt (2:1) | 68188-81-8 | Grease, poultry |
| 142–47–2 | L-Glutamic acid, mono- | 68308-54-3 | Glycerides, tallow mono-, |
| 450 00 4 | sodium salt | 00000 01 0 | di- and tri-, hydro- |
| 150-30-1 | Phenylalanine | | genated |
| 1317–65–3 | Limestone | 68334-00-9 | Cottonseed oil, hydro- |
| 1333–74–0 1592–23–0 | Hydrogen Octadecanoic acid, cal- | | genated |
| 1392-23-0 | cium salt | 68334–28–1 | Fats and glyceridic oils, |
| 7440-37-1 | Argon | | vegetable, hydro- |
| 7440–44–0 | Carbon | 00400 70 7 | genated |
| 7727–37–9 | Nitrogen | 68409-76-7 | Bone meal, steamed |
| 7782–42–5 | Graphite | 68424–45–3 68424–61–3 | Fatty acids, linseed-oil |
| 7782-44-7 | Oxygen | 00424-01-3 | Glycerides, C16-18 and C18-unsatd, mono- and |
| 8001-21-6 | Sunflower oil | | di- |
| 8001-22-7 | Soybean oil | 68425-17-2 | Syrups, hydrolyzed starch, |
| 8001-23-8 | Safflower oil | 00120 17 2 | hydrogenated |
| 8001–26–1 | Linseed oil | 68439-86-1 | Bone, ash |
| 8001-29-4 | Cottonseed oil | 68442-69-3 | Benzene, mono-C10-14- |
| 8001–30–7 | Corn oil | | alkyl derivs. |
| 8001–31–8 | Coconut oil | 68476-78-8 | Molasses |
| 8001-78-3 | Castor oil, hydrogenated | 68514–27–2 | Grease, catch basin |
| 8001-79-4 | Castor oil | 68514-74-9 | Palm oil, hydrogenated |
| 8002-03-7 | Peanut oil | 68525-87-1 | Corn oil, hydrogenated |
| 8002–13–9 8002–43–5 | Rape oil Lecithins | 68648–86–2 | Benzene, C14-16-alkyl |
| 8002-75-3 | Palm oil | 68648-87-3 | derivs. Benzene, C10-16-alkyl |
| 8002-75-3 | Lanolin | 00040-07-3 | derivs. |
| 8016–28–2 | | 68918-42-3 | Soaps, stocks, soya |
| 0010 20 2 | - Laid, 011 | 30010 72 0 | Coapo, otootto, ooya |

CAS NUMBERS OF PARTIALLY EXEMPT CHEMICAL SUBSTANCES UNDER §710.46(B)(2)—Continued

| CAS No. | Chemical |
|-----------------|---|
| 68952–94–3 | Soaps, stocks, vegetable- oil |
| 68989–98–0 | Fats and glyceridic oils, vegetable, residues |
| 73138-67-7 | Lard, hydrogenated |
| 129813–58– 7 | Benzene, mono-C10-13- alkyl derivs. |
| 129813–59– 8 | Benzene, mono-C12-14- alkyl derivs. |
| 129813–60– 1 | Benzene, mono-C14-16- alkyl derivs. |
| | |

(3) Inorganic chemical substances. For purposes of this subpart, an inorganic chemical substance is any chemical substance which does not contain carbon or contains carbon only in the form of carbonato [=CO3], cyano [--CN], cyanato [--OCN], isocyano [--NC], or isocyanato [--NCO] groups or the chalcogen analogues of such groups. During the 2006 submission period, manufacturers are excluded only from the reporting requirements §710.52(c)(4) for inorganic chemical substances. During the 2006 submission period, manufacturers of inorganic chemical substances are not excluded from the other reporting requirements under this part. During submission periods following the 2006 submission period, manufacturers of inorganic chemical substances are subject to all of the reporting requirements in this subpart.

§710.48 Persons who must report.

Except as provided in §§710.49 and 710.50, the following persons are subject to the requirements of this subpart. Persons must determine whether they must report under this section for each chemical substance that they manufacture (including import) at an individual site.

(a) Persons subject to recurring reporting. Any person who manufactured (including imported) for commercial purposes 25,000 lbs. (11,340 kg) or more of a chemical substance described in §710.45 at any single site owned or controlled by that person at any time during calendar year 2005 or during the calendar

year at 4-year intervals thereafter is subject to reporting.

(b) Special provisions for importers. For purposes of this section, the site for a person who imports a chemical substance described in §710.45 is the site of the operating unit within the person's organization which is directly responsible for importing the substance and which controls the import transaction. The import site may in some cases be the organization's headquarters in the United States (see also §710.55(b)).

§710.49 Persons not subject to this subpart.

A person described in §710.48 is not subject to the requirements of this subpart if that person qualifies as a small manufacturer as that term is defined in §704.3 of this chapter. Notwithstanding this exclusion, a person who qualifies as a small manufacturer is subject to this subpart with respect to any chemical substance that is the subject of a rule proposed or promulgated under section 4, 5(b)(4), or 6 of the Act, or is the subject of an order in effect under section 5(e) of the Act, or is the subject of relief that has been granted under a civil action under section 5 or 7 of the Act.

§ 710.50 Activities for which reporting is not required.

A person described in §710.48 is not subject to the requirements of this subpart with respect to any chemical substance described in §710.45 that the person solely manufactured or imported under the following circumstances:

- (a) The person manufactured or imported the chemical substance described in §710.45 solely in small quantities for research and development.
- (b) The person imported the chemical substance described in $\S710.45$ as part of an article.
- (c) The person manufactured the chemical substance described in §710.45 in a manner described in §720.30(g) or (h) of this chapter.

§ 710.52 Reporting information to EPA.

Any person who must report under this subpart, as described in §710.48, must submit the information described