grain-size, rare schlieren, and more abundant, more attenuated inclusions. Age

relation to Lakeview Mountains pluton is ambiguous. Small mass of tonalite

resembling Lakeview Mountains tonalite occurs within the Reinhardt Canyon

pluton near the contact, but is not clear whether it is inclusion or intrusion of Lakeview Mountains rock. Similar appearing tonalite north of Lakeview

Paleozoic?)—Metasedimentary rocks intruded by variable amounts of massive

to foliated granitic rocks. Metamorphic rocks predominate over granitic rocks.

including intercalated biotite schist and quartzite, gneiss containing lesser

amounts of quartzite, hornblende gneiss, marble and associated skarn rock.

Sillimanite is common in biotite schist; garnet is less common. Considered

Paleozoic? based on similarities to Paleozoic and Paleozoic? rocks in southern

Marble—Coarse- and very coarse-grained white and pale gray marble lenses and

layers within biotite schist and gneiss; mappable at 1:24,000 scale. Marble contains minor diopside forsterite, wollastonite, spinel, and graphite.

Undifferentiated, but spatially associated skarns contain wollastonite, idocrase,

REFERENCES

Albright, L.B., 3rd, 1997, Geochronology and invertebrate paleontology of the San Timoteo badlands, southern California: Riverside, University of California, PhD

Dudley, P.H., 1935, Geology of a portion of the Perris block, southern California:

Fraser, D.McC., 1931, Geology of San Jacinto quadrangle south of San Gorgonio

Frick, Childs, 1921, Extinct vertebrate faunas of the badlands of Bautista Creek and

Larsen, E.S., 1948, Batholith and associated rocks of Corona, Elsinore, and San

Matti, J.C., Miller, F.K., Powell, R.E., Kennedy, S.A., and Cossette, P.M., 1997,

Morton, D.M., 1969, The Lakeview Mountains pluton, Southern California

Morton, D.M., 1977, Surface deformation in part of the San Jacinto Valley, southern

Streckeisen, A.L., 1973, Plutonic rocks-Classification and nomenclature

Woodford, A.O., Shelton, J.S., Doehring, D.O., and Morton, R.K., 1971, Pliocene-

Pleistocene history of the Perris block, southern California: Geol. Soc. of

California: U.S. Geological Survey Journal of Research, v. 5, p. 117-124. Morton, D.M., Baird, A.K. and Baird, K, 1969, The Lakeview Mountains pluton,

Geological Society of America Bulletin, v. 80, p. 1553-1564.

batholith, Part I: Petrology and structure: Geol. Soc. of America Bull., v. 80, p.

southern California batholith: Part II, chemical composition and variation:

recommended by the IUGA Subcommission on Systematics of Igneous Rocks:

Pass, California, in Mining in California: California Div. of Mines and Geology

San Timoteo Cañon, southern California: Univ. Calif. Pub. Geol., v.12, p. 277-

Luis Rey quadrangles, southern California: Geol. Soc. of America Mem. 29,

Geologic-polygon attributes for digital geologic-map data bases produced by

the Southern California Areal Mapping Project, version 1.0: U.S. Geological

California Jour. of Mines and Geology. v. 31, no. 4, p. 487-506

Bull., v.27, p. 494-540

Survey Open-File Report 97-860, 248 p.

Geotimes, vol. 18, p. 26-30.


America Bull., v. 82, p. 3421-3448

Mixed metamorphic rocks and granitic rocks (Cretaceous and

Found only north of Lakeview Mountains in Lakeview quadrangle

Mountains is correlated with Reinhardt Canyon pluton

Peninsular Ranges province. Locally subdivided into:



² U.S. Geological Survey

520 N Park Avenue

Tucson, AZ 85719

¹U.S. Geological Survey

University of California Riverside, CA 92521

Department of Earth Sciences

³U.S. Geological Survey

Spokane, WA 99201

904 W Riverside Avenue, Room 202