

updated 13 January 2009

**Division of HIV/AIDS Prevention
Publications
2008**

Names in bold are those of staff or full-time on-site contractors in DHAP whose published affiliation includes (at a minimum) CDC (preferably the published affiliation of a staff member or a contractor specifies the Division of HIV/AIDS Prevention). That is, if a contractor's published affiliation is only the name of the contracting company, that contractor's name is not bolded on this list.

Adjé-Touré C, **Hanson DL**, Talla-Nzussouo N, Borget M-Y, Kouadio LY, Tossou O, Fassinou P, Bissagnene E, Kadio A, Nolan ML, Nkengasong JN. Virologic and immunologic response to antiretroviral therapy and predictors of HIV type 1 drug resistance in children receiving treatment in Abidjan, Côte d'Ivoire. *AIDS Research and Human Retroviruses* 2008;24(7):911-917. doi:10.1089/aid.2007.0264.

Aidoo M, Sawadogo S, Bile EC, Yang C, Nkengasong JN, McNicholl JM. Viral, HLA and T cell elements in cross-reactive immune responses to HIV-1 subtype A, CRF01_AE and CRF02_AG vaccine sequence in Ivorian blood donors. *Vaccine* 2008;26:4830-4839. doi:10.1016/j.vaccine.2008.06.097.

Allen DR, Finlayson T, Abdul-Quader A, Lansky A. The role of formative research in the National HIV Behavioral Surveillance System. *Public Health Reports*. In press.

Amon JJ, **Garfein RS, Ahdieh-Grant L**, Armstrong GL, Ouellet LJ, Latka MH, Vlahov D, Strathdee SA, Hudson SM, Kerndat P, Des Jarlais D, Williams IT. Prevalence of hepatitis C virus infection among injection drug users in the United States, 1994–2004. *Clinical Infectious Diseases* 2008;46:1852-1858. doi:10.1086/588297.

Bartlett JG, **Branson BM**, Fenton K, Hauschild BC, Miller V, Mayer KH. Opt-out testing for human immunodeficiency virus in the United States: progress and challenges [Special Communication]. *JAMA* 2008;300(8):945-951.

Begley EB, Jafa K, Voetsch AC, Heffelfinger JD, Borkowf CB, Sullivan PS. Willingness of men who have sex with men (MSM) in the United States to be circumcised as adults to reduce the risk of HIV infection. *PLoS ONE* 2008;3(7):e2731.

Begley EB, Oster AM, Song B, Lesondak L, Voorhees K, Esquivel M, Merrick RL, Carrel J, Sebesta D, Vergeront J, Shrestha D, **Heffelfinger JD.** Incorporating rapid HIV testing into partner counseling and referral services. *Public Health Reports* 2008;123(suppl 3):126-135.

Behel SK, MacKellar DA, Valleroy LA, Secura GM, Bingham T, Celentano DD, Koblin BA, LaLota M, Shehan D, Torian LV; for the Young Men's Survey Study Group. HIV prevention services received at health care and HIV test providers by young men who have sex with men: an examination of racial disparities. *Journal of Urban Health* 2008;85(5):727-743. doi:10.1007/s11524-008-9303-x.

Bertolli J, Roussel A, Harris J, **Lentine D,** Gable J, Fichtner R, Kauffman J, Landen M, Bryan RT. Surveillance of infectious diseases among American Indians and Alaska Natives. *Journal of Health Disparities Research and Practice* 2008;2(2):121-144.

Bing EG, Bingham T, **Millett GA.** Research needed to more effectively combat HIV among African-American men who have sex with men. *Journal of the National Medical Association* 2008;100(1):52-56.

Bingham TA, Secura GM, **Behel SK,** Bunch JG, Simon PA, **MacKellar DA.** HIV risk factors reported by two samples of male bathhouse attendees in Los Angeles, California, 2001–2002. *Sexually Transmitted Diseases* 2008;35(6):631-636. doi:10.1097/OLQ.0b013e31816b475a.

Bollen LJM, Blanchard K, Kilmarx PH, Chaikummao S, Connolly C, Wasinrapee P, Srivirojana N, Achalapong J, Tappero JW, **McNicholl JM.** No increase in cervicovaginal proinflammatory cytokines after Carraguard use in a placebo-controlled randomized clinical trial. *Journal of Acquired Immune Deficiency Syndromes* 2008;47(2):253-257.

Bollen LJM, Whitehead SJ, Mock PA, Leelawiwat W, Asavapiriyant S, Chalermchokchareonkit A, Vanprapar N, Chotpitayasunondh T, **McNicholl JM,** Tappero JW, Shaffer N, Chuachoowong R. Maternal herpes simplex virus type 2 coinfection increases the risk of perinatal HIV transmission: possibility to further decrease transmission? *AIDS* 2008;22:1169-1176.

Bowles KE, Clark HA, Tai E, Sullivan PS, Song B, Tsang J, Dietz CA, Mir J, Mares-DelGrasso A, Calhoun C, Aguirre D, Emerson C, **Heffelfinger JD.** Implementing rapid HIV testing in outreach and community settings: results from an Advancing HIV Prevention demonstration project conducted in seven U.S. cities. *Public Health Reports* 2008;123(suppl 3):78-85.

Buchacz K, Baker RK, **Moorman AC,** Richardson JT, Wood KC, **Holmberg SD, Brooks JT;** and HIV Outpatient Study (HOPS) Investigators. Rates of hospitalizations and associated diagnoses in a large multisite cohort of HIV patients in the United States, 1994–2005. *AIDS* 2008;22(11):1345-1356.

Buchacz K, Klausner JD, Kerndt PR, Shouse LR, **Onorato I, McElroy PD,** Schwendemann J, Tambe PB, Allen M, Coye F, Kent CK, Park MN, Hawkins K, Samoff E, **Brooks JT.** HIV incidence among men diagnosed with early syphilis in Atlanta, San Francisco, and Los Angeles, 2004 to 2005. *Journal of Acquired Immune Deficiency Syndromes* 2008;47(2):234-240.

Buchacz K, Weidle PJ, Moore D, Were W, Mermin J, Downing R, Kigozi A, Borkowf CB, Ndazima V, Brooks JT. Changes in lipid profile over 24 months among adults on first-line HAART in the Home-Based AIDS Care (HBAC) Program in rural Uganda. *Journal of Acquired Immune Deficiency Syndromes* 2008;47(3):304-311.

Carey JW, Gelaude D. Systematic methods for collecting and analyzing multidisciplinary team-based qualitative data. In: Guest G, MacQueen KM, eds. *Handbook for Team-Based Qualitative Research*. Lanham, MD: AltaMira Press; 2008:227-274.

Carey JW, Mejia R, Bingham T, Ciesielski C, Gelaude D, Herbst JH, Sinunu M, Sey E, Prachand N, Jenkins RA, Stall R. Drug use, high-risk sex behaviors, and increased risk for recent HIV infection among men who have sex with men in Chicago and Los Angeles [published online ahead of print]. *AIDS and Behavior*. doi:10.1007/s10461-008-9403-3.

Centers for Disease Control and Prevention [**Selik RM, Durant T, Peters PJ, Tai E**]. Electronic record linkage to identify deaths among persons with AIDS—District of Columbia, 2000–2005. *MMWR* 2008;57(23):631–634.

Centers for Disease Control and Prevention [**Branson B**]. False-positive oral fluid rapid HIV tests—New York City, 2005–2008. *MMWR* 2008;57(24):660-665.

Centers for Disease Control and Prevention [**Duran D, Usman HR, Beltrami J, Alvarez M, Valleroy LA**]. HIV counseling and testing among Hispanic adolescents and adults—United States and dependent areas, 2005. *MMWR*. In press.

Centers for Disease Control and Prevention [**Campsmith ML, Rhodes P, Hall HI, Green T**]. HIV prevalence estimates—2006. *MMWR* 2008;57(39):1073-1076.

Centers for Disease Control and Prevention [**Duran D, Beltrami J, Stein R, Voetsch A, Branson B**]. Persons tested for HIV—United States, 2006. *MMWR* 2008;57(31):845-849.

Centers for Disease Control and Prevention [**Grohskopf LA, Kilmarx PH**]. Recommendations for postexposure interventions to prevent infection with hepatitis B virus, hepatitis C virus, or human immunodeficiency virus, and tetanus in persons wounded during bombings and similar mass-casualty events—United States, 2008. *MMWR* 2008;57(RR-6):1-21. Copublished by the *MMWR* in *Disaster Medicine and Public Health and Public Health Preparedness*, August 1, 2008, at <http://www.dmphp.org>. doi:10.1097/DMP.0b013e318187ac66.

Centers for Disease Control and Prevention [**Schneider E, Whitmore S, Glynn MK, Dominguez K, Mitsch A, McKenna MT**]. Revised surveillance case definitions for HIV infection among adults, adolescents, and children aged <18 months and for HIV infection and AIDS among children aged 19 months to <13 years—United States, 2008. *MMWR* 2008;57(RR-10):1-8.

Centers for Disease Control and Prevention [**Prejean J, Song R, An Q, Hall HI**]. Subpopulation estimates from the HIV incidence surveillance system—United States, 2006. *MMWR* 2008;57(36):985-989.

Centers for Disease Control and Prevention [**Mitsch A, Hu X, McDavid Harrison K, Durant T**]. Trends in HIV/AIDS diagnoses among men who have sex with men—33 states, 2001–2006. *MMWR* 2008;57(25):681-686.

Clark HA, Bowles KE, Song B, Heffelfinger JD. Implementation of rapid HIV testing programs in community and outreach settings: perspectives from staff at eight community-based organizations in seven U.S. cities. *Public Health Reports* 2008;123(suppl 3):86-93.

Clark J, Lampe MA, Jamieson DJ. Testing women for human immunodeficiency virus infection: who, when, and how? *Clinical Obstetrics and Gynecology* 2008;51(3):507-517.

Cohen MH, Olszewski Y, Webber MP, Blaney N, Garcia P, Maupin R, Nesheim S, Agniel D, **Danner SP, Lampe MA, Bulterys M**. Women identified with HIV at labor and delivery: testing, disclosing, and linking to care challenges. *Maternal and Child Health Journal* 2008;12:578-576. doi:10.1007/s10995-007-0265-5.

Courtenay-Quirk C, Pals SL, Colfax G, McKirnan D, Gooden L, Eroğlu D. (2008). Factors associated with sexual risk behavior among persons living with HIV: gender and sexual identity group differences. *AIDS and Behavior* 2008;12(5):685-694.

Courtenay-Quirk C, Pals SL, Kidder DP, **Henny K**, Emshoff JG. Factors associated with incarceration history among HIV-positive persons experiencing homelessness or imminent risk of homelessness [published online ahead of print]. *Journal of Community Health* 2008. doi:10.1007/s10900-008-9115-7.

Courtenay-Quirk C, Zhang J, Wolitski RJ. Intentional abstinence among homeless and unstably housed persons living with HIV/AIDS [published online ahead of print]. *AIDS and Behavior*. doi:10.2007/s10461-008-9461-6.

Craw JA, Gardner LI, Marks G, Rapp RC, **Bosshart J**, Duffus WA, Rossman A, Coughlin SL, Gruber D, Safford LA, Overton J, Schmitt K. Brief strengths-based case management promotes entry into HIV medical care: results of the Antiretroviral Access Study–II. *Journal of Acquired Immune Deficiency Syndromes* 2008;47(5):597-606.

Crepaz N, Passin WF, Herbst JH, Rama SM, Malow RM, Purcell DW, Wolitski R; and the HIV/AIDS Prevention Research Synthesis (PRS) Team. Meta-analysis of cognitive-behavioral interventions on HIV-positive persons' mental health and immune functioning. *Health Psychology* 2008;27(1):4-14.

Curtis KA, Rudolph DL, Owen SM. Rapid detection of HIV-1 by reverse-transcription, loop-mediated isothermal amplification (RT-LAMP). *Journal of Virological Methods* 2008;151:264-270.

Darbes L, **Crepaz N, Lyles C M, Kennedy G, Zohrabyan L, Rutherford GW.** The efficacy of behavioral interventions in reducing HIV risk behaviors and incident sexually transmitted diseases in heterosexual African Americans. *AIDS* 2008;22(10):1177-1194.

DeLuca JB, Mullins MM, Lyles CM, Crepaz N, Kay L, Thadiparthi S. Developing a comprehensive search strategy for evidence based systematic reviews. *Evidence Based Library and Information Practice* 2008;3(1):3-32.

Desai K, **Sansom SL, Ackers ML, Stewart SR, Hall HI, Hu DJ, Sanders R, Scotton CR, Soorapanth S, Boily M-C, Garnett GP, McElroy PD.** Modeling the impact of HIV chemoprophylaxis strategies among men who have sex with men in the United States: HIV infections prevented and cost-effectiveness. *AIDS* 2008;22(14):1829-1839. doi:10.1097/QAD.0b013e32830e00f5.

Duong YT, Jia H, Lust JA, Garcia AD, Tiffany AJ, Heneine W, Switzer WM. Absence of evidence of HTLV-3 and HTLV-4 in patients with large granular lymphocyte (LGL) leukemia [Short Communication]. *AIDS Research and Human Retroviruses* 2008;24(12):1503-1505. doi:10.1089/aid.2008.0128.

Eshel A, Moore A, Mishra M, Wooster J, **Toledo C, Uhl G, Wright-DeAgüero L.** Community stakeholders' perspectives on the impact of the minority AIDS initiative in strengthening HIV prevention capacity in four communities. *Ethnicity & Health* 2008;13(1):39-54. doi:10.1080/13557850701803155.

Espinoza L, Hall HI, Selik RM, Hu X. Characteristics of HIV infection among Hispanics, United States 2003–2006. *Journal of Acquired Immune Deficiency Syndromes* 2008;49(1):94-101.

Farnham PG, Hutchinson AB, Sansom SL, Branson BM. Comparing the costs of HIV screening strategies and technologies in health-care settings. *Public Health Reports* 2008;123(suppl 3):51-62.

Fichorova RN, Richardson-Harman N, Alfano M, Belec L, Carbonneil C, Chen S, Cosentino L, **Curtis K, Dezzutti CS**, Donoval B, Doncel GF, Donaghay M, Grivel J-C, Guzman E, Hayes M, **Herold B**, Hillier S, Lackman-Smith C, Landay A, Margolis L, Mayer KH, Pasicznyk J-M, Pallansch-Cokonis M, Poli G, Reicheiderfer P, Roberts P, Rodriguez I, Saidi H, Sassi RR, Shattock R, Cummins JE Jr. Biological and technical variables affecting immunoassay recovery of cytokines from human serum and simulated vaginal fluid: a multicenter study. *Analytical Chemistry* 2008;80(12):4741-4751.

Fisher HH, Eke AN, Cance JD, Hawkins SR, Lam WKK. Correlates of HIV-related risk behaviors in African American adolescents from substance-using families: patterns of adolescent-level factors associated with sexual experience and substance use. *Journal of Adolescent Health* 2008;42:161-169. doi:10.1016/j.jadohealth.2007.08.006.

Flys TS, **McConnell MS**, Matovu F, Church JD, Bagenda D, Khaki L, Bakaki P, **Thigpen MC, Eure C, Fowler MG**, Eshleman SH. Nevirapine resistance in women and infants after first versus repeated use of single-dose nevirapine for prevention of HIV-1 vertical transmission. *Journal of Infectious Diseases* 2008;198(4):465-469. doi:10.1086590160.

Forna F, Moore D, Mermin J, **Brooks JT**, Were W, **Buchacz K**, Campbell JD, Downing R, **Borkowf C, Weidle PJ**. Hematologic changes associated with zidovudine following single-drug substitution from stavudine in a home-based AIDS care program in rural Uganda. *Journal of the International Association of Physicians in AIDS Care*. In press.

Friedman MS, Marshal MP, Stall R, Kidder DP, **Henny KD, Courtenay-Quirk C, Wolitski RJ**, Aidala A, Royal S, Holtgrave DR. Associations between substance use, sexual risk taking and HIV treatment adherence among homeless people living with HIV. *AIDS Care*. In press.

Galbraith JS, Stanton B, Boekeloo B, **King W**, Desmond S, Howard D, Black MM, **Carey JW**. Exploring implementation and fidelity of evidence-based behavioral interventions for HIV prevention: lessons learned from the Focus on Kids diffusion case study [published online ahead of print, April 29, 2008]. *Health Education and Behavior*. doi:10.1177/1090198108315366.

García-Lerma JG, Otten RA, Qari SH, Jackson E, **Cong M, Masciotra S, Luo W, Kim C, Adams DR, Monsour M, Lipscomb J, Johnson JA**, Delinsky D, Schinazi RF, **Janssen R, Folks TM, Heneine W**. Prevention of rectal SHIV transmission in macaques by daily or intermittent prophylaxis with emtricitabine and tenofovir. *PLoS Medicine* 2008;5(2):e28.

Gardner LI, Marks G, O'Daniels CM, Wilson TE, Golin C, Wright J, Quinlivan EB, Bradley-Springer L, Thompson M, Raffanti S, Thrun M. Implementation and evaluation of a clinic-based behavioral intervention: positive steps for patients with HIV [published online ahead of print]. *AIDS Patient Care and STDs* 2008;22(8). doi:10.1089/apc.2007.0210.

Gardner LI, Metsch L, Strathdee SA, del Rio C, Mahoney P, Holmberg SD; for the Antiretroviral Treatment and Access Studies (ARTAS) Study Group. Frequency of discussing HIV prevention and care topics with patients with HIV: influence of physician gender, race/ethnicity, and practice characteristics. *Gender Medicine* 2008;5(3):259-269.

Grinstead O, Eldridge G, **MacGowan R**, Morrow K, Seal DW, Sosman J, Zack B; and the Project START Study Group. An HIV, STD, and hepatitis prevention program for young men leaving prison: Project START. *Journal of Correctional Health Care* 2008;14(3):183-196.

Hall HI, An Q, Hutchinson AB, Sansom S. Estimating the lifetime risk of a diagnosis of the HIV infection in 33 states, 2004–2005. *Journal of Acquired Immune Deficiency Syndromes* 2008;49(3):294-297.

Hall HI, Song R, Rhodes P, Prejean J, An Q, Lee LM, Karon J, Brookmeyer R, Kaplan EH, McKenna MT, Janssen RS; for the HIV Incidence Surveillance Group. Estimation of HIV incidence in the United States. *JAMA* 2008;300(5):520-529.

Hart TA, James CA, **Purcell DW**, Farber E. Social anxiety and HIV transmission risk among HIV-seropositive male patients. *AIDS Patient Care and STDs* 2008;22(11):879-886.

Hamel MJ, Greene C, Chiller T, Ouma P, Polyak C, Otieno K, Williamson J, Shi YP, Feikin DR, Marston B, **Brooks JT**, Poe A, Zhou Z, Ochieng B, Mintz E, Slutsker L. Does cotrimoxazole prophylaxis for the prevention of HIV-associated opportunistic infections select for resistant pathogens in Kenyan adults? *American Journal of Tropical Medicine* 2008;79(3):320-330.

Hart CE, Evans-Strickfaden T. HIV-1 entry inhibitors as microbicides. In: Reeves JD, Derdeyn CA, eds. *Entry Inhibitors in HIV Therapy*. Boston: Birkhäuser Verlag AG; 2007:99-117.

Hart TA, James CA, **Purcell DW**, Farber E. Social anxiety and HIV transmission risk among HIV-seropositive men. *AIDS Patient Care and STDs*. In press.

Heffelfinger JD, Sullivan PS, Branson BM, Mastro TD, Purcell DW, Griffiths SD, Romaguera RA, Janssen RS. Advancing HIV Prevention demonstration projects: new strategies for a changing epidemic. *Public Health Reports* 2008;123(suppl 3):5-15.

Herbst JH, Jacobs ED, Finlayson TJ, McKleroy VS, Neumann MS, Crepaz N; for HIV/AIDS Prevention Research Synthesis Team. Estimating HIV prevalence and risk behaviors of transgender persons in the United States: a systematic review. *AIDS and Behavior* 2008;12(1):1-17. doi:10.1007/s10461-007-9299-3.

Hirshfield S, **Wolitski RJ**, Chiasson MA, Remien RH, Humberstone M, Wong T. Screening for depressive symptoms in an online sample of men who have sex with men. *AIDS Care* 2008;20(8):904-910.

Holtgrave DR, **Hall HI**, **Rhodes PH**, **Wolitski RJ**. Updated annual HIV transmission rates in the United States, 1977–2006 [letter] [published online ahead of print]. *Journal of Acquired Immune Deficiency Syndromes*.

Jemmott LW, Jemmott JB, Hutchinson MK, Cederbaum JA, **O’Leary A**. Sexually transmitted infection/HIV risk reduction interventions in clinical practice settings. *Journal of Obstetric, Gynecologic, and Neonatal Nursing* 2008;37:137-145. doi:10.1111/j.1552-6909.2008.00221.x.

Johnson CH, **Bertolli J**, **Reed JB**; and **Never in Care Project**. Identifying and interviewing persons with a recent HIV diagnosis not yet receiving medical care. In: *JSM Proceedings* [Joint Statistical Meetings], Section on Statistics in Epidemiology. Alexandria, VA: American Statistical Association. In press.

Johnson JA, **Li J-F**, **Wei X**, **Lipscomb J**, Irlbeck D, Craig C, **Smith A**, **Bennett DE**, **Monsour M**, Sandstrom P, Lanier ER, **Heneine W**. Minority HIV-1 drug resistance mutations are present in antiretroviral treatment-naïve populations and associate with reduced treatment efficacy. *PLoS Medicine* 2008;5(7):e158.

Johnson WD, Diaz RM, Flanders WD, Goodman M, Hill AN, Holtgrave D, Malow R, McClellan WM. Behavioral interventions to reduce risk for sexual transmission of HIV among men who have sex with men. *Cochrane Database of Systematic Reviews* 2008 July 16;(3):CD001230.

Jones KT, Gray P, Whiteside YO, **Wang T**, Bost D, **Dunbar E**, Foust E, **Johnson WD**. Evaluation of an HIV prevention intervention adapted for Black men who have sex with men. *American Journal of Public Health* 2008;98(6):1043-1050. doi:10.1055/AJPH.2007.120337.

Kapogiannis BG, Soe MM, Nesheim SR, Sullivan KM, Abrams E, Farley J, Palumbo P, **Koenig LJ**, **Bulterys M**. Trends in bacteremia in the pre- and post-highly active antiretroviral therapy era among HIV-infected children in the US Perinatal AIDS Collaborative Transmission Study (1986–2004). *Pediatrics* 2008;121(5):e1229-e1239. doi:10.1542/peds.2007-0871.

Karon JM, **Song R**, Brookmeyer R, Kaplan EH, **Hall HI**. Estimating HIV incidence in the United States from HIV/AIDS surveillance data and biomarker HIV test results. *Statistics in Medicine* 2008;27:4617-4633. doi:10.1002/sim.3144.

Kersh EN, Luo W, Adams DR, Mitchell J, Garcia-Lerma JG, Heneine W, Folks TM, Butera S, Otten RA. No evidence of occult SHIV infection as demonstrated by CD8+ cell depletion after chemoprophylaxis-induced protection from mucosal infection in Rhesus macaques [Short Communication]. *AIDS Research and Human Retroviruses* 2008;24(4):543-546. doi:10.1089/aid.2007.0222.

Kidder DP, Wolitski RJ, Pals SL, Campsmith ML. Housing status and HIV risk behaviors among homeless and housed persons with HIV. *Journal of Acquired Immune Deficiency Syndromes* 2008;49(4):451-455.

King W, Nu'Man J, Fuller TR, Brown M, Smith S, Howell V, Little S, Patrick P, Glover LS. The diffusion of a community-level HIV intervention for women: lessons learned and best practices [published online ahead of print; Report from the CDC]. *Journal of Women's Health* 2008;17(7). doi:10.1089/jwh.2008.1035.

Koenig LJ, Pals SL, Bush TJ, Palmore M, Stratford D, Ellerbrock TV. Randomized controlled trial of an intervention to prevent adherence failure among HIV-infected patients initiating antiretroviral therapy. *Health Psychology* 2008;27(2):159-169.

Koenig LJ, Purcell DW. Update on HIV for mental health practitioners [invited newsletter article]. *National Psychologist* March/April 2008;17(2).

Kumwenda NI, Hoover DR, Mofenson LM, **Thigpen MC**, Kafulafula G, Li Q, Mipando L, Nkanaunena K, Mebrahtu T, Bulterys M, Fowler MG, Taha TE. Extended antiretroviral prophylaxis to reduce breast-milk HIV-1 transmission. *New England Journal of Medicine* 2008;359(2):119-129. doi:10.1056/nejmoa0801941.

Latkin CA, Buchanan AS, Metsch LR, Knight K, Latka MH, **Mizuno Y**, Knowlton AR; Intervention for Seropositive Injectors Research Evaluation Team. Predictors of sharing injection equipment by HIV-seropositive injection drug users. *Journal of Acquired Immune Deficiency Syndromes*. In press.

Lauby JL, **Millett GA**, LaPollo AB, Bond L, Murrill CS, **Marks G.** Sexual risk behaviors of HIV-positive, HIV-negative, and serostatus-unknown black men who have sex with men and women. *Archives of Sexual Behavior* 2008;37:708-719. doi:10.1007/s10508-008-9365-6.

Li A, Varangrat A, Wimonsate W, Chemnasiri T, Sinthuwattanawibool C, Phanuphak P, Jommaroeng R, Vermund S, **van Griensven F.** Sexual behavior and risk factors for HIV infection among homosexual and bisexual men in Thailand [published online ahead of print, August 30, 2008]. *AIDS and Behavior*. doi:10.1007/s10461-008-9448-3.

Lichtenstein KA, Armon C, **Buchacz K**, Chmiel JS, **Moorman AC**, Wood KC, **Holmberg SD**, **Brooks JT**; and the HIV Outpatient Study (HOPS) Investigators. Initiation of antiretroviral therapy at CD4 cell counts ≥ 350 cells/mm³ does not increase incidence or risk of peripheral neuropathy, anemia, or renal insufficiency. *Journal of Acquired Immune Deficiency Syndromes* 2008;47(1):27-35.

Liégeois, F, Lafay B, **Switzer WM**, Locatelli S, Mpoudi-Ngolé E, Loul S, **Heneine W**, Delaporte E, Peeters M. Identification and molecular characterization of new STLV-1 and STLV-3 strains in wild-caught nonhuman primates in Cameroon, *Virology* 2008;371:405-417. doi:10.1016/j.virol.2007.09.037.

Liu S, Worobey M, Li Y, Keele BF, Bibollet-Ruche F, Guo Y, Goepfert PA, Santiago ML, Ndjango J-B N, Neel C, Clifford SL, Sanz C, Kamenya S, Wilson ML, Pusey AE, Gross-Camp N, Boesch C, Smith V, Zamma K, Huffman MA, Mitani JC, Watts DP, Peeters M, Shaw GM, **Switzer WM**, Sharp PM, Hahn BH. Molecular ecology and natural history of simian foamy virus infection in wild-living chimpanzees. *PLoS Pathogens* 2008;4(7):E1000097. doi:10.1371/journal.ppat.1000097.

MacGowan R, **Margolis A**, Richardson-Moore A, **Wang T**, Lalota M, French T, Stodola J, McKeever J, Carrel J, Mullins J, Llanas M, **Griffiths SD**; for the Rapid Testing in Corrections (RTIC) Team. Voluntary rapid human immunodeficiency virus (HIV) testing in jails [published online ahead of print August 23, 2007]. *Sexually Transmitted Diseases* 2007;34(11). doi:10.1097/OLQ.0b013e318148b6b1.

MacKellar DA, Hou S-I, **Behel S**, **Boyett B**, **Miller D**, Sey E, Harawa N, Prachand N, Bingham T, Ciesielski C. Exposure to HIV partner counseling and referral services and notification of sexual partners among persons recently diagnosed with HIV [published online ahead of print, November 1, 2008]. *Sexually Transmitted Diseases*. doi:10.1097/OLQ.0b013e3181d6500.

MacQueen KM, **McLellan-Lemal E**, **Bartholow K**, Milstein B. Team-based codebook development: structure, process, and agreement. In: Guest G, MacQueen KM, eds. *Handbook for Team-Based Qualitative Research*. Lanham, MD: AltaMira Press; 2008:119-136.

Mansergh G, **Flores S**, Koblin B, Hudson S, McKirnan D, Colfax GN; Project MIX Study Group. Alcohol and drug use in the context of anal sex and other factors associated with sexually transmitted infections: results from a multi-city study of high-risk men who have sex with men in the USA. *Sexually Transmitted Infections* 2008;84:509-511. doi:10.1136/sti.2008.031807.

Marhefka SL, **Koenig LJ**, Allison S, Bachanas P, **Bulterys M**, Bettica L, Tepper VJ, Abrams EJ. Family experiences with pediatric antiretroviral therapy: responsibilities, barriers, and strategies for remembering medications. *AIDS Patient Care and STDs* 2008;22(8):637-647. doi:10.1089/apc.2007.0110.

Marks G, Millett GA, Bingham T, Bond L, Lauby J, **Liau A,** Murrill CS, Stueve A. Understanding differences in HIV sexual transmission among Latino and black men who have sex with men: the Brothers y Hermanos Study [published online ahead of print]. *AIDS and Behavior*. doi:10.1007/s10461-008-9380-6.

Marks SM, Murrill C, **Sanchez T, Finlayson T,** Gullin V. Self-reported tuberculosis disease and tuberculin skin testing in the New York City house ballroom community. *American Journal of Public Health* 2008;98(6):1068-1073. doi:10.2105/AJPH.2006.096123.

McDavid Harrison K, Fleming S. Human immunodeficiency virus (HIV) infection. In: Fleming ST, ed. *Managerial Epidemiology*. 2nd ed. Chicago, IL: Health Administration Press; 2008: Chapter 16.

McDavid Harrison K, Kajese T, **Hall HI, Song R.** Risk factor redistribution of the national HIV/AIDS surveillance data: an alternative approach. *Public Health Reports* 2008;123:618-627.

McDavid Harrison K, Ling Q, Song R, Hall HI. County-level socioeconomic status and survival after HIV diagnosis, United States. *Annals of Epidemiology* 2008;18:919-927. doi:10.1016/j.annepidem.2008.09.003.

McLellan-Lemal E. Qualitative data management. In: Guest G, MacQueen KM, eds. *Handbook for Team-Based Qualitative Research*. Lanham, MD: AltaMira Press; 2008:165-188.

McLellan-Lemal E. Transcribing data for team-based research. In: Guest G, MacQueen KM, eds. *Handbook for Team-Based Qualitative Research*. Lanham, MD: AltaMira Press; 2008:101-118.

McNicholl JM, Jensen PE, Boss JM. HLA class II and related genes. In: Kaslow RA, **McNicholl JM,** Hill, AVS, eds. *Genetic Susceptibility to Infectious Disease*. New York: Oxford University Press; 2008.

Mejia R, Jenkins RA, Carey JW, Amaro H, Morrill AC, Krech L, Logan JA, Cranston K. Longitudinal observation of an HIV prevention community planning group (CPG) [published online ahead of print February 26, 2008]. *Health Promotion Practice*. doi:10.1177/1524839907311048.

Metsch LR, Pereyra M, Messinger S, del Rio C, Strathdee SA, Anderson-Mahoney P, Rudy E, **Marks G, Gardner L;** for the Antiretroviral Treatment and Access Study (ARTAS) Study Group. HIV transmission risk behaviors among HIV-infected persons who are successfully linked to care. *Clinical Infectious Diseases* 2008;47(4):577-584. doi:10.1086/590153.

Miller KS, Fasula AM, Dittus P, Wiegand RE, Wyckoff SC, McNair L. Barriers and facilitators to maternal communication with preadolescents about age-relevant sexual topics [published online ahead of print, November 6, 2007]. *AIDS and Behavior*. doi:10.1007/s10461-007-9324-6.

Miller KS, Wyckoff SC, Lin CY, Whitaker DJ, Sukalac T, Fowler MG. Pediatricians' role and practices regarding provision of guidance about sexual risk reduction to parents. *Journal of Primary Prevention* 2008;29:279-291. doi:10.1007/s10935-008-0137-9.

Millett GA, Flores SA, Marks G, Reed JB, Herbst JH. Circumcision status and risk of HIV and sexually transmitted infections among men who have sex with men: a meta-analysis. *JAMA* 300(14):1674-1684. doi:10.1001/jama.300.14.1674.

Mizuno Y, Purcell D, Zhang J, Knowlton A, De Varona M, Arnsten J, Knight K. Predictors of current housing status among HIV-seropositive injection drug users (IDUs): results from a one year study. *AIDS and Behavior*. In press.

Moraes MO, **McNicholl JM**, Huizinga JW, Ottenhoff THM. Cytokine genes I (IL10, IL6, IL4 and the IL1 family). In: Kaslow RA, **McNicholl JM**, Hill AVS, eds. *Genetic Susceptibility to Infectious Disease*. New York: Oxford University Press; 2008.

Murphy HW, **Switzer WM.** Occupational exposure to zoonotic simian retroviruses: health and safety implications for persons working with nonhuman primates. In: Fowler ME, ed. *Zoo and Wild Animal Medicine*. Vol. 6. Philadelphia: WB Saunders; 2008.

Murrill CS, Liu K-I, Gullin V, Colón ER, Dean L, Buckley LA, **Sanchez T, Finlayson TJ**, Torian LV. HIV prevalence and associated risk behaviors in New York City's house ball community. *American Journal of Public Health* 2008;98(6):1074-1080. doi:10.2105/AJPH.2006.108936.

Myint-U A, Bull S, Greenwood GL, **Patterson J**, Rietmeijer CA, Vrungos S, Warner L, Moss J, O'Donnell LN; for the Safe City Study Group. Safe in the city: developing an effective video-based intervention for STD clinic waiting rooms [published online ahead of print]. *Health Promotion Practice*. doi:10.1177/1524839908318830.

Neumann MS, Herbst JH, Guenther-Grey CA. Developing HIV behavioral interventions for men who have sex with men: comparing experiences from the United States and Australia. In: Feldman DA, ed. *AIDS, Culture, and Gay Men*. Gainesville: University Press of Florida. In press.

Nguyen HT, Duc NB, Shrivastava R, Tran TM, Nguyen TA, Thang PH, **McNicholl JM**, Leelawiat W, Chonwattana W, Sidibe K, Fujita M, Luu CMT, Kakkar R, Bennett DE, Kaplan J, Cosimi L, Wolfe MI. HIV drug resistance threshold survey using specimens from voluntary counselling and testing sites in Hanoi, Vietnam. *Antiviral Therapy* 2008(suppl 2):115-121.

O'Leary A, Hatzenbuehler M. Alcohol and HIV/AIDS. In: Korsmeyer P, Kranzler H, eds. *Encyclopedia of Drugs, Alcohol, & Addictive Behavior*. 3rd ed. In press.

O'Leary A, Jemmott L, Jemmott JB. Mediation analysis of an effective sexual risk-reduction intervention for women: the importance of self-efficacy. *Health Psychology* 2008;27(2)(suppl 1):S180-S184.

Owen SM, Yang C, Spira T, Ou CY, Pau CP, Parekh BS, Candal D, Kuehl D, Kennedy MS, Rudolph D, Luo W, Delatorre N, Masciotra S, Kalish ML, Cowart F, Barnett T, Lal R, McDougal JS. Alternative algorithms for human immunodeficiency virus infection diagnosis using tests that are licensed in the United States. *Journal of Clinical Microbiology* 2008;46(5):1588-1595. doi:10.1128/JCM.02196-07.

Painter TM. Connecting the dots: when the risks of HIV/STD infection appear high but the burden of infection is not known—the case of male Latino migrants in the southern United States. *AIDS and Behavior* 2008;12(2):213-226.

Pals SL, Murray DM, Alfana CM, Shadish WR, Hannan PJ, Baker WL. Individually randomized group treatment trials: a critical appraisal of frequently used design and analytic approaches. *American Journal of Public Health* 2008;98(8):1418-1424. doi:10.2105/AJPH.2007.127027.

Patel P, Hanson DL, Sullivan PS, Novak RM, Moorman AC, **Tong TC**, Holmberg SD, **Brooks JT**; for the Adult and Adolescent Spectrum of Disease Project and HIV Outpatient Study Investigators. Incidence of types of cancer among HIV-infected persons compared with the general population of the United States, 1992–2003. *Annals of Internal Medicine* 2008;148(10):728-736.

Peters PJ, Kilmarx PH, Mastro TD. AIDS: global epidemiology. In: Mahy BWJ, Regenmortel MHV, eds. *Encyclopedia of Virology*. 3rd ed. Vol. 1. Oxford: Elsevier; 2008:58-68.

Peters PJ, Moore DM, Mermin J, **Brooks JT**, Downing R, Were W, Kigozi A, **Buchacz K, Weidle PJ**. Antiretroviral therapy improves renal function among HIV-infected Ugandans [published online ahead of print, July 9, 2008]]. *Kidney International*. doi:10.1038/ki.2008.305.

Peters VB, Liu K-L, Robinson L-G, **Dominguez KL**, Abrams EJ, Gill BS, Thomas PA. Trends in perinatal HIV prevention in New York City, 1994–2003. *American Journal of Public Health* 2008;98(10):1857-1864.

Promadej-Lanier N, Srinivasan P, Curtis K, Adams DR, Kim C, Luo W, Jia H, Subbarao S, Otten RA, Butera S. Systemic and mucosal immunological responses during repeated mucosal SHIV_{162P3} challenges prior to and following infection in pigtailed macaques. *Virology* 2008;375:492-503. doi:10.1016/j.virol.2008.01.040.

Purcell DW, Patterson JD, Spikes PS. Childhood sexual abuse experienced by gay and bisexual men: understanding the disparities and interventions to help eliminate them. In: **Wolitski RJ**, Stall R, Valdiserri RO, eds. *Unequal Opportunity: Health Disparities Affecting Gay and Bisexual Men in the United States*. New York: Oxford University Press; 2008:72-96.

Rose MA, Sharpe TT, Raleigh K, Reid L, Foley M, Cleveland J. An HIV/AIDS crisis among African American women: a summary for prevention and care in the 21st century. *Journal of Women's Health* 2008;17(3):321-324.

Royal SW, Kidder DP, Patrabansh S, **Wolitski RJ**, Holtgrave DR, Aidala A, Stall R; for the Housing and Health Study. Factors associated with adherence to highly active antiretroviral therapy in homeless and unstably housed adults living with HIV. *AIDS Care*. In press.

Sanchez TH, Sullivan PS. Expanding the horizons: new approaches to providing HIV testing services in the United States [Guest Editorial]. *Public Health Reports* 2008;123(suppl 3):1-4.

Sansom SL, Anthony MN, Garland WH, Squires KE, Witt MD, Kovacs AA, Larsen RA, Valencia R, **Pals SL, Hader S, Weidle PJ**, Wohl AR. The costs of HIV antiretroviral therapy adherence programs and impact on health care utilization. *AIDS Patient Care and STDs* 2008;22(2):131-138. doi:10.1089/apc.2006.0216.

Schroeder HW, **McNicholl JM.** Immune deficiency disorders. In: Kaslow RA, **McNicholl JM**, Hill AVS, eds. *Genetic Susceptibility to Infectious Disease*. New York: Oxford University Press; 2008.

Schulden JD, Song B, Barros A, Mares-DelGrasso A, Martin CW, Ramirez R, Smith LC, Wheeler DP, **Oster AM, Sullivan PS, Heffelfinger JD.** Rapid HIV testing in transgender communities by community-based organizations in three cities. *Public Health Reports* 2008;123(suppl 3):101-114.

Seal DW, **Margolis AD**, Morrow KM, **Belcher L**, Sosman J, Askew J; and Project START Substudy Group. Substance use and sexual behavior during incarceration among 18- to 29-year old men: prevalence and correlates. *AIDS and Behavior* 2008;12:27-40. doi:10.1007/s10461-007-9217-8.

Shrestha RK, Clark HA, Sansom SL, Song B, Buckendahi H, Calhoun CB, **Hutchinson AB, Heffelfinger JD.** Cost-effectiveness of finding new HIV diagnoses using rapid HIV testing in community-based organizations. *Public Health Reports* 2008;123(suppl 3):94-100.

Shrestha RK, Sansom SL, Richardson-Moore A, French PT, Scalco B, Lalota M, Llanas M, Stodola J, **MacGowan R, Margolis A.** Costs of voluntary rapid HIV testing and counseling in jails in 4 states—Advancing HIV Prevention demonstration project, 2003–2006 [published online ahead of print August 17, 2007]. *Sexually Transmitted Diseases* 2007;34(11). doi:10.1097/OLQ.0b013e318148b69f.

Sifakis F, Hylton JB, Flynn C, Solomon L, **MacKellar DA, Valleroy LV,** Celentano DD. Prevalence of HIV infection and prior HIV testing among young men who have sex with men: The Baltimore Young Men's Survey [published online ahead of print]. *AIDS and Behavior*. doi:10.1007/s10461-007-9317-5.

Sintasath DM, Wolfe ND, LeBreton M, Jia H, **Garcia AD,** Le Doux Diffo J, Tamoufe U, Carr JK, **Folks TM,** Mpoudi-Ngole E, Burke DS, **Heneine W, Switzer WM.** High simian T-lymphotropic virus (STLV) diversity among hunter-collected specimens in Cameroon. *Emerging Infectious Diseases*. In press.

Spikes PS, Purcell DW, Williams K, Chen Y, Ding H, Sullivan PS. Differences in sexual risk behaviors among behaviorally heterosexual, homosexual, and bisexual HIV-positive black men: implications for intervention development. *American Journal of Public Health*. In press.

Stall R, Valdiserri RO, Wolitski RJ. Moving the field forward: a strategic framework to develop health research among MSM communities. In Wolitski RJ, Stall R, Valdiserri RO, eds. *Unequal Opportunity: Health Disparities Affecting Gay and Bisexual Men in the United States*. New York: Oxford University Press; 2008:379-388.

Stratford D, Mizuno Y, Williams K, Courtenay-Quirk C, O'Leary A. Addressing poverty as risk for disease: recommendations from CDC's consultation on microenterprise as HIV prevention. *Public Health Reports* 2008;123:9-20.

Sullivan PS, Hanson DL, Brooks JT. Impact on hemoglobin of starting combination antiretroviral therapy with or without zidovudine in anemic HIV-infected patients. *Journal of Acquired Immune Deficiency Syndromes* 2008;48(2):163-168.

Sullivan PS, Wolitski RJ. HIV infection among gay and bisexual men. In Wolitski RJ, Stall R, Valdiserri RO, eds. *Unequal Opportunity: Health Disparities Affecting Gay and Bisexual Men in the United States*. New York: Oxford University Press; 2008:220-247.

Sumartojo E, Lyles C, Choi K, Clark L, Collins C, **Guenther Grey C, Lin LS,** Peterson JL, Remafedi G; and CITY study team. Prevalence and correlates of HIV testing in a multi-site sample of young men who have sex with men. *AIDS Care* 2008;20(1):1-14.

Sunthornchart S, **Linkins RW**, Natephisarnwanish V, Levine WC, Maneesinthu K, Lolekha R, Tappero JW, Trirat N, Muktier S, Chancharasteng P, Fox K, Donchalermprak S, Vitek C, Supawitkul S. Prevalence of hepatitis B, tetanus, hepatitis A, human immunodeficiency virus and feasibility of vaccine delivery among injecting drug users in Bangkok, Thailand, 2003–2005 [published online ahead of print]. *Addiction Biology*. doi:10.1111/j.1360-0443.2008.02.303.x.

Supapol WB, Remis RS, Raboud J, Millson M, Tappero J, Kaul R, Kulkarni P, McConnell MS, Mock PA, Culnane M, **McNicholl J**, Roongpisuthipong A, Chotpitayasunondh T, Shaffer N, **Butera S**. Reduced mother-to-child transmission of HIV associated with infant but not maternal GB virus C infection. *Journal of Infectious Diseases* 2008;197:1369-1377. doi:10.1086/587488.

Switzer WM, Garcia AD, Yang C, Wright A, Kalish ML, Folks TM, Heneine W. Coinfection with HIV-1 and simian foamy virus in West Central Africa [Brief Report]. *Journal of Infectious Diseases* 2008;197:1389-1393.

Thiede H, Jenkins RA, **Carey JW**, Hutcheson R, Thomas KK, Stall RD, White E, Allen I, **Mejia R**, Golden MR. Determinants of recent HIV infection among Seattle-area men who have sex with men [published online ahead of print May 29, 2008]. *American Journal of Public Health* 2008;98(6). doi:10.2105/AJPH.2006.098582.

Thomas PE, Voetsch AC, Song B, Calloway D, Goode C, Munday L, Nobles J, Sly K, Smith MR, Williams B, Shiloh M, Patterson K, Ward W, **Sullivan PS, Heffelfinger JD**. HIV risk behaviors and testing history in historically black college and university settings. *Public Health Reports* 2008;123(suppl 3):115-125.

van Griensven F, Sanders EJ. Understanding HIV risks among men who have sex with men [editorial]. *Sexually Transmitted Diseases* 2008;35(4):355-356.

Vellozzi C, Brooks JT, Bush TJ, Conley LJ, Henry K, Carpenter CCJ, Overton ET, Hammer J, Wood K, Holmberg SD; and SUN Study Investigators. The study to understand the natural history of HIV and AIDS in the era of effective therapy (SUN Study) [published online ahead of print, December 17, 2008]. *American Journal of Epidemiology*. doi:10.1093/aje/kwn361.

Vlahov D, Wang C, Ompad D, Fuller CM, Caceres W, Ouellet L, Kerndt P, Des Jarlais DC, **Garfein RS**. Mortality risk among recent-onset injection drug users in five U.S. cities. *Substance Use & Misuse* 2008;43:413-428. doi:10.1080/10826080701203013.

Wallace SA, Miller KS, Forehand R. Perceived peer norms and sexual intentions among African American preadolescents. *AIDS Education and Prevention* 2008;20(3):360-369.

Warner L, Klausner JD, Rietmeijer CA, Malotte CK, O'Donnell L, **Margolis AD**, Greenwood GL, Richardson D, Vrungos S, O'Donnell CR, **Borkowf CB**; for Safe in the City Study Group. Effect of a brief video intervention on incident infection among patients attending sexually transmitted disease clinics. *PLoS Medicine* 5(6):e135. doi:10.1371/journal.pmed.0050135.

Webber MP, Demas P, Blaney N, Cohen MH, Carter R, **Lampe M**, **Jamieson D**, Maupin R, Nesheim S, **Bulterys M**. Correlates of prenatal HIV testing in women with undocumented status at delivery. *Maternal and Child Health Journal* 2008;12(4):427-434. doi:10.1007/s10995-007-0257-5.

Weidle PJ, Moore D, Mermin J, **Buchacz K**, Were W, Downing R, Kigozi A, Ndazima V, **Peters P**, **Brooks JT**. Liver enzymes improve over twenty-four months of first-line non-nucleoside reverse transcriptase inhibitor-based therapy in rural Uganda. *AIDS Patient Care and STDs* 2008;22(10):787-795. doi:10.1089/apc.2008.0020.

Weinbaum CM, Lyerla R, **MacKellar DA**, **Valleroy LA**, **Secura GM**, **Behel SK**, Bingham T, Celentano DD, Koblin BA, LaLota M, Shehan DA, Thiede H, Torian LV; for the Young Men's Survey Study Group. The Young Men's Survey phase II: hepatitis B immunization and infection among young men who have sex with men. *American Journal of Public Health* 2008;98(5):839-845. doi:10.21050/AJPH.2006.101915.

Wesolowski LG, **MacKellar DA**, **Ethridge SF**, **Zhu JH**, **Owen M**, **Sullivan PS**; for the Post Marketing Surveillance Team. Repeat confirmatory testing for persons with discordant whole blood and oral fluid rapid HIV test results: findings from post marketing surveillance. *PLoS ONE* 2008;3(2):e1524. doi:10.1371/journal.pone.0001524.

Whitehead SJ, Leelawiwat W, Jeeyapant S, Chaikummao S, Papp J, Kilmarx PH, Markowitz LE, Tappero JW, Chaowanachan T, Uthairavit W, **van Griensven F**. Increase in sexual risk behavior and prevalence of *Chlamydia trachomatis* among adolescents in northern Thailand. *Sexually Transmitted Diseases* 2008;35(10):883-888. doi:10.1097/OLQ.0b013e31817bbc9a.

Wohl AR, Garland WH, Witt MD, Valencia R, Boger A, Squires K, Kovacs A, Larsen R, **Hader S**, **Anthony M**, Frye D, **Weidle PJ**. An adherence-focused case management intervention for HIV-positive patients in a public care setting. *Journal of HIV/AIDS & Social Services*. In press.

Wolfe ND, **Switzer WM**. Primate exposure and the emergence of novel retroviruses. In Huffman MA, Chapman CA, eds. *Primate Parasite Ecology: The Dynamics and Study of Host-Parasite Relationships*. Cambridge: University Press. Cambridge Studies in Biological and Evolutionary Anthropology. In press.

Wolitski RJ, **Pals SL**, Kidder DP, **Courtenay-Quirk C**, Holtgrave DR. The effects of HIV stigma on health, HIV disclosure, and risk behavior of homeless and unstably housed persons living with HIV. *AIDS and Behavior*. In press.

Wolitski RJ, Stall RD, Valdiserri RO, eds. *Unequal Opportunity: Health Disparities Affecting Gay and Bisexual Men in the United States*. New York: Oxford University Press; 2008.

Wolitski RJ, Valdiserri RO, Stall R. Health disparities affecting gay, bisexual, and other men who have sex with men: an introduction. In: Wolitski RJ, Stall R, Valdiserri RO, eds. *Unequal Opportunity: Health Disparities Affecting Gay and Bisexual Men in the United States*. New York: Oxford University Press; 2008:3-32.

Wyckoff SC, **Miller KS**, Forehand R, Bau JJ, **Fasula A**, Long N, Armistead L. Patterns of sexuality communication between preadolescents and their mothers and fathers. *Journal of Child and Family Studies* 2008;17:649-662. doi:10.1007/s10826-007-9179-5.

Youngpairoj AS, **Masciotra S**, Garrido C, Zahonero N, de Mendoza C, **García-Lerma JG**. HIV-1 drug resistance genotyping from dried blood spots stored for 1 year at 4° C. *Journal of Antimicrobial Chemotherapy* 2008;61:1217–1220. doi:10.1093/jac/dkn100.