Appendix

APPENDIX A: FISH SPECIES LIST AND CODES	2
APPENDIX B: INVERTEBRATE SPECIES LIST AND CODES	. 14
APPENDIX C: MARINE MAMMAL AND SEA TURTLE SPECIES LIST AND CODES	. 17
APPENDIX D: SEABIRD SPECIES LIST AND CODES	. 19
APPENDIX E: MISCELLANEOUS LIST AND CODES	. 21
APPENDIX F: CATCH CATEGORIES AND TARGET STRATEGIES	. 22
APPENDIX G: MINOR ROCKFISH SPECIES	. 23
APPENDIX H: WCGOP CODES	
APPENDIX I: RANDOM NUMBER TABLE	. 26
Appendix J: Weights, Measures, and Conversions	
APPENDIX K: PACIFIC HALIBUT LENGTH/WEIGHT TABLE	. 29
APPENDIX L: INJURY KEY FOR TRAWL CAUGHT PACIFIC HALIBUT	. 31
APPENDIX M: INJURY KEY FOR POT CAUGHT PACIFIC HALIBUT	. 32
APPENDIX N: INJURY KEY FOR HOOK & LINE CAUGHT PACIFIC HALIBUT	. 34
APPENDIX O: 50 CFR PART 660 OBSERVER PROGRAM REGULATIONS	. 36
APPENDIX P: 50 CFR PART 600 OBSERVER HEALTH AND SAFETY REGULATIONS	. 48
APPENDIX Q: RADIO COMMUNICATIONS	. 60
APPENDIX R: MATERIAL SAFETY DATA SHEET FOR DMSO	. 64
APPENDIX S: LIST OF OBSERVER-ISSUED EQUIPMENT	. 70
APPENDIX T: CHATTILON FLATBED SCALE CARE AND MAINTENANCE	
APPENDIX U: IMMERSION SUIT CARE AND INSPECTION	
APPENDIX V: CONTACT PHONE NUMBERS	
Appendix W: Processors	
Appendix X: Useful Websites	
Appendix Y: Glossary	. 90
APPENDIX Z: ACKNOWLEDGEMENTS	. 98

1/23/06

Appendix A: Fish Species List and Codes

1226	Abyssal Grenadier	0 1 1
710	•	Coryphaenoides armatus
710	Albacore Tuna	Thunnus alalunga
1237	Aleutian Skate	Bathyraja aleutica
606	American Shad	Alosa sapidissima
605	Anchovy Unid	Engraulididae
141	Arrowtooth Flounder	Atheresthes stomias
204	Atka Mackerel	Pleurogrammus monopterygius
334	Aurora Rockfish	Sebastes aurora
180	Banded Guitarfish	Zapteryx exasperata
337	Bank Rockfish	Sebastes rufus
770	Barracudina Unid	Paralepididae
475	Barred Sand Bass	Paralabrax nebulifer
264	Basketweave Cusk-eel	Ophidion scrippsae
480	Bass Unid	Percichthyidae/Serranidae
561	Bat Ray	Myliobatis californica
185	Bay Pipefish	Syngnathus leptorynchus
252	Bearded Eelpout	Lyconema barbatum
453	Beardless spearnose Poacher	Ganoideus vulsus
1238	Bering Skate	Bathyraja interrupta
550	Big Skate	Raja binoculata
454	Bigeye starnose Poacher	Asterotheca pentacantha
575	Bigeye Thresher Shark	Alopias superciliosus
711	Bigeye Tuna	Thunnus obesus
254	Bigfin Eelpout	Lycodes cortezianus
119	Bigmouth Sole	Hippoglossina stomata
355	Black and Yellow Rockfish	Sebastes chrysomelas
725	Black Croaker	Cheilotrema saturnum
255	Black Eelpout	Lycodes diapterus
850	Black Hagfish	Eptatretus deani
306	Black Rockfish	Sebastes melanops
551	Black Skate	Bathyraja trachura
630	Black Surfperch	Embiotoca jacksoni
256	Blackbelly Eelpout	Lycodopsis pacifica
683	Blackchin Unid	Neoscopelidae
684	Blackdragon Unid	Idiacanthidae

Code	Common Name	Scientific Name
455	Blackedge Poacher	Xeneretmus latifrons
456	Blackfin starnose Poacher	Bathyagonus nigripinnis
319	Blackgill Rockfish	Sebastes melanostomus
257	Blackmouth Eelpout	Lycodapus fierasfer
685	Blacksmith	Chromis punctipinnis
856	Blob Sculpin	Psychrolutes phrictus
316	Blue Rockfish	Sebastes mystinus
69	Blue Shark	Prionace glauca
1241	Bluebarred Prickleback	Plectobranchus evides
712	Bluefin Tuna	Thunnus thynnus
457	Bluespotted Poacher	Xeneretmus triacanthus
302	Bocaccio Rockfish	Sebastes paucispinus
1219	Bonito (Shortfin Mako) Shark	Isurus oxyrinchus
687	Bristlemouth Unid	Gonostomatidae
356	Bronzespotted Rockfish	Sebastes gilli
68	Brown Cat Shark	Apristurus brunneus
408	Brown Irish Lord Sculpin	Hemilepidotus spinosus
332	Brown Rockfish	Sebastes auriculatus
576	Brown Smoothhound Shark	Mustelus henlei
409	Buffalo Sculpin	Enophrys bison
410	Bull Sculpin	Enophrys taurina
198	Bullet Mackerel	Auxis rochei
109	Butter Sole	Pleuronectes isolepis
1234	Butterfly Ray	Gymnura marmorata
689	Cabezon	Scorpaenichthys marmoratus
357	Calico Rockfish	Sebastes dalli
631	Calico Surfperch	Amphistichus koelzi
682	California Barracuda	Sphyraena argentea
692	California Corbina	Menticirrhus undulatus
1225	California Grenadier	Nezumia stelgidolepis
124	California Halibut	Paralichthys californicus
151	California Lizardfish	Synodus lucioceps
1212	California Moray	Gymnothorax mordax
423	California Scorpionfish	Scorpaena guttata
794	California Sheephead	Semicossyphus pulcher
552	California Skate	Raja inornata

Appendix A: Fish Species List and Codes

Code	Common Name	Scientific Name
160	California Slickhead	Alepocephalus tenebrosus
113	California Tonguefish	Symphurus atricauda
314	Canary Rockfish	Sebastes pinniger
604	Capelin	Mallotus villosus
870	Cat Unid Shark	Scyliorhinidae
358	Chameleon Rockfish	Sebastes phillipsi
325	Chilipepper Rockfish	Sebastes goodei
359	China Rockfish	Sebastes nebulosus
118	C-O (C-O Turbot) Sole	Pleuronichthys coenosus
1210	Combfish Unid	Zaniolepididae
577	Common Thresher Shark	Alopias vulpinus
327	Copper Rockfish	Sebastes caurinus
360	Cowcod Rockfish	Sebastes levis
1221	Crested Bigscale	Poromitra crassiceps
727	Croaker Unid	Sciaenidae
117	Curlfin Turbot	Pleuronichthys decurrens
262	Cusk-eel Unid	Ophidiidae
227	Cutthroat Trout	Oncorhynchus clarkii
679	Daggertooth	Anotopterus pharao
311	Darkblotched Rockfish	Sebastes crameri
899	Decomposed Fish	Decomposed fish
609	Deepbody Anchovy	Anchoa compressa
553	Deepsea Skate	Bathyraja abyssicola
693	Deepsea smelt Unid	Bathylagidae
110	Deepsea Sole	Embassichthys bathybius
559	Diamond Stingray	Dasyatis dipterura
121	Diamond Turbot	Hypsopsetta guttulata
221	Dog (Chum) Salmon	Oncorhynchus keta
578	Dogfish Unid Shark	Squalus sp.
228	Dolly Varden	Salvelinus malma
694	Dolphinfish	Coryphaena hippurus
107	Dover Sole	Microstomus pacificus
1216	Dusky Sculpin	Icelinus burchami
783	Dwarf Wrymouth	Cryptacanthodes aleutensis
361	Dwarf-red Rockfish	Sebastes rufianus
250	Eelpout Unid	Zoarcidae gnn.

Code	Common Name	Scientific Name
108	English Sole	Pleuronectes vetulus
601	Eulachon	Thaleichthys pacificus
855	Fangtooth	Anoplogaster cornuta
120	Fantail Sole	Xystreurys liolepis
1229	Filamented Grenadier	Coryphaenoides filifer
579	Filetail Cat Shark	Parmaturus xaniurus
854	Finescale Triggerfish	Balistes polylepis
1239	Fine-spined Skate	Bathyraja microtrachys
362	Flag Rockfish	Sebastes rubrivinctus
258	Flatcheek Eelpout	Embryx crotalina
100	Flatfish Unid	Pleuronectiformes
1236	Flathead Skate	Bathyraja rosispinis
103	Flathead Sole	Hippoglossoides elassodon
858	Flying Fish Unid	Exocoetidae
363	Freckled Rockfish	Sebastes lentiginosus
197	Frigate Mackerel	Auxis thazard
411	Fringed Sculpin	Icelinus fimbriatus
853	Garibaldi	Hypsypops rubicundus
1227	Ghostly Grenadier	Coryphaenoides leptolepis
82	Giant Grenadier	Albatrossia pectoralis
740	Giant Kelpfish	Heterostichus rostratus
476	Giant Sea Bass	Stereolepis gigas
760	Giant Wrymouth	Cryptacanthodes giganteus
364	Gopher Rockfish	Sebastes carnatus
365	Grass Rockfish	Sebastes rastrelliger
580	Gray Smoothhound Shark	Mustelus californicus
231	Green Sturgeon	Acipenser medirostris
366	Greenblotched Rockfish	Sebastes rosenblatti
102	Greenland Turbot	Reinhardtius hippoglossoides
390	Greenling Unid	Hexagrammidae
339	Greenspotted Rockfish	Sebastes chlorostictus
313	Greenstriped Rockfish	Sebastes elongates
80	Grenadier Unid	Macrouridae
412	Grunt Sculpin	Rhamphocottus richardsoni
430	Gunnel Unid	Pholidae
695	Hachetfish Unid	Sternoptychidae

Appendix A: Fish Species List and Codes

Code	Common Name	Scientific Name
77	Hagfish Unid	Myxinidae
367	Halfbanded Rockfish	Sebastes semicinctus
697	Halfmoon	Medialuna californiensis
323	Harlequin Rockfish	Sebastes variegatus
368	Honeycomb Rockfish	Sebastes umbrosus
581	Horn Shark	Heterodontus francisci
122	Hornyhead Turbot	Pleuronichthys verticalis
155	Hundred fathom Mora	Physiculus rastrelliger
116	Hybrid Sole	Inopsetta ischyra
175	Jack Smelt	Atherinops californiensis
207	Jackmackerel	Trachurus symmetricus
477	Kelp Bass	Paralabrax clathratus
392	Kelp Greenling	Hexagrammos decagrammus
369	Kelp Rockfish	Sebastes atrovirens
632	Kelp Surfperch	Brachyistius frenatus
742	Kelpfish Unid	Clinidae
222	King (Chinook) Salmon	Oncorhynchus tshawytscha
608	King of the Salmon	Trachipterus altivelis
699	Lancetfish Unid	Alepisauridae
700	Laternfish Unid	Myctophidae
867	Lavender Sculpin	Leiocottus hirundo
582	Leopard Shark	Triakis semifasciata
150	Lightfish Unid	Photichthyidae
603	Lingcod	Ophiodon elongatus
125	Longfin Sanddab	Citharichthys xanthostigma
852	Longnose Cat Shark	Apristurus kampae
785	Longnose Lancetfish	Alepisaurus ferox
554	Longnose Skate	Raja rhina
690	Longspine Combfish	Zaniolepis latipinnis
352	Longspine Thornyhead	Sebastolobus altivelis
152	Loosejaw Unid	Malacosteidae
153	Louvar	Luvarus imperialis
525	Lumpsucker Unid	Cyclopteridae
792	Lumptail Searobin	Prionotus stephanophrys
196	Mackerel Unid	Scombridae
774	Manefish	Caristius macropus

1/23/06

Code	Common Name	Scientific Name
1231	Manta Ray	Mata birostris
154	Medusafish	Icichthys lockingtoni
370	Mexican Rockfish	Sebastes macdonaldi
869	Midshipman (Toadfish) Unid	Batrachoididae
259	Midwater Eelpout	Melanostigma pammelas
810	Mola Mola (Sunfish)	Mola mola
272	Monkeyface Prickleback	Cebidichthys violaceus
176	Night Smelt	Spirinchus starksi
610	Northern Anchovy	Engraulis mordax
303	Northern Rockfish	Sebastes polyspinis
241	Northern Ronquil	Ronquilis jordani
458	Northern spearnose Poacher	Agonopsis vulsa
798	Ocean Whitefish	Caulolatilus princeps
371	Olive Rockfish	Sebastes serranoides
435	Onespot Fringehead	Neoclinus uninotatus
297	Opah	Lampris gattatus (regious)
157	Opaleye	Girella nigricans
777	Other Id Fish	Fish other id
295	Oxeye Oreo	Allocyttus folletti
583	Pacific Angel Shark	Squatina californica
681	Pacific Argentine	Argentina sialis
686	Pacific Bonito	Sarda chiliensis
688	Pacific Butterfish	Peprilus simillimus
202	Pacific Cod	Gadus macrocephalus
584	Pacific Dogfish Shark	Squalus suckleyi
562	Pacific Electric Ray	Torpedo californica
214	Pacific Flatnose	Antimora microlepis
83	Pacific Grenadier	Coryphaenoides acrolepis
79	Pacific Hagfish	Eptatretus stouti
206	Pacific Hake	Merluccius productus
101	Pacific Halibut	Hippoglossus stenolepis
611	Pacific Herring	Clupea pallasii
75	Pacific Lamprey	Lampetra tridentata
199	Pacific Mackerel	Scomber japonicus
301	Pacific Ocean Perch Rockfish	Sebastes alutus
158	Pacific Pomfret	Brama japonica

Appendix A: Fish Species List and Codes

Code	Common Name	Scientific Name
137	Pacific Sanddab	Citharichthys sordidus
239	Pacific Sandfish	Trichodon trichodon
670	Pacific Sandlance	Ammodytes hexapterus
614	Pacific Sardine	Sardinops sagax
607	Pacific Saury	Cololabis saira
1218	Pacific Scabbardfish	Lepidopus xantusi
62	Pacific Sleeper Shark	Somniosus pacificus
530	Pacific Spiny Lumpsucker	Eumicrotremus orbis
413	Pacific Staghorn Sculpin	Leptocottus armatus
209	Pacific Tom Cod	Microgadus proximus
797	Pacific Viperfish	Chauliodus macouni
394	Painted Greenling	Oxylebius pictus
260	Pallid Eelpout	Lycodapus mandibularis
762	Paperbone Unid	Notosudidae
862	Pelagic Stingray	Dasyatis violacea
585	Pelagic Thresher Shark	Alopias pelagicus
112	Petrale Sole	Eopsetta jordani
633	Pile Surfperch	Rhacochilus vacca
225	Pink (Humpback) Salmon	Oncorhynchus gorbuscha
372	Pink Rockfish	Sebastes eos
634	Pink Surfperch	Zalembius rosaceus
373	Pinkrose Rockfish	Sebastes simulator
664	Plainfin Midshipman	Porichthys notatus
450	Poacher Unid	Agonidae
84	Popeye Grenadier	Coryphaenoides cinereus
750	Prickleback Unid	Stichaeidae
459	Pricklebreast Poacher	Stellerina xyosterna
586	Prickly Shark	Echinorhinus cookei
205	Prowfish	Zaprora silenus
374	Puget Sound Rockfish	Sebastes emphaeus
1242	Purple Brotula	Oligopus diagrammus
460	Pygmy Poacher	Odontopyxis trispinosa
335	Pygmy Rockfish	Sebastes wilsoni
159	Queenfish	Seriphus politus
343	Quillback Rockfish	Sebastes maliger
280	Ragfish	Icosteus aenigmaticus

Code	Common Name	Scientific Name
635	Rainbow Surfperch	Hypsurus caryi
563	Ray Unid	Myliobatoidea
224	Red (Sockeye) Salmon	Oncorhynchus nerka
1215	Red Brotula	Brosmophycis marginata
407	Red Irish Lord Sculpin	Hemilepidotus hemilepidotus
308	Redbanded Rockfish	Sebastes babcocki
324	Redstripe Rockfish	Sebastes proriger
636	Redtail Surfperch	Amphistichus rhodoterus
105	Rex Sole	Errex zachirus
564	Ribbonfish Unid	Trachipteridae
393	Rock Greenling	Hexagrammos lagocephalus
104	Rock Sole	Pleuronectes bilineatus
1213	Rock Wrasse	Halichoeres semicinctus
300	Rockfish Unid	Sebastes
461	Rockhead Poacher	Bothragonus swani
240	Ronquil Unid	Bathymasteridae
309	Rosethorn Rockfish	Sebastes helvomaculatus
312	Rosy Rockfish	Sebastes rosaceus
414	Roughback Sculpin	Chitonotus pugetensis
307	Rougheye Rockfish	Sebastes aleutianus
114	Roughscale Sole	Clidoderma asperrimum
1235	Roughshoulder/Broad Skate	Amblyraja badia
612	Round Herring	Etrumeus teres
560	Round Stingray	Urolophus halleri
200	Roundfish Unid	Roundfish unid.
637	Rubberlip Surfperch	Rhacochilus toxotes
203	Sablefish	Anoplopoma fimbria
1243	Salmon Shark	Lamna ditropis
220	Salmon Unid	Oncorhynchus
115	Sand Sole	Psettichthys melanostictus
136	Sanddab Unid	Citharichthys
555	Sandpaper Skate	Bathyraja kincaidii
436	Sarcastic Fringehead	Neoclinus blanchardi
1217	Sargo	Anisotremus davidsonii
790	Scaleless Dragonfish Unid	Melanostomiidae
791	Scaly Dragonfish Unid	Stomiidae

Appendix A: Fish Species List and Codes

Code	Common Name	Scientific Name
400	Sculpin Unid	Cottidae
375	Semaphore Rockfish	Sebastes melanosema
793	Senorita Senorita	Oxyjulis californica
1220	Sevengill Shark	Notorynchus cepedianus
65	Shark Unid	Squaliformes
304	Sharpchin Rockfish	Sebastes zacentrus
415	Sharpnose Sculpin	Clinocottus acuticeps
638	Shiner Surfperch	Cymatogaster aggregata
318	Shortbelly Rockfish	Sebastes jordani
326	Shortraker Rockfish	Sebastes borealis
354	Shortraker/Rougheye Rockfish	Sebastes Shortraker/Rougheye
691	Shortspine Combfish	Zaniolepis frenata
350	Shortspine Thornyhead	Sebastolobus alascanus
349	Shortspine/ Longspine Thornyhead	Sebastolobus
1222	Shoulderspot Grenadier	Coelorinchus scaphopsis
181	Shovelnose Guitarfish	Rhinobatos productus
223	Silver (Coho) Salmon	Oncorhynchus kisutch
639	Silver Surfperch	Hyperprosopon ellipticum
310	Silvergray Rockfish	Sebastes brevispinus
416	Silverspotted Sculpin	Blepsias cirrhosus
78	Sixgill Shark	Hexanchus griseus
90	Skate Unid	Rajidae
713	Skipjack Tuna	Euthynnus lineatus
860	Slender Codling	Halargyreus johnsonii
111	Slender Sole	Eopsetta exilis
162	Slickhead Unid	Alepocephalidae
417	Slim Sculpin	Radulinus asprellus
270	Smalleye Squaretail	Tetragonurus cuvieri
602	Smelt Unid	Osmeridae
1224	Smooth Grenadier	Nezumia liolepis
857	Smooth Stargazer	Kathetostoma averruncus
462	Smootheye Poacher	Xeneretmus leiops
1233	Smoothtail Mobula	Mobula lucasana
795	Snaggletooth Unid	Astronesthidae
500	Snailfish Unid	Liparis
868	Snakehead Eelpout	Embryx crotalinus

Code	Common Name	Scientific Name
1214	Snipe Unid Eel	Nemichthyidae
186	Snubnose Pipefish	Cosmocampus arctus
263	Soft Eelpout	Bothrocara molle
1223	Softhead Grenadier	Malacocephalus laevis
64	Soupfin Shark	Galeorhinus galeus
463	Southern Spearnose Poacher	Agonopsis sterletus
376	Speckled Rockfish	Sebastes ovalis
126	Speckled Sanddab	Citharichthys stigmaeus
665	Specklefin Midshipman	Porichthys myriaster
1232	Spinetail Mobula	Mobula japanica
66	Spiny Dogfish Shark	Squalus acanthias
464	Spinycheek Starnose Poacher	Asterotheca infraspinata
418	Spinyhead Sculpin	Dasycottus setiger
315	Splitnose Rockfish	Sebastes diploproa
796	Spookfish Unid	Opisthoproctidae
726	Spotfin Croaker	Roncador stearnsi
419	Spotfin Sculpin	Icelinus tenuis
640	Spotfin Surfperch	Hyperprosopon anale
261	Spotted Cusk-eel	Chilara taylori
99	Spotted Ratfish	Hydrolagus colliei
478	Spotted Sand Bass	Paralabrax maculatofasciatus
123	Spotted Turbot	Pleuronichthys ritteri
377	Squarespot Rockfish	Sebastes hopkinsi
142	Starry Flounder	Platichthys stellatus
378	Starry Rockfish	Sebastes constellatus
556	Starry Skate	Raja stellulata
226	Steelhead (Rainbow Trout)	Oncorhynchus mykiss
479	Striped Bass	Morone saxatilis
741	Striped Kelpfish	Gibbonsia metzi
156	Striped Mullet	Mugil cephalus
641	Striped Surfperch	Embiotoca lateralis
242	Stripefin Ronquil	Rathbunella hypoplecta
328	Stripetail Rockfish	Sebastes saxicola
452	Sturgeon Poacher	Podothecus acipenserinus
230	Sturgeon Unid	Acipenser
177	Surf Smelt	Hypomesus pretiosus

1/23/06

Appendix A: Fish Species List and Codes

Code	Common Name	Scientific Name
642	Surfperch Unid	Embiotocidae
587	Swell Shark	Cephaloscyllium ventriosum
379	Swordspine Rockfish	Sebastes ensifer
420	Thornback Sculpin	Paricelinus hopliticus
557	Thornback Skate	Platyrhiniodis triseriata
421	Threadfin Sculpin	Icelinus filamentosus
161	Threadfin Slickhead	Talismania bifurcata
329	Tiger Rockfish	Sebastes nigrocinctus
178	Top Smelt	Atherinops affinis
380	Treefish Rockfish	Sebastes serriceps
465	Tubenose Poacher	Pallasina barbata
807	Tubeshoulder Unid	Searsiidae
253	Twoline Eelpout	Bothrocara brunneum
331	Vermilion Rockfish	Sebastes miniatus
805	Viperfish Unid	Chauliodontidae
201	Walleye Pollock	Theragra chalcogramma
643	Walleye Surfperch	Hyperprosopon argenteum
466	Warty Poacher	Occella verrucosa
251	Wattled Eelpout	Lycodes palearis
728	White Croaker	Genyonemus lineatus
481	White Sea Bass	Atractoscion nobilis
558	White Skate	Bathyraja spinosissima
232	White Sturgeon	Acipenser transmontanus
644	White Surfperch	Phanerodon furcatus
613	Whitebait Smelt	Allosmesus elongatus
273	Whitebarred Prickleback	Poroclinus rothrocki
391	Whitespotted Greenling	Hexagrammos stelleri
305	Widow Rockfish	Sebastes entomelas
780	Wolf-eel	Anarrhichthys ocellatus
799	Wrymouth Unid	Cryptacanthodidae
1228	Yaquina Grenadier	Coryphaenoides yaquinae
422	Yellowchin Sculpin	Icelinus quadriseriatus
322	Yelloweye Rockfish	Sebastes ruberrimus
729	Yellowfin Croaker	Umbrina roncador
714	Yellowfin Tuna	Thunnus albacares
320	Yellowmouth Rockfish	Sebastes reedi

Code	Common Name	Scientific Name
698	Yellowtail Jack	Seriola dorsalis
321	Yellowtail Rockfish	Sebastes flavidus

Appendix B: Invertebrate Species List and Codes

Code	Common Name	Scientific Name
1206	Amiphpod Unid	Amphipoda
55	Anemone Unid	Actiniaria
19	Angulatus Tanner Crab	Chionoecetes angulatus
1207	Aplacophora Unid	Aplachophora
888	Arched Swimming Crab	Callinectes arcuatus
5	Armored Box Crab	Mursia gaudichaudi
4	Bairdi Tanner Crab	Chionoecetes bairdi
48	Barnacles Unid	Cirripedia
27	Bivalves Unid	Bivalvia
1201	Black Coral	Antipatharia
866	Brachiopod Unid	Brachiopoda
22	Brittle/Basket Star Unid	Ophiuroidea
6	Brown Box Crab	Lopholithodes foraminatus
7	California King Crab	Paralithodes californiensis
10	Cancer Unid Crab	Cancridae
28	Chiton Unid	Neoloricata
32	Corals Unid	Anthozoa
1	Crab Unid	Brachyura/Anomura
53	Crinoids Unid	Crinoidea
892	Crustacean Unid	Crustacea
39	Decorator/Spider Unid Crab	Majidae
871	Deep-sea Rock Crab	Glyptolithodes cristatipes
872	Deep-sea Spider Crab	Paralomis manningi
12	Dungeness Crab	Cancer magister
38	Flat-legged Spider Crab	Paralomis verrilli
873	Furrowed Rock Crab	Cancer branneri
1202	Gorgonian Coral	Scleraxonia
44	Graceful Crab	Cancer gracilis
874	Green Crab	Carcinus maenus
17	Hair Crab	Paralomis multispina
875	Heart Crab	Phyllolithodes papillosus
15	Hermit Unid Crab	Paguridae
1205	Hydrocoral	Hydroida

Code	Common Name	Scientific Name
13	Invertebrate Unid	Animalia
1240	Irregular Echinoids	Echinoidea
33	Isopod Unid	Isopoda
35	Jellyfish Unid	Scyphozoa
876	Kelp Unid Crab	Pugettia ssp
2	King Unid Crab	Lithode
877	Long-armed Spider Crab	Macroregonia macrochiera
840	Lyre Unid Crab	Hyas spp.
878	Masking Crab	Loxorhynchus crispatus
34	Mollusk Unid	Mollusca
25	Nudibranch Unid	Nudibranchia
60	Octopus Unid	Octopoda
879	Pacific Rock Crab	Cancer antennarius
1208	Peanut Worm Unid	Sipuncula
880	Porcelain Unid Crab	Porcellanidae
881	Puget Sound King Crab	Lopholithodes mandtii
882	Purple Globe Crab	Randallia ornata
9	Red Rock Crab	Cancer productus
883	Rhinoceros Crab	Rhinolithodes wosnessenskii
16	Scarlet King Crab	Lithodes couesi
41	Sea Cucumber Unid	Holothuroidea
1244	Sea Pen/Pansies Unid	Pennatulacea
30	Sea Snail Unid	Gastropoda
889	Sea Spider Unid	Pycnogonida
47	Sea Squirts Unid	Tunicata Tunicate
20	Sea Star Unid	Asteroidea
58	Sea Whips/Fans	Holaxonia
884	Sheep Crab	Loxorhynchus grandis
70	Shrimp Unid	Caridea
1203	Soft Coral	Alcyonacea
885	Spiky King Crab	Neolithodes diomedeae
8	Spiny King Crab	Paralithodes rathbuni
1230	Spiny Lithode Crab	Acantholithodes hispidus
891	Spiny Lobster Unid	Palinura
26	Sponge Unid	Porifera
890	Squat Lobster Unid	Galatheidae

Appendix B: Invertebrate Species List and Codes

Code	Common Name	Scientific Name
50	Squid Unid	Teuthoidea
1204	Stone Coral	Scleractinia
3	Tanner Unid Crab	Chionoecetes spp.
18	Tanneri Tanner Crab	Chionoecetes tanneri
886	Umbrella Unid Crab	Cryptolithodes ssp
54	Urchin Unid	Echinoidea
49	Urochordate Unid	Urochordata
1209	Worm Unid	Annelida
887	Xantus Swimming Crab	Portunus xantusii
11	Yellow Rock Crab	Cancer anthonyi

Appendix C: Marine Mammal and Sea Turtle Species List and Codes

Code	Common Name	Scientific Name
1001	Bairds Beaked Whale	Berardius bairdii
1008	Beaked Whale Unid	Ziphiidae
1002	Blainevilles Beaked Whale	Mesoplodon densirostris
1031	Blue Whale	Balaenoptera musculus
1009	Bottlenose Dolphin	Tursiops truncatus
1024	California Sea Lion	Zalophus californianus
1044	Common Unid Dolphin	Delphinus
1003	Cuviers Beaked Whale	Ziphius cavirostris
1021	Dalls Porpoise	Phocoenoides dalli
1016	Dolphin Unid	Delphinidae
1032	Dwarf Sperm Whale	Kogia breviceps
1033	Fin Whale	Balaenoptera physalus
1019	Fur Seal Unid	Arctocephalinae
1004	Gingko-toothed Beaked Whale	Mesoplodon ginkgodens
1034	Gray Whale	Eschrichtius robustus
1071	Green/Black Turtle	Chelonia mydas/agassizi
1017	Guadalupe Fur Seal	Arctocephalus townsendi
1022	Harbor Porpoise	Phocoena phocoena
1028	Harbor Seal	Phoca vitulina
1072	Hawksbill Turtle	Eretmochelys imbricata
1005	Hectors Beaked Whale	Mesoplodon hectori
1006	Hubbs Beaked Whale	Mesoplodon carlhubbsi
1035	Humpback Whale	Megaptera novaeangliae
1036	Killer Whale	Orcinus orca
1073	Leatherback Turtle	Dermochelys coriacea
1074	Loggerhead Turtle	Caretta caretta
1010	Long-beaked Common Dolphin	Delphinus capensis
1000	Marine mammal Unid	Marine mammal, Unid
1037	Minke Whale	Balaenoptera acutorostrata
1029	Northern Elephant Seal	Mirounga angustirostris
1018	Northern Fur Seal	Callorhinus ursinus
1038	Northern Right Whale	Eubalaena glacialis

Appendix C: Marine Mammal and Sea Turtle Species List and Codes

Code	Common Name	Scientific Name	
1011	Northern Right Whale Dolphin	Lissodelphis borealis	
1075	Olive Ridley Turtle	Lepidochelys olivacea	
1012	Pacific White-sided Dolphin	Lagenorhynchus obliquidens	
1020	Pinniped Unid	Caniformia	
1023	Porpoise Unid	Phocoenidae	
1039	Pygmy Sperm Whale	Kogia breviceps	
1013	Rissos Dolphin	Grampus griseus	
1026	Sea Lion Unid	Otariindae	
1027	Sea Otter	Enhydra lutris	
1030	Seal Unid	Phocidae	
1040	Sei Whale	Balaenoptera borealis	
1014	Short-beaked Common Dolphin	Delphinus delphis	
1041	Short-finned Pilot Whale	Globicephala macrorhynchus	
1042	Sperm Whale	Physeter catodon	
1007	Stejnegers Beaked Whale	Mesoplodon stejnegeri	
1025	Stellar Sea Lion	Eumetopias jubatus	
1015	Striped Dolphin	Stenella coeruleoalba	
1070	Turtle Unid	Chelonidae	
1043	Whale Unid	Whale unid.	

Appendix D: Seabird Species List and Codes

Code	Common Name	Scientific Name	
949	Albatross Unid	Diomedeidae	
983	Alcid Unid	Alcidae	
912	American Coot	Fulica americana	
993	Ancient Murrelet	Synthliboramphus antiquus	
900	Bird Unid	Aves	
959	Black Storm-Petrel	Oceanodroma melania	
952	Black-footed Albatross	Diomedea nigripes	
976	Black-legged Kittiwake	Rissa tridactyla	
953	Black-vented Shearwater	Puffinus opisthomelas	
962	Brandts Cormorant	Phalacrocorax penicillatus	
910	Brown Pelican	Pelecanus occidentalis	
975	California Gull	Larus californicus	
911	Caspian Tern	Sterna caspia	
996	Cassins Auklet	Ptychoramphus aleuticus	
989	Common (Guillemot) Murre	Uria aalge	
941	Common Loon	Gavia immer	
961	Cormorant Unid	Phalacrocoracidae	
963	Double-crested Cormorant	Phalacrocorax auritus	
960	Fork-tailed Storm-Petrel	Oceanodroma furcata	
979	Glaucous-winged Gull	Larus glaucescens	
946	Grebe Unid	Podicipedidae	
948	Guillemot Unid	Cepphus	
974	Gull Unid	Larinae	
978	Heermanns Gull	Larus heermanni	
977	Herring Gull	Larus argentatus	
945	Horned Grebe	Podiceps auritus	
951	Laysan Albatross	Diomedea immutabilis	
965	Leachs Storm-Petrel	Oceanodroma leucorhoa	
966	Least Storm-Petrel	Oceanodroma microsoma	
944	Loon Unid	Gaviidae	
994	Marbled Murrelet	Brachyramphus marmoratus	
980	Mew Gull	Larus canus	
987	Murre Unid	Uria	

1/23/06

Appendix D: Seabird Species List and Codes

Code	Common Name	Scientific Name
954	Northern Fulmar	Fulmarus glacialis
940	Pacific Loon	Gavia pacifica
964	Pelagic Cormorant	Phalacrocorax pelagicus
947	Pigeon Guillemot	Cepphus columba
955	Pink-footed Shearwater	Puffinus creatopus
942	Red-necked Grebe	Podiceps grisegena
939	Red-throated Loon	Gavia stellata
995	Rhinoceros Auklet	Cerorhinca monocerata
981	Ring-billed Gull	Larus delawarensis
997	Shearwater Unid	Puffinus
950	Short-tailed Albatross	Diomedea albatrus
957	Short-tailed Shearwater	Puffinus tenuirostris
956	Sooty Shearwater	Puffinus griseus
958	Storm-Petrel Unid	Hydrobatidae
992	Tufted Puffin	Fratercula cirrhata
943	Western Grebe	Aechmophorus occidentalis
982	Western Gull	Larus occidentalis

Appendix E: Miscellaneous List and Codes

Code	Common Name	Scientific Name
91	Egg case Unid	Egg case unid
666	Kelp, Rocks, Wood, etc Mud	Mud
667	Garbage/ Trash	Cans, bottles, old line, etc.

Appendix F: Catch Categories and Target Strategies

Note: All catch categories may be used as a target strategy. Do not use target strategies as catch categories.

Catch Category	Code
Albacore Tuna	ALBC
Arrowtooth Flounder	ARTH
Bank Rockfish	BANK
Boccacio Rockfish	BCAC
Butter Sole	BSOL
Cabezon	CBZN
California Halibut	CHLB
Canary Rockfish	CNRY
Chilipepper Rockfish	CLPR
Cowcod Rockfish	CWCD
Crab Other	OCRB
Curlfin Sole	CSOL
Darkblotched Rockfish	DBRK
Dover Sole	DOVR
Dungeness Crab	DCRB
English Sole	EGLS
Flatfish Other	OFLT
Flathead Sole	FSOL
Green Sturgeon	GSTG
Grenadier Unspecified	GRDR
Kelp Greenling	KLPG
Large Rockfish (OR)	LGRK
Lingcod	LCOD
Longspine Thornyhead	LSPN
Mackerel Unspecified	UMCK
Marine Mammal	ZMRM
Miscellaneous	ZMIS
Nearshore Rockfish N	NSHR
Nearshore Rockfish S	SSHR
Ocean Whitefish	OWFS
Octopus Unspecified	OCTP
Pacific Cod	PCOD
Pacific Halibut	PHLB
Pacific Mackerel	PMCK
Pacific Ocean Perch	POP
Pacific Whiting	PWHT

Target Strategy	Code
Bottom Rockfish Shelf	BRSH
Bottom Rockfish Slope	BRSL
Dover/Thornyheads/Sablefish	DTS
Deepwater Dover	DWD

Catch Category	Code
Petrale Sole	PTRL
Pollock	PLCK
Rex Sole	REX
Rock Greenling	RCKG
Rock Sole	RSOL
Rockfish Unspecified	URCK
Rockfish WA or CA	ROCK
Sablefish	SABL
Sablefish - low value	LVSABL
Salmon Unspecified	SAMN
Sand Sole	SSOL
Sanddabs Unspecified	SDAB
Seabird	XBRD
Shark Other	OSRK
Sheepshead	SHPD
Shelf Rockfish N	NSLF
Shelf Rockfish S	SSLF
Shortspine Thornyhead	SSPN
Shortspine Thornyhead - low value	LVSSPN
Shrimp and Prawns	SRMP
Skates and Rays	SKAT
Slope Rockfish N	NSLP
Slope Rockfish S	SSLP
Small Rockfish (OR)	SMRK
Soupfin Shark	SSRK
Spiny Dogfish	DSRK
Splitnose Rockfish	SNOS
Starry Flounder	STRY
Tanner Crab	TCRB
Thornyhead Unspecified	THDS
White Croaker	WCRK
White Sturgeon	WSTG
Widow Rockfish	WDOW
Wolf-eel	WEEL
Yelloweye Rockfish	YEYE
Yellowtail Rockfish	YTRK

Target Strategy	Code
Miscellaneous	MSC2
Nearshore Mix	NSM
Unknown	UNKN

Appendix G: Minor Rockfish Species

North of 40°10' N. lat.		South of 40°10' N. lat.
	Nearshore	
black- Sebastes melanops		black- Sebastes melanops
black and yellow- S. chrysolmelas		black and yellow- S. chrysolmelas
blue- S. mystinus		blue- S. mystinus
brown- S. auriculatus		brown- S. auriculatus
calico- S. dallli		California scorpionfish- Scorpaena guttata
china- S. nebulosus		calico- S. dalli
copper- S. caurinus		china- S. nebulosus
gopher- S. carnatus		copper- S. caurinus
grass- S. rastrelliger		gopher- S. carnatus
kelp- S. atrovirens		grass- S. rastrelliger
olive- S. serranoides		kelp- S. atrovirens
quillback- S. maliger		olive- S. serranoides
treefish- S. serriceps		quillback- S. maliger
		treefish- S. serriceps
	Shelf	
bronzespotted- S. gilli		bronzespotted- S. gilli
bocaccio- S. paucispinis		chameleon- S. phillipsi
chameleon- S. phillipsi		dwarf-red- S. refianus
chilipepper- S. goodie		flag- S. rubrivinctus
cowcod- S. levis		freckled- S. lentiginosus
dwarf-red- S. refianus		greenblotched- S. rosenblatti
flag- S. rubrivinctus		greenspotted- S. chlorostictus
freckled- S. lentiginosus		greenstriped- S. elongates
greenblotched- S. rosenblatti		halfbanded- S. semicinctus
greenspotted- S. chlorostictus		honeycomb- S. umbrosus
greenstriped- S. elongates		mexican- S. macdonaldi
halfbanded- S. semicinctus		pink- S. eos
honeycomb- S. umbrosus		pinkrose- S. simulator
mexican- S. macdonaldi		pygmy- S. wilsoni
pink- S. eos		redstriped- S. proriger
pinkrose- S. simulator		rosethorn- S. helvomaculatus
pygmy- S. wilsoni		rosy- S. rosaceus

Appendix G: Minor Rockfish Species

North of 40°10' N. lat.		South of 40°10' N. lat.
redstriped- S. proriger		silvergrey- S. brevispinus
rosethorn- S. helvomaculatus		speckled- S. ovalis
rosy- S. rosaceus		squarespot- S. hopkinsi
silvergrey- S. brevispinus		starry- S. constellatus
speckled- S. ovalis		stripetail- S. saxicola
squarespot- S. hopkinsi		swordspine- S. ensifer
starry- S. constellatus		tiger- S. nigorcinctus
stripetail- S. saxicola		vermilion- S. miniatus
swordspine- S. ensifer		yelloweye- S. ruberrimus
tiger- S. nigorcinctus		yellowtail- S. flavidus
vermilion- S. miniatus		
yelloweye- S. ruberrimus		
	Slope	
aurora- S. aurora		aurora- S. aurora
bank- S. rufus		bank- S. rufus
blackgill- S. melanostomus		blackgill- S. melanostomus
darkblotched- S. crameri		darkblotched- S. crameri
redbanded- S. babcocki		pacific ocean perch- S. alutus
rougheye- S. aleutianus		redbanded- S. babcocki
sharpchin- S. zacentrus		rougheye- S. aleutianus
shortraker- S. borealis		sharpchin- S. zacentrus
splitnose- S. diploproa		shortraker- S. borealis
yellowmouth- S. reedi		yellowmouth- S. reedi

Rockfish Categories

Currently, many regulations are designed to lessen the impacts of fishing on certain species of rockfish. Rockfish (except thornyheads) are divided into categories north and south of 40°10' N. latitude, depending on the depth where they are often caught: nearshore, shelf, or slope.

"Nearshore" is defined (by the California Nearshore Fishery Management Plan) as the area from the high-tide line offshore to a depth of 120 ft (20 fm). "Shelf" refers to the continental shelf, while "slope" refers to the continental slope.

Note: Species listed in bold have their own catch category names when caught in the opposite region. For example, bocaccio rockfish is listed in bold in the Shelf rockfish list North of 40°10' N. lat., therefore north of 40°10' N. lat., bocaccio rockfish is listed under the catch category NSLF, and south of 40°10' N. lat., bocaccio is in its own catch category: BCAC.

Appendix H: WCGOP Codes

Gear Type

- 1 Groundfish Trawl, Footrope < 8 inches (small footrope, <u>Trawl Sample Methods</u> not a pineapple net)
- 2 Groundfish Trawl, Footrope > 8 inches (large footrope)
- 3 Midwater Trawl
- 4 Danish/ Scottish Seine (Trawl)
- 5 Other Trawl Gear
- 6 Longline or Setnet
- 7 Vertical Hook and Line Gear
- 8 Pole (Commercial)
- 9 Other Hook and Line Gear
- 10 Fish Pot
- 14 All Net Gear Except Trawl
- 15 All Troll Gear
- 16 All Other Miscellaneous Gear
- 17 Pineapple Trawl, small footrope

Gear Performance

- 1 No problem
- 2 Pot was in the haul
- 3 Net hung up
- 4 Net ripped
- 5 Trawl net or codend lost, pot(s) lost, other gear lost
- 7 Other problem Document in the comments section.

Weight Method

- 1 Actual Weight
- 2 Bin/ Trawl Alley Volume
- 3 Basket Weight Determination (BWD)
- 4 Visual Estimate
- 5 OTC-Retained
- 6 Other
- 7 Vessel Estimate
- 8 Extrapolation
- 9 Length/Weight Conversion
- 10 Codend Estimate
- 11 Retained + Discard
- 13 Tally Sample

Sample Methods – Species Composition

- 1 Whole Haul
- 2 Single Basket
- 3 Multiple Basket

Fixed Gear Sample Methods

- 4 Fixed Gear Sample(weights not derived from a fish ticket)
- 5 Fixed Gear Fish TicketVerified
- 6 Fixed Gear Fish Ticket Unverified

Sample Methods – Biospeciemen & Length Frequency

- 6 Outside and Nonrandom
- 7 Outside and Random
- 8 Inside and Nonrandom
- 9 Inside and Random

Reason For Discard

- 11 Incidental/Accidental
- 12 Drop-Off
- 13 Market
- 14 Other
- 15 Predation
- 16 Regulation
- 17 Safety

Dissection Type

- 1 Otoliths
- 2 Scales
- 3 Snout
- 4 Tissue

P. Halibut Viabilities

Trawl & Pot

- E Excellent
- P Poor
- D Dead

Longline

- MI Minor
- MO Moderate
- S Severe
- D Dead

1/23/06 25

Appendix I: Random Number Table

8	3	7	9	7	2	1	9	6	7	0	5	4	1	4	7	3	5	5	0	7
8	6	3	6	2	0	7	1	8	8	2	8	1	4	6	3	6	7	3	8	4
7	5	5	5	9	2	6	2	6	5	7	1	9	6	4	1	2	4	3	6	9
1	5	9	2	3	6	3	8	7	1	0	8	2	1	4	9	0	9	8	0	1
3	5	0	6	2	9	0	6	7	6	6	5	3	8	5	6	2	5	1	0	6
4	2	1	2	6	3	5	3	6	4	8	9	2	2	9	7	8	5	7	0	3
5	0	3	1	1	4	2	5	2	3	2	6	3	3	4	9	5	4	2	5	2
5	0	6	0	9	4	9	3	4	9	8	7	7	2	4	2	3	5	8	1	3
0	1	6	1	4	7	4	9	7	6	7	9	6	3	4	5	6	7	8	5	9
1	0	6	7	3	4	8	1	2	3	7	1	1	0	8	4	2	1	9	3	8
3	1	7	0	8	0	0	9	7	2	3	0	8	5	5	4	8	7	9	9	1
0	6	2	0	6	6	2	5	1	8	7	6	2	6	3	0	1	4	1	4	8
4	2	1	9	4	2	2	6	7	6	0	0	3	3	9	9	3	7	4	2	4
6	2	1	2	6	1	6	9	8	2	0	6	6	4	1	5	0	5	2	9	6
0	8	7	9	6	0	7	1	4	5	8	8	5	3	2	2	5	3	8	8	7
0	0	2	2	5	5	0	9	3	8	6	1	0	6	7	4	3	9	9	4	1
4	8	4	8	9	3	3	5	9	2	3	8	5	5	7	3	9	5	2	3	4
8	2	8	2	8	6	6	8	6	1	6	0	0	4	8	8	9	6	5	6	8
0	2	6	8	8	3	7	2	6	6	8	8	7	4	2	4	1	2	0	3	4
1	9	9	4	8	3	6	0	4	8	9	6	1	5	8	2	5	0	8	2	4


How to Use the Random Number Table

To use the random number table, enter the table at a random point. The easiest way to do this is by closing your eyes and placing your finger on the table. The column and row nearest your finger is the starting point. Determine how many digits in the row you are using: if you need numbers between 1 and 250, use three digits in the row. If you need numbers between 1 and 25, use two digits in the row, and so on. Decide in which direction you will move through the table. Then proceed in any direction through the table (even diagonally), recording appropriate numbers and skipping numbers too high or repeated, until you have enough random numbers. You should decide on a direction and enter the table at a different random starting point every time you use it.

For example, if you need to choose 3 numbers between 1 and 25, you could enter the table by placing your finger on the table to choose a column and row. Your criterion is two digit numbers between 01 and 25 (inclusive). For this example, you decided to work up the column from your starting point. As you move up the column, the first number you encounter is 14. This is a two-digit number between 01 and 25; it fits the criterion, so you write it down. The next number is 09; it also fits the criterion, so you write it down. The next number is 58 and does not fit the criterion so you skip this number. Keep moving up the column, skipping the numbers that do not fit the criterion, until you choose the all the numbers you need.

Appendix J: Weights, Measures, and Conversions

Appendix J: Weights, Measures, and Conversions



Abbreviations

inch (in)	millimeter (mm)	kilograms (kg)	minute (min)	foot (ft)
centimeter (cm)	metric ton (mt)	pounds (lbs)	meter (m)	liter (L)
ton (t)	kilometer (km)	quart (qt)	mile (mi)	celcius ©
latitude (lat)	farenheit (F)	grams (g)	longitude (lon)	

Weights and Measures

1 in = 2.540 cm 1 cm = 10 mm = 0.3937 in

1 ft = 0.3048 m = 0.1667 fathoms 1 m = 100 cm = 3.2808 ft = 0.5468 fathoms

1 fathom = 6 ft = 1.829 m 1000 m = 1 km = 0.6214 statute mi

1 L = 1.0567 U.S. qt

 $F^{\circ} = (1.8 \times C^{\circ}) + 32C^{\circ} = 5/9(F^{\circ} - 32)$

1 statute m = 5,280 ft = 1.609 km = 0.86899 nautical mi = 880 fathoms

1 nautical mi = 1.15078 statute mi = 1 min lat = 1.852 km = 1.012.6859 fathoms = 1.852 m

1 fathom = 0.0009875 nautical mi = 0.0011364 statute mi

1 lb = 0.4536 kg

total catch wt. in lbs \div 2.2046 = total catch wt. in kg

1 mt = 1,000 kg = 2204.6 lbs.

Area, Volume and Product Formulas

Number of Product Units x Average Unit Weight = Total Weight of Product

Area of a circle = πr^2 Circumference = $2 \pi r$ ($\pi = 3.1416$)

Area of a square or rectangle = length \times width


Area of a triangle = $\frac{1}{2}$ X base X height

Volume of a right angle cone = $1/3 \times \pi r^2 h$

Volume of a Sphere = $4/3 \times \pi \times r^3$

Length of the triangle hypotenuse "C" where A and B equal the length of the opposite two sides:

$$A^2 + B^2 = C^2$$



Appendix K: Pacific halibut Length/Weight Table

Appendix K: Pacific halibut Length/Weight Table

Centimeter	Pounds
10	0.02
11	0.02
12	0.02
13	0 04
14	0.04
15	0.04 0.07
16	0.07
17	0.09
18	0.11
11 12 13 14 15 16 17 18 19 20	0.07 0.09 0.11 0.13
20	0.15
21	0.18
21 22 23 24 25 26 27 28 29	0.20
23	0.24 0.26 0.31 0.35
24	0.26
25	0.31
26	0.35
27	0.40
28	0.46
29	0.51
30	0.57
31	0.62
32	0.71
31 32 33 34	0.71 0.77 0.84
34	0.84
35	0.93
36	1.01
37	1.10
38	1.21
39 40	1.01 1.10 1.21 1.32
	1.43
41	1.59
42	1.68
43	1.81
44	1.94
45	2.09
46	2.25
47	2.43 2.58
48	2.58
49	2.76

Centimeter	Pounds
50	2.95
51	3.15
52	3.35
53	3.57
54	3.79
55	4.01
56	4.25
57	4.52
58	4.76
59	5.05
60	5.31
61	5.62
62	5.93
63	6.24
64	6.57
65	6.90
66	7.25
67	7.61
68	7.98
69	8.38
70	8.77
71	9.19
72	9.61
73	10.05
74	10.49
75	10.98
76	11.44
77	11.95
78	12.46
79	12.99
80	13.51
81	14.07
82	14.64
83	15.23
84	15.83
85	16.45
86	17.09
87	17.75
88	18.41
89	19.09

ı	
Centimeter	Pounds
90	19.80
91	20.53
92	21.25
93	22.02
94	22.80
95	23.59
96	24.41
97	25.24
98	26.08
99	26.96
100	27.87
101	28.77
102	29.70
103	30.67
104	31.64
105	32.63
106	33.64
107	34.68
108	35.74
109	36.84
110	37.94
111	39.07
112	40.21
113	41.38
114	42.59
115	43.81
116	45.06
117	46.32
118	47.62
119	48.94
120	50.29
121	51.65
122	53.07
123	54.48
124	55.93
125	57.41
126	58.91
127	60.43
128	61.99
129	63.56

Appendix K: Pacific halibut Length/Weight Table

Centimeter	Pounds
130	65.17
131	66.82
132	68.48
133	70.17
134	71.89
135	73.66
136	75.44
137	77.25
138	79.08
139	80.95
140	82.87
141	84.79
142	86.75
143	88.76
144	90.79
145	92.84
146	94.93
147	97.05
148	99.21
149	101.39
150	103.62
151	105.87
152	108.16
153	110.50
154	112.83
155	115.24
156	117.66
157	120.13
158	122.62
159	125.16
160	127.71
161	130.32
162	132.96
163	135.65
164	138.36
165	141.12
166	143.90
167	146.72
168	149.54
169	152.49
170	155.45

Centimeter	Pounds
171	158.42
172	161.44
173	164.51
174	167.60
175	170.75
176	173.92
177	177.14
178	180.40
179	183.71
180	187.06
181	190.46
182	193.87
183	197.36
184	200.86
185	204.43
186	208.03
187	211.67
188	214.71
189	218.50
190	222.89
191	226.70
192	230.56
193	234.48
194	238.45
195	242.44
196	246.50
197	250.60
198	255.74
199	258.93
200	263.17
201	267.46
202	271.79
203	276.17
204	280.60
205	285.10
206	289.62
207	294.21
208	298.84
209	303.51
210	308.25
211	313.03
· ·	2.3.00

Centimeter	Pounds
212	317.86
213	322.73
214	327.67
215	332.65
216	337.70
217	342.79
218	347.93
219	353.13
220	358.38
221	363.69
222	369.05
223	374.45
224	379.92
225	385.45
226	391.03
227	396.67
228	402.36
229	408.09
230	413.91
231	419.76
232	425.69
233	431.66
234	437.68
235	443.76
236	449.91
237	456.13
238	462.39
239	468.72
240	475.09
241	481.55
242	488.05
243	494.60
244	501.24
245	507.92
246	514.66
247	521.48
248	528.36
249	535.28
250	542.29

Appendix L: Injury Key for Trawl Caught Pacific Halibut

Key to Injury Codes for Trawl Caught Pacific Halibut

1a. Fish is alive
2a. Body of fish appears uninjured, or has only minor injuries
3a. Fish is able to close operculum when stimulated
4a. Fish displays activity and has muscle tone
5a. Fish is not bleeding, or only slightly bleeding, if at all
6a. Body injuries are minimal, perhaps difficult to find
7a. Operculum pressure is strong and sustained
8a. Fish is strong and lively, displaying good muscle tone
9a. Fish is bleeding from gills
color. 9b. No bleeding observed

Appendix M: Injury Key for Pot Caught Pacific Halibut

Key to Injury codes for Pot Caught Pacific Halibut

1a. Fish is alive Go to 2a 1b. Fish is dead when sorted from the catch Code DEAD Fish is in rigor and lifeless, even if no apparent injuries. Gills appear washed out, i.e., dull red, pink, or white in color.
2a. No penetration of the body or head by sand fleas
3a. No predation of the fish's body by crabs in the pot is noted
4a. Body of fish appears uninjured, or has only minor injuries
5a. Fish is able to close operculum when stimulated
6a. Fish displays activity and has muscle tone
7a. Fish is not bleeding, or only slightly bleeding, if at all
8a. Body injuries are minimal, perhaps difficult to find
9a. Operculum pressure is strong and sustained
10a. Fish is strong and lively, displaying good muscle tone

Appendix N: Injury Key for Hook & Line Caught Pacific Halibut

Key to Injury Codes for Hook & Line Caught Pacific Halibut

1a. Fish is alive	
2a. Body shows no signs of marine mammal predation	Go to 3a Code DEAD
3a. No penetration of the body or head by sand fleas	OCCURE WHEN
4a. No wounds of any kind to abdominal organs. Abdominal wall not punctured	Code DEAD be protruding.
5a. Fish is not bleeding from gills (but may be bleeding from elsewhere). 5b. Fish is bleeding from gills Bleeding is occurring from a torn or severed gill arch.	Go to 6a Code DEAD
6a. Fish is not bleeding at all, or bleeding is minor to moderate (not from gills)	Go to 7a eeding may be Code DEAD
7a Injuries to head and/or jaw are minor to moderate	Go to 8a
No structures are missing	e fish, and/or
8a. Wounds to the head (forward of preopercle and above cheek and jaw) are only sur	face scratches
8a. Wounds to the head (forward of preopercle and above cheek and jaw) are only sur on the skin	de SEVERE
9a. Eye or eye socket is not punctured	
10a. No wounds to the body are evident	Go to 11a
with possibly a flesh tear	IODERATE

Appendix 0: 50 CFR Part 660 Observer Program Regulations

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

50 CFR Part 660

[Docket No. 000301054-1054; I.D. 053000D]

RIN 0648-AN27

Fisheries off West Coast States and in the Western Pacific; Pacific Coast Groundfish Fishery; Groundfish Observer Program

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

ACTION: Final rule.

SUMMARY: NMFS issues this final rule to amend the regulations implementing the Pacific Coast Groundfish Fishery Management Plan (FMP) to provide for an at-sea observation program on all limited entry and open access catcher vessels. This final rule requires vessels in the groundfish fishery to carry observers when notified by NMFS or its designated agent; establishes notification requirements for vessels that may be required to carry observers; and establishes responsibilities and defines prohibited actions for vessels that are required to carry observers. The at-sea observation program is intended to improve estimates of total catch and fishing mortality.

DATES: Effective May 24, 2001.

ADDRESSES: Copies of the Environmental Assessment/Regulatory Impact Review/Final Regulatory Flexibility Analysis (EA/FRFA) may be obtained from the Pacific Fishery Management Council (Council) by writing to the Council at 2130 SW Fifth Avenue, Suite 224, Portland OR 97201, or by contacting Don McIsaac at 503- 326-6352, or may be obtained from William L. Robinson, Northwest Region, NMFS, 7600 Sand Point Way N.E., BIN C15700, Bldg. 1, Seattle, WA 98115-0070. Send comments regarding the reporting burden estimate or any other aspect of the collection-of-information requirements in this final rule, including suggestions for reducing the burden, to one of the NMFS addresses and to the Office of Management and Budget (OMB), Washington, D.C. 20503 (ATTN: NOAA Desk Officer).

FOR FURTHER INFORMATION CONTACT: William L. Robinson, Northwest Region, NMFS, 206-526-6140; fax: 206-526- 6736 and e-mail: bill.robinson@noaa.gov or Svein Fougner, Southwest Region, NMFS, 562-980-4000; fax: 562-980-4047 and e-mail: svein.fougner@noaa.gov.

SUPPLEMENTARY INFORMATION:

Electronic Access

This Federal Register document is also accessible via the Internet at the Office of the Federal Register's website at http://www.access.gpo.gov/su-docs/aces/aces/aces140.html.

Background

The U.S. groundfish fisheries off the Washington, Oregon, and California coasts are managed pursuant to the Magnuson-Stevens Fishery Conservation and Management Act (Magnuson-Stevens Act) (16 U.S.C. 1801-1883) and the Pacific Coast Groundfish FMP. Regulations implementing the FMP appear at 50 CFR Part 660, Subpart G. The Magnuson-Stevens Act at 16 U.S.C. 1853(b)(8) provides that an FMP may require that one or more observers be carried on-board a vessel of the United States engaged in fishing for species that are subject to the FMP, for the purpose of collecting data necessary for the conservation and management of the fishery. The Pacific Coast Groundfish FMP provides that all fishing vessels operating in the groundfish fishery may be required to accommodate on-board observers for purposes of collecting scientific data. Under the Magnuson-Stevens Act at 16 U.S.C. 1855(d), the Secretary of Commerce, acting through NMFS, has general responsibility to carry out any fishery management plan, and may promulgate such regulations as may be necessary to carry out this responsibility.

With the exception of the mid-water trawl fishery for Pacific whiting, most groundfish vessels sort their catch at sea and discard species that are in excess of cumulative trip limits, unmarketable, in excess of annual allocations, or incidentally caught non-groundfish species. Landed or retained catch is monitored by individual state fish ticket programs in Washington, Oregon, and California. However, because a portion of the catch is discarded at sea, there is no opportunity for NMFS or the states to monitor total catch (retained plus discarded catch) at onshore processing facilities. This lack of information on at-sea discards has resulted in imprecise estimates of total catch and fishing mortality.

Discard information is needed to assess and account for total fishing mortality and to evaluate management measures, including rebuilding plans for over fished stocks. Discard estimates based on limited studies conducted in the mid-1980's, and information on species compositions in landings, are available for some groundfish species. For other species, there is little or no discard information. During the past decade, there have been significant reductions in cumulative trip limits, and trip limits have been applied to increasing numbers of species. In light of these changes in the regulatory regime, doubt has been raised by the Council, NMFS, and the industry about the old discard estimates, which were based on data collected in the 1980's. Accurate estimates of discards are essential to computing total catch, and thus are an important component of any fishery conservation and management program. If the discard estimates are too high, harvest allocations may be set too low; if discard estimates are too low, then harvest allocations may be set too high, and the long-term health of the stock may be jeopardized.

Observers are a uniformly trained group of qualified technicians. They are stationed aboard vessels to gather conservation and management data that are too burdensome for vessel personnel to collect, and which would otherwise not be available for managing the fisheries or assessing interactions with non-groundfish species. The purposes of this final rulemaking are to establish the obligations of vessels that will be required to carry observers; to safeguard the observers' well-being; and to provide for sampling conditions necessary for an observer to follow scientific sampling

protocols and thereby maintain the integrity of observer data collections. Nationwide regulations addressing vessels with conditions that are unsafe or inadequate for purposes of carrying an observer are found at 50 CFR 600.746. Nationwide regulations applicable to observers are also found under "General Prohibitions" at 50 CFR 600.725 (o),(r), (s), (t), and (u).

A proposed rule was published on September 14, 2000 (65 FR 55495). Further background information was presented in the preamble of the proposed rule. Public comment on the proposed rule was invited through October 16, 2000. NMFS received three letters containing comments. Two of the three letters, one from the United States Coast Guard and one from the United States Fish and Wildlife Service, expressed support for the proposed observer program. The third letter expressed support, but also expressed concern about funding mechanisms. At its June 2000 Council meeting, the Council reviewed the observer program and encouraged the public to comment on the proposed rulemaking. One individual provided comment during public hearing at the June Council meeting. The comments are summarized below followed by NMFS' responses to those comments.

Changes to the Final Rule From the Proposed Rule

The final rule includes the following changes from the proposed rule:

- 1. Section 660.360 (a) was revised forclarity.
- 2.In Section 660.360 (c)(2) language was added to clarify that vessels using exempted gear types could be required to carry an observer under this rulemaking.
- 3. Section 660.360 (c)(2)(i) was revised for clarity.
- 4.Section 660.360 (c)(2)(i)(A), addressing departure reports, is revised from the proposed rule to include language that is intended to provide greater flexibility to vessels that are in port less than 24 hours from the time offloading of catch from one fishing trip begins until the time the vessel departs on the following fishing trip. Because such vessels expect to be on the fishing grounds at the time that they are required to submit the next departure report, the owner, operator, or manager of a vessel is given the option of providing notification to NMFS or its designated agent before departing on the trip prior to that which the observer coverage may be needed and again at the time offloading of the catch from the previous fishing trip begins.

5.Section 660.360 (c)(2)(i)(B), addressing departure reports, is revised from the proposed rule to include language that is intended to provide greater flexibility to vessels that intend to depart on a fishing trip less than 24 hours after weather or sea conditions allow for departure. This change was made in response to comment 3 (below). The West Coast groundfish fleet is composed of many small vessels, whose fishing schedules are heavily influenced by weather and sea conditions. To avoid departure delays, the owner, operator, or manager of a vessel who intends to depart on a fishing trip less than 24 hours after weather or sea conditions become favorable, may choose to inform NMFS or its agent of his/her intentions at least 24 hours before the expected departure time. After the initial notification, only an update 4 hours before the expected departure time would be required.

Comments and Responses

Comment 1: The rulemaking is too narrow; it focuses only on observers as a means for collecting the necessary data at sea.

Response: Other approaches for obtaining total catch data include full retention and data sampling by vessel personnel. NMFS believes that data collected under these approaches would not meet the defined management need without adequate verification, such as video systems for monitoring full retention or observer data to compare to vessel-collected data. Video surveillance systems connected to global positioning systems are useful in tracking activity by area fished, but do not provide the necessary total catch data. New digital camera technology has improved the ability to provide species-specific catch information in particular situations (e.g., fixed gear fisheries with a small variety of species). The technology is still early in development and is generally considered to be supplemental to an observer program.

Comment 2: Some boats may not have the ability to carry an observer. Page 19 of the EA notes that if it is determined that a vessel is simply too small to accommodate an observer alternative methods of sampling may need to be considered. Under these rules, some sectors of the fishery are opted right out of any observer program or any meaningful observation without alternatives such as cameras, or somebody in a zodiac, or full retention, or something like that. Moving forward with an observer program does not preclude further development of other approaches for obtaining the necessary total catch data.

Response: Vessel safety and accommodations are individual vessel issues and are not ones that can be easily addressed. NMFS recognizes that it is likely that some, particularly the smallest groundfish vessels, may not be safe or adequate for carrying observers. Page 19 of the EA notes that if it is determined that a vessel cannot safely accommodate an observer, alternative methods of sampling may need to be considered. This final rulemaking does not preclude further development of alternative sampling methods for vessels that are determined to be unsuitable for observers.

Comment 3: If you are one of those that is required to have an observer and you do not know 24 hours in advance when you are going, because you are looking for the weather to break, that means a lot of times in the winter that you won't go fishing because you cannot get an observer.

Response: A departure report is necessary for NMFS or its designated agent to identify which vessels need to carry observers and to coordinate the placement of observers aboard vessels. It is necessary for vessel owners, operators or representatives to submit these reports because only they can make statements about their future intent. NMFS recognizes that vessels need to wait for favorable weather and sea conditions before departing on fishing trips. Language has been added to the rule in section 660.360(c)(2)(i)(B) to obtain the necessary information to ensure that an observer is available while allowing for possible delays in vessel schedules as a result of poor weather or sea condition. The initial contact between NMFS and the individual representing the vessel is still necessary to identify that the vessel intends to depart for fishing, when the weather or sea conditions are favorable. As conditions improve, the individual representing the vessel need only provide 4 hours notice before the anticipated departure.

Comment 4: In various places in the EA, it suggests that the program is contingent on Federal funding. If a program is contingent on Federal funding, it would violate the Magnuson Stevens Fishery Conservation and Management Act.

Response: NMFS disagrees with this comment. Nowhere in the rulemaking documents or in the EA does it state that an observer program is contingent on Federal funding. This final rulemaking establishes the framework necessary to support an at-sea observer program. It includes regulations

that require vessels to carry observers when notified, provide notification of fishing schedules, provide food and accommodations, and a suitable location for observers to safely collect sample data according to scientific sampling protocols. The analysis examined the impacts resulting from a federally funded program because no additional rulemaking would be required before a program could be implemented if it were federally funded. Therefore, Federal funding was analyzed to facilitate the implementation of an observer program should Federal funding become available. This final rulemaking does not preclude NMFS or the Council from exploring alternative funding options or from providing fishermen with greater compensation for all or a portion of the costs of carrying an observer. Such measures would build upon this final rulemaking and would require additional rulemaking and analysis before implementation.

Classification

NMFS prepared an EA for this final rule and concluded that there will be no significant impact on the human environment as a result of this final rule. This final rulemaking will have no direct biological or physical impacts on the environment. It is NMFS's intention, to provide for observer training and the direct costs of deploying observers including salaries, payroll taxes, employment insurance, medical insurance, pension, and travel costs. The observers' employer will provide protection and indemnity insurance to cover bodily injury or property damage claims that may result from actions of the observer. Vessels will be responsible for providing information regarding their fishing schedule, and food and accommodations, for the observers. Some of the smallest groundfish vessels may find that crew members are displaced because limited bunk space must be allocated to the observer. Vessels will also need to provide adequate sampling facilities and unobstructed access to catch. This may result in increased handling time if sorting of the catch needs to be slowed or centralized to allow an observer to collect samples. Space requirements for analyzing and storing samples may reduce the available work and storage space for vessel activities. It is likely that the smallest groundfish vessels would be most affected by space requirements for analyzing and storing samples. However, without minimal sample space, data quality cannot be assured. The safety, health, and wellbeing of observers while stationed aboard fishing vessels is of the utmost importance. When this final rule is implemented, observer health and safety provisions at 50 CFR 600.725 and 600.746 will apply. A copy of the EA is available from NMFS (see **ADDRESSES**).

NMFS prepared a FRFA describing the impact of the action on small entities. For the purposes of the analysis, all catcher vessels were considered small entities.

This final rulemaking creates the regulatory framework needed to support an on-board observer program and is not predicated on a particular funding mechanism. Federal funding is available for 2001 and NMFS intends to provide for observer training and the direct costs of deploying observers including: salaries, payroll taxes, employment insurance, medical insurance, and travel costs. Observers would be employed directly by NMFS or through a contractor approved by NMFS. The observer's employer will provide protection and indemnity insurance to cover property damage claims that may result from actions of the observer. The individual vessel will be responsible for observer subsistence costs. Costs to the vessel that are analyzed in conjunction with this final rule are costs other than those that would be paid by NMFS. If NMFS chooses to use other funding mechanisms in the future, including shifting costs to the vessels, additional rulemaking would be required.

The costs to industry to deploy observers will vary depending on the coverage strategy that is selected. Three approaches that could be taken in developing a coverage plan include: random selection of trips from a large pool of vessels; complete sampling of all trips taken by a small number of vessels over a specific period; or sampling a portion of trips by an intermediate number of vessels over a specific period. The FRFA states that the impacts of the rule on individual vessels would depend on the nature and size of the program and the coverage approach that is chosen - all vessels in the groundfish fleet or a small portion of the vessels.

Of the 2,116 vessels in the open access and limited entry (LE) fisheries, the number of vessels that could be required to carry an observer annually ranges from 60 (if each observer samples one LE vessel over an entire cumulative trip limit period) to 967 (if observers sample vessel trips at random, no vessel is sampled more than once, and each vessel requires two observers to have all days sampled), depending on the coverage strategy that is employed. The FRFA indicates that the costs to the individual vessel are expected to range between \$157 and \$3334, depending on the coverage strategy and the number of days fished per year. An upper value of \$11,044 per vessel is an extreme that would only occur if a vessel fished every day of the year and carried an observer at all times.

It is most likely that the open access and limited entry groundfish fleets would be divided into sampling sectors based on criteria such as gear type, fishing period, geographical location, or fishing strategy. Each sector may be required to have a different level of observer coverage. Sectors with the greatest annual catch of groundfish or those that most frequently interact with priority species, for which there is a serious need for information, could be required to have a substantially higher proportion of observer coverage than the other sectors. The analysis assumes that only vessels that carry an observer would bear the burden. Among the 2,116 vessels in the open access and limited entry groundfish fisheries that could be selected to bear the cost to carry an observer, there are substantial differences in terms of the annual ex-vessel value of their catch, and therefore in the burden imposed.

There were two alternatives considered in this final rulemaking:

Status quo, and adoption of regulations to support an observer program. Under the status quo alternative, a program could be designed where vessels carry observers on a voluntary basis. However, this would be a voluntary program with no way to ensure that a specific coverage plan could be followed or the integrity of the data collections maintained. Discard information needed to assess and account for total fishing mortality and to evaluate management measures is considered by NMFS to be deficient under a status quo alternative. Adopting regulations for an at-sea observer program on all limited entry and open access catcher vessels establishes the framework for a mandatory observer program, i.e., obligations of vessels that will be required to carry observers; safeguarding the observers' well-being; and providing for sampling conditions necessary for an observer to follow scientific sampling protocols and thereby maintain the integrity of observer data collections.

The Magnuson-Stevens Act at 16 U.S.C. 1853(b)(8) provides that an FMP may require that one or more observers be carried on board a vessel of the United States engaged in fishing for species that are subject to the plan, for the purpose of collecting data necessary for the conservation and management of the fishery. On March 3, 1999, NMFS determined that the bycatch provisions in Amendment 11 failed to respond meaningfully to the bycatch requirements at Section 303 (a)(11) of

the Magnuson-Stevens Act, which state that an FMP must "establish a standardized reporting methodology to assess the amount and type of bycatch occurring in the fishery, and include conservation and management measures that, to the extent practicable and in the following priority-(A) minimize bycatch; and (B) minimize the mortality of bycatch which cannot be avoided." Establishing an observer program to collect total catch data would bring the Pacific coast groundfish FMP closer to the Magnuson-Stevens Act bycatch requirements for a standardized reporting methodology on bycatch. A copy of this analysis is available from NMFS (see **ADDRESSES**).

This final rule contains a collection-of-information requirement subject to the Paperwork Reduction Act (PRA). This collection of information requirement has been approved by OMB under control number 0648-0423. Public reporting burden for these collections of information is estimated to average 5 minutes for making a toll-free call to provide either notification of departure on a fishing trip or notification of intent to cease participating in the fishery. This estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding these burden estimates or any other aspect of the data collection, including suggestions for reducing the burden, to NMFS (see **ADDRESSES**) and to OMB, Washington, DC 20503 (ATTN: NOAA Desk Officer).

Notwithstanding any other provision of the law, no person is required to respond to, nor shall a person be subject to a penalty for failure to comply with, a collection of information subject to the requirements of the PRA, unless that collection of information displays a currently valid OMB control number.

NMFS issued Biological Opinions (BOs) under the Endangered Species Act on August 10, 1990, November 26, 1991, August 28, 1992, September 27, 1993, May 14, 1996, and December 15, 1999, pertaining to the effects of the groundfish fishery on chinook salmon (Puget Sound, Snake River spring/ summer, Snake River fall, upper Columbia River spring, lower Columbia River, upper Willamette River, Sacramento River winter, Central Valley, California coastal), coho salmon (Central California coastal, southern Oregon/northern California coastal, Oregon coastal), chum salmon (Hood Canal, Columbia River), sockeye salmon (Snake River, Ozette Lake), steelhead (upper, middle and lower Columbia River, Snake River Basin, upper Willamette River, central California coast, California Central Valley, south-central California, southern California), and cutthroat trout (Umpqua River, southwest Washington/Columbia River). NMFS has concluded that implementation of the FMP for the Pacific Coast groundfish fishery is not expected to jeopardize the continued existence of any endangered or threatened species under the jurisdiction of NMFS, or to result in the destruction or adverse modification of critical habitat.

NMFS has re-initiated consultation on the Pacific whiting fishery associated with the BO issued on December 15, 1999. During the 2000 whiting season, the whiting fisheries exceeded the chinook bycatch amount specified in the BO's incidental take statement's incidental take estimates (11,000 fish) by approximately 500 fish. The reinitiation will focus primarily on additional actions that the whiting fisheries would take to reduce chinook interception, such as time/area management. NMFS expects that the re-initiated BO will be completed by May 2001. During the reinitiation, fishing under the FMP is within the scope of the December 15, 1999, BO, so long as the annual incidental take of chinook stays under the 11,000 fish bycatch limit. NMFS has concluded that implementation of the FMP for the Pacific Coast groundfish fishery is not expected to jeopardize the continued existence of any endangered or threatened species under the jurisdiction of NMFS, or

result in the destruction or adverse modification of critical habitat. This final rule implements a data collection program and is within the scope of these consultations. Because the impacts of this action fall within the scope of the impacts considered in these BOs, additional consultations on these species are not required for this action.

This action implements a data collection program and is not expected to result in any adverse effects on marine mammals.

This final rule has been determined to be significant for purposes of Executive Order 12866.

List of Subjects in 50 CFR Part 660

Administrative practice and procedure, American Samoa, Fisheries, Fishing, Guam, Hawaiian Natives, Indians, Northern Mariana Islands, Reporting and recordkeeping requirements.

Dated: April 18, 2001.

John Oliver,

Acting Assistant Administrator for Fisheries, National Marine Fisheries Service.

For the reasons set out in the preamble, NMFS amends 50 CFR part 660 to read as follows:

PART 660-FISHERIES OFF WEST COAST STATES AND IN THE WESTERN PACIFIC

1. The authority citation for part 660continues to read as follows:

Authority: 16 U.S.C. 1801 et seq.

2. In § 660.302, the definitions for "Active sampling unit," and "Vessel manager" are added in alphabetical order to read as follows:

§ 660.302 Definitions.

Active sampling unit means a portion of the groundfish fleet in which an observer coverage plan is being applied.

* * * * *

Vessel manager means a person or group of persons whom the vessel owner has given authority to oversee all or a portion of groundfish fishing activities aboard the vessel.

3. In § 660.306, paragraph (y) is added to read as follows:

§ 660.306 Prohibitions.

- (y) Groundfish observer program. (1) Forcibly assault, resist, oppose, impede, intimidate, harass, sexually harass, bribe, or interfere with an observer.
- (2) Interfere with or bias the sampling procedure employed by an observer, including either mechanically or physically sorting or discarding catch before sampling.

- (3) Tamper with, destroy, or discard an observer's collected samples, equipment, records, photographic film, papers, or personal effects without the express consent of the observer.
 - (4) Harass an observer by conduct that:
 - (i) Has sexual connotations,
- (ii) Has the purpose or effect of interfering with the observer's work performance, and/or
- (iii) Otherwise creates an intimidating, hostile, or offensive environment. In determining whether conduct constitutes harassment, the totality of the circumstances, including the nature of the conduct and the context in which it occurred, will be considered. The determination of the legality of a particular action will be made from the facts on a case-by-case basis.
- (5) Fish for, land, or process fishwithout observer coverage when a vessel is required to carry an observer under \S 660.360(c).
- (6) Require, pressure, coerce, orthreaten an observer to perform duties normally performed by crew members, including, but not limited to, cooking, washing dishes, standing watch, vessel maintenance, assisting with the setting or retrieval of gear, or any duties associated with the processing of fish, from sorting the catch to the storage of the finished product.
 - (7) Fail to provide departure or cease fishing reports specified at §660.360(c)(2).
 - (8) Fail to meet the vessel responsibilities specified at \660.360(d).
- 4. Section 660.360 is added to subpart G to read as follows:

§ 660.360 Groundfish observer program.

- (a) General. Vessel owners, operators, and managers are jointly and severally responsible for their vessel's compliance with this section.
- (b) *Purpose*. The purpose of the Groundfish Observer Program is to allow observers to collect fisheries data deemed by the Northwest Regional Administrator, NMFS, to be necessary and appropriate for management, compliance monitoring, and research in the groundfish fisheries and for the conservation of living marine resources and their habitat.
- (c) Observer coverage requirements-
- (1) At-sea processors. [Reserved]
- (2) Catcher vessels. For the purposes of this section, catcher vessels include all vessels, using open access or limited entry gear (including exempted gear types) that take and retain, possess or land groundfish at a processor(s) as defined at § 660.302. When NMFS notifies the vessel owner, operator, permit holder, or the vessel manager of any requirement to carry an observer, the vessel may not take and retain, possess, or land any groundfish without carrying an observer.
- (i) Notice of departure-Basic rule. At least 24 hours (but not more than 36 hours) before departing on a fishing trip, a vessel that has been notified by NMFS that it is required to carry an observer, or that is

operating in an active sampling unit, must notify NMFS (or its designated agent) of the vessel's intended time of departure. Notice will be given in a form to be specified by NMFS.

- (A) Optional notice-Weather delays. A vessel that anticipates a delayed departure due to weather or sea conditions may advise NMFS of the anticipated delay when providing the basic notice described in paragraph (c)(2)(i) of this section. If departure is delayed beyond 36 hours from the time the original notice is given, the vessel must provide an additional notice of departure not less than 4 hours prior to departure, in order to enable NMFS to place an observer.
- (B) Optional notice-Back-to-back fishing trips. A vessel that intends to make back-to-back fishing trips (i.e., trips with less than 24 hours between offloading from one trip and beginning another), may provide the basic notice described in paragraph (c)(2)(i)) of this section for both trips, prior to making the first trip. A vessel that has given such notice is not required to give additional notice of the second trip.
- (ii) Cease fishing report. Not more than 24 hours after ceasing the taking and retaining of groundfish with limited entry or open access gear in order to leave the fishery management area or to fish for species not managed under the Pacific Coast Groundfish Fishery Management Plan, the owner, operator, or vessel manager of each vessel that is required to carry an observer or that is operating in a segment of the fleet that NMFS has identified as an active sampling unit must provide NMFS or its designated agent with notification as specified by NMFS.
- (3) Vessels engaged in recreational fishing. [Reserved]
- (4) Waiver. The Northwest Regional Administrator may provide written notification to the vessel owner stating that a determination has been made to temporarily waive coverage requirements because of circumstances that are deemed to be beyond the vessel's control.
- (d) Vessel responsibilities. An operator of a vessel required to carry one or more observer(s) must provide:
- (1) Accommodations and food. Provide accommodations and food that are:
- (i) At-sea processors. [Reserved]
- (ii) Catcher vessels. Equivalent to those provided to the crew.
- (2) Safe conditions. Maintain safe conditions on the vessel for the protection of observer(s) including adherence to all U.S. Coast Guard and other applicable rules, regulations, or statutes pertaining to safe operation of the vessel, and provisions at §§ 600.725 and 600.746 of this chapter.
- (3) Observer communications. Facilitate observer communications by:
- (i) Observer use of equipment. Allowing observer(s) to use the vessel's communication equipment and personnel, on request, for the entry, transmission, and receipt of work-related messages, at no cost to the observer(s) or the United States or designated agent.
- (ii) Communication equipment requirements for at-sea processing vessels. [Reserved]
- (4) Vessel position. Allow observer(s) access to, and the use of, the vessel's navigation equipment and personnel, on request, to determine the vessel's position.

- (5) Access. Allow observer(s) free and unobstructed access to the vessel's bridge, trawl or working decks, holding bins, processing areas, freezer spaces, weight scales, cargo holds, and any other space that may be used to hold, process, weigh, or store fish or fish products at any time.
- (6) *Prior notification*. Notify observer(s) at least 15 minutes before fish are brought on board, or fish and fish products are transferred from the vessel, to allow sampling the catch or observing the transfer, unless the observer specifically requests not to be notified.
- (7) Records. Allow observer(s) to inspect and copy any state or Federal logbook maintained voluntarily or as required by regulation.
- (8) Assistance. Provide all other reasonable assistance to enable observer(s) to carry out their duties, including, but not limited to:
- (i) Measuring decks, codends, and holding bins.
- (ii) Providing the observer(s) with asafe work area.
- (iii) Collecting bycatch when requested by the observer(s).
- (iv) Collecting and carrying baskets offish when requested by the observer(s).
- (v) Allowing the observer(s) to collect biological data and samples.
- (vi) Providing adequate space for storage of biological samples.
- (9) At-sea transfers to or from processing vessels. [Reserved]
- (e) Procurement of observers services by at-sea processing vessels. [Reserved]
- (f) Certification of observers in the at-sea processing vessels. [Reserved]
- (g) Certification of observer contractors for at-sea processing vessels. [Reserved]
- (h) Suspension and decertification process for observers and observer contractors in the at-sea processing vessels. [Reserved]
- (i) Release of observer data in the at-sea processing vessels. [Reserved]
- (j) Sample station and operational requirements-(1) Observer sampling station. This paragraph contains the requirements for observer sampling stations. The vessel owner must provide an observer sampling station that complies with this section so that the observer can carry out required duties.
- (i) Accessibility. The observer sampling station must be available to the observer at all times.
- (ii) Location. The observer sampling station must be located within 4 m of the location from which the observer samples unsorted catch. Unobstructed passage must be provided between the
- observer sampling station and the location where the observer collects sample catch.
- (iii) Minimum work space aboard at-sea processing vessels. [Reserved]
- (iv) Table aboard at-sea processing vessels. [Reserved]

- (v) Scale hanger aboard at-sea processing vessels. [Reserved]
- (vi) Diverter board aboard at-sea processing vessels. [Reserved]
- (vii) Other requirements for at-sea processing vessels. [Reserved]
- (2) Requirements for bins used to make volumetric estimates on at-sea processing vessels. [Reserved]
- (3) Operational requirements for at-

sea processing vessels. [Reserved]

[FR Doc. 01-10150 Filed 4-23-01; 8:45 am]

BILLING CODE 3510-22-S

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

50 CFR Part 600

[Docket No. 970829214-8090-02; I.D. 082097B]

RIN 0648-AJ76

Magnuson-Stevens Fishery Conservation and Management Act Provisions; Observer Health and Safety

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

ACTION: Final rule.

SUMMARY: NMFS amends the regulations that pertain to fishery observers and the vessels that carry them. This regulatory amendment implements measures to ensure the adequacy and safety of fishing vessels that carry observers. Owners and operators of fishing vessels that carry observers are required to comply with guidelines, regulations, and conditions in order to ensure that their vessels are adequate and safe for the purposes of carrying an observer and allowing normal observer functions.

DATES: Effective June 17, 1998.

ADDRESSES: Copies of the Regulatory Impact Review prepared for this action may be obtained from NMFS, SF3, 1315 East-West Highway, Silver Spring, MD 20910, Attn: William J. Bellows.

FOR FURTHER INFORMATION CONTACT:

William J. Bellows, 301-713-2341.

SUPPLEMENTARY INFORMATION:

Background

The Magnuson-Stevens Fishery Conservation and Management Act (Magnuson-Stevens Act), as amended (16 U.S.C. 1801 et seq.), the Marine Mammal Protection Act, as amended (MMPA; 16 U.S.C. 1361 et seq.), and the Atlantic Tunas Convention Act, as amended (ATCA; 16 U.S.C. 971 et seq.) authorize the Secretary of Commerce (Secretary) to station observers aboard commercial fishing vessels to collect scientific data required for fishery and protected species conservation and management, to monitor incidental mortality and serious injury to marine mammals and to other species listed under the Endangered Species Act (ESA), and to monitor compliance with existing

Federal regulations. In addition, pursuant to the South Pacific Tuna Act of 1988 (16 U.S.C. 973 et seq.) observers may be required in the South Pacific Tuna Fishery.

The Magnuson-Stevens Act directs that-

...the Secretary shall promulgate regulations, after notice and opportunity for public comment, for fishing vessels that carry observers. The regulations shall include guidelines for determining-

- (1) when a vessel is not required to carry an observer on board because the facilities of such vessel for the quartering of an observer, or for carrying out observer functions, are so inadequate or unsafe that the health or safety of the observer or the safe operation of the vessel would be jeopardized; and
- (2) actions which vessel owners or operators may reasonably be required to take to render such facilities adequate and safe.

A proposed rule to implement the required measures was published in the Federal Register on September 22, 1997 (62 FR 49463), and invited public comment through October 22, 1997. Several comments were received late in the comment period requesting that the comment period be extended. NMFS extended the comment period 30 days (62 FR 55774, October 28, 1997).

Eleven letters of comment were received concerning the proposed rule. Of these 11, eight expressed opposition to the rule or to specific provisions in the rule, and one letter was signed by eight individuals who represented different industry organizations. Two letters expressed strong support for the rule, one of which was from an observer organization with approximately 200 members. One letter expressed neither opposition nor support but listed many problems that observers face on the job.

Comment 1: The publication of the rule was inadequately advertised/ announced. It was not on any of the following notice mediums: NMFS bulletin boards, NMFS press release, NMFS homepage, or Alaska Region homepage. The commenter requested an extension of the 30-day comment period.

Response: The proposed rule was published in the Federal Register on September 22, 1997 (62 FR 49463). The comment period was extended for 30 days and was announced by publication in the Federal Register on October 28, 1997 (62 FR 55774). In addition to the October 28 publication of the extension of the comment period, both the proposed rule and the extension of the comment period were posted on the NMFS homepage and on the Alaska Region homepage during the extended comment period.

Comment 2: The 30-day extension of the comment period is grossly inadequate.

Response: NMFS disagrees. By extending the public comment period by an additional 30 days, NMFS doubled the length of the original comment period. NMFS believes that a 60-day public comment period is adequate.

Comment 3: Observers are not qualified to make a judgement regarding vessel safety.

Response: It is true that observers do not receive the same vessel safety examination training that U.S. Coast Guard (USCG) personnel do. However, NMFS observers are provided training that

addresses vessel safety. For example, in the North Pacific observer training, observers are taught to look for obvious areas of non-compliance that may jeopardize their safety. In addition to viewing several safety videos, the observers are shown a set of "safety tour" slides in which they are asked to look for items on a safety check list. Section 600.746(c)(3) has been added to the rule; this section encourages the observer to check major safety items (as identified by the USCG) and to briefly check the vessel's major spaces for especially hazardous conditions. The intent of this rule is not to empower an observer as a USCG enforcement official. Its purpose is to encourage an observer to check the major safety items identified in § 600.746(c)(3); if these items are absent or unserviceable, the rule empowers the observer not to sail with the vessel until those deficiencies are corrected. The observer's pre-trip safety check will be made in accordance with published USCG guidance on some of the most important items that would be required in the event of an at-sea emergency.

Comment 4: The rule's evaluation that there will be no significant impact on a substantial number of small entities is wrong. If an observer refuses to board a vessel that is safe in accordance with USCG standards, the vessel could be delayed in departing long enough to miss an important part of a short season, resulting in significant lost opportunity to fish. The observer's refusal could be the result of poor judgement, lack of expertise or training, or vindictiveness.

Response: NMFS has added language to the rule in § 600.746(c)(3) that is intended to minimize, if not eliminate, the possibility of an observer making a decision, for whatever reason, regarding a safe vessel that would delay its beginning legal fishing at the optimum time. The above-mentioned section was added to the regulations in order to give the observer detailed guidance regarding the pre-trip safety check. In addition, this document makes it clear that the observer's safety check is to confirm that the USCG safety decal is current and to spot-check other safety items by conducting a brief walk through the vessel's major spaces to check for obviously hazardous conditions. NMFS believes that the training observers now receive is adequate to enable an observer to conduct the pre-trip safety check as discussed in the response to comment 3.

Comment 5: There are no provisions for redress and appeal in the event that a vessel is unnecessarily detained or impacted.

Response: There are no specific procedures for redress or appeal in these regulations. It would be redundant to include those legal procedures here because they are available to anyone who considers that he or she has experienced wrongful negative impact of any regulations. As is suggested in the response to comment 17, when a vessel operator disputes the observer's decision and is unable to reach a resolution, the vessel operator should call the USCG and request reexamination of the issue in dispute.

Comment 6: If the regulations were approved in the absence of USCG regulations, they would be inadequate.

Response: They are not being approved in the absence of USCG regulations. The intent of this rule is to build upon the USCG and other safety regulations. The regulations intend to insure the safety of observers at sea without duplicating USCG regulations, which are designed to insure the safety of all persons on board fishing vessels.

Comment 7: All vessels carrying observers are required to have a current safety decal; consequently, there is no basis for an observer refusing to board a vessel.

Response: If the decal is valid (current) and if no safety equipment has been lost, damaged, or is otherwise unserviceable, there should be no safety-related reasons for an observer to refuse boarding. If, on the other hand, the decal is current, but safety equipment is missing or unserviceable, the observer is authorized not to board the vessel.

Comment 8: The style of referring to other sections of the CFR is difficult to read and understand. Furthermore, some of the sections cited have not been written.

Response: This rule cites other sections of the CFR rather than duplicating those sections in order to make the regulations published in the Federal Register as concise as possible. NMFS wants the regulations to refer to the most recent versions of the regulations cited. If other agencies' regulations were repeated in NMFS' regulations, it would be nearly impossible for NMFS to keep the regulations current. By citing the other agencies' regulations, the reference is always to the most recently amended regulation. All cited sections have been written and published before they are incorporated into the CFR except for citations to the rule being enacted through this action. The regulatory text for this rule follows after this preamble. Some changes may have been too recent to appear in the CFR dated October 1996, which was the last-published CFR at the time that the proposed rule was published.

Comment 9: USCG no longer performs no-cost inspections of processor vessels.

Response: The commenter is correct. Processing vessels examined by private organizations comprise the only category of fishing vessels that pays to have inspections done. These for-fee inspections are in lieu of USCG dockside examinations but do not preclude at-sea examinations by USCG. The inspections of processing vessels are required whether observer safety rules are in effect or not.

Comment 10: This rulemaking is premature; "neither the industry nor NMFS is ready at this time to begin discussions on such rules. Before that discussion can begin, NMFS first needs to develop appropriate rules regarding onboard observers in all the other fisheries in which they have been deemed necessary."

Response: This rule is required by the Magnuson-Stevens Act.

Comment 11: It is unrealistically generous to require that accommodations be equivalent to those of the vessel's officers. Observers do not warrant treatment as officers.

Response: This rule requires nothing specific regarding accommodations for observers. It merely refers to regulations already in place.

Comment 12: Under the regulations that would be put in place by this rule, if all vessels were required to carry observers, all vessels would have to undergo safety inspections. This would mean the end of uninspected fishing vessels.

Response: Under the assumptions made by the commenter, it is true that if all vessels were required to carry observers, all of them would have to be examined. At the present time, however, not all vessels are required to carry observers. NMFS wants fishing vessels carrying observers to fish safely, and undergoing USCG safety examinations promotes safety.

Comment 13: What is the authority under which regional requirements governing observer accommodations might be developed? It is possible that these regional requirements could have unintended effects. For example, if the regional requirement deals with an issue that is judged subjectively, such as the adequacy of accommodations or food, the observer in applying that subjective judgement could keep a safe vessel from fishing.

Response: The authorities under which regional requirements are developed are the Magnuson-Stevens Act, the Marine Mammal Protection Act, and the ESA. The addition of § 600.746(c)(3) to the rule should eliminate the problem of subjective judgement in conducting the vessel's pre-trip safety check. It is not the intent of this rule to develop regional requirements.

Comment 14: If a vessel has a valid USCG safety decal, there should be no question concerning the vessel's safety. To then have an observer, who has the authority to refuse to board the vessel because of a safety deficiency, is double jeopardy.

Response: If a vessel has passed a USCG dock-side safety examination, the regulations indicate that such vessel would be considered safe with respect to the USCG regulations. However, it is possible that some requirements with which the vessel was in compliance at the time of the USCG safety examination may not be met at the time of boarding by an observer for a specific trip. NMFS has added language at § 600.746(c)(3) that encourages the observer to examine some of the most important items that would be required in the case of an emergency at sea. This approach is consistent with that applied by USCG in recognizing that changes in vessel safety may occur between the time when a USCG safety decal is issued and the beginning of subsequent fishing. NMFS notes that this rule gives an observer authority not to board an unsafe or inadequate vessel. If such a vessel is operating in a fishery with mandatory observer coverage, the result of the observer's refusing to board might be that the vessel would not be authorized to conduct fishing.

Comment 15: This rule cites other regulations already in place, which suggests that regulations to effect safety are already in place. That being the case, this rule will not change anything.

Response: This rule applies safety standards to all fisheries, including those for which no other observer regulations are in place. In fisheries with mandatory observer programs in place now, and for those in which mandatory programs may be established, this rule makes it a violation to fish without an observer aboard. This rule also requires vessels to submit to an otherwise voluntary inspection program to provide evidence of compliance with safety standards.

Comment 16: This rule is an attempt to exceed the authority conveyed by the Magnuson-Stevens Act in that it goes beyond USCG regulations by authorizing an observer to refuse to board an unsafe vessel, thereby keeping the vessel from fishing legally. It goes beyond what is necessary to provide a safe environment for an observer, and it gives an observer authority that Congress gave to USCG.

Response: NMFS believes that the rule does not go beyond what is required to provide a safe environment for observers and for other persons aboard fishing vessels. The intent of the rule is not to empower an observer with USCG enforcement official status; its intent is to provide a safe vessel for an assigned observer. The NMFS rule does not encroach on USCG authority to terminate a voyage. Rather, it conditions a vessel's ability to fish safely by requiring compliance with existing

regulations enforced by the USCG. The authority to regulate fishing activities properly rests with NMFS.

Comment 17: If NMFS wants to require more than vessel-provided personal flotation devices (PFDs) and safety briefings, it should specifically identify the requirements that relate to observer safety rather than to such other safety concerns as the environment. NMFS should also consider which safety requirements warrant giving observers "the extraordinary authority to prevent a vessel from undertaking a fishing trip."

Response: NMFS is not giving greater significance to some USCG regulations than to others. NMFS is encouraging observers to check for compliance with existing regulations. A safety decal is considered to be evidence of compliance, but if there is other obvious non-compliance, the observer has the option of not boarding the vessel. If the vessel operator disputes the observer's decision, which should be based upon published USCG guidance on some of the most important items that would be required in the event of an at-sea emergency, and no resolution is reached, the vessel operator should call the USCG to request reexamination of the issue in dispute. The addition of § 600.746(c)(3) clarifies which items the observer should check at the time of boarding. The observer's pre-trip safety check will be made in accordance with published Coast Guard Guidance on some of the most important items that would be required in the event of an at-sea emergency. NMFS recognizes that, in some circumstances, an observer may raise a safety question that requires a vessel to wait for a USCG boarding before fishing. It is true that this could result in a loss of fishing days. In structuring the rule this way, NMFS had to weigh the impacts of this approach versus the impacts of alternative approaches. Just as there is a potential for a vindictive observer declining to board and thereby delaying a vessel's departure, other approaches would have raised the possibility of an observer being coerced into boarding a vessel that he or she believes is unsafe. Given the safety risks at issue and the probability that most safety violations will be easily remedied, e.g., replacing PFDs, NMFS determined that placing the presumptions in the selected manner was preferable.

Whenever possible, vessel owners/ operators are encouraged to arrange for the observer to make the pre-trip safety check in advance of the beginning of the planned fishing trip. In that way, there would be time to correct problems without delaying the trip's departure time.

Comment 18: There are alternatives that would accomplish NMFS' objectives that were not considered by NMFS. One alternative is to provide an automatic waiver for those situations in which an observer refused to board a vessel for safety reasons. The waiver would be valid until the vessel had undergone a USCG inspection either at sea or in port. Alternative two would be to require that the safety determination be made by a NMFS enforcement agent who had completed the USCG training program for vessel safety inspections. Alternative three would be to determine which classes of vessels have consistently failed to provide safe working conditions for observers. Only those classes of vessels would be required to comply with the rule. Vessels with proven safety records would be exempt from the provisions of this rule.

Response: Alternative one would void the intent of the rule. It would not make the vessel safe for the observer on the fishing trip that the observer was assigned to observe. Furthermore, it could provide an opportunity for vessel operators to avoid taking observers by incurring safety violations, such as no PFD for the observer. By authorizing an observer to refuse to board an unsafe vessel and by making it illegal to fish without an observer in a mandatory observer fishery, there is a strong

incentive for the vessel to meet all USCG safety regulations. Alternative two was considered and rejected. It is equally possible that a NMFS enforcement agent, like an observer, would discover a safety violation that would delay a vessel's fishing trip. This option would also create the risk of an observer having to board a vessel that he or she believes is unsafe. In addition, from a practical standpoint, the current work load for NMFS enforcement agents makes it impossible for them to undertake this responsibility and continue to perform other enforcement functions/duties. Alternative three is not feasible because vessel safety is an individual vessel issue not one that can be addressed by classes of vessels.

Comment 19: The rule does not analyze measures taken by regions.

Response: It is not the intent of this rule to analyze measures taken by regions. That analysis is done at the time those measures are developed and proposed in the rulemaking process.

Comment 20: One commenter believes that, should an observer refuse to board a vessel because of safety deficiencies, there could be legal implications beyond the simple issue of the USCG safety requirement and the vessel's fishing. "After an observer has determined a vessel to be unsafe, a crew member injures themself [sic] in the factory. Considering the Jones Act, the lawyers would have a field day."

Response: NMFS believes this comment refers to the possible use of an observer's safety determinations as evidence in a law suit. As stated in the responses to comments 3 and 16, this rule is not intended to give observers the authority to make actual determinations as to a vessel's compliance with USCG regulations. Rather, it simply requires that a vessel, if its safety has been called into question, rectify the shortcoming or submit to a new USCG safety examination or inspection. If anything, this rule is likely to reduce the number of negligence claims because vessels with questionable safety issues will correct them or be reexamined by USCG before fishing.

Comment 21: The USCG should be consulted.

Response: The USCG was involved at every stage of development of this rule.

Comment 22: One commenter raised specific issues about an observer who was terminated and who subsequently filed suit.

Response: Because the case is before the court, it would be inappropriate for NMFS to respond at this time.

Changes From the Proposed Rule

Four changes were made from the proposed rule. One was made in response to comments: A provision was added at § 600.746(c)(3) to provide guidance on the scope of the observer's pre-trip safety check.

Another change was made to clarify that USCG performs either an inspection or an examination: The words "examination or inspection" replaced "inspection" in §§ 600.725(p), 600.746(c)(1), and 600.746(d)(1) so that it is clear that either an examination or an inspection can be performed.

The word "Examination" was inserted in § 600.746(c)(1) in order to more clearly identify the Commercial Fishing Vessel Safety Examination decal.

The word "examine" replaced "inspect" in § 600.746(c)(2) in order to avoid confusion with USCG inspection.

The observer's pre-trip safety check of a vessel that displays a current Commercial Fishing Vessel Safety Examination decal will normally consist of no more than a spot check of the equipment identified in § 600.746(c)(3), i.e., PFDs/immersion suits; ring buoys; distress signals; fire extinguishing equipment; emergency position indicating radio beacon, when required; survival craft, when required; and a walk through major spaces. This walkthrough is not intended to broaden the scope of the safety check. The safety check should be done expeditiously because the decal indicates that the vessel has already undergone an extensive dockside inspection.

Classification

At the proposed rule stage, NMFS certified to the Assistant General Counsel for Legislation and Regulation, Department of Commerce and to the Chief Counsel for Advocacy, Small Business Administration that this action would not result in a significant economic impact on a substantial number of small entities. Comments received on the proposed rule suggested that small entities might experience a significant economic impact as a result of the rule. Based on this new information, NMFS decided to prepare a Final Regulatory Flexibility Analysis (FRFA). The FRFA concludes that the rule's authorization for an observer to refuse to board a vessel that the observer believes to be unsafe and the rule's requirement that a vessel required to carry an observer cannot legally fish without the observer make it possible that implementation of this rule could delay a vessel's departure for a fishing trip. Because of variations in the structures of different fisheries' mandatory observer programs and in the structures of the different fishery management regimes, the fact that an observer refused to board would not necessarily mean that the vessel would lose fishing time as might be the case in those fisheries where vessels are allowed a limited number of days fishing per year. It is not possible to estimate accurately how many, if any, vessels would lose days at sea as a result of this rule. Therefore, there is at least a theoretical possibility that 20 percent of the affected small entities could experience a significant economic impact.

In addition to the preferred alternative, which is the alternative that is implemented by this rule, NMFS considered several other alternatives. One of them would have been to take no action. Under this approach, vessels that carry observers would be required to comply with the same safety standards that would be applicable under the preferred alternative, but there would be no guidance to interested parties as to how to conduct a pre-trip safety check nor would there be any means by which an observer could quickly ascertain whether the vessel was in compliance with applicable USCG regulations. If the agency were to adopt the no-action alternative, the Congressional mandate in the Magnuson-Stevens Act would not be effected. In addition, there would be continued risk of unsafe conditions on board vessels to which observers were assigned.

Another alternative would have prescribed new national standards for a wide range of safety and accommodations issues. Basic standards for determining a vessel's safety and adequacy would be based on USCG safety requirements and NMFS regional observer requirements as is the case in the first alternative. In addition to those basic USCG standards, this alternative would result in new regulations addressing a wide range of accommodation issues, such as quality of food, which, if not

met, would authorize an observer not to board a fishing vessel. The observer would be authorized to make the pre-trip safety check to determine whether or not he/ she would board the vessel. In mandatory observer programs, a fishing vessel would not be permitted to fish legally without an observer. This alternative is not the preferred alternative because of the degree to which an observer would be authorized to make subjective, qualitative determinations. Furthermore, because of the variability of working conditions on fishing vessels, some vessels could not reasonably or economically meet the expectations of all observers. Therefore, the risk of this alternative resulting in delays of fishing trips is greater than that of the preferred alternative.

The last alternative that NMFS considered would have prescribed basic standards for determining safety and adequacy as described in the preferred alternative, but either the National Marine Fisheries Service or an authorized observer contractor would have been authorized to make the pretrip safety check to determine whether or not the observer would board the vessel. In mandatory observer programs, a fishing vessel would not be permitted to fish legally without an observer. This alternative would have used the same evaluation criteria (USCG dockside safety examination, pre-trip safety check, presence of a current Commercial Fishing Vessel Safety Decal, etc.) as the preferred alternative but would give NMFS and/or an authorized observer contractor the authority to decide whether a vessel is safe and adequate. The rationale for this approach is that it would avoid putting the observer into a situation where vessel owner, operator, and crew might exert pressure to coerce the observer to declare the vessel safe despite conditions that the observer believed to be unsafe. It would also avoid the potential for a "vindictive" observer to abuse discretion in making safety checks. The benefit of having NMFS or an authorized observer contractor make the safety and adequacy decision is that it would avoid putting the additional pressure on an observer of potentially having to tell a captain and crew with whom he/she would be spending time at sea that a fishing trip would be delayed. However, this alternative would also have the potential to delay a fishing voyage pending safety resolution. It is just as possible that a NMFS employee or observer contractor would discover safety issues in need of attention as an observer would. In addition, under this alternative, an observer who believes a vessel to be unsafe may be instructed to board because NMFS or the observer contractor believes the vessel to be safe. There would also be costs to NMFS and/ or the observer contractor in the form of having a representative on site each time an observer boarded a vessel. NMFS and/or the observer contractor would also experience the cost of training employees to make the pre-trip safety check. This alternative is not preferred because it would put a third party in a position of judging a vessel's safety and perhaps of forcing an observer aboard an unsafe vessel.

In addition to these alternatives, one commenter suggested two additional alternatives: The first would have provided an automatic waiver for those situations in which an observer refused to board a vessel for safety reasons. The waiver would be valid until the vessel had undergone a USCG inspection either at sea or in port. This alternative would have voided the intent of the rule. It would not make the vessel safe for the observer on the fishing trip that the observer was assigned to observe. Furthermore, it could provide an opportunity for vessel operators to avoid taking observers by incurring safety violations, such as no PFD for the observer. The other suggested alternative would be to determine which classes of vessels have consistently failed to provide safe working conditions for observers. Only those classes of vessels would be required to comply with the rule. Vessels with proven safety records would be exempt from the provisions of this rule. This approach

is not feasible because vessel safety is an individual vessel issue not one that can be addressed by classes of vessels.

NMFS tried to mitigate the potential impact of the rule by using objective standards for the observer's pre-trip safety check in the form of the published USCG guidance about the most important items that would be required in the event of an at-sea emergency. This particular alternative was chosen because it seemed to be an appropriate balance between the objectives of increasing observer safety and minimizing the risk of negative economic impact on vessels.

This action has been determined to be not significant for purposes of E.O. 12866.

List of Subjects in 50 CFR Part 600

Administrative practice and procedure, Confidential business information, Fisheries, Fishing, Fishing vessels, Foreign relations, Intergovernmental relations, Penalties, Reporting and recordkeeping requirements, Statistics.

Dated: May 12, 1998.

David L. Evans,

Deputy Assistant Administrator for Fisheries, National Marine Fisheries Service.

For the reasons set forth in the preamble, 50 CFR part 600 is amended as follows:

PART 600-MAGNUSON-STEVENS ACT PROVISIONS

1. The authority citation for 50 CFR part 600 continues to read as follows:

Authority: 5 U.S.C. 561 and 16 U.S.C. 1801 et seq.

2. Section 600.725 is amended by redesignating paragraph (p) as paragraph (t), adding paragraphs (p), (q), (r), (s), and (u), and revising newly redesignated paragraph (t) to read as follows:

§ 600.725 General prohibitions.

- (p) Fail to submit to a USCG safety examination when required by NMFS pursuant to § 600.746.
- (q) Fail to display a Commercial Fishing Vessel Safety Examination decal or a valid certificate of compliance or inspection pursuant to § 600.746.
- (r) Fail to provide to an observer, a NMFS employee, or a designated observer provider information that has been requested pursuant to § 600.746, or fail to allow an observer, a NMFS employee, or a designated observer provider to inspect any item described at § 600.746.
 - (s) Fish without an observer when the vessel is required to carry an observer.
- (t) Assault, oppose, impede,intimidate, or interfere with a NMFS-approved observer aboard a vessel.

- (u) Prohibit or bar by comm. And ,impediment, threat, coercion, or refusal of reasonable assistance, an observer from conducting his or her duties aboard a vessel.
 - 3. In subpart H, \$600.746 is added to read as follows:

§ 600.746 Observers.

- (a) Applicability. This section applies to any fishing vessel required to carry an observer as part of a mandatory observer program or carrying an observer as part of a voluntary observer program under the Magnuson-Stevens Act, MMPA (16
- U.S.C. 1361 et seq.), the ATCA (16 U.S.C. 971 et seq.), the South Pacific Tuna Act of 1988 (16 U.S.C. 973 et seq.), or any other U.S. law.
- (b) Observer requirement. An observer is not required to board, or stay aboard, a vessel that is unsafe or inadequate as described in paragraph (c) of this section.
- (c) Inadequate or unsafe vessels. (1) A vessel is inadequate or unsafe for purposes of carrying an observer and allowing operation of normal observer functions if it does not comply with the applicable regulations regarding observer accommodations (see 50 CFR parts 229, 285, 300, 600, 622, 648, 660, 678, and 679) or if it has not passed a USCG safety examination or inspection. A vessel that has passed a USCG safety examination or inspection must display one of the following:
- (i) A current Commercial FishingVessel Safety Examination decal, issued within the last 2 years, that certifies compliance with regulations found in 33 CFR, chapter I and 46 CFR, chapter I;
 - (ii) A certificate of compliance issuedpursuant to 46 CFR 28.710; or
 - (iii) A valid certificate of inspection pursuant to 46 U.S.C. 3311.
- (2) Upon request by an observer, aNMFS employee, or a designated observer provider, a vessel owner/ operator must provide correct information concerning any item relating to any safety or accommodation requirement prescribed by law or regulation. A vessel owner or operator must also allow an observer, a NMFS employee, or a designated observer provider to visually examine any such item.
- (3) *Pre-trip safety check*. Prior to each observed trip, the observer is encouraged to briefly walk through the vessel's major spaces to ensure that no obviously hazardous conditions exist. In addition, the observer is encouraged to spot check the following major items for compliance with applicable USCG regulations:
 - (i) Personal flotation devices/immersion suits;
 - (ii) Ring buoys;
 - (iii) Distress signals;
 - (iv) Fire extinguishing equipment;
 - (v) Emergency position indicating radio beacon (EPIRB), when required; and
 - (vi) Survival craft, when required.

- (d) Corrective measures. If a vessel is inadequate or unsafe for purposes of carrying an obs NMFS may require the vessel owner or operator either to:
 - (1) Submit to and pass a USCG safetyexamination or inspection; or
- (2) Correct the deficiency that isrendering the vessel inadequate or unsafe (e.g., if the vessel is missing one personal flotation device, the owner or operator could be required to obtain an additional one), before the vessel is boarded by the observer.
- (e) Timing. The requirements of this section apply both at the time of the observer's boarding, at all times the observer is aboard, and at the time the observer is disembarking from the vessel.
- (f) Effect of inadequate or unsafe status. A vessel that would otherwise be required to carry an observer, but is inadequate or unsafe for purposes of carrying an observer and for allowing operation of normal observer functions, is prohibited from fishing without observer coverage.

[FR Doc. 98-13131 Filed 5-15-98; 8:45 am]

BILLING CODE 3510-22-F

Appendix Q: Radio Communications

The radios that you will encounter most often are VHF-FM (Very High Frequency Modulation), used for short-range vessel-to-vessel and vessel-to-shore communication, and HF-SSB (High Frequency-Single Side Band), used for communication when the stations are out of VHF range with each other. Both types offer certain special advantages, and each requires a specific operating procedure. The use of radio communication equipment requires a licensed operator. If your vessel has given you permission to use the radio, you must follow the FCC rules for calling and speaking on the type of radio (VHF or SSB) you use. Ask first how to operate the radio and use these pages as a guide for calling. Be aware that obstructing others' transmissions with your call (by conversing for too long), using profanities or making false distress calls can cost the permit holder and/or you a heavy fine and/or prison sentence.

VHF-FM Radios

In the United States, the VHF Band is broken up into 71 channels, with a frequency range of from 156.000 to 163.000 MHz, including six WX (Weather) channels. By law, all operating VHF stations are required to have at least three of these channels: channel 6, channel 16, and at least one other working channel.

Channel 6 (156.300 MHz) is the Intership Safety Channel, used for intership safety purposes, searchand rescue (SAR) communications with ships and aircraft of the U.S. Coast Guard, and vessel movement reporting within ports and inland waterways. This channel must not be used for nonsafety communications.

Channel 16 (156.800 MHz) is the International Distress, Safety, and Calling Channel (Intership and Shipto-Coast). This channel must be monitored at all times the station is in operation (except when actually communicating on another channel). This channel is also monitored by the U.S. Coast Guard, Public Coastal Stations, and many Limited Coastal Stations. Calls to vessels are normally initiated on this channel. Then, except in an emergency, you must switch to a working channel. It is against FCC regulations to conduct business on this channel. In addition, vessels calling must use their assigned call sign at the beginning and end of each transmission.

Channel 22A (157.100 MHz) is the U.S. Coast Guard Liaison Channel. This channel is used for communications with U.S. Coast Guard ships, aircraft, and coastal stations after first establishing contact on channel 16. Navigational warnings and, where not available on WX channels, Marine Weather forecasts are also broadcast on this frequency.

Channels 24. 25. 26. 27 and 28 (also 84. 85. 86 and 87) are the Public Correspondence channels (shipto-coast). These are available to all vessels to communicate with Public Coastal stations (Marine Operator).

Channels 26 and 28 are the primary public correspondence channels.

Channels 1. 3. 5. 12. 13. 14. 15. 17. 65. 66. 73. 74. 77. 81. 82 and 83 are channels with special designations (port traffic communications, U.S. government communications, locks and bridges, environmental, etc.), and their use close to shore or to ports should be minimized.

Channels 7. 8. 9. 10. 11. 18. 19. 67. 68. 69. 70. 71. 72. 78. 79. 80 and 88 are commercial and non-commercial working channels that are available for conducting business. The abbreviated format (no call signs) is acceptable on these frequencies. It should be noted that some of these channels may be locally restricted (off the Washington Coast, for example, channel 11 is Tofino Coast Guard Traffic Control for the entry into Juan deFuca Strait, used for reporting ship locations), in which case their use for business should be avoided.

HF-SSB Radios

To communicate over distances of beyond twenty miles, you will need to use satellite communication or a medium to high frequency radiotelephone referred to as Single Side Band (SSB) radio. The signal is poorer in quality than VHF and susceptible to slight atmospheric shifts. Lower frequencies are used for medium distances and higher frequencies for greater distances. The general rule for single sideband frequency selection is: multiply the frequency in MHz by 100 to obtain the approximate coverage distance in miles. At night however, the ranges of SSB radio wave travel are from 2-3 times greater. Therefore, use a lower frequency at night to cover the same distance.

All ship SSB radiotelephones must be capable of operating on 2182 kHz, the international distress and calling frequency, and at least 2 other frequencies. Numerous channels are available for your use; which ones are available varies from place to place. However, channel 2670 kHz is only used for communicating with the Coast Guard and should not be used for other purposes.

When using SSB radiotelephone, you must observe radio silence on channel 2182 kHz, the emergency channel, for 3 minutes immediately after the hour and the half hour. The purpose of radio silence on the emergency hailing channel is to clear the airwave for weak or distant distress signals. No radio silence is used on the VHF emergency channel: channel 16.

Radio Procedure

In as much as the airwaves are in the public domain, it is the responsibility of the radio station operator to conduct business according to established guidelines and procedures. While on the air, the operator should follow the following format outline:

- 1. Listen before beginning transmission in order to ensure that you are not interfering with other stations or with emergency radio traffic.
- 2. Identify your station when calling. On the SSB, a calling station must limit the duration of the hail to not more than 30 seconds. If there is no reply, the hail may be repeated at 2 minute intervals up to a maximum of three times, at which time the calling station must sign off and wait a minimum of 15 minutes before making another attempt. This requirement does not apply in emergency situations.
- 3. Keep transmissions short and concise, giving the other station a chance to respond, ask questions, or reconfirm an unclear message. A long, complicated message can best be effected in short segments with breaks in between to ensure that the receiving station has copied each portion of the message correctly.
- 4. Follow correct radio procedure while on the air. The phonetic alphabet should be learned and used spelling unclear words with an extemporaneous phonetic alphabet can lead to misunderstood messages. You should also know and use the radio "punctuation" words ("over",

Appendix Q: Radio Communications

clear", "out", "roger", "words twice", "say again", "standing by", and "break"). Since most radio communication is only one way at a time, these words can be invaluable for signaling your intentions to the receiving station. Make sure to speak directly into the microphone; speaking loudly, slowly, and distinctly-but not shouting-can significantly improve the legibility of radio broadcasts. The use of profanity on the public airwaves is strictly forbidden.

5. Upon completing a transmission, you must sign off by identifying your station and using the words "clear" or "out" (or, if you expect to soon resume contact with the same station, by using the phrase "standing by").

Radios are different from telephones in that they cannot transmit and receive simultaneously. Therefore when you have temporarily finished talking and are ready to listen, say "over," and release the button on your microphone. When the other party is ready to listen they will say "over." At the end of your entire message, say "out" rather than "over." Keep in mind that people on other ships can overhear your conversation, so watch what you say.

Sounds are easily garbled on marine radios so the phonetic alphabet is used when sailors want to spell something. Here are the words that the Coast Guard will recognize as letters:

A - alpha	I - indigo	Q - quebec	Y- yankee
B - bravo	J - juliet	R - romeo	Z - zulu
C - charlie	K - kilo (keeloes)	S - sierra	
D - delta	L - lima (Leema)	T - tango	
E - echo	M - mike	U - uniform	
F - foxtrot	N - november	V - victor	
G - gulf	O - oscar	W - whiskey	
H - hotel	P - papa	X - x-ray	

Every ship and all Coast Guard stations continually listen to the emergency frequencies. Therefore when you want to talk to someone, call on an emergency frequency. As soon as you contact them, arrange to switch to another channel. It is illegal, impolite, unfair, and dangerous to talk on emergency channels. Sometimes atmospheric conditions are such that the emergency frequencies are the only ones that work. At those times you simply cannot communicate via radio except to report emergencies.

Emergency frequencies are:

- FM Channel 16, international distress
- FM Channel 13, for ships to use to avoid collisions. You can contact other ships on 13, but not Coast Guard shore stations.
- AM 2182, international distress (Almost certainly as an observer you will only be using FM frequencies.)
- When you initially contact another station make sure you state what channel you are broadcasting on, since all ships and stations constantly listen to several.
- Speak in normal tones, using normal conversational pauses and emphasis.

- Ensure that your messages are brief and businesslike. No chatter.
- When trying to establish communications repeat the other station's name, and your name, at least twice. A typical message may be as follows:

You: Coast Guard Station San Francisco Coast Guard Station San Francisco; this is the fishing vessel Starry Flounder, Whiskey Tango Zulu four, one, nine, zero; this is the fishing vessel Starry Flounder, Whiskey Tango Zulu four, one, nine, zero on channel sixteen, over.

C.G.: Fishing vessel Starry Flounder this is Coast Guard Station San Francisco shift and answer on channel eleven, out.

You: Coast Guard Station San Francisco Coast Guard Station San Francisco this is the Starry Flounder on channel eleven, over.

C.G.: Fishing vessel Starry Flounder, this is Coast Guard Station Kodiak send your traffic, over.

You: San Francisco this is the Starry Flounder, I am an observer talking for the captain. A crewman has a badly crushed arm and needs hospitalization. Can you evacuate the crewman? Over. "

C.G.: Vessel Starry Flounder, this is San Francisco. Affirmative. What is your current position? Over.

You: San Francisco this is the Starry Flounder. Position is fifty-five degrees fifty minutes north, 157 degrees, twenty-four minutes west, over..A-55

Appendix R: Material Safety Data Sheet for DMSO

MATERIAL SAFETY DATA SHEET

SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MATHESON TRI-GAS, INC. EMERGENCY CONTACT:

959 ROUTE 46 EAST CHEMTREC 1-800-424-9300

PARSIPPANY, NEW JERSEY 07054-0624 INFORMATION CONTACT:

973-257-1100

SUBSTANCE: DIMETHYL SULFOXIDE

TRADE NAMES/SYNONYMS:

SULFINYLBIS(METHANE); METHYL SULFOXIDE; DMSO; DEMESO; DEMASORB; DIMETHYL SULPHOXIDE; DELTAN; DEMAVET; DMS-70; DMS-90; DOLICUR; DOLIGUR; DOMOSO; DROMISOL; HYADUR; INFILTRINA; RIMSO-50; RIMSO-100; C2H6OS; MAT07770; RTECS PV6210000

CHEMICAL FAMILY: sulfoxides CREATION DATE: Jan 24 1989 REVISION DATE: Mar 19 2003

SECTION 2 COMPOSITION, INFORMATION ON INGREDIENTS

COMPONENT: DIMETHYL SULFOXIDE

CAS NUMBER: 67-68-5 **PERCENTAGE:** 100.0

SECTION 3 HAZARDS IDENTIFICATION

NFPA RATINGS (SCALE 0-4): HEALTH=2 FIRE=2 REACTIVITY=0

EMERGENCY OVERVIEW:

CHANGE IN APPEARANCE: hygroscopic

COLOR: colorless

PHYSICAL FORM: liquid

ODOR: garlic odor

MAJOR HEALTH HAZARDS: harmful if inhaled, respiratory tract irritation, skin irritation, eye irritation

PHYSICAL HAZARDS: Combustible liquid and vapor.

POTENTIAL HEALTH EFFECTS:

INHALATION:

SHORT TERM EXPOSURE: irritation, nausea, vomiting, headache, dizziness

LONG TERM EXPOSURE: liver damage

SKIN CONTACT:

220

SHORT TERM EXPOSURE: irritation, allergic reactions, blisters, rash, itching, nausea, vomiting, diarrhea, chest pain, headache, drowsiness, blood disorders

LONG TERM EXPOSURE: same as effects reported in short term exposure

EYE CONTACT:

SHORT TERM EXPOSURE: irritation, blurred vision

LONG TERM EXPOSURE: same as effects reported in short term exposure

INGESTION:

SHORT TERM EXPOSURE: nausea, vomiting, diarrhea, stomach pain, drowsiness **LONG TERM EXPOSURE:** no information on significant adverse effects

SECTION 4 FIRST AID MEASURES

INHALATION: If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.

SKIN CONTACT: Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention, if needed. Thoroughly clean and dry contaminated clothing and shoes before reuse.

EYE CONTACT: Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

INGESTION: Contact local poison control center or physician immediately. Never make an unconscious person vomit or drink fluids. When vomiting occurs, keep head lower than hips to help prevent aspiration. If person is unconscious, turn head to side. Get medical attention immediately.

NOTE TO PHYSICIAN: For ingestion, consider gastric lavage and activated charcoal slurry. Consider oxygen.

SECTION 5 FIRE FIGHTING MEASURES

FIRE AND EXPLOSION HAZARDS: Moderate fire hazard. Vapor/air mixtures are explosive above flash point. The vapor is heavier than air. Vapors or gases may ignite at distant ignition sources and flash back.

EXTINGUISHING MEDIA: regular dry chemical, carbon dioxide, water, regular foam, alcohol resistant foam Large fires: Use regular foam or flood with fine water spray.

FIRE FIGHTING: Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. For fires in cargo or storage area: Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. If this is impossible then take the following precautions: Keep unnecessary people away, isolate hazard area and deny entry. Let the fire burn. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. For tank, rail car or tank truck: Evacuation radius: 800 meters (1/2 mile). Do not attempt to extinguish fire unless flow of material can be stopped first. Flood with fine water spray. Do not scatter spilled material with high-pressure water streams. Cool containers with water spray until well after the fire is out. Apply water from a protected location or from a safe distance. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

FLASH POINT: 192 F (89 C) (CC) LOWER FLAMMABLE LIMIT: 2.6% UPPER FLAMMABLE LIMIT: 42% AUTOIGNITION: 419 F (215 C)

FLAMMABILITY CLASS (OSHA): IIIA

SECTION 6 ACCIDENTAL RELEASE MEASURES

OCCUPATIONAL RELEASE:

Avoid heat, flames, sparks and other sources of ignition. Stop leak if possible without personal risk. Reduce vapors with water spray. Small spills: Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal. Large spills: Dike for later disposal. Remove sources of ignition. Keep unnecessary people away, isolate hazard area and deny entry.

SECTION 7 HANDLING AND STORAGE

STORAGE: Store and handle in accordance with all current regulations and standards. Grounding and bonding required. Subject to storage regulations: U.S. OSHA 29 CFR 1910.106. Keep separated from incompatible substances.

SECTION 8 EXPOSURE CONTROLS, PERSONAL PROTECTION

EXPOSURE LIMITS:

DIMETHYL SULFOXIDE:

No occupational exposure limits established.

VENTILATION: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

EYE PROTECTION: Wear splash resistant safety goggles. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

CLOTHING: Wear appropriate chemical resistant clothing.

GLOVES: Wear appropriate chemical resistant gloves.

RESPIRATOR: Under conditions of frequent use or heavy exposure, respiratory protection may be needed. Respiratory protection is ranked in order from minimum to maximum. Consider warning properties before use. Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode. Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

For Unknown Concentrations or Immediately Dangerous to Life or Health

Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply.

Any self-contained breathing apparatus with a full facepiece.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: liquid APPEARANCE: clear COLOR: colorless

CHANGE IN APPEARANCE: hygroscopic

ODOR: garlic odor **TASTE:** bitter taste

MOLECULAR WEIGHT: 78.13

MOLECULAR FORMULA: C2-H6-O-S

BOILING POINT: Not available **FREEZING POINT:** 64 F (18 C)

Appendix R: Material Safety Data Sheet for DMSO

DECOMPOSITION POINT: 372 F (189 C) **VAPOR PRESSURE:** 0.37 mmHg @ 20 C

VAPOR DENSITY (air=1): 2.7

SPECIFIC GRAVITY (water=1): 1.1014

WATER SOLUBILITY: miscible

PH: Not available

VOLATILITY: Not available

ODOR THRESHOLD: Not available

EVAPORATION RATE: 4.3 (carbon tetrachloride=1)

VISCOSITY: 1.1 cP @ 27 C

COEFFICIENT OF WATER/OIL DISTRIBUTION: Not available

SOLVENT SOLUBILITY:

Soluble: alcohol, ether, acetone, benzene, chloroform

SECTION 10 STABILITY AND REACTIVITY

REACTIVITY: Stable at normal temperatures and pressure.

CONDITIONS TO AVOID: Avoid heat, flames, sparks and other sources of ignition. Containers may rupture or explode if exposed to heat. Keep out of water supplies and sewers.

INCOMPATIBILITIES: combustible materials, acids, metals, oxidizing materials, halogens, metal salts, reducing agents

HAZARDOUS DECOMPOSITION:

Thermal decomposition products: aldehydes, various organic fragments, oxides of sulfur

POLYMERIZATION: Will not polymerize.

SECTION 11 TOXICOLOGICAL INFORMATION

DIMETHYL SULFOXIDE: IRRITATION DATA:

10 mg/24 hour(s) open skin-rabbit mild; 500 mg/24 hour(s) skin-rabbit mild; 100 mg eyes-rabbit; 500 mg/24 hour(s) eyes-rabbit mild

TOXICITY DATA:

1600 mg/m3/4 hour(s) inhalation-rat LC50; >11 gm/kg skin-dog LD50; 14500 mg/kg oral-rat LD50

LOCAL EFFECTS:

Irritant: inhalation, skin, eye

ACUTE TOXICITY LEVEL:

Toxic: inhalation

Slightly Toxic: ingestion

Relatively Non-toxic: dermal absorption

TUMORIGENIC DATA: Available.

MUTAGENIC DATA: Available.

REPRODUCTIVE EFFECTS DATA: Available.

Appendix R: Material Safety Data Sheet for DMSO

ADDITIONAL DATA: Interactions with drugs may occur.

SECTION 12 ECOLOGICAL INFORMATION

ECOTOXICITY DATA:

FISH TOXICITY: 400 ug/L 96 hour(s) LC50 (Mortality) Zebra danio, zebrafish (Brachydanio rerio) INVERTEBRATE TOXICITY: 96400 ug/L 48 hour(s) LC50 (Mortality) Water flea (Daphnia magna)

ALGAL TOXICITY: 1.3 ug/L 72 hour(s) EC50 (Population Growth) Green algae (Selenastrum capricornutum)

PHYTOTOXICITY: 20000 ug/L 10 hour(s) (Growth) Duckweed (Lemna perpusilla) **OTHER TOXICITY:** 1.65 ug/L 96 hour(s) LC50 (Mortality) Frog (Rana temporaria)

FATE AND TRANSPORT:

BIOCONCENTRATION: 1600 ug/L 4 hour(s) BCF (Residue) Guppy (Poecilia reticulata) 1.28 ug/L

SECTION 13 DISPOSAL CONSIDERATIONS

Dispose in accordance with all applicable regulations.

SECTION 14 TRANSPORT INFORMATION

U.S. DOT 49 CFR 172.101:

PROPER SHIPPING NAME: Combustible liquid, n.o.s. (dimethyl sulfoxide)

ID NUMBER: NA1993

HAZARD CLASS OR DIVISION: Combustible liquid

PACKING GROUP: III

CANADIAN TRANSPORTATION OF DANGEROUS GOODS: No classification assigned.



SECTION 15 REGULATORY INFORMATION

U.S. REGULATIONS:

CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4): Not regulated. SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30): Not regulated. SARA TITLE III SECTION 304 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.40): Not regulated. SARA TITLE III SARA SECTIONS 311/312 HAZARDOUS CATEGORIES (40 CFR 370.21):

ACUTE: Yes CHRONIC: No.

FIRE: Yes

REACTIVE: No

SUDDEN RELEASE: No

SARA TITLE III SECTION 313 (40 CFR 372.65): Not regulated.

OSHA PROCESS SAFETY (29CFR1910.119): Not regulated.

STATE REGULATIONS:

California Proposition 65: Not regulated.

CANADIAN REGULATIONS:

WHMIS CLASSIFICATION: Not determined.

NATIONAL INVENTORY STATUS:

U.S. INVENTORY (TSCA): Listed on inventory.

TSCA 12(b) EXPORT NOTIFICATION: Not listed.

CANADA INVENTORY (DSL/NDSL): Not determined.

SECTION 16 OTHER INFORMATION

©Copyright 1984-2003 MDL Information Systems, Inc. All rights reserved.

MATHESON TRI-GAS, INC. MAKES NO EXPRESS OR IMPLIED WARRANTIES, GUARANTEES OR REPRESENTATIONS REGARDING THE PRODUCT OR THE INFORMATION HEREIN, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR USE. MATHESON TRI-GAS, INC. SHALL NOT BE LIABLE FOR ANY PERSONAL INJURY, PROPERTY OR OTHER DAMAGES OF ANY NATURE, WHETHER COMPENSATORY, CONSEQUENTIAL, EXEMPLARY, OR OTHERWISE, RESULTING FROM ANY PUBLICATION, USE OR RELIANCE UPON THE INFORMATION HEREIN.

Appendix S: List of Observer-Issued Equipment

Safety Gear	Sampling Gear	
EPIRB	Platform Scale	
Immersion suit	Brass 6 lbs. Scale	
Back Brace	Brass 25 lbs. Scale	
Knee pads	5lb Scale Calibration Weight	
Earplugs	Pelican Case for Scale	
Hardhats	Headlamp	
Whistle	5 Gallon Plastic Buckets	
Emergency Strobes	Bucket Lid	
First Aid Kit	Observer Sampling Baskets	
Inflatable Life Vests	Forceps	
	Observer Sampling Basket Lid	
	Victorinox Knives	
	Spyderco Knife	
	Fish Pick	
	Scalpels	
	Disposable Camera	
	Clipboard	
	Hand Counter	
	Length Frequency Board	
	Length Frequency Strips	
	Marine Mammal Tissue Sampling Kit	
	Measuring Tape Reel	
	Species ID Guides	
	Calculators	

Appendix T: Chattilon Flatbed Scale Care and Maintenance

Although useful, the Chattilon scale will only perform if you properly lubricate and maintain it.

Before You Use the Scale

Prior to taking the scale from training, you should familiarize yourself with how to use it. Additionally, you will need to ensure the scale is properly lubricated and tested. Record the serial number and the test results in your logbook.

Lubricating the Scale.

The bars on the bottom of the scale form an "X" shape. The platform floats on the tips of this "X," and there is a flex point where the bars cross. Each of these five points must be liberally lubricated. Generally, the flex points will be lubricated with a thick grease prior to issue. However, if this grease washes off during your deployment, ask the boat's engineer for thick engine grease to lubricate these points. The two bars on the front of the scale, on which the weights slide, also need to be lubricated. You may use a WD-40 type oil, or the food grade lubricant oil issued as part of your normal observer gear. **Check all lubrication points often.** The weight bars should be oiled daily, and the points on the "X" bars beneath the platform need to be re-greased at least every few days.

Using the Scale

Whenever you are not using the scale, lock the platform in place using the black lever on the right side of the scale. Turn the lever forward to unlock the platform, and back to re-lock the platform.

Checking the Scale for Accuracy and Recalibrating.

Weigh an object on the platform scale prior to using it at sea. Record the weight of this object, and use it periodically to check your scale. If the scale no longer reads the correct weight, you will need to recalibrate the scale. The small, rectangular bar on the upper left of the weight bar has a screw head on the far left hand side, with a nut on the other end. Inside this rectangular bar is a small weight that will move when you turn the screw head. The nut on the other end will also move; this is normal. Put an object of a known weight on the scale and place the weights on the weight bar to show the known weight. If the scale is unbalanced where the known weight appears too light, turn the screw to the left until the scale balances on the correct weight. If the scale is unbalanced where the known weight appears too heavy, turn the screw to the right until the scale balances on the correct weight.

Returning the Scale

Prior to bringing the scale back to NMFS, rinse it with fresh water and let it dry. Remove any rust on the five pivot points on the bottom of the scale, and on the sliding weight bars. Lubricate the scale and transport it to NMFS with the platform in the locked position. Test the scale and record the results in your logbook. If the scale does not test out within the approved NMFS accuracy range, please alert your debriefer when you return for your final debriefing.

Appendix U: Immersion Suit Care and Inspection




TIMING

Inspection is suggested before every voyage or at least quarterly.

SEVEN STEP INSPECTION PROCESS

- 1. Check closures on storage bag as well as general condition of bag for ease of removal of suit. Ensure Donning Instructions are legible. Be sure bag, size, and manufacturer of suit labeling are correct.
- 2. Lay suit on flat clean surface. Make sure suit is dry inside and out. Visually check for damage. Rips, tears, or small punctures can be repaired by an authorized repair station. Major tears, rips, punctures and chemical or heat burns must be inspected and repaired by the suit manufacturer.




Appendix U: Immersion Suit Care and Inspection


- 3. Check zipper by sliding up and down to check for ease of operation. Using lubricant recommended by the manufacturer, lubricate the front and back of the zipper and the slide fastener. (If the zipper is not functional the suit must be removed from service and returned to the manufacturer for repair.)
- 4. Check head support/buoyancy ring for obvious damage and ensure that it is properly attached. Check inflation hose for deterioration or leaks. See that the lock screw is in open position. Head support/buoyancy ring should be inflated and tested for leaks using one of the following two methods:
- a. Inflate the bladder then immerse it in water, looking for bubbles, or
- b. Inflate, let stand for 24 hours and check for firmness. Minor leaks can be repaired by an authorized repair station. Major leaks must be repaired by the manufacturer.

- 5. Check reflective tape. Replace if necessary. For best adhesion, repair should be completed by a factory authorized repair station.
- 6. Check whistle and PFD light for proper operation.
- 7. Check PFD battery/light for expiration date.

CLEANING

WASHING: In no case should the suit be drycleaned or exposed to any chemical solvents or cleaners. The suit should be handwashed with mild detergents and rinsed thoroughly with plenty of fresh water. Stains can be cleaned by gently rubbing with a soft bristle brush.





1/23/06 73 DRYING: Hang suit inside out on large wooden hanger in a cool (65 - 75 F), dry and well ventilated area. Do not expose to sunlight or direct heat. Following the drying of the interior of the suit, it should be reversed to completely dry the outside. When the suit has **thoroughly dried**, it can be returned to the bag by following steps 1 to 5 for Storage Instructions.

CERTIFIED REPAIR FACILITY


Immersion Suit Manufacturers recommend a complete inspection of your immersion suit by a certified inspection/repair facility at least every two years. Suits 5 years old or older should be inspected annually.

Please contact your immersion suit manufacturer for a listing of certified repair facilities.

STORAGE

- 1. Lay suit out on flat, clean surface with arms out.
- 2. Make sure zipper is fully open and the lock screw on the inflatable oral tube is in the open position.
- 3. Roll suit, feet first, up to the chin area making sure not to crease the head support/buoyancy ring or inflatable tubes.
- Fold arms over rolled up legs and across chest.





Appendix U: Immersion Suit Care and Inspection

- Tuck hood into the roll and place in storage bag...and secure the bag closures.
- **6.** Be sure suit is stowed in clean, dry area and is immediately accessible in case of emergency. Do not compress the suit in stowage as it may result in loss of buoyancy.

NOTE:

Storage recommendations vary between manufacturers. Consult your suit manufacturer for additional information.

DONNING INSTRUCTIONS

Your life may depend on your ability to quickly don your immersion suit in an emergency. It makes sense to have practiced beforehand. Monthly practice should reduce your donning time from minutes to seconds.

- 1. You should practice donning the suit, feet first, while lying or sitting on the deck. Vessel movement or list will often prevent donning the suit in a standing position.
- 2. Pull the hood over your head. Place one arm into each sleeve of the suit and reset the hood on your head. OR Place your weaker arm into the sleeve of the suit. Then reach up and pull the hood over your head with your free hand. Then place your strong arm into the sleeve of the suit.



3. Holding the zipper below the slide with one hand, fully close the zipper by pulling on the lanyard with the other hand. Secure the flap over the face/mouth.

WARNINGS:

Do not inflate the air bladder until you are in the water to prevent damage or injury.

There is a risk of entrapment in submerged compartments due to suit buoyancy.


Jumping into the water is a last resort. Ease/lower yourself into the water if practical.

COLD WATER SURVIVAL

When you are in cold water, do not swim unless you are **sure** you can reach a nearby boat, fellow survivor, or floating object.

If a nearby floating object is large, pull yourself up on it. The more your body is out of water, the warmer you will be. Keep your head out of the water to lessen heat loss and increase survival time.

If there are others in the water, and conditions permit, swim in tandem with a companion. Keeping survivors together improves moral, and makes a larger target increasing the chance of rescue.




MORE COLD FACTS

Be aware that cold water (less than 90 degrees F!) can lower your body temperature. This is called Hypothermia. If your body temperature falls too low, you may be unable to swim, or hold onto floating objects. Further cold water exposure could result in unconsciousness and drowning.

Even if you are wearing a PFD, your body can cool down 25 times faster in cold water than in air. A cold water Immersion Suit helps reduce the rate your body is cooling in cold water.

Water temperature, body size, amount of body fat and movement in the water all play a part in cold water survival. Small people cool faster than large people. Children cool faster than adults.

Immersion Suits can help you stay alive longer in cold water. They can let you float without using energy and they protect your body from cold water.



The United States Marine Safety Associaion ("USMSA") is comprised of companies and individuals who design and/or manufacture marine safety equipment, service and/or sell safety equipment, or provide training in the use of such equipment. The Association is dedicated to promoting the highest possible marine safety standards and creating widespread awareness in the use of marine safety equipment.

This booklet is provided as a public service by the USMSA. The USMSA disclaims any responsibility or liability for any injury to the person or property of those who read it. For further information, contact your immersion suit manufacturer or the USMSA.

Special thanks to the following for their efforts in developing this booklet: BayleySuit, Inc., Fortuna, CA; FitzWright Company Ltd., Langley, BC, Canada; Mustang Survival, Bellingham, WA; Parkway/Imperial, So. Amboy, NJ; Stearns Manufacturing Co., St. Cloud, MN.



UNITED STATES
MARINE SAFETY ASSOCIATION
1900 Arch Street • Philadelphia, PA
19103-1498
Phone: (215) 564-3484
Fax: 215.963.9785

10,000/6-95

Appendix V: Contact Phone Numbers

To reach any of the NMFS Coordinators, call Toll-free 1-866-780-8064

Program Staff		
Jim Benante	Jennifer Eichelberger	Janell Majewski
Program Coordinator	Debriefer	Lead Debriefer/Trainer
NWFSC - Seattle, WA	Morro Bay, CA	NWFSC - Seattle, WA
(206) 860-6794 Office	(805) 772-0278 Office	(206) 860-3293 Office
(206) 979-7226 Cell	(805) 720-0571 Cell	(206) 860-6792 Fax
(206) 860-6792 Fax	(805) 772-7569 Fax	Janell.Majewski@noaa.gov
Jim_Benante@psmfc.org	Jen.Eichelberger@noaa.gov	
Allen Cramer	Nancy Gove	Jon McVeigh
Washington/Oregon Coordinator	Data Analyst	Debriefer
HMSC-Newport, OR	NWFSC - Seattle, WA	Eureka, CA
(541) 867-0527 Office	(206) 860-2413 Office	(707) 443-1884 Office
(503) 791-2703 Cell	(206) 860-6792 Fax	(707) 407-5081 Cell
(541) 867-0505 Fax	Nancy.Gove@noaa.gov	(707) 443-3002 Fax
Alen.Cramer@noaa.gov		Jon.McVeigh@noaa.gov
Jennifer Cramer	Kate Guthrie	Kristen Moynihan
Debriefer	Observer Program Assistant	Information Technology Specialist
HMSC-Newport, OR	NWFSC - Seattle, WA	NWFSC - Seattle, WA
(541) 867-0561 Office	(206) 860-3476 Office	(206) 860-3360 Office
(503) 791-2706 Cell	(206) 860-6792 Fax	(206) 860-6792 Fax
(541) 867-0505 Fax	Kate.Guthrie@noaa.gov	Kristen.Moynihan@noaa.gov
Jennifer.Cramer@noaa.gov		
Jonathan Cusick	John LaFargue	Gillian Stoker
WCGOP Team Lead	California Coordinator	Debriefer
NWFSC-Blaine, WA	Eureka, CA	NWFSC-Seattle, WA
(360) 332-2793 Office/Fax	(707) 443-3228 Office	(206) 860-3477 Office
(206) 465-75555 Cell	(530) 604-7386 Cell	(206) 860-6792 Fax
Jonathan.Cusick@noaa.gov	(707) 443-3002 Fax	Gillian.Stoker@noaa.gov
	John.Lafargue@noaa.gov	
PSMFC State Liaisons		
California	Oregon	Washington
Mike Fukushima	Steve Kupillas	Carol Henry
California Department of Fish	Oregon Department of Fish	Washington Fish and Wildlife
and Game	and Wildlife	wasinigton i ish and whence
(707) 441-5797	(541) 867-0300 x262	(360) 249-4628
(101) 111-3171	(311) 007-0300 A202	(300) 277-7020

Appendix W: Processors

PLANT	CITY	PHONE
CAL	IFORNIA	
MURPHYS SUNNYBRAE	ARCATA	(707) 822-1157
MURPHYS GLENDALE	ARCATA	(707) 822-2271
UNKNOWN	ARCATA	(707) 826-8670
SHIN FISH	ARTESIA	(562) 402-4747
CENTRAL COAST SEAFOOD	ATASCADERO	(805) 772-1280
ARMSTRONGS FISH MARKET & SEAFOOD	AVALON	(310) 510-0113
PETES PIERSIDE CAFE	AVILA BEACH	(805) 595-7627
OLDE PORT FISHERIES INC	AVILA BEACH	(805) 595-9456
DEL MAR SEAFOODS INC	AVILA BEACH	(805) 595-9456
BJ ENTERPRIZES	AVILA BEACH	(805) 929-5757
THE TIDES	BODEGA BAY	(707) 875-3560
THE TIDES WHARF	BODEGA BAY	(707) 875-2777
LUCAS WHARF INC	BODEGA BAY	(707) 875-3571
PAISANO BROS	BODEGA BAY	(707) 875-3576
FRESH FISH	BODEGA BAY	(707) 875-9633
DREWS FISH	BOLINAS	(415) 868-1320
MOORES SEAFOOD INC	CAMARILLO	(805) 384-9277
PELLYS FISH MARKET AND DELI	CARLSBAD	(760) 431-8454
SEA HARVEST	CARMEL	(408) 626-3626
PACIFIC FISH & CRAB MARKET	CARSON	(310) 518-4042
MR LEE BBQ HOUSE	CERRITOS	(562) 809-1339
FRESH DAILY FISH CO	COSTA MESA	
PACIFIC CHOICE SEAFOOD COMPANY	CRESCENT CITY	(707) 464-5558
CAITO FISHERIES INC	CRESCENT CITY	(707) 464-9483
CRESCENT CITY HOOK & LINE GROUP	CRESCENT CITY	(707) 465-6857
ALBER SEAFOODS INC	CRESCENT CITY	(707) 464-8122
TIN TIN ORIENTAL MARKET	CUPERTINO	(408) 255-7804
WEST BASIN TRAP & LOBSTER	DANA POINT	(760) 868-5713
MORNING STAR FISHERIES	EL GRANADA	(415) 728-3729
EXCLUSIVE FRESHNESS	EL GRANADA	(415) 728-7321
THREE CAPTAINS SEA PRODUCTS	EL GRANADA	(650) 726-3111
THREE CAPTAINS SEA PRODUCTS INC	EL GRANADA	(650) 726-3111
PEMBERTON FISH	EL GRANADA	(650) 740-0615
PACIFIC CHOICE SEAFOOD COMPANY	EUREKA	(707) 442-2981
MR FISH SEAFOOD	EUREKA	(707) 443-2661
CAITO FISHERIES INC	EUREKA	(707) 443-0550
MURPHYS MARKETS INC	EUREKA	(707) 822-7665
EUREKA CO-OP	EUREKA	(707) 443-6027
CAITO FISHERIES INC	FORT BRAGG	(707) 964-6368
BASSLER FISHERIES	FORT BRAGG	(707) 964-0597
EMPRESS SEAFOOD LLC	FORT BRAGG	(707) 964-3557
NORTH COAST FISHING ADVENTURES INC	FORT BRAGG	(707) 964-3000
THE FISH MARKET	FORT BRAGG	(707) 964-1600

Appendix W: Processors

PLANT	CITY	PHONE
OCEAN FRESH SEAFOOD PRODUCTS JV	FORT BRAGG	(707) 964-1394
OCEAN FRESH SEAFOOD PRODUCTS JV	FORT BRAGG	(707) 964-1652
P SEAFOOD	FORT BRAGG	(415) 203-5155
VOYATZIS FISH COMPANY	FOUNTAIN VALLEY	(949) 673-1833
CENTRAL FISH COMPANY	FRESNO	(209) 237-2049
PACIFIC FRESH SEAFOOD COMPANY	FRESNO	(209) 264-3474
EMPRESS SEAFOOD LLC	FT BRAGG	(707) 964-3557
CRYSTAL FOOD INC	FULLERTON	(714) 447-3610
PRINCETON SEAFOOD COMPANY	HALF MOON BAY	(650) 726-2722
FITZ BUSKIRK INC	HALF MOON BAY	(650) 726-6953
MA SEAFOOD	HAWAIIAN GARDENS	(562) 421-1698
C J SEAFOOD	HUNTINGTON BEACH	(714) 960-7733
YALE FISH COMPANY	LA CRESCENTA	(213) 324-9577
FUKUSHIMA	LEMON GROVE	(619) 461-2443
DEL MAR SEAFOODS INC	LONG BEACH	(562) 628-1800
LB SEAFOOD	LONG BEACH	(562) 426-8353
PACIFIC FRESH FISH COMPANY INC	LOS ANGELES	(213) 623-6220
AMERICAN FISH AND SEAFOOD COMPANY	LOS ANGELES	(213) 612-0350
LOS ANGELES FISH	LOS ANGELES	(213) 612-0350
SHOWA MARINE INC	LOS ANGELES	(213) 627-4091
DY FISH TRADING CO	LOS ANGELES	(213) 447-1622
CAPN ZACHS CRABHOUSE INC	MCKINLEYVILLE	(707) 839-9050
T & L TRADING INC	MONTEBELLO	(323) 887-8838
MONTEREY FISH COMPANY INC	MONTEREY	(831) 375-3511
ROYAL SEAFOODS INC	MONTEREY	(831) 373-7920
DEYERLE BROTHERS SEAFOOD INC	MONTEREY	(831) 632-2574
	MONTEREY	(831) 372-2636
CENTRAL COAST SEAFOODS	MORRO BAY	(805) 462-3474
BAYSHORES FISH COMPANY	MORRO BAY	(805) 772-8411
GIOVANNIS WHOLESALE FISH	MORRO BAY	(805) 772-1276
TOGNAZZINIS DOCKSIDE RESTAURANT	MORRO BAY	(805) 772-8100
BAY FRESH	MOSS LANDING	(831) 633-5160
BAY FRESH SEAFOOD	MOSS LANDING	(831) 633-5160
MONTEREY FISH COMPANY INC	MOSS LANDING	(831) 633-4808
PHILS FISH MARKET & EATERY	MOSS LANDING	(831) 633-2152
SEA HARVEST	MOSS LANDING	(831) 633-6300
SEA HARVEST	MOSS LANDING	(831) 632-2574
SOLOMON LIVE FISH	MOSS LANDING	(831) 632-0304
DEL MAR SEAFOODS INC	MOSS LANDING	(831) 753-5100
DEL MAR SEAFOODS INC	MOSS LANDING	(831) 753-5100
BAY FRESH SEAFOODS	MOSS LANDING	(408) 633-5160
BETICIA	MOSS LANDING	(831) 671-9261
NEWPORT DORY FLEET CO OP	NEWPORT BEACH	(714) 754-0915
WOODS OCEAN PRODUCTS	OAK VIEW	(805) 708-0483
NEW SANG CHONG MARKET	OAKLAND	(510) 451-2018
YET SUN MARKET	OAKLAND	(510) 451-3625
NOR CAL SEAFOOD INC	OAKLAND	(510) 532-7823
NEW TINS MARKET	OAKLAND	(510) 832-6256
KEN S SIO INC	OAKLAND	(510) 390-2549

PLANT	CITY	PHONE
MA SEAFOOD	OAKLAND	(510) 865-3381
LUCKY SEAFOOD MARKET	OAKLAND	(510) 436-6068
LUCKY SEAFOOD MKT 2	OAKLAND	(510) 436-6068
JUAN VAZQUEZ COMPANY	ORANGE	(714) 997-9061
FISHERMANS HOUSE	OXNARD	(805) 984-3443
DEL MAR SEAFOODS INC	OXNARD	(831) 753-5100
HC SEAFOODS INC	OXNARD	(805) 382-8173
SUNRISE II	OXNARD	(805) 231-0205
FISHERMAN FRESH SEAFOOD	OXNARD	(805) 701-0018
CACTUS COVE	PALM DESERT	(760) 340-1418
PACIFIC WEST SEAFOOD COMPANY INC	PETALUMA	(707) 763-2917
LEMONS PHILO MKT INC	PHILO	(707) 895-3552
PEMBERTON FISH	PILLAR POINT HARBOR	(650) 740-0615
STACEY JOANNE	PILLAR POINT HARBOR	(650) 740-0615
MONTEREY FISH COMPANY INC	PORT HUENEME	(805) 488-1151
OCEAN FRESH SEAFOOD PRODUCTS JV	PT ARENA	(707) 882-1662
CAPTAIN KIDDS FISH MARKET	REDONDO BEACH	(310) 372-7703
KINGFISHER TRADING COMPANY INC	S EL MONTE	(626) 448-9222
OCEAN HARVESTORS COMPANY	S EL MONTE	(626) 705-8198
LY NORTH STAR SEAFOOD INC	S EL MONTE	(626) 582-8188
PACIFIC FRESH SEA FOOD COMPANY	SACRAMENTO	(916) 419-5500
SACHIKO FISH	SACRAMENTO	(916) 429-6604
MONTEREY FISH COMPANY INC	SALINAS	(831) 775-0522
MONTEREY FISH COMPANY INC	SALINAS	(831) 769-9155
FRANKS FISH MARKET	SALINAS	(408) 422-0879
MARINA FISH & POULTRY	SAM LEANDRO	(510) 357-0421
SPORTSMENS SEAFOODS INC	SAN DIEGO	(619) 224-3551
CATALINA OFFSHORE PRODUCTS	SAN DIEGO	(619) 297-9797
CHESAPEAKE FISH COMPANY INC	SAN DIEGO	(619) 238-0526
MRS KELLYS INC/DBA PT LOMA SEAFOODS	SAN DIEGO	(619) 223-1109
ANDYS FISH	SAN DIEGO	(619) 417-5097
MADRUGA FISH	SAN DIEGO	(619) 225-9247
WILD WEST	SAN DIEGO	(858) 272-6958
ALL WAYS FISHING	SAN DIEGO	(619) 840-7375
JOHNNYS	SAN DIEGO	(619) 218-8242
CAITO FISHERIES INC	SAN FRANCISCO	(415) 441-2121
OSPREY SEAFOOD OF CALIFORNIA INC	SAN FRANCISCO	(415) 291-0156
PACIFIC SAN FRANCISCO	SAN FRANCISCO	(415) 474-0150
23RD IRVING SUPERMARKET INC	SAN FRANCISCO	(415) 682-0926
WAH LIAN SUPERMARKET INC	SAN FRANCISCO	(415) 681-3982
C & L SEA FOOD WHOLESALE INC	SAN FRANCISCO	(415) 816-1472
NEW LUN WAH COMPANY INC	SAN FRANCISCO	(415) 986-0756
COSTARELLA SEAFOODS	SAN FRANCISCO	(415) 674-0175
W F ALBER INC	SAN FRANCISCO	(415) 292-1640
WAH LIAN SUPER MARKET	SAN FRANCISCO	(415) 665-7598
JAMIE SUPERMARKET	SAN FRANCISCO	(415) 956-5398
NEW SANG SANG MARKET INC	SAN FRANCISCO	(415) 433-0403
P & T FLANNERY SEAFOODS INC	SAN FRANCISCO	(415) 346-1303
ROBALO	SAN FRANCISCO	(415) 982-7903

Appendix W: Processors

PLANT	CITY	PHONE
NEW LUEN SING FISH MARKET INC	SAN FRANCISCO	(415) 566-6299
ROYAL HAWAIIAN SEAFOOD	SAN FRANCISCO	(415) 824-1177
NEXT SEAFOOD COMPANY INC	SAN FRANCISCO	(415) 929-1803
SAN PEDRO FISH MARKET & RESTAURANT	SAN PEDRO	(310) 832-4251
NP SEAFOOD	SAN PEDRO	(310) 832-4119
MUS SEAFOOD COMPANY	SANTA BARBARA	(805) 963-1266
SANTA BARBARA FISHERMENS MARKET	SANTA BARBARA	(805) 965-9564
FAR WEST MARINE SEAFOOD	SANTA CRUZ	(408) 287-5524
STAGNARO BROS SEAFOOD INC	SANTA CRUZ	(408) 423-1188
STAGNARO BROS SEAFOOD INC	SANTA CRUZ	(408) 423-1188
	SANTA CRUZ	(831) 234-8571
HANS FISH	SANTA CRUZ	(831) 588-7338
NORTH COAST FISHERIES INC	SANTA ROSA	(707) 579-0679
YOUNG BROTHERS FISH	SCOTTS VALLEY	(831) 818-4428
THE COVE RESTAURANT	SHELTER COVE	(707) 986-1197
DEL MAR SEAFOODS INC	TERMINAL ISLAND	(831) 753-5100
SEASCAPE RESTAURANT	TRINIDAD	(707) 677-0211
MURPHYS TRINIDAD	TRINIDAD	(707) 677-3643
KATYS SMOKEHOUSE	TRINIDAD	(707) 677-0151
DEL MAR SEAFOODS	VENTURA	(831) 763-3000
PIERPONT SEAFOOD	VENTURA	(805) 658-2069
AMERICAN FISH - SACRAMENTO	W SACRAMENTO	(213) 612-0350
MONTEREY FISH COMPANY INC	WATSONVILLE	(831) 761-5579
DEL MAR SEAFOODS INC	WATSONVILLE	(831) 763-3000
DEL MAR SEAFOODS INC	WATSONVILLE	(831) 753-5100
MARIOS RESTAURANT & BAR	WHITETHORN	(707) 986-1401
OREGO	N	
MORLOCK, RANDY MORLOCK	ALOHA	(503) 310-2655
ALLEN, BENJI	ASTORIA	(503) 244-3010
AMERICAN CANADIAN FISHERIES	ASTORIA	(360) 398-1117
ASTORIA HOLDINGS INC	ASTORIA	(503) 338-1288
ASTORIA PACIFIC SEAFOODS	ASTORIA	(503) 325-3156
ASTORIA SEAFOODS LLC	ASTORIA	(503) 741-7264
BORNSTEIN SEAFOODS OF OREGON	ASTORIA	(503) 325-6164
BRUSKI'S DOCK	ASTORIA	(503) 338-8072
CUSTOM FREEZERS LLC	ASTORIA	(503) 325-3419
DA YANG SEAFOODS INC	ASTORIA	(425) 971-6596
EVANS, RANDALL C	ASTORIA	(503) 338-8405
FISH LANDING LLC	ASTORIA	(503) 325-1067
FISHHAWK FISHERIES	ASTORIA	(503) 325-5252
OCEAN CREST SEAFOODS INC	ASTORIA	(253) 861-3273
TARABOCHIA, BRIAN	ASTORIA	(503) 325-8516
UNIONTOWN FISH MARKET	ASTORIA	(503) 325-9592
WEST BAY MARKETING	ASTORIA	(503) 325-6636
PACIFIC OYSTER CO	BAY CITY	(503) 377-2330
IHANDER, KIRK	BEND	(541) 390-9516
ANGLER SEAFOOD	BROOKINGS	(541) 469-5900
CAITO FISHERIES INC	BROOKINGS	(541) 469-7628
JOHNS FRESH SEAFOOD	BROOKINGS	(541) 469-7671

PLANT	CITY	PHONE
LITTLE J LIVE CRAB	BROOKINGS	(541) 469-6934
PACIFIC CHOICE SEAFOODS	BROOKINGS	(541) 412-7072
PRATCO	BROOKINGS	(541) 469-4166
SIO INC	BROOKINGS	(510) 912-4960
WILD BILLL FISHERIES	BROOKINGS	(541) 469-3109
ECOLA SEAFOODS INC	CANNON BEACH	(503) 436-9130
KELLER, WILLIAM M	CANNON BEACH	(503) 436-0248
SUPREME SEAFOOD CO	CAVE JUNCTION	(541) 592-4987
BANDON PACIFIC INC	CHARLESTON	(541) 888-9626
CHUCKS SEAFOODS INC	CHARLESTON	(541) 888-5525
FISHERMENS WHARF	CHARLESTON	(541) 888-8862
HALLMARK FISHERIES	CHARLESTON	(541) 888-3253
K LYN FISHERIES	CHARLESTON	(541) 888-0267
NOYES, MARY C	CHARLESTON	(541) 888-3122
SEAHAWK SEAFOOD	CHARLESTON	(541) 888-6645
STARVIN MARVIN'S SEAFOOD	CHARLESTON	(541) 888-5808
PACIFIC SEAFOOD CO INC	CLACKAMAS	(503) 657-1101
KLAM KING CLAMS LLC	COOS BAY	(541) 266-7707
OREGON BRAND SEAFOOD LLC	COOS BAY	(541) 888-1748
PENNINGTONS CRAB CO	COOS BAY	(541) 888-9018
YOUNG SHIN FISHERIES CORP	COQUILLE	(541) 396-6979
SCOTT'S SMOKEHOUSE	CORBETT	(503) 667-4836
SEALS, CARROLL	COTTAGE GROVE	(541) 942-5048
TUCKER INDUSTRIES INC	COTTAGE GROVE	(541) 942-6465
JIM'S SEAFOOD	DEPOE BAY	(541) 994-6276
NEPTUNES CHOICE LLC	DEPOE BAY	(541) 765-4000
OCEAN BRITE SEAFOOD	DEPOE BAY	(541) 270-7714
HENRY H PELFREY	FAIRVIEW	(503) 661-5093
ALMENDINGER, GARY	FLORENCE	(541) 902-1922
F/V LASSIE	FLORENCE	(541) 997-2664
INTERNATIONAL C FOOD MARKETING	FLORENCE	(541) 997-7978
KRAB KETTLE FISHERIES INC	FLORENCE	(541) 997-8996
WEBER'S FISH MARKET	FLORENCE	(541) 997-8886
BAY OCEAN SEAFOOD CO	GARIBALDI	(503) 322-9629
BROTHERS THREE FISHERIES INC	GARIBALDI	(503) 791-8636
DEEP WATER SEAFOODS LLC	GARIBALDI	(503) 755-9122
DOUGS DIVING, DOUG ALM DBA	GARIBALDI	(503) 322-2200
NETWORK FISHERIES	GARIBALDI	(503) 791-0227
OREGON GOURMET CRAB	GARIBALDI	(503) 322-2544
TILLAMOOK BAY BOATHOUSE LLC	GARIBALDI	(503) 322-3600
NOR-CAL SEAFOODS INC	GOLD BEACH	(541) 247-0773
ROGUE KING SEAFOOD	GOLD BEACH	(541) 247-9494
POINT ADAMS PACKING CO - HAMMOND	HAMMOND	(503) 861-2226
CHETCO SEAFOOD CO	HARBOR	(541) 469-9251
DICK & CASEY'S GOURMET SEAFOOD	HARBOR	(541) 469-9494
FOX, BINGHAM	HARBOR	(541) 661-4774
GREAT AMER SMKHSE & SEAFOOD	HARBOR	(541) 469-6903
NORTH COAST FISHERIES INC	HARBOR	(707) 579-0679
LAWLER, DAVID	HILLSBORO	(503) 440-3061

Appendix W: Processors

PLANT	CITY	PHONE
BARNACLE BILLS SEAFOOD	LINCOLN CITY	(541) 994-3022
BILLS SEAFOOD, II	LINCOLN CITY	(541) 994-8110
GRANVILLE FISHERIES INC	LOGSDEN	(541) 444-2460
WILD PLANET	MCKINLEYVILLE	(707) 839-3170
SAUSAGE KITCHEN INC	MILWAUKIE	(503) 656-9766
ADAMS, CHARLES	NEWPORT	(541) 574-7863
BAY STREET CRAB COMPANY	NEWPORT	(541) 752-1822
CARVALHO FISHERIES INC	NEWPORT	(707) 839-3270
CAUGHT IN OREGON	NEWPORT	(541) 961-8333
CODYS SEA TO YOU SEAFOODS	NEWPORT	(541) 574-0284
EDER FISH COMPANY	NEWPORT	(541) 265-6650
F/V JUDY, ROBERT KEMP, II	NEWPORT	(541) 270-3752
LOCAL OCEAN SEAFOODS INC	NEWPORT	(541) 574-7959
NEWELL SEAFOODS	NEWPORT	(541) 336-5615
OCEAN BEAUTY SEAFOODS INC NWF	NEWPORT	(503) 325-0656
PACIFIC SHRIMP COMPANY	NEWPORT	(541) 265-4215
PFISTER, TOM	NEWPORT	(541) 265-9143
ROBINSON (R AND S SEAFOOD), JIM	NEWPORT	(541) 961-1946
ROLES, DALLAS	NEWPORT	(541) 270-1482
SAWYER'S LANDING	NEWPORT	(541) 265-3907
TRIDENT SEAFOODS CORP	NEWPORT	(541) 265-7279
YAQUINA BAY FRUIT PROCESSORS	NEWPORT	(541) 867-3314
SEAFOOD SERVICES INC	NORTH BEND	(541) 756-5139
SUPERIOR SEAFOOD	NORTH BEND	(541) 267-4423
TONY'S SMOKE HOUSE & CANNERY INC	OREGON CITY	(503) 656-7512
PASTIME FISHERIES	OTIS	(541) 994-3440
SEA STAR ENTERPRISE	OTTER ROCK	(541) 765-2111
CAPE KIWANDA RV PARK	PACIFIC CITY	(541) 921-0281
SEA Q FISH LTD	PACIFIC CITY	(503) 965-6352
D S SEAFOODS	PORT ORFORD	(541) 332-2245
OREGON BAIT CO	PORT ORFORD	(541) 332-0848
HAPPY CRAB SEAFOODS INC	PORTLAND	(503) 285-7154
HONGLAND MARKET	PORTLAND	(503) 252-3000
JESSICA DRESSEL LLC	PORTLAND	(503) 866-8082
O M SEAFOOD CO	PORTLAND	(503) 788-1984
OCEAN BEAUTY SEAFOODS INC	PORTLAND	(503) 224-1611
COWLITZ RIVER SMELT CO	RAINIER	(360) 273-7354
GEORGE AND BARKER FISH CO	REDMOND	(503) 741-0240
JETTY FISHERY LLC	ROCKAWAY	(503) 368-5746
COASTWIDE SEAFOOD	SALEM	(503) 947-6178
MIKES CUSTOM SEAFOOD	SALEM	(503) 588-0302
MURTLE BEE TUNA LLC	SALEM	(503) 302-8431
NATIVE FISH	SEAL ROCK	(541) 270-7889
COX, PAUL & ILENE	SOUTH BEACH	(541) 961-3939
DONALD SNOW DBA FV SUMMER PLACE	SOUTH BEACH	(541) 867-7419
LIGHTHSE DELI/FISH CO, JAMES IVE	SOUTH BEACH	(541) 867-6800
NEWPORT BAY FISH CO	SOUTH BEACH	(541) 270-8023
REINHOLDT FISHING ENT	ST HELENS	(503) 397-3369
GILSON MARINE FARMS	TILLAMOOK	(503) 842-2955

PLANT	CITY	PHONE
NETARTS SEAFOOD COMPANY	TILLAMOOK	(503) 842-3698
TILLAMOOK BAIT COMPANY	TILLAMOOK	(503) 842-5031
AUE, ROBERT	TOLEDO	(541) 336-8107
SIGNATURE SALMON LLC	TUALATIN	(503) 638-2943
BARTO, JAMES J	VENETA	(541) 935-3106
COLD CREEK	WALDPORT	(541) 563-2146
LELAND ARCE DBA SEAFOOD	WALDPORT	(541) 563-2835
PAULSON, KEITH	WALDPORT	(541) 563-4656
WALDPORT SEAFOOD COMPANY LLC	WALDPORT	(541) 563-4107
HEUKER BROTHERS INC	WARRENDALE	(541) 374-8255
JESSIE'S ILWACO FISH CO	WARRENTON	(360) 642-3773
OREGON OCEAN SEAFOODS	WARRENTON	(503) 861-1434
PACIFIC COAST SEAFOODS COMPANY	WARRENTON	(503) 861-2201
SLIDERS SELECT SEAFOODS	WARRENTON	(503) 791-4762
GRIFF'S BAYSIDE REST AND SEAFOOD	WINCHESTER BAY	(541) 271-2512
SLOAN'S WHARF	WINCHESTER BAY	(541) 271-1331
SPORTSMEN'S CANNERY & SMOKEHOUSE	WINCHESTER BAY	(541) 271-3293
WAS	SHINGTON	
ARROWAC	BELLINGHAM	(360) 676-1606
BCS (FISH HOUSE)	BELLINGHAM	(360) 733-7640
BORNSTEIN SEAFOODS	BELLINGHAM	(360) 734-7990
DAKOTA FISHERIES	BLAINE	(360) 332-4131
K-C FISH CO.	BLAINE	(360) 332-5121
BOUNDARY FISH CO.	BLAINE	(360) 332-6715
JESSIE'S	ILWACO	(360) 642-3362
HIGH TIDE	LA PUSH	(360) 374-9494
HIGH TIDE	NEAH BAY	(360) 645-2016
HIGH TIDE	PORT ANGELES	(360) 452-8488
SOUTH BEND PACKER	SOUTH BEND	(360) 875-6570
D & M LIVE	WESTPORT	(360) 268-3919
WASHINGTON CRAB	WESTPORT	(360) 268-9234
MERINO SEAFOOD	WESTPORT	(360) 268-9286
WASHINGTON CRAB	WESTPORT	(360) 268-9410

Appendix X: Useful Websites

WCGOP Observer Related Sites

West Coast Groundfish Observer Program:

http://www.nwfsc.noaa.gov/research/divisions/fram/observer/index.cfm

WCGOP Database Log-on

http://efcldev.nwfsc.noaa.gov/pls/noaa/logon.display

Pacific States Marine Fisheries Commission (PSMFC)

http://www.psmfc.org/index.html

Alaskan Observers, Inc. (AOI)

http://www.alaskanobservers.com/

Fisheries Management on the West Coast:

Pacific Fishery Management Council (PFMC):

http://www.pcouncil.org/

NOAA Fisheries Northwest Regional Office (groundfish management):

http://www.nwr.noaa.gov/1sustfsh/gdfsh01.htm

International Pacific Halibut Commission:

http://www.iphc.washington.edu/halcom/default.htm

State Agencies

California Department of Fish and Game (DFG)

http://www.dfg.ca.gov/

Oregon Department of Fish and Wildlife (ODFW)

http://www.dfw.state.or.us/

Washington Department of Fish and Wildlife (WDFW)

http://wdfw.wa.gov/

Fisheries Research on the West Coast:

NOAA Northwest Fisheries Science Center:

http://www.nwfsc.noaa.gov/research/divisions/fram/index.cfm

Collaborative research: Partnerships for improved science and fisheries knowledge

http://www.fishresearchwest.org/

Pacific Marine Conservation Council

http://www.pmcc.org/news.html

Fisheries News:

Heads up: News connecting the West Coast Fishing Community

http://www.heads-up.net/

Fish Identification:

Fish Base: Database of over 28,000 species with images.

http://www.fishbase.org/search.cfm

Fisheries Regulations:

Marine Regulations:

http://hmsc.oregonstate.edu/odfw/regs/regulations.html

NOAA Groundfish Management Regs and Public Notices:

http://www.nwr.noaa.gov/1sustfsh/gdfsh01.htm

Marine Safety:

The Alaska Marine Safety Education Council

http://www.amsea.org/

EPIRB On-line registration and forms

http://www.sarsat.noaa.gov/beacon.html

Vessel Information:

U.S. Coast Guard Vessel Search

http://cgmix.uscg.mil/psix/PSIX2/VesselSearch.asp

NW Region List of LE permits

http://161.55.16.25/main/nwp_system_version3/nwp_public/index_pub_permits.cfm

Marine Weather:

NOAA: National Weather Service

http://www.nws.noaa.gov/

Appendix X: Useful Websites

Independent Service (iwindsurf.com)

http://www.iwindsurf.com/windandwhere.iws

Observer Associations, Interest Groups:

Association for Professional Observers:

http://www.apo-observers.org/Observerweb/Sites/Links_navbar_side/linksfolder/links_obs_data.htm

Observer net:

http://www.observernet.org/obsforum/index.php

International Fisheries Observer Conference:

http://www.fisheriesobserverconference.com/

Observer Programs worldwide:

Domestic

North Pacific Groundfish Observer Program:

http://www.afsc.noaa.gov/refm/observers/default.htm

Alaska Marine Mammal Observer Program

http://www.fakr.noaa.gov/protectedresources/observers/mmop.htm

California/ Oregon Drift Gillnet Observer Program

http://swr.ucsd.edu/psd/codgftac.htm

Hawaii Longline Observer Program

http://swr.nmfs.noaa.gov/pir/index.htm

Northeast Fisheries Observer Program:

www.nefsc.noaa.gov/sos/fishobs/fishobs.html

Florida Museum of Natural History-Shark Fishery Observer Program:

http://www.flmnh.ufl.edu/fish/sharks/csop/csopjob.htm

Southeast Pelagic Observer Program

http://www.sefsc.noaa.gov/pop.jsp

Gulf of Mexico Shrimp Fishery Observer Program

http://galveston.ssp.nmfs.gov/research/fisherymanagement/index.html - observer_program

Appendix X: Useful Websites

National Observer Program

http://www.st.nmfs.gov/st4/nop/index.html

Foreign

Canadian at-sea fisheries observer program:

http://www.qc.dfo-mpo.gc.ca/peches/en/surveillance/programme.htm

Canadian observer provider:

http://www.archipelago.ca/fm-overview.aspx

Marine Resources Assessment Group (MRAG) (multiple programs)

http://p15166578.pureserver.info/MRAG/Home.htm

Antarctica CCAMLR:

http://www.ccamlr.org/pu/E/sc/fish-monit/fm-intro.htm

Australia:

http://www.afma.gov.au/services/observer/default.php

Appendix Y: Glossary

A - **B**

ABC - "Acceptable Biological Catch" - the annual harvest level for each species based only on biological considerations

Aft - towards the stern or back end of a vessel

Amidships - midway between the bow and stern of a ship, or on the centerline

Anchor/Buoy lines - Sections of line that join the groundline and anchors on the bottom of the ocean to the buoys or "bags" on the surface.

Athwart ships - side-to-side across a ship, perpendicular to the centerline

Bag - the codend or another name for a buoy.

Bait bags/jars - Containers filled with ground bait that are hung inside pots to attract fish.

Beam - width of a ship

Benthic - living in direct relation with the bottom

Bias- Tending to yield one outcome more frequently than others. Factors affecting the randomness of a sample, including possible mechanical sorting of catch by an incline belt, or purposeful presorting by a crew member, will introduce bias.

Bight - a loop or turn in a line

Bleeder/Sorter - Crewman assigned to sort bycatch out of the catch, and to cut the "throat" of the cod.

Block/Hydro/Hauler - Hydraulically driven wheel into which the groundline is placed during gear retrieval. As the wheel spins the groundline is drawn on board.

Boat Share - the percentage of the gross which goes to the vessel owner

Bobbin - a round, rubber or steel roller used in the footrope of a bottom net to protect the net from damage

Bosun - person in charge of a ship's rigging, anchors, cables and deck crew

Bottom - (1) ocean floor, (2) fishing depth, or (3) a ship hull. Which meaning to apply must be taken from context.

Bow - the front section of a boat or ship

Bowline - a type of knot used to form an eye in the end of a rope.

Brailer - a type of netting that is attached to a crane and used to transport fish and other materials from one vessel to the dock or to another vessel

Breech - a behavioral characteristic of some marine mammals such as humpback whales, where they rise vertically out of the water, and then with most of their body above the surface, they fall to their back or side

Bridge - the control center of a ship

Bridle - wire attached to the headrope, footrope or side panel of a net, by which the net is towed

Bulkhead - a wall separating compartments of a ship

Bulwarks - the upper section of the side plating of a ship, which extends above and around the upper deck

C

Capstan (gypsy) - an upright, spool-shaped, power rotational cylinder around which cables or hawsers are wound

Catch Category - Categories comprised of one or more species for management purposes.

Catcher boat - vessel that is used for catching fish and that does not process (freeze) fish on board

Chaffing gear - protective carpeting (or strands of nylon forming a carpet pile) on the outer, underside of the trawl net to keep it from catching and ripping on obstacles on the bottom

Chief - the engineer; responsible for care of engines and deck machinery

Choker, choke strap - a loop of wire or rope used to cinch off the net or codend

Chopper - Machine used to grind frozen herring or squid for bait or the person assigned this duty.

Cleat - a heavy piece of wood or metal having two horns around which ropes may be made fast or belayed, usually secured to a fixed object such as the dock or deck

Coded wire tag - small tag (3mm) etched with binary code that are inserted into the snout of fishes for later identification

Codend - the end "bag" of a trawl net where the majority of the fish are collected and held

Coiler - Person or machine that is designated to coil line as it is retrieved by the block.

Combing - a low partition that separates the trawl deck from the side pockets

Companionway - entrance/stairway from deck to fo'c'sle and engine room

Compliance - being in accordance with the fishing regulations

Composition - In the groundfish Observer Program, this refers to the makeup of harvested species in a catch, and the sample you collect.

Cookie (disc) - a flat, round piece of rubber with a hole in the center strung on a wire rope or chain to protect it from abrasion and to stir up a mud cloud. Used on non-pelagic trawl gear.

Crucifier - A pair of rollers or steel pegs which stand vertically with only enough room for the groundline to pass between. During gear retrieval the groundline passes between the rollers and the hooks are pulled out of the fish.

D - **E**

Demersal - dwelling at or near the bottom

Discard - Everything that is not retained.

Disembark - to get off a vessel

Diver/Trailer buoys - A small buoy attached to the main buoy with a length of line. The diver buoy "trails" behind the main buoy and allows a larger target for grappling.

Dogs - Metal hooks that are hydraulically controlled to secure a pot to a launcher.

Door - a large steel or alloy structure attached to each main wire (in front of the net) to spread the net horizontally by means of hydrodynamic and friction forces

Draft - vertical distance from keel to waterline of a ship

Drop-off - Those organisms that fall or are knocked off of a hook prior to their being landed.

Drum - a metal spool or cylinder around which cable, etc. is wound

Drumhead - the top of a capstan, into which bars are inserted for leverage in turning it

Ebb tide - outgoing tide

EEZ - "Exclusive Economic Zone" - the term for the 200 mile jurisdiction zone, in which a nation has exclusive fishing rights, formerly called the FCZ

Embarkation - to board a vessel

Appendix Y: Glossary

EPIRB - "Emergency Position Indicator Radio Beacon"

Expansion straps (container lines) - a series of lines running around the circumference of a codend to provide strength and help maintain the shape of the bag

F

Fathom - a measure of length or depth equal to six feet

Fingers/Triggers - Small plastic strips located in the tunnel of a pot which allow fish to enter a pot but not exit.

Fishfinder - an electronic device for locating schools of fish under a vessel

Fishing line - a length of chain or wire in the bottom, front end of a net between the footrope and the bolsh line

Fishing mortality - Removal (deaths) of fish from a population due to fishing activity.

Flatfish - fish which are laterally compressed and orient themselves in the water with their lateral surfaces or sides towards the surface and bottom.

Flatlink - a piece of cut or cast hardware, generally oblong in shape, with leg diameter smaller in certain areas to allow attachment of a G-hook; used where wires must be connected and disconnected frequently

Flood tide - incoming tide

Fo'c'sle (from: forecastle) - the forward part of a ship where sailor's quarters are located

Footrope - on a non-pelagic net, a series of bobbins, tires or discs strung on chain or wire rope attached to the bottom front of a bottom net to protect the net from damage. On a midwater net, the rope or wire running along the front, bottom edge of the net.

Forward - towards the bow of a vessel

Fresh weight - the weight of the whole fish (or animal) as it was when alive. Also called round weight, whole weight.

G

Galley - ship's kitchen and/or mess hall

Gallows - structure from which trawl blocks are hung; separate units port and starboard

Gangion - The length of line that connects the hook to the groundline. It is often only two to three feet long.

Gantry - a frame structure, usually at the aft of a vessel, which supports pulleys (blocks) used in setting and retrieving trawl nets

Gas bladder - a sac filled with air or similar gases in the body cavity of a fish. May or may not be attached to the throat by a duct.

G-hook - a piece of cut or cast iron hardware in the shape of a "G", used with a flatlink where wires must be connected and disconnected frequently

Gill rakers - bony tooth like structures on the anterior edges of the gill arches. For protection or straining out food.

Gilson - a single hookline (as distinguished from a multiple block) used to assist in setting, hauling and moving gear on deck

Groundline/Mainline - The length of line to which all of the hooks are attached. This line is the "backbone" of the gear

Gunnel or Gunwale - the upper edge of the side of a boat

Gurdy - special winch for hauling of longlines or trolling lines

Gypsyhead - a metal drum with a smooth concave surface, usually mounted on a winch. Several wraps of line around the gypsy provide enough friction while it is turning to raise heavy loads smoothly because the line slips and is easily controlled, like the friction on a clutch plate.

H - K

Halibut excluder - A divider located in the tunnel of a pot that restricts the size of the opening.

Hatch - an opening in a deck or bulkhead of a ship.

Haul - a catch of fish from one tow of a net or longline

Haulback - when the vessel lifts the net out of the fishing depth

Hawser - any large rope (generally five inches or more in circumference) used primarily for towing, mooring or hauling

High grading - when a vessel puts up product but later discards it overboard in favor of a more valuable product

Hook - Usually a three pronged grappling hook used to snag the trailer buoy line.

Hook Counts - The average number of hooks per segment of gear.

Horn Off - To knock organisms off of a hook using the butt of a gaff.

I-beam - a steel beam shaped like an "I" in cross section

Intermediate - a gradually tapered section, generally of small mesh, between the back body of a trawl and the codend.

Joint Venture - a cooperative fishing/processing effort between vessels of different nationalities

Knot - a measure of time multiplied by distance, equaling speed. One knot equals one nautical mile (6080 feet) in one hour.

L-0

Launcher - Hydraulic lift, usually located on the port side of a vessel, used to "launch" pots over the side of the vessel and to adjust the angle of the pot when it is being emptied.

Lay - the direction in which the strands of a rope are twisted (right or left) or the degree of tightness with which they are twisted (soft, medium, hard, etc.)

Lazaret - a storage place between the decks of a ship

Lee, Leeward - the side protected from the wind, opposite the "windward" side

Live Tanks - tanks or bins on factory trawler vessels where the catch is dumped prior to sorting or processing

Lobby - another name for a fish bin on a catcher/processor

Main Wires - the two large cables used to connect the trawl net to the vessel while fishing

Master - fishing master and/or captain

Mustang suit - Insulated and waterproof coveralls worn in the cold months while sampling on deck.

Net reel - a hydraulic drum on the deck on which the net and most of the rigging are wound

Otter trawl - the type of net gear used on stern trawlers

Otterboard - another name for a trawl door

OY - "Optimum Yield" - a range within which summed Total Allowable Catches must fall

Appendix Y: Glossary

P

Panel - Mesh netting attached to a square metal frame. Two large panels and four smaller panels are attached to a heavy steel frame box to form the six sides of a pot.

Pelagic - midwater

Peritoneum - the lining of the gut cavity

Pew, Pew stick - a sharp-ended pole, which is used to skewer fish and toss them to another location Pick/"Running the hook" - Hook connected to the end of the boom which is attached to the bridle and is used to lift a pot onto the launcher as the pot is being retrieved.

Plotter - Electronic mapping device that displays the local area and the vessel's position on it. The plotter allows skippers to record the area of a string and also the number of pots in a string on a digital map display.

Pod - a school of marine mammals; such as seals, whales or dolphins

Population - The total of individuals occupying an area or making up a whole. When sampling aboard a trawler, a population is defined as the catch from a single haul.

Porthole - a window in the hull or the outside bulkhead of a ship

Pot Tie - A short piece of line used to tie pots together when they are stacked on deck.

Predominant species - species that are the most abundant in the catch - not necessarily the target species

Presorting - the segregation and/or removal of any item(s) or organism(s) from the catch prior to the point where an Observer is collecting a sample.

Prohibited species or prohibited species groups - Species whose allowable retention is zero. Salmon, Pacific Halibut, and Dungeness crab are prohibited species.

Prohibited species sampling - the weight of groundfish catch sorted by the Observer to determine only the numbers and weights of salmon, herring, halibut, king crab, and tanner crab present

PSC - "Prohibited Species Catch" - a harvest limit usually placed on halibut, salmon, crabs or other species which must be discarded in the groundfish fisheries

R

R.D.F. - Radio direction finder

Radio Call Sign - four letters and/or numbers, which are an international identifier of a vessel. TheInternational Radio Call Sign (IRCS) is painted in large letters on the side of each vessel and on the deck of the flying bridge.

Random - Relating to a set, each of whose elements have an equal probability of occurring in a sample. These elements are chosen as sample units in a manner, which eliminates subjectivity.

Random sample frame - The population divided into independent countable units.

Regenerated scale - a fish scale that has grown in to replace one that was lost. Regenerated scales are useless for aging a salmon, but can be used to identify it to species.

Reserve - a portion of quota set aside at the beginning of the fishing year to allow for uncertainties in preseason estimates of DAP catch

Riblines - heavy lines or chains that run down the length of the trawl net to strengthen it

Roller - A device made up of one or more metal pins that spin allowing the groundline to be pulled up and over the rail of a vessel during retrieval such that tension and friction on the line is reduced. Roller station/pit - Term used to describe the area where fishermen stand while retrieving the line

and gaffing fish coming in over the roller.

Rollerman - A crewman who stands in the roller station and monitors the retrieval of the gear. The rollerman lands any commercially valuable fish and excludes any non-commercially valuable fish from being landed.

Rostrum - a pointed, calcareous, median extension on the anterior end of crab carapaces

Round weight - the weight of the whole fish (or animal) as it was when alive, synonymous with fresh weight and whole weight

Roundfish - fish that orient themselves in the water with the dorsal side towards the surface and ventral side towards the bottom

"Run pots" - A phrase used interchangeably with "retrieve pots". It is the phrase used in the vessel logbook to indicate the number of pots that have been retrieved from a string.

S

Sample size - The portion of the population that is sampled.

Sample type - The method used to select part of a population. This includes basket, whole haul, partial haul, and the pre-sorted "X" sample types.

Sample weight - The actual weight in kilograms of a composition sample.

Sampling - The process of selecting part of a population for the purpose of determining the parameters, or characteristics, of the whole population. Composition sampling refers to taking samples of a haul in order to determine the fishing mortality of species occurring in the sample.

Scupper - a hole in the bulwarks which allows water to drain from the deck

Segment of Gear - In this manual a segment of gear refers to the standard unit the vessel uses for measuring gear. This could refer to a mag, skate, tub, or coil of gear.

Set - The entire length of groundline from the first hook to the last hook, also referred to as a "string" of gear.

Sheave - a wheel with a grooved rim, such as is mounted in a pulley block to guide the rope or cable Shot - A pre-measured length of buoy line, usually 10 to 20 fathoms long. Normally there are two set lengths, a "Long" shot and a "Short" shot. When setting a string, the skipper will tell the crew how many shots to tie to a pot for various bottom depths.

Skate - a length of longline gear, usually 100 fathoms or 600 feet long

Skate bottom - a fabric square with lines on the corners to tie it into a bundle once a longline "skate" has been coiled onto it.

Skate or Mag markers - Markers in the groundline that separate the sections of gear. These may be flourescent tape woven onto the line, knots, line splices, carabineers, or magazine (mag) clips.

Skates/Tubs/Coils - Terms used to describe the smaller segments of gear within a set or a magazine.

Spatial - Referring to a unit of space used in random sampling. For example: a third of a bin, or a section of trawl alley, are spatial units.

Species composition sample - to sort a defined weight of catch such that each organism sampled for is grouped by family or by species and to determine the number and weight of the organisms in each group

Spring line - a mooring line attached amidships

SSB - "Single Side Band" radio used for long distance contact

Stack - This term is used on pot vessels to refer to pots stacked on the back deck.

Starboard - the right side of a ship (when one is looking forward)

Stern - the aft or back end of a vessel

Appendix Y: Glossary

Stern ramp (slip) - a sloping ramp in the stern of a trawler between the deck and the water line, through which the net is set and hauled.

Stern trawler - any of various sized fishing vessels which trawl a conical shaped mesh net through the water, haul it up a ramp through the stern of the ship, empty, and process the catch to make a wholesale fish product. These vessels may fish for a month or more at sea without support.

String - Pots deployed individually and are not attached to one another in any way. This term refers to pots set at a similar time in a similar area and depth. What a skipper calls a string varies considerably between vessels. Strings are analogous to sets.

Sub-sample - the weight of catch designated by the Observer which weighs less than the sample weight and is processed for a supplemental task to determining the composition of a haul, such as sampling for average weight.

T - Z

Table - Some vessels have a sorting table on the back deck that pivots on one axis. The contents of a pot are dumped onto the table, and the table is swung out of the way to re-launch the pot.

TAC - "Total Allowable Catch" - annual harvest levels based on biological, economic and social factors

Taper - to cut webbing according to a given formula for fitting into a trawl

Tare - a deduction from gross weight to obtain net weight. Usually made to allow for the weight of a container.

Temporal - Referring to a unit of time used in random sampling. For example: one hour of processing time, or systematic intervals of ten minutes, are examples of temporal units.

Trawl - a cone shaped net, towed through the water to catch fish

Trawl Alley - the central passage on a trawl vessel where the codend is placed after haulback

Trawl Doors - often referred to as "doors," these are two metal plates, each attached to a main wire, designed to keep the mouth of the net open while fishing

Trip - the time period from when the vessel leaves harbor until it returns to harbor to offload product or catch

Trip Limit - The amount of a catch category that a vessel is allowed to retain by trip.

Tuning/Overhauling gear - Term used to describe the work involved in straightening hooks, replacing gangions, or splicing the damaged groundlines.

Tunnel - Short mesh-lined openings on two or three sides of a pot. These are the entrances to the trap. Fish and crab are able to swim in but are unable to make their way back out due to the fingers/triggers.

Under way - vessel in forward motion, running. According to Coast Guard regulation, a vessel is under way if it is not at anchor or at dock, so a vessel adrift is technically under way.

Warp (main wire) - the cables on a trawler which run from the main winches to the trawl doors on the net

Weighed sample - a "basket" sample. The catch sampled by the Observer is weighed on a scale.

Winch - a hydraulic machine with one or more drums on which to coil rope, chain, or cable for hauling or hoisting

Wing - the sides off a trawl net near the opening, usually with larger mesh than the rest off the net

Appendix Y: Glossary

Wrister - a coated cloth tube worn on the arm, extending from the elbow and covering the wrists. Keeps arms warm and dry. Fish blood and slime are more easily washed out from these than from shirtsleeves.

Appendix Z: Acknowledgements

Southwest Region, NMFS, Drift Gillnet Observer Program

North Pacific Groundfish Observer Program, National Marine Fisheries Service (NMFS)

At-Sea Observer Program, Dept. of Fisheries and Oceans, Canada

Andy Hickman, STAR

Brian Culver, Washington Department of Fish and Wildlife

C.M. Miri, Dept. of Fisheries and Oceans, Newfoundland

Commander Chris Woodle, US Coast Guard

D.W. Kulla, Dept. of Fisheries and Oceans, Newfoundland

Dan Harding, US Coast Guard

Dave Thomas, California Dept. of Fish and Game

Don Petersen, Southwest Region, NMFS

Dr. Richard Methot, Northwest Fisheries Science Center, NMFS

Erica Fruh, Northwest Fisheries Science Center, NMFS

Fran Recht, Pacific States Marine Fisheries

Gregg Williams, International Pacific Halibut Commission

J.R. Firt, Dept. of Fisheries and Oceans, Newfoundland

Jerry Dzugan, AMSEA

Joseph Arceneaux, Southwest Region, NMFS

Julia Parrish, University of Washington, Seabirds

Keith Mattheson, Oregon Department of Fish and Wildlife

LB Boyd, California Dept. of Fish and Game

Margaret Toner, National Observer Program

Mark Saelens, Oregon Department of Fish and Wildlife

Michele Robinson, Washington Department of Fish and Wildlife

Mike Fukushima, California Dept. of Fish and Game, State coordinator

Roy Torres, NMFS Enforcement

Sally Mizroch, National Marine Mammal Lab, NMFS

Sharon Davis, Alaska Fisheries Science Center, NMFS

Sheri O'Brien, STAR

Todd Hass, University of Washington, Seabirds