#### **Department of Veterans Affairs**

§4.130

nonbed care. A change in evaluation based on that or any subsequent examination shall be subject to the provisions of §3.105(e) of this chapter.

(Authority: 38 U.S.C. 1155) [61 FR 52700, Oct. 8, 1996]

## §4.129 Mental disorders due to traumatic stress.

When a mental disorder that develops in service as a result of a highly stressful event is severe enough to bring about the veteran's release from active military service, the rating agency shall assign an evaluation of not less than 50 percent and schedule an examination within the six month period following the veteran's discharge to de-

termine whether a change in evaluation is warranted.

(Authority: 38 U.S.C. 1155) [61 FR 52700, Oct. 8, 1996]

## § 4.130 Schedule of ratings—mental disorders.

The nomenclature employed in this portion of the rating schedule is based upon the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition, of the American Psychiatric Association (DSM-IV). Rating agencies must be thoroughly familiar with this manual to properly implement the directives in §4.125 through §4.129 and to apply the general rating formula for mental disorders in §4.130. The schedule for rating for mental disorders is set forth as follows:

		Rating
	Schizophrenia and Other Psychotic Disorders	
9201	Schizophrenia, disorganized type	
9202		
	Schizophrenia, paranoid type	
	Schizophrenia, undifferentiated type	
205	and the second of the second o	
	Delusional disorder	
	Psychotic disorder, not otherwise specified (atypical psychosis)	
9211	Schizoaffective disorder	
	Delirium, Dementia, and Amnestic and Other Cognitive Disorders	
	Delirium	
9301		
	Dementia due to head trauma	
	Vascular dementia	
	Dementia of unknown etiology	
	Dementia of the Alzheimer's type  Dementia due to other neurologic or general medical conditions (endocrine disorders, metabolic disorders,	
	c's disease, brain tumors, etc.) or that are substance-induced (drugs, alcohol, poisons)	
9327	, , , , , , , , , , , , , , , , , , , ,	
JOL 1		
	Anxiety Disorders	
	Generalized anxiety disorder	
	Specific (simple) phobia; social phobia	
	Obsessive compulsive disorder	
	Other and unspecified neurosis	
	Post-traumatic stress disorder	
	Panic disorder and/or agoraphobia	
9413	Anxiety disorder, not otherwise specified	
	Dissociative Disorders	
9416		
}417	Depersonalization disorder	
	Somatoform Disorders	
9421	Somatization disorder	
	Pain disorder	
9423	Undifferentiated somatoform disorder	
	Conversion disorder	
1425	Hypochondriasis	

### 38 CFR Ch. I (7-1-08 Edition)

		Rating
	Mood Disorders	
9431	Cyclothymic disorder	
9432	Bipolar disorder	
9433		
9434		
9435	Mood disorder, not otherwise specified	
	Chronic Adjustment Disorder	
9440	Chronic adjustment disorder General Rating Formula for Mental Disorders:	
	Total occupational and social impairment, due to such symptoms as: gross impairment in	
	thought processes or communication; persistent delusions or hallucinations; grossly inappro-	
	priate behavior; persistent danger of hurting self or others; intermittent inability to perform ac-	
	tivities of daily living (including maintenance of minimal personal hygiene); disorientation to	
	time or place, memory loss for names of close relatives, own occupation, or own name	100
	Occupational and social impairment, with deficiencies in most areas, such as work, school, fam-	
	ily relations, judgment, thinking, or mood, due to such symptoms as: suicidal ideation; obses-	
	sional rituals which interfere with routine activities; speech intermittently illogical, obscure, or irrelevant; near-continuous panic or depression affecting the ability to function independently,	
	appropriately and effectively; impaired impulse control (such as unprovoked irritability with pe-	
	riods of violence); spatial disorientation; neglect of personal appearance and hygiene; dif-	
	ficulty in adapting to stressful circumstances (including work or a worklike setting); inability to	
	establish and maintain effective relationships	70
	Occupational and social impairment with reduced reliability and productivity due to such symp-	
	toms as: flattened affect; circumstantial, circumlocutory, or stereotyped speech; panic attacks	
	more than once a week; difficulty in understanding complex commands; impairment of short-	
	and long-term memory (e.g., retention of only highly learned material, forgetting to complete tasks); impaired judgment; impaired abstract thinking; disturbances of motivation and mood;	
	difficulty in establishing and maintaining effective work and social relationships	50
	Occupational and social impairment with occasional decrease in work efficiency and intermittent	00
	periods of inability to perform occupational tasks (although generally functioning satisfactorily,	
	with routine behavior, self-care, and conversation normal), due to such symptoms as: de-	
	pressed mood, anxiety, suspiciousness, panic attacks (weekly or less often), chronic sleep	
	impairment, mild memory loss (such as forgetting names, directions, recent events)	30
	Occupational and social impairment due to mild or transient symptoms which decrease work ef-	
	ficiency and ability to perform occupational tasks only during periods of significant stress, or; symptoms controlled by continuous medication	10
	A mental condition has been formally diagnosed, but symptoms are not severe enough either to	10
	interfere with occupational and social functioning or to require continuous medication	0
	Eating Disorders	
9520	Anorexia nervosa	
9521	Bulimia nervosa	
	Rating Formula for Eating Disorders:	
	Self-induced weight loss to less than 80 percent of expected minimum weight, with incapaci-	
	tating episodes of at least six weeks total duration per year, and requiring hospitalization more than twice a year for parenteral nutrition or tube feeding	100
	Self-induced weight loss to less than 85 percent of expected minimum weight with incapaci-	100
	tating episodes of six or more weeks total duration per year	60
	Self-induced weight loss to less than 85 percent of expected minimum weight with incapaci-	
	tating episodes of more than two but less than six weeks total duration per year	30
	Binge eating followed by self-induced vomiting or other measures to prevent weight gain, or re-	
	sistance to weight gain even when below expected minimum weight, with diagnosis of an eat-	
	ing disorder and incapacitating episodes of up to two weeks total duration per year	10
	Binge eating followed by self-induced vomiting or other measures to prevent weight gain, or re-	
	sistance to weight gain even when below expected minimum weight, with diagnosis of an eating disorder but without incapacitating episodes	(
	ing disorder but without incapacitating episodes	,

NOTE: An incapacitating episode is a period during which bed rest and treatment by a physician are required.

(Authority: 38 U.S.C. 1155) [61 FR 52700, Oct. 8, 1996]

#### **Department of Veterans Affairs**

### Pt. 4, App. A

Dental and	Oral	CONDITIONS
------------	------	------------

#### §4.149 [Reserved]

# $\$\,4.150~$ Schedule of ratings—dental and oral conditions.

		Rat- ing
9900		
osie	oradionecrosis of:  Rate as osteomyelitis, chronic under diagnostic code 5000.	
9901	Mandible, loss of, complete, between angles	100
9902	Mandible, loss of approximately one-half: Involving temporomandibular articulation	50
	Not involving temporomandibular articulation	30
9903	Mandible, nonunion of:	
	Severe	30
	NOTE—Dependent upon degree of motion and relative loss of masticatory function.	
9904	Mandible, malunion of:	0/
	Severe displacement	20
	Slight displacement	ï
	NOTE—Dependent upon degree of motion	
9905 tion	and relative loss of masticatory function.  Temporomandibular articulation, limited mo-	
lion	Inter-incisal range:	
	0 to 10 mm	4
	11 to 20 mm	3
	21 to 30 mm	2
	31 to 40 mm	1
	0 to 4 mm	1
	NOTE—Ratings for limited inter-incisal move-	
	ment shall not be combined with ratings	
2000	for limited lateral excursion.	
9906	Ramus, loss of whole or part of: Involving loss of temporomandibular articu-	
	lation	
	Bilateral	5
	Unilateral	3
	Not involving loss of temporomandibular articulation	
	Bilateral	3
	Unilateral	2
9907	Ramus, loss of less than one-half the sub-	
stan	ice of, not involving loss of continuity:	_
	BilateralUnilateral	20
	UtilialEtal	- 1

ocess, loss of, one or both sides cess, loss of:  loss of half or more:  able by prosthesis e by prosthesis e by prosthesis e by prosthesis e by prosthesis of, due to loss of substance of or mandible without loss of conlost masticatory surface cannot ed by suitable prosthesis:  ss of all teeth sss of all lower teeth upper and lower posterior teeth missing upper and lower anterior teeth missing upper and lower teeth on one	3 2 1 1 3 1 2 2 4 3 3 3 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1
loss of half or more: eable by prosthesis	1 3 1 2 4 3 3 3 2 2 1 1 1 1 1
loss of half or more:  able by prosthesis — e by prosthesis — e by prosthesis — loss of less than half of:  able by prosthesis — e by substance of or mandible without loss of conlost masticatory surface cannot ed by suitable prosthesis:  sss of all teeth — e so f all lower teeth — e lupper and lower posterior teeth missing — lupper and lower anterior teeth missing — lupper anterior teeth missing — lupper anterior teeth missing — lupper and lower teeth on one	3 1 2 4 3 3 3 2 2 1 1
able by prosthesis eby prosthesis of, due to loss of substance of or mandible without loss of conlost masticatory surface cannot ed by suitable prosthesis: so of all teeth esso of all upper teeth esso of all ower teeth upper and lower posterior teeth missing upper and lower anterior teeth missing enterior teeth enterior teet	44 33 3 22 21 11
e by prosthesis loss of less than half of: sable by prosthesis e by prosthesis of, due to loss of substance of or mandible without loss of con- lost masticatory surface cannot ed by suitable prosthesis: loss of all teeth loss of all lower teeth lupper and lower posterior teeth missing lupper and lower anterior teeth missing lupper and lower teeth on one	44 33 3 22 21 11
loss of less than half of:  Able by prosthesis	44 33 34 24 24 16
able by prosthesis e by prosthesis of, due to loss of substance of or mandible without loss of conlost masticatory surface cannot ed by suitable prosthesis: ss of all teeth ss of all upper teeth sissing lupper and lower posterior teeth missing lupper and lower anterior teeth missing lupper and lower teeth on one	44 33 34 24 21 11
e by prosthesis of, due to loss of substance of or mandible without loss of con- lost masticatory surface cannot ed by suitable prosthesis: uss of all teeth uss of all upper teeth upper and lower begth upper and lower anterior teeth missing upper and lower anterior teeth missing upper and lower teeth on one	4 3 3 2 2 1
of, due to loss of substance of or mandible without loss of conlost masticatory surface cannot ed by suitable prosthesis: use of all teeth sess of all upper teeth sess of all lower teeth upper and lower posterior teeth missing upper and lower anterior teeth missing lupper anterior teeth missing lupper anterior teeth missing lupper anterior teeth missing lupper and lower teeth on one	4 3 3 2 2 1 1
or mandible without loss of con- lost masticatory surface cannot ed by suitable prosthesis: sso of all teeth	3 3 2 2 1
lost masticatory surface cannot ed by suitable prosthesis: use of all teeth uses of all upper teeth uses of all ower teeth upper and lower posterior teeth missing upper and lower anterior teeth missing upper and lower teeth on one	3 3 2 2 1
ed by suitable prosthesis: sso of all teeth sss of all lower teeth ss of all lower teeth l upper and lower posterior teeth missing l upper and lower anterior teeth missing upper anterior teeth missing l upper anterior teeth missing l upper anterior teeth missing l upper and lower teeth on one	3 3 2 2 1
ed by suitable prosthesis: sso of all teeth sss of all lower teeth ss of all lower teeth l upper and lower posterior teeth missing l upper and lower anterior teeth missing upper anterior teeth missing l upper anterior teeth missing l upper anterior teeth missing l upper and lower teeth on one	3 3 2 2 1
ss of all upper teeth	3 3 2 2 1
upper and lower posterior teeth missing upper and lower anterior teeth missing upper and lower anterior teeth missing upper anterior teeth missing lower anterior teeth missing upper and lower teeth on one	2 2 1
l upper and lower posterior teeth missing	2 1 1
missing	2 1 1
I upper and lower anterior teeth missing I upper anterior teeth missing I lower anterior teeth missing I upper and lower teeth on one	2 1 1
missing I upper anterior teeth missing I lower anterior teeth missing I upper and lower teeth on one	1
I upper anterior teeth missing I lower anterior teeth missing I upper and lower teeth on one	1
I lower anterior teeth missing I upper and lower teeth on one	1
l upper and lower teeth on one	-
	1
side missing	
loss of masticatory surface can	
ed by suitable prosthesis	
se ratings apply only to bone	
ugh trauma or disease such as	
elitis, and not to the loss of the	
process as a result of periodontal	
since such loss is not considered	
of more than half:	
	10
	5
	4
	3
	2
onlaceable by prosthesis	2
inion or nonunion of	
	3
	1
lisplacement	
	able by prosthesis e e by prosthesis

[59 FR 2530, Jan. 18, 1994]

### APPENDIX A TO PART 4—TABLE OF AMENDMENTS AND EFFECTIVE DATES SINCE 1946

Sec.	Diagnostic code No.	
4.71a	5024 5025 5051 5052 5053 5054 5055 5056	Evaluation March 11, 1969. Evaluation March 1, 1963. Added July 6, 1950. Criterion March 10, 1976. Criterion March 11, 1963. Added May 7, 1996. Added September 22, 1978.