

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

VISUAL CONTRAST RATING WORKSHEET


Date Aug. 15, 1985

District Moab

Resource Area Grand

Activity (program) Oil & Gas

SECTION A. PROJECT INFORMATION

1. Project Name Well Site #136	4. Location Township 27S Range 21 E Section 24	5. Location Sketch 
2. Key Observation Point #15 on Hatch Pt. Rd.		
3. VRM Class Class II		

SECTION B. CHARACTERISTIC LANDSCAPE DESCRIPTION

1. LAND/WATER		2. VEGETATION	3. STRUCTURES
FORM	flat to rolling terrain	simple forms created by vegetative patterns	_____
LINE	horizontal & diagonal	weak & undulating	_____
COLOR	dark tans to orange	light to dark green, mottled	_____
TEX-TURE	smooth	smooth to course	_____

SECTION C. PROPOSED ACTIVITY DESCRIPTION

1. LAND/WATER		2. VEGETATION	3. STRUCTURES
FORM	flat	geometric & linear forms created by clearings	cylindrical, geometric, & angular
LINE	horizontal (pad) curved (road)	strong irregular lines created by edge effect of clearings & roads	vertical, horizontal, & angular
COLOR	tan	light green	tan
TEX-TURE	fine to smooth	patchy	course

SECTION D. CONTRAST RATING ☐ SHORT TERM ☐ LONG TERM

1. DEGREE OF CONTRAST		FEATURES												2. Does project design meet visual resource management objectives? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Explain on reverse side)			
		LAND/WATER BODY (1)				VEGETATION (2)				STRUCTURES (3)							
		Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None				
ELEMENTS	Form			✓				✓				✓		3. Additional mitigating measures recommended <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (Explain on reverse side)			
	Line		✓				✓					✓					
	Color			✓				✓				✓					
	Texture			✓				✓				✓					
Evaluator's Names														Date			
Bob Turnwater														Aug. 15, 1985			
Russ Grimes																	
Pete Jordan																	

SECTION D. (Continued)

Comments from item 2.

The strong line created by the clearing for the road and the drill pad creates a contrast that will attract attention.

Additional Mitigating Measures (See item 3)

1. Relocate access road off from ridge
2. Revegetate the edge of the drill pad with random clumps of trees and shrubs to break up the flat horizontal line.