

# Table of Contents

I. Background And Overview .....	I-1
Introduction .....	I-1
Purpose .....	I-2
Approach .....	I-3
Impact Areas Assessed .....	I-3
Building Blocks: Configuration, System And Geography .....	I-5
Illustrative Scenario Options .....	I-5
Guiding Principles, Oversight and Outreach .....	I-7
Guiding Principles .....	I-7
National Freight Transportation Policy Statement .....	I-7
Coordination with the Highway Cost Allocation Study .....	I-8
Oversight .....	I-8
Internal Departmental: Policy Oversight Group .....	I-8
Public Outreach .....	I-8
Federal Register Notice .....	I-8
Public Meetings .....	I-10
Regional Focus Sessions .....	I-10
Context .....	I-12
The Transportation Environment .....	I-12
Current Federal TS&W Regulations .....	I-13
Weight .....	I-15
Federal Law .....	I-15
State Laws and Grandfather Rights .....	I-16
Size .....	I-16
Federal Law .....	I-16
State Laws and Grandfather Rights .....	I-17
Overall Length Limit .....	I-17
Kingpin to Rear Axle Distance .....	I-17
Organization of Volume II: Background And Issues .....	I-18
TS&W Regulations .....	I-18
Trucking .....	I-18
Truck/rail Competition .....	I-18
Safety and Traffic Operations .....	I-18
Highway Infrastructure Impacts .....	I-18
Enforcement Issues .....	I-19
II. Truck Size And Weight Limits .....	II-1
Evolution And Context .....	II-1
Pre-1956 .....	II-1

Federal Regulation .....	II-1
State Regulation .....	II-2
Post-1956 .....	II-3
Federal Regulation .....	II-3
State Regulation .....	II-8
Current Environment .....	II-11
Federal .....	II-11
State Application .....	II-12
Weight .....	II-12
Length .....	II-16
Oversize and Overweight Permits .....	II-18
Permits Issued .....	II-18
Permit Fees .....	II-22
III. Truck Fleet And Operations .....	III-1
Introduction .....	III-1
Trucking Industry Structure .....	III-1
Private Versus For-hire Carriers .....	III-1
TL Versus LTL Operations .....	III-2
Short-haul Versus Long-haul Operations .....	III-3
Equipment Characteristics .....	III-3
Single-unit Trucks .....	III-4
Tractor-semitrailers .....	III-6
Multitrailer .....	III-6
Relationship Between Size And Weight Policy And Truck Characteristics . . .	III-7
GVW Limits .....	III-10
Axle Weight Limits .....	III-10
Axle Configurations .....	III-10
Dimensional Limits .....	III-11
Semitrailer Length .....	III-11
Width .....	III-12
Height .....	III-12
Trucking Operations .....	III-13
Truck Flows .....	III-13
Single-unit Trucks .....	III-13
Multitrailer Combinations .....	III-14
STAA Doubles .....	III-14
Highway Networks For Multitrailer Combinations .....	III-17
Commodity Case Studies .....	III-19
Cross-border Trucking .....	III-24
Weight Limits .....	III-24
Truck Characteristics .....	III-24
Domestic And International Container Transport .....	III-25

IV. Shipper Concerns and Modal Competition .....	IV-1
Introduction .....	IV-1
Recent Changes Affecting Shippers and Freight Transportation .....	IV-2
Global Markets .....	IV-2
Economic Deregulation of Transportation .....	IV-3
Impact of Deregulation and TS&W Regulation .....	IV-8
Technological Advances .....	IV-9
Mergers, Acquisitions, Alliances .....	IV-10
Shipper Process Changes .....	IV-11
Analysis of Marketplace Changes in Distribution .....	IV-11
Shipper Decision Making Process .....	IV-14
Step 1: Customer Requirements .....	IV-15
Step 2: Shipper Network Options .....	IV-15
Step 3: Mode Choice .....	IV-16
Step 4: Carrier Choice .....	IV-16
Step 5: Performance Evaluation .....	IV-17
Step 6: Mode and Carrier Switching Behavior .....	IV-17
Shipper Issues and TS&W Policy .....	IV-17
Factors Affecting Shipper Mode Choice .....	IV-19
Transit Time .....	IV-19
Service Quality .....	IV-20
Asset Productivity .....	IV-20
Carrier Use .....	IV-20
Customer Satisfaction .....	IV-20
Continuing Trends in Shipper Decision-making .....	IV-20
Modally Competitive and Non-competitive Freight Commodities .....	IV-23
Competitive and Non-competitive Commodities Identified in Freight Databases .....	IV-24
Insights from the Corridor and Commodity Case Studies .....	IV-32
Perspectives from the TS&W Study Docket Comments .....	IV-32
Recent Trends in Modal Competition .....	IV-32
Rail Industry Trends .....	IV-33
Trends in Rail Intermodal Freight .....	IV-34
Motor Carrier Industry Trends .....	IV-37
Summary .....	IV-40
V. Safety And Traffic Operations .....	V-1
Introduction .....	V-1
Trends in Medium to Heavy Truck Crash Experiences .....	V-1
Truck Crash Causation And Severity Factors .....	V-9
Vehicle And Equipment .....	V-10
Driver Performance .....	V-11
Operating Environment .....	V-11

Interaction of Contributory Factors .....	V-12
Crash Severity .....	V-13
Speed And Weight .....	V-13
Auto And Truck Driver Observations .....	V-15
Auto Driver Concerns .....	V-16
Sharing The Road .....	V-16
Road Conditions .....	V-16
TS&W .....	V-16
Changes to TS&W Limits .....	V-17
Truck Driver Concerns .....	V-17
Sharing The Road .....	V-17
Road Conditions .....	V-17
Truck Driver Experience And Training .....	V-18
TS&W .....	V-18
Changes to Current TS&W Limits .....	V-18
Effects of Vehicle Design on Stability, Control And Operation .....	V-19
Braking Performance .....	V-19
High-speed Offtracking .....	V-20
Traffic Operations Effects .....	V-20
Low-speed Offtracking .....	V-21
Vehicle Acceleration And Speed Maintenance .....	V-21
On Steep Grades .....	V-22
Non-signalized Intersections .....	V-22
Aerodynamic Effects .....	V-23
Summary .....	V-23
Performance-based Approach to TS&W Regulation .....	V-23
Canada .....	V-26
New Zealand .....	V-28
Appendix A .....	V-30
Summary of Truck Crash Rate Estimates From Selected Studies .....	V-30
VI. Highway Infrastructure .....	VI-1
Introduction .....	VI-1
Overview of Infrastructure Impacts .....	VI-1
Impact of Weight .....	VI-2
Impact of Dimensions .....	VI-3
Bridges .....	VI-4
Bridge Design .....	VI-4
Bridge Impact .....	VI-6
Bridge Inventory And Operating Ratings .....	VI-6
Bridge Stress .....	VI-7
TS&W Regulation Related to Bridge Protection .....	VI-7
Overstress Criteria And Level of Risk .....	VI-8
Bridge Fatigue .....	VI-8

Federal Bridge Formula	VI-9
Potential Alternatives to FBF	VI-10
TRB Alternative	VI-11
AASHTO Alternative	VI-12
Ghosn Alternative	VI-12
Allowable Weights Based on FBF Stress Criteria	VI-12
Pavements	VI-16
Weight	VI-16
Axle Spacing	VI-17
Tire Characteristics	VI-17
Suspension Systems	VI-19
Lift Axles	VI-21
Pavement Cost	VI-22
TS&W Regulation Related to Pavement Preservation	VI-22
Tire Regulations	VI-22
Split-tandem Versus Tridem-axle Load Limits	VI-24
The GVW Limit	VI-25
44,000-pound Tridem-axle Weight Limit	VI-25
Use of Tridems	VI-26
Roadway Geometry	VI-28
Elements of Roadway Geometry Affecting Truck Operations	VI-28
Interchange Ramps	VI-28
Intersections	VI-28
Climbing Lanes	VI-30
Cross-section	VI-30
Horizontal Curvature	VI-30
Vertical Curve Length	VI-31
Passing Sight Distances	VI-31
Dimensional Limits Impacting Truck Maneuvers	VI-31
Length Limits For Semitrailers	VI-31
Length Limits For Double Trailers in Combination	VI-32
Overall Length Limits	VI-32
Vehicle Width And Height Limits	VI-32
Roadway Geometry And Truck Operating Characteristics	VI-32
Low-speed Offtracking	VI-33
High-speed Offtracking	VI-33
Offtracking on Mainline Horizontal Curve And Interchange Ramps	VI-34
TS&W Regulation Related to Roadway Geometry	VI-39
Current Regulations on Offtracking	VI-39
Regulatory Approaches	VI-39
VII. Enforcement of Truck Size and Weight Regulations	VII-1
Introduction	VII-1
Evolution of Federal/State Program	VII-1

Pre-STAA of 1982 .....	VII-1
Post-STAA of 1982 .....	VII-2
Current Administration of Federal/State Program .....	VII-3
State Enforcement .....	VII-4
Federal Involvement .....	VII-5
Enforcement Activity .....	VII-6
Safety and Weight Enforcement .....	VII-8
Case Studies .....	VII-10
Weighing Facilities and Equipment .....	VII-10
Grandfather Rights and Nonuniformity Between States .....	VII-11
Complex Regulations .....	VII-11
Improving Enforcement .....	VII-11
Relevant Evidence .....	VII-12
ITS-CVO Deployment .....	VII-12
CVISN Development and Use .....	VII-12
Costs of Deployment and Maintenance .....	VII-15
Potential Program Changes .....	VII-15

## List of Tables

Table I-1 Study Evaluation And Impact Measures .....	I-4
Table I-2 Analytical Building Blocks by Configuration, System, And Geography .....	I-5
Table I-3 Response to <u>Federal Register</u> Notice .....	I-9
Table I-4 Summary of Docket Comments .....	I-11
Table I-5 TS&W Limits Specified in Law .....	I-15
Table II-1 Federal/state Roles And Responsibilities For Highways: Emphasis Areas .....	II-4
Table II-2 1994 Vehicle Weight Limits (In 1,000 Pounds) .....	II-13
Table II-3 1994 Maximum Semitrailer Lengths by State .....	II-16
Table II-4 LCVS Weight Limits by State (1994) .....	II-18
Table II-5 State Permitting of Overweight Loads, FY 1985 - FY 1995 .....	II-20
Table II-6 Divisible Load Permits Issued by States .....	II-21
Table II-7 Minnesota Overweight Axle Group Cost Factors (\$ per Mile) Single Trip Permits .....	II-23
Table III-1 Private Carrier Profile - 1993 .....	III-2
Table III-2 For Hire Carrier Profile - 1993 .....	III-2
Table III-3 Permitted LCVs by State and Configuration .....	III-9
Table III-4 Average Payload and Loaded Weight of Common Truck Types (Pounds) .....	III-9
Table III-5 Truck VMT by State: 1994 (Thousands) .....	III-16
Table IV-1 Deregulation of Surface Transportation .....	IV-4
Table IV-2 Historical Domestic Intercity Ton-miles of Freight Selected Years By Mode (Billions) .....	IV-4

Table IV-3 Components of 1990 Logistics Cost .....	IV-12
Table IV-4 Shipper and Carrier Considerations Regarding TS&W Policy .....	IV-18
Table IV-5 1993 United States Shipment Characteristics by Transportation Mode .....	IV-25
Table IV-6 Freight Modal Shipments by Distance and Product Density (Thousands of 1994 Tons) .....	IV-26
Table IV-7 Freight Modal Shipments by Distance, Product Value, And Product Density Truck (Shaded Columns) and Rail (In Thousands of 1994 Tons) .....	IV-27
Table IV-8 Freight Modal Shares by Distance, Product Value, And Product Density Truck/rail Ratio (Shaded Cells = Competitive) .....	IV-28
Table IV-9 Modal Freight Shipments by Distance, Lane Density, And Equipment Group Truck/rail Ratio (Shaded Cells = Competitive) .....	IV-29
Table IV-10 Modal Freight Shipments by Distance, Lane Density, and Equipment Group Truck (Shaded Columns) and Rail .....	IV-30
Table IV-11 Modal Freight Shipments by Distance, Lane Density, and Equipment Group ..	IV-31
Table IV-12 Insights on Modal Competitiveness from Case Studies .....	IV-32
Table IV-13 Perspectives on Modal Competitiveness from TS&W Docket Comments ....	IV-33
Table IV-14 Rail Shipments by Major Commodity Grouping (Millions of Tons) .....	IV-34
Table IV-15 Rail Intermodal Traffic by Volume (Million of Tons) .....	IV-36
Table V-1 Safety Impacts of TS&W Limits and Truck Operation .....	V-2
Table V-2 Fatalities and Injuries in Medium to Heavy Truck Crashes - 1995 .....	V-3
Table V-3 Large Truck or Bus Crashes by Weather, Road Surface, and Light Conditions .....	V-12
Table V-4 Speed Differentials and Crash Involvement .....	V-22
Table V-5 Example Safety Performance Measures .....	V-25
Table V-6 Pros and Cons of Two Performance Based Approaches to TS&W Regulation .....	V-27
Table V-7 Crash Rates from Past Studies (Per MVMT) .....	V-30
Table V-8 Sources for Information in Table V-7 .....	V-31
Table VI-1 Highway Infrastructure Elements Affected by TS&W Limits .....	VI-2
Table VI-2 FBF 3-axle, 4-axle, And 5-axle Single-unit Truck Limit .....	VI-10
Table VI-3 Maximum GVW For 5-axle Semitrailer Combination Applying Federal And TTI Bridge Formulas And FBF Stress Criteria .....	VI-13
Table VI-4 Maximum GVW For 6-axle Semitrailer Combination Applying Federal And TTI Bridge Formulas And FBF Stress Criteria .....	VI-14
Table VI-5 Maximum GVW for RMD with Semitrailer of Variable Length And 28' Trailer Applying Federal and TTI Bridge Formulas And FBF Stress Criteria .....	VI-15
Table VI-6 Unit Pavement Cost For Various Truck Types .....	VI-23
Table VI-7 Unit Cost per Payload-mile for Various Truck Types .....	VI-24
Table VI-8 Tridem-axle Weight Limits .....	VI-25
Table VI-9 ESALS per Million Pounds Payload for 5- and 6-axle Combinations .....	VI-27
Table VI-10 AASHTO High-speed Design Criteria .....	VI-35
Table VI-11 Swept Path Width for Selected Trucks on Horizontal Curves At AASHTO	

Design Speed Criteria .....	VI-36
Table VI-12 Swept Path Width for Selected Trucks on Horizontal Curves At AASHTO Design Speed Criteria .....	VI-37
Table VI-13 Curb Encroachment for 90-degree Right-turn Maneuvers At Intersection of 4-lane Roads .....	VI-38
Table VII-1 FHWA Conditional Approvals of State Annual Size and Weight Certifications 1978 to 1994 .....	VII-5
Table VII-2 State Weight Enforcement .....	VII-6
Table VII-3 Trucks Weighed by Scale Type .....	VII-7
Table VII-4 Selection Considerations for Weight Enforcement Strategies .....	VII-8
Table VII-5 Funding of State Motor Carrier Enforcement Fiscal Year 1995 .....	VII-9
Table VII-6 Comparison of State Motor Carrier Enforcement Activity .....	VII-9
Table VII-7 Overview of Case Study States .....	VII-10
Table VII-8 OIG Recommendations on Federal/State Weight Enforcement .....	VII-16

## List of Figures

Figure I-1 Building Block Vehicles .....	I-6
Figure I-2 Forces Affecting Federal TS&W Law .....	I-14
Figure II-1 Overweight Permits Issued by States .....	II-19
Figure III-1 Illustrative Truck Configurations of U.S. Fleet .....	III-5
Figure III-2 Fleet Size And Growth: 1982-1994 .....	III-6
Figure III-3 LCVS .....	III-8
Figure III-4 Truck Flows on the NHS .....	III-15
Figure III-5 Highways Available for Turnpike Doubles .....	III-18
Figure IV-1 Business Logistics, Transportation, And Inventory Carrying Costs as a Percentage of GNP .....	IV-13
Figure IV-2 Nominal Ratio of Business Inventories to Final Sales: 1980-1989 .....	IV-13
Figure IV-3 The Shipper Transportation Decision Making Process .....	IV-14
Figure IV-4 Freight Order and Transit Times .....	IV-21
Figure IV-5 Average Number of Carriers Used Regularly by Shippers .....	IV-22
Figure IV-6 Percent of Shipments Using EDI .....	IV-23
Figure IV-7 Total 1993 Freight Value, Tons, and Ton-miles by Distance of Haul .....	IV-24
Figure IV-8 Rail Intermodal Services in Use .....	IV-35
Figure V-1 Fatal Crashes Involving Medium/Heavy Trucks, 1991-1995 .....	V-4
Figure V-2 Other Motor Vehicle Occupant Fatalities Resulting From Multi-vehicle Collisions, 1991-1995 .....	V-5
Figure V-3 Medium/Heavy Truck Related Fatalities .....	V-6
Figure V-4 Fatalities in Single Unit Truck Crashes .....	V-6
Figure V-5 Fatalities in Combination Unit Crashes .....	V-7
Figure V-6 Single Unit and Combination Unit Truck Travel .....	V-7
Figure V-7 Medium/Heavy Truck Fatality Rates, 1980-1995 .....	V-8



Figure V-8 Interrelationship of Truck Crash Factors .....	V-9
Figure V-9 Heavy Truck Crash Causation "Chain" .....	V-10
Figure V-10 Illustrative Relationship Between the Driver-truck Equipment Performance and Operating Environment Demands .....	V-13
Figure V-11 Mass Ratio .....	V-14
Figure V-12 Chance of Fatality as a Function of Change in Velocity .....	V-15
Figure VI-1 Maximum Bending Moments on a Simple Span Bridge: 50,000-pound Single Unit Truck vs. 80,000-pound Truck Combination .....	VI-8
Figure VI-2 Maximum GVW For 5-axle Semitrailer Combination Applying Federal and TTI Bridge Formulas And FBF Stress Criteria .....	VI-13
Figure VI-3 Maximum GVW For 6-axle Semitrailer Combination Applying Federal And TTI Bridge Formulas And FBF Stress Criteria .....	VI-14
Figure VI-4 Pavement and Bridge Impact of Tridem-axle .....	VI-26
Figure VI-5 ESAL Comparison of 5-axle and 6-axle Combinations on Pavement .....	VI-27
Figure VI-6 Path of Tractor Semitrailer Keeping Tires Within Lanes .....	VI-29
Figure VI-7 Low-speed Offtracking .....	VI-34
Figure VI-8 High-Speed Offtracking .....	VI-35