

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 IDN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

IDN.000_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
30 Sample Adult	0	0.00
31 Sample Adult Cancer	0	0.00
34 Adult Alternative Medicine	0	0.00
40 Sample Child	0	0.00
44 Child Alternative Medicine	0	0.00
60 Family	0	0.00
70 Injury/Poisoning Episode	1822	100.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
Survey Year	1822	100.00

IDN.000_04.000: HH identifier

HHX	Frequency	Percent
All Values	1822	100.00

IDN.000_35.000: Family #

FMX	Frequency	Percent
01-25 Family number 1 - 25	1822	100.00

IDN.000_40.000: Person #

FPX	Frequency	Percent
01-25 Person number 1 thru 25	1822	100.00

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 IDN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

IDN.000_55.000: Injury/Poisoning Episode Number

IPEPNO	Frequency	Percent
01 First injury or poisoning	1699	93.25
02 Second injury or poisoning	97	5.32
03 Third injury or poisoning	20	1.10
04 Fourth injury or poisoning	4	0.22
05 Fifth injury or poisoning	2	0.11
06 Sixth injury or poisoning	0	0.00
07 Seventh injury or poisoning	0	0.00
08 Eighth injury or poisoning	0	0.00
09 Ninth injury or poisoning	0	0.00
10 Tenth injury or poisoning	0	0.00

IDN.000_70.000: Weight - Final Annual

WTFA	Frequency	Percent
All Values	1822	100.00

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

FIJ.050_01.000: Month of injury/poisoning episode

IPDATEM	Frequency	Percent
01 January	143	7.85
02 February	163	8.95
03 March	168	9.22
04 April	159	8.73
05 May	164	9.00
06 June	145	7.96
07 July	108	5.93
08 August	133	7.30
09 September	164	9.00
10 October	163	8.95
11 November	146	8.01
12 December	132	7.24
97 Refused	6	0.33
98 Not ascertained	0	0.00
99 Don't know	28	1.54

FIJ.050_03.000: Year of injury/poisoning episode

IPDATEY	Frequency	Percent
Year	1787	99.94
9997 Refused	0	0.00
9998 Not ascertained	0	0.00
9999 Don't know	1	0.06

Frequency Missing = 34

FIJ.051_01.000: Approximate time since injury/poisoning episode: Number

IPDATENO	Frequency	Percent
001-996	15	53.57
997 Refused	0	0.00
998 Not ascertained	0	0.00
999 Don't know	13	46.43

Frequency Missing = 1794

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

FIJ.051_02.000: Approximate time since injury/poisoning episode: Time period

IPDATETP	Frequency	Percent
1 Days	0	0.00
2 Weeks	1	3.57
3 Months	14	50.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	13	46.43

Frequency Missing = 1794

FIJ.052_00.000: Approximate point in month of injury/poisoning episode

IPDATEMT	Frequency	Percent
1 Beginning	140	31.39
2 Middle	178	39.91
3 End	101	22.65
7 Refused	1	0.22
8 Not ascertained	0	0.00
9 Don't know	26	5.83

Frequency Missing = 1376

FIJ.052_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPCKDMR

 000-499 0-499 days
 500 Same month as month the injury/poisoning questions were asked
 501 Month before the month the injury/poisoning questions were asked
 502-524 2-24 months before the month the injury/poisoning questions were asked
 998 Not ascertained

FIJ.052_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

Frequency	Percent
1336	73.33
36	1.98
164	9.00
252	13.83
34	1.87

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

FIJ.052_02.000: Days between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPD	Frequency	Percent
000-999 0-999 days	1822	100.00

FIJ.052_00.000: Lower boundary of elapsed time interval in days

BIETD

000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Lower boundary of elapsed time interval in days

Frequency	Percent
1822	100.00

FIJ.052_00.000: Upper boundary of elapsed time interval in days

EIETD

000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Upper boundary of elapsed time interval in days

Frequency	Percent
1822	100.00

FIJ.052_00.000: Episode date information reported by the respondent

EDIPBR	Frequency	Percent
1 Month, day, and year	1337	73.38
2 Month, beginning of month, and year	140	7.68
3 Month, middle of month, and year	178	9.77
4 Month, end of month, and year	101	5.54
5 Month and year	31	1.70
6 Elapsed time in days	0	0.00
7 Elapsed time in weeks	1	0.05
8 Elapsed time in months	14	0.77
9 No information	20	1.10

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

6

FIJ.052_00.000: Imputed part of I/P date or elapsed time interval

IMPMETH	Frequency	Percent
0 No imputation necessary (month, day, and year reported; or elapsed time interval width = 0)	1337	73.38
1 Imputed day based on reported beginning, middle, or end of month	418	22.94
2 Imputed day of the month (no day of month information reported)	31	1.70
3 No imputation necessary (elapsed time reported in days)	0	0.00
4 Imputed time interval based on elapsed time reported in weeks	1	0.05
5 Imputed time interval based on elapsed time reported in months	14	0.77
6 Imputed elapsed time & elapsed time interval using hot deck imputation (no date information reported or no valid date information reported)	21	1.15

FIJ.052_00.000: Imputed month

MUMON	Frequency	Percent
01 January	146	8.01
02 February	166	9.11
03 March	171	9.39
04 April	162	8.89
05 May	166	9.11
06 June	148	8.12
07 July	110	6.04
08 August	134	7.35
09 September	169	9.28
10 October	166	9.11
11 November	148	8.12
12 December	136	7.46

FIJ.052_00.000: Imputed year

MUYEAR	Frequency	Percent
Year	1822	100.00

FIJ.052_00.000: Elapsed time flag

ETFLG	Frequency	Percent
1 Elapsed time is > 91 days	102	5.60
2 Elapsed time is <= 91 days	1720	94.40

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

7

FIJ.052_00.000: Elapsed time interval boundary flag

BEIFLG

-
- 1 Only the upper boundary of the interval for elapsed time is > 91 days
 - 2 Upper and lower boundary of the interval for elapsed time is > 91 days
 - 3 Upper and lower boundary of the interval for elapsed time is <= 91 days

FIJ.052_00.000: Elapsed time interval boundary flag

Frequency	Percent
47	2.58
79	4.34
1696	93.08

FIJ.065_00.000: Cause of injury episode

ICAUS	Frequency	Percent
01 In a motor vehicle	141	7.90
02 On a bike, scooter, skateboard, skates, skis, horse, etc	58	3.25
03 Pedestrian who was struck by a vehicle such as a car or bicycle	14	0.78
04 In a boat, train, or plane	4	0.22
05 Fall	659	36.92
06 Burned or scalded by substances such as hot objects or liquids, fire, or chemicals	21	1.18
07 Other	863	48.35
97 Refused	6	0.34
98 Not ascertained	0	0.00
99 Don't know	19	1.06

Frequency Missing = 37

FIJ.065_00.000: Cause of injury/poisoning based on E codes

ECAUS	Frequency	Percent
01 Transportation	195	10.70
02 Fire/burn/scald related	21	1.15
03 Fall	708	38.86
04 Poisoning	33	1.81
05 Overexertion/strenuous movements	223	12.24
06 Struck by object or person	221	12.13
07 Animal or insect bite	44	2.41
08 Cut/pierce	129	7.08
09 Machinery	18	0.99
10 Other	230	12.62
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

FIJ.070_01.000: Parts of body hurt: 1st body part

IJBODY1	Frequency	Percent
01 Ankle	184	10.31
02 Back	184	10.31
03 Buttocks	7	0.39
04 Chest	32	1.79
05 Ear	3	0.17
06 Elbow	48	2.69
07 Eye	33	1.85
08 Face	56	3.14
09 Finger/thumb	150	8.40
10 Foot	103	5.77
11 Forearm	64	3.59
12 Groin	8	0.45
13 Hand	74	4.15
14 Head (not face)	118	6.61
15 Hip	46	2.58
16 Jaw	3	0.17
17 Knee	152	8.52
18 Lower leg	76	4.26
19 Mouth	20	1.12
20 Neck	49	2.75
21 Nose	17	0.95
22 Shoulder	85	4.76
23 Stomach	10	0.56
24 Teeth	6	0.34
25 Thigh	23	1.29
26 Toe	46	2.58
27 Upper arm	21	1.18
28 Wrist	79	4.43
29 Other	70	3.92
97 Refused	6	0.34
98 Not ascertained	0	0.00
99 Don't know	12	0.67

Frequency Missing = 37

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

FIJ.070_02.000: Parts of body hurt: 2nd body part

IJBODY2	Frequency	Percent
00 No second response	1541	86.33
01 Ankle	4	0.22
02 Back	24	1.34
03 Buttocks	8	0.45
04 Chest	5	0.28
05 Ear	0	0.00
06 Elbow	6	0.34
07 Eye	2	0.11
08 Face	4	0.22
09 Finger/thumb	4	0.22
10 Foot	12	0.67
11 Forearm	11	0.62
12 Groin	0	0.00
13 Hand	11	0.62
14 Head (not face)	20	1.12
15 Hip	10	0.56
16 Jaw	1	0.06
17 Knee	22	1.23
18 Lower leg	12	0.67
19 Mouth	1	0.06
20 Neck	33	1.85
21 Nose	2	0.11
22 Shoulder	19	1.06
23 Stomach	1	0.06
24 Teeth	3	0.17
25 Thigh	2	0.11
26 Toe	6	0.34
27 Upper arm	4	0.22
28 Wrist	3	0.17
29 Other	14	0.78
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 37

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

FIJ.070_03.000: Parts of body hurt: 3rd body part

IJBODY3	Frequency	Percent
00 No third response	1687	94.51
01 Ankle	1	0.06
02 Back	9	0.50
03 Buttocks	2	0.11
04 Chest	3	0.17
05 Ear	1	0.06
06 Elbow	4	0.22
07 Eye	2	0.11
08 Face	3	0.17
09 Finger/thumb	1	0.06
10 Foot	3	0.17
11 Forearm	3	0.17
12 Groin	0	0.00
13 Hand	2	0.11
14 Head (not face)	7	0.39
15 Hip	3	0.17
16 Jaw	0	0.00
17 Knee	6	0.34
18 Lower leg	3	0.17
19 Mouth	1	0.06
20 Neck	12	0.67
21 Nose	1	0.06
22 Shoulder	15	0.84
23 Stomach	2	0.11
24 Teeth	0	0.00
25 Thigh	2	0.11
26 Toe	1	0.06
27 Upper arm	4	0.22
28 Wrist	4	0.22
29 Other	3	0.17
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 37

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

11

FIJ.070_04.000: Parts of body hurt: 4th body part

IJBODY4	Frequency	Percent
00 No fourth response	1751	98.10
01 Ankle	1	0.06
02 Back	1	0.06
03 Buttocks	0	0.00
04 Chest	0	0.00
05 Ear	0	0.00
06 Elbow	2	0.11
07 Eye	0	0.00
08 Face	0	0.00
09 Finger/thumb	2	0.11
10 Foot	0	0.00
11 Forearm	2	0.11
12 Groin	0	0.00
13 Hand	1	0.06
14 Head (not face)	1	0.06
15 Hip	3	0.17
16 Jaw	1	0.06
17 Knee	6	0.34
18 Lower leg	3	0.17
19 Mouth	0	0.00
20 Neck	1	0.06
21 Nose	1	0.06
22 Shoulder	2	0.11
23 Stomach	0	0.00
24 Teeth	0	0.00
25 Thigh	0	0.00
26 Toe	0	0.00
27 Upper arm	5	0.28
28 Wrist	1	0.06
29 Other	1	0.06
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 37

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

12

FIJ.072_01.000: How body part 1 was hurt: First response

IJTYPE1A	Frequency	Percent
01 Broken bone or fracture	354	20.03
02 Sprain, strain, or twist	572	32.37
03 Cut	280	15.85
04 Scrape	40	2.26
05 Bruise	231	13.07
06 Burn	25	1.41
07 Insect bite	22	1.25
08 Animal bite	16	0.91
09 Other	223	12.62
97 Refused	1	0.06
98 Not ascertained	0	0.00
99 Don't know	3	0.17

Frequency Missing = 55

FIJ.072_02.000: How body part 1 was hurt: Second response

IJTYPE1B	Frequency	Percent
00 No second response	1677	94.91
01 Broken bone or fracture	3	0.17
02 Sprain, strain, or twist	11	0.62
03 Cut	10	0.57
04 Scrape	3	0.17
05 Bruise	44	2.49
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	19	1.08
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 55

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

13

FIJ.074_01.000: How body part 2 was hurt: First response

IJTYPE2A	Frequency	Percent
01 Broken bone or fracture	27	11.07
02 Sprain, strain, or twist	76	31.15
03 Cut	10	4.10
04 Scrape	16	6.56
05 Bruise	68	27.87
06 Burn	4	1.64
07 Insect bite	1	0.41
08 Animal bite	3	1.23
09 Other	37	15.16
97 Refused	0	0.00
98 Not ascertained	1	0.41
99 Don't know	1	0.41

Frequency Missing = 1578

FIJ.074_02.000: How body part 2 was hurt: Second response

IJTYPE2B	Frequency	Percent
00 No second response	223	91.39
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	3	1.23
03 Cut	1	0.41
04 Scrape	3	1.23
05 Bruise	12	4.92
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	1	0.41
97 Refused	0	0.00
98 Not ascertained	1	0.41
99 Don't know	0	0.00

Frequency Missing = 1578

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

FIJ.076_01.000: How body part 3 was hurt: First response

IJTYPE3A	Frequency	Percent
01 Broken bone or fracture	9	9.18
02 Sprain, strain, or twist	35	35.71
03 Cut	6	6.12
04 Scrape	7	7.14
05 Bruise	24	24.49
06 Burn	1	1.02
07 Insect bite	1	1.02
08 Animal bite	2	2.04
09 Other	10	10.20
97 Refused	0	0.00
98 Not ascertained	1	1.02
99 Don't know	2	2.04

Frequency Missing = 1724

FIJ.076_02.000: How body part 3 was hurt: Second response

IJTYPE3B	Frequency	Percent
00 No second response	85	86.73
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	0	0.00
03 Cut	0	0.00
04 Scrape	4	4.08
05 Bruise	8	8.16
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	0	0.00
97 Refused	0	0.00
98 Not ascertained	1	1.02
99 Don't know	0	0.00

Frequency Missing = 1724

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

FIJ.078_01.000: How body part 4 was hurt: First response

IJTYPE4A	Frequency	Percent
01 Broken bone or fracture	3	8.82
02 Sprain, strain, or twist	12	35.29
03 Cut	2	5.88
04 Scrape	4	11.76
05 Bruise	10	29.41
06 Burn	1	2.94
07 Insect bite	0	0.00
08 Animal bite	1	2.94
09 Other	1	2.94
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1788

FIJ.078_02.000: How body part 4 was hurt: Second response

IJTYPE4B	Frequency	Percent
00 No second response	30	88.24
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	0	0.00
03 Cut	1	2.94
04 Scrape	0	0.00
05 Bruise	3	8.82
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1788

FIJ.080_01.000: Where received medical care: Call to PCC

PPCC	Frequency	Percent
1 Yes	12	32.43
2 No	25	67.57
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 1785

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

FIJ.080_02.000: Where received medical care: Emergency vehicle

IPEV	Frequency	Percent
1 Yes	353	19.37
2 No	1458	80.02
7 Refused	4	0.22
8 Not ascertained	0	0.00
9 Don't know	7	0.38

FIJ.080_03.000: Where received medical care: Emergency room

IPER	Frequency	Percent
1 Yes	934	51.26
2 No	876	48.08
7 Refused	5	0.27
8 Not ascertained	0	0.00
9 Don't know	7	0.38

FIJ.080_04.000: Where received medical care: Doctor's office/clinic

IPDO	Frequency	Percent
1 Yes	1351	74.15
2 No	459	25.19
7 Refused	5	0.27
8 Not ascertained	0	0.00
9 Don't know	7	0.38

FIJ.080_05.000: Where received medical care: Call to medical prof

IPPCHCP	Frequency	Percent
1 Yes	647	35.51
2 No	1153	63.28
7 Refused	5	0.27
8 Not ascertained	0	0.00
9 Don't know	17	0.93

FIJ.080_06.000: Where received medical care: Any place else

IPTH	Frequency	Percent
1 Yes	215	11.80
2 No	1592	87.38
7 Refused	5	0.27
8 Not ascertained	0	0.00
9 Don't know	10	0.55

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

FIJ.090_00.000: Hospitalized overnight due to injury/poisoning episode

IPHOSP	Frequency	Percent
1 Yes	141	7.74
2 No	1671	91.71
7 Refused	4	0.22
8 Not ascertained	0	0.00
9 Don't know	6	0.33

FIJ.091_00.000: Number of nights in the hospital

IPIHNO	Frequency	Percent
01-94 1-94 nights	138	97.87
95 95+ nights	1	0.71
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	2	1.42

Frequency Missing = 1681

FIJ.109_00.000: Traffic-related injury

IMTRAF	Frequency	Percent
1 Yes	150	70.42
2 No	62	29.11
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.47

Frequency Missing = 1609

FIJ.110_00.000: Injured as . . .

IMVWHO

-
- 1 The driver of a motor vehicle
 - 2 A passenger in a motor vehicle
 - 3 A pedestrian
 - 4 A bicycle rider or tricycle rider
 - 5 The rider of a scooter, skateboard, skates, or other non-motorized vehicle
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know

FIJ.110_00.000: Injured as . . .

Frequency	Percent
89	41.78
58	27.23
14	6.57
22	10.33

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

FIJ.110_00.000: Injured as . . .

Frequency	Percent
28	13.15
2	0.94
0	0.00
0	0.00

Frequency Missing = 1609

FIJ.111_00.000: Type of vehicle injured person was in

IMVTYP

-
- 01 Passenger car
 - 02 Passenger truck, such as a pickup truck, van, or SUV
 - 03 Bus
 - 04 Large commercial truck, such as a semi-truck, big rig, or 18 wheeler
 - 05 Motorcycle (including mopeds and minibikes)
 - 06 All terrain vehicle or ski/snow-mobile
 - 07 Farm equipment (such as a tractor)
 - 08 Industrial or construction vehicle
 - 09 Other
 - 97 Refused
 - 98 Not ascertained
 - 99 Don't know

FIJ.111_00.000: Type of vehicle injured person was in

Frequency	Percent
81	55.10
36	24.49
3	2.04
1	0.68
16	10.88
4	2.72
0	0.00
0	0.00
5	3.40
0	0.00
0	0.00
1	0.68

Frequency Missing = 1675

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

FIJ.112_00.000: Restrained at time of accident

ISBELT	Frequency	Percent
1 Yes	98	83.05
2 No	19	16.10
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.85

Frequency Missing = 1704

FIJ.113_00.000: Wearing a helmet at the time of the accident

IHELMT	Frequency	Percent
1 Yes	35	50.00
2 No	33	47.14
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	2.86

Frequency Missing = 1752

FIJ.130_01.000: How person fell: First response

IFALL1	Frequency	Percent
01 Stairs, steps, or escalator	106	16.08
02 Floor or level ground	206	31.26
03 Curb (including sidewalk)	27	4.10
04 Ladder or scaffolding	21	3.19
05 Playground equipment	33	5.01
06 Sports field, court, or rink	67	10.17
07 Building or other structure	10	1.52
08 Chair, bed, sofa, or other furniture	48	7.28
09 Bathtub, shower, toilet, or commode	14	2.12
10 Hole or other opening	12	1.82
11 Other	112	17.00
97 Refused	3	0.46
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1163

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

FIJ.130_02.000: How person fell: Second response

IFALL2	Frequency	Percent
00 No second response	650	98.63
01 Stairs, steps, or escalator	0	0.00
02 Floor or level ground	0	0.00
03 Curb (including sidewalk)	0	0.00
04 Ladder or scaffolding	0	0.00
05 Playground equipment	0	0.00
06 Sports field, court, or rink	2	0.30
07 Building or other structure	1	0.15
08 Chair, bed, sofa, or other furniture	2	0.30
09 Bathtub, shower, toilet, or commode	0	0.00
10 Hole or other opening	0	0.00
11 Other	4	0.61
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1163

FIJ.131_00.000: Cause of fall

IFALLWHY

1 Slipping or tripping
2 Jumping or diving
3 Bumping into an object or another person
4 Being shoved or pushed by another person
5 Losing balance or having dizziness (becoming faint or having a seizure)
6 Other
7 Refused
8 Not ascertained
9 Don't know

FIJ.131_00.000: Cause of fall

Frequency	Percent
341	51.75
50	7.59
22	3.34
27	4.10
98	14.87
115	17.45
2	0.30
0	0.00
4	0.61

Frequency Missing = 1163

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

21

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Frequency
1 Swallowing a drug or medical substance mistakenly or in overdose	16
2 Swallowing or touching a harmful solid or liquid substance	2
3 Inhaling harmful gases or vapors	11
4 Eating a poisonous plant or other substance mistaken for food	1
5 Being bitten by a poisonous animal	2
6 Other, please specify	5
7 Refused	0
8 Not ascertained	0
9 Don't know	0

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Percent
1 Swallowing a drug or medical substance mistakenly or in overdose	43.24
2 Swallowing or touching a harmful solid or liquid substance	5.41
3 Inhaling harmful gases or vapors	29.73
4 Eating a poisonous plant or other substance mistaken for food	2.70
5 Being bitten by a poisonous animal	5.41
6 Other, please specify	13.51
7 Refused	0.00
8 Not ascertained	0.00
9 Don't know	0.00

Frequency Missing = 1785

FIJ.150_01.000: Activity at time of inj/pois episode: First response

IPWHAT1	Frequency	Percent
01 Driving or riding in a motor vehicle	133	7.30
02 Working at a paid job	282	15.48
03 Working around the house or yard	225	12.35
04 Attending school	41	2.25
05 Unpaid work (such as volunteer work)	5	0.27
06 Sports and exercise	303	16.63
07 Leisure activity (excluding sports)	430	23.60
08 Sleeping, resting, eating, or drinking	75	4.12
09 Cooking	22	1.21
10 Being cared for (hands-on care from other person)	14	0.77
11 Other	267	14.65
97 Refused	6	0.33
98 Not ascertained	0	0.00
99 Don't know	19	1.04

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

22

FIJ.150_02.000: Activity at time of inj/pois episode: Second response

IPWHAT2	Frequency	Percent
00 No second response	1807	99.18
01 Driving or riding in a motor vehicle	1	0.05
02 Working at a paid job	0	0.00
03 Working around the house or yard	1	0.05
04 Attending school	0	0.00
05 Unpaid work (such as volunteer work)	0	0.00
06 Sports and exercise	3	0.16
07 Leisure activity	5	0.27
08 Sleeping, resting, eating, or drinking	0	0.00
09 Cooking	0	0.00
10 Being cared for (hands on care from other person)	1	0.05
11 Other	4	0.22
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.160_01.000: Location at time of inj/pois episode: First response

IPWHERE1	Frequency	Percent
01 Home (inside)	496	27.22
02 Home (outside)	304	16.68
03 School (not residential)	126	6.92
04 Child care center or preschool	8	0.44
05 Residential institution (exclude hospital)	19	1.04
06 Health care facility (include hospital)	27	1.48
07 Street or highway	142	7.79
08 Sidewalk	31	1.70
09 Parking lot	36	1.98
10 Sport facility, athletic field, or playground	162	8.89
11 Shopping center, restaurant, store, bank, gas station, or other place of business	70	3.84
12 Farm	7	0.38
13 Park or recreation area (include bike or jog path)	74	4.06
14 River, lake, stream, or ocean	18	0.99
15 Industrial or construction area	80	4.39
16 Other public building	48	2.63
17 Other	147	8.07
97 Refused	8	0.44
98 Not ascertained	0	0.00
99 Don't know	19	1.04

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

23

FIJ.160_02.000: Location at time of inj/pois episode: Second response

IPWHER2	Frequency	Percent
00 No second response	1809	99.29
01 Home (inside)	1	0.05
02 Home (outside)	0	0.00
03 School (not residential)	0	0.00
04 Child care center or preschool	0	0.00
05 Residential institution (exclude hospital)	0	0.00
06 Health care facility (include hospital)	1	0.05
07 Street or highway	2	0.11
08 Sidewalk	1	0.05
09 Parking lot	1	0.05
10 Sport facility, athletic field, or playground	3	0.16
11 Shopping center, restaurant, store, bank, gas station, or other place of business	3	0.16
12 Farm	0	0.00
13 Park or recreation area (include bike or jog path)	0	0.00
14 River, lake, stream, or ocean	0	0.00
15 Industrial or construction area	0	0.00
16 Other public building	0	0.00
17 Other	1	0.05
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.170_00.000: Employed at the time of the injury/poisoning episode

IPEMP	Frequency	Percent
1 Full-time	741	48.27
2 Part-time	143	9.32
3 Not employed	642	41.82
7 Refused	5	0.33
8 Not ascertained	0	0.00
9 Don't know	4	0.26

Frequency Missing = 287

FIJ.171_00.000: Days of work missed

IPWKLS	Frequency	Percent
1 None	396	44.80
2 Less than one day	52	5.88
3 One to five days	245	27.71
4 Six or more days	182	20.59
7 Refused	4	0.45
8 Not ascertained	0	0.00
9 Don't know	5	0.57

Frequency Missing = 938

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

FIJ.180_00.000: Student at the time of the injury/poisoning episode

IPSTU	Frequency	Percent
1 Full-time	446	25.77
2 Part-time	55	3.18
3 Not a student	1223	70.65
7 Refused	4	0.23
8 Not ascertained	0	0.00
9 Don't know	3	0.17

Frequency Missing = 91

FIJ.181_00.000: Days of school missed

IPSCLS	Frequency	Percent
1 None	296	59.08
2 Less than one day	46	9.18
3 One to five days	133	26.55
4 Six or more days	24	4.79
7 Refused	2	0.40
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 1321

FIJ.181_01.000: ICD-9-CM diagnosis code

ICD9_1	Frequency	Percent
ICD-9-CM codes	1822	100.00

FIJ.181_02.000: ICD-9-CM diagnosis code

ICD9_2	Frequency	Percent
ICD-9-CM codes	394	100.00

Frequency Missing = 1428

FIJ.181_03.000: ICD-9-CM diagnosis code

ICD9_3	Frequency	Percent
ICD-9-CM codes	136	100.00

Frequency Missing = 1686

2007 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, June 4, 2008
 Unweighted Frequencies

FIJ.181_04.000: ICD-9-CM diagnosis code

ICD9_4	Frequency	Percent

ICD-9-CM codes	60	100.00

Frequency Missing = 1762

FIJ.181_05.000: ICD-9-CM diagnosis code

ICD9_5	Frequency	Percent

ICD-9-CM codes	24	100.00

Frequency Missing = 1798

FIJ.181_06.000: ICD-9-CM diagnosis code

ICD9_6	Frequency	Percent

ICD-9-CM codes	11	100.00

Frequency Missing = 1811

FIJ.181_07.000: ICD-9-CM diagnosis code

ICD9_7	Frequency	Percent

ICD-9-CM codes	4	100.00

Frequency Missing = 1818

FIJ.181_08.000: ICD-9-CM diagnosis code

ICD9_8	Frequency	Percent

ICD-9-CM codes	3	100.00

Frequency Missing = 1819

FIJ.181_10.000: ICD-9-CM external cause code

ECODE_1	Frequency	Percent

E8000-E999 E codes	1822	100.00

2007 National Health Interview Survey (NHIS)
Episode Public Use File (injqoiep)
FIJ Variables Wednesday, June 4, 2008
Unweighted Frequencies

FIJ.181_20.000: ICD-9-CM external cause code

ECODE_2	Frequency	Percent

E8000-E999 E codes	17	100.00

Frequency Missing = 1805

FIJ.181_30.000: ICD-9-CM external cause code

ECODE_3	Frequency	Percent

E8000-E999 E codes	0	.

Frequency Missing = 1822