Any private **Total population** Any coverage Public only Uninsured coverage Population characteristics Number in thousands Totala 292,947 242,560 184,682 57,878 50,387 257,443 207,392 167,227 40,165 50,051 Total under age 65^a Age in years Under 4 16,100 15,050 8,621 6,430 1,050 4-6 11,914 1,240 10,674 6,797 3,876 7-12 24,380 21,513 14,258 7,256 2,867 13-17 21,483 18,528 12,857 5,671 2,955 Total under 18 73,878 65,765 42,532 23,233 8,112 18 3,837 3,089 2,293 795 748 19-24 24,205 13,011 8,442 15,763 2,752 5,951 25-29 19,826 13,875 12,022 1,853 30-34 18,916 13,766 12,457 1,309 5,150 35-54 85,727 69,051 62,102 6,949 16,676 55-64 31,054 26,083 22,809 3,274 4,971 65 and over 35,505 35,168 17,455 17,713 337 Employment status^b Employed 144,998 117,170 108,844 8,326 27,827 Not employed 81,908 66,951 38,613 28,339 14,956 Sex Male 143,393 115,840 90,892 24,948 27,553 Female 149,555 93,790 32,930 22,835 126,720

 Table 5. Health insurance coverage of the civilian noninstitutionalized population: Population estimates by type of coverage and selected population characteristics, United States, first half of 2006

| Total Hispanic or Latino | 43,077 | 28,317 | 16,219 | 12,098 | 14,760 |
|--|---------|---------|---------|--------|--------|
| Total black, single race | 35,540 | 28,479 | 17,504 | 10,975 | 7,061 |
| Total white, single race | 193,917 | 169,113 | 138,312 | 30,801 | 24,804 |
| Total Asian/Pacific Islander, single race | 13,477 | 11,150 | 9,076 | 2,074 | 2,327 |
| Total other races/multiple races | 6,937 | 5,502 | 3,571 | 1,930 | 1,435 |
| Census region | | | | | |
| Northeast | 54,178 | 46,721 | 37,188 | 9,533 | 7,457 |
| Midwest | 64,867 | 56,899 | 46,168 | 10,732 | 7,968 |
| South | 106,015 | 84,481 | 62,148 | 22,333 | 21,534 |
| West | 67,886 | 54,459 | 39,178 | 15,281 | 13,428 |
| | | | | | |

^a Includes persons with unknown employment status and marital status.

^b For individuals age 16 and over.

- Sample size too small to produce reliable estimates.

Table E. Health insurance coverage of the civilian noninstitutionalized population: Standard errors by type ofcoverage and selected population characteristics, United States, first half of 2006Corresponds to Table 5

| | Any coverage | Any private coverage | Public only | Uninsured | | | | |
|---------------------------------|-----------------------------|----------------------|-------------|-----------|--|--|--|--|
| Population characteristics | Standard error in thousands | | | | | | | |
| Total ^a | 5,817 | 4,864 | 1,733 | 1,648 | | | | |
| Total under age 65 ^a | 5,253 | 4,576 | 1,406 | 1,638 | | | | |
| Age in years | | | | | | | | |
| Under 4 | 568 | 413 | 344 | 102 | | | | |
| 4-6 | 474 | 388 | 228 | 128 | | | | |
| 7-12 | 792 | 626 | 371 | 224 | | | | |
| 13-17 | 679 | 562 | 291 | 221 | | | | |
| Total under 18 | 1,971 | 1,494 | 922 | 473 | | | | |
| 18 | 193 | 176 | 89 | 83 | | | | |
| 19-24 | 765 | 695 | 195 | 410 | | | | |
| 25-29 | 681 | 632 | 165 | 369 | | | | |
| 30-34 | 624 | 600 | 126 | 295 | | | | |
| 35-54 | 1,874 | 1,790 | 328 | 660 | | | | |
| 55-64 | 850 | 798 | 211 | 266 | | | | |
| 65 and over | 1,082 | 719 | 706 | 59 | | | | |
| Employment status ^b | | | | | | | | |
| Employed | 3,053 | 2,896 | 403 | 955 | | | | |
| Not employed | 1,705 | 1,179 | 933 | 571 | | | | |
| Sex | | | | | | | | |
| Male | 2,910 | 2,506 | 814 | 896 | | | | |
| Female | 3,038 | 2,486 | 1,030 | 874 | | | | |

| Total Hispanic or Latino | 1,574 | 1,124 | 680 | 906 |
|---|-------|-------|-------|-------|
| Total black, single race | 1,626 | 1,089 | 679 | 416 |
| Total white, single race | 4,379 | 3,901 | 1,160 | 995 |
| Total Asian/Pacific Islander, single race | 867 | 718 | 272 | 332 |
| Total other races/multiple races | 582 | 391 | 270 | 183 |
| Census region | | | | |
| Northeast | 2,065 | 1,888 | 727 | 484 |
| Midwest | 2,993 | 2,572 | 770 | 637 |
| South | 3,400 | 2,785 | 979 | 1,195 |
| West | 2,957 | 2,256 | 1,014 | 867 |
| | | | | |

^a Includes persons with unknown employment status and marital status.

- ^b For individuals age 16 and over.
- Sample size too small to produce reliable estimates.

Table 2. Health insurance coverage of the civilian noninstitutionalized population under age 65: Percent by type of coverage and selected population characteristics, United States, first half of 2006

| | | Private | Public only | Uninsured | |
|--|------------------------------------|---------|----------------------|-----------|--|
| Population characteristics | Total population (in thousands) | | Percent distribution | | |
| Total ^a | 257,443 | 65.0 | 15.6 | 19.4 | |
| Employment status ^b | | | | | |
| Employed | 139,337 | 75.6 | 4.4 | 20.0 | |
| Not employed | 52,178 | 47.3 | 24.6 | 28.1 | |
| Sex | | | | | |
| Male | 128,208 | 64.6 | 14.0 | 21.4 | |
| Female | 129,235 | 65.3 | 17.2 | 17.5 | |
| Race/ethnicity | | | | | |
| Total Hispanic or Latino | 40,762 | 38.7 | 25.4 | 35.9 | |
| Total black, single race | 32,592 | 50.9 | 27.5 | 21.6 | |
| Total white, single race | 165,292 | 74.3 | 10.8 | 15.0 | |
| Total Asian/Pacific Islander, single race | 12,306 | 70.6 | 11.2 | 18.2 | |
| Total other races/multiple races | 6,491 | 52.7 | 25.2 | 22.0 | |
| Race/ethnicity and Sex | | | | | |
| Hispanic or Latino Male | 21,116 | 38.4 | 22.6 | 39.0 | |
| Black Male, single race | 15,369 | 50.1 | 24.9 | 25.0 | |
| White Male, single race | 82,800 | 74.0 | 9.7 | 16.3 | |
| Asian/Pacific Islander male, single race | 5,974 | 70.7 | 10.3 | 18.9 | |
| Other races/multiple race male | 2,950 | 52.9 | 22.9 | 24.2 | |
| Hispanic or Latino Female | 19,646 | 39.1 | 28.4 | 32.5 | |
| Black Female, single race | 17,223 | 51.6 | 29.9 | 18.6 | |
| White Female, single race | 82,493 | 74.5 | 11.9 | 13.6 | |
| Asian/Pacific Islander female, single race | 6,332 | 70.5 | 11.9 | 17.6 | |
| Other races/multiple race female | 3,541 | 52.6 | 27.1 | 20.3 | |

Marital status^b

| Married | 101,576 | 77.3 | 5.9 | 16.8 |
|-------------------------------------|---------|------|------|------|
| Widowed | 3,289 | 59.3 | 19.0 | 21.7 |
| Divorced | 21,136 | 60.3 | 12.3 | 27.4 |
| Separated | 4,410 | 45.7 | 21.0 | 33.3 |
| Never married | 62,092 | 56.4 | 14.4 | 29.2 |
| Metropolitan statistical area (MSA) | | | | |
| MSA | 216,239 | 65.9 | 15.0 | 19.2 |
| Non-MSA | 41,203 | 60.2 | 19.0 | 20.9 |
| Census region | | | | |
| Northeast | 47,149 | 70.7 | 13.6 | 15.7 |
| Midwest | 56,998 | 73.2 | 12.9 | 13.9 |
| South | 92,901 | 60.2 | 16.7 | 23.1 |
| West | 60,394 | 60.0 | 18.0 | 22.0 |
| | | | | |

^a Includes persons with unknown employment status and marital status.

^b For individuals age 16 and over.

Note: Percents may not add to 100 because of rounding

Table B. Health insurance coverage of the civilian noninstitutionalized population under age 65: Standard errorsby type of coverage and selected population characteristics, United States, first half of 2006Corresponds to Table 2

| | Private | Public only | Uninsured | |
|--|---------|----------------|-----------|--|
| Population characteristics | | Standard error | | |
| Total ^a | 0.66 | 0.43 | 0.43 | |
| Employment status ^b | | | | |
| Employed | 0.54 | 0.24 | 0.49 | |
| Not employed | 0.98 | 0.79 | 0.75 | |
| Sex | | | | |
| Male | 0.71 | 0.44 | 0.51 | |
| Female | 0.70 | 0.52 | 0.46 | |
| Race/ethnicity | | | | |
| Total Hispanic or Latino | 1.31 | 1.04 | 0.96 | |
| Total black, single race | 1.06 | 1.01 | 0.88 | |
| Total white, single race | 0.73 | 0.48 | 0.47 | |
| Total Asian/Pacific Islander, single race | 2.60 | 1.37 | 2.14 | |
| Total other races/multiple races | 2.73 | 2.56 | 2.25 | |
| Race/ethnicity and Sex | | | | |
| Hispanic or Latino Male | 1.42 | 1.00 | 1.18 | |
| Black Male, single race | 1.36 | 1.08 | 1.26 | |
| White Male, single race | 0.79 | 0.49 | 0.61 | |
| Asian/Pacific Islander male, single race | 2.75 | 1.43 | 2.21 | |
| Other races/multiple race male | 3.26 | 2.63 | 3.16 | |
| Hispanic or Latino Female | 1.46 | 1.37 | 1.14 | |
| Black Female, single race | 1.34 | 1.25 | 0.90 | |
| White Female, single race | 0.80 | 0.58 | 0.52 | |
| Asian/Pacific Islander female, single race | 2.86 | 1.72 | 2.49 | |
| Other races/multiple race female | 3.28 | 3.28 | 2.46 | |

| Marital status ^b | | | |
|-------------------------------------|------|------|------|
| Married | 0.59 | 0.32 | 0.54 |
| Widowed | 2.61 | 2.20 | 2.31 |
| Divorced | 1.18 | 0.75 | 1.09 |
| Separated | 2.85 | 1.89 | 2.42 |
| Never married | 0.95 | 0.52 | 0.78 |
| Metropolitan statistical area (MSA) | | | |
| MSA | 0.75 | 0.46 | 0.49 |
| Non-MSA | 1.62 | 1.25 | 1.08 |
| Census region | | | |
| Northeast | 1.49 | 1.24 | 0.83 |
| Midwest | 1.27 | 0.94 | 0.82 |
| South | 1.05 | 0.58 | 0.73 |
| West | 1.40 | 0.92 | 0.93 |
| | | | |

^a Includes persons with unknown employment status and marital status.

^b For individuals age 16 and over.

| | | Private | Public only | Uninsured |
|--|------------------------------------|---------|----------------------|-----------|
| Population characteristics | Total population (in thousands) | | Percent distribution | |
| Total under age 65 ^a | 257,443 | 65.0 | 15.6 | 19.4 |
| Total age 65 and over ^a | 35,505 | 49.2 | 49.9 | 0.9 |
| Perceived health status, under age 65 | | | | |
| Excellent | 87,667 | 69.4 | 14.5 | 16.1 |
| Very good | 81,785 | 69.0 | 12.2 | 18.8 |
| Good | 62,326 | 60.9 | 16.3 | 22.8 |
| Fair | 19,199 | 48.9 | 25.3 | 25.7 |
| Poor | 6,130 | 39.8 | 38.9 | 21.4 |
| Perceived health status, age 65 and over | | | | |
| Excellent | 5,947 | 60.2 | 39.1 | *0.7 |
| Very good | 9,764 | 54.1 | 44.8 | 1.1 |
| Good | 10,754 | 49.5 | 49.7 | *0.8 |
| Fair | 6,124 | 37.2 | 61.5 | *1.4 |
| Poor | 2,642 | 34.5 | 64.8 | *0.7 |

Table 3. Health insurance coverage of the civilian noninstitutionalized population: Percent by type of coverage and perceived health status, United States, first half of 2006

^a Includes persons with unknown employment status and marital status.

* Relative standard error is greater than or equal to 30 percent.

Note: Percents may not add to 100 because of rounding

Table C. Health insurance coverage of the civilian noninstitutionalized population: Standard errors by type of coverage and perceived health status, United States, first half of 2006 Corresponds to Table 3

| | Private | Public only | Uninsured | | |
|--|----------------|-------------|-----------|--|--|
| Population characteristics | Standard error | | | | |
| Total under age 65 ^a | 0.66 | 0.43 | 0.43 | | |
| Total age 65 and over ^a | 1.32 | 1.29 | 0.17 | | |
| Perceived health status, under age 65 | | | | | |
| Excellent | 0.92 | 0.60 | 0.60 | | |
| Very good | 0.88 | 0.52 | 0.63 | | |
| Good | 0.89 | 0.58 | 0.69 | | |
| Fair | 1.44 | 1.12 | 1.08 | | |
| Poor | 2.23 | 2.13 | 1.77 | | |
| Perceived health status, age 65 and over | | | | | |
| Excellent | 2.44 | 2.36 | *0.31 | | |
| Very good | 1.99 | 1.96 | 0.33 | | |
| Good | 2.04 | 2.00 | *0.25 | | |
| Fair | 2.50 | 2.51 | *0.44 | | |
| Poor | 3.68 | 3.69 | *0.50 | | |

^a Includes persons with unknown employment status and marital status.

* Relative standard error is greater than or equal to 30 percent.

| Table 4. Total population and uninsured persons under age 65: Percent by selected population characteristics, United States, first half of 2006 | | | | |
|---|---------------------|----------------------|-------------------|----------------------|
| Dopulation characteristics | Total population in | Percent distribution | Doroont uningurod | Percent distribution |

| Population characteristics | Total population in thousands | Percent distribution of population | Percent uninsured | of uninsured population |
|--|-------------------------------|---------------------------------------|-------------------|----------------------------|
| Total ^a | 257,443 | 100.0 | 19.4 | 100.0 |
| Age in years | | | | |
| Under 4 | 16,100 | 6.3 | 6.5 | 2.1 |
| 4-6 | 11,914 | 4.6 | 10.4 | 2.5 |
| 7-12 | 24,380 | 9.5 | 11.8 | 5.7 |
| 13-17 | 21,483 | 8.3 | 13.8 | 5.9 |
| Total under 18 | 73,878 | 28.7 | 11.0 | 16.2 |
| 18 | 3,837 | 1.5 | 19.5 | 1.5 |
| 19-24 | 24,205 | 9.4 | 34.9 | 16.9 |
| 25-29 | 19,826 | 7.7 | 30.0 | 11.9 |
| 30-34 | 18,916 | 7.3 | 27.2 | 10.3 |
| 35-54 | 85,727 | 33.3 | 19.5 | 33.3 |
| 55-64 | 31,054 | 12.1 | 16.0 | 9.9 |
| Sex | | | | |
| Male | 128,208 | 49.8 | 21.4 | 54.7 |
| Female | 129,235 | 50.2 | 17.5 | 45.3 |
| Race/ethnicity | | | | |
| Total Hispanic or Latino | 40,762 | 15.8 | 35.9 | 29.2 |
| Total black, single race | 32,592 | 12.7 | 21.6 | 14.1 |
| Total white, single race | 165,292 | 64.2 | 15.0 | 49.4 |
| Total Asian/Pacific Islander, single race | 12,306 | 4.8 | 18.2 | 4.5 |
| Total other races/multiple races | 6,491 | 2.5 | 22.0 | 2.9 |
| Race/ethnicity and Sex | | | | |
| Hispanic or Latino Male | 21,116 | 8.2 | 39.0 | 16.5 |
| Black Male, single race | 15,369 | 6.0 | 25.0 | 7.7 |
| White Male, single race | 82,800 | 32.2 | 16.3 | 26.9 |
| Asian/Pacific Islander male, single race | 5,974 | 2.3 | 18.9 | 2.3 |
| Other races/multiple race male | 2,950 | 1.1 | 24.2 | 1.4 |
| Hispanic or Latino Female | 19,646 | 7.6 | 32.5 | 12.8 |
| Black Female, single race | 17,223 | 6.7 | 18.6 | 6.4 |
| White Female, single race | 82,493 | 32.0 | 13.6 | 22.4 |
| Asian/Pacific Islander female, single race | 6,332 | 2.5 | 17.6 | 2.2 |
| Other races/multiple race female | 3,541 | 1.4 | 20.3 | 1.4 |

Marital status^b

| Married | 101,576 | 39.5 | 16.8 | 34.1 |
|------------------------------|-----------|------|------|------|
| Widowed | 3,289 | 1.3 | 21.7 | 1.4 |
| Divorced | 21,136 | 8.2 | 27.4 | 11.6 |
| Separated | 4,410 | 1.7 | 33.3 | 2.9 |
| Never married | 62,092 | 24.1 | 29.2 | 36.3 |
| Census region | | | | |
| Northeast | 47,149 | 18.3 | 15.7 | 14.8 |
| Midwest | 56,998 | 22.1 | 13.9 | 15.8 |
| South | 92,901 | 36.1 | 23.1 | 42.8 |
| West | 60,394 | 23.5 | 22.0 | 26.6 |
| Perceived health status, und | er age 65 | | | |
| Excellent | 87,667 | 34.1 | 16.1 | 28.2 |
| Very good | 81,785 | 31.8 | 18.8 | 30.8 |
| Good | 62,326 | 24.2 | 22.8 | 28.5 |
| Fair | 19,199 | 7.5 | 25.7 | 9.9 |
| Poor | 6,130 | 2.4 | 21.4 | 2.6 |
| | | | | |

^a Total includes persons with unknown perceived health status and marital status.

^b For individuals age 16 and over. Excludes unknown marital status. As a result, percents do not sum to 100.

Note: Percent distributions may not add to 100 because of rounding.

Table D. Total population and uninsured persons under age 65: Standard errors by selected populationcharacteristics, United States, first half of 2006Corresponds to Table 4

| | Percent distribution of population | Percent uninsured | Percent distribution of uninsured population | |
|---|------------------------------------|-------------------|---|--|
| Population characteristics | Standard error | | | |
| Total ^a | b | 0.43 | b | |
| Age in years | | | | |
| Under 4 | 0.15 | 0.61 | 0.19 | |
| 4-6 | 0.14 | 0.97 | 0.23 | |
| 7-12 | 0.21 | 0.79 | 0.36 | |
| 13-17 | 0.20 | 0.94 | 0.37 | |
| Total under 18 | 0.33 | 0.53 | 0.64 | |
| 18 | 0.08 | 1.94 | 0.16 | |
| 19-24 | 0.28 | 1.27 | 0.62 | |
| 25-29 | 0.26 | 1.43 | 0.62 | |
| 30-34 | 0.21 | 1.31 | 0.50 | |
| 35-54 | 0.39 | 0.61 | 0.77 | |
| 55-64 | 0.31 | 0.79 | 0.52 | |
| Sex | | | | |
| Male | 0.27 | 0.51 | 0.66 | |
| Female | 0.27 | 0.46 | 0.66 | |
| Race/ethnicity | | | | |
| Total Hispanic or Latino | 0.72 | 0.96 | 1.32 | |
| Total black, single race | 0.61 | 0.88 | 0.76 | |
| Fotal white, single race | 1.02 | 0.47 | 1.42 | |
| Total Asian/Pacific Islander, single race | 0.34 | 2.14 | 0.62 | |
| Total other races/multiple races | 0.25 | 2.25 | 0.36 | |
| Race/ethnicity and Sex | | | | |
| Hispanic or Latino Male | 0.37 | 1.18 | 0.76 | |
| Black Male, single race | 0.31 | 1.26 | 0.47 | |
| White Male, single race | 0.56 | 0.61 | 1.00 | |
| Asian/Pacific Islander male, single race | 0.18 | 2.21 | 0.31 | |
| Other races/multiple race male | 0.11 | 3.16 | 0.22 | |
| Hispanic or Latino Female | 0.37 | 1.14 | 0.72 | |
| Black Female, single race | 0.33 | 0.90 | 0.41 | |
| White Female, single race | 0.55 | 0.52 | 0.79 | |
| Asian/Pacific Islander female, single race | 0.18 | 2.49 | 0.36 | |
| Other races/multiple race female | 0.15 | 2.46 | 0.23 | |

Marital statusc

| Married | 0.43 | 0.54 | 0.79 | | |
|---------------------------------------|------|------|------|--|--|
| Widowed | 0.08 | 2.31 | 0.16 | | |
| Divorced | 0.23 | 1.09 | 0.53 | | |
| Separated | 0.09 | 2.42 | 0.24 | | |
| Never married | 0.39 | 0.78 | 0.84 | | |
| Census region | | | | | |
| Northeast | 0.79 | 0.83 | 0.93 | | |
| Midwest | 1.08 | 0.82 | 1.21 | | |
| South | 1.21 | 0.73 | 1.72 | | |
| West | 1.06 | 0.93 | 1.45 | | |
| Perceived health status, under age 65 | | | | | |
| Excellent | 0.57 | 0.60 | 0.91 | | |
| Very good | 0.48 | 0.63 | 0.91 | | |
| Good | 0.42 | 0.69 | 0.86 | | |
| Fair | 0.20 | 1.08 | 0.46 | | |
| Poor | 0.11 | 1.77 | 0.23 | | |
| | | | | | |

^a Total includes persons with unknown perceived health status and marital status.

^b Not applicable.

^c For individuals age 16 and over.

Any private **Total population** Any coverage Public only Uninsured coverage Population characteristics Number in thousands Totala 292,947 242,560 184,682 57,878 50,387 257,443 207,392 167,227 40,165 50,051 Total under age 65^a Age in years Under 4 16,100 15,050 8,621 6,430 1,050 4-6 11,914 1,240 10,674 6,797 3,876 7-12 24,380 21,513 14,258 7,256 2,867 13-17 21,483 18,528 12,857 5,671 2,955 Total under 18 73,878 65,765 42,532 23,233 8,112 18 3,837 3,089 2,293 795 748 19-24 24,205 13,011 8,442 15,763 2,752 5,951 25-29 19,826 13,875 12,022 1,853 30-34 18,916 13,766 12,457 1,309 5,150 35-54 85,727 69,051 62,102 6,949 16,676 55-64 31,054 26,083 22,809 3,274 4,971 65 and over 35,505 35,168 17,455 17,713 337 Employment status^b Employed 144,998 117,170 108,844 8,326 27,827 Not employed 81,908 66,951 38,613 28,339 14,956 Sex Male 143,393 115,840 90,892 24,948 27,553 Female 149,555 93,790 32,930 22,835 126,720

 Table 5. Health insurance coverage of the civilian noninstitutionalized population: Population estimates by type of coverage and selected population characteristics, United States, first half of 2006

| Total Hispanic or Latino | 43,077 | 28,317 | 16,219 | 12,098 | 14,760 |
|--|---------|---------|---------|--------|--------|
| Total black, single race | 35,540 | 28,479 | 17,504 | 10,975 | 7,061 |
| Total white, single race | 193,917 | 169,113 | 138,312 | 30,801 | 24,804 |
| Total Asian/Pacific Islander, single race | 13,477 | 11,150 | 9,076 | 2,074 | 2,327 |
| Total other races/multiple races | 6,937 | 5,502 | 3,571 | 1,930 | 1,435 |
| Census region | | | | | |
| Northeast | 54,178 | 46,721 | 37,188 | 9,533 | 7,457 |
| Midwest | 64,867 | 56,899 | 46,168 | 10,732 | 7,968 |
| South | 106,015 | 84,481 | 62,148 | 22,333 | 21,534 |
| West | 67,886 | 54,459 | 39,178 | 15,281 | 13,428 |
| | | | | | |

^a Includes persons with unknown employment status and marital status.

^b For individuals age 16 and over.

- Sample size too small to produce reliable estimates.

Table E. Health insurance coverage of the civilian noninstitutionalized population: Standard errors by type ofcoverage and selected population characteristics, United States, first half of 2006Corresponds to Table 5

| | Any coverage | Any private coverage | Public only | Uninsured | | |
|---------------------------------|-----------------------------|----------------------|-------------|-----------|--|--|
| Population characteristics | Standard error in thousands | | | | | |
| Total ^a | 5,817 | 4,864 | 1,733 | 1,648 | | |
| Total under age 65 ^a | 5,253 | 4,576 | 1,406 | 1,638 | | |
| Age in years | | | | | | |
| Under 4 | 568 | 413 | 344 | 102 | | |
| 4-6 | 474 | 388 | 228 | 128 | | |
| 7-12 | 792 | 626 | 371 | 224 | | |
| 13-17 | 679 | 562 | 291 | 221 | | |
| Total under 18 | 1,971 | 1,494 | 922 | 473 | | |
| 18 | 193 | 176 | 89 | 83 | | |
| 19-24 | 765 | 695 | 195 | 410 | | |
| 25-29 | 681 | 632 | 165 | 369 | | |
| 30-34 | 624 | 600 | 126 | 295 | | |
| 35-54 | 1,874 | 1,790 | 328 | 660 | | |
| 55-64 | 850 | 798 | 211 | 266 | | |
| 65 and over | 1,082 | 719 | 706 | 59 | | |
| Employment status ^b | | | | | | |
| Employed | 3,053 | 2,896 | 403 | 955 | | |
| Not employed | 1,705 | 1,179 | 933 | 571 | | |
| Sex | | | | | | |
| Male | 2,910 | 2,506 | 814 | 896 | | |
| Female | 3,038 | 2,486 | 1,030 | 874 | | |

| Total Hispanic or Latino | 1,574 | 1,124 | 680 | 906 |
|---|-------|-------|-------|-------|
| Total black, single race | 1,626 | 1,089 | 679 | 416 |
| Total white, single race | 4,379 | 3,901 | 1,160 | 995 |
| Total Asian/Pacific Islander, single race | 867 | 718 | 272 | 332 |
| Total other races/multiple races | 582 | 391 | 270 | 183 |
| Census region | | | | |
| Northeast | 2,065 | 1,888 | 727 | 484 |
| Midwest | 2,993 | 2,572 | 770 | 637 |
| South | 3,400 | 2,785 | 979 | 1,195 |
| West | 2,957 | 2,256 | 1,014 | 867 |
| | | | | |

^a Includes persons with unknown employment status and marital status.

- ^b For individuals age 16 and over.
- Sample size too small to produce reliable estimates.