

**Coast Guard, DHS**

**§ 80.40**

matter of the promotional literature or advertising, including any headings;

(2) Headed "SAFETY INFORMATION" in the same size type that is used in the safety information statement; and

(3) Separated from other portions of the text by double spacing or box ruling.

(d) If the promotional literature or advertising lists two or more passenger vessels, the owner or operator shall clearly indicate the safety information prescribed in paragraph (b) of this section for each vessel, but unnecessary repetition is not required.

(e) Each brochure, pamphlet, schedule, and similar publication required in paragraph (a) of this section to contain safety information must—

(1) State the safety information prescribed in paragraph (b) of this section at least once for each vessel named; and

(2) Include a reference in the index of contents or the cover regarding the page number where the safety information for each vessel is located.

(f) The section does not apply to—

(1) An advertising sign that is towed, displayed, or written by aircraft;

(2) An advertisement in a trade publication that is directed to the professional counselors in the travel industry and not intended or used for general distribution to the public for solicitation of passage on a vessel; or

(3) An advertisement within a magazine, newspaper, periodical, or similar publication that is—

(i) Produced outside of the United States;

(ii) Not an American edition; and

(iii) Primarily distributed in the country in which it is produced.

**§ 80.40 Civil penalty.**

For each violation of the regulations in this part, the owner, operator, agent, or other person involved is subject to the penalties prescribed in 46 U.S.C. 3504.

[CGFR 72-187R, 38 FR 9081, Apr. 10, 1973, as amended by CGD 95-028, 62 FR 51205, Sept. 30, 1997]

**PARTS 81-89 [RESERVED]**



# INDEX

## SUBCHAPTER H—PASSENGER VESSELS

EDITORIAL NOTE: This listing is provided for informational purposes only. It is compiled and kept current by the U. S. Coast Guard, Department of Homeland Security.

In general, references in this index pertain to new construction or installations.  
For existing vessels or installations, see the “application” in the text covering the particular referenced part, subpart, section, etc.

*Part, subpart, or section*

### A

#### Access:

General. (See Means of escape)

Manholes in doubles bottoms. (See Double bottom)

On weather decks..... 72.10-45

Plan of displayed..... 78.45-1

Prohibited location of openings (See Bulkheads)

To fire extinguishing valves and controls:

Automatic sprinkling ..... 76.25(a)

Carbon dioxide..... 76.15-10(i)

Foam..... 76.17-10(b)

Manual sprinkling ..... 76.23-15(a)

To lifeboats..... 72.10-40

Trucks and tunnels through bulkheads (See Bulkhead)

Accident, reports of ..... 78.07, 78.33

#### Accommodation space:

Bulkheads and decks ..... 72.05-10

Carbon dioxide piping in ..... 76.15-15(i)

Definition of, for structural fire protection..... 72.05-5(b)

Fire protection equipment required ..... 76.05

Officer. (See Officer accommodations)

Passenger. (See Passenger accommodations)

Ventilation ..... 72.05-50

Windows and airports ..... 72.05-30

Aids to navigation ..... 78.05

#### Airport:

Fire protection ..... 72.05-30

Insect screens in, crew accommodations ..... 72.20-55

Kept closed at sea..... 78.17-35

Testing ..... 78.17-5

Air Tank: Annual inspection in lifesaving appliances..... 71.25-15

#### Alarm:

Automatic sprinkling system..... 76.25-35

Carbon dioxide extinguishing system..... 76.15-30

Electric fire detecting system ..... 76.27-15

Markings..... 78.47

Miscellaneous machinery ..... 77.05

Pneumatic fire detecting system..... 76.30-15

Refrigerated space ..... 77.05

46 CFR Ch. I (10–1–04 Edition)

Smoke detecting system .....	76.33-20
Alteration:	
Notice of .....	71.55
Plans required .....	71.65-10
American Bureau of Shipping.....	70.10-7, 70.10-41, 70.35, 71.15, 71.65-5, 72.01-15, 72.01-20
American Society for Testing Materials (ASTM) .....	76.01-2, 76.10-10, 77.01-3, 77.35-5(c), 78.17-75
Anchor:	
General requirements .....	77.07
Annual inspection.....	71.25
Appeal, right of .....	70.01-7
Application of subchapter.....	70.05
Applicator: For combination nozzle. (See Fire hose nozzle)	
Approved:	
Definition of.....	70.10-1
Fire protection equipment to be .....	76.01-5, 76.05
Plans required to be.....	71.65
Arrangements:	
Authority for regulations .....	70.01
Equivalents for .....	70.15
Initial inspection .....	71.20
Plans required.....	71.65-5
Authority for regulations .....	70.01-1
Automatic fire damper. (See Fire damper)	
Automatic sprinkling system:	
Access to controls .....	76.25-25(a)
Controls.....	76.25-25
Electrical requirements.....	76.25-35
General details.....	76.25
Inspection. (See Fire detecting system)	
Markings .....	76.25-25, 76.25-35
Operation and installation .....	76.25-35
Piping .....	76.25-30
Plans to be displayed.....	78.45
Pressure tank .....	76.25-20
Pumps and water supply.....	76.25-15
Size and arrangement of pumps and pipe sizes .....	76.25-10
Where required .....	72.05-90(b)(3), 76.05-1, 76.05-20
Zoning .....	76.25-5
Availability of water for fire extinguishing.....	76.10-3

**B**

Baggage room. (See Service space)	
Balconies .....	72.05-5(m)
Ballast system .....	77.03
Barge: Definition.....	70.10-2
Basin. (See Washroom)	
Bath tubs. (See Washroom)	
Bell, markings on.....	78.47-7
Berth. (See Furniture)	
Berth light in crew spaces.....	72.20-45(b)
Bilge system .....	77.03
Boiler:	
Accident to or repair of .....	78.33
Carrying excess steam .....	78.55
Examination of.....	78.17-30

## Subchapter H Index

General .....	77.03
Boiler space. (See Machinery space)	
Breathing apparatus. (See Self-contained breathing apparatus)	
Bulkhead:	
Annual inspection of.....	71.25-25(1)
Type, location, and construction.....	72.05-10
Doors closed at sea .....	78.15
Door in, other than watertight.....	72.05-25
Minimum requirements.....	72.05-10(e)
Type of watertight doors required in. (See Watertight door)	
Bunker doors. (See Bulkhead)	

## C

Carbon dioxide extinguishing system:	
Access to supply and controls.....	76.15-10
Alarms .....	76.15-30
Alternate, if fire pumps in same space .....	76.10-5(h)
Controls.....	76.15-10
Discharge outlets.....	76.15-25
Enclosure openings.....	76.15-35
For cargo spaces.....	76.15-5(c)
For machinery spaces, paint lockers, tanks, etc. ....	76.15-5(e)
General details.....	76.15
Installation test.....	76.15-15(j)
Markings.....	76.15-10(c), (d), (h), 76.15-30
Openings in living quarters not permitted.....	76.15-15(i)
Operating instructions .....	76.15-10(h)
Piping .....	76.15-15
Plans to be displayed .....	78.45
Pressure relief .....	76.15-40
Quantity, pipe size, discharge rates .....	76.15-5
Storage .....	76.15-20
Type of system required .....	76.15-1(b)
Where required .....	76.05-20
Cargo:	
Ports. (See Openings)	
Cargo gear:	
Causing blind sector.....	72.04-1
Plans and specifications for new construction.....	71.65-5
Cargo in bulk:	
Combustible and flammable liquid .....	Table 70.05-1(a), 70.05-30
Grain or other combustible.....	78.70
Cargo space:	
Bulkheads and decks .....	72.05-10
Definition, for structural fire protection.....	72.05-5(e)
Fire protection equipment required .....	76.05
Hatch covers and shifting boards .....	72.05-35
Ventilation .....	72.05-50
Windows and airports .....	72.05-30
Carpenter shop. (See Service space)	
Carpet. (See Rug)	
Carrying freight for hire, definition of.....	70.10-5
Carrying passengers for hire:	
Definition of.....	70.10-34(b)
Gross tonnage as a criterion for requirements.....	70.05-20
Vessels .....	70.05-1
Casing, machinery. (See Machinery space)	

46 CFR Ch. I (10–1–04 Edition)

Casualty, notice and reporting of .....	78.07
Ceiling, construction of .....	72.05-10(h), 72.05-15
Certificate:	
Exemption. (See Exemption certificate)	
Of inspection. (See Certificate of inspection)	
Safety. (See Safety certificate)	
Temporary. (See Temporary certificate)	
Certificate of Inspection (COI):	
Annual inspection prerequisite for reissuance .....	71.25-1
Compliance with provisions of .....	78.60
General .....	71.01
Initial inspection, prerequisite for .....	71.20-1
Period of validity of .....	71.01-10
Certificates under the International Convention for Safety of Life at Sea, 1960 (SOLAS):	
Application .....	71.75-1
Duration of certificates .....	71.75-20
Exemption certificate .....	71.75-10
Passenger Ship Safety Certificate .....	71.75-5
Posting of Convention certificates .....	71.75-15
Chain, anchor .....	77.07
Chart, required .....	78.05-5
Children’s life preservers. (See Life preservers)	
Classed vessel, defined .....	70.10-7
Coast Guard District Commander, defined .....	70.10-11
Coastwise:	
Definition .....	70.10-13
Service; anchors, chains and hawsers for .....	77.07-5
Collision bulkhead. (See Bulkhead)	
Combination nozzle. (See Fire hose nozzle)	
Combustible liquid cargo in bulk .....	Table 70.05-1(a), 70.05-30
Commandant, defined .....	70.10-9
Communication system:	
Installation and details .....	77.05-1
Testing .....	78.17-15
Compartmentation. (See Subdivision)	
Construction:	
Authority for regulations .....	70.01-1
Class B-15 bulkheads .....	72.05-10(i)
Crew accommodations .....	72.20-15
Doors, other than watertight .....	72.05-25
Double Watertight. (See Watertight doors)	
Double bottom. (See Double bottom)	
Fire control bulkheads and decks .....	72.05-10
Fire protection, general .....	72.03
Inspection: Annual .....	71.25-20
Initial .....	71.20-15
New, plans and specifications required .....	71.65-5
Structural requirements and standards .....	71.65-5, 72.01-15, 72.01-20, 72.01-25, 72.05-10, 72.05-90, 72.20-90
Structural subdivision .....	72.01-25
Contracted for, defined .....	70.05-5
Controls:	
Fire-extinguishing systems:	
Automatic sprinkling .....	76.25-25
Carbon dioxide .....	76.15-10
Fire main .....	76.10-15(c)
Foam .....	76.17-10

## Subchapter H Index

Manual sprinkling.....	76.23-15
Miscellaneous machinery.....	77.05
Corridor. (See also Safety area):	
Dead end.....	72.10-30
Fire-resistant furnishings in.....	72.05-55(c)
Passenger and crew.....	72.05-5(k)
Coupling: Fire hose. (See Fire hose)	
Crew Accommodations. (See also Accommodation space):	
Construction.....	72.20-15
Corridors.....	72.05-5(k)
General.....	72.20
Heating and cooling.....	72.20-50
Hospital space.....	72.20-35
Insect screens.....	72.20-55
Laundry facilities.....	72.20-40
Lighting.....	72.20-45
Location.....	72.20-10
Messrooms.....	72.20-30
Recreation facilities.....	72.20-40(b)
Sanitary inspections. (See Sanitation)	
Sleeping Accommodations.....	72.20-20
Ventilation.....	72.15-20
Washrooms and toilet spaces.....	72.20-25
Customs regulations: Required markings.....	78.50

## D

Damage.....	78.07
Damaged stability. (See Stability)	
Damper, automatic fire. (See Fire dampers)	
Daylight signaling lamp.....	77.05
Orange smoke. (See Smoke signal)	
Dead cover. (See Airport)	
Deck covering:	
Fire-protection.....	72.05-10(n)-(p)
In way of doors.....	72.05-25(b)(6), (c)(5)
Deck:	
Fire-protection classification.....	72.05-10
Minimum requirements.....	72.05-10(a)-(g)
De-energizing of cargo hold lighting circuits when grain or other combustible bulk cargo is carried:	
Master's responsibility.....	78.70-1
Warning notice posted.....	78.70-5
Definitions:	
Relating to hull examinations.....	71.50-1
Terms used in subchapter.....	70.10
Terms used in subchapter 72.05, structural fire protection.....	72.05-5
Detecting, fire. (See Fire detecting)	
Direction finder. (See Radio)	
Disclosure of safety standards and country of registry.....	Part 80
Applicability.....	80.10
Civil penalty.....	80.40
Exemption to requirements.....	80.20
Notification of safety standards.....	80.25
Ocean voyage.....	80.15
Persons subject to regulation.....	80.10
Promotional literature or advertising.....	80.30
Door:	

46 CFR Ch. I (10–1–04 Edition)

Bunker. (See Bulkhead)	
In collision bulkhead. (See Bulkhead)	
Insect screens to crew accommodations.....	72.20-55
Kept closed at sea.....	78.15, 78.17-35
Loading. (See Loading doors)	
Locking of required means of escape.....	72.10-20
Magnetically controlled fire. (See Magnetically controlled fire doors)	
Other than watertight.....	72.05-25
To machinery space. (See Bulkhead)	
Watertight. (See Watertight door)	
Double bottom:	
Construction and testing.....	72.01-25
Draft:	
Logged when leaving port.....	78.17-20
Required to be marked on vessel.....	78.50-10
Draft stops:	
Where required.....	72.05-10(h)
Fire protection equipment:	
Automatic sprinkling.....	76.25
Carbon dioxide.....	76.15-15(g)
Fire main.....	76.10-10(e)
Foam.....	76.17
Manual sprinkling.....	76.23
Smoke detecting.....	76.33
Wells in double bottom. (See Double bottom)	
Dry docking:	
At any time.....	71.50-5
Periodical.....	71.50-3
Drydock examination:	
Definition.....	71.50-1
Intervals.....	71.50-3
Notice and plans required.....	71.50-5

**E**

Electrical engineering:	
General requirements.....	70.25
System, installations and details.....	77.05-1
Vessels subject to regulations.....	70.05-1
Electrical fire detecting system:	
Alarm.....	76.27-15
Electrical requirements.....	76.27-15(e)
Instructions.....	76.27-15(f)
Location and spacing of detectors.....	76.27-10
Operation and installation.....	76.27-15
Plans to be displayed.....	78.45-1
Where required.....	76.05-1
Zoning.....	76.27-5
Elevator, enclosure.....	72.05-20
Emergency equipment.....	77.30
Emergency light:	
Marking.....	78-47-33
Required.....	77.05-1
Emergency lighting and powering:	
Installation and details.....	77.05
Testing.....	78.17-45
Emergency loudspeaker system. (See Loudspeaker system)	
Emergency squad: Marking equipment stowage space.....	78.47-25

## Subchapter H Index

Enclosed locations, operating vessels in.....	78.83
Engine order telegraph system .....	77.05-1
Engineroom. (See Machinery space)	
Equipment:	
Equivalentents for .....	70.15
For buoyant apparatus. (See Buoyant apparatus)	
Installations made during unlimited emergency .....	70.30-5
Lifesaving. (See also Lifesaving equipment)	
In vessels covered under the Act of August 9, 1954.....	70.30-1(b)
Sounding. (See Sounding equipment)	
Equivalentents.....	70.15
Equivalent plane bulkhead. (See Bulkhead)	
Examination: Intervals, drydocks and internal structural.....	71.50-3
Excursion, permit to engage in.....	71.10
Exemption certificate.....	71.75-10
Exit. (See Means of escape)	
Expired certificate of inspection .....	71.01-20
Extinguisher. (See Hand portable fire extinguishers; Semi-portable fire extinguishing systems)	
Extinguishing system. (See Fire extinguishing system)	

## F

Federal Communications Commission:	
Annual inspection of radio installation.....	71.25-10
Initial inspection of radio installation.....	71.20-15
Ferry:	
Chains or barriers in vehicular space .....	72.40-15
Definition of .....	70.10-15
Railroad passenger car. (See Railroad passenger car ferry)	
Rails.....	72.40
Vehicular spaces. (See Vehicular space)	
Washing and toilet facilities for.....	72.25-15
Fire alarm system. (See Manual alarm system)	
Fire axe:	
Location .....	76.60-10
Number required .....	76.60-5
Fire bulkhead. (See Structural fire protection)	
Fire damper:	
Annual inspection .....	71.25-25(a)(3)
General .....	72.05-50(b)
Markings .....	78.47-53
Plans displayed showing location.....	78.45
Fire detecting system:	
Annual inspection.....	71.25-20
Details. (See Automatic sprinkling system; Electrical fire detecting system; Manual alarm system; Pneumatic fire detecting system; Smoke detecting system; Supervised patrol)	
Markings.....	78.47
When required.....	72.05-90(b), 76.05-1
Fire door. (See Magnetically controlled fire door)	
Fire extinguisher. (See Hand portable fire extinguisher; Semi-portable fire extinguishing system)	
Fire extinguishing system:	
Annual inspection.....	71.25-20
Details. (See Automatic sprinkling system; Carbon dioxide extinguishing system; Fire main system; Foam extinguishing system; Manual sprinkling system; Steam smothering system; Water spray extinguishing system)	

**46 CFR Ch. I (10–1–04 Edition)**

Initial inspection.....	71.20-15
Markings.....	78.47
When required.....	76.05-20
Fire-fighting equipment, general .....	78.17-80
Fire hazard, annual inspection for .....	71.25-45
Fire hose:	
Additional, when foam extinguishing system used .....	76.17-25
Couplings .....	76.10-10(i)
Inspection .....	71.25-20
Ports.....	72.05-25(a)(6)
Size, length, and stowage .....	76.10-10
When and where required. (See Fire main system)	
Fire hose nozzle:	
Additional combination nozzles required, when foam extinguishing system used .....	76.17-25
Combination nozzles required .....	76.10-10(j)
Type and size required .....	76.10-10(j)
Fire hose rack .....	76.10-10(g)
Fire hydrant:	
Additional required, when foam extinguishing system used .....	76.17-25
Size and location .....	76.10-10
Fire main system:	
Additional requirements, when foam extinguishing system used .....	76.17-25
Couplings. (See Fire hose)	
General details.....	76.10
Hose ports.....	72.05-25(a)(6)
Inspection. (See Fire extinguishing system)	
Marking of valves.....	76.10-15(b)
Piping .....	76.10-15
Protection from freezing .....	76.10-10(e)
Pumps. (See Fire pump)	
Shore connection.....	76.10-10(c)
When required.....	76.05-15
Fire protection equipment .....	Part 76
Annual inspection.....	71.25-20
Equipment installed, but not required.....	76.01-5
General .....	76.01
Initial inspection .....	71.20
Fire protection, general:	
Application .....	72.03-1
Fire hazards to be minimized.....	72.03-5
Lamp room construction .....	72.03-15
Woodwork insulated from heated surfaces .....	72.03-10
Fire protection, structural. (See Structural fire protection)	
Fire pump:	
Number, type, size, and location.....	76.10-5
Used for other purposes .....	76.10-5(f)
Fire test. (See Standard fire test)	
Fire watch:	
General .....	78.30-20
Supervised patrol. (See Supervised patrol)	
Watchmen. (See Watchmen)	
Fireman's outfit .....	77.35
Application .....	77.35-1
General.....	77.35-5
Outfit.....	77.35-10
Spare charges .....	77.35-20

## Subchapter H Index

Stowage .....	77.35-15
Fixed fire extinguishing system. (See Fire extinguishing system)	
Flame safety lamp .....	77.30-5(c)
Flammable liquid cargo in bulk .....	Table 70.05-1(a), 70.05-30
Float, wood. (See Wood float)	
Foam extinguishing system:	
Access to supply and controls .....	76.17-10(b)
Additional protection required.....	76.17-25
Controls.....	76.17-10
Discharge outlets.....	76.17-20
General details.....	76.17
Inspection. (See Fire extinguishing system)	
Markings .....	76.17-10(d)
Piping .....	76.17-15
Plans to be displayed.....	78.45
Quantity of foam required .....	76.17-5
Where required .....	76.05-20
Fog nozzle. (See Fire hose nozzle)	
Food. (See Provisions)	
Fore peak bulkhead. (See Bulkhead)	
Foreign vessels subject to the requirements of this subchapter .....	70.05-3
Freight: Carriage for hire .....	70.10-5
Friction matches. (See Matches)	
Fuel:	
Oil tanks, integral examination of .....	71.53
Requirements for fuel oil.....	78.17-75
Fuel oil units: Fire extinguishing system required in spaces containing.....	76.05-20
Furnishings. (See Furniture)	
Furniture:	
Crew accommodations.....	72.20-20(c)
Crew hospital.....	72.20-35
Insect screens .....	72.20-55
Mess rooms .....	72.20-30

## G

Galley. (See also Service space):	
Ventilation.....	72.05-50(h)
Gangway, openings. (See Openings in vessel's sides)	
Gas freeing.....	71.60
Gas mask:	
Marking of Stowage space .....	78.47-27
Required .....	77.30
Gasoline, when using as fuel:	
Ventilation .....	72.01
Vessel construction .....	72.01-10
General alarm system:	
Details .....	77.05
Markings .....	78.47-5, 78.47-7
Glass, wire inserted. (See Wire inserted glass)	
Gravity davit. (See Davits)	
Great Lakes:	
Definition of .....	70.10-17
Service; anchors, chains and hawsers for .....	77.07-5
Gross tonnage as a criterion for requirements .....	70.05-20
Grounding: Notice of.....	78.07
Guard. (See Rail)	

**H**

Hand portable fire extinguishers:	
Annual inspection.....	71.25-20
Classification .....	76.50-5
Location .....	76.50-10
Markings .....	76.50-10(d)
Spare charges .....	76.50-15
When required.....	76.05-25
Hatch:	
Closure of.....	78.17-35
Material for covers .....	72.05-35
Headquarters, definition of.....	70.10.19
Heating, crew spaces.....	72.20-50
Heat insulation. (See Insulation)	
Hinged watertight door. (See Watertight doors)	
Hook. (See Disengaging apparatus)	
Horn. (See also Whistle and Fog horn)	
Hose:	
Fire. (See Fire hose)	
Nozzle. (See Fire hose nozzle)	
Outlets. (See Fire hydrants)	
Ports.....	72.05-25(a)(6)
Rack. (See Fire hose rack)	
Semiportable fire extinguishing systems. (See Semiportable fire extinguishing system)	
Hospital:	
Crew.....	72.20-35
Deck covering.....	72.05-10(p)
Hull markings .....	78.50-5
Hull structure. (See Construction)	
Hydrant. (See Fire hydrant)	

**I**

Incorporation by reference .....	76.01-2, 77.01-3
Initial inspection .....	71.20
Inner bottom. (See Double bottom)	
Inspection:	
After accident.....	71.40
Alterations and repairs.....	71.55
Carbon dioxide cylinders .....	76.15-20(g)
Certificate of. (See Certificate of inspection)	
Initial. (See Initial inspection)	
Installation of carbon dioxide extinguishing system.....	76.15-15(j)
Lifesaving equipment .....	71.25-15
Standards of.....	71.15-1
Tests, drills, and inspections by vessel personnel.....	78.17
Vessels for ocean or unlimited coastwise routes.....	70.05-7
Vessels, generally .....	71.15
Inspection and certification:	
Generally .....	71.01
Period of validity.....	71.01-10
Inspector. (See Marine inspector)	
Inspector not limited.....	71.25-50
Instructions:	
For changing steering gear.....	78.47-55
Electrical detecting .....	76.27-15(f)

## Subchapter H Index

Manual alarm .....	76.35-15(e)
Operation of fire extinguishing systems:	
Automatic sprinkling.....	76.25-35(j)
Carbon dioxide.....	76.15-10(h)
Foam.....	76.17-10(c)
Operation of fire detecting systems.....	76.25-35(j)
Pneumatic detecting.....	76.30-15(f)
Smoke detecting .....	76.33-20(g)
Routing.....	78.57
Use of emergency equipment .....	77.30-5(d)
Insulation:	
For Class “A” bulkheads and decks .....	72.05-10(c)(1)
For Class “B” bulkheads.....	72.05-10(c)(2)
Heat and refrigeration.....	72.05-40
In doors.....	72.05-25
Intact stability. (See Stability)	
Securing of.....	72.05-10(k)
Integral fuel oil tank examinations.....	71.53
Interior communication. (See Communication system)	
Internal structural examination:	
Definition.....	71.50-1
Intervals.....	71.50-3
Notice and plans required .....	71.50-5
International conventions .....	70.01-1, Table 70.05-1(a) note 6, 70.05-3, 70.05-10, 71.75, 80.20
International voyage:	
Application of regulations to vessels on.....	70.05-10
Short.....	70.10-43

## J

Jacob’s ladder. (See Ladder)	
Joiner door. (See Doors other than watertight)	
Joiner work:	
Ceilings, linings, trim and decorations .....	72.05-15
Construction.....	72.05-10
Doors .....	72.05-25
Stairways and elevators .....	72.05-20
Windows.....	72.05-30

## L

Ladder. (See also Stairway):	
Lifeboat gunwale. (See Lifeboat gunwale ladder)	
Vertical, as means of escape.....	72.10-15
Lakes, bays, and sounds: Definition of.....	70.10-23
Lamp Locker. (See Paint locker)	
Laundry, crew.....	72.20-40
License, exhibition of .....	78.65
Lifeboat:	
Access to.....	72.10-40
Annual inspection.....	71.25-15
Lifeboat winch: Annual inspection.....	71.25-15
Lifepreserver: Annual inspection .....	71.25-15
Lifesaving Appliances and Arrangements.....	70.28, 77.06
Installation .....	77.06-1
Markings for.....	78.47-45
Lifesaving equipment:	
Annual inspection.....	71.25

46 CFR Ch. I (10–1–04 Edition)

Initial inspection .....	71.20
Inspection of .....	71.25-15
Required on excursions .....	71.10-10
Specific tests .....	71.20-20
Lighting:	
Crew spaces .....	72.20-45
Emergency system. (See Emergency lighting)	
Illumination of exit signs .....	78.47-40
Lighting and powering systems .....	77.05
Linings .....	72.05-10(h)-(i), 72.05-15
Loading doors .....	78.17-33, 78.37-5
Load line:	
Logging of position relative to water .....	78.17-20
Marking .....	78.50-15
Structural requirements for .....	72.01-5
Subdivision .....	78.17-20
Vessels subject to regulations .....	70.05-1
Logbook:	
Actions required to be logged .....	78.37-5
Official log entries .....	78.37-10
Lookout, required .....	78.30-20
Loudspeaker system .....	78.17-10
Louvers in doors .....	72.05-25

**M**

Machinery:	
Accidents to or repairs of .....	78.33
Boilers. (See Boiler)	
Examination of .....	78.17-30
Machinery space:	
Definition, for structural fire protection .....	72.05-5(d)
Fire extinguishing equipment required .....	76.05
Ventilation .....	72.05-50
Windows and airports .....	72.05-30
Magnetically controlled fire doors:	
Annual inspection .....	71.25-25
General requirements .....	72.05-25
Marking .....	72.05-25(b)(9)(i)
Plans displayed showing location of .....	78.45
Main vertical zone:	
Definition .....	72.05-5(h)
Doors .....	72.05-25(b)(9)
Requirements .....	72.05-10(b)
Manholes:	
In double bottom. (See Double bottom)	
Prohibited location in bulkheads. (See Bulkhead)	
Manifold. (See Valve)	
Manila falls. (See Falls)	
Manual alarm system:	
Electrical requirements .....	76.35-15(d)
General details .....	76.35
Inspection. (See Fire detecting system)	
Instructions .....	76.35-15(e)
Location and spacing of boxes .....	76.35-10
Marking .....	76.35-15(f)
Operation and installation .....	76.35-15
Plans to be displayed .....	78.45

## Subchapter H Index

Where required.....	76.05-5
Zoning.....	76.35-5
Manual sprinkling system:	
Access to supply and control.....	76.23-15(a)
Controls.....	76.23-15
General detail.....	76.23
Inspection. (See Fire extinguishing system)	
Markings.....	76.23-15
Piping.....	76.23-20
Plans to be displayed.....	78.45
Quantity, pipe size, and discharge rates.....	76.23-10
Sprinkler heads.....	76.23-25
Where required.....	76.05-20
Zoning.....	76.23-5
Marine engineering:	
Annual inspection of equipment.....	71.25-35
General requirements.....	70.20
Systems, installations and details.....	77.03
Vessels subject to regulations.....	70.05
Marine inspector:	
Definition.....	70.10-25
Maritime Administration, U.S.: Vessels subject to inspection.....	70.05-1(a)(3)
Markings:	
On fire and emergency equipment, etc.....	78.47
On fire detecting systems:	
Alarm, ventilation failure.....	78.47-75
Automatic sprinkling.....	76.25-25, 76.25-35(k)
Carbon dioxide alarm.....	78.47-9
Electric.....	76.27-15(g)
Fire detecting and manual alarm, automatic sprinkler, and smoke detecting alarm bells.....	78.47-13
Fire doors.....	78.47-35
Fire extinguishing system branch lines.....	78.47-15
Lifesaving Appliances.....	78.47-45
Manual alarm.....	76.35-15(f)
Manual alarm boxes.....	78.47-10
Pneumatic.....	76.30-15(g)
Smoke.....	76.33-20(h)
Supervised patrol.....	78.30-10(d)
Supervised patrol stations.....	78.47-23
On fire extinguishing systems:	
Automatic sprinkling.....	76.25-25
Carbon dioxide.....	76.15-10, 76.15-30
Fire extinguishing system controls.....	78.47-17
Fire hose stations.....	78.47-20
Fire main.....	76.10-15
Foam.....	76.17-10
Hand portable fire extinguishers.....	78.47-30
Manual sprinkling.....	76.23-15
Valves and closing appliances.....	78.47-38
On vessels.....	78.50
Draft marks.....	78.50-10
Hull markings.....	78.50-5
Load line marks.....	78.50-15
Mask. (See Gas mask)	
Means of escape:	
Doors.....	72.05-25(a)
Elevators.....	72.05-20(f)

46 CFR Ch. I (10–1–04 Edition)

Exit signs..... 78.47-40  
From main vertical zones..... 72.05-20  
General requirements ..... 72.10  
Mechanical ventilation. (See Ventilation)  
Medical kit. (See First aid kit)  
Messroom. (See also Accommodation space)..... 72.20-30  
Miscellaneous spaces for structural fire protection ..... 72.05-5(f)  
Motorboat: Motor vessel ..... 70.10-29  
Motor vessel, definition of..... 70.10-29  
Muster list (Station bill) ..... 78.13-1, 78.17-50

N

Name of vessel:  
On equipment..... 78.47  
On vessel ..... 78.50-5  
Natural ventilation. (See Ventilation)  
Navigation bridge visibility..... 72.04  
Net tonnage marked on main beam ..... 78.50-5  
New construction, plans and specifications required for ..... 71.65-5  
Notice of casualty. (See Casualty)  
Notice to mariners..... 78.05  
Notices. (See markings)  
Nozzle, fire hose. (See Fire hose nozzle)

O

Ocean:  
Definition of ..... 70.10-31  
Inland routes..... 70.05-7  
Service; anchors, chains and hawsers for ..... 77.07-5  
Office. (See Accommodation space)  
Officer accommodations. (See also Accommodation space)..... 72.20  
Officer in Charge, Marine Inspection, defined ..... 70.10-33  
Official log. (See Logbook)  
Official number on main beam..... 78.50-5  
Oil:  
Lockers. (See Service space)  
Oil lockers. (See Service space)  
OMB control numbers..... 70.01-15  
Openings:  
In watertight bulkheads. (See Bulkhead)  
Keep closed at sea..... 78.17-35  
Manholes in double bottoms. (See Double bottom)  
Operation of vehicles in enclosed locations ..... 78.83  
Special operating conditions..... 78.83-1  
Operations:  
Carrying of excess steam ..... 78.55  
Compliance with provisions of certificate of inspection..... 78.60  
Display of plans ..... 78.45  
Doors closed at sea ..... 78.15  
Drills..... 78.13-1, 78.17-50  
Emergency training ..... 78.13-1, 78.17-50  
Exhibition of license..... 78.65  
General ..... Part 78  
Improper use of searchlight ..... 78.27  
Instructions to passengers..... 78.47-45  
Logbook entries ..... 78.37  
Lookout, pilothouse watch, supervised patrol, and watchmen..... 78.30

## Subchapter H Index

Markings for lifesaving appliances.....	78.47-45
Markings on equipment.....	78.47
Markings on vessel.....	78.50
Musters.....	78.13-1, 78.17-50
Notice of casualty and voyage records.....	78.07
Notice to mariners and aids to navigation.....	78.05
Persons allowed in pilothouse and on navigation bridge.....	78.10
Precautions for vehicular ferries.....	78.40
Reports of accidents, repairs, and unsafe equipment.....	78.33
Routing instructions.....	78.57
Stowage locations.....	78.47-45
Tests, drills, and inspections.....	78.17
Unnecessary whistling.....	78.23
Oxygen breathing apparatus. (See Self-contained breathing apparatus)	

## P

Paint: Fire protection.....	72.05-45
Paint locker. (See also Service space)	
Pantry:	
General. (See Service space)	
Isolated. (See Accommodation space)	
Passageways. (See Corridors)	
Passenger:	
Barges. (See Barges)	
Carrying on excursions.....	71.10
Carrying when proceeding to another port for repair.....	71.05-10
Corridors, dead end.....	72.10-30
Definition.....	70.10-34
Passenger for hire, definition.....	70.10-34(b)
Steerage.....	72.25
Passenger Accommodations. (See also Accommodation space)	
General.....	72.25
Location of.....	72.25-10
Sanitary inspection of (See Sanitary inspection)	
Separate from crew.....	72.25-15(a)
Steerage.....	72.25
Toilet facilities, excursion boats, ferryboats, and barges.....	72.25-15
Ventilation.....	72.15-20
Passenger vessel.....	70.10-35
Peak bulkhead. (See Bulkhead)	
Penetration. (See Opening)	
Period of validity of certificate of inspection.....	71.01-10
Permit:	
To engage in excursions.....	71.10
To proceed to another port for repair.....	71.05
Photographic shop. (See Service space)	
Pilot boarding equipment:	
Annual inspection of.....	71.25-10
Definition of.....	70.10-36
General requirements.....	77.40, 78.90-1
Initial inspection of.....	71.20-15
Maintenance of.....	78.90-1(a)
Pilot boarding operation.....	78.90-1
Pilothouse	
Persons allowed in.....	78.10
Watch.....	78.30-5
Piping:	
Fire extinguishing systems:	

46 CFR Ch. I (10–1–04 Edition)

Automatic sprinkling.....	76.25
Carbon dioxide .....	76.15
Fire main .....	76.10-15
Foam.....	76.17-15
Manual sprinkling.....	76.23-20
Smoke detecting .....	76.33-15
Systems, general .....	77.03
Through bulkheads (See Bulkheads)	
Plan:	
Approval required before inspection.....	71.20-10
Display of.....	78.45
Procedure for approval .....	71.65
Procedure for submittal .....	71.65-15
Required for alterations.....	71.55-1
Required, general.....	71.65
Pneumatic fire detecting system:	
Alarm .....	76.30-15(g)
Electrical requirements.....	76.30-15(e)
General details.....	76.30
Inspection (See Fire detecting system)	
Location and spacing of tubing .....	76.30-10
Marking.....	76.30-15(g)
Operation and installation .....	76.30-15
Plans to be displayed.....	78.45
Where required.....	76.05-1
Zoning.....	76.30-5
Point of access: Definition .....	70.10-36
Pilot boarding equipment .....	77.40-1
Pilot boarding operations .....	78.90-1
Port:	
Gangway, cargo, and coaling. (See Openings in vessel's sides)	
Lights .....	78.16
Portable extinguisher. (See Hand portable fire extinguisher)	
Portable magazine chest: Marking of.....	78.47-70
Portable plate: Manholes in double bottom. (See Double bottom)	
Prohibited location in bulkheads. (See Bulkhead)	
Posting:	
Certificates:	
Exemption.....	71.75-10
Inspection.....	71.01-5
Safety .....	71.75-5
Temporary .....	71.01-15
Instructions for fire detecting systems:	
Automatic sprinkling.....	76.25-35(j)
Electric.....	76.27-15(f)
Manual alarm.....	76.35-15(e)
Pneumatic .....	76.30-15(f)
Smoke.....	76.33-20(g)
Instructions for fire extinguishing systems:	
Automatic sprinkling.....	76.25-35(j)
Carbon dioxide .....	76.15-10(h)
Foam.....	76.17-10(c)
Licenses.....	78.65
Permit to engage in excursions .....	71.10-15
Permit to proceed to another port for repair .....	71.05-15
Plans.....	78.45
Stability letter.....	78.12-1
Station bill.....	78.13-1

## Subchapter H Index

Printing shop. (See Service space)	
Projection room. (See also Service space)	
Construction.....	72.05-10
Ventilation.....	72.05-50
Propulsion machinery, fire extinguishing systems required for spaces containing.....	76.05-20
Public space. (See also Accommodation space):	
Means of escape from.....	72.10-35
Pump:	
Automatic sprinkling system.....	76.25-15, 76.25-20, 76.25-35
Fire. (See Fire pump)	
Foam extinguishing system.....	76.17-5(c), 76.17-10(b)
Fuel oil. (See Fuel oil unit)	
Manual sprinkling system.....	76.23-10, 76.23-15
Purpose of regulations.....	70.01-1

## Q

Quarters. (See Accommodation space)

## R

Radio:	
Annual inspection.....	71.25
Initial inspection.....	71.20
Radio room. (See Safety area)	
Rail, type and size required.....	72.40
Rations. (See Provisions)	
Recessed bulkhead. (See Bulkhead)	
Recognized classification society, defined.....	70.10-41
Records, voyage. (See Voyage records)	
Red hand flare. (See Hand flare)	
Refrigerated cargo space. (See Cargo space)	
Refrigerated space alarm system.....	77.05
Refrigerated store room. (See Store room)	
Refrigeration gas mask. (See Gas mask)	
Register tonnage, gross.....	70.05-20
Regulations:	
Authority and purpose.....	70.01
Application.....	70.05
Reinspection.....	71.30
Repair:	
After accident.....	71.40
Notice of.....	71.55
Permit to proceed to another port for.....	71.05
Report of accident.....	78.33
Repairs of boilers and pressure vessels.....	78.33-1
Accidents to machinery.....	78.33-5
Notice required before repairs.....	78.33-10
Reporting of casualty. (See Casualty)	
Respiratory protection. (See Emergency equipment)	
Right of appeal.....	70.01-7
Rivers:	
Definition of.....	70.10-39
Routing instructions.....	78.57
Rudder angle indicator system.....	77.05
Rug:	
Fire protection.....	72.05-10(n)
Passing through doors.....	72.05-25(b)(6), (c)(5)

46 CFR Ch. I (10–1–04 Edition)

With fire resistant furnishings ..... 72.05-55(a)(4)

**S**

Safety certificate:

- Foreign vessels ..... 70.05-3
- Required ..... 71.75

Safety valve: prohibition against tampering with ..... 78.55

Sailing vessel, definition of ..... 70.10-42

Sales room. (See Accommodation space)

Sanitation:

- Annual inspection ..... 71.25-40
- Crew accommodations ..... 72.20-15
- Master and chief engineer responsible for ..... 78.17-25
- Monthly inspection ..... 71.45

Searchlight:

- Improper use prohibited ..... 78.27

Self-contained breathing apparatus:

- As emergency equipment ..... 77.30
- Marking of stowage space for ..... 78.47-27

Semiportable fire extinguishing system:

- Annual inspection ..... 71.25-20
- Classification ..... 76.50-5
- Hose and nozzle for ..... 76.50-5(c)
- Location ..... 76.50-10
- When required ..... 76.05-25

Service space:

- Bulkheads and decks ..... 72.05-10
- Definitions, for structural fire protection ..... 72.05-5(c)
- Fire protection equipment for ..... 76.05
- Windows and airports ..... 72.05-30

Shell connections ..... 77.03

Shifting boards in tonnage opening ..... 72.05-35

Shore connection, fire main ..... 76.10-10(c)

Short international voyage, defined ..... 70.10-43

Shower. (See Washroom)

Signal:

- Signaling lamp, daylight ..... 77.05

Sliding watertight door. (See Watertight door)

Smoke detecting system:

- Alarm ..... 76.33-20
- Electrical requirements ..... 76.33-20(f)
- General details ..... 76.33
- Inspection, periodic ..... 78.17-65
- Instructions ..... 76.33-20(g)
- Locations and spacing of accumulators ..... 76.33-10
- Operation and installation ..... 76.33-20
- Piping ..... 76.33-15
- Plans to be displayed ..... 78.45
- Where required ..... 76.05-1
- Zoning ..... 76.33-5

Sounding equipment ..... 77.27

Spaces specially suitable for vehicles, definition of ..... 70.10-44

Spanner, required at fire hydrant ..... 76.10-10(g)

Specifications required for new construction ..... 71.65-5

Spray nozzle. (See Fire hose nozzle)

Stability:

- Letter, posting of ..... 78.12-1

## Subchapter H Index

Requirements, verification of vessel compliance with .....	78.17-22
Stairway. (See also Safety area):	
Doors to .....	72.05-25(b)
Enclosures .....	72.05-20
Fire resisting furnishings in .....	72.05-55(c)
Ventilation .....	72.05-50(f)
Width of .....	72.10-25
Standard fire test, defined .....	72.05-5(g)
Stateroom. (See Crew accommodations; Passenger accommodations)	
Station bill	
Master's responsibility to prepare and post .....	78.13-1
Muster lists, emergency signals, and manning .....	78.17-50
Steam smothering system:	
General details .....	76.13
Inspection. (See Fire extinguishing system)	
Steel or other equivalent metal: Definition .....	72.05-5(i)
Steering system:	
Details .....	77.03
Instructions for changing gear .....	78.47-55
Notice for rudder orders .....	78.47-57
Rudder angle indicating system .....	77.05
Testing .....	78.17-15
Storage space:	
Generally. (See Service space)	
Isolated. (See Accommodation space)	
Storm rail. (See Rail)	
Stowage:	
Buoyant apparatus. (See Buoyant apparatus)	
Emergency equipment .....	77.30-10
Fire hose .....	76.10-10(g)
Stranding, notice of .....	78.07
Structural fire protection .....	72.05, 72.15-5
Structural insulation. (See Insulation)	
Structure. (See Construction)	
Subdivision: Plans and specifications for new construction .....	71.65-5
Structural requirements .....	72.01-25
Subdivision bulkhead. (See Bulkhead)	
Subdivision load lines. (See Load lines)	
Supervised patrol:	
Details .....	78.30-10
Inspection. (See Fire detecting system)	
Markings .....	78.30-10(d)
When required .....	76.05-10
Survey: Generally. (See Inspection)	

## T

Tank:	
Cargo, fire extinguishing system required .....	76.05-20
Construction .....	72.01-25
Double bottom. (See Double bottom)	
Pressure, automatic sprinkling .....	76.25-20
Vent and sounding systems .....	77.03
Telephone, sound powered .....	77.05
Temporary certificate of inspection .....	71.01-15
Test. (See Inspection)	
Tiller. (See Rudder)	
Toilet space. (See Washroom)	
Tonnage opening:	

46 CFR Ch. I (10-1-04 Edition)

Considered closed for carbon dioxide extinguishing calculations ..... 76.15-5(c)(2)  
 Shifting boards ..... 72.05-35  
 Trim joiner ..... 72.05-15  
 Tunnel:  
     Access through bulkheads. (See Bulkhead)

U

Underwriters' Laboratories, Inc ..... 76.10-10(2)  
 United States flag vessels ..... 70.05-1

V

Validity, period of, for certificate of inspection ..... 71.01-10  
 Valve. (See also piping):  
     Fire detecting systems:  
         Automatic sprinkling ..... 76.25-25, 76.25-30  
         Smoke detecting ..... 76.33-15, 76.33-20  
     Fire extinguishing system:  
         Automatic sprinkling ..... 76.25-25, 76.25-30  
         Carbon dioxide ..... 76.15-10, 76.15-15  
         Fire main ..... 76.10-5, 76.10-10, 76.10-15  
         Foam ..... 76.17-10, 76.17-15  
         Manual sprinkling ..... 76.23-15, 76.23-20  
     In bulkheads. (See Bulkhead)  
     Testing, for subdivision ..... 78.17-5  
 Vehicles in enclosed location, operation of ..... 78.83  
     Special operating conditions ..... 78.83-1  
 Vehicles, spaces specially suitable for ..... 70.10-44  
 Vehicular space. (See also Cargo space):  
     Chains or barriers required ..... 72.40-15  
     On ferries ..... 78.40  
     Specially suitable ..... 70.10-44  
 Veneer:  
     Combustible on bulkheads ..... 72.05-15  
     Combustible on doors ..... 72.05-25(a)(7)  
 Ventilation:  
     Fire protection ..... 72.05-50  
     General ..... 72.15  
     Insulation for ducts ..... 72.05-40  
     Plans displayed ..... 78.45  
     Stopping of, when carbon dioxide extinguishing system used ..... 76.15-35  
     Vents in doors ..... 72.05-25  
     Vents opening into crew accommodations ..... 72.15-20  
     Ventilation for closed spaces ..... 72.15-15  
     Verification of vessel compliance with applicable stability require-  
         ments ..... 78.17-22  
 Vessel:  
     Definition of ..... 70.10-45  
     Foreign ..... 70.05-3  
     Inspection and certification ..... 71.01  
     Inspection standards ..... 71.15  
     International voyages, applicability of subchapter to vessels on ..... 70.05-10  
     Laid up, dismantled, and out of commission ..... 70.05-1(a)(2)  
     Markings on equipment ..... 78.47  
     Passenger vessel, definition ..... 70.10-35  
     Public ..... 70.05-1(a)(3)  
     Subject to regulations ..... 70.05  
     United States flag ..... 70.05-1

## Subchapter H Index

U.S. Maritime Administration.....	70.05-1(a)(3)
Verification of compliance with stability requirements.....	78.17-22
Vessels contracted for.....	70.05-5(a)
Vessels for ocean or unlimited coastwise routes.....	70.05-7
Visibility from navigation bridge.....	72.04
Voice tube.....	77.05
Void spaces.....	72.05-10(1)
Voyage records.....	78.07

### W

Washroom. (See also Accommodation space):	
Construction.....	72.20-15
Crew hospital.....	72.20-35
General requirements.....	72.20-25
Passenger accommodations of excursion boats, ferry boats, and barges.....	72.25-15
Watchmen.....	78.30-15
Water:	
Availability for fire extinguishment.....	76.10-3
Water spray extinguishing system:	
Plans displayed.....	78.45
Where required.....	76.05-20
Watertight bulkheads. (See Bulkhead)	
Watertight door:	
Annual inspection.....	71.25-25
Daily and weekly inspection and operation.....	78.17-3
Kept closed at sea.....	78.15, 78.17-35
Location of. (See Bulkhead)	
Marking.....	78.47-37
Power operated substituted for magnetically controlled doors.....	72.05-25(b)(9)(ii)
Prohibited location for access. (See Bulkhead)	
To machinery space or bunker. (See Bulkhead)	
Weather deck, access to.....	72.10-45
Well, in double bottom. (See Double bottom)	
Whistle:	
Testing.....	78.17
Unnecessary whistling prohibited.....	78.23
Window, fire protection.....	72.05-30
Wire inserted glass:	
In doors.....	72.05-25
In windows and airports.....	72.05-30
Wireless. (See Radio)	
Wiring through bulkheads. (See Bulkhead)	
Work vests:	
Application.....	78.36-1
Approved types.....	78.36-5
Hybrid.....	78.36-25
Shipboard inspections.....	78.36-20
Shipboard stowage.....	78.36-15
Use.....	78.36-10
Work space, defined.....	72.05-5(j)

### Z

Zone:	
Fire detecting and extinguishing systems:	
Automatic sprinkling.....	76.25-5
Electric.....	76.27-5

**46 CFR Ch. I (10-1-04 Edition)**

Manual alarm .....	76.35-5
Manual sprinkling .....	76.23-5
Pneumatic .....	76.30-5
Smoke .....	76.33-5
Horizontal. (See Horizontal zone)	
Main vertical. (See Main vertical zone)	