

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
ADAYWK : I:Admission day of week	524649	129558	1.00	7.00	3.96	1.83
AGE : I:Age in years at admission	654065	142	0.00	118.00	46.75	28.33
AGEDAY : I:Age in days (when < 1 year)	84002	570205	0.00	364.00	15.26	55.20
AMONTH : I:Admission month	654207	0	1.00	12.00	6.45	3.47
ASOURCE : I:Admission source	632199	22008	1.00	5.00	3.36	1.92
ATYPE : I:Admission type	567032	87175	1.00	6.00	2.09	1.07
DCCHPR1 : I:CCHPR: principal diagnosis	653975	232	1.00	260.00	146.38	64.94
DIED : I:Died during hospitalization	653959	248	0.00	1.00	0.02	0.16
DISP : I:Disposition of patient	653959	248	1.00	20.00	2.18	3.24
DQTR : I:Discharge quarter	654207	0	1.00	4.00	2.49	1.12
DRG : I:DRG in effect on discharge date	654207	0	1.00	495.00	260.11	139.61
DRG10 : I:DRG, Version 10	654207	0	1.00	492.00	257.92	138.14
DRGVER : I:DRG grouper version used on disch date	654207	0	13.00	14.00	13.25	0.43
DSNDX : I:Max number of diagnoses from source	654207	0	9.00	30.00	15.23	7.97
DSNPR : I:Max number of procedures from source	654207	0	6.00	30.00	12.10	6.41
DSNUM : I:Data source ID number	654207	0	2.00	20.00	8.59	5.88
DSTYPE : I:Data source type	654207	0	1.00	2.00	1.19	0.39
DXSYS : I:Diagnosis coding system	654207	0	1.00	1.00	1.00	0.00
DXV1 : I:Validity flag: principal diagnosis	654078	129	0.00	1.00	0.00	0.01
DXV2 : I:Validity flag: diagnosis 2	571334	82873	0.00	1.00	0.00	0.01
DXV3 : I:Validity flag: diagnosis 3	464227	189980	0.00	1.00	0.00	0.01
DXV4 : I:Validity flag: diagnosis 4	370922	283285	0.00	1.00	0.00	0.01
DXV5 : I:Validity flag: diagnosis 5	290242	363965	0.00	1.00	0.00	0.01
DXV6 : I:Validity flag: diagnosis 6	218046	436161	0.00	1.00	0.00	0.01
DXV7 : I:Validity flag: diagnosis 7	163552	490655	0.00	1.00	0.00	0.01
DXV8 : I:Validity flag: diagnosis 8	120262	533945	0.00	1.00	0.00	0.01
DXV9 : I:Validity flag: diagnosis 9	85631	568576	0.00	1.00	0.00	0.01
DXV10 : I:Validity flag: diagnosis 10	39670	614537	0.00	1.00	0.00	0.01
DXV11 : I:Validity flag: diagnosis 11	14753	639454	0.00	0.00	0.00	0.00
DXV12 : I:Validity flag: diagnosis 12	10436	643771	0.00	0.00	0.00	0.00
DXV13 : I:Validity flag: diagnosis 13	7257	646950	0.00	0.00	0.00	0.00
DXV14 : I:Validity flag: diagnosis 14	5352	648855	0.00	0.00	0.00	0.00
DXV15 : I:Validity flag: diagnosis 15	3808	650399	0.00	0.00	0.00	0.00
HOSPID : HCUP-3 hospital ID number (SSHHH)	654207	0	4005.00	55175.00	24744.94	15352.55

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NIS 1996 - N10Core1 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
HOSPSTCO : Hospital state/county FIPS code	580192	74015	4001.00	55141.00	22647.56	14715.44
LOS : I:Length of stay (cleaned)	652453	1754	0.00	4398.00	5.04	15.03
LOS_X : I:Length of stay (uncleaned)	654207	0	-27.00	27471.00	5.13	45.48
MDC : I:MDC in effect on discharge date	654207	0	0.00	25.00	9.79	5.66
MDC10 : I:MDC, Version 10	654207	0	0.00	25.00	9.79	5.66
NDX : I:Number of diagnoses on this discharge	654207	0	0.00	30.00	4.62	2.92
NEOMAT : I:Neonatal and/or maternal DX and/or PR	654207	0	0.00	3.00	0.36	0.68
NPR : I:Number of procedures on this discharge	654207	0	0.00	25.00	1.42	1.76
PAY1 : I:Primary expected payer, uniform	651639	2568	1.00	6.00	2.25	1.20
PAY1_N : I:Primary expected payer, nonuniform	612973	41234	1.00	12.00	2.99	2.23
PAY2 : I:Secondary expected payer, uniform	185023	469184	1.00	6.00	3.28	0.99
PAY2_N : I:Secondary expected payer, nonuniform	171153	483054	1.00	12.00	4.43	2.01
PCCHPR1 : I:CCHPR: principal procedure	402302	251905	1.00	231.00	122.65	61.85
PRDAY1 : I:No. of days from admission to PR1	346446	307761	-4.00	10959.00	1.40	23.24
PROCESS : I:HCUP-3 discharge processing ID number	654207	0	9.604E10	9.6551E10	9.6247E10	153765513
PRSYS : I:Procedure coding system	647499	6708	1.00	3.00	1.00	0.03
PRV1 : I:Validity flag: principal procedure	402506	251701	0.00	1.00	0.00	0.02
PRV2 : I:Validity flag: procedure 2	229953	424254	0.00	1.00	0.00	0.02
PRV3 : I:Validity flag: procedure 3	131718	522489	0.00	1.00	0.00	0.03
PRV4 : I:Validity flag: procedure 4	71055	583152	0.00	1.00	0.00	0.03
PRV5 : I:Validity flag: procedure 5	41020	613187	0.00	1.00	0.00	0.03
PRV6 : I:Validity flag: procedure 6	24333	629874	0.00	1.00	0.00	0.03
PRV7 : I:Validity flag: procedure 7	9903	644304	0.00	1.00	0.00	0.01
PRV8 : I:Validity flag: procedure 8	6486	647721	0.00	0.00	0.00	0.00
PRV9 : I:Validity flag: procedure 9	4167	650040	0.00	1.00	0.00	0.02
PRV10 : I:Validity flag: procedure 10	2855	651352	0.00	0.00	0.00	0.00
PRV11 : I:Validity flag: procedure 11	1294	652913	0.00	0.00	0.00	0.00
PRV12 : I:Validity flag: procedure 12	945	653262	0.00	0.00	0.00	0.00
PRV13 : I:Validity flag: procedure 13	656	653551	0.00	0.00	0.00	0.00
PRV14 : I:Validity flag: procedure 14	486	653721	0.00	1.00	0.01	0.11
PRV15 : I:Validity flag: procedure 15	355	653852	0.00	0.00	0.00	0.00
RACE : I:Race	526119	128088	1.00	6.00	1.46	0.93
SEQ : I:HCUP-3 record sequence number	654207	0	4.006E11	5.5176E12	2.4746E12	1.5353E12
SEQ_SID : I:HCUP-3 SID record sequence number	654207	0	4.007E11	5.5144E12	2.4692E12	1.5373E12

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
SEX : I:Sex	654155	52	1.00	2.00	1.59	0.49
TOTCHG : I:Total charges (cleaned)	641257	12950	1.00	1593165.0	10728.18	21137.88
TOTCHG_X : I:Total charges (from data source)	643038	11169	-750.00	2076234.0	10780.02	21623.77
YEAR : Calendar year	654207	0	96.00	96.00	96.00	0.00
ZIPINC4 : I:Median income-pt's zip code-4 categs	624823	29384	1.00	4.00	2.41	1.23
ZIPINC8 : I:Median income-pt's zip code-8 categs	574344	79863	1.00	8.00	4.61	1.93
D10CWT_U : H:10% sample discharge wght in universe	654207	0	19.36	246.65	53.31	16.33

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

ADAYWK	Frequency	Percent of Total
.	121986	18.65
B	7572	1.16
1	50374	7.70
2	88635	13.55
3	88205	13.48
4	84242	12.88
5	81869	12.51
6	79522	12.16
7	51802	7.92

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

AGE	Frequency	Percent of Total
.	<= 10	**.*
A	<= 10	**.*
C	127	0.02
0	84005	12.84
1	4047	0.62
2	2527	0.39
3	1961	0.30
4	1641	0.25
5	1505	0.23
6	1388	0.21
7	1232	0.19
8	1079	0.16
9	1079	0.16
10	1061	0.16
11	1093	0.17
12	1282	0.20
13	1435	0.22
14	1820	0.28
15	2366	0.36
16	3323	0.51
17	4223	0.65
18	4923	0.75
19	5589	0.85
20	5672	0.87
21	5861	0.90
22	6094	0.93
23	6047	0.92
24	6377	0.97
25	7093	1.08
26	7345	1.12
27	7735	1.18
28	7423	1.13
29	7595	1.16
30	8010	1.22

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
31	8121	1.24
32	8688	1.33
33	7929	1.21
34	7671	1.17
35	7727	1.18
36	7241	1.11
37	7294	1.11
38	6706	1.03
39	6373	0.97
40	6257	0.96
41	5934	0.91
42	6496	0.99
43	5936	0.91
44	5706	0.87
45	5549	0.85
46	5678	0.87
47	6169	0.94
48	5798	0.89
49	6208	0.95
50	5065	0.77
51	5324	0.81
52	5893	0.90
53	6130	0.94
54	5741	0.88
55	5592	0.85
56	5602	0.86
57	6073	0.93
58	5946	0.91
59	5989	0.92
60	6163	0.94
61	6515	1.00
62	6859	1.05
63	6836	1.04
64	7155	1.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
65	8064	1.23
66	8540	1.31
67	9248	1.41
68	9268	1.42
69	9501	1.45
70	9888	1.51
71	10207	1.56
72	10891	1.66
73	10403	1.59
74	10897	1.67
75	10591	1.62
76	10491	1.60
77	10324	1.58
78	9907	1.51
79	9308	1.42
80	9144	1.40
81	8928	1.36
82	8997	1.38
83	7987	1.22
84	7339	1.12
85	7406	1.13
86	6126	0.94
87	5391	0.82
88	4750	0.73
89	4085	0.62
90	3394	0.52
91	2870	0.44
92	2353	0.36
93	1807	0.28
94	1414	0.22
95	1077	0.16
96	773	0.12
97	485	0.07
98	374	0.06

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

AGE	Frequency	Percent of Total
99	266	0.04
100	174	0.03
101	79	0.01
102	59	0.01
103	31	0.00
104	11	0.00
105	<= 10	**. **
106	<= 10	**. **
107	<= 10	**. **
108	<= 10	**. **
109	<= 10	**. **
110	<= 10	**. **
111	<= 10	**. **
118	<= 10	**. **

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

AGEDAY	Frequency	Percent of Total
.: Missing	570071	87.14
.A: Invalid	<= 10	**.**
.C: Inconsistent	127	0.02
0 days	72982	11.16
1 day	431	0.07
2 days	193	0.03
3 days	295	0.05
4 days	292	0.04
5 days	187	0.03
6 days	127	0.02
7 days	101	0.02
8 days	82	0.01
9 days	58	0.01
10 days	54	0.01
11 - 30 days	1290	0.20
31 - 60 days	1724	0.26
61 - 90 days	1039	0.16
91 - 120 days	780	0.12
121 - 150 days	696	0.11
151 - 180 days	632	0.10
181 - 210 days	559	0.09
211 - 240 days	526	0.08
241 - 270 days	510	0.08
271 - 300 days	472	0.07
301 - 330 days	487	0.07
331 - 364 days	485	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AMONTH	Frequency	Percent of Total
1: January	57852	8.84
2: February	53895	8.24
3: March	56498	8.64
4: April	55263	8.45
5: May	54648	8.35
6: June	51813	7.92
7: July	54422	8.32
8: August	53694	8.21
9: September	52670	8.05
10: October	55685	8.51
11: November	52268	7.99
12: December	55499	8.48

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ASOURCE	Frequency	Percent of Total
.: Missing	5361	0.82
.A: Invalid	29	0.00
.B: Unavailable from Source	16618	2.54
1: Emergency Department	236224	36.11
2: Another Hospital	22928	3.50
3: Other Health Facility, incl. LTC	12103	1.85
4: Court/Law Enforcement	887	0.14
5: Routine, Birth, and Other	360057	55.04

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ATYPE	Frequency	Percent of Total
.: Missing	2554	0.39
.A: Invalid	<= 10	**.**
.B: Unavail from Source	84617	12.93
1: Emergency	223993	34.24
2: Urgent	139188	21.28
3: Elective	139644	21.35
4: Newborn	58113	8.88
5: Delivery	4934	0.75
6: Other	1160	0.18

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DCCHPR1	Frequency	Percent of Total
.	108	0.02
A	124	0.02
1	280	0.04
2	7655	1.17
3	281	0.04
4	326	0.05
5	2582	0.39
6	448	0.07
7	1918	0.29
8	344	0.05
9	108	0.02
10	13	0.00
11	624	0.10
12	231	0.04
13	481	0.07
14	2123	0.32
15	881	0.13
16	196	0.03
17	557	0.09
18	359	0.05
19	2912	0.45
20	48	0.01
21	229	0.04
22	98	0.01
23	140	0.02
24	2376	0.36
25	789	0.12
26	718	0.11
27	445	0.07
28	136	0.02
29	2010	0.31
30	35	0.01
31	17	0.00
32	945	0.14

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
33	612	0.09
34	68	0.01
35	601	0.09
36	342	0.05
37	118	0.02
38	959	0.15
39	724	0.11
40	354	0.05
41	167	0.03
42	4942	0.76
43	147	0.02
44	784	0.12
45	5168	0.79
46	4213	0.64
47	2980	0.46
48	731	0.11
49	188	0.03
50	7514	1.15
51	690	0.11
52	311	0.05
53	<= 10	**.**
54	145	0.02
55	9065	1.39
56	99	0.02
57	28	0.00
58	927	0.14
59	1923	0.29
60	172	0.03
61	1425	0.22
62	864	0.13
63	856	0.13
64	143	0.02
65	<= 10	**.**
66	5163	0.79

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
67	4460	0.68
68	2471	0.38
69	10721	1.64
70	4669	0.71
71	1144	0.17
72	1253	0.19
73	328	0.05
74	2720	0.42
75	<= 10	**.**
76	778	0.12
77	159	0.02
78	115	0.02
79	323	0.05
80	389	0.06
81	664	0.10
82	369	0.06
83	4115	0.63
84	977	0.15
85	309	0.05
86	110	0.02
87	330	0.05
88	131	0.02
89	48	0.01
90	361	0.06
91	280	0.04
92	375	0.06
93	1022	0.16
94	183	0.03
95	1958	0.30
96	1689	0.26
97	1574	0.24
98	750	0.11
99	4491	0.69
100	13569	2.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
101	26419	4.04
102	9910	1.51
103	1675	0.26
104	107	0.02
105	1207	0.18
106	10724	1.64
107	293	0.04
108	18219	2.78
109	12108	1.85
110	3099	0.47
111	483	0.07
112	3454	0.53
113	20	0.00
114	2588	0.40
115	1519	0.23
116	1070	0.16
117	1731	0.26
118	3522	0.54
119	273	0.04
120	457	0.07
121	244	0.04
122	22452	3.43
123	224	0.03
124	681	0.10
125	3618	0.55
126	1612	0.25
127	9737	1.49
128	7749	1.18
129	3156	0.48
130	1882	0.29
131	3669	0.56
132	137	0.02
133	2998	0.46
134	877	0.13

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
135	2255	0.34
136	529	0.08
137	313	0.05
138	2911	0.44
139	1008	0.15
140	2654	0.41
141	770	0.12
142	4127	0.63
143	3049	0.47
144	1264	0.19
145	5096	0.78
146	4220	0.65
147	750	0.11
148	430	0.07
149	8842	1.35
150	1207	0.18
151	1474	0.23
152	3603	0.55
153	5748	0.88
154	2361	0.36
155	2916	0.45
156	207	0.03
157	1670	0.26
158	547	0.08
159	7296	1.12
160	3517	0.54
161	826	0.13
162	652	0.10
163	548	0.08
164	2380	0.36
165	437	0.07
166	354	0.05
167	539	0.08
168	1503	0.23

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
169	1659	0.25
170	2943	0.45
171	1360	0.21
172	1174	0.18
173	181	0.03
174	33	0.01
175	2102	0.32
176	61	0.01
177	530	0.08
178	244	0.04
179	68	0.01
180	771	0.12
181	6406	0.98
182	1117	0.17
183	3280	0.50
184	5175	0.79
185	1861	0.28
186	1517	0.23
187	3006	0.46
188	2656	0.41
189	5056	0.77
190	8180	1.25
191	3894	0.60
192	5176	0.79
193	13388	2.05
194	1926	0.29
195	7258	1.11
196	10891	1.66
197	6055	0.93
198	200	0.03
199	1433	0.22
200	236	0.04
201	1276	0.20
202	500	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
203	8010	1.22
204	773	0.12
205	9893	1.51
206	38	0.01
207	1507	0.23
208	129	0.02
209	542	0.08
210	347	0.05
211	1901	0.29
212	1661	0.25
213	692	0.11
214	374	0.06
215	255	0.04
216	123	0.02
217	803	0.12
218	72539	11.09
219	447	0.07
220	17	0.00
221	131	0.02
222	705	0.11
223	25	0.00
224	1084	0.17
225	1140	0.17
226	6393	0.98
227	258	0.04
228	1080	0.17
229	2773	0.42
230	5252	0.80
231	3206	0.49
232	1595	0.24
233	3209	0.49
234	1863	0.28
235	1012	0.15
236	1092	0.17

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
237	8953	1.37
238	6413	0.98
239	947	0.14
240	823	0.13
241	1228	0.19
242	2277	0.35
243	505	0.08
244	1526	0.23
245	3583	0.55
246	1124	0.17
247	366	0.06
248	1069	0.16
249	135	0.02
250	560	0.09
251	2825	0.43
252	225	0.03
253	363	0.06
254	6275	0.96
255	95	0.01
256	355	0.05
257	1508	0.23
258	<= 10	**.**
259	821	0.13
260	<= 10	**.**

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DIED	Frequency	Percent of Total
.: Missing	190	0.03
.A: Invalid	58	0.01
0: Did not Die in Hospital	637728	97.48
1: Died in Hospital	16231	2.48

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DISP	Frequency	Percent of Total
.	190	0.03
A	58	0.01
1	504758	77.16
2	15522	2.37
3	36953	5.65
4	5222	0.80
5	24134	3.69
6	45819	7.00
7	5320	0.81
20	16231	2.48

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DQTR	Frequency	Percent of Total
1: First Quarter	167616	25.62
2: Second Quarter	162647	24.86
3: Third Quarter	160156	24.48
4: Fourth Quarter	163788	25.04

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DRG10	Frequency	Percent of Total
1	1950	0.30
2	324	0.05
3	412	0.06
4	537	0.08
5	2882	0.44
6	27	0.00
7	358	0.05
8	241	0.04
9	180	0.03
10	865	0.13
11	212	0.03
12	1061	0.16
13	428	0.07
14	10874	1.66
15	4003	0.61
16	377	0.06
17	129	0.02
18	869	0.13
19	385	0.06
20	604	0.09
21	477	0.07
22	90	0.01
23	256	0.04
24	2385	0.36
25	1748	0.27
26	1069	0.16
27	451	0.07
28	663	0.10
29	398	0.06
30	371	0.06
31	203	0.03
32	224	0.03
33	145	0.02
34	769	0.12

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
35	315	0.05
36	346	0.05
37	158	0.02
38	<= 10	**.**
39	89	0.01
40	81	0.01
41	26	0.00
42	348	0.05
43	28	0.00
44	198	0.03
45	139	0.02
46	130	0.02
47	84	0.01
48	71	0.01
49	128	0.02
50	208	0.03
51	25	0.00
52	97	0.01
53	217	0.03
54	49	0.01
55	217	0.03
56	86	0.01
57	143	0.02
58	112	0.02
59	56	0.01
60	177	0.03
61	21	0.00
62	72	0.01
63	830	0.13
64	154	0.02
65	986	0.15
66	225	0.03
67	78	0.01
68	537	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
69	348	0.05
70	839	0.13
71	307	0.05
72	63	0.01
73	289	0.04
74	141	0.02
75	1799	0.27
76	1437	0.22
77	147	0.02
78	1266	0.19
79	6200	0.95
80	330	0.05
81	247	0.04
82	2466	0.38
83	317	0.05
84	135	0.02
85	648	0.10
86	55	0.01
87	1935	0.30
88	10294	1.57
89	12170	1.86
90	1761	0.27
91	3230	0.49
92	430	0.07
93	65	0.01
94	644	0.10
95	370	0.06
96	2434	0.37
97	2275	0.35
98	5409	0.83
99	1044	0.16
100	846	0.13
101	885	0.14
102	370	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
103	21	0.00
104	965	0.15
105	981	0.15
106	3997	0.61
107	2637	0.40
108	512	0.08
110	2099	0.32
111	287	0.04
112	9925	1.52
113	1169	0.18
114	264	0.04
115	277	0.04
116	2354	0.36
117	120	0.02
118	178	0.03
119	99	0.02
120	933	0.14
121	4649	0.71
122	3742	0.57
123	1046	0.16
124	5501	0.84
125	3277	0.50
126	257	0.04
127	18442	2.82
128	584	0.09
129	117	0.02
130	3190	0.49
131	1183	0.18
132	5180	0.79
133	269	0.04
134	1274	0.19
135	263	0.04
136	54	0.01
137	71	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
138	6002	0.92
139	2562	0.39
140	4361	0.67
141	2401	0.37
142	1450	0.22
143	8214	1.26
144	2861	0.44
145	446	0.07
146	375	0.06
147	88	0.01
148	5140	0.79
149	845	0.13
150	922	0.14
151	376	0.06
152	200	0.03
153	148	0.02
154	1340	0.20
155	405	0.06
156	285	0.04
157	411	0.06
158	415	0.06
159	701	0.11
160	617	0.09
161	364	0.06
162	310	0.05
163	115	0.02
164	532	0.08
165	653	0.10
166	516	0.08
167	2337	0.36
168	75	0.01
169	88	0.01
170	462	0.07
171	162	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
172	1108	0.17
173	103	0.02
174	7125	1.09
175	853	0.13
176	552	0.08
177	392	0.06
178	213	0.03
179	962	0.15
180	2722	0.42
181	1003	0.15
182	8249	1.26
183	4571	0.70
184	2229	0.34
185	348	0.05
186	115	0.02
187	78	0.01
188	2399	0.37
189	564	0.09
190	298	0.05
191	557	0.09
192	83	0.01
193	275	0.04
194	38	0.01
195	298	0.05
196	56	0.01
197	3360	0.51
198	3273	0.50
199	71	0.01
200	78	0.01
201	61	0.01
202	1613	0.25
203	1041	0.16
204	3070	0.47
205	1092	0.17

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
206	219	0.03
207	1236	0.19
208	683	0.10
209	10434	1.59
210	3637	0.56
211	805	0.12
212	333	0.05
213	244	0.04
214	2869	0.44
215	5485	0.84
216	269	0.04
217	1189	0.18
218	1183	0.18
219	2235	0.34
220	510	0.08
221	255	0.04
222	983	0.15
223	1031	0.16
224	806	0.12
225	485	0.07
226	260	0.04
227	571	0.09
228	154	0.02
229	263	0.04
230	117	0.02
231	904	0.14
232	71	0.01
233	265	0.04
234	266	0.04
235	363	0.06
236	1549	0.24
237	75	0.01
238	361	0.06
239	1878	0.29

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
240	611	0.09
241	235	0.04
242	170	0.03
243	3694	0.56
244	552	0.08
245	384	0.06
246	68	0.01
247	534	0.08
248	435	0.07
249	491	0.08
250	161	0.02
251	179	0.03
252	143	0.02
253	713	0.11
254	592	0.09
255	185	0.03
256	269	0.04
257	840	0.13
258	798	0.12
259	176	0.03
260	281	0.04
261	500	0.08
262	58	0.01
263	949	0.15
264	219	0.03
265	204	0.03
266	260	0.04
267	39	0.01
268	157	0.02
269	447	0.07
270	346	0.05
271	679	0.10
272	189	0.03
273	104	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
274	118	0.02
275	20	0.00
276	106	0.02
277	2979	0.46
278	1630	0.25
279	463	0.07
280	686	0.10
281	559	0.09
282	142	0.02
283	240	0.04
284	198	0.03
285	218	0.03
286	174	0.03
287	244	0.04
288	259	0.04
289	269	0.04
290	943	0.14
291	23	0.00
292	161	0.02
293	23	0.00
294	3207	0.49
295	1346	0.21
296	6363	0.97
297	1216	0.19
298	2238	0.34
299	101	0.02
300	584	0.09
301	189	0.03
302	288	0.04
303	766	0.12
304	677	0.10
305	427	0.07
306	304	0.05
307	62	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
308	296	0.05
309	160	0.02
310	970	0.15
311	606	0.09
312	71	0.01
313	41	0.01
314	11	0.00
315	897	0.14
316	2531	0.39
317	39	0.01
318	222	0.03
319	24	0.00
320	4941	0.76
321	1193	0.18
322	791	0.12
323	1229	0.19
324	1304	0.20
325	194	0.03
326	78	0.01
327	18	0.00
328	16	0.00
329	<= 10	**,**
330	<= 10	**,**
331	1442	0.22
332	256	0.04
333	153	0.02
334	813	0.12
335	542	0.08
336	1501	0.23
337	993	0.15
338	96	0.01
339	126	0.02
340	72	0.01
341	272	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
342	<= 10	**.*
343	<= 10	**.*
344	110	0.02
345	44	0.01
346	164	0.03
347	<= 10	**.*
348	97	0.01
349	34	0.01
350	369	0.06
352	62	0.01
353	234	0.04
354	490	0.07
355	479	0.07
356	1419	0.22
357	365	0.06
358	4203	0.64
359	7766	1.19
360	805	0.12
361	244	0.04
362	<= 10	**.*
363	252	0.04
364	154	0.02
365	249	0.04
366	178	0.03
367	40	0.01
368	709	0.11
369	611	0.09
370	4603	0.70
371	10251	1.57
372	6655	1.02
373	47173	7.21
374	3468	0.53
375	56	0.01
376	754	0.12

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
377	168	0.03
378	770	0.12
379	2182	0.33
380	399	0.06
381	660	0.10
382	367	0.06
383	3827	0.58
384	992	0.15
385	1524	0.23
386	1243	0.19
387	2272	0.35
388	1856	0.28
389	6345	0.97
390	18258	2.79
391	43417	6.64
392	173	0.03
393	33	0.01
394	126	0.02
395	2891	0.44
396	511	0.08
397	776	0.12
398	992	0.15
399	223	0.03
400	340	0.05
401	255	0.04
402	80	0.01
403	1284	0.20
404	189	0.03
405	89	0.01
406	127	0.02
407	42	0.01
408	152	0.02
409	288	0.04
410	4404	0.67

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
411	<= 10	**.*
412	<= 10	**.*
413	314	0.05
414	37	0.01
415	1678	0.26
416	6393	0.98
417	526	0.08
418	1156	0.18
419	529	0.08
420	106	0.02
421	701	0.11
422	1327	0.20
423	574	0.09
424	135	0.02
425	934	0.14
426	2062	0.32
427	899	0.14
428	377	0.06
429	1920	0.29
430	15933	2.44
431	569	0.09
432	97	0.01
433	1114	0.17
434	2117	0.32
435	4411	0.67
436	601	0.09
437	1285	0.20
439	69	0.01
440	352	0.05
441	119	0.02
442	629	0.10
443	331	0.05
444	182	0.03
445	227	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
446	82	0.01
447	233	0.04
448	28	0.00
449	2196	0.34
450	1111	0.17
451	661	0.10
452	802	0.12
453	304	0.05
454	275	0.04
455	293	0.04
456	24	0.00
457	12	0.00
458	241	0.04
459	46	0.01
460	450	0.07
461	460	0.07
462	6132	0.94
463	432	0.07
464	148	0.02
465	73	0.01
466	854	0.13
467	680	0.10
468	2664	0.41
469	52	0.01
470	516	0.08
471	341	0.05
472	19	0.00
473	395	0.06
475	3495	0.53
476	173	0.03
477	1245	0.19
478	3465	0.53
479	633	0.10
480	68	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
481	211	0.03
482	357	0.05
483	1480	0.23
484	67	0.01
485	223	0.03
486	545	0.08
487	524	0.08
488	209	0.03
489	2359	0.36
490	608	0.09
491	310	0.05
492	367	0.06

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRGVER	Frequency	Percent of Total
13	490419	74.96
14	163788	25.04

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNDX	Frequency	Percent of Total
9	59329	9.07
10	315043	48.16
11	31613	4.83
15	8299	1.27
16	52120	7.97
17	50792	7.76
30	137011	20.94

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNPR	Frequency	Percent of Total
6	221897	33.92
8	23781	3.64
10	160307	24.50
15	111211	17.00
21	84617	12.93
25	44822	6.85
30	7572	1.16

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNUM	Frequency	Percent of Total
2	50792	7.76
3	121983	18.65
4	84617	12.93
5	59329	9.07
6	16170	2.47
7	37587	5.75
8	8485	1.30
9	15443	2.36
10	23781	3.64
11	19709	3.01
12	8299	1.27
13	39263	6.00
14	22154	3.39
15	6838	1.05
16	52120	7.97
17	28204	4.31
18	7572	1.16
19	16618	2.54
20	35243	5.39

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSTYPE	Frequency	Percent of Total
1	531724	81.28
2	122483	18.72

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DX1	Frequency	Percent of Total
Blank	108	0.02
Valid DX	654099	99.98

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DXVI	Frequency	Percent of Total
.	108	0.02
C	21	0.00
0	653954	99.96
1	124	0.02

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPST	Frequency	Percent of Total
AZ	15443	2.36
CA	84617	12.93
CO	8299	1.27
CT	7572	1.16
FL	121983	18.65
IA	19709	3.01
IL	59329	9.07
KS	16618	2.54
MA	16170	2.47
MD	52120	7.97
MO	28204	4.31
NJ	23781	3.64
NY	50792	7.76
OR	6838	1.05
PA	39263	6.00
SC	22154	3.39
TN	35243	5.39
WA	8485	1.30
WI	37587	5.75

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
.	74015	11.31
04001	134	0.02
04003	209	0.03
04005	984	0.15
04007	182	0.03
04013	10754	1.64
04017	390	0.06
04019	2671	0.41
04021	119	0.02
06001	996	0.15
06007	716	0.11
06009	143	0.02
06013	458	0.07
06015	285	0.04
06019	2633	0.40
06021	28	0.00
06023	1276	0.20
06025	1240	0.19
06027	165	0.03
06029	1976	0.30
06031	488	0.07
06033	246	0.04
06037	22874	3.50
06039	835	0.13
06041	230	0.04
06055	920	0.14
06059	9177	1.40
06061	1234	0.19
06063	73	0.01
06065	4187	0.64
06067	5923	0.91
06071	5912	0.90
06073	10378	1.59
06075	261	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
06077	3002	0.46
06079	660	0.10
06081	381	0.06
06083	924	0.14
06085	1490	0.23
06087	1309	0.20
06091	<= 10	**.*
06093	335	0.05
06097	2086	0.32
06099	<= 10	**.*
06101	995	0.15
06107	417	0.06
06109	183	0.03
06111	164	0.03
08001	558	0.09
08015	114	0.02
08031	1607	0.25
08037	262	0.04
08043	350	0.05
08059	2229	0.34
08065	86	0.01
08071	130	0.02
08075	204	0.03
08083	252	0.04
08085	321	0.05
08087	278	0.04
08089	301	0.05
08095	18	0.00
08097	175	0.03
08099	163	0.02
08101	1030	0.16
08103	27	0.00
08107	139	0.02
08125	55	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
09001	2402	0.37
09003	3972	0.61
09005	318	0.05
09013	409	0.06
09015	471	0.07
12001	2713	0.41
12003	30	0.00
12005	1294	0.20
12007	66	0.01
12009	4087	0.62
12011	12252	1.87
12013	41	0.01
12015	2066	0.32
12017	1459	0.22
12019	1100	0.17
12023	683	0.10
12025	16850	2.58
12027	268	0.04
12031	9330	1.43
12033	3535	0.54
12035	173	0.03
12037	50	0.01
12039	45	0.01
12045	56	0.01
12047	55	0.01
12051	104	0.02
12053	1732	0.26
12055	1265	0.19
12057	5457	0.83
12059	98	0.01
12061	1451	0.22
12063	476	0.07
12069	989	0.15
12071	4613	0.71

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12073	3303	0.50
12075	87	0.01
12079	37	0.01
12083	1552	0.24
12087	733	0.11
12089	207	0.03
12091	656	0.10
12093	390	0.06
12095	7153	1.09
12097	884	0.14
12099	9717	1.49
12101	965	0.15
12103	11021	1.68
12105	3527	0.54
12107	681	0.10
12109	908	0.14
12111	755	0.12
12113	531	0.08
12115	4464	0.68
12117	663	0.10
12121	31	0.00
12123	86	0.01
12125	31	0.00
12127	1031	0.16
12131	101	0.02
12133	131	0.02
17007	160	0.02
17029	687	0.11
17031	31140	4.76
17043	4562	0.70
17045	84	0.01
17051	118	0.02
17053	129	0.02
17061	22	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17067	120	0.02
17069	74	0.01
17077	871	0.13
17089	1336	0.20
17091	942	0.14
17095	423	0.06
17097	212	0.03
17099	517	0.08
17105	255	0.04
17109	393	0.06
17111	1262	0.19
17115	839	0.13
17119	1331	0.20
17121	1017	0.16
17125	56	0.01
17141	103	0.02
17143	4310	0.66
17147	34	0.01
17165	148	0.02
17167	4496	0.69
17177	612	0.09
17179	72	0.01
17183	33	0.01
17185	112	0.02
17195	626	0.10
17199	625	0.10
17201	1608	0.25
19001	35	0.01
19003	47	0.01
19011	20	0.00
19013	939	0.14
19019	42	0.01
19025	188	0.03
19027	301	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19029	192	0.03
19035	106	0.02
19041	266	0.04
19043	71	0.01
19045	613	0.09
19049	55	0.01
19057	725	0.11
19059	158	0.02
19067	128	0.02
19075	18	0.00
19077	39	0.01
19085	62	0.01
19087	128	0.02
19089	46	0.01
19103	2545	0.39
19109	55	0.01
19111	645	0.10
19113	2570	0.39
19119	43	0.01
19123	197	0.03
19125	132	0.02
19131	68	0.01
19143	52	0.01
19145	62	0.01
19149	105	0.02
19151	28	0.00
19153	3165	0.48
19155	525	0.08
19157	249	0.04
19163	2072	0.32
19165	105	0.02
19167	14	0.00
19169	972	0.15
19175	146	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19179	611	0.09
19185	73	0.01
19193	1096	0.17
24001	954	0.15
24003	4617	0.71
24005	27673	4.23
24009	634	0.10
24019	369	0.06
24021	1478	0.23
24023	337	0.05
24025	669	0.10
24029	284	0.04
24031	7777	1.19
24033	2056	0.31
24037	626	0.10
24039	56	0.01
24041	865	0.13
24043	1559	0.24
24045	1975	0.30
24047	191	0.03
25003	1988	0.30
25005	636	0.10
25007	153	0.02
25009	659	0.10
25013	3896	0.60
25015	784	0.12
25017	1438	0.22
25021	1386	0.21
25023	682	0.10
25025	608	0.09
25027	3940	0.60
29001	636	0.10
29007	516	0.08
29019	645	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
29031	971	0.15
29037	119	0.02
29039	92	0.01
29047	834	0.13
29049	140	0.02
29051	565	0.09
29071	194	0.03
29073	46	0.01
29075	79	0.01
29077	2532	0.39
29093	83	0.01
29095	504	0.08
29097	3026	0.46
29099	769	0.12
29109	194	0.03
29113	156	0.02
29145	182	0.03
29155	327	0.05
29161	774	0.12
29165	351	0.05
29167	319	0.05
29171	39	0.01
29177	118	0.02
29181	65	0.01
29183	2061	0.32
29189	11025	1.69
29195	219	0.03
29207	89	0.01
29213	497	0.08
29221	37	0.01
34003	4042	0.62
34005	517	0.08
34007	6685	1.02
34009	990	0.15

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
34013	4171	0.64
34017	1672	0.26
34021	1077	0.16
34025	1796	0.27
34029	1505	0.23
34033	544	0.08
34037	782	0.12
36001	<= 10	**.**
36003	343	0.05
36005	4305	0.66
36009	149	0.02
36013	1309	0.20
36017	186	0.03
36027	2557	0.39
36029	4761	0.73
36031	101	0.02
36047	7866	1.20
36053	362	0.06
36055	3408	0.52
36059	2828	0.43
36061	5630	0.86
36063	1095	0.17
36065	1250	0.19
36067	1390	0.21
36069	300	0.05
36071	108	0.02
36075	792	0.12
36077	1334	0.20
36081	1384	0.21
36083	924	0.14
36087	332	0.05
36089	68	0.01
36097	152	0.02
36101	590	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
36103	3349	0.51
36105	734	0.11
36111	975	0.15
36117	553	0.08
36119	1651	0.25
41007	374	0.06
41011	768	0.12
41017	188	0.03
41019	702	0.11
41023	42	0.01
41033	344	0.05
41035	740	0.11
41039	2553	0.39
41047	304	0.05
41051	113	0.02
41059	225	0.03
41061	227	0.03
41065	258	0.04
42003	11371	1.74
42005	686	0.10
42011	2599	0.40
42013	101	0.02
42017	994	0.15
42021	817	0.12
42029	1857	0.28
42031	379	0.06
42033	511	0.08
42035	17	0.00
42041	198	0.03
42043	3297	0.50
42045	1318	0.20
42049	62	0.01
42057	119	0.02
42061	352	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
42065	232	0.04
42071	1194	0.18
42077	470	0.07
42079	210	0.03
42081	146	0.02
42085	368	0.06
42091	4853	0.74
42097	132	0.02
42101	4082	0.62
42105	268	0.04
42107	909	0.14
42115	180	0.03
42119	636	0.10
42129	905	0.14
53001	17	0.00
53005	110	0.02
53007	122	0.02
53009	549	0.08
53011	1813	0.28
53019	40	0.01
53025	85	0.01
53027	461	0.07
53033	2245	0.34
53043	61	0.01
53049	58	0.01
53053	1353	0.21
53061	173	0.03
53063	909	0.14
53071	403	0.06
53075	86	0.01
55003	395	0.06
55005	97	0.01
55013	68	0.01
55015	62	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55017	110	0.02
55019	93	0.01
55021	165	0.03
55025	5846	0.89
55027	198	0.03
55033	175	0.03
55035	1653	0.25
55039	973	0.15
55043	337	0.05
55045	389	0.06
55055	420	0.06
55059	1274	0.19
55061	30	0.00
55071	192	0.03
55079	9534	1.46
55081	115	0.02
55083	73	0.01
55085	501	0.08
55087	1865	0.29
55091	63	0.01
55093	115	0.02
55095	51	0.01
55097	506	0.08
55101	1237	0.19
55103	163	0.02
55105	1583	0.24
55107	110	0.02
55109	227	0.03
55111	474	0.07
55115	285	0.04
55117	724	0.11
55119	116	0.02
55121	37	0.01
55125	52	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55127	386	0.06
55129	154	0.02
55131	192	0.03
55133	3107	0.47
55135	181	0.03
55137	45	0.01
55139	1016	0.16
55141	2198	0.34

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

LOS	Frequency	Percent of Total
.C: Inconsistent	1754	0.27
0 days	13075	2.00
1 day	123992	18.95
2 days	138759	21.21
3 days	96573	14.76
4 days	64798	9.90
5 days	45964	7.03
6 days	34056	5.21
7 days	27464	4.20
8 days	19912	3.04
9 days	14560	2.23
10 days	11313	1.73
11 - 30 days	54728	8.37
31 - 60 days	5775	0.88
61 - 90 days	922	0.14
91 - 120 days	300	0.05
121 - 150 days	101	0.02
151 - 180 days	52	0.01
181 - 210 days	26	0.00
211 - 240 days	16	0.00
241 - 270 days	<= 10	**. **
271 - 300 days	<= 10	**. **
301 - 330 days	<= 10	**. **
331 - 365 days	<= 10	**. **
388	<= 10	**. **
442	<= 10	**. **
447	<= 10	**. **
453	<= 10	**. **
454	<= 10	**. **
480	<= 10	**. **
487	<= 10	**. **
489	<= 10	**. **
507	<= 10	**. **
525	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
585	<= 10	***
600	<= 10	***
709	<= 10	***
716	<= 10	***
719	<= 10	***
763	<= 10	***
768	<= 10	***
782	<= 10	***
820	<= 10	***
839	<= 10	***
870	<= 10	***
890	<= 10	***
1018	<= 10	***
1020	<= 10	***
1093	<= 10	***
1096	<= 10	***
1135	<= 10	***
1183	<= 10	***
1233	<= 10	***
1378	<= 10	***
1445	<= 10	***
1480	<= 10	***
1814	<= 10	***
1939	<= 10	***
2002	<= 10	***
2157	<= 10	***
2526	<= 10	***
2830	<= 10	***
2865	<= 10	***
3882	<= 10	***
4073	<= 10	***
4398	<= 10	***

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

MDC10	Frequency	Percent of Total
0	377	0.06
1	37333	5.71
2	1726	0.26
3	7527	1.15
4	63830	9.76
5	109280	16.70
6	51688	7.90
7	17322	2.65
8	50173	7.67
9	13634	2.08
10	17842	2.73
11	20311	3.10
12	5356	0.82
13	18276	2.79
14	82387	12.59
15	74976	11.46
16	5863	0.90
17	8531	1.30
18	13032	1.99
19	22927	3.50
20	9611	1.47
21	8078	1.23
22	806	0.12
23	8782	1.34
24	1359	0.21
25	3180	0.49

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

MDID_S	Frequency	Percent of Total
Blank	227722	34.81
Non-Blank	426485	65.19

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NDX	Frequency	Percent of Total
0	107	0.02
1	82702	12.64
2	107138	16.38
3	93312	14.26
4	80692	12.33
5	72199	11.04
6	54499	8.33
7	43288	6.62
8	34638	5.29
9	45962	7.03
10	24916	3.81
11	4317	0.66
12	3180	0.49
13	1905	0.29
14	1544	0.24
15	2452	0.37
16	633	0.10
17	201	0.03
18	130	0.02
19	90	0.01
20	75	0.01
21	58	0.01
22	39	0.01
23	35	0.01
24	29	0.00
25	40	0.01
26	<= 10	**. **
27	15	0.00
28	<= 10	**. **
29	<= 10	**. **
30	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NEOMAT	Frequency	Percent of Total
0: Not Neonatal or Maternal	495103	75.68
1: Maternal	83451	12.76
2: Neonatal	75625	11.56
3: Neonatal and Maternal	28	0.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NPR	Frequency	Percent of Total
0	251462	38.44
1	172780	26.41
2	98239	15.02
3	60669	9.27
4	30037	4.59
5	16687	2.55
6	14430	2.21
7	3417	0.52
8	2319	0.35
9	1312	0.20
10	1561	0.24
11	349	0.05
12	289	0.04
13	170	0.03
14	131	0.02
15	214	0.03
16	42	0.01
17	26	0.00
18	13	0.00
19	12	0.00
20	<= 10	**,**
21	36	0.01
23	<= 10	**,**
25	<= 10	**,**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PAY1	Frequency	Percent of Total
.: Missing	2370	0.36
.A: Invalid	198	0.03
1: Medicare	235986	36.07
2: Medicaid	114441	17.49
3: Private Insurance	246114	37.62
4: Self-pay	31951	4.88
5: No Charge	1013	0.15
6: Other	22134	3.38

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1_N	Frequency	Percent of Total
.	41036	6.27
A	198	0.03
1	221417	33.85
2	107656	16.46
3	33046	5.05
4	109364	16.72
5	89687	13.71
6	30188	4.61
7	1013	0.15
8	<= 10	**,**
9	4116	0.63
10	2591	0.40
11	5943	0.91
12	7951	1.22

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2	Frequency	Percent of Total
B	250051	38.22
C	28971	4.43
.: Missing	189984	29.04
.A: Invalid	178	0.03
1: Medicare	5683	0.87
2: Medicaid	24058	3.68
3: Private Insurance	88390	13.51
4: Self-pay	56393	8.62
5: No Charge	261	0.04
6: Other	10238	1.56

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2_N	Frequency	Percent of Total
.	206169	31.51
A	178	0.03
B	250051	38.22
C	26656	4.07
1	5226	0.80
2	21413	3.27
3	29780	4.55
4	46434	7.10
5	6488	0.99
6	56010	8.56
7	261	0.04
9	197	0.03
10	308	0.05
11	551	0.08
12	4485	0.69

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PCCHPR1	Frequency	Percent of Total
.	251686	38.47
A	219	0.03
1	1431	0.22
2	539	0.08
3	6463	0.99
4	4862	0.74
5	993	0.15
6	105	0.02
7	286	0.04
8	229	0.04
9	1168	0.18
10	963	0.15
11	50	0.01
12	533	0.08
13	56	0.01
14	114	0.02
15	142	0.02
16	195	0.03
17	31	0.00
18	13	0.00
19	427	0.07
20	304	0.05
21	157	0.02
22	33	0.01
23	110	0.02
24	85	0.01
25	<= 10	**.**
26	251	0.04
27	361	0.06
28	210	0.03
29	202	0.03
30	403	0.06
31	128	0.02
32	253	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
33	1269	0.19
34	1225	0.19
35	539	0.08
36	1199	0.18
37	3231	0.49
38	285	0.04
39	3260	0.50
40	326	0.05
41	329	0.05
42	744	0.11
43	1428	0.22
44	6838	1.05
45	8999	1.38
46	<= 10	**,**
47	12415	1.90
48	3757	0.57
49	1146	0.18
50	17	0.00
51	2812	0.43
52	784	0.12
53	78	0.01
54	4022	0.61
55	2015	0.31
56	224	0.03
57	1199	0.18
58	2922	0.45
59	101	0.02
60	347	0.05
61	3693	0.56
62	765	0.12
63	991	0.15
64	177	0.03
65	1191	0.18
66	360	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
67	947	0.14
68	<= 10	**.**
69	200	0.03
70	11560	1.77
71	1797	0.27
72	184	0.03
73	123	0.02
74	447	0.07
75	861	0.13
76	4497	0.69
77	296	0.05
78	4666	0.71
79	33	0.01
80	4264	0.65
81	281	0.04
82	710	0.11
83	525	0.08
84	7520	1.15
85	962	0.15
86	1666	0.25
87	374	0.06
88	1151	0.18
89	442	0.07
90	1293	0.20
91	405	0.06
92	121	0.02
93	1794	0.27
94	1596	0.24
95	1212	0.19
96	1851	0.28
97	266	0.04
98	1003	0.15
99	1882	0.29
100	1301	0.20

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
101	1755	0.27
102	614	0.09
103	442	0.07
104	854	0.13
105	287	0.04
106	923	0.14
107	113	0.02
108	262	0.04
109	440	0.07
110	328	0.05
111	408	0.06
112	1022	0.16
113	3018	0.46
114	1330	0.20
115	20212	3.09
116	83	0.01
117	87	0.01
118	614	0.09
119	1341	0.20
120	653	0.10
121	1347	0.21
122	460	0.07
123	226	0.03
124	10665	1.63
125	591	0.09
126	67	0.01
127	857	0.13
128	270	0.04
129	802	0.12
130	172	0.03
131	121	0.02
132	1115	0.17
133	13360	2.04
134	14829	2.27

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
135	7000	1.07
136	1459	0.22
137	20844	3.19
138	166	0.03
139	1160	0.18
140	11181	1.71
141	181	0.03
142	687	0.11
143	83	0.01
144	580	0.09
145	1053	0.16
146	5227	0.80
147	3567	0.55
148	1665	0.25
149	90	0.01
150	91	0.01
151	174	0.03
152	5948	0.91
153	5554	0.85
154	1132	0.17
155	571	0.09
156	103	0.02
157	2072	0.32
158	1982	0.30
159	447	0.07
160	1789	0.27
161	671	0.10
162	1100	0.17
163	186	0.03
164	638	0.10
165	100	0.02
166	531	0.08
167	1704	0.26
168	1249	0.19

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
169	4132	0.63
170	452	0.07
171	1386	0.21
172	651	0.10
173	267	0.04
174	2308	0.35
175	947	0.14
176	111	0.02
177	5447	0.83
178	493	0.08
179	1687	0.26
180	381	0.06
181	222	0.03
182	20	0.00
183	251	0.04
184	20	0.00
185	324	0.05
186	95	0.01
187	565	0.09
188	709	0.11
189	270	0.04
190	267	0.04
191	640	0.10
192	601	0.09
193	4330	0.66
194	211	0.03
195	622	0.10
196	1106	0.17
197	1433	0.22
198	1568	0.24
199	449	0.07
200	<= 10	**.**
201	1621	0.25
202	646	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
203	1912	0.29
204	404	0.06
205	1574	0.24
206	177	0.03
207	331	0.05
208	653	0.10
209	597	0.09
210	58	0.01
211	1436	0.22
212	258	0.04
213	3027	0.46
214	758	0.12
215	920	0.14
216	8869	1.36
217	3261	0.50
218	2545	0.39
219	7430	1.14
220	50	0.01
221	581	0.09
222	3938	0.60
223	803	0.12
224	5093	0.78
225	1443	0.22
226	1035	0.16
227	895	0.14
228	5853	0.89
229	100	0.02
231	7377	1.13

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PR1	Frequency	Percent of Total
Blank	251686	38.47
Valid PR	402521	61.53

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRDAY1	Frequency	Percent of Total
.: Missing	223149	34.11
.B: Unavail from Source	84432	12.91
.C: Inconsistent	180	0.03
-4 days	<= 10	**. **
-3 days	68	0.01
-2 days	230	0.04
-1 day	1699	0.26
0 days	195965	29.95
1 day	70256	10.74
2 days	27179	4.15
3 days	15107	2.31
4 days	9621	1.47
5 days	6486	0.99
6 - 30 days	19222	2.94
31 - 60 days	491	0.08
61 - 90 days	65	0.01
91 - 120 days	27	0.00
121 - 150 days	<= 10	**. **
151 - 180 days	<= 10	**. **
181 - 210 days	<= 10	**. **
241 - 270 days	<= 10	**. **
331 - 365 days	<= 10	**. **
450	<= 10	**. **
731	<= 10	**. **
903	<= 10	**. **
1102	<= 10	**. **
1114	<= 10	**. **
2856	<= 10	**. **
3473	<= 10	**. **
6210	<= 10	**. **
10959	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRSYS	Frequency	Percent of Total
.	6708	1.03
1	647326	98.95
3	173	0.03

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRV1	Frequency	Percent of Total
.	251686	38.47
C	15	0.00
0	402287	61.49
1	219	0.03

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

RACE	Frequency	Percent of Total
.: Missing	18189	2.78
.A: Invalid	<= 10	**. **
.B: Unavail from Source	109895	16.80
1: White	385737	58.96
2: Black	74432	11.38
3: Hispanic	48231	7.37
4: Asian/Pacific Islander	7565	1.16
5: Native American	1970	0.30
6: Other	8184	1.25

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SEX	Frequency	Percent of Total
.	28	0.00
A	<= 10	**. **
C	21	0.00
1	270196	41.30
2	383959	58.69

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SURGID_S	Frequency	Percent of Total
Blank	414010	63.28
Non-Blank	240197	36.72

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

TOTCHG	Frequency	Percent of Total
.: Missing	11203	1.71
.A: Invalid	<= 10	**. **
.C: Inconsistent	1744	0.27
\$ 1- \$ 9	16	0.00
\$21- \$24	<= 10	**. **
\$25- \$1,000	47496	7.26
\$1,001- \$5,000	237060	36.24
\$5,001- \$10,000	169179	25.86
\$10,001- \$50,000	171082	26.15
\$50,001- \$100,000	12098	1.85
\$100,001- \$200,000	3198	0.49
\$200,001- \$300,000	679	0.10
\$300,001- \$400,000	222	0.03
\$400,001- \$500,000	94	0.01
\$500,001-\$1,000,000	118	0.02
1000074	<= 10	**. **
1023800	<= 10	**. **
1042187	<= 10	**. **
1057695	<= 10	**. **
1083349	<= 10	**. **
1098205	<= 10	**. **
1122634	<= 10	**. **
1160037	<= 10	**. **
1162402	<= 10	**. **
1222405	<= 10	**. **
1305343	<= 10	**. **
1354446	<= 10	**. **
1432848	<= 10	**. **
1593165	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

YEAR	Frequency	Percent of Total
96	654207	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC4	Frequency	Percent of Total
.: Missing	29384	4.49
1: \$0-\$25,000	211008	32.25
2: \$25,001-\$30,000	130926	20.01
3: \$30,001-\$35,000	96445	14.74
4: \$35,001+	186444	28.50

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC8	Frequency	Percent of Total
.: Missing	79863	12.21
1: \$0-\$15,000	18419	2.82
2: \$15,001-\$20,000	53501	8.18
3: \$20,001-\$25,000	115934	17.72
4: \$25,001-\$30,000	116977	17.88
5: \$30,001-\$35,000	92103	14.08
6: \$35,001-\$40,000	64995	9.93
7: \$40,001-\$45,000	43012	6.57
8: \$45,001+	69403	10.61

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Moments			
N	654065	Sum Weights	654065
Mean	46.7501991	Sum Observations	30577669
Std Deviation	28.3306008	Variance	802.622942
Skewness	-0.2480466	Kurtosis	-1.1416188
Uncorrected SS	1954478887	Corrected SS	524966772
Coeff Variation	60.5999575	Std Error Mean	0.03503042

Basic Statistical Measures			
Location		Variability	
Mean	46.75020	Std Deviation	28.33060
Median	49.00000	Variance	802.62294
Mode	0.00000	Range	118.00000
		Interquartile Range	47.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1334.56	Pr > t 	<.0001
Sign	M	285030	Pr >= M 	<.0001
Signed Rank	S	8.124E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	118
99%	93
95%	86
90%	82
75% Q3	72
50% Median	49
25% Q1	25
10%	0
5%	0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	7	0.00	4.93
A	8	0.00	5.63
C	127	0.02	89.44
Total	142	0.02	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Moments			
N	652453	Sum Weights	652453
Mean	5.0356654	Sum Observations	3285535
Std Deviation	15.0280005	Variance	225.840798
Skewness	149.270868	Kurtosis	34061.5602
Uncorrected SS	163895135	Corrected SS	147350280
Coeff Variation	298.431275	Std Error Mean	0.01860487

Basic Statistical Measures			
Location		Variability	
Mean	5.035665	Std Deviation	15.02800
Median	3.000000	Variance	225.84080
Mode	2.000000	Range	4398
		Interquartile Range	4.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	270.6639	Pr > t 	<.0001
Sign	M	319689	Pr >= M 	<.0001
Signed Rank	S	1.022E11	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	4398
99%	32
95%	15
90%	10
75% Q3	6
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
C	1754	0.27	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Moments			
N	654207	Sum Weights	654207
Mean	5.13480901	Sum Observations	3359228
Std Deviation	45.4842201	Variance	2068.81428
Skewness	443.99393	Kurtosis	237466.418
Uncorrected SS	1370679708	Corrected SS	1353430714
Coeff Variation	885.801594	Std Error Mean	0.05623454

Basic Statistical Measures			
Location		Variability	
Mean	5.134809	Std Deviation	45.48422
Median	3.000000	Variance	2069
Mode	2.000000	Range	27498
		Interquartile Range	4.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	91.31059	Pr > t	<.0001
Sign	M	320523	Pr >= M	<.0001
Signed Rank	S	1.027E11	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	27471
99%	32
95%	15
90%	10
75% Q3	6
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: LOS_X (I:Length of stay (uncleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	-27

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Moments			
N	641257	Sum Weights	641257
Mean	10728.1769	Sum Observations	6879518551
Std Deviation	21137.881	Variance	446810011
Skewness	15.0150505	Kurtosis	485.22423
Uncorrected SS	3.60324E14	Corrected SS	2.8652E14
Coeff Variation	197.031435	Std Error Mean	26.3964418

Basic Statistical Measures			
Location		Variability	
Mean	10728.18	Std Deviation	21138
Median	5760.00	Variance	446810011
Mode	1900.00	Range	1593164
		Interquartile Range	8546

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	406.4251	Pr > t 	<.0001
Sign	M	320628.5	Pr >= M 	<.0001
Signed Rank	S	1.028E11	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1593165
99%	81925
95%	34206
90%	22286
75% Q3	11459
50% Median	5760
25% Q1	2913
10%	1302
5%	775

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	435
0% Min	1

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	11203	1.71	86.51
A	3	0.00	0.02
C	1744	0.27	13.47
Total	12950	1.98	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Moments			
N	643038	Sum Weights	643038
Mean	10780.0249	Sum Observations	6931965673
Std Deviation	21623.7666	Variance	467587283
Skewness	17.4597892	Kurtosis	750.184615
Uncorrected SS	3.75403E14	Corrected SS	3.00676E14
Coeff Variation	200.591063	Std Error Mean	26.9657825

Basic Statistical Measures			
Location		Variability	
Mean	10780.02	Std Deviation	21624
Median	5766.00	Variance	467587283
Mode	1900.00	Range	2076984
		Interquartile Range	8589

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	399.7668	Pr > t 	<.0001
Sign	M	321517	Pr >= M 	<.0001
Signed Rank	S	1.034E11	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2076234.00
99%	82408.83
95%	34392.30
90%	22444.81
75% Q3	11499.95
50% Median	5766.00
25% Q1	2910.47
10%	1295.00
5%	768.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Quantiles (Definition 5)	
Quantile	Estimate
1%	425.00
0% Min	-750.00

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	11168	1.71	99.99
A	1	0.00	0.01
Total	11169	1.71	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*