

**Table 9. Estimated numbers of persons living with HIV/AIDS, by race/ethnicity and transmission category, 2003–2006—38 areas with confidential name-based HIV infection reporting**

<b>Transmission category</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>
<b>White</b>				
<b>Male adult or adolescent</b>				
Male-to-male sexual contact	92,985	97,844	102,890	108,306
Injection drug use	11,552	11,766	11,955	12,332
Male-to-male sexual contact and injection drug use	10,719	10,967	11,122	11,290
High-risk heterosexual contact <sup>a</sup>	5,494	5,818	6,195	6,671
Other <sup>b</sup>	1,431	1,435	1,444	1,459
Subtotal	122,180	127,830	133,606	140,057
<b>Female adult or adolescent</b>				
Injection drug use	7,673	7,872	8,012	8,267
High-risk heterosexual contact <sup>a</sup>	13,926	14,691	15,442	16,351
Other <sup>b</sup>	414	418	433	450
Subtotal	22,014	22,981	23,887	25,068
<b>Total adults and adolescents</b>	144,194	150,812	157,493	165,125
<b>Child (&lt;13 yrs)</b>				
Perinatal	796	795	799	801
Other <sup>c</sup>	169	167	164	154
Subtotal	965	962	963	955
<b>Total</b>	<b>145,159</b>	<b>151,774</b>	<b>158,456</b>	<b>166,080</b>
<b>Black/African American</b>				
<b>Male adult or adolescent</b>				
Male-to-male sexual contact	57,262	61,182	65,449	70,324
Injection drug use	30,880	31,067	31,049	31,369
Male-to-male sexual contact and injection drug use	9,354	9,456	9,505	9,593
High-risk heterosexual contact <sup>a</sup>	26,730	28,301	29,663	31,202
Other <sup>b</sup>	1,381	1,421	1,439	1,493
Subtotal	125,608	131,427	137,106	143,981
<b>Female adult or adolescent</b>				
Injection drug use	18,710	18,860	18,946	19,153
High-risk heterosexual contact <sup>a</sup>	53,302	56,719	59,910	63,316
Other <sup>b</sup>	1,298	1,363	1,410	1,472
Subtotal	73,310	76,942	80,266	83,940
<b>Total adults and adolescents</b>	198,918	208,369	217,373	227,922
<b>Child (&lt;13 yrs)</b>				
Perinatal	4,036	4,057	4,086	4,071
Other <sup>c</sup>	280	285	280	285
Subtotal	4,316	4,343	4,365	4,356
<b>Total</b>	<b>203,234</b>	<b>212,712</b>	<b>221,738</b>	<b>232,278</b>

**Table 9. Estimated numbers of persons living with HIV/AIDS, by race/ethnicity and transmission category, 2003–2006—38 areas with confidential name-based HIV infection reporting (cont)**

Transmission category	2003	2004	2005	2006
<b>Hispanic/Latino<sup>d</sup></b>				
<b>Male adult or adolescent</b>				
Male-to-male sexual contact	30,714	33,281	36,049	38,998
Injection drug use	19,688	19,839	19,971	20,042
Male-to-male sexual contact and injection drug use	4,376	4,469	4,546	4,631
High-risk heterosexual contact <sup>a</sup>	9,033	9,682	10,398	11,198
Other <sup>b</sup>	388	410	431	457
Subtotal	64,198	67,680	71,394	75,326
<b>Female adult or adolescent</b>				
Injection drug use	6,938	6,998	7,008	7,055
High-risk heterosexual contact <sup>a</sup>	14,908	15,829	16,830	17,874
Other <sup>b</sup>	308	327	351	382
Subtotal	22,155	23,154	24,189	25,311
<b>Total adults and adolescents</b>	86,354	90,834	95,583	100,637
<b>Child (&lt;13 yrs)</b>				
Perinatal	1,469	1,463	1,444	1,411
Other <sup>c</sup>	135	139	134	122
Subtotal	1,604	1,601	1,578	1,534
<b>Total</b>	<b>87,958</b>	<b>92,436</b>	<b>97,161</b>	<b>102,171</b>
<b>Asian</b>				
<b>Male adult or adolescent</b>				
Male-to-male sexual contact	1,129	1,253	1,422	1,586
Injection drug use	208	220	236	253
Male-to-male sexual contact and injection drug use	67	76	79	86
High-risk heterosexual contact <sup>a</sup>	284	313	347	379
Other <sup>b</sup>	31	30	31	31
Subtotal	1,719	1,892	2,114	2,336
<b>Female adult or adolescent</b>				
Injection drug use	72	81	92	99
High-risk heterosexual contact <sup>a</sup>	387	446	496	548
Other <sup>b</sup>	21	23	25	27
Subtotal	480	550	613	673
<b>Total adults and adolescents</b>	2,199	2,442	2,727	3,009
<b>Child (&lt;13 yrs)</b>				
Perinatal	23	25	29	28
Other <sup>c</sup>	6	6	6	6
Subtotal	29	31	35	34
<b>Total<sup>e</sup></b>	<b>2,228</b>	<b>2,473</b>	<b>2,763</b>	<b>3,043</b>

**Table 9. Estimated numbers of persons living with HIV/AIDS, by race/ethnicity and transmission category, 2003–2006—38 areas with confidential name-based HIV infection reporting (cont)**

Transmission category	2003	2004	2005	2006
<b>American Indian/Alaska Native</b>				
<b>Male adult or adolescent</b>				
Male-to-male sexual contact	769	816	870	939
Injection drug use	195	202	219	216
Male-to-male sexual contact and injection drug use	200	200	202	205
High-risk heterosexual contact <sup>a</sup>	112	127	130	143
Other <sup>b</sup>	18	17	17	17
Subtotal	1,294	1,362	1,438	1,520
<b>Female adult or adolescent</b>				
Injection drug use	157	162	165	175
High-risk heterosexual contact <sup>a</sup>	311	339	377	392
Other <sup>b</sup>	9	8	10	12
Subtotal	477	509	552	578
<b>Total adults and adolescents</b>	<b>1,770</b>	<b>1,871</b>	<b>1,990</b>	<b>2,098</b>
<b>Child (&lt;13 yrs)</b>				
Perinatal	17	18	18	20
Other <sup>c</sup>	1	1	1	1
Subtotal	18	19	19	21
<b>Total</b>	<b>1,788</b>	<b>1,890</b>	<b>2,009</b>	<b>2,120</b>
<b>Native Hawaiian/Other Pacific Islander</b>				
<b>Male adult or adolescent</b>				
Male-to-male sexual contact	54	77	96	123
Injection drug use	6	7	9	14
Male-to-male sexual contact and injection drug use	3	4	5	6
High-risk heterosexual contact <sup>a</sup>	7	8	14	18
Other <sup>b</sup>	0	0	0	1
Subtotal	70	96	126	163
<b>Female adult or adolescent</b>				
Injection drug use	3	5	6	8
High-risk heterosexual contact <sup>a</sup>	9	19	25	35
Other <sup>b</sup>	0	0	0	0
Subtotal	12	24	32	44
<b>Total adults and adolescents</b>	<b>82</b>	<b>120</b>	<b>158</b>	<b>206</b>
<b>Child (&lt;13 yrs)</b>				
Perinatal	0	0	0	0
Other <sup>c</sup>	0	0	0	0
Subtotal	0	0	0	0
<b>Total</b>	<b>82</b>	<b>120</b>	<b>158</b>	<b>206</b>
<b>Total cases<sup>f</sup></b>	<b>443,916</b>	<b>465,005</b>	<b>486,028</b>	<b>509,681</b>

Note. These numbers do not represent reported case counts. Rather, these numbers are point estimates, which result from adjustments of reported case counts. The reported case counts have been adjusted for reporting delays and for redistribution of cases in persons initially reported without an identified risk factor, but not for incomplete reporting.

Data include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later diagnosis of AIDS, or concurrent diagnoses of HIV infection and AIDS.

See Technical Notes for the list of areas that have had laws or regulations requiring confidential name-based HIV infection reporting since at least 2003.

<sup>a</sup> Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

<sup>b</sup> Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

<sup>c</sup> Includes hemophilia, blood transfusion, and risk factor not reported or not identified.

<sup>d</sup> Hispanics or Latinos can be of any race.

<sup>e</sup> Includes Asian and Pacific Islander legacy cases (see Technical Notes).

<sup>f</sup> Includes persons of unknown race or multiple races and persons of unknown sex. Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.