

TOTALVIEW INSTALLATION GUIDE



NOVEMBER 2004

VERSION 6.6

Copyright © 1998–2004 by Etnus LLC. All rights reserved.

Copyright © 1996–1998 by Dolphin Interconnect Solutions, Inc.

Copyright © 1993–1996 by BBN Systems and Technologies, a division of BBN Corporation.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise without the prior written permission of Etnus LLC. (Etnus).

Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013.

Etnus has prepared this manual for the exclusive use of its customers, personnel, and licensees. The information in this manual is subject to change without notice, and should not be construed as a commitment by Etnus. Etnus assumes no responsibility for any errors that appear in this document.

TotalView and Etnus are registered trademarks of Etnus LLC.

TotalView uses a modified version of the Microline widget library. Under the terms of its license, you are entitled to use these modifications. The source code is available at <http://www.etnus.com/Products/TotalView/developers>.

All other brand names are the trademarks of their respective holders.

Contents

1	Installing and Configuring TotalView	
	Reporting Problems	1
	Step 1: Unbundling Downloaded Files	1
	Step 2: Running the Install Program	1
	Step 3: Installing a Demo License	3
	Setting the License File Variable	3
	Step 4: Configuring Your Environment	4
	Setting Environment Variables	4
	Mounting the /proc Directory	4
2	Installing or Changing a Regular License	
	Planning for a Regular License	5
	Choosing a License Server	6
	Ordering a Regular License	6
	Finding a License Server Host ID	6
	Creating a FLEXlm User Account	7
	Installing your Permanent License	7
	Accessing a License Server	7
	Starting the License Manager Manually	8
	Stopping the License Manager	8
	Testing the License Manager	8
	Starting the License Manager When the System Boots	9
	Managing Your Licenses	9
	Choosing a Standalone FLEXlm Version	9
	Starting the Install Program	10
	More FLEXlm Information	10
3	Installing TotalView License Keys	
	Step 1: Installing the FLEXlm License Manager	11
	Step 2: Locating the flexlm-9.2-1 License Server Directory	12
	Step 3: Deleting Older License Keys	12
	Step 4: Adding New TotalView License Keys	13
	Adding a New license.dat File	13
	Revising Your license.dat File	14

Contents

Step 5: Starting the License Server	14
Step 6: Configuring TotalView to Use the License Server	14
Reporting Problems with License Installation	15

Installing and Configuring TotalView

1

This document provides information about installing the TotalView® multiprocess debugger.

See the *TotalView Release Notes* for complete information about supported operating systems.

Reporting Problems

Please contact us if you have problems installing TotalView, questions that are not answered in the product documentation or on our Web site, or suggestions for new features or improvements.

support@etnus.com
1-800-856-3766 in the United States
(+1) 508-652-7700 worldwide

Step 1: Unbundling Downloaded Files

Use the **tar** command to extract the TotalView files that you downloaded from our web site. For example:

```
tar xvf totalview-version-platform.tar  
tar xvf totalview-version-doc.tar
```

Step 2: Running the Install Program



Before you can run TotalView, you will need to obtain a demo licence. You can obtain one by filling in the form located at www.etnus.com.

This section describes how you install a new version of TotalView. Before starting, you should read the *TotalView Release Notes* and the **README.TXT** file that came with the software that you downloaded. These files contain

Step 2: Running the Install Program

information that you may need to use for your version of TotalView. In addition, some systems may need to be patched. For more information, see the *TotalView Platforms* document.

Here is the procedure for installing TotalView:

- 1 (Optional) Become the root user on the system where you will install TotalView:

```
su root
```

We recommend that you become the **root** user when installing TotalView as this prevents users from modifying the software after you install it. However, you should not run TotalView as **root**.

- 2 From the directory containing the unbundled files, start the **Install** program as follows:

```
./Install
```

For information on using this command, type **./Install -help**. If you use any of the options described in this displayed information, TotalView is non-interactively installed.

The **Install** program asks that you name an installation directory. If the directory you specify does not exist, the **Install** program creates it.

If you do not enter a name, the installation directory will either be **/usr/toolworks** or **/opt/toolworks**—this is system-dependent. Type a period "." if you want **Install** to place TotalView in your current directory.

This manual refers to the installation directory's pathname as *installdir*.

The **Install** program then creates a **toolworks** directory and places two subdirectories within it:

- **totalview.version**. This is where **Install** places TotalView.
- **flexlm-9.2-1**: This is where **Install** places TotalView the license manager.

- 3 You are then asked some questions asking which components you wish to install. The first two relate to the TotalView executable; the middle two relate to the license manager; and the final two relate to the documentation.

If you have not yet installed Release 6 on your system, you should answer **yes** to the first set of questions. While you do not have to install the documentation named by the last two questions, you should install it.

If you are adding to an existing installation, you can skip portions of this installation to save space. For example, one TotalView component and one license manager component contain *common* components. If you are reinstalling TotalView, you can ignore these components. For example, if you have previously installed the documentation, you do not have to reinstall it.

- 4 The **Install** program asks if it should create a symbolic link (named **totalview**) to your installation directory.

If you are not the root user, **Install** cannot create the link, so you should answer "n" (no). If **Install** can not create the link, you can ignore its complaints and continue installing TotalView by pressing Enter.

- 5 After **Install** concludes, become non-root, type:

```
exit
```

- 6 Test the installation by starting TotalView:

```
installdir/toolworks/totalview.version/bin/totalview
```

TotalView prints information that includes a version number and a message indicating that a license file is not installed.

If TotalView cannot initialize the license manager, it prints the following message:

```
Unable to initialize TotalView license
```

If this occurs, you should confirm that you have installed the license and that you have initialized the `LM_LICENSE_FILE` environment variable correctly.

Step 3: Installing a Demo License

Before you can use TotalView, you must place the demo license into the `flexlm-9.2-1` directory. This license file was attached to the email message confirming your download request. The attachment is called `license.demo`.

- 1 If you installed TotalView as the `root` user, become the `root` user again.

- 2 Copy the license file to the `flexlm-9.2-1` directory.

```
cp license.demo installdir/toolworks/flexlm-9.2-1
```

- 3 To test that TotalView can use the license file, type:

```
installdir/toolworks/totalview/platform/bin/totalview
```

TotalView responds by displaying its Root window.



After you purchase TotalView, you will receive a file containing a permanent license that you will place into this same directory. The filename of the permanent license file is "license.dat". See Chapter 3, "Installing TotalView License Keys," on page 11 for more information.

Setting the License File Variable

The `totalview` startup looks in the `FLEXlm` directories for the `license.demo` and `license.dat` files. If you do not want to install the `license.demo` file in this directory, you must set the `LM_LICENSE_FILE` environment variable to the file's full pathname. For example:

```
setenv LM_LICENSE_FILE nonstandard-dir/license.demo
```

If a `LM_LICENSE_FILE` environment variable already exists, add the path-name for `license.demo`. Notice that the `LM_LICENSE_FILE` variable contains a colon-separated list of license file pathnames. For example:

```
setenv LM_LICENSE_FILE \
    nonstandard-dir/license.demo:${LM_LICENSE_FILE}
```

Step 4: Configuring Your Environment

Before you can begin using TotalView, you must add directories to your system's environment variables. On some systems, you may need to mount the `/proc` directory.

Setting Environment Variables

The pathnames listed in the following table assume that:

- You installed the software as the **root** user.
- `/usr/toolworks` is the default installation directory.
- The **Install** program created the a symbolic link to this directory (refer to "Step 2: Running the Install Program" on page 1 for details).

If you did not install TotalView as the **root** user, or if the **Install** program did not create the `/opt/totalview` or `/usr/totalview` links, you must add the following pathnames to your environment variables. In these variables, directories are separated by colon characters (:).

Environment Variable	Path name
<code>PATH</code>	<code>installdir/toolworks/totalview-version/bin</code>
<code>LM_LICENSE_FILE</code>	<code>nonstandard-dir/license.demo</code>

Mounting the /proc Directory

On some systems, you must mount the `/proc` directory if it is not currently mounted. If you use any of the following systems, determine if the `/proc` directory is mounted:

- Compaq UNIX
- SunOS 5.x
- IRIX

You can check if this directory is mounted by typing:

```
ls /proc
```

If it is mounted, the `ls` command prints a list of numbers. If you see an error message, or no message at all, the `/proc` directory is probably not mounted. Your system administrator can mount the `/proc` directory.

Installing or Changing a Regular License

2

This chapter describes the procedure for installing or changing a regular license.

- To install TotalView software for the first time with a permanent license, begin with the next section.
- To update an existing license, see “*Ordering a Regular License*” on page 6.
- To install TotalView software and use an existing license, see “*Accessing a License Server*” on page 7.
- To shutdown and restart the license manager, see “*Starting the License Manager Manually*” on page 8.

Planning for a Regular License

This section describes what you must do when your demo license expires, or when you need to change your current regular license. TotalView uses the FLEXlm® license management software to grant or reject requests to use TotalView.



You do not need to install FLEXlm if you are using a demo license. In other words, you only need the information in this chapter after you purchase TotalView and have received your regular license from us.

Your regular TotalView license is associated with a FLEXlm license manager host (the license server) and is for a specific number of floating, concurrent user licenses.

Etnus provides HTML documentation and tools for using FLEXlm. Stand-alone versions of the FLEXlm license manager are also available. For more information, see “*Choosing a Standalone FLEXlm Version*” on page 9.

Choosing a License Server

You will need to install the FLEXlm license server the first time you install a regular license. In most cases, the license manager and TotalView reside on the same system. However, you can install them on different systems.

The license manager should reside on a machine that is reliable, always running, and a permanent part of your local network. And, most importantly, it is accessible. For example, it is not placed on the other side of your firewall.



If you already have a FLEXlm license manager in your network, we recommend that you do not include your TotalView license with the other licenses managed by that license manager. Instead, use the steps outlined in this chapter to configure a dedicated FLEXlm license manager for TotalView.

Ordering a Regular License

To set up or change a regular installation, contact Etnus at 1-800-856-3766 in the United States or (+1) 508-652-7704 worldwide, or you can email us at info@etnus.com. Please be ready to provide the following information:

- The platforms and operating systems upon which you will run TotalView.
- For each platform, the maximum number of processors upon which you will be running TotalView simultaneously. (This isn't the maximum number of processes in your program.)
- The maximum number of concurrent users.
- The `toolworks_hostid` output from your FLEXlm license server. (See Finding a License Server Host ID for an example.)

FLEXlm uses a *host* ID to identify the computer running the license server.

Finding a License Server Host ID

When you install TotalView, the files for the FLEXlm license manager are automatically installed in `installdir/tooworks/flexlm-9.2-1`.

To obtain host information, run the `toolworks_hostid` script, as follows:

```
installdir/flexlm-9.2-1/bin/toolworks_hostid
```



Do not use the UNIX `hostid` command.

This script writes the host name and the FLEXlm host ID value to standard output; for example:

```
The host name for this machine is: fast-server
The host ID for this machine is: 08122b2cf32d
```

After you send us this information and your order is complete, we'll send you a permanent license key.

Creating a FLEXlm User Account

While you can run the FLEXlm license manager as **root**, it is usually run as a unique non-privileged (that is, non-**root**) user. Do this by creating a non-privileged user account reserved for FLEXlm's use.

The steps for creating a new user account vary with operating systems and site configurations. You may need to refer to your operating system's documentation or your site's operating procedures.

Note that this account must have the following properties:

- The password is set to '*' because interactive access is not required.
- There is a unique user ID.
- There is a unique group ID.
- The login shell is `/bin/sh`.



The user name does not have to be flexlm. Any unique name will do.

Installing your Permanent License

This procedure is described in Chapter 3, "Installing TotalView License Keys," on page 11.

Accessing a License Server

When you start TotalView, it must be able to find the **license.dat** file in the **flexlm-9.2-1** directory. If TotalView and the active license manager are all installed on the same host and you have already placed the **license.dat** file in the correct location, you can skip to "Starting the License Manager Manually" on page 8.

If TotalView and the license server are installed on different machines, you will need to have a **license.dat** file for each TotalView installation. You should copy the **license.client** file from the license server to **flexlm-9.2-1/license.dat** in each TotalView installation. If you will be using an existing license server, this is the only thing you need to do.

The format for this type of **license.dat** file (the **license.client** file) is:

```
SERVER host-name host-id port-number
USE_SERVER
```

For example:

```
SERVER fast-server 08122b2cf32d 7127
USE_SERVER
```

FLEXlm ignores all lines after **USE_SERVER**.

Starting the License Manager Manually

You can start or stop the license manager by using the `toolworks_init` script. (This script is created by the `Configure_License` script.) If the license manager software is installed in `/usr/local/toolworks`, the following commands start the license manager. Before entering these commands, use the `su` shell command to become the `root` user.

```
cd /usr/local/toolworks/flexlm-9.2-1
./bin/toolworks_init start
```



Before running this program, make sure that you have write permission to this directory.

Although the start-up script should be run as super-user (`root`), the license manager is started using the `FLEXlm` user ID.

If the license manager starts successfully, the UNIX `ps` command shows that `lmgrd`, the primary license manager daemon, is running. Depending on how many shared licenses are currently in use, the `ps` command may show one or more instances of the `toolworks` license daemon.

Stopping the License Manager

The procedure for manually stopping the license manager is similar to the process for starting it. If the license manager software is installed in `/usr/local/toolworks`, the following commands stop the license manager. Before entering these commands, use the `su` shell command to become the `root` user.

```
cd /usr/local/toolworks/flexlm-9.2-1
./bin/toolworks_init stop
```

Testing the License Manager

To verify that you installed the license manager correctly, you should manually start the license manager and then run TotalView as *non-root*. After the license manager starts, set the license file variable and test the license installation by typing:

```
installdir/toolworks/totalview/platform/bin/totalview
```

TotalView should respond by displaying its Root Window. If you experience problems, you may be able to figure out the problem by:

- Looking at the `flexlm-9.2-1/license.log` log file contains status and error messages from the `lmgrd` license server.
- Using the `flexlm-9.2-1/platform/bin/lmstat` command lists license manager activity. For example, to list the number of licenses that are currently checked out on a `sun5` platform, type:

```
cd /usr/local/toolworks/flexlm-9.2-1
./sun5/bin/lmstat -a -c ./license.dat
```

Starting the License Manager When the System Boots

If you want the license manager to start automatically when the license server boots, add the `toolworks_init` command (see “Starting the License Manager Manually” on page 8) to the appropriate system start-up file. On most systems, you should automatically stop the license manager when the system shuts down to single-user mode.

You can edit your startup files by running the `Configure_Autostart` shell script which must be run as `root`. For example, if the license manager software is in the `/usr/local/toolworks` directory, run `Configure_Autostart` using the following commands. (Before entering these commands, use the `su` shell command to become the root user.)

```
cd /usr/local/toolworks/flexlm-9.2-1
./bin/Configure_Autostart
```

`Configure_Autostart` prompts you with some configuration questions and then makes its changes.

Managing Your Licenses

You should not combine Etnus licenses with those of other third-party software managed by FLEXlm. If you must combine your working Etnus license manager with another, see the FLEXlm documentation for information.



The TCP/IP port number used for the Etnus license manager daemon must be unique and not in use elsewhere. Find port numbers used by other FLEXlm license managers in their license.dat files.

Choosing a Standalone FLEXlm Version

Etnus supplies a stand-alone version of the version 9.2 FLEXlm license manager. The following table indicates the supported platforms and the `tar` file associated with each.

Distribution Name	FLEXlm license manager for ...
<code>flexlm-9.2-1-alpha.tar</code>	Compaq Tru64 UNIX
<code>flexlm-9.2-1-linux-ia64.tar</code>	HP Linux for Itanium, Red Hat IA-64 Linux 7.2 and 8.0
<code>flexlm-9.2-1-linux-x86.tar</code>	RedHat Linux
<code>flexlm-9.2-1-irix6-mips.tar</code>	IRIX
<code>flexlm-9.2-1-rs6000.tar</code>	RS/6000
<code>flexlm-9.2-1-sun5.tar</code>	SPARC SunOS

Choosing a Standalone FLEXlm Version

Use the **tar** command to extract the TotalView files that you downloaded from our web site. For example:

```
tar xvf flexlm-version-platform.tar
```

Starting the Install Program

Here is the procedure for installing FLEXlm:

- 1 (Optional) Become the root user on the system where you will install TotalView:

```
su root
```

We recommend that you become the root user when installing FLEXlm as this prevents users from modifying the software after you install it.

- 2 From the directory containing the unbundled files, start the **Install** program:

```
./Install
```



For information on using this command, type `./Install -help`. If you use any of the options described in this help, the software is non-interactively installed.

- 3 The **Install** program asks that you name an installation directory. If the directory you specify does not exist, the **Install** program creates it. The **Install** program then creates a **toolworks** directory and places the **flexlm-9.2-1** directory within it. Type a period `.` if you want **Install** to place FLEXlm 9.2 in your current directory.

If you do not enter a name, the installation directory will either be `/usr/toolworks` or `/opt/toolworks`—this is system dependent.

- 4 You are then asked which components you wish to install. You should answer *yes* to all questions.
- 5 If you became root to install FLEXlm, use the **exit** command.

More FLEXlm Information

These instructions provide only basic information on installing the FLEXlm license manager. For more information, see:

man Pages The man pages for the FLEXlm license manager and its support utilities are installed in `flexlm-9.2-1/man`.

User Guide An HTML version of the FLEXlm user manual is installed in `flexlm-9.2-1/doc/flexuser`.

Macrovision Web Site

FLEXlm is a product of Macrovision Corporation. Their web site at <http://www.macrovision.com/> contains additional information about FLEXlm as well as utilities that can help you manage your license server.

Installing TotalView License Keys

3

This chapter describes the procedure for installing or changing a regular license. The topics in this chapter are:

- “*Step 1: Installing the FLEXlm License Manager*” on page 11
- “*Step 2: Locating the flexlm-9.2-1 License Server Directory*” on page 12
- “*Step 3: Deleting Older License Keys*” on page 12
- “*Step 4: Adding New TotalView License Keys*” on page 13
- “*Step 5: Starting the License Server*” on page 14
- “*Step 6: Configuring TotalView to Use the License Server*” on page 14
- “*Reporting Problems with License Installation*” on page 15

Step 1: Installing the FLEXlm License Manager

You must install the FLEXlm version 9.2 license management software on the machine you have selected as your license server. FLEXlm is included in the TotalView distribution and installed by TotalView's installation script.

You may download the latest version of TotalView from <http://www.etnus.com/pub/totalview/>.

If you would prefer to not install TotalView on the same machine as will be running the license server, you can download the FLEXlm software from <http://www.etnus.com/pub/flexlm/v9.2-1/>.

Read the **README** file included in each distribution for more information about installing TotalView and FLEXlm.

Step 2: Locating the flexlm-9.2-1 License Server Directory

Locate the **flexlm-9.2-1** directory on the license server that was installed in Step 1. This directory should be located in the directory *installdir/toolworks*. The default values for *installdir* are */usr* and */opt* depending on your platform.

Set the **FLEXLM** environment variable to:

```
installdir/toolworks/flexlm-9.2-1
```

For example:

```
setenv FLEXLM /usr/toolworks/flexlm-9.2-1
```



The **FLEXLM** environment variable is only required for this installation process. It is not required by the license management daemons.

Step 3: Deleting Older License Keys

If you received new TotalView license keys because you have moved your server or you have traded in existing TotalView license keys, the older license keys are no longer valid and must be removed to be in compliance with the Etnus Permanent License Agreement.

If you do not need to remove previous TotalView license keys, skip to “Step 4: Adding New TotalView License Keys” on page 13.

The host information and license key information for the license keys that you need to remove are included in the email you received from us. For each of these license keys, that email listed:

- The **hostname** of the license server
- The **hostid** of the license server
- The **FLEXlm INCREMENT** lines that compose the invalid TotalView license key

Here is how to remove an invalid license key:

- 1 Locate the machine that corresponds with the **hostid** for the invalid key. Since hostnames are dynamic, you can use the **`\${FLEXLM}/bin/toolworks_hostid** script to validate the **hostid** of the license server.



The **FLEXlm hostid** is unique for each license server regardless of hostname and IP address changes.

- 2 Locate the *installdir/toolworks/flexlm-9.2-1* directory on the license server.
- 3 If necessary, become the root user.
- 4 Make a temporary backup of the existing **`\${FLEXLM}/license.dat** file. For example:

```
cp `${FLEXLM}/license.dat `${FLEXLM}/license.dat.bak
```


- 5 Using a text editor, edit the `${FLEXLM}/license.dat` file to delete the **INCREMENT** lines and comment lines—comment lines begin with `##`—matching the key being removed. Save this file.
- 6 If other license keys still exist in the `license.dat` file, tell the license server to reread the `license.dat` and verify that these licenses still work. If they do, you can delete the `license.dat.bak` temporary backup file.
Use the following command to force the license server to reread your `license.dat` file:

```
${FLEXLM}/bin/toolworks_lmreread
```


If no license keys remain in the `license.dat`, use the following command to stop the license server:

```
${FLEXLM}/bin/toolworks_init stop
```

Step 4: Adding New TotalView License Keys

This step describes how to update and create the `license.dat` file used by the license manager to enable TotalView.

- If your license server is already serving one or more TotalView licenses (that is, the file `${FLEXLM}/license.dat` already exists), go to “Revising Your *license.dat* File” on page 14.
- If the license server does not exist or you are using a demo license, continue with next section.

Adding a New license.dat File

The `Configure_License` script, which is located in the `${FLEXLM}/bin` directory—creates the `license.dat` file and the `toolworks_init` script. `Configure_License` need to read the `license.src` file. This file, which you will create, contains TotalView license keys.

Here is the procedure for creating this `license.src` file:

- 1 Change to the `flexlm-9.2-1` directory on the license server

```
cd ${FLEXLM}
```
- 2 Copy and paste the new Etnus license keys—this is the information that you received through email—into a file named `license.src` in the `flexlm-9.2-1` directory.
The text in your `license.src` will vary depending on your host information, number of license keys, and license configurations.
- 3 Run the `${FLEXLM}/bin/Configure_License` script on the license server. You must run this directory while your current directory is `flexlm-9.2-1` directory. The script creates the following files:
 - `${FLEXLM}/license.dat`
 - `${FLEXLM}/license.opt`
 - `${FLEXLM}/license.client`
 - `${FLEXLM}/license.log`
 - `${FLEXLM}/bin/toolworks_init`

Proceed to “Step 5: Starting the License Server” on page 14

Revising Your license.dat File

If you are currently using TotalView, you will need to revise your `${FLEXLM}/license.dat` file. You do not need to create a new `${FLEXLM}/license.src` and rerun the `Configure_License` script unless you have deleted or changed the location of the `flexlm-9.2-1` directory.

If the `${FLEXLM}/license.dat` does not exist, you will need to follow the procedure described in "Adding a New license.dat File" on page 13. Since Etnus does not resupply all of your TotalView license keys when there is a license change, you will need to combine the TotalView license keys that you already have with the newly delivered keys.

Here is the procedure for revising your existing `license.dat` file:

- 1 Backup your existing `${FLEXLM}/license.dat` file. For example,

```
cp ${FLEXLM}/license.dat ${FLEXLM}/license.dat.bak
```
- 2 Using a text editor, edit the `${FLEXLM}/license.dat` file and append the new TotalView license keys delivered in this email message to the end of the `${FLEXLM}/license.dat` file.
- 3 Tell the license server to reread your `license.dat` file:

```
${FLEXLM}/bin/toolworks_lmread
```

Step 5: Starting the License Server

Run the following command as **root** to start the license server. If you configured your license server to run as a non-privileged user, the initialization script will ensure that the license management daemons are started and run under the non-privileged user even if you run the script as **root**.

```
${FLEXLM}/bin/toolworks_init start
```

To stop the license manager, use the following command as **root**.

```
${FLEXLM}/bin/toolworks_init stop
```

If you would like the license manager to automatically start each time the system is booted, run the following script as **root**:

```
${FLEXLM}/bin/Configure_Autostart
```

Step 6: Configuring TotalView to Use the License Server

TotalView must be able to find the `${FLEXLM}/license.dat` file. If you are running TotalView on the same machine as the license server, you can skip this step.

If TotalView and the license manager are not running on the same machine, you will need to have a `${FLEXLM}/license.dat` file for each additional installation. Copy the `${FLEXLM}/license.client` file from the license server into the `flexlm-9.2-1` directory on each remote machine and rename the file to `license.dat`.

As an alternative, you can specify the full path to the **license.dat** file in your **LM_LICENSE_FILE** environment variable. A client-style **license.dat** has the following form:

```
SERVER hostname hostid port-number  
USE_SERVER
```

Reporting Problems with License Installation

If you have difficulties installing your TotalView license keys, please send email to license@etnus.com. Please include the following:

- Your **license.dat** file.
- Your **license.src** file (if applicable).
- The license delivery email.
- The **license.log** file that was created when you attempted to start the license manager and TotalView.
- The text displayed in your window when you tried to start the license manager.
- The text displayed in you window when you tried to start TotalView.

