

IRF

Offshore Safety

Performance Measures



Why Measure Safety Performance?

- **Compare performance among IRF countries**
- **Identify changes over time – are we improving?**
- **Focus IRF efforts where improvements are needed**
- **Provide benchmark for evaluating the effect of IRF collaboration**



Performance Data is Available

Valuable Data Sources...

- **Individual IRF countries incident data gathering, compiling, and publishing**
- **Industry organizations (i.e. IADC and OGP) compile incident data on a global basis**
- **International databases (e.g. WOAD)**



Performance Data is Available

IRF data provides a unique perspective ...

- **Data is comprehensive (all operators)**
- **IRF represents different offshore environments**
- **IRF represents different regulatory regimes**
- **Promote development of standard indicators and definitions**



Performance Indicators

- **Fatalities**
- **Major Injuries**
- **> 3 Days Lost Time**
- **1-3 Days Lost Time**

Per Million Hours Worked



Estimating the Cost of Injuries

Lost Time Injuries, CY 2006

- **Major Injuries** 2,072 Days
 - **3 Day Injuries** 1,980 Days
 - **1-3 Day Injuries** + 402 Days
- 4,454 Days**

12.2 Man-Years Lost Time



Performance Indicators

- **Major HC Gas Release**

Rate > 1 kg/sec for at least 5"

Amount > 300 kg

- **Significant HC Gas Release**

Rate .1 – 1 kg/sec for 2-5"

Amount 1 – 300 kg

Per Million BOE Production



Qualitative Information

HC Gas Release Summaries

- **During separation plant maintenance = large release; large-scale evacuation**
- **After well perforation = cloud of gas covering main deck**
- **Leak from gas lift riser = gas entered safe and process areas; shutdown, muster, evacuation**



Performance Indicators

- **Fires**
- **Collisions**
- **Loss of Well Control**

Per 100 Offshore Installations

Per 100 Well-Related Activities



Qualitative Information

Near Miss Summaries

- **Traveling block assembly fell to drill floor = potential fatality, blowout**
- **Anchor dragged across subsea gas line = potential > 800 kg gas release, explosion, fatalities**
- **Helicopter water landing = 15 crew in sea for 75 min; potential fatalities**



Challenges

- **Different reporting requirements -- type and amount of information reported**
- **Availability of information for normalizing incident data (e.g. hours worked)**
- **Definitions -- clear enough to provide consistent reporting & categorization?**



Status

- **Compiled information for 2004-2006 (involved re-working 2004-05 data)**
- **Reviewing details of definitions and consistency of categorizations**
- **Establishing clear data quality parameters**
- **Several countries modifying reporting requirements**



Revisions to Align with IRF Criteria

- **Australia**
- **Canada - Nova Scotia / Newfoundland**
- **Netherlands**
- **New Zealand**
- **United States**



Summary

- **We are encouraged by the progress we have made to date and anticipate more in the coming year**
- **We expect that these indicators will help us assess our individual and collective safety performance**
- **We realize that understanding and improving safety performance involves more than measuring where we are; understanding hazards and predicting risk is also important**



Performance Measurement Workgroup

Australia

Ian Crawford

Brazil

Raphael Moura

Canada

John Kennedy
Stuart Pinks

Netherlands

Jos Marx

New Zealand

Trevor Harrison

Norway

Torleif Husebo

United Kingdom

Alan Thompson

United States

Melinda Mayes



