

Appendix C: Species List

Appendix C: Species List

Mammals of Sherburne NWR

Common Name	Family	Genus	Species	Sub-Species	Confirmed on Sherburne NWR
Bison	Bovidae	<i>Bison</i>	bison		Extirpated
Gray fox	Canidae	<i>Urocyon</i>	<i>cinereoargenteus</i>		Y
Coyote	Canidae	<i>Canis</i>	<i>latrans</i>		Y
Red fox	Canidae	<i>Vulpes</i>	<i>vulpes</i>		Y
Gray wolf	Canidae	<i>Canis</i>	<i>lupus</i>		Y
Beaver	Castoridae	<i>Castor</i>	<i>Canadensis</i>		Y
Moose	Cervidae	<i>Alces</i>	<i>Alces</i>		Incidental
Mule deer	Cervidae	<i>Odocoileus</i>	<i>hemionus</i>		Incidental
Elk	Cervidae	<i>Cervus</i>	<i>laphus</i>	Canadensis	Extirpated
White-footed (wood) mouse	Cricetidae	<i>Peromyscus</i>	<i>leucopus</i>		Y
Southern red-backed vole	Cricetidae	<i>Clethrionomys</i>	<i>gapperi</i>		Y
Meadow vole	Cricetidae	<i>Microtus</i>	<i>pennsylvanicus</i>		Y
Prairie deer mouse	Cricetidae	<i>Peromyscus</i>	<i>maniculatus</i>	bairdii	Y
Woodland deer mouse	Cricetidae	<i>Peromyscus</i>	<i>gracilis</i>	maniculatus	?
Southern bog lemming	Cricetidae	<i>Synaptomys</i>	<i>cooperi</i>		?
Muskrat	Cricetidae	<i>Ondatra</i>	<i>zibethicus</i>		Y
Western harvest mouse	Cricetidae	<i>Reithrodontomys</i>	<i>megalotis</i>		Y
Porcupine	Erethizontidae	<i>Erethizon</i>	<i>dorsatum</i>		Y
Bobcat	Felidae	<i>Lynx</i>	<i>rufus</i>		Y
Plains pocket gopher	Geomysidae	<i>Geomys</i>	<i>bursarius</i>		Y
Plains pocket mouse	Heteromyidae	<i>Perognathus</i>	<i>flavescens</i>		Y
Eastern cottontail	Leporidae	<i>Sylvilagus</i>	<i>floridanus</i>		Y
White-tailed jackrabbit	Leporidae	<i>Lepus</i>	<i>townsendii</i>		last seen 1990
Snowshoe hare	Leporidae	<i>Lepus</i>	<i>Americanus</i>		Y
House mouse	Muridae	<i>Mus</i>	<i>musculus</i>		Y
Norway rat	Muridae	<i>Rattus</i>	<i>norvegicus</i>		Y
Longtail weasel	Mustelidae	<i>Mustela</i>	<i>frenata</i>		Y
Mink	Mustelidae	<i>Mustela</i>	<i>vison</i>		Y
Shorttail weasel (ermine)	Mustelidae	<i>Mustela</i>	<i>erminea</i>		Y

Mammals of Sherburne NWR (Continued)

Common Name	Family	Genus	Species	Sub-Species	Confirmed on Sherburne NWR
River otter	Mustelidae	<i>Lutra</i>	<i>Canadensis</i>		Y
Striped skunk	Mustelidae	<i>Mephitis</i>	<i>mephitis</i>		Y
Least weasel	Mustelidae	<i>Mustela</i>	<i>nivalis</i>		Y
Badger	Mustelidae	<i>Taxidea</i>	<i>taxus</i>		Y
Eastern spotted skunk	Mustelidae	<i>Spilogale</i>	<i>putorius</i>		Y
Raccoon	Procyonidae	<i>Procyon</i>	<i>lotor</i>		Y
Red squirrel	Sciuridae	<i>Tamiasciurus</i>	<i>hudsonicus</i>		Y
Woodchuck	Sciuridae	<i>Marmota</i>	<i>monax</i>		Y
Southern flying squirrel	Sciuridae	<i>Glaucomys</i>	<i>volans</i>		Y
Eastern fox squirrel	Sciuridae	<i>Sciurus</i>	<i>niger</i>		Y
Franklin's ground squirrel	Sciuridae	<i>Citellus</i>	<i>franklinii</i>		Y
13-lined ground squirrel	Sciuridae	<i>Citellus</i>	<i>tridecemlineatus</i>		Y
Eastern gray squirrel	Sciuridae	<i>Sciurus</i>	<i>carolinensis</i>		Y
Eastern chipmunk	Sciuridae	<i>Tamias</i>	<i>striatus</i>		Y
Arctic shrew	Soricidae	<i>Sorex</i>	<i>arcticus</i>		Y
Pygmy shrew	Soricidae	<i>Microsorex</i>	<i>hoyi</i>		Y
Shorttail shrew	Soricidae	<i>Blarina</i>	<i>brevicauda</i>		Y
Masked shrew	Soricidae	<i>Sorex</i>	<i>cinereus</i>		Y
Eastern mole	Talpidae	<i>Scalopus</i>	<i>aquaticus</i>		Y
Star-nosed mole	Talpidae	<i>Condylura</i>	<i>christata</i>		Y
White-tailed deer	Ungulata	<i>Odocoileus</i>	<i>virginianus</i>		Y
Black bear	Ursidae	<i>Ursus</i>	<i>americanus</i>		Y
Little brown myotis	Vespertilionidae	<i>Myotis</i>	<i>lucifugus</i>		Y
Keen's myotis	Vespertilionidae	<i>Myotis</i>	<i>keenii</i>		?
Silver-haired bat	Vespertilionidae	<i>Lasiurus</i>	<i>noctivagus</i>		?
Big brown bat	Vespertilionidae	<i>Eptesicus</i>	<i>fuscus</i>		?
Red bat	Vespertilionidae	<i>Lasiurus</i>	<i>borealis</i>		?
Hoary bat	Vespertilionidae	<i>Lasiurus</i>	<i>cinereus</i>		?
Meadow jumping mouse	Zapodidae	<i>Zapus</i>	<i>hudsonius</i>		Y

Reptiles and Amphibians of Sherburne NWR

Species	Common Name	Scientific Name
<i>Species known to occur on the Refuge</i>		
<i>Snakes</i>		
	Bullsnake	<i>Pituophis sayi</i>
	Eastern Hognose Snake	<i>Heterodon platyrhinos</i>
	Western Hognose Snake	<i>Heterodon nasicus</i>
	Eastern Garter Snake	<i>Thamnophis sirtalis</i>
	Plains Garter Snake	<i>Thamnophis radix</i>
	Redbelly Snake	<i>Storeria occipitomaculata</i>
	Smooth Green Snake	<i>Opheodrys vernalis</i>
<i>Lizards</i>		
	Northern Prairie Skink	<i>Eumeces septentrionalis</i>
<i>Turtles</i>		
	Spiny Softshell Turtle	<i>Apalone spinifera</i>
	Snapping Turtle	<i>Chelydra serpentina</i>
	Painted Turtle	<i>Chysemys picta</i>
	Blanding's Turtle	<i>Emydoidea blandingii</i>
<i>Frogs</i>		
	Cope's Gray Tree Frog	<i>Hyla chrysoscelis</i>
	Gray Tree Frog	<i>Hyla verisicolor</i>
	Western Chorus Frog	<i>Pseudacris triseriata</i>
	Green Frog	<i>Rana clamitans</i>
	Northern Leopard Frog	<i>Rana pipiens</i>
	Mink Frog	<i>Rana septentrionalis</i>
	Wood Frog	<i>Rana sylvatica</i>
	Spring Peeper	<i>Pseudacris crucifer</i>
<i>Toads</i>		
	American Toad	<i>Bufo americanus</i>
<i>Salamanders</i>		
	Tiger Salamander	<i>Ambystoma tigrinum</i>
	Blue-spotted Salamander	<i>Ambystoma laterale</i>
<i>Species thought to occur on the Refuge</i>		
<i>Snakes</i>		
	Brown Snake	<i>Storeria dekayi</i>
<i>Turtles</i>		
	Northern Map Turtle	<i>Graptemys geographica</i>

Fish Species Occurring on Sherburne NWR

Common Name	Family	Genus	Species	Confirmed
Bowfin	Amiidae	<i>Amia</i>	<i>calva</i>	Y
White Sucker	Catostomidae	<i>Catostomus</i>	<i>commersoni</i>	Y
Silver Redhorse	Catostomidae	<i>Moxostoma</i>	<i>anisurum</i>	Y
Shorthead Redhorse	Catostomidae	<i>Moxostoma</i>	<i>macrolepidotum</i>	Y
Green Sunfish	Centrarchidae	<i>Lepomis</i>	<i>cyanellus</i>	Y
Rock Bass	Centrarchidae	<i>Ambloplites</i>	<i>rupestris</i>	Y
Black Crappie	Centrarchidae	<i>Pomoxis</i>	<i>nigromaculatus</i>	Y
Bluegill	Centrarchidae	<i>Lepomis</i>	<i>macrochirus</i>	Y
Smallmouth Bass	Centrarchidae	<i>Micropterus</i>	<i>dolomieu</i>	Y
Pumpkinseed	Centrarchidae	<i>Lepomis</i>	<i>gibbosus</i>	Y
Largemouth Bass	Centrarchidae	<i>Micropterus</i>	<i>salmides</i>	Y
Spottail Shiner	Cyprinidae	<i>Notropis</i>	<i>hudsonius</i>	Y
Common Carp	Cyprinidae	<i>Cyprinus</i>	<i>carpio</i>	Y
Brassy Minnow	Cyprinidae	<i>Hybognathus</i>	<i>hankinsoni</i>	Y
Common Shiner	Cyprinidae	<i>Notropis</i>	<i>cornutus</i>	Y
Creek Chub	Cyprinidae	<i>Semotilus</i>	<i>atromaculatus</i>	Y
Golden Shiner	Cyprinidae	<i>Notemigonus</i>	<i>crysoleucas</i>	Y
Bigmouth Shiner	Cyprinidae	<i>Notropis</i>	<i>dorsalis</i>	Y
Bluntnose Minnow	Cyprinidae	<i>Pimephales</i>	<i>notatus</i>	y
Hornyhead Chub	Cyprinidae	<i>Nocomis</i>	<i>biguttatus</i>	Y
Blacknose Shiner	Cyprinidae	<i>Notropis</i>	<i>heterolepis</i>	Y
Fathead Minnow	Cyprinidae	<i>Pimephales</i>	<i>promelas</i>	Y
Blacknose Dace	Cyprinidae	<i>Rhinichthys</i>	<i>atratus</i>	Y
Longnose Dace	Cyprinidae	<i>Rhinichthys</i>	<i>cataractae</i>	Y
River Shiner	Cyprinidae	<i>Notropis</i>	<i>blennioides</i>	Y
Spotfin Shiner	Cyprinidae	<i>Notropis</i>	<i>spilopterus</i>	Y
Redfin Shiner	Cyprinidae	<i>Notropis</i>	<i>umbratilis</i>	Y
Mimic Shiner	Cyprinidae	<i>Notropis</i>	<i>volucellus</i>	Y
Northern Redbelly Dace	Cyprinidae	<i>Phoxinus</i>	<i>eos</i>	Y
Northern Pike	Esocidae	<i>Esox</i>	<i>lucius</i>	Y
Brook Stickleback	Gasterosteidae	<i>Culaea</i>	<i>inconstans</i>	Y
Yellow Bullhead	Ictaluridae	<i>Ictalurus</i>	<i>natalis</i>	Y
Black Bullhead	Ictaluridae	<i>Ictalurus</i>	<i>melas</i>	Y
Brown Bullhead	Ictaluridae	<i>Ictalurus</i>	<i>nebulosus</i>	Y
Tadpole Madtom	Ictaluridae	<i>Noturus</i>	<i>gyrinus</i>	Y
Yellow Perch	Percidae	<i>Perca</i>	<i>flavescens</i>	Y
Johnny Darter	Percidae	<i>Etheostoma</i>	<i>nigrum</i>	Y
Iowa Darter	Percidae	<i>Etheostoma</i>	<i>exile</i>	Y
Logperch	Percidae	<i>Perca</i>	<i>caprodes</i>	Y
Blackside darter	Percidae	<i>Perca</i>	<i>maculata</i>	Y
Walleye	Percidae	<i>Sander</i>	<i>vitreus</i>	Y
Central Mudminnow	Umbridae	<i>Umbra</i>	<i>limi</i>	y

Birds of Sherburne NWR

Species	S	s	F	W
Symbols used in this table are as follows: Season S - Spring March-May s - Summer June-July F - Fall August-November W - Winter December-February Note: Shorebird "fall" migration starts in the summer period as defined here. Status c - common: certain to be seen in suitable habitat u - uncommon: present, but not always seen o - occasional: usually present, but seldom seen r - rare: seen at irregular intervals * - birds which currently nest on the Refuge.				
LOONS				
Common Loon	c	c	o	
GREBES				
Pied-billed Grebe*	c	c	c	-
Horned Grebe	r	-	u	-
Eared Grebe	r	-	-	-
Red-necked Grebe	o	-	r	-
PELICANS, CORMORANTS				
American White Pelican	o	o	o	-
Double-crested Cormorant	c	c	c	-
BITTERNS, HERONS				
American Bittern*	o	o	o	-
Least Bittern*	o	o	-	-
Great Blue Heron	c	c	c	-
Great Egret	u	u	u	-
Green Heron*	c	c	c	-
Black-crowned Night-Heron	u	u	-	-
SWANS, GEESE, DUCKS				
Tundra Swan (Whistling Swan)	u	-	u	-
Trumpeter Swan*	u	u	u	-
Snow Goose	o	o	u	-
Canada Goose*	c	c	c	r
Wood Duck*	c	c	c	o
Green-winged Teal*	c	o	c	o
American Black Duck	u	o	u	-
Mallard*	c	c	c	o
Northern Pintail	c	o	c	-

Birds of Sherburne NWR (Continued)

Species	S	s	F	W
Blue-winged Teal*	c	c	c	-
Northern Shoveler	u	o	u	-
Gadwall	u	-	c	-
American Wigeon	c	r	c	-
Canvasback	r	r	r	-
Redhead	o	r	u	-
Ring-necked Duck*	c	u	c	-
Greater Scaup	u	-	u	-
Lesser Scaup	c	o	c	-
Common Goldeneye	c	-	u	-
Bufflehead	c	-	u	-
Hooded Merganser*	c	c	c	-
Common Merganser	c	-	o	-
Red-breasted Merganser	u	-	-	-
Ruddy Duck	o	o	o	-
VULTURES				
Turkey Vulture	u	u	u	-
HAWKS, EAGLES				
Osprey	u	u	u	-
Bald Eagle*	c	c	c	o
Northern Harrier (Marsh Hawk)*	c	c	c	o
Sharp-shinned Hawk	u	o	u	-
Cooper's Hawk*	u	u	u	-
Northern Goshawk	-	-	o	o
Red-shouldered Hawk*	o	o	o	-
Broad-winged Hawk*	o	o	o	-
Red-tailed Hawk*	c	c	cu	
Rough-legged Hawk	u	-	u	u
FALCONS				
American Kestrel*	c	c	c	o
Merlin	o	-	o	-
Peregrine Falcon	o	o	o	-
PHEASANT, GROUSE				
Ring-necked Pheasant*	u	u	u	u
Ruffed Grouse*	c	c	c	c

Birds of Sherburne NWR (Continued)

Species	S	s	F	W
Wild Turkey	u	u	u	u
RAILS				
Virginia Rail*	u	u	u	-
Sora*	u	u	u	-
Common Moorhen	r	r	r	-
American Coot*	c	c	c	-
CRANES				
Sandhill Crane*	c	c	c	-
PLOVERS				
Black-bellied Plover	-	o	o	-
American Golden-Plover	-	o	o	-
Semipalmated Plover	o	o	o	-
Killdeer*	c	c	c	-
SHOREBIRDS, PHALAROPES				
Greater Yellowlegs	u	u	c	-
Lesser Yellowlegs	c	u	c	-
Solitary Sandpiper	u	u	u	-
Spotted Sandpiper*	c	c	c	-
Upland Sandpiper*	r	r	-	-
Sanderling	o	o	o	-
Semipalmated Sandpiper	o	-	o	-
Least Sandpiper	u	u	u	-
White-rumped Sandpiper	o	-	-	-
Baird's Sandpiper	o	o	o	-
Pectoral Sandpiper	u	u	r	-
Dunlin	o	o	o	-
Long-billed Dowitcher	o	-	o	-
Short-billed Dowitcher	o	o	-	-
Common Snipe*	c	u	c	-
American Woodcock*	c	c	c	-
Wilson's Phalarope	o	-	-	-
GULLS, TERNS				
Franklin's Gull	o	-	o	-
Bonaparte's Gull	o	-	o	-
Ring-billed Gull	u	u	c	-

Birds of Sherburne NWR (Continued)

Species	S	s	F	W
Herring Gull	u	-	u	-
Caspian Tern	u	-	u	-
Forster's Tern	c	u	u	-
Black Tern*	c	c	c	-
DOVES				
Rock Dove	o	o	o	o
Mourning Dove*	c	c	c	o
CUCKOOS				
Black-billed Cuckoo*	u	u	u	-
Yellow-billed Cuckoo	o	o	o	-
OWLS				
Eastern Screech Owl*	o	o	o	o
Great Horned Owl*	c	c	c	c
Snowy Owl	-	-	-	r
Barred Owl*	c	c	c	c
Long-eared Owl*	o	o	o	-
Short-eared Owl	r	r	r	-
Northern Saw-whet Owl	o	-	o	-
GOATSUCKERS				
Common Nighthawk	u	c	u	-
Whip-poor-will*	o	o	-	-
SWIFTS				
Chimney Swift	c	c	c	-
HUMMINGBIRDS				
Ruby-throated Hummingbird*	u	u	u	-
KINGFISHERS				
Belted Kingfisher*	c	c	c	r
WOODPECKERS				
Red-headed Woodpecker*	u	u	u	u
Red-bellied Woodpecker*	u	u	u	u
Yellow-bellied Sapsucker*	u	o	u	-
Downy Woodpecker*	c	c	c	c
Hairy Woodpecker*	c	c	c	c
Northern Flicker (Common Flicker)*	c	c	c	u
Pileated Woodpecker*	c	c	c	c

Birds of Sherburne NWR (Continued)

Species	S	s	F	W
FLYCATCHERS				
Olive-sided Flycatcher	u	o	r	-
Eastern Wood-Pewee*	c	c	-	-
Yellow-bellied Flycatcher	r	-	r	-
Willow Flycatcher**	-	u	-	-
Alder Flycatcher*	u	o	u	-
Least Flycatcher*	c	c	u	-
Eastern Phoebe*	c	c	c	-
Great Crested Flycatcher*	c	c	u	-
Eastern Kingbird*	c	c	c	-
Western Kingbird	r	r	-	-
LARKS				
Horned Lark*	c	o	o	c
SWALLOWS				
Purple Martin	u	u	u	-
Tree Swallow*	c	c	c	-
Northern Rough-winged Swallow*	u	u	u	-
Bank Swallow*	u	o	u	-
Cliff Swallow*	c	c	c	-
Barn Swallow*	c	c	c	-
JAYS, MAGPIES, CROWS				
Blue Jay*	c	c	c	c
Common Raven	r	-	-	r
American Crow*	c	c	c	c
CHICKADEES				
Black-capped Chickadee*	c	c	c	c
NUTHATCHES				
Red-breasted Nuthatch	u	-	u	o
White-breasted Nuthatch*	c	c	c	c
CREEPERS				
Brown Creeper	u	u	u	u
WRENS				
House Wren*	c	c	c	-
Winter Wren	o	-	o	-
Sedge Wren*	u	u	u	-

Birds of Sherburne NWR (Continued)

Species	S	s	F	W
Marsh Wren*	c	c	c	-
KINGLETS, THRUSHES				
Golden-crowned Kinglet	u	-	u	o
Ruby-crowned Kinglet	u	-	u	-
Blue-gray Gnatcatcher*	c	c	o	-
Eastern Bluebird*	c	c	c	-
Veery*	u	c	-	-
Gray-cheeked Thrush	o	-	o	-
Swainson's Thrush	u	-	u	-
Hermit Thrush	u	-	u	-
Wood Thrush	o	r	-	-
American Robin*	c	c	c	o
THRASHERS				
Gray Catbird*	c	c	c	-
Brown Thrasher*	c	c	c	-
WAXWINGS				
Cedar Waxwing*	u	c	c	u
SHRIKES				
Northern Shrike	o	-	o	u
Loggerhead Shrike	r	r	r	-
STARLINGS				
European Starling*	c	c	c	u
VIREOS				
Solitary Vireo	u	-	r	-
Yellow-throated Vireo*	u	u	u	-
Warbling Vireo*	c	c	-	-
Philadelphia Vireo	o	-	o	-
Red-eyed Vireo*	c	c	c	-
WOOD WARBLERS				
Blue-winged Warbler	o	-	-	-
Golden-winged Warbler*	u	u	o	-
Tennessee Warbler	c	u	c	-
Orange-crowned Warbler	u	-	u	-
Nashville Warbler	c	u	c	-
Northern Parula	o	o	o	-

Birds of Sherburne NWR (Continued)

Species	S	s	F	W
Yellow Warbler*	c	c	c	-
Chestnut-sided Warbler*	u	u	u	-
Magnolia Warbler	u	-	u	-
Cape May Warbler	u	-	u	-
Yellow-rumped Warbler	c	r	c	-
Black-throated Green Warbler	u	-	o	-
Blackburnian Warbler	u	-	u	-
Pine Warbler	r	r	r	-
Palm Warbler	c	-	c	-
Bay-breasted Warbler	u	-	u	-
Blackpoll Warbler	u	-	u	-
Cerulean Warbler	o	o	o	-
Black-and-white Warbler*	c	r	c	-
American Redstart*	c	c	c	-
Ovenbird*	c	c	-	-
Northern Waterthrush	u	-	u	-
Connecticut Warbler	o	o	o	-
Mourning Warbler	o	o	o	-
Common Yellowthroat*	c	c	c	-
Hooded Warbler	r	r	-	-
Wilson's Warbler	u	-	u	-
Canada Warbler	o	-	o	-
Scarlet Tanager*	c	c	c	-
Northern Cardinal*	u	u	u	u
Rose-breasted Grosbeak*	c	c	c	-
Indigo Bunting*	c	c	u	-
Dickcissel	o	o	-	-
Eastern Towhee	u	u	u	-
American Tree Sparrow	u	-	c	c
Chipping Sparrow*	c	c	c	-
Clay-colored Sparrow*	u	u	u	-
Field Sparrow*	c	c	c	-
Vesper Sparrow*	c	c	c	-
Lark Sparrow*	u	c	-	-
Savannah Sparrow*	u	u	u	-

Birds of Sherburne NWR (Continued)

Species	S	s	F	W
Grasshopper Sparrow*	u	u	u	-
Fox Sparrow	u	-	u	-
Song Sparrow*	c	c	c	-
Lincoln's Sparrow	u	-	u	-
Swamp Sparrow*	c	c	c	-
White-throated Sparrow	c	-	c	-
White-crowned Sparrow	u	-	u	-
Harris' Sparrow	u	-	u	-
Dark-eyed Junco	c	-	c	c
Snow Bunting	o	-	o	u
MEADOWLARKS, BLACKBIRDS, ORIOLES				
Bobolink*	u	u	u	-
Red-winged Blackbird*	c	c	c	o
Eastern Meadowlark*	c	c	c	-
Western Meadowlark*	u	u	u	-
Yellow-headed Blackbird*	u	c	u	-
Rusty Blackbird	u	-	u	-
Brewer's Blackbird*	u	u	u	-
Common Grackle*	c	c	c	r
Brown-headed Cowbird*	c	c	c	r
Orchard Oriole	r	r	r	-
Baltimore Oriole*	c	c	c	-
FINCHES				
Pine Grosbeak	-	-	-	r
House Finch*	u	u	u	u
Purple Finch	u	-	r	u
Red Crossbill	-	-	r	r
White-winged Crossbill	-	-	-	r
Common Redpoll	-	-	-	r
Hoary Redpoll	-	-	-	r
Pine Siskin	o	-	u	c
American Goldfinch*	c	c	c	c
Evening Grosbeak	o	-	r	o
OLD WORLD SPARROWS				
House Sparrow	r	r	r	r

ACCIDENTAL BIRDS

The following birds have been seen at Sherburne NWR but are either no longer present, not normally found in this area, or do not ordinarily stop here during migration.

Western Grebe

Snowy Egret

Greater White-fronted Goose

Swainson's Hawk

American Avocet

Willet

Ruddy Turnstone

N. Hawk Owl

Great Gray Owl

Boreal Owl

Bohemian Waxwing

Lapland Longspur

Prothonotary Warbler

Henslow's Sparrow

Plants of Sherburne NWR

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Abelmoschus	<i>esculentus (L.) Moench</i>		okra	N
Abies	<i>balsamea (L.) Mill.</i>		fir, balsam	N
Abutilon	<i>theophrasti Medik.</i>		velvet-leaf	N
Acer	<i>negundo L.</i>		box elder	Y
Acer	<i>platanoides L.</i>		maple, Norway	N
Acer	<i>rubrum L.</i>		maple, red	Y
Acer	<i>saccharinum L.</i>		maple, silver	Y
Achillea	<i>millefolium L.</i>	(occidentalis D.C.)	yarrow, common	Y
Achillea	<i>nobilis L.</i>		yarrow, noble	Y
Acorus	<i>calamus L.</i>		sweet flag (calamus)	Y
Actaea	<i>rubra (Ait.) Willd.</i>		baneberry, red	Y
Agalinis	<i>tenuifolia (Vahl.) Raf.</i>	(parviflora Nutt.)	gerardia, small-flowered	Y
Agastache	<i>foeniculum (Pursh) Kuntz</i>		hyssop, blue giant	Y
Agrimonia	<i>striata Michx.</i>		agrimony, tall hairy	Y
Agrostis	<i>gigantea Roth</i>		grass, reedtop	N
Agrostis	<i>hyemalis (Walt.) B.S.P.</i>		grass, tickle (hair)	Y
Agrostis	<i>scabra Willd.</i>		grass, tickleYPAGSC1	
Alisma	<i>plantago-aquatica L.</i>		plantain, water	
Alisma	<i>triviale Pursh</i>		plantain large-flowered	Y
Allium	<i>canadense L.</i>		garlic, wild	Y
Allium	<i>stellatum Nutt.ex Ker-Gawl.</i>		onion, wild	Y
Allium	<i>tricoccum Ait.</i>		leek, wild	Y
Alnus	<i>incana (L.) Moench</i>		alder, European white	Y
Alnus	<i>viridis (Vill.) Lam. & DC.</i>		alder, sitka	Y
Alopecurus	<i>aequalis Sobol.</i>		foxtail, short-awned	Y
Althea	<i>rosea L.</i>		hollyhock	N
Amaranthus	<i>albus L.amaranth,</i>		prostrate (tumbleweed)	Y
Amaranthusret	<i>roflexus L.</i>		amaranth, green	N
Ambrosia	<i>artemisiifolia L.</i>		ragweed, common	Y
Ambrosia	<i>coronopifolia Torr.&Gray</i>		ragweed, western	Y
Ambrosia	<i>trifida L.</i>	trifida	ragweed, giant/entire-leaved	Y
Amelanchier	<i>alnifolia(Nutt)Nutt.exM.Roemer</i>		juneberry, alderleaf	Y
Amelanchier	<i>humilis Wieg.</i>		juneberry, low	Y
Amelanchier	<i>interior Nielsen</i>		juneberry, inland	Y
Amelanchier	<i>laevis Wieg.</i>		juneberry, smooth	Y
Amorpha	<i>canescens Pursh</i>		indigo bush, downy	Y
Amorpha	<i>fruticosa L.</i>		indigo bush, dull-leaf	Y
Amphicarpaea	<i>bracteata (L.)</i>		Fern.hog-peanut	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Anaphalis	<i>margaritacea</i> (L.) Benth. & Hook. F.		everlasting, pearly	Y
Andromeda	<i>glaucophylla</i>		bog-rosemary	Y
Andropogon	<i>gerardii</i> Vitman		bluestem, big	Y
Andropogon	<i>hallii</i> Hack.		bluestem, sand	Y
Anemone	<i>canadensis</i> L.		anemone, Canada	Y
Anemone	<i>cylindrica</i> Gray		thimble weed, long-headed	Y
Anemone	<i>quinquefolia</i> L.		anemone, wood	Y
Anemone	<i>virginiana</i> L.		thimbleweed	Y
Antennaria	<i>neglecta</i> Greene		pussytoes, field	Y
Antennaria	<i>parlinii</i> Fern.		pussytoes, smooth	Y
Antennaria	<i>plantaginifolia</i> (L.) Richards		pussytoes, plantain-leaved	Y
Apocynum	<i>androsaemifolium</i> L.		dogbane, spreading	Y
Apocynum	<i>cannabinum</i> L.		Indian hemp, intermediate	Y
Apocynum	<i>floribundum</i> Greene (x)	androsaemifolium X cannabinum	dogbane, intermediate	Y
Aquilegia	<i>canadensis</i> L.		columbine	Y
Arabis	<i>divaricarpa</i> A. Nels.		cress, pink rock	Y
Arabis	<i>glabra</i> (L.) Bernh.		mustard, tower	Y
Arabis	<i>hirsuta</i> (L.) Scop.	Pyenocarpa	cress, hairy rock	Y
Arabis	<i>laevigata</i>		smooth rock cress	Y
Aralia	<i>nudicaulis</i> L.		sarsaparilla, wild	Y
Aralia	<i>racemosa</i> L.		spikenard	Y
Arctium	<i>minus</i> Bernh.		burdock, common	N
Arctostaphylos	<i>uva-ursi</i> (L.) Spreng		bearberry, evergreen	Y
Arenaria	<i>serpyllifolia</i> L.		sandwort, thyme-leaved	N
Arisaema	<i>triphellum</i> (L.) Schoet		Jack-in-the-pulpit, swamp or small	Y
Aristida	<i>basiramea</i> Engelm. ex. Vasey		grass, forked 3-awned	Y
Aristida	<i>oligantha</i> Michx.		grass, prairie three-awn	Y
Aristida	<i>tuberculosa</i> Nutt.		grass, sea-beach 3-awned	Y
Aronia	<i>melanocarpa</i> (Michx.) Ell.		chokecherry, black	Y
Artemisia	<i>absinthium</i> L. wormwood,		absinthe	N
Artemisia	<i>campestris</i> L.	caudate	wormwood, tall (tall sage)	Y
Artemisia	<i>dracunculula</i> L.	dracunculina (S. Wats.) Fern.	wormwood, silky	Y
Artemisia	<i>ludoviciana</i> Nutt.		sage, white or western mugwort	Y
Artemisia	<i>serrata</i> Nutt.		sage, toothed	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Asclepias	<i>exaltata L.</i>		milkweed, poke	Y
Asclepias	<i>incarnata L.</i>		milkweed, swamp	Y
Asclepias	<i>ovalifolia Dcne</i>		milkweed, oval-leaved	Y
Asclepias	<i>syriaca L.</i>		milkweed, common	Y
Asclepias	<i>tuberosa L.</i>		butterfly-weed	Y
Asparagus	<i>officinalis L.</i>		asparagus	N
Aster	<i>borealis (Torr & Gray) Prov.</i>		aster, Northern bog	Y
Aster	<i>ciliolatus Lindl. ex. Hook</i>		aster, Lindley's	Y
Aster	<i>cordifolius L.</i>	sagittifolius (Wedemeyer ex	aster, heart-leaved	Y
Aster	<i>ericoides L.</i>		aster, heath	Y
Aster	<i>laevis L.</i>		aster, smooth	Y
Aster	<i>lanceolatus Willd</i>	lanceolatus	aster, paniced	Y
Asclepias	<i>lanuginosa Nutt.</i>		milkweed, woolly	Y
Asclepias	<i>verticillata L.</i>		milkweed, whorled	Y
Aster	<i>lateriflorus (L.) Britt.</i>		aster, calico (starved)	Y
Aster	<i>macrophyllus L. aster;</i>		large-leaved	Y
Aster	<i>novae-angliae L.</i>	forma roseusaster;	New England	Y
Aster	<i>oolentangiensis Riddell</i>		aster, sky-blue	Y
Aster	<i>puniceus L.</i>	firmus (Nees) Torr & Gray	aster, purple-stemmed	Y
Aster	<i>sericeus Vent.</i>		aster, western silky	Y
Aster	<i>umbellatus PMill.</i>		aster, flat-topped white	Y
Astragalus	<i>canadensis L.</i>		vetch, milk	Y
Athyrium	<i>filiix-femina (L.) Roth</i>		fern, lady	Y
Avena	<i>sativa (L.)</i>		oats	N
Baptisia	<i>alba (L.) Vent.</i>	Macrophylla	indigo, white wild	Y
Barbarea	<i>vulgaris Ait.f.</i>		cress, winter	N
Berteroa	<i>incana (L.) DC.</i>		alyssum, hoary	N
Betula	<i>alleghaniensis Britt.</i>	Alleghaniensis	birch, yellow	Y
Betula	<i>papyrifera Marsh.</i>		birch, paper	Y
Betula	<i>pumila L.</i>	glandulifera Regal	birch, swamp	Y
Betula	<i>sandbergii Britt.</i>	(x)papyrifera X pumila	birch, Sandberg	Y
Bidens	<i>cernua L.</i>		marigold, nodding bur	Y
Bidens	<i>connata Muhl. ex Willd.</i>	(pinnata S. Wats.)	beggar-ticks, swamp	Y
Bidens	<i>coronata (L.) Britt.</i>		sunflower, tickseed	Y
Bidens	<i>frondosa L.</i>		beggar-ticks, sticktight	Y
Bidens	<i>laevis (L.) B.S.P.</i>		bur-marigolds, larger	Y
Biden	<i>stripatita L.</i>		beggar-ticks, European or trifid	N
Bidens	<i>vulgata Greene</i>		beggar-ticks, tall	Y
Blephilia	<i>ciliata (L.) Benth.</i>		mint, downy wood	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Boehmeria	<i>cylindrica (L.) Sw.</i>		nettle, false (bog-hemp)	Y
Botrychium	<i>multifidum (Gmel.) Rupr.</i>		fern, grape, leathery	Y
Botrychium	<i>virginianum (L.) SW</i>	europaeum Angstr.	fern, rattlesnake	Y
Bouteloua	<i>curtipendula (Michx.) Torr.</i>		grama, side-oats	Y
Bouteloua	<i>gracilis (Willd. ex Kunth) Lag. ex</i>		grama, blue	Y
Bouteloua	<i>hirsuta Lag.</i>		grama, hairy	Y
Brasenia	<i>schreberi J.F. Gmel</i>		watershield	Y
Brassica	<i>nigra (L.) W.D.J. Koch</i>		mustard, black	N
Brassica	<i>rapa L.</i>		mustard, field (rape)	N
Bromus	<i>ciliatus L.</i>		brome, fringed	Y
Bromus	<i>inermis Leyss.</i>		brome, smooth	N
Bromus	<i>kalmii A. Gray</i>		wild chess	Y
Calamagrostis	<i>canadensis (Michx.) Beauv</i>		bluejoint	Y
Calamagrostis	<i>stricta (Timm) Koel.</i>		grass, slim-stem reed	Y
Calamovilfa	<i>longifolia (Hook.) Scribn.</i>		grass, sand reed	Y
Calla	<i>palustris L.</i>		calla, wild (water-arum)	Y
Callitriche	<i>palustris L.</i>		starwort, spiny water	Y
Caltha	<i>palustris L.</i>		marigold, marsh- (cow-slip)	Y
Calystegios	<i>sepium (L.) R.Br.</i>		bindweed, hedge	Y
Campanula	<i>aparinoides Pursh.</i>		bellflower, bedstraw	Y
Campanula	<i>rapunculoides L.</i>		bellflower, creeping	N
Campanula	<i>rotundifolia L.</i>		harebell	Y
Cannabis	<i>sativa L.</i>		hemp	N
Capsella	<i>bursa-pastoris (L.) Medik</i>		shepherd's purse	N
Caragana	<i>arborescens Lam. Siberian</i>		pea tree	N
Cardamine	<i>pensylvanica Muhl. ex Willd.</i>		bittercress, Pennsylvania	Y
Carex	<i>bebbii Olney ex Fern</i>		sedge, Bebb's	Y
Carex	<i>brevior (Dewey) Mackenzie</i>		fescue sedge	Y
Carex	<i>comosa Boott</i>		sedge, bristly	Y
Carex	<i>crawfordii Fern.</i>		sedge, Crawford's	Y
Carex	<i>foenea Willd.</i>		sedge, hay	Y
Carex	<i>gracillima Schwein.</i>		sedge, gracefull	Y
Carex	<i>interior Bailey</i>		sedge, inland	Y
Carex	<i>intumescens Rudge</i>	(Fernaldii L.H. Barley)	sedge, bladder	Y
Carex	<i>lacustris Willd.</i>		sedge, lake-bank	Y
Carex	<i>lanuginosa Michx.</i>		sedge, woolly	Y
Carex	<i>lasiocarpa Ehrh.</i>	americana Fern	sedge, slender	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Carex	<i>Muehlenbergii Schkuhr ex Willd</i>		sedge, Muhlenberg's	Y
Carex	<i>pennsylvanica Lam.</i>		sedge, Pennsylvania	Y
Carex	<i>radiata (Wahlenb.) Small</i>		sedge, radiate	Y
Carex	<i>retrorsa Schwein.</i>		sedge, retrorse	Y
Carex	<i>rosea Schkuhr ex Willd.</i>		sedge, stellate	Y
Carex	<i>scoparia Schkuhr ex Willd.</i>		sedge, pointed broom	Y
Carex	<i>stipata Muhl. ex Willd.</i>		sedge, awl-fruited	Y
Carex	<i>stricta Lam.</i>		sedge, tussock	Y
Carex	<i>sychnocephala Carey</i>		sedge, dense long-beaked	Y
Carex	<i>tenera Dewey</i>		sedge, narrow-leaved oval	Y
Carex	<i>tetanica Schkuhr</i>		sedge, Wood's	Y
Carex	<i>tribuloides Wahlenb</i>		sedge, blunt broom	Y
Carex	<i>utriculata Boott</i>		sedge, beaked	Y
Carex	<i>vesicaria L.</i>		sedge, inflated	Y
Carex	<i>vulpinoidea Michx.</i>		sedge, soft fox	Y
Castilleja	<i>coccinea (L.) Spreng.</i>		Indian paint brush (painted-cup)	Y
Catalpa	<i>speciosa (Warder)Warder ex</i>		catalpa, common	N
Ceanothus	<i>americanus L.</i>		New Jersey tea	Y
Celastrus	<i>scandens L.</i>		bittersweet, American or climbing	Y
Celtis	<i>occidentalis L.</i>		hackberry	Y
Cenchrus	<i>longispinus (Hack.) Fern</i>		sandbur	Y
Centaurea	<i>biebersteinii D.C.</i>		knapweed, spotted	N
Centaurea	<i>cyanus L.</i>		cornflower, bachelor's button	N
Cerastium	<i>arvense L.</i>		chickweed, field	Y
Cerastium	<i>vulgatum L.</i>		mouse-ear chickweed	N
Ceratophyllum	<i>demersum L.</i>		coontail (hornwort, common)	Y
Chamaedaphne	<i>calyculata (L.) Moench</i>		leatherleaf	Y
Chamaesyce	<i>geyeri (Engelm.) Small</i>		spurge, dune	Y
Chamaesyce	<i>glyptosperma (Engelm.) Small</i>		spurge, ridge-seed	Y
Chamaesyce	<i>maculata (L.) Small</i>		spurge, milk purslane (spotted)	Y
Chamaesyce	<i>serpyllifolia (Pers.) Small</i>		spurge, thyme-leaved	Y
Chamerion	<i>angustifolium (L.) Holub</i>		narrow-leaf fireweed	Y
Chelone	<i>glabra L.</i>		turtlehead	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Chenopodium	<i>album L.</i>		lamb's-quarters (pig-weed)	N
Chenopodium	<i>berlandieri Moq.</i>		pitseed goosefoot	Y
Chenopodium	<i>leptophyllum (Moq.) Nut. ex S.</i>		goosefoot, narrow-leaved	Y
Chenopodium	<i>simplex (Torr.) Raf.</i>	gigantospermum (Aellen) Rouleau	goosefoot, maple-leaved	Y
Chimaphila	<i>umbellata (L.) W. Bart.</i>	cisatlantica Blake	pipsissewa	Y
Cicuta	<i>bulbifera L.</i>		water-hemlock, bulb-bearing	Y
Cicuta	<i>maculata L.</i>		water-hemlock, spotted cowbane	Y
Cinna	<i>arundinacea L.</i>		woodreed, stout	Y
Circaea	<i>lutetiana L.</i>	canadensis (L.) Hara Franch & Sav	nightshade, enchanter's	Y
Cirsium	<i>arvense (L.) Scop.</i>	Albiflorum	thistle, Canada	N
Cirsium	<i>discolor (Muhl. ex Willd.) Spreng</i>		thistle, field	Y
Cirsium	<i>flodmanii (Rydb.) Arthur</i>		thistle, prairie	Y
Cirsium	<i>muticum Michx.</i>		thistle, swamp	Y
Cirsium	<i>vulgare (Savi) Ter.</i>		thistle, bull	N
Clintonia	<i>borealis (Ait.) Raf.</i>		clintonia (corn-lily)	Y
Comandra	<i>umbellata (L.) Nutt.</i>		toadflax, bastard	Y
Comarum	<i>palustre L.</i>		cinquefoil, marsh	Y
Commelina	<i>communis L.</i>		dayflower, Asiatic	N
Convallaria	<i>majalis L.</i>		lily of the valley	Y
Convolvulus	<i>arvensis L.</i>		bindweed, field	N
Conyza	<i>canadensis (L.) Cronq.</i>		Horseweed	Y
Coptis	<i>trifolia (L.) Salisb.</i>		three-leaf goldthread	Y
Coreopsis	<i>palmata Nutt.</i>		coreopsis, stiff	Y
Coreopsis	<i>tinctoria Nutt.</i>		coreopsis, garden	N
Corispermum	<i>hyssopifolium L.</i>		tickseed, hyssopleaf	N
Cornus	<i>alternifolia L. f.</i>		dogwood, alternate-leaf	Y
Cornus	<i>canadensis L.</i>		bunchberry, dwarf cornel	Y
Cornus	<i>racemosa Lam.</i>		dogwood, red-panicle	Y
Cornus	<i>rugosa Lam.</i>		dogwood, round-leaf	Y
Cornus	<i>sericea L.</i>		dogwood, red-osier	Y
Coronilla	<i>varia L.</i>		crown-vetch	N
Corydalis	<i>flavula (Raf) DC.</i>		corydalis, yellow	Y
Corylus	<i>americana Walt.</i>		hazelnut, American	Y
Corylus	<i>cornuta Marsh.</i>		hazelnut, beaked	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Crataegus	<i>calpodendron (Ehrh.) Medik.</i>		hawthorn, pear	Y
Crataegus	<i>chrysoarpa Ashe</i>		hawthorn, fireberry	Y
Crepis	<i>tectorum L.</i>		hawksbeard, narrow-leaved	N
Cryptotaenia	<i>canadensis (L.) DC</i>		honestwort	Y
Cycloloma	<i>atriplicifolium(Sreng) Coult.</i>		pigweed, winged	Y
Cynoglossum	<i>officinale L.</i>		hound's-tongue	N
Cyperus	<i>dianthus Torr:</i>		cyperus, low	Y
Cyperus	<i>lupulinus (Spreng) Marcks</i>		cyperus, slender	Y
Cyperus	<i>schweinitzii Torr:</i>		cyperus, Schweinitz's	Y
Cyperus	<i>squarrosus L.</i>		cyperus, incurved flat	Y
Cyperus	<i>strigosus L.</i>		cyperus, straw-colored	Y
Cystopteris	<i>fragilis (L.) Bernh.</i>		fern, fragile (brittle bladderfern)	Y
Dactylis	<i>glomerata L.</i>		grass, orchard	N
Dalea	<i>candida Willd.</i>		clover, white prairie	Y
Dalea	<i>purpurea Vent.</i>		clover, purple prairie	Y
Dalea	<i>villosa (Nutt.) Spreng.</i>		clover, silky prairie	Y
Danthonia	<i>spicata (L.) Beauv. ex Roemer &</i>		grass, poverty oat	Y
Delphinium	<i>carolinianum Walt.</i>		larkspur, prairie	Y
Desmodium	<i>canadense (L.) DC</i>		trefoil, showy tick	Y
Desmodium	<i>glutinosum (Muhl. ex Willd.)</i>		trefoil, pointed-leaved tick-Y	
Desmodium	<i>paniculatum (L.) DC</i>		trefoil, paniced tick-	Y
Dianthus	<i>armeria L.</i>		deptford pink	N
Dicanthelium	<i>depauperatum Muhl.</i>		grass, panic	Y
Dichanthelium	<i>acuminatum (SW) Gould&CA.Clark</i>	fasciculatum (Torr.)		
Freckmann	<i>grass, hairy panic</i>			Y
Dichanthelium	<i>boreale (Nash.) Freckmann</i>		grass, Northern panic	Y
Dichanthelium	<i>clandestinum (L.) Gould</i>		grass, deer tongue panic	N
Dichanthelium	<i>linearifolium(Scribr. ex Nash)</i>		grass, long stalked panic	Y
Dichanthelium	<i>oligosanthes (J.A.Schultes)</i>	scribnerianum (Nash.) Gould	grass, Scribner's panic	Y
Dichanthelium	<i>ovale (Ell.) Gould & C.A. Clark</i>		grass, panic	Y
Dichanthelium	<i>sabulorum(Lam)Gould&CAClark</i>	thinium (Hitchc&Chase)Gould&Clrk	grass, American panic-	Y
Diervilla	<i>lonicera Mill.</i>		honeysuckle, Northern bush	Y
Digitaria	<i>cognata (J. A. Schultes) Pilger</i>	cognata (J. A. Schultes) Chase	grass, fall witch-	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Digitaria	<i>ischaemum (Schreb.) Muhl.</i>		grass, smooth crab-	N
Digitaria	<i>sanguinalis (L.) Scop.</i>		grass, crab-	N
Dioscorea	<i>villosa L.</i>		yamroot, wild (colic root)	Y
Dryopteris	<i>carthusiana (Vill.) H.P. Fuchs</i>		fern, toothed wood	Y
Dryopteris	<i>cristata (L.) A. Gray</i>		fern, crested wood	Y
Dulichium	<i>arundinaceum (L.) Britton</i>		dulichium	Y
Echinochloa	<i>crus-galli (L.) Beauv.</i>	Fruentaceae	grass, barnyard	N
Echinochloa	<i>muricata (Beauv.) Fern.</i>	Muricata	grass, American barnyard	Y
Echinocystis	<i>lobata (Michx.) Torr. & Gray</i>		cucumber, wild (balsam apple)	Y
Eleocharis	<i>acicularis (L) Roem & J.Schul</i>		spikerush, needle (least)	Y
Eleocharis	<i>erythropoda Steud.</i>		spikerush, marsh	Y
Eleocharis	<i>obtusa (Willd.) J.A.Schultes</i>		spikerush, blunt	Y
Eleocharis	<i>ovata (Roth) Roemer & J.A.Schultes</i>		spikerush, ovoid	Y
Eleocharis	<i>palustris</i>		rush, creeping spike	Y
Eleocharis	<i>smallii Britt.</i>		spikerush, Small's	Y
Elodea	<i>nuttallii (Planch.) St. John</i>		waterweed, free-flow- ered	Y
Elymus	<i>canadensis L.</i>		wild rye, Canada	Y
Elymus	<i>hystrix L.</i>		grass, spreading bottle- brush	Y
Elymus	<i>trachycaulus (Link) Gould</i>	(trachycaulum)	grass, slender wheat	Y
Elymus	<i>virginicus L.</i>		wild rye	Y
Elytrigia	<i>repens (L.) Desv. Ex</i>		quackgrass	N
Epilobium	<i>ciliatum Raf.</i>	adenocaulon (Haussk)	Fern.willow-herb, Amer- ican	Y
Epilobium	<i>coloratum Biehler</i>		willow-herb, purple leaved	Y
Epilobium	<i>leptophyllum Raf.</i>		willow-herb, narrow- leaved	Y
Equisetum	<i>arvense L.</i>		horsetail	Y
Equisetum	<i>fluviatile L.</i>		horsetail, water	Y
Equisetum	<i>hyemale L.</i>	affine (Engelm.) A.A.Eat.	rush, scouring	Y
Equisetum	<i>laevigatum A.Braun</i>		rush, smooth scouring-	Y
Equisetum	<i>sylvaticum L.</i>		horsetail, wood	Y
Eragrostis	<i>cilianensis (All.) Lutt.</i>		grass, stink	N
Eragrostis	<i>pectinacea (Michx.) Nees. ex Steud</i>		grass, Pursch's love	Y
Eragrostis	<i>spectabilis (Pursh.) Steud</i>		grass, purple love	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Erechtites	<i>hieraciifolia (L.) Raf. ex DC</i>		pilewort (fireweed)	Y
Erigeron	<i>philadelphicus L.</i>		fleabane, Philadelphia (common)	Y
Erigeron	<i>strigosus Muhl. ex Willd.</i>		fleabane, lesser daisy	Y
Eriogonum	<i>annuum Nutt.</i>		erigonum, annual (umbrella plant)	N
Eriophorum	<i>vaginatum L</i>		tussock cotton-grass	Y
Erysimum	<i>cheiranthoides L.</i>		mustard, treacle (worm-seed)	N
Eupatorium	<i>maculatum L.</i>		Joe-pye weed, spotted	Y
Eupatorium	<i>perfoliatum L.</i>		boneset, purple	Y
Euphorbia	<i>cyparissias L.</i>		spurge, cypress	N
Euphorbia	<i>esula L.</i>		spurge, leafy	N
Euthamia	<i>graminifolia (L.) Nutt.</i>	Gramminifolia	goldenrod, grass-leaved	Y
Fagopyrum	<i>esculentum Moench</i>		buckwheat	N
Festuca	<i>rubra L.</i>		fescue, red	Y
Festuca	<i>subverticillata(Pers.)Alexeev.</i>		grass, nodding fescue	Y
Fragaria	<i>vesca L.</i>	americana Porter	strawberry, wood	Y
Fragaria	<i>vesca L.</i>	vesca	strawberry, wood	N
Fragaria	<i>virginiana Duchesne</i>		strawberry, common	Y
Fraxinus	<i>nigra Marsh.</i>		ash, black	Y
Fraxinus	<i>pennsylvanica Marsh.</i>	(subintegerrina (Vahl.) Fern.)	ash, green (red)	Y
Froelichia	<i>floridana (Nutt.) Moq.</i>	campestris (Small) Fern.	cottonweed, Common	Y
Galeopsis	<i>tetrahit L.</i>		brittle-stem hemp-nettle	N
Galinsoga	<i>quadriradiata Ruiz & Pavon</i>		galinsoga, common	N
Galium	<i>aparine L.</i>		cleavers	Y
Galium	<i>asprellum Michx.</i>		bedstraw, rough	Y
Galium	<i>boreale L.</i>		bedstraw, Northern	Y
Galium	<i>brevipes Fern. & Wieg.</i>		bedstraw, short-stalked	Y
Galium	<i>labradoricum (Wieg.) Wieg.</i>		bedstraw, Labrador	Y
Galium	<i>obtusum Bigelow</i>		bedstraw, blunt-leaved	Y
Galium	<i>tinctorium (L.) Scop.</i>		bedstraw, Clayton's	Y
Galium	<i>trifidum L.</i>		bedstraw, small	Y
Galium	<i>triflorum Michx.</i>		bedstraw, fragrant	Y
Gentiana	<i>andrewsii Griseb</i>		gentian, closed	Y
Gentiana	<i>puberulenta J. Pringle</i>		gentian, downy	Y
Geranium	<i>bicknelli Britt.</i>		crane's bill, Bicknell's	Y
Geranium	<i>columbinum L.</i>		crane's bill, long-stalked	N
Geranium	<i>maculatum L.</i>		geranium, wild	Y
Geranium	<i>robertianum L.</i>		herb Robert	N

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Geum	<i>aleppicum</i> Jacq.	strictum (Ait.) Fern.	avens, yellow	Y
Geum	<i>canadense</i> Jacq.		avens, white	Y
Geum	<i>macrophyllum</i> Willd		avens, large-leaved	Y
Geum	<i>triflorum</i> Pursh.		avens, long-plumed purple	Y
Glechoma	<i>hederacea</i> L.	hederacea	ground ivy (gill-over-the-ground)	N
Glyceria	<i>borealis</i> (Nash) Batch		eldergrass, Northern manna	Y
Glyceria	<i>canadensis</i> (Michx.) Trin.		grass, rattlesnake manna	Y
Glyceria	<i>grandis</i> S. Wats.		grass, America manna	Y
Glyceria	<i>striata</i> (Lam.) A.S.Hitchc.		grass, fowl manna	Y
Glycine	<i>max</i> (L.) Merr:		soy-bean	N
Gnaphalium	<i>obtusifolium</i> L.		everlasting, sweet (cat-foot)	Y
Gratiola	<i>neglecta</i> Torr.		hyssop, clammy hedge	Y
Habenaria	<i>hyperborea</i> R. Br.		orchis, green	N
Hackelia	<i>virginiana</i> (L.) I.M.Johnston		stickseed, Virginia	Y
Hedeoma	<i>hispida</i> Pursh.		pennyroyal, rough	Y
Helenium	<i>autumnale</i> L.		sneezeweed	Y
Helianthemum	<i>bicknellii</i> Fern.		frostweed, Bicknell's	Y
Helianthus	<i>angustifolius</i>		sunflower, narrow leaved	Y
Helianthus	<i>annuus</i> L.		sunflower, common	Y
Helianthus	<i>decapetalus</i> L.		sunflower, thin leaved	Y
Helianthus	<i>giganteus</i> L.		sunflower, giant or tall	Y
Helianthus	<i>grosseserratus</i> Martens		sunflower, saw-toothed	Y
Helianthus	<i>hirsutus</i> Raf.		sunflower, stiff-haired	Y
Helianthus	<i>maximiliani</i>		Maximillian's sunflower	Y
Helianthus	<i>pauciflorus</i> Nutt.	(<i>rigidus</i> (Cass.) Fern.)	sunflower, prairie	Y
Helianthus	<i>petiolaris</i> Nutt.		sunflower, prairie	Y
Helianthus	<i>rigidus</i> (Cass.) Desf.		Sunflower	N
Helianthus	<i>strumosus</i> L.		sunflower, pale-leaved wood	Y
Helianthus	<i>tuberosus</i> L.		artichoke, Jerusalem	Y
Heliopsis	<i>helianthoides</i> (L.) Sweet		ox-eye	Y
Hemerocallis	<i>fulva</i> (L.) L.		day-lily	N
Hemerocallis	<i>liloasphodelus</i> L.		day-lily, yellow	N
Hesperis	<i>matronalis</i> L.		rocket, Dame's	N
Heteranthera	<i>dubia</i> (Jacq.) MacM.		star-grass, water	N
Heterotheca	<i>villosa</i> (Pursh.)Shinners	villosa	aster, golden	Y
Heuchera	<i>richardsonii</i> R.Br.	(<i>hispidioides</i> R.B.L.	alumroot	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Hibiscus	<i>trionum L.</i>		flower-of-an-hour	Y
Hieracium	<i>aurantiacum L.</i>		hawkweed, orange	N
Hieracium	<i>canadense Michx.</i>		hawkweed, Canada	Y
Hieracium	<i>longipilum Torr.</i>		hawkweed, long-bearded	Y
Hieracium	<i>scabrum Michx.</i>		hawkweed, rough	Y
Hordeum	<i>jubatum L.</i>		foxtail (barley)	Y
Houstonia	<i>longifolia Gaertn.</i>		bluets, long-leaved	Y
Hudsonia	<i>tomentosa Nutt.</i>	intermedia Peck	hudsonia, woolly	Y
Humulus	<i>lupulus L.</i>	lupuloides E.Small	hop-vine, American	Y
Hydrophyllum	<i>virginianum L.</i>		waterleaf, Virginia	Y
Hypericum	<i>ascyron L.</i>		St. John's-wort, great	Y
Hypericum	<i>majus (A.Gray) Britt.</i>		St. John's-wort, larger Canadian	Y
Hypericum	<i>perforatum L.</i>		St. John's wort, common	N
Ilex	<i>verticillata (L.) Gray</i>		winterberry holly, common	Y
Impatiens	<i>capensis Meerb.</i>		touch-me-not, spotted	Y
Irisgermanica L.			iris, bearded (heritage type)	N
Iris	<i>versicolor L.</i>		blue flag, larger	Y
Iva	<i>xanthifolia Nutt.</i>		elder, big marsh	Y
Juglans	<i>cinerea L.</i>		walnut, white	Y
Juglans	<i>nigra L.</i>		walnut, black	Y
Juncus	<i>brevicaudatus (Engelm.) Fern.</i>		rush, narrow-panicked	Y
Juncus	<i>canadensis J.Gay ex Laharpe</i>		rush, Canada	Y
Juncus	<i>effusus L.</i>		rush, soft	Y
Juncus	<i>greenei Oakes & Tucker</i>		marush, Greene's	Y
Juncus	<i>tenuis Willd.</i>		rush, path-	Y
Juniperus	<i>chinensis L.</i>	parsonii Horni	brookjuniper, Parson's	Y
Juniperus	<i>communis L.</i>	depressa Pursh.	juniper, dwarf	Y
Juniperus	<i>horizontalis Moench</i>		juniper, trailing	Y
Juniperus	<i>virginiana L.</i>		cedar, Eastern red cedar	Y
Koeleria	<i>macrantha (Leleb) J.A.Schultes</i>		grass, June (crested hair) (Koeleria)	Y
Krigia	<i>biflora (Walt.) Blake</i>		dandelion, dwarf	Y
Lactuca	<i>biennis (Moench) Fern.</i>		lettuce, tall blue	Y
Lactuca	<i>canadensis L.</i>		lettuce, wild	Y
Lactuca	<i>ludoviciana (Nutt.) Riddell</i>		lettuce, prairie	Y
Lactuca	<i>serriola L.</i>		lettuce, prickly	N
Lappula	<i>squarrosa (Retz.) Dumort.</i>		bristly sheepburr	N
Larix	<i>laricina (DuRoi) Koch</i>		tamarack	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Lathyrus	<i>ochroleucus</i> Hook.		vetchling, cream-colored or pale	Y
Lathyrus	<i>palustris</i> L.		vetchling	Y
Lathyrus	<i>venosus</i> Muhl. ex Willd	(intonsus Butt. & St. John)	pea, veiny wild	Y
Lechea	<i>stricta</i> Leggett ex Britt		pinweed	Y
Lechea	<i>tenuifolia</i> Michx.		Pinweed	Y
Ledum	<i>groenlandicum</i> Oeder		Labrador tea	Y
Leersia	<i>oryzoides</i> (L.) Sw.		grass, rice cut	Y
Leersia	<i>virginica</i> Willd.		grass, white	Y
Lemna	<i>minor</i> L.		duckweed, lesser	Y
Lemna	<i>trisulca</i> L.		duckweed, star-	Y
Leonurus	<i>cardiaca</i> L.		motherwort	N
Lepidium	<i>densiflorum</i> Schrad.		pepperweed, prairie	Y
Lespedeza	<i>capitata</i> Michx.		bush-clover, round headed	Y
Leucanthemumm	<i>vulgare</i> Lam.	pinnatifidum Lecoq. & Lamotte	daisy, ox-eye	N
Liatris	<i>aspera</i> Michx.	Aspera	blazing star, rough	Y
Liatris	<i>cylindraceae</i> Michx.		blazing star, cylindric	Y
Liatris	<i>lingulistylis</i>		blazing-star	Y
Liatris	<i>punctata</i> Hook.		blazing star, dotted	Y
Liatris	<i>pycnostachya</i> Michx.		blazing star, prairie	Y
Lilium	<i>lancifolium</i> Thunb.		lily, tiger	N
Lilium	<i>michigansense</i> Farw.		lily, Michigan	Y
Lilium	<i>philadelphicum</i> L.	andinum (Nutt.) Ker-Gawl.	lily, wood	Y
Linaria	<i>vulgaris</i> P. Mill.		butter-and-eggs (toad-flax)	N
Lindernia	<i>dubia</i> (L.) Pennell	anagallidea (Michx.)Coo-perider	pimpernel, false	Y
Linnaea	<i>borealis</i> L.	americana (Forbes) Rehder	twin-flower	Y
Linum	<i>rigidum</i> Pursh.		flax, stiffstem yellow	Y
Linum	<i>sulcatum</i> Riddell		flax, grooved yellow	Y
Lithospermum	<i>canescens</i> (Michx.) Lehm.		puccoon, hoary	Y
Lithospermum	<i>caroliniense</i> (Walt ex J.F. Gmel) MacM		puccoon, rough or hairy	Y
Lithospermum	<i>latifolium</i> Michx.		gromwell, American	N
Lobelia	<i>siphilitica</i> L.	ludoviciana A. DC.	lobelia, great	Y
Lobelia	<i>spicata</i> Lam.	hirtella Gray	lobelia, pale-spike	Y
Lonicera	<i>Canadensis</i>		honeysuckle, Canada	Y
Lonicera	<i>dioica</i> L.	glaucescens (Rydb.) Butters	honeysuckle, mountain	Y
Lonicera	<i>tatarica</i> L.		honeysuckle, tartarian	N
Lonicera	<i>villosa</i> (Michx.) J.A. Schultes	solonis (Eat.) Fern.	honeysuckle, Northern	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Lotus	<i>corniculatus L.</i>		trefoil, birdfoot	N
Ludwigia	<i>palustris (L.) Ell.</i>	americana (DC) Fern, & Griscon	purslane, water	Y
Ludwigia	<i>polycarpa Short & Peter</i>		loosestrife, many-fruited false	Y
Lupinus	<i>perennis L.</i>	occidentalis S. Wats.	lupine, wild	Y
Luzula	<i>multiflora (Ehrh.) Lej.</i>		woodrush, common	Y
Lycopodium	<i>complanatum L.</i>		groundcedar, Northern	Y
Lycopodium	<i>hickeyi W.H.Wagner Beitel &</i>		club-moss, tree, ground pine	Y
Lycopus	<i>americanus Muhl. ex W.Bart.</i>		hoarhound, cut-leaved water	Y
Lycopus	<i>uniflorus Michx.</i>		bugleweed, Northern	Y
Lygodesmia	<i>juncea (Pursh) D.Don</i>		skeleton weed	Y
Lysimachia	<i>ciliata L.</i>		loosestrife, fringed	Y
Lysimachia	<i>hybrida Michx.</i>		loosestrife, hybrid	Y
Lysimachia	<i>quadriflora Sims</i>		loosestrife, prairie	Y
Lysimachia	<i>terrestris (L.) B.S.P.</i>		loosestrife, yellow (swamp candles)	Y
Lysimachia	<i>thyrsiflora L.</i>		loosestrife, tufted	Y
Lythrum	<i>salicaria L.</i>		loosestrife, purple or spiked	N
Maianthemum	<i>canadense Desf.</i>		lily of the valley, wild (Canada Mayflwr)	Y
Maianthemum	<i>racemosum (L.) Link</i>		Solomon's seal, false	Y
Maianthemum	<i>stellatum (L.) Link</i>		Solomon's seal, starry-false	Y
Maianthemum	<i>trifolia (L.) Sloboda</i>		Solomon's seal, 3 lvd fls	Y
Malus	<i>pumila Mill. x baccata (L.) Borkh.</i>		crab apple	N
Malus	<i>pumila P.Mill.</i>		apple	N
Malus	<i>species</i>		apple, heritage variety	N
Malva	<i>neglecta Wallr.</i>		mallow, common (cheeses)	N
Malva	<i>rotundifolia L.</i>		mallow, dwarf	N
Marrubium	<i>vulgare L.</i>		horehound	N
Matricaria	<i>discoidea D.C.</i>		pineapple weed	Y
Matteuccia	<i>struthiopteris (L.) Todaro</i>		fern, ostrich	Y
Medicago	<i>lupulina L.</i>		black medic	N
Medicago	<i>sativa L.</i>		alfalfa, (lucerne)	N
Melilotus	<i>alba White.</i>		sweetclover, white (melilot)	N
Melilotus	<i>officinalis (L.) Lam.</i>		sweetclover, yellow	N

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Menispermum	<i>canadense L.</i>		moonseed, Canada	Y
Mentha	<i>arvensis L.</i>	villosa	mint, wild	Y
Menyanthes	<i>trifoliata L.</i>	minor	buckbean	Y
Mimulus	<i>ringens L.</i>		monkey flower, square-stemmed	Y
Mirabilis	<i>hirsuta (Pursh.) MacM.</i>		umbrellawort, hairy	Y
Mirabilis	<i>linearis (Pursh) Heimerl</i>		narrow-leaf four-o'clock	Y
Mirabilis	<i>nyctaginea (Michx.) MacM.</i>		four-o'clock	Y
Mitella	<i>nuda L.</i>		milterwort, naked	Y
Moehringia	<i>lateriflora (L.) Fenzl</i>		sandwort, grove	Y
Mollugo	<i>verticillata L.</i>		carpetweed	N
Monarda	<i>didyma L.</i>		oswego-tea (bee-balm)	N
Monarda	<i>fistulosa L.</i>	mollis (L.) Benth.	bergamot, wild	Y
Monotropa	<i>uniflora L.</i>		indian pipe	Y
Morus	<i>rubra L.</i>		mulberry, red	N
Muhlenbergia	<i>glomerata Willd.</i>		grass, glomerate satin	Y
Muhlenbergia	<i>mexicana (L.) Trin</i>		grass, Mexican satin	Y
Muhlenbergia	<i>racemosa (Michx.) B.S.P.</i>		grass, muhly	Y
Myosoton	<i>aquaticum (L.) Moench</i>		chickweed, giant	N
Myriophyllum	<i>sibiricum Komarov</i>		common water-milfoil	Y
Najas	<i>flexilis (Willd)Rost.& Schmidt</i>		Northern water-nymph	Y
Nepeta	<i>cataria L.</i>		catnip	N
Nicotiana	<i>longiflora Cav.</i>		tobacco, long flowered	N
Nuphar	<i>lutea (L.) Sm.</i>		Spatterdock	Y
Nuttallanthus	<i>canadensis (L.) D.A.Sutton</i>		toadflax, Canada	Y
Nymphaea	<i>odorata Ait.</i>	Odorata	lily, fragrant water	Y
Oenothera	<i>biennis L.</i>		primrose, common evening	Y
Oenothera	<i>clelandii W. Dietr., Raven</i>		primrose, longspike evening	Y
Oenothera	<i>parviflora L.</i>		primrose, small-flowered evening	Y
Oenothera	<i>rhombipetala Nutt.</i>		primrose, longspike evening	Y
Onoclea	<i>sensibilis L.</i>		fern, sensitive (bead fern)	Y
Opuntia	<i>fragilis (Nutt.) Haw.</i>		prickly pear, brittle	Y
Orthilia	<i>secunda (L.) House</i>		pyrola, one-sided	Y
Oryzopsis	<i>asperifolia Michx.</i>		rice, mountain	Y
Oryzopsis	<i>pungens (Torr ex Spreng) Hitchc.</i>		ricegrass, mountain	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Osmorhiza	<i>claytonii</i> (Michx.) C.B. Clarke		sweet cicely	Y
Osmorhiza	<i>longistylis</i> (Torr.) DC.		sweet cicely, long-styled	Y
Osmunda	<i>cinnamomea</i> L.	cinnamomea Gray	fern, cinnamon	Y
Osmunda	<i>claytoniana</i> L.		fern, interrupted	Y
Osmunda	<i>regalis</i> L.	spectabilis (Willd.) Gray	fern, royal	Y
Ostrya	<i>virginiana</i> (P.Mill) K.Koch		Eastern hophornbeam	Y
Oxalis	<i>stricta</i> L.		wood-sorrel, yellow	Y
Panax	<i>quinquefolius</i> L.		ginseng	Y
Panicum	<i>capillare</i> L.		grass, witch	Y
Panicum	<i>virgatum</i> L.		grass, switch	Y
Parietaria	<i>pennsylvanica</i> Muhl. ex Willd.		pellitory, Pennsylvania	Y
Parnassia	<i>palustris</i> L.	(neogaea Fern.)	marsh grass of Parnassus	Y
Parthenocissus	<i>quinquefolia</i> (L.) Planch		Virginia creeper	Y
Paspalum	<i>setaceum</i> Michx.		grass, bead (thin papalum)	Y
Pedicularis	<i>canadensis</i> L.		lousewort (wood-betony)	Y
Pedicularis	<i>lanceolata</i> Michx.		lousewort, swamp	Y
Penstemon	<i>gracilis</i> Nutt.		beard-tongue, slender	Y
Penstemon	<i>grandiflorus</i> Nutt.		beard-tongue, large-flowered	Y
Penthorum	<i>sediodes</i> L.		ditch-stonecrop	Y
Phalaris	<i>arundinacea</i> L.		grass, reed canary	Y
Philadelphus	<i>coronarius</i> L.		mock orange, common	N
Phleum	<i>pratense</i> L.		Timothy	N
Phlox	<i>paniculata</i> L.		phlox, garden or fall	Y
Phlox	<i>pilosa</i> L.	fulgida Wherry	phlox, downy	Y
Phlox	<i>subulata</i> L.		phlox, moss (moss-pink)	Y
Phragmites	<i>australis</i> (Cav.) Trin. & Steud	berlandieri (Fournier) Fern.	grass, reed	Y
Phryma	<i>leptostachya</i> L.		lopseed	Y
Phyla	<i>lanceolata</i> (Michx.) Greene		fogfruit	Y
Physalis	<i>heterophylla</i> Nees.		ground cherry, clammy	Y
Physalis	<i>virginiana</i> P.Mill.		ground cherry, Virginia	Y
Physostegia	<i>virginiana</i> (L.) Benth.		dragonhead, false	Y
Picea	<i>abies</i> (L.) Karst.		spruce, Norway	N
Picea	<i>glauca</i> (Moench) Voss		spruce, white	N
Picea	<i>mariana</i> (P.Mill.) B.S.P.		spruce, black	Y
Picea	<i> pungens</i> Engelm.		spruce, blue	N
Pilea	<i>fontana</i> (Lunell) Rydb.		clearweed, black-fruited	Y
Pilea	<i>pumila</i> (L.) Gray		clearweed	N

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Pinus	<i>banksiana</i> Lamb.		pine, Jack	N
Pinus	<i>mugo</i>		mugo pine	N
Pinus	<i>resinosa</i> Soland		pine, Norway or red	N
Pinus	<i>strobus</i> L.		pine, Eastern white	Y
Pinus	<i>sylvestris</i> L.		pine, scotch	N
Plantago	<i>major</i> L.		plantain, common	N
Plantago	<i>patagonica</i> Jacq.		plantain, woolly	N
Plantago	<i>rugelii</i> Dcne.		plantain, Rugel's	N
Platanthera	<i>flava</i> (L.) Lindl.		orchis, pale green	Y
Platanthera	<i>psychodes</i> (L.) Lindl.		orchis, small purple fringed	Y
Poa	<i>annua</i> L.		grass, annual blue-	N
Poa	<i>compressa</i> L.		grass, Canada blue-	N
Poa	<i>palustris</i> L.		grass, fowl blue-	Y
Poa	<i>pratensis</i> L.	angustifolia	grass, Kentucky blue-	N
Polygala	<i>polygama</i> Walt.		milkwort, racemed	N
Polygala	<i>sanguinea</i> L.		milkwort, field	Y
Polygonatum	<i>biflorum</i> (Walt.) Ell.		Solomon's seal	Y
Polygonum	<i>achoreum</i> Blake		knotweed, blue	Y
Polygonum	<i>amphibium</i> L.	stipulaceam (& emersum)	smartweed, water	Y
Polygonum	<i>arifolium</i> L.		tear-thumb, halberd-leaved	Y
Polygonum	<i>aviculare</i> L.		knotweed, prostrate	Y
Polygonum	<i>convolvulus</i> L.		bindweed, black	N
Polygonum	<i>cuspidatum</i> Sieb & Zucc.		knotweed, Japanese	N
Polygonum	<i>hydropiperoides</i> Michx.		water-pepper, mild	Y
Polygonum	<i>lapathifolium</i> L.		smartweed, pale	Y
Polygonum	<i>pensylvanicum</i> L.		smartweed, Pennsylvania	Y
Polygonum	<i>persicaria</i> L.		lady's thumb (redleg)	N
Polygonum	<i>punctatum</i> Ell.		smartweed, dotted	Y
Polygonum	<i>Sagittatum</i> L.		tear-thumb, arrow-leaved	Y
Polygonum	<i>scandens</i> L.		buckwheat, climbing false	Y
Polygonum	<i>tenue</i> Michx.		knotweed, slender	Y
Populus	<i>balsamifera</i> L.		poplar, balsam	Y
Populus	<i>deltoides</i> Bartr. ex Marsh.		cottonwood, Eastern	Y
Populus	<i>grandidentata</i> Michx.		aspen, bigtooth	Y
Populus	<i>tremuloides</i> Michx.		aspen, quaking	Y
Portulaca	<i>oleracea</i> L.		purslane	N
Potamogeton	<i>amplifolius</i> Tuckerman		pondweed, big leaf	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Potamogeton	<i>gramineus L.</i>		pondweed, variable	Y
Potamogeton	<i>natans L.</i>		pondweed, floating	Y
Potamogeton	<i>nodosus Poir.</i>		pondweed, longleaf	Y
Potamogeton	<i>obtusifolius Mert. & Koch.</i>		pondweed, bluntleaf	Y
Potamogeton	<i>pectinatus L.</i>		pondweed, sago	Y
Potamogeton	<i>praelongus Wulfen</i>		pondweed, white stemmed	Y
Potamogeton	<i>pusillus L.</i>		pondweed, slender or small	Y
Potamogeton	<i>zosteriformis Fern</i>		pondweed, flatstem	Y
Potentilla	<i>argentea L.</i>		cinquefoil, silvery	N
Potentilla	<i>arguta Pursh</i>		cinquefoil, tall	Y
Potentilla	<i>fruticosa</i>		cinquefoil, shrubby	Y
Potentilla	<i>norvegica L.</i>	<i>hirsuta (Michx.) Lehm.</i>	cinquefoil, rough	Y
Potentilla	<i>palustris</i>		marsh cinquefoil	Y
Potentilla	<i>recta L.</i>		cinquefoil, rough fruited	N
Potentilla	<i>simplex Michx.</i>		cinquefoil, common	Y
Prenanthes	<i>alba L.</i>		rattlesnake-root (white lettuce)	Y
Prunella	<i>vulgaris L.</i>		selfheal (heal-all)	Y
Prunus	<i>americana Marsh.</i>		plum, American	Y
Prunus	<i>pensylvanica L.F.</i>		cherry, pin	Y
Prunus	<i>pumila L.</i>		cherry, Northern dwarf	Y
Prunus	<i>serotina Ehrh.</i>		cherry, black	Y
Prunus	<i>virginiana L.</i>		chokecherry	Y
Pteridium	<i>aquilinum (L.) Kuhn.</i>	<i>latiusculum (Desn)</i>	fern, bracken	Y
Pulsatilla	<i>patens(L.) P.Mill</i>		pasque flower	Y
Pycnanthemum	<i>virginianum(L.)T.Dur.& B.D.Jackson ex BL</i>		mint, Virginia mountain	Y
Pyrola	<i>americana Sweet</i>	<i>(americana (Sweet) Fern.</i>	wintergreen, American	Y
Pyrola	<i>asarifolia Michx.</i>		pyrola, pink	Y
Pyrola	<i>elliptica Nutt.</i>		Shinleaf	Y
Quercus	<i>alba L.</i>		oak, white	Y
Quercus	<i>ellipsoidalis E.J.Hill</i>		oak, Northern pin	Y
Quercus	<i>macrocarpa Michx.</i>		macrocarpa or olivae-formisoak, bur	Y
Quercus	<i>rubra L.</i>		oak, Northern red	Y
Ranunculus	<i>abortivus L.</i>		buttercup, kidney leaf	Y
Ranunculus	<i>flabellaris Ref.</i>		buttercup, yellow water	Y
Ranunculus	<i>gmelini DC.</i>	<i>hookeri (D.Don) Benson</i>	crowfoot, yellow water	Y
Ranunculus	<i>hispidus Michx.</i>	<i>nitidus (Chapman) T.Duncan</i>	buttercup, hispid	Y
Ranunculus	<i>pensylvanicus L.F.</i>		buttercup, bristly	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Ranunculus	<i>recurvatus</i> Poir.		buttercup, hooked	Y
Ranunculus	<i>rhomboideus</i> Goldie		buttercup, prairie	Y
Raphanus	<i>sativus</i> L.		radish	N
Ratibida	<i>columnifera</i> (Nutt.) Woot. & Standl.		cone flower, columnar	Y
Ratibida	<i>pinnata</i> (Vent.) Barnh.		coneflower, gray headed	Y
Rhamnus	<i>alnifolia</i> L. Her.		buckthorn, alderleaf	Y
Rhamnus	<i>cathartica</i> L.		buckthorn, common	N
Rheum	<i>rhaponticum</i> L.		rhubarb	N
Rhus	<i>glabra</i> L.		sumac, smooth	Y
Rhus	<i>hirta</i> (L.) Sudworth		sumac, staghorn	Y
Ribes	<i>alpinum</i> L.		currant, alpine	Y
Ribes	<i>americanum</i> P.Mill.		currant, American black	Y
Ribes	<i>hirtellum</i> Michx.		gooseberry, smooth	Y
Ribes	<i>missouriense</i> Nutt.		gooseberry, Missouri	Y
Ribes	<i>triste</i> Pallas		currant, swamp red	Y
Robinia	<i>pseudoacacia</i> L.		locust, black	Y
Rorippa	<i>nasturtium-aquaticum</i> (L.) Hayek		cress, water-	N
Rorippa	<i>palustris</i> (L.) Bess	fernaldiana or hispida	cress, common yellow	Y
Rosa	<i>acicularis</i> Lindl.		rose, bristly	Y
Rosa	<i>arkansana</i> Porter	suffulta (Greene) Cockerell	rose, dwarf prairie	Y
Rosa	<i>blanda</i> Ait.		rose, smooth	Y
Rosa	<i>rugosa</i> Thunb.		rose, Japanese	N
Rubus	<i>alleghehiensis</i> Porter		blackberry	Y
Rubus	<i>flagellaris</i> Willd.		dewberry, prickly	Y
Rubus	<i>idaeus</i> L.	(strigosus (Michx.) Focke)	raspberry, wild red	Y
Rubus	<i>occidentalis</i> L.		raspberry, black	Y
Rubus	<i>pensilvanicus</i> Poir.		blackberry, Pennsylvania	Y
Rubus	<i>pubescens</i> Raf.		blackberry, dwarf	Y
Rubus	<i>vermontanus</i> Blanch.		blackberry, Vermont	Y
Rudbeckia	<i>hirta</i> L.	pulcherrima Farw.	black-eyed susan	Y
Rudbeckia	<i>laciniata</i> L.	hortensis	coneflower, cutleaf	Y
Rumex	<i>acetosella</i> L.		sorrel, common or sheep	N
Rumex	<i>altissimus</i> Wood		dock, pale	Y
Rumex	<i>crispus</i> L.		dock, curled	N
Rumex	<i>orbiculatus</i> Gray		dock, water	Y
Rumex	<i>patientia</i> L.		dock, patience	N
Rumex	<i>salicifolius</i> Weinm.	mexicanus (Meisn.) C.L.Hitchc.	dock, willow	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Sagittaria	<i>latifolia Willd.</i>		arrowhead, broad-leaved	Y
Sagittaria	<i>rigida Pursh</i>		arrowhead, sessile-fruited	Y
Salix	<i>alba L.</i>	vitellina (L.) Stokes	willow, white	N
Salix	<i>amygdaloides Anderss.</i>		willow, peach-leaf	Y
Salix	<i>bebbiana Sarg.</i>		willow, bebb	Y
Salix	<i>discolor Muhl.</i>		willow, pussy	Y
Salix	<i>exigua Nutt.</i>		willow, sandbar	Y
Salix	<i>humilis Marsh.</i>		willow, tall prairie	Y
Salix	<i>lucida Muhl.</i>		willow, shining	N
Salix	<i>nigra Marsh.</i>		willow, black	Y
Salix	<i>pedicellaris Pursh.</i>	(hypoglauca Fern.)	willow, bog	Y
Salix	<i>petiolaris Sm.</i>		willow, meadow	Y
Salix	<i>pyrifolia Anderss.</i>		willow, balsam	Y
Salsola	<i>kali L.</i>	tragus or tenuifolia	saltwort	Y
Salvia	<i>reflexa Hornem.</i>		sage, lance-leaved	Y
Salvia	<i>splendens Sellow ex Roemer & J.A.Schultes</i>		sage, scarlet	Y
Sambucus	<i>canadensis L.</i>		elderberry, common	Y
Sambucus	<i>racemosa L.</i>	pubens (Michx.)Koehne	elder, red-berried	Y
Sanguinaria	<i>canadensis L.</i>		bloodroot	Y
Sanicula	<i>marilandica L.</i>		snakeroot, black	Y
Saponaria	<i>officinalis L.</i>		bouncing bet	N
Saxifraga	<i>pensylvanica L.</i>		eastern swamp saxifrage	Y
Schizachne	<i>purpurascens (Torr.) Swallen</i>		melic, false	Y
Schizachyrium	<i>scoparium (Michx.) Nash</i>		bluestem, little	Y
Scirpus	<i>acutus Muhl. ex Bigelow</i>		bulrush, hardstem	Y
Scirpus	<i>atrocinctus Fern.</i>		grass, black-bracted wool	Y
Scirpus	<i>cyperinus (L.) Kunth</i>		woolgrass	Y
Scirpus	<i>fluviatilis (Torr.) Gray</i>		bulrush, river	Y
Scirpus	<i>tabernaemontani K.C.Gmel.</i>		bulrush, softstem	Y
Scrophularia	<i>lanceolata Pursh</i>		figwort	Y
Scutellaria	<i>galerieulata L.</i>		skullcap, marsh	Y
Scutellaria	<i>lateriflora L.</i>		skullecap, mad-dog	Y
Scutellaria	<i>parvula Michx.</i>	leonardii (Epling) Fern.	skullcap, smaller	Y
Secale	<i>cereale L.</i>		rye	N
Sedum	<i>spectabile Boreau</i>		sedum, "autumn joy"	N
Sedum	<i>telephium L.</i>		orpine, live-forever	N
Selaginella	<i>rupestris (L.) Spreng</i>		spikemoss, rock	Y
Senecio	<i>pauperculus Michx</i>		ragwort, balsam	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Senecio	<i>plattensis</i> Nutt.		prairie ragwort	Y
Setaria	<i>faberi</i> Herrm.		foxtail, Faber's	N
Setaria	<i>glauca</i> (L.) Beauv.		foxtail, yellow	N
Setaria	<i>viridis</i> (L.) Beauv.		grass, green bristle-	N
Silene	<i>antirrhina</i> L.		catchfly, sleepy	Y
Silene	<i>armeria</i> L.		catchfly, sweet-william	N
Silene	<i>dichotoma</i> Ehrh.		catchfly, forking	N
Silene	<i>latifolia</i> Poir.		campion, starry	N
Silene	<i>vulgaris</i> (Moench) Garcke		bladder-campion	N
Silphium	<i>trifoliatum</i> L.		rosinweed, whorled	Y
Sinapis	<i>arvensis</i> L.		mustard, wild (charlock)	N
Sisymbrium	<i>altissimum</i> L.		mustard, tumble or tall	N
Sisymbrium	<i>officinale</i> (L.) Scop.		mustard, hedge	N
Sisyrinchium	<i>campestre</i> Bickn.	(pinnatifida (Stokes)L.C.Wheel	grass, prairie blue-eyed	Y
Sium	<i>suave</i> Walt.		water parsnip	Y
Smilax	<i>ecirrata</i> (Engelm ex Kunth) S.Watts.		carrion-flower, upright	Y
Smilax	<i>herbacea</i> L.	lasioneuron (Hook) A.D.C.	carrion-flower	Y
Solanum	<i>americanum</i> PMill		ground cherry night- shade (blayberry)	Y
Solanum	<i>dulcamara</i> L.		nightshade, bittersweet	N
Solidago	<i>caesia</i> L.		goldenrod, blue- stemmed	Y
Solidago	<i>canadensis</i> L.	scabra Torr. & Gray	goldenrod, Canada	Y
Solidago	<i>flexicaulis</i> L.		goldenrod, zigzag or board-leaved	Y
Solidago	<i>gigantea</i> Ait.	gigantea or leiophylla	goldenrod, late	Y
Solidago	<i>hispida</i> Muhl. ex Willd.		goldenrod, hairy	Y
Solidago	<i>missouriensis</i> Nutt.	fasciculata Holz.	goldenrod, Missouri	Y
Solidago	<i>nemoralis</i> Ait.	longipetiolata or decemflora	goldenrod, gray	Y
Solidago	<i>ptarmicoides</i> (Nees) Boivin		aster, upland white	Y
Solidago	<i>ridiga</i> L.		goldenrod, hard-leaved	Y
Solidago	<i>speciosa</i> Nutt.	rigidiuscula or angustata	goldenrod, showy	Y
Solidago	<i>ulmifolia</i> Muhl. ex Willd.		goldenrod, elm-leaf	Y
Sonchus	<i>arvensis</i> L.	(glabrescens G.G.&W.)	thistle, field sow	N
Sorghastrum	<i>nutans</i> L.		grass, Indian	Y
Sparganium	<i>erectum</i> L.	(acaule (Beby) Fern.)	bur-reed, short green- fruted	Y
Sparganium	<i>eurycarpum</i> Engelm. ex Gray		bur-reed, giant	Y
Spartina	<i>pectinata</i> Link		grass, prairie cord-	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Sphagnum	<i>girgensohnii</i>		moss, sphagnum	Y
Sphenopholis	<i>intermedia (Rydb.) Rydb.</i>		grass, slender wedge-	Y
Spiraea	<i>alba DuRoi</i>	rosea	spirea, narrowleaf (meadow sweet)	Y
Spiraea	<i>tomentosa L.</i>	rosea (Raf.) Fern.	spirea, steeple bush	Y
Spiraea	<i>vanhouttei (Briot.) Carr.</i>	cantoniensis x trilobata	spirea, VanHoutte's	N
Spiranthes	<i>cernua (L.) L.C.Rich</i>		nodding ladies' tresses	Y
Spirodela	<i>polyrrhiza (L.) Schleid</i>		duckweed, greater	Y
Sporobolus	<i>cryptandrus (Torr.) Gray</i>		drop-seed, sand	Y
Sporobolus	<i>vaginiflorus (Torr. ex Gray) Wood</i>		grass, poverty	Y
Stachys	<i>hyssopifolia Michx.</i>	ambigua Gray	hedge nettle, hyssop	Y
Stachys	<i>palustris L.</i>		woundwort	Y
Stachys	<i>tenuifolia Willd.</i>	tenuifolia or platyphylla	hedge nettle, Smooth	Y
Stellaria	<i>longifolia Muhl. ex Willd.</i>	(atrata J.W.Moore)	chickweed, long-leaved	Y
Stellaria	<i>media (L.) Vill.</i>		chickweed, common	N
Stipa	<i>spartea Trin.</i>		grass, needle or porcu- pine	Y
Strophostyles	<i>leiosperma (Torr.&Gray) Piper</i>		bean, small flowered woolly	Y
Symphoricarpos	<i>albus (L.) Blake</i>		snowberry	Y
Symphoricarpos	<i>occidentalis Hook</i>		wolfberry or buckbrush	Y
Syringa	<i>vulgaris L.</i>		lilac, common	N
Tamarix	<i>gallica L.</i>		tamarisk	N
Tanacetum	<i>parthenium (L.) Schultz-Bip.</i>		Feverfew	N
Tanacetum	<i>vulgare L.</i>		tansy, common	N
Taraxacum	<i>laevigatum (Willd.) DC</i>		dandelion, red-seeded	N
Taraxacum	<i>officinale G.H.Weber ex Wig- gers</i>		dandelion, common	N
Thalictrum	<i>dasycarpum Fisch. & Ave- Lall.</i>		meadow rue, purple	Y
Thalictrum	<i>dioicum L.</i>		meadow rue, early	Y
Thelesperma	<i>megapotamicum (Spreng.) Kunt</i>		beggar-tick	N
Thelypteris	<i>palustris Schott</i>	pubescens (Lawson) Fern.	fern, marsh	Y
Thuja	<i>occidentalis L.</i>		cedar, Northern white	Y
Tilia	<i>americana L.</i>		basswood, American	Y
Toxicodendron	<i>rydbergii (Small ex Rydb.) Greene</i>	rydbergii (Sm. & Rydb.) Rehd.	poison ivy	Y
Toxicodendron	<i>vernix (L.) Kuntze</i>		sumac, poison	Y
Tradescantia	<i>occidentalis (Britt.) Smyth</i>		spiderwort, prairie	Y
Tragopogon	<i>dubius Scop.</i>		goatsbeard, fistulous	N

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Triadenum	<i>fraseri</i> (Spach) Gleason		St. John's-wort, marsh	Y
Triadenum	<i>virginicum</i> (L.) Raf.	(<i>fraseri</i> (Spach) Fern.)	St. John's-wort, marsh	Y
Trientalis	<i>borealis</i> Raf.		Starflower	Y
Trifolium	<i>arvense</i> L.		clover, rabbit-foot	N
Trifolium	<i>campestre</i> Schreb.		clover, pinnate hop	N
Trifolium	<i>hybridum</i> L.		clover, alsike	N
Trifolium	<i>pratense</i> L.		clover, red	N
Trifolium	<i>repens</i> L.		clover, white	N
Trillium	<i>cernuum</i> L.	(<i>macranthum</i> Eames & Wieg)	trillium, nodding	Y
Triticum	<i>aestivum</i> L.		wheat	N
Typha	<i>angustifolia</i> L.		cat-tail, narrow-leaved	Y
Typha	<i>glauca</i> Godr.	<i>langustifolia</i> x <i>domingensis</i> x	cat-tail, broad-leaved	Y
Typha	<i>latifolia</i> L.		cat-tail, common	Y
Ulmus	<i>americana</i> L.		elm, American	Y
Ulmus	<i>pumila</i> L.		elm, Siberian	N
Urtica	<i>dioica</i> L.		nettle, stinging	N
Utricularia	<i>intermedia</i> Hayne		bladderwort, flat-leaved	Y
Utricularia	<i>macrorhiza</i> LeConte		bladderwort, greater	Y
Uvularia	<i>sessilifolia</i> L.		bellwort, large-flowered	Y
Vaccinium	<i>angustifolium</i> Ait.		blueberry, late low	Y
Vaccinium	<i>macrocarpon</i> Ait.		Cranberry	Y
Verbascum	<i>thapsus</i> L.		mullein, common	N
Verbena	<i>bracteata</i> Lag. & Rodr.		vervain, blue	Y
Verbena	<i>hastata</i> L.		vervain, blue	Y
Verbena	<i>stricta</i> Vent.		vervain, hoary	Y
Verbena	<i>urticifolia</i> L.		vervain, white	Y
Vernonia	<i>fasciculata</i> Michx.		ironweed, western	Y
Veronica	<i>peregrina</i> L.	(<i>xalipensis</i> (H.B.K.) St. John	purslane speedwell	Y
Veronica	<i>scutellata</i> L.		speedwell, marsh	N
Veronicastrum	<i>virginicum</i> (L.) Farw.		Culver's-root	Y
Viburnum	<i>lentago</i> L.		nannyberry	Y
Viburnum	<i>opulus</i> L.	<i>americanum</i> Ait.	highbush-cranberry	Y
Viburnum	<i>rafinesquianum</i> J.A.Schultes		arrow-wood, shortstalk	Y
Vicia	<i>americana</i> Muhl. ex Willd.		vetch, purple	Y
Vicia	<i>villosa</i> Roth.		vetch, hairy	N
Viola	<i>blanda</i> Willd.	<i>palustriformis</i> Gray	violet, sweet white	Y
Viola	<i>canadensis</i> L.	<i>rugulosa</i> (Greene) C.L.Hitche.	violet, Canada	Y
Viola	<i>conspersa</i> Reichenb.		violet, dog	N
Viola	<i>macloskeyi</i> Lloyd		violet, wild white	Y

Plants of Sherburne NWR (Continued)

GENUS	SPECIES	VARIETY	COMMON	NATIVE
Viola	<i>palmata L.</i>		violet, wood or early blue	Y
Viola	<i>pedatifida G.Don</i>		violet, prairie	Y
Viola	<i>pubescens Ait.</i>		violet, downy yellow	Y
Viola	<i>sagittata Ait.</i>		violet, arrow-leaved	Y
Viola	<i>sororia Willd.</i>		violet, woolly blue	Y
Vulpia	<i>octoflora (Walt.) Rydb.</i>		grass, six weeks fescue	Y
Viola	<i>tricolor L.</i>		Johnny jump up	N
Vitis	<i>riparia Michx.</i>		grape, frost	Y
Wolffia	<i>columbiana Karst.</i>		wolffia, Columbia	Y
Zanthoxylum	<i>americanum P.Mill.</i>		prickly-ash	Y
Zea	<i>mays L.</i>		maize (Indian corn)	N
Zizania	<i>palustris L.</i>	interior Fassett	rice, broad-leaved wild	Y
Zizia	<i>aurea (L.) W.D.J.Koch</i>		alexanders, golden	Y
Zizia	<i>aptera (Gray) Fern.</i>		heart-leaved golden alexanders	Y