

V. REFERENCES

1. Abouzied, M. M., Carroll, M., Mozola, M. A., (2004). A Sandwich ELISA test for detection and quantitation of gluten in food products and ingredients. September 19-23, 2004. Accessible on June 2005 at <http://www.aoac.org/>.
2. Akiyama, H., Isuzugawa, K., Harikai, N., Watanabe, H., Iijima, K., Yamakawa, H., Mizuguchi, Y., Yoshikawa, R., Yamamoto, M., Sato, H., Watai, M., Arakawa, F., Ogasawara, T., Nishihara, R., Kato, H., Yamauchi, A., Takahata, Y., Morimatsu, F., Mamegoshi, S., Muraoka, S., Honjoh, T., Watanabe, T., Sakata, K., Imamura, T., Toyoda, M., Matsuda, R., Maitani, T. (2004). Inter-laboratory evaluation studies for development of notified ELISA methods for allergic substances (wheat). *Shokuhin Eiseigaku Zasshi*, 45(3):128-134.
3. American Academy of Pediatrics Committee on Nutrition (1989). Hypoallergenic infant formulas. *Pediatrics*, 83:1068-1069.
4. American Academy of Pediatrics (AAP). Committee on Nutrition. (2000). Hypoallergenic infant formulas. *Pediatrics*, 106:346-349.
5. American Gastroenterological Association (AGA) (2001). Medical position statement: Celiac sprue. *Gastroenterology*, 120:1522-1525.
6. Ammar, F., de Boissieu, D., Dupont, C. (1999). Allergy to protein hydrolysates. Report of 30 cases. *Arch Pediatr*, 6:837-843.
7. Anet, J., Back, J. F., Baker, R. S., Barnett, D., Burley, R. W., Howden, M. E. (1985). Allergens in the white and yolk of hen's egg. A study of IgE binding by egg proteins. *Int Arch Allergy Appl Immunol*, 77(3):364-371.
8. Arentz-Hansen, H., Fleckenstein, B., Molberg, O., Scott, H., Koning, F., Jung, G., Roepstorff, P., Lundin, K. E., Sollid, L. M. (2004). The molecular basis for oat intolerance in patients with celiac disease. *Plos Med*, e1:84-92.
9. Asero, R., Lorini, M., Chong, S. U., Zuberbier, T., Tedeschi, A. (2004). Assessment of histamine-releasing activity of sera from patients with chronic urticaria showing positive autologous skin test on human basophils and mast cells. *Clin Exp Allergy*, 34:1111-1114.
10. Australian New Zealand Food Agency (ANZFA) (2005). Australian New Zealand food standards code: Chapter 1 – General food standards, Part 1.2 – Labeling and other information requirements, Standard 1.2.8 – Nutrition information requirements. p.3, 15, 16. Accessible on June 2005 at <http://www.foodstandards.gov.au/foodstandardscode>.
11. Awazuhara, H., Kawai, H., Baba, M., Matsui, T., Komiyama, A. (1998). Antigenicity of the proteins in soy lecithin and soy oil in soybean allergy. *Clin. Exp. Allergy*, 28: 1559-1564.
12. Baranwal, A. K., Singhi, S. C., Thapa, B. R., Kakkar, N. (2003). Celiac crisis. *Indian J Pediatr*, 70:433-435.
13. Bellioni-Businco, B., Paganelli, R., Lucenti, P., Giampietro, P. G., Perborn, H., Businco, L. (1999). Allergenicity of goat's milk in children with cow's milk allergy. *J Allergy Clin Immunol*, 103(6):1191-1194.

14. Ben Rejeb, S., Abbott, M., Davies, D., Querry, J., Cleroux, C., Streng, C., Delahaut, P., Yeung, J. M. (2003). Immunochemical-based method for detection of hazelnut proteins in processed foods. *JAOAC Int*, 86(3):557-563.
15. Bernhisel-Broadbent, J., Scanlon, S. M., Sampson, H. A. (1992). Fish hypersensitivity. I. In vitro and oral challenge results in fish-allergic patients. *J Allergy Clin Immunol*, 89(3):730-737.
16. Bernhisel-Broadbent, J., Strause, D., Sampson, H. A. (1992). Fish hypersensitivity. II: Clinical relevance of altered fish allergenicity caused by various preparation methods. *J Allergy Clin Immunol*, 90(4 Pt 1):622-629.
17. Besler, M., Steinhart, H., Paschke, A. (2001). Stability of food allergens and allergenicity of processed foods. *J Chromatogr B Biomed Sci Appl*, 756(1-2):207-228.
18. Beyer, K., Morrow, E., Li, X. M., Bardina, L., Bannon, G. A., Burks, A. W., Sampson, H. A. (2001). Effects of cooking methods on peanut allergenicity. *J Allergy Clin Immunol*, 107(6):1077-1081.
19. Bindslev-Jensen C. (2001). Standardization of double-blind, placebo-controlled food challenges. *Allergy*, 56(Suppl.):75-77.
20. Bindslev-Jensen, C., Ballmer-Weber, B. K., Bengtsson, U., Blanco, C., Ebner, C., Hourihane, J., Knulst, A. C., Moneret-Vautrin, D. A., Nekam, K., Niggemann, B., Osterballe, M., Ortolani, C., Ring, J., Schnopp, C., Werfel, T. (2004). Standardization of food challenges in patients with immediate reactions to foods position paper from the European Academy of Allergology and Clinical Immunology. *Allergy*, 59: 690-697.
21. Bindslev-Jensen, C., Briggs, D., Osterballe, M. (2002). Hypothesis paper: Can we determine a threshold level for allergenic foods by statistical analysis of published data in the literature? *Allergy*, 57:741-746.
22. Bock, S. A. and Atkins, F. M. (1989). The natural history of peanut allergy. *J Allergy Clin Immunol*, 83:900-904.
23. Bock, S. A., Lee, W. Y., Remigio, L. K., May, C. D. (1978). Studies of hypersensitivity reactions to foods in infants and children. *J Allergy Clin Immunol*, 62:327-334.
24. Bock, S. A., Munoz-Furlong, A., Sampson, H. A. (2001). Fatalities due to anaphylactic reactions to foods. *J Allergy Clin Immunol*, 107(1):191-193.
25. Bock, S. A., Sampson, H. A., Atkins, F. M., Zeiger, R. S., Lehrer, S., Sachs, M., Bush, R. K., Metcalfe, D. D. (1988). Double-blind, placebo-controlled food challenge (DBPCFC) as an office procedure:a manual. *J Allergy Clin Immunol*, 82(6):986-997.
26. Bousquet, J., Bjorksten, B., Brujnzeel-Koomen. C. A. F. M., Huggett, A., Ortolani, C., Warner, J. O., Smith, M. (1998). Scientific criteria and the selection of allergenic foods for product labeling. *Allergy*, 53S:3-21.
27. Brewer, V. A., Thomas, F. S., Garber, A. E., Nguyen, J., X., Amato, S. P. (2004). The detection of wheat using commercial ELISA-based assays. September 19-23, 2004. Accessible on June 2005 at <http://www.aoac.org/>.
28. Burks, A. W., Williams, L. W., Thresher, W., Connaughton, C., Cockrell, G., Helm, R. M. (1992). Allergenicity of peanut and soybean extracts altered by

- chemical or thermal denaturation in patients with atopic dermatitis and positive food challenges. *J Allergy Clin Immunol*, 90:889–897.
29. Bush, R. K., Taylor, S. L., Nordlee, J. A., Busse, W. W. (1985). Soybean oil is not allergenic to soybean-sensitive individuals. *J Allergy Clin Immunol*, 76(2 Pt 1):242-245.
 30. Byrd, D. M. and Cothorn, C. R. (2000). Chapter II: functions, models, and uncertainties IN: *Introduction to risk analysis: asystematic approach to science-based decision making*, Government Institutes, pp. 87.
 31. Caffarelli, C., Cavagni, G., Giordano, S., Stapane, I., Rossi, C. (1995). Relationship between oral challenges with previously uningested egg and egg-specific IgE antibodies and skin prick tests in infants with food allergy. *J Allergy Clin Immunol*, 95(6):1215-1220.
 32. Canadian Government: The Food and Drugs Act, Part 2 Food and Drugs Regulations, Part B Foods, Division 24 foods for special dietary uses, Regulation B.24.018. Accessible on June 2005 at http://www.hc-sc.gc.ca/food-aliment/friia-raaii/food_drugs-aliments_drogues/act-loi/pdf/e_d-text-2.pdf.
 33. Carrington, C. (1997). An administrative view of model uncertainty in public health. Accessible on June 2005 at www.piercelaw.edu/risk/vol8/summer/Carringt.htm
 34. Casimir, G. and Duchateau, J. (1997). Discriminant epitopes (EP) in allergy to cow's milk (CM). Characteristics of the immune response and clinical presentation. *Pediatr Pulmonol Suppl*, 16:22.
 35. Catassi, C., Fabiani, E., Corrao, G., Barbato, M., De Renzo, A., Carella, A. M., Gabrielli, A., Leoni, P., Carroccio, A., Baldassarre, M., Bertolani, P., Caramaschi, P., Sozzi, M., Guariso, G., Volta, U., Corazza, G. R. (2002). Risk of non-Hodgkin lymphoma in celiac disease. *Jama*, 287:1413-1419.
 36. Catassi, C., Fabiani, E., Iacono, G., Francavilla, R., D'Agate, C., Volta, U., Accomando, S., Picarelli, A., Corazza, G., De Vitis, I., Nardone, G., Bardella, M., Bearzi, I., Mandolesi, A., Fasano, A. (2005). Toxicity of gluten traces in patients on treatment for celiac disease. Results of a prospective, placebo-controlled, double-blind, randomized study. Abstract. *Digestive Disease Week*, May 14-19, 2005 McCormick Place, Chicago, IL. Accessible on June 2005 at <http://www.ddw.org/>
 37. Catassi, C. and Fasano, A. (2004). Celiac disease as a cause of growth retardation in childhood. *Curr Opin Pediatr*, 16:445-449.
 38. Catassi, C., Rossini, M., Ratsch, I. M., Bearzi, I., Santinelli, A., Castagnani, R., Pisani, E., Coppa, G. V., Giorgi, P. L. (1993). Dose dependent effects of protracted ingestion of small amounts of gliadin in coeliac disease children: a clinical and jejunal morphometric study. *Gut*, 34(11):1515-1519.
 39. Chiou, Y. H., Yuo, C. Y., Wang, L. Y., Huang, S. P. (2003). Detection of cross-reactivity for atopic immunoglobulin E against multiple allergens. *Clin Diagn Lab Immunol*, 10(2):229-232.
 40. Ciclitira, P. J., Cerio, R., Ellis, H. J., Maxton, D., Nelufer, J. M., Macartney, J. M. (1985). Evaluation of a gliadin-containing gluten-free product in coeliac patients. *Hum Nutr Clin Nutr*, 39(4):303-308.

41. Ciclitira, P. J., Evans, D. J., Fagg, N. L., Lennox, E. S., Dowling, R. H. (1984). Clinical testing of gliadin fractions in coeliac patients. *Clin Sci (Lond)*, 66:357-364.
42. Clemente, A., Chambers, S. J., Lodi, F., Nicoletti, C., Brett, G. M. (2004). Use of the indirect competitive ELISA for the detection of Brazil nut in food products. *Food Control*, 15:65-69.
43. Codex Alimentarius Commission (2003). Report of the 25th session of the Codex Committee on nutrition and foods for special dietary uses. Bonn, Germany, 3-7 November 2003. Alinorm 04/27/26. Accessible on June 2005 at www.codexalimentarius.net
44. Collin, P., Thorell, L., Kaukinen, K., Maki, M. (2004). The safe threshold for gluten contamination in gluten-free products. Can trace amounts be accepted in the treatment of coeliac disease? *Aliment Pharmacol Ther*, 19:1277-1283.
45. Cooke, S. K. and Sampson, H. A. (1997). Allergenic properties of ovomucoid in man. *J Immunol*, 159(4):2026-2032.
46. Cordle, C. T. (2004). Soy protein allergy: Incidence and relative severity. *J. Nutr*, 134:1213S-1219S.
47. Corrao, G., Corazza, G. R., Bagnardi, V., Brusco, G., Ciacci, C., Cottone, M., Sategna Guidetti, C., Usai, P., Cesari, P., Pelli, M. A., Loperfido, S., Volta, U., Calabro, A., Certo, M. (2001). Mortality in patients with coeliac disease and their relatives: a cohort study. *Lancet*, 358:356-361.
48. Crespo, J. F., Pascual, C., Dominguez, C., Ojeda, I., Muñoz, F. M., Esteban, M. M. (1995). Allergic reactions associated with airborne fish particles in IgE-mediated fish hypersensitive patients. *Allergy*, 50(3):257-261.
49. Crevel, R. W. R., Kerkhoff, M. A. T., Koning, M. M. G. (2000). Allergenicity of refined vegetable oils. *Food Chem Toxicol*, 38:385-393.
50. Crump, K.S. (1994). Overview of the benchmark dose method for use in determining acceptable exposures. Society for Risk Analysis Annual Meeting. Abstract.
51. Daul, C. B., Morgan, J. E., Waring, N. P., McCants, M. L., Hughes, J., Lehrer, S. B. (1987). Immunologic evaluation of shrimp-allergic individuals. *J Allergy Clin Immunol*, 80(5):716-722.
52. Daul, C. B., Morgan, J. E., Lehrer, S. B. (1993). Hypersensitivity reactions to Crustacea and mollusks. *Clin Rev Allergy*, 11:201-222.
53. Daul, C. B., Morgan, J. E., Hughes, J., Lehrer, S. B. (1988). Provocation-challenge studies in shrimp-sensitive individuals. *J Allergy Clin Immunol*, 81(6):1180-1186.
54. de Leon, M. P., Glaspole, I. N., Drew, A. C., Rolland, J. M., O'Hehir, R. E., Suphioglu, C. (2003). Immunological analysis of allergenic cross-reactivity between peanut and tree nuts. *Clin Exp Allergy*, 33(9):1273-1280.
55. Dewar, D., Pereira, S. P., Ciclitira, P. J. (2004). The pathogenesis of coeliac disease. *Int J Biochem Cell Biol*, 36:17-24.
56. Diffchamb Transia Plate Gluten. (2005). Accessible on May 2005 at www.diffchamb.com
57. Diffchamb Transia Plate Prolamins. (2005). Accessible on May 2005 at www.diffchamb.com

58. Docena, G., Rozenfeld, P., Fernandez, R., Fossati, C. A. (2002). Evaluation of the residual antigenicity and allergenicity of cow's milk substitutes by in vitro tests. *Allergy*, 57:83-91.
59. Dodo, H., Konan, K., Viquez, O. (2005). A genetic engineering strategy to eliminate peanut allergy. *Curr Allergy Asthma Rep*, 5:67-73.
60. EFSA (2004). Opinion of the scientific panel on dietetic products, nutrition and allergies on a request from the commission relating to the evaluation of allergenic foods for labelling purposes. *EFSA J*, 32:1-197. Accessible on June 2005 at http://www.efsa.eu.int/science/nda/nda_opinions/341/opinion_nda_04_en1.pdf.
61. Eggesbo, M., Botten, G., Halvorsen, R., Magnus, P. (2001). The prevalence of allergy to egg: a population-based study in young children. *Allergy*, 56:403-411.
62. Ellis, M. H., Short, J. A., Heiner, D. C. (1991). Anaphylaxis after ingestion of a recently introduced hydrolyzed whey protein formula. *J Pediatr*, 118:74-77.
63. Eriksson, N. E., Moller, C., Werner, S., Magnusson, J., Bengtsson, U. (2003). The hazards of kissing when you are food allergic. A survey on the occurrence of kiss-induced allergic reactions among 1139 patients with self-reported food hypersensitivity. *J Investig Allergol Clin Immunol*, 13(3):149-154.
64. Errahali, Y., Morisset, M., Moneret-Vautrin, D. A., Kanny, G., Metche, M., Nicolas, J. P., Fremont, S. (2002). Allergen in soy oils. *Allergy*, 57(7):648-649.
65. Ewan, P. W. (1996). Clinical study of peanut and nut allergy in 62 consecutive patients: new features and associations. *BMJ*, 312:1074-1078.
66. FAPAS Series 27 Round 08. Report No. 2708 (2003). Accessible on May 2005 at www.fapas.com
67. FAPAS Series 27 Round 10 Report No. 2710 (2004). Accessible on May 2005 at www.fapas.com
68. FAPAS Series 27 Round 05 Report 2705 (2003). Accessible on May 2005 at www.fapas.com
69. FAPAS Supplement Report 2705 Accessible on May 2005 at www.fapas.com
70. Farrell, R. J. and Kelly, C. P. (2002). Celiac sprue. *N Engl J Med*, 346:180-188.
71. Fasano, A. (2005). Personal communication.
72. Fasano, A. (2003). Celiac disease--how to handle a clinical chameleon. *N Engl J Med*, 348:2568-2570.
73. Fasano, A. and Catassi, C. (2001). Current approaches to diagnosis and treatment of celiac disease: an evolving spectrum. *Gastroenterology*, 120(3):636-651.
74. Filipsson, A.F., Sand, S., Nilsson J., and Victorin K. (2003). The benchmark dose method--review of available models and recommendations for application in health risk assessment. *Crit Rev Toxicol*, 33(5):505-542.
75. Fiocchi, A., Travaini, M., D'Auriaw, E., Banderaliw, G., Bernardow, L., Riva, E. (2003). Tolerance to a rice hydrolysate formula in children allergic to cow's milk and soy. *Clin Exp Allergy*, 33:1576-1580.
76. Food and Agricultural Organization of the United Nations (FAO). 1995. Chapter 4: Chemical Composition. IN: Quality and Quality Changes in Fresh Fish.

FAO Fisheries Technical Paper - 348. FAO, Rome, Italy. Accessible on June 2005 at

http://www.fao.org/documents/show_cdr.asp?url_file=/docrep/V7180E/V7180E05.htm

77. Food Quality Protection Act, FQPA (1996). Public Law 104-107. Accessible on June 2005 at <http://www.epa.gov/oppfead1/fqpa/gpogate.pdf>
78. Gabrovská, D., Rysová, J., Burkhard, M., Cuhra, P., Kubík, M., Barsová, S. (2004). Collaborative study of a new developed ELISA kit for gluten determination. *J Food, Ag & Envir*, 2(1):113-115.
79. Gendel, S. M. (1998). Sequence databases for assessing the potential allergenicity of proteins used in transgenic foods. *Adv Food Nutr Res*, 42:63-92.
80. Gern, J. E., Yang, E., Evrard, H. M., Sampson, H.A. (1991). Allergic reactions to milk-contaminated "nondairy" products. *N Engl J Med*, 324:976-979.
81. Giampietro, P. G., Kjellman, N. I., Oldaeus, G., Wouters-Wesseling, W., Businco, L. (2001). Hypoallergenicity of an extensively hydrolyzed whey formula. *Pediatr Allergy Immunol*, 12:83-86.
82. Gilissen, L. J., Bolhaar, S. T., Matos, C. I., Rouwendal, G. J., Boone, M. J., Krens, F.A., Zuidmeer, L., Van Leeuwen, A., Akkerdaas, J., Hoffmann-Sommergruber, K., Knulst, A. C., Bosch, D., Van de Weg, W. E., Van Ree, R. (2005). Silencing the major apple allergen Mal d 1 by using the RNA interference approach. *J Allergy Clin Immunol*, 115:364-369.
83. Green, P. H. and Jabri, B. (2003). Coeliac disease. *Lancet*, 362:383-391.
84. Grimshaw, K. E., King, R. M., Nordlee, J. A., Hefle, S. L., Warner, J. O., Hourihane, J. O. (2003). Presentation of allergen in different food preparations affects the nature of the allergic reaction--a case series. *Clin Exp Allergy*, 33(11):1581-1585.
85. Grundy, J., Matthews, S., Bateman, B., Dean, T., Arshad, S. H. (2002). Rising prevalence of allergy to peanut in children: data from 2 sequential cohorts. *J Allergy Clin Immunol*, 110:784-789.
86. Gu, X., Beardslee, T., Zeece, M., Sarath, G., Markwell, J. (2001). Identification of IgE-binding proteins in soy lecithin. *Int Arch Allergy Immunol*, 126(3):218-225.
87. Hallett, R., Haapanen, L. A., Teuber, S. S. (2002). Food allergies and kissing. *N Engl J Med*, 346:1833-1834.
88. Hamada, Y., Tanaka, H., Ishizaki, S., Ishida, M., Nagashima, Y., Shiomi, K. (2003). Purification, reactivity with IgE and cDNA cloning of parvalbumin as the major allergen of mackerels. *Food Chem Toxicol*, 41(8):1149-1156.
89. Hamilton, I., Hill, A., Bose, B., Bouchier, I. A., Forsyth, J. S. (1987). Small intestinal permeability in pediatric clinical practice. *J Pediatr Gastroenterol Nutr*, 6:697-701.
90. Hamilton, J. R., McNeill, L. K. (1972). Childhood celiac disease: response of treated patients to a small uniform daily dose of wheat gluten. *J Pediatr*, 81:885-893.
91. Hansen, K. S., Ballmer-Weber, B. K., Luttkopf, D., Skov, P. S., Wuthrich, B., Bindslev-Jensen, C., Vieths, S., Poulsen, L. K. (2003). Roasted Hazelnuts –

- allergenic activity evaluated by a double-blind placebo-controlled food challenge. *Allergy*, 58(2):132-138.
92. Hansen, T. K., Bindslev-Jensen, C., Skov, P. S., Poulsen, L. K. (1997). Codfish allergy in adults: IgE cross-reactivity among fish species. *Ann Allergy Asthma Immunol*, 78(2):187-194.
 93. Hansen, T. K., Poulsen, L. K., Stahl Skov, P., Hefle, S. L., Hlywka, J. J., Taylor, S. L., Bindslev-Jensen, U., Bindslev-Jensen, C. (2004). A randomized, double-blinded, placebo-controlled oral challenge study to evaluate the allergenicity of commercial, food-grade fish gelatin. *Food Chem Toxicol*, 42(12):2037-2044.
 94. Hausch, F., Shan, L., Santiago, N. A., Gray, G. M., Khosla, C. (2002). Intestinal digestive resistance of immunodominant gliadin peptides. *Am J Physiol Gastrointest Liver Physiol*, 283:G996-G1003.
 95. Hefle, S. L., Nordlee, J. A., Taylor, S. L. (1996). Allergenic foods. *Crit Rev Food Sci Nutr*, 36:S69-S89.
 96. Helbling, A., Haydel, R. Jr., McCants, M. L., Musmand, J. J., El-Dahr, J., Lehrer, S. B. (1999). Fish allergy: is cross-reactivity among fish species relevant? Double-blind placebo-controlled food challenge studies of fish allergic adults. *Ann Allergy Asthma Immunol*, 83(6 Pt 1):517-523.
 97. Herman, E. M., Helm, R. M., Jung, R., Kinney, A. J. (2003). Genetic modification removes an immunodominant allergen from soybean. *Plant Physiol*, 132:36-43.
 98. Hlywka, J. J., Hefle, S. L., Taylor, S. L. (2000). A sandwich enzyme-linked immunosorbent assay for the detection of almonds in foods. *J Food Prot*, 63(2):252-257.
 99. Hoffman, D. R. and Collins-Williams, C. (1994). Cold-pressed peanut oils may contain peanut allergen. *J Allergy Clin Immunol*, 93(4):801-802.
 100. Holzhauser, T., Stephan, O., Vieths, S. (2002). Detection of potentially allergenic hazelnut (*corylus avellana*) residues in food: a comparative study with DNA pcr-ELISA and protein sandwich-ELISA. *J Agric Food Chem*, 50:5808-5815.
 101. Host, A. and Halken, S. (2004). Hypoallergenic formulas--when, to whom and how long: after more than 15 years we know the right indication! *Allergy*, 59 Suppl 78:45-52.
 102. Host, A. and Samuelsson, E. G. (1988). Allergic reactions to raw, pasteurized, and homogenized/pasteurized cow milk: A comparison. A double-blind placebo-controlled study in milk allergic children. *Allergy*, 43:113-118.
 103. Hourihane, J. B., Kilburn, S. A., Nordlee, J. A., Hefle, S. L., Taylor, S. L., Warner, J. O. (1997). An evaluation of the sensitivity of subjects with peanut allergy to very low doses of peanut protein: A randomized, double-blind, placebo-controlled food challenge study. *J Allergy Clin Immunol*, 100:596-600.
 104. Hourihane, J. O., Bedwani, S. J., Dean, T. P., Warner, J. O. (1997). Randomised, double blind, crossover challenge study of allergenicity of peanut oils in subjects allergic to peanuts. *BMJ*, 314(7087):1084-1088.

105. Ibanez, M. D., Lombardero, M., San Ireneo, M. M., Munoz, M. C. (2003). Anaphylaxis induced by pine nuts in two young girls. *Pediatr Allergy Immunol*, 14(4):317-319.
106. Immer, U., Vela, C., Mendez, E., Janssen, F. (2003). PWG collaborative trial of gluten in gluten-free food through cocktail ELISA. Zwickau, Germany: *Verlag Wissenschaftliche Scripten*, pp. 23-33.
107. Jackson, W. F. (2003). Food allergy. ILSI Europe Concise Monograph Series, *International Life Sciences Institute*, 1-46.
108. James, S. P. (2005). Prototypic disorders of gastrointestinal mucosal immune function: Celiac disease and Crohn's disease. *J Allergy Clin Immunol*, 115:25-30.
109. Janatuinen, E. K., Kemppainen, T. A., Julkunen, R. J., Kosma, V. M., Maki, M., Heikkinen, M., Uusitupa, M. I. (2002). No harm from five year ingestion of oats in coeliac disease. *Gut*, 50(3):332-335.
110. Janatuinen, E. K., Kemppainen, T. A., Pikkarainen, P. H., Holm, K. H., Kosma, V.M., Uusitupa, M.I., Maki, M., Julkunen, R. J. (2000). Lack of cellular and humoral immunological responses to oats in adults with coeliac disease. *Gut*, 46(3):327-331.
111. Janatuinen, E. K., Pikkarainen, P. H., Kemppainen, T. A., Kosma, V. M., Järvinen, R. M., Uusitupa, M. I., Julkunen, R. J. (1995). A Comparison of Diets with and without Oats in Adults with Celiac Disease. *N Engl J Med*, 333(16):1033-1037.
112. Johansson, S. G., Hourihane, J. O., Bousquet, J., Bruijnzeel-Koomen, C., Dreborg, S., Haahtela, T., Kowalski, M. L., Mygind, N., Ring, J., van Cauwenberge, P., van Hage-Hamsten, M., Wuthrich, B.; EAACI (2001). A revised nomenclature for allergy. An EAACI position statement from the EAACI nomenclature task force. *Allergy*, 56(9):813-824.
113. Jones, R. T., Squillace, D. L., Yunginger, J. W. (1992). Anaphylaxis in a milk-allergic child after ingestion of milk-contaminated kosher-pareve-labeled "dairy-free" dessert. *Ann Allergy*, 68:223-227.
114. Kagnoff, M.F. (2005). Overview and pathogenesis of celiac disease. *Gastroenterology*, 128(4 Suppl 1):S10-S18.
115. Kasarda, D. D. (1994). Toxic cereal grains in coeliac disease IN: Gastrointestinal immunology and gluten-sensitive disease. Proceedings of the sixth international symposium on coeliac disease, Trinity College, Dublin, July 1992. editors: Feighery and O'Farrelly. pp. 203-220.
116. Kasarda, D. D. (1999). U.S. Department of Agriculture, Agricultural Research Service. Grains in Relation to Celiac (Coeliac) Disease. Accessible on June 2005 at <http://wheat.pw.usda.gov/ggpages/topics/ce/ce.html>
117. Kasarda, D. D. (2001). Grains in relation to celiac disease. *Cereal Foods World*, 46(5):209-10.
118. Kasarda, D. D. (2003). Celiac Disease and Safe Grains. Accessible on June 2005 at <http://wheat.pw.usda.gov/ggpages/topics/Celiac.vs.grains.html>
119. Kasarda, D. D. (2004). What we know about grain safety. Paper presented at the Columbia University Celiac disease and other food intolerances conference, Columbia Medical Center, NY, NY, pp. 1-11.

120. Kasarda, D. D. (2005). Personal communication.
121. Kato, Y., Oozawa, E., Matsuda, T. (2001). Decrease in antigenic and allergenic potentials of ovomucoid by heating in the presence of wheat flour: dependence on wheat variety and intermolecular disulfide bridges. *J Agric Food Chem*, 49(8):3661-3665.
122. Kaukinen, K., Collin, P., Holm, K., Rantala, I., Vuolteenaho, N., Reunala, T., Maki, M. (1999). Wheat starch-containing gluten-free flour products in the treatment of coeliac disease and dermatitis herpetiformis. A long-term follow-up study. *Scand J Gastroenterol*, 34:163-169.
123. Kelso, J. M. and Sampson, H. A. (1993). Food protein-induced enterocolitis to casein hydrolysate formulas. *J Allergy Clin Immunol*, 92(6):909-910.
124. Kimmel, C.A. and Gaylor, D. W. (1988). Issues in qualitative and quantitative risk analysis for development toxicology. *Risk Anal*, 8:15-20.
125. Klurfeld, D. M. and Kritchevsky, D. (1987). Isolation and quantitation of lectins from vegetable oils. *LIPIDS*, 22(9):667-668.
126. Kocabas, C. N. and Sekerel, B. E. (2003). Cow's milk allergic patients should be informed of the sources of caseinate. *Turk J Pediatr*, 45(2):165-166.
127. Koehler, K. and U.S. Food and Drug Administration (2005). *Mean per capita consumption of selected foods and gluten-forming grain proteins in the U.S., 2000, based upon disappearance data*. Unpublished data.
128. Krska, R., Welzig, E., Baumgartner, S. (2003). Immunoanalytical detection of allergenic proteins in food. *Anal Bioanal Chem*, 378(1):63-65.
129. Kull, I., Hallner, E., Lilja, G., Ohman-Johansson, A. C., Oman, H., Wickman, M. (1999). Peanut oil in vitamin A and D preparations: reactions to skin test and manifestation of symptoms. *Pediatr Allergy Immunol*, 10(1):21-26.
130. Kupper, C. (2004). Dietary guidelines for celiac disease and implementation. (Abstract) *National Institutes of Health Consensus Development Conference on Celiac Disease Program & Abstracts*, pp. 91-95. Accessible on June 2005 at <http://consensus.nih.gov/cons/118/ceciacPandAbook.pdf>
131. Laurin, P., Wolving, M., Falth-Magnusson, K. (2002). Even small amounts of gluten cause relapse in children with celiac disease. *J Pediatr Gastroenterol Nutr*, 34:26-30.
132. Lehman, A. and Fitzhugh, O. (1954). Ten-fold Safety Factor Studies. *Assoc. Food Drug Officials of the US Quarterly Bulletin XVIII* (1):33-35.
133. Leung, D. Y., Sampson, H. A., Yunginger, J. W., Burks, A. W., Jr., Schneider, L. C., Wortel, C. H., Davis, F. M., Hyun, J. D., Shanahan, W. R., Jr. (2003). Effect of anti-IgE therapy in patients with peanut allergy. *N Engl J Med*, 348:986-93.
134. Leung, P. S., Chen, Y. C., Chu, K. H. (1999). Seafood allergy: tropomyosins and beyond. *J Microbiol Immunol Infect*, 32(3):143-154.
135. Lundin, K. E., Nilssen, E.M., Scott, H.G., Loberg, E. M., Gjoen, A., Bratlie, J., Skar, V., Mendez, E., Lovik, A., Kett, K. (2003). Oats induced villous atrophy in coeliac disease. *Gut*, 52(11):1649-1652.
136. Magnolfi, C. F., Zani, G., Lacava, L., Patria, M. F., Bardare, M. (1996). Soy allergy in atopic children. *Ann Allergy Asthma Immunol*, 77(3):197-201.
137. Maki, M. and Collin, P. (1997). Coeliac disease. *Lancet*, 349:1755-1759.

138. Maleki, S. J. (2004). Food processing: effects on allergenicity. *Curr Opin Allergy Clin Immunol*, 4(3):241-245.
139. Maleki, S. J., Chung, S.Y., Champagne, E. T., Raufman, J. P. (2000). The effects of roasting on the allergenic properties of peanut proteins. *J Allergy Clin Immunol*, 106(4):763-768.
140. Maleki, S. J., Viquez, O., Jacks, T., Dodo, H., Champagne, E. T., Chung, S. Y., Landry, S. J. (2003). The major peanut allergen, Ara h 2, functions as a trypsin inhibitor, and roasting enhances this function. *J Allergy Clin Immunol*, 112:190-195.
141. May, C. D. (1976). Objective clinical and laboratory studies of immediate hypersensitivity reactions to foods in asthmatic children. *J Allergy Clin Immunol*, 58:500-515.
142. Mayer, M., Greco, L., Troncone, R., Grimaldi, M., Pansa, G. (1989). Early prediction of relapse during gluten challenge in childhood celiac disease. *J Pediatr Gastroenterol Nutr*, 8:474-479.
143. McKenna, C. and Klontz, K. C. (1997). Systemic allergic reaction following ingestion of undeclared peanut flour in a peanut-sensitive woman. *Ann. Allergy Asthma Immunol*, 79:234-236.
144. Molberg, O., Solheim Flaete, N., Jensen, T., Lundin, K. E., Arentz-Hansen, H., Anderson, O. D., Kjersti Uhlen, A., Sollid, L. M. (2003). Intestinal T-cell responses to high-molecular-weight glutenins in celiac disease. *Gastroenterology*, 125(2):337-344.
145. Moneret-Vautrin, D. A. and Kanny, G. (2004). Update on threshold doses of food allergens: implications for patients and the food industry. *Current Opinion in Allergy and Clinical Immunology*, 4:215-219.
146. Moneret-Vautrin, D. A., Rance, F., Kanny, G., Olsewski, A., Gueant, J. L., Dutau, G., Guerin, L. (1998). Food allergy to peanuts in France--evaluation of 142 observations. *Clin Exp Allergy*, 28:1113-1119.
147. Morisset, M., Moneret-Vautrin, D. A., Kanny, G., Guénard, L., Beaudouin, E., Flabbée, J., Hatahet, R. (2003). Thresholds of clinical reactivity to milk, egg, peanut and sesame in immunoglobulinE-dependent allergies: evaluation by double-blind or single-blind placebo-controlled oral challenges. *Clin Exp Allergy*, 33 (8):1046-1051.
148. Muller, U., Weber, W., Hoffmann, A., Franke, S., Lange, R., Vieths, S. (1998). Commercial soybean lecithins: a source of hidden allergens? *Z Lebensm Unters Forsch A*, 207:341-351.
149. Naqpal, S., Rajappa, L., Metcalfe, D. D., Subba Rao, P. V. (1989). Isolation and characterization of heat-stable allergens from shrimp (*Penaeus indicus*). *J Allergy Clin Immunol*, 83(1):26-36.
150. National Institutes of Health (NIH) (2004). Consensus statement on celiac disease, June 28-30. Accessible on June 2005 at <http://consensus.nih.gov/cons/118/118celiacPDF.pdf>.
151. Nelson, H. S., Lahr, J., Rule, R., Bock, A., Leung, D. (1997). Treatment of anaphylactic sensitivity to peanuts by immunotherapy with injections of aqueous peanut extract. *J Allergy Clin Immunol*, 99(6 Pt.1):744-751.

152. Neogen Alert for Gliadin. Food allergens. Available on May 2005 at http://www.neogen.com/pdf/FS_CatalogPages/AlertGliadin.pdf
153. Niemann, L., and Hefle, S. L., (2003). Validated ELISA for detection of undeclared walnut residues in food. *Journal of Allergy and Clinical Immunology*, 111(Suppl.):248. Abstract.
154. Niggemann, B., Binder, C., Klettke, U., Wahn, U. (1999). In vivo and in vitro studies on the residual allergenicity of partially hydrolysed infant formulae. *Acta Paediatr*, 88(4):394-398.
155. Nonaka, I., Kamiya, K., Takashi, et al. (2004). Development of food allergen rapid detection kits by immunochromatography. September 19-23, 2004. Accessible on June 2005 at <http://www.aoac.org/>
156. Nordlee, J. A., Neimann, L. M., Hefle, S. L., Taylor, S. L. (2002). Determination of proteins in soybean oil from distinct processing steps. Abstracts of the IFT Annual Meeting.
157. Nordlee, J. A., Taylor, S. L., Jones, R. T., Yunginger, J. W. (1981). Allergenicity of various peanut products as determined by RAST inhibition. *J Allergy Clin Immunol*, 68(5):376-382.
158. Norgaard, A., Bernard, H., Wal, J. M., Peltre, G., Skov, P. S., Poulsen, L.K., Bindslev-Jensen, C. (1996). Allergenicity of individual cow milk proteins in DBPCFC-positive milk allergic adults. *J Allergy Clin Immunol*, 97:237(abstract).
159. Olszewski, A., Pons, L., Moutete, F., Aimone-Gastin, I., Kanny, G., Moneret-Vautrin, D. A., Gueant, J. L. (1998). Isolation and characterization of proteic allergens in refined peanut oil. *Clin. Exp. Allergy*, 28:850-859.
160. Ortolani, C., Ballmer-Weber, B. K., Hansen, K. S., Ispano, M., Wuthrich, B., Bindslev-Jensen, C., Ansaloni, R., Vannucci, L., Pravettoni, V., Scibilia, J., Poulsen, L. K., Pastorello, E. A. (2000). Hazelnut allergy: a double-blind, placebo-controlled food challenge multicenter study. *J Allergy Clin Immunol*, 105:577-581.
161. Osterballe, M. and Bindslev-Jensen, C. (2003). Threshold levels in food challenge and specific IgE in patients with egg allergy: Is there a relationship. *J. Allergy Clin Immunol*, 112(1):196-201.
162. Palm, M., Moneret-Vautrin, D. A., Kanny, G., Denery-Papini, S., Fremont, S. (1999). Food allergy to egg and soy lecithins. *Allergy*, 54:1116-1117.
163. Park, D. (2005). FDA and AOAC peanut allergens test kits performance validations. Memo to record. U. S. Food and Drug Administration.
164. Park, D. L., Coates, S., Brewer, V. A., Garber, A. E., Abouzied, M., Johnson, K., Ritter, B., McKenzie, D. (2005). Performance tested method: Multiple laboratory validation study of ELISA-based assays for the detection of peanuts in food. *JAOAC Intern*, Vol.88(1):156-160.
165. Paschke, A., Zunker, K., Wigotzki, M., Steinhart, H. (2001). Determination of the IgE-binding activity of soy lecithin and refined and non-refined soybean oils. *J Chromatogr B Biomed Sci Appl*, 756(1-2):249-254.
166. Pascual, C., Esteban, M. M., Crespo, J. F. (1992). Fish Allergy: Evaluation of the importance of cross-reactivity. *J of Pediatrics*, 121(5:2)S29-S34.

167. Pastorello, E. A., Stocchi, L., Pravettoni, V., Bigi, A., Schilke, M. L., Incorvaia, C., Zanussi, C. (1989). Role of the elimination diet in adults with food allergy. *J Allergy Clin Immunol*, 84:475-483.
168. Peeters, K. A. B. M., Knulst, A. C., Rynja, F. J., Bruijnzeel-Koomen, C. A. F. M., Koppelman, S. J., (2004). Peanut allergy: sensitization by peanut oil-containing local therapeutics seems unlikely. *J Allergy Clin Immunol*, 113:1000-1001.
169. Peraaho, M., Collin, P., Kaukinen, K., Kekkonen, L., Miettinen, S., Maki, M. (2004). Oats can diversify a gluten-free diet in celiac disease and dermatitis herpetiformis. *J Am Diet Assoc*, 104(7):1148-1150.
170. Perry, T. T., Matsui, E. C., Conover-Walker, M. K., Wood, R. A. (2004). Risk of oral food challenges. *J Allergy Clin Immunol*, 114:1164-1168.
171. Peters, U., Askling, J., Gridley, G., Ekblom, A., Linet, M. (2003). Causes of death in patients with celiac disease in a population-based Swedish cohort. *Arch Intern Med*, 163:1566-1572.
172. Poms, R. E. and Anklam, E. (2004). Effects of chemical, physical and technological processes on the nature of food allergens. *JAOAC Int*, 87(6):1466-1474.
173. Poms, R.E., Klein, C.L., Anklam, E. (2004). Methods for allergen analysis in food: a review. *Food Addit Contam*, 21(1):1-31.
174. Popping, B., Pardigol, A., Dan, A., Guillet, S., Schneede, A., Koelln, S., Pinero, D. (2004). Development and in-house validation of a DNA-based rapid and cost-effective multi-allergen screening system. September 19-23, 2004. Accessible on May 2005 at <http://www.aoac.org/>.
175. Porras, O., Carlsson, B., Fallstrom, S. P., Hanson, L. A. (1985). Detection of soy protein in soy lecithin, margarine and, occasionally, soy oil. *Int Arch Aller Appl Immunol*, 78:30-32.
176. Public Law 108-282 (2004). Title II-Food allergen labeling and consumer protection. Accessible on May 2005 at <http://www.cfsan.fda.gov/~dms/algact.html>
177. Pumphrey, R. S., Wilson, P. B., Faragher, E. B., Edwards, S. R. (1999). Specific immunoglobulin E to peanut, hazelnut and brazil nut in 731 patients: similar patterns found at all ages. *Clin Exp Allergy*, 29(9):1256-1259.
178. Pumphrey, R. (2004). Anaphylaxis: can we tell who is at risk of a fatal reaction? *Curr Opin Allergy Clin Immunol*, 4:285-290.
179. R-Biopharm Ridascreen Fast Gliadin (2004). Enzyme immunoassay for the quantitative analysis of gliadins and corresponding prolamines. Accessible on May 2005 at http://www.r-biopharm.com/foodandfeed/pdf/fast_gliadin_03_06_04_%20k.pdf
180. R-Biopharm Ridascreen Fast Peanut. (2005). Enzyme immunoassay for the quantitative analysis of peanut. Accessible on May at http://www.r-biopharm.com/foodandfeed/ridascreenfast_peanut.php Art. No. R6202
181. R-Biopharm Ridascreen Gliadin R7001 (2005). Enzyme immunoassay for the quantitative analysis of gliadins and corresponding prolamines. Accessible on May 2005 at <http://www.r-biopharm.com/foodandfeed/pdf/R7001%20Gliadin%2005-01-11.pdf>

182. Reeves, R. M. (1999). Letter from Institute of Shortening and Edible Oils to Joint FAO/WHO Expert Committee on Food Additives, Food and Nutrition Division. Unpublished data analytical results for protein in oil.
183. Reindl, J., Anliker, M. D., Karamloo, F., Vieths, S., Wuthrich, B. (2000). Allergy caused by ingestion of zucchini (*Cucurbita pepo*): Characterization of allergens and cross-reactivity to pollen and other foods. *J Allergy Clin Immunol*, 106:379-385.
184. Rolles, C. J. and McNeish, A. S. (1976). Standardised approach to gluten challenge in diagnosing childhood coeliac disease. *Br Med J*, 1:1309-1311.
185. Roux, K. H., Teuber, S. S., Sathe, S. K. (2003). Tree nut allergens. *Int Arch Allergy Immunol*, 131(4):234-244.
186. Sackesen, C. and Adalioglu, G. (2003). Hidden fish substance triggers allergy. *J Investig Allergol Clin Immunol*, 13(3):216-217.
187. Sakaguchi, M., Toda, M., Ebihara, T., Irie, S., Hori, H., Imai, A., Yanagida, M., Miyazawa, H., Ohsuna, H., Ikezawa, Z., Inouye, S. (2000) IgE antibody to fish gelatin (type I collagen) in patients with fish allergy. *J Allergy Clin Immunol*, 106(3):579-584.
188. Sampson, H. A. (1997). Food allergy. *JAMA*, 278(22):1888-1894.
189. Sampson, H. A. (1999). Food allergy. Part 1: Immunopathogenesis and clinical disorders. *J Allergy Clin Immunol*, 103(5):717-728.
190. Sampson, H. A. (2003). Anaphylaxis and emergency treatment. *Pediatrics*, 111 (6 Pt 3):1601-1608.
191. Sampson, H. A. (2004). Update on food allergy. *J Allergy Clin Immunol*, 113(5):805-819.
192. Sampson, H. A. (2005). Food allergy - accurately identifying clinical reactivity. *Allergy*, 60 Suppl 79:19-24.
193. Sampson, H. A., Bernhisel-Broadbent, J., Yang, E., Scanlon, S. M. (1991). Safety of casein hydrolysate formula in children with cow milk allergy. *J Pediatr*, 118(4:Pt 1):520-525.
194. Sampson, H. A., James, J. M., Bernhisel-Broadbent, J. (1992). Safety of an amino acid-derived infant formula in children allergic to cow milk. *Pediatrics*, 90:463-465.
195. Sampson, H. A., Mendelson, L., Rosen, J. P. (1992). Fatal and near-fatal anaphylactic reactions to food in children and adolescents. *N Engl J Med*, 327(6):380-384.
196. Saylor, J. D. and Bahna, S. L. (1991). Anaphylaxis to casein hydrolysate formula. *J Pediatr*, 118(1):71-4.
197. Schuppan, D. (2000). Current concepts of celiac disease pathogenesis. *Gastroenterology*, 119:234-242.
198. Schuppan, D. and Hahn, E. G. (2001). IgA anti-tissue transglutaminase: Setting the stage for coeliac disease screening. *Eur J Gastroenterol Hepatol*, 13:635-637.
199. Schuppan, D. and Hahn, E. G. (2002). Biomedicine. Gluten and the gut-lessons for immune regulation. *Science*, 297:2218-2220.
200. Schwartz, R. H. and Amonette, M. S. (1991). Cow milk protein hydrolysate infant formulas not always "hypoallergenic". *J Pediatr*, 119:839-840.

201. Shan, L., Molberg, O., Parrot, I., Hausch, F., Filiz, F., Gray, G. M., Sollid, L. M., Khosla, C. (2002). Structural basis for gluten intolerance in celiac sprue. *Science*, 297:2275-2279.
202. Shefcheck, K. J. and Musser, S. M. (2004). Confirmation of the allergenic peanut protein, Ara h 1, in a model food matrix using liquid chromatography/tandem mass spectrometry (LC/MS/MS). *J Agric Food Chem*, 52:2785-2790.
203. Sicherer, S. H. (2001). Clinical implications of cross-reactive food allergens. *J Allergy Clin Immunol*, 108:881-890.
204. Sicherer, S. H., Burks, A. W., Sampson, H. A. (1998). Clinical features of acute allergic reactions to peanut and tree nuts in children. *Pediatrics*, 102:1-6.
205. Sicherer, S. H., Noone, S. A., Koerner, C. B., Christie, L., Burks, A. W., Sampson, H. A. (2001). Hypoallergenicity and efficacy of an amino acid-based formula in children with cow's milk and multiple food hypersensitivities. *J Pediatr*, 138:688-693.
206. Sicherer, S. H., Morrow, E. H., Sampson, H. A. (2000). Dose-response in double-blind, placebo-controlled oral food challenges in children with atopic dermatitis. *J Allergy Clin Immunol*, 105:582-586.
207. Sicherer, S. H., Munoz-Furlong, A., Sampson, H. A. (2003). Prevalence of peanut and tree nut allergy in the United States determined by means of a random digit dial telephone survey: A 5-year follow-up study. *J Allergy Clin Immunol*, 112(6):1203-1207.
208. Sicherer, S. H., Munoz-Furlong, A., Sampson, H. A. (2004). Prevalence of seafood allergy in the United States determined by a random telephone survey. *J Allergy Clin Immunol*, 114(1):159-165.
209. Skerrett, J. H. and Hill, A. S. (1991). Enzyme immunoassay for determination of gluten in foods: collaborative study. *J Assoc Off Anal Chem*, 74(2):257-264.
210. Skinner and Haynes. (1998). Seed crushers and oil processors association report as reported in: WHO Food Additive Series 44 and in EFSA Notification.
211. St. Vincent, J. C. M., Watson, W. T. A. (1994). Unsuspected sources of cow's milk protein in food. *J Allergy Clin. Immunol*, 93:209. Abstract.
212. Steensma, D. P. (2003). The kiss of death: a severe allergic reaction to a shellfish induced by a good-night kiss. *Mayo Clin Proc*, 78(2):221-222.
213. Storsrud, S., Hulthen, L.R., Lenner, R. A. (2003). Beneficial effects of oats in the gluten-free diet of adults with special reference to nutrient status, symptoms and subjective experiences. *Br J Nutr*, 90(1):101-107.
214. Sturgess, R., Day, P., Ellis, H. J., Lundin, K. E., Gjertsen, H. A., Kontakou, M., Ciclitira, P. J. (1994). Wheat peptide challenge in coeliac disease. *Lancet*, 343:758-761.
215. Tada, Y., Nakase, M., Adachi, T., Nakamura, R., Shimada, H., Takahashi, M., Fujimura, T., Matsuda, T. (1996). Reduction of 14-16 kDa allergenic proteins in transgenic rice plants by antisense gene. *FEBS Lett*, 391(3):341-345.
216. Talley, N. J., Valdovinos, M., Petterson, T. M., Carpenter, H. A., Melton, L. J. (1994). Epidemiology of celiac sprue: a community-based study. *Am J Gastroenterol*, 89(6):843-846.

217. Tarim, O., Anderson, V. M., Lifshitz, F. (1994). Fatal anaphylaxis in a very young infant possibly due to a partially hydrolyzed whey formula. *Arch Pediatr Adolesc Med*, 148:1224-1229.
218. Tattrie, N. and Yaguchi, M. (1973). Protein content of various processed edible oils. *Journal of the Institute for Cancer, Science Technology and Alimentation*, 6:289-290.
219. Taylor, S. L., Busse, W. W., Sachs, M. I., Parker, J. L., Yunginger, J. W. (1981). Peanut oil is not allergenic to peanut-sensitive individuals. *J Allergy Clin Immunol*, 68(5):372-375.
220. Taylor, S. L. and Dormedy, E. S. (1998). The role of flavoring substances in food allergy and intolerance. *Adv Food Nutr Res*, 42:1-44.
221. Taylor, S. L. and Hefle, S. L. (2001). Ingredient and labeling issues associated with allergenic foods. *Allergy*, 56 Supple 67:64-69.
222. Taylor, S. L., Hefle, S. L., Bindslev-Jensen, C., Atkins, F. M., Andre, C., Bruijnzeel-Koomen, C., Burks, A. W., Bush, R. K., Ebisawa, M., Eigenmann, P. A., Host, A., Hourihane, J. O., Isolauri, E., Hill, D. J., Knulst, A., Lack, G., Sampson, H. A., Moneret-Vautrin, D. A., Rance, F., Vadas, P. A., Yunginger, J. W., Zeiger, R. S., Salminen, J. W., Madsen, C., Abbott, P. (2004). A consensus protocol for the determination of the threshold doses for allergenic foods: how much is too much? *Clin Exp Allergy*, 34:689-695.
223. Taylor, S. L., Hefle, S. L., Bindslev-Jensen, C., Bock, S. A., Burks, A. W., Jr., Christie, L., Hill, D. J., Host, A., Hourihane, J. O., Lack, G., Metcalfe, D. D., Moneret-Vautrin, D. A., Vadas, P. A., Rance, F., Skrypec, D. J., Trautman, T. A., Yman, I. M. and Zeiger, R. S. (2002). Factors affecting the determination of threshold doses for allergenic foods: How much is too much? *J Allergy Clin Immunol*, 109: 24-30.
224. Tepnel - BioKits food allergen protein additive kits. (2005). Accessible on May 2005 at http://www.tepnel.com/ag_bio_and_food_testing/allergen_products.asp
225. Tepnel - BioKits product information summary. (2005). Accessible on May 2005 at http://www.tepnel.com/ag_bio_and_food_testing/allergens_product_summary.asp
226. Tepnel Biosystems. Bio Kits peanut assay kit. (2005). For the detection of peanut content in foods. Accessible on May 2005 at http://www.tepnel.com/ag_bio_and_food_testing/downloads/LA0035%20BK%20P%20Peanut%20Flyer%20v01.pdf
227. Teuber, S. S., Brown, R. L., Haapanen, L. A. D., (1997). Allergenicity of gourmet nut oils processed by different methods. *J Allergy Clin Immunol*, 99:502-507.
228. Teuber, S. S. and Peterson, W. R. (1999). Systemic allergic reaction to coconut (*Cocos nucifera*) in 2 subjects with hypersensitivity to tree nut and demonstration of cross-reactivity to legumin-like seed storage proteins: new coconut and walnut food allergens. *J Allergy Clin Immunol*, 103(6):1180-1185.

229. Thompson, T. (2001). Wheat starch, gliadin, and the gluten-free diet. *J Am Diet Assoc*, 101(12):1456-1459.
230. Thompson, T. (2003). Oats and the gluten-free diet. *J Am Diet Assoc*, 103(3):376-379.
231. Thompson, T. (2004). Gluten contamination of commercial oat products in the United States. *N Engl J Med*, 351(19):2021-2022.
232. United States Department of Agriculture (USDA) (1999). Official United States Standards for Grain. Subpart A: General Provisions. Accessible on June 2005 at <http://151.121.3.117/reference-library/standards/810101.pdf>. [Note standards for specific grains are also available at <http://151.121.3.117/reference-library/standards/standards.htm>].
233. United States Department of Agriculture (USDA) (2004). Agricultural Research Service (2004), *USDA National Nutrient Database for Standard Reference, Release 17*. Accessible on June 2005 at <http://www.nal.usda.gov/fnic/foodcomp>.
234. United States Department of Health and Human Services and United States Department of Agriculture (DHHS/USDA). (2003). Quantitative assessment of the relative risk to public health from foodborne *Listeria monocytogenes* among selected categories of ready-to-eat foods. College Park, Maryland. Accessible on May 2005 at www.foodsafety.gov
235. United States Food and Drug Administration (FDA). (2001). Draft risk assessment on the public health impact of *Vibrio parahaemolyticus* in raw molluscan shellfish. Washington, D.C. Accessible on May 2005 at www.foodsafety.gov
236. Urisu, A., Ando, H., Morita, Y., Wada, E., Yasaki, T., Yamada, K., Komada, K., Torii, S., Goto, M., Wakamatsu, T. (1997). Allergenic activity of heated and ovomucoid-depleted egg white. *J Allergy Clin Immunol*, 100(2):171-176.
237. Vader, W., Kooy, Y., Van Veelen, P., De Ru, A., Harris, D., Benckhuijsen, W., Pena, S., Mearin, L., Drijfhout, J. W., Koning, F. (2002). The gluten response in children with celiac disease is directed toward multiple gliadin and glutenin peptides. *Gastroenterology*, 122(7):1729-1737.
238. van de Wal, Y., Kooy, Y. M., van Veelen, P., Vader, W., August, S. A., Drijfhout, J. W., Pena, S. A., Koning, F. (1999). Glutenin is involved in the gluten-driven mucosal T cell response. *Eur J Immunol*, 29(10):3133-3139.
239. Venkatachalam, M., Teuber, S. S., Roux, K. H., Sathe, S. K. (2002). Effects of roasting, blanching, autoclaving, and microwave heating on antigenicity of almond (*Prunus dulcis* L.) proteins. *J Agric Food Chem*, 50(12):3544-3548.
240. Vila, L., Beyer, K., Jarvinen, K. M., Chatchatee, P., Bardina, L., Sampson, H. A. (2001). Role of conformational and linear epitopes in the achievement of tolerance in cow's milk allergy. *Clin Exp Allergy*, 31(10):1599-1606.
241. Voysey, P., Jewell, K., and Stringer, M. (2002). Risk Characterization. IN: *Microbiological risk assessment in food processing*. Ed. M. Brown and M. Stringer. Woodhead Publishing Limited, Cambridge England.
242. Wahab, P. J., Crusius, J. B., Meijer, J. W., Mulder, C. J. (2001). Gluten challenge in borderline gluten-sensitive enteropathy. *Am J Gastroenterol*, 96:1464-1469.

243. Waring, N. P., Daul, C. B., deShazo, R. D., McCants, M. L., Lehrer, S. B. (1985). Hypersensitivity reactions to ingested crustacea: clinical evaluation and diagnostic studies in shrimp-sensitive individuals., *J Allergy Clin Immunol*, 76(3):440-445.
244. Wei, Y., Sathe, S. K., Teuber, S. S., Roux, K. H. (2003). A sensitive sandwich ELISA for the detection of trace amounts of cashew (*Anacardium occidentale* L.) nut in foods. *J Agric Food Chem*, 51(11):3215-3221.
245. Wensing, M., Penninks, A. H., Hefle, S. L., Akkerdaas, J. H., van Ree, R., Koppelman, S. J., Bruijnzeel-Koomen, C. A., Knulst, A. C. (2002a). The range of minimum provoking doses in hazelnut-allergic patients as determined by double-blind, placebo-controlled food challenges. *Clin Exp Allergy*, 32:1757-1762.
246. Wensing, M., Penninks, A. H., Hefle, S. L., Koppelman, S. J., Bruijnzeel-Koomen, C. A., Knulst, A. C. (2002b). The distribution of individual threshold doses eliciting allergic reactions in a population with peanut allergy. *J Allergy Clin Immunol*, 110:915-920.
247. Wigotzki, M., Steinhart, H., Paschke, A. (2001). Determination of the allergenicity of various hazelnut products by immunoblotting and enzyme allergosorbent test inhibition. *J Chromatogr B Biomed Sci Appl*, 756(1-2): 239-248.
248. Wood, R. A. (2002). Food manufacturing and the allergic consumer: accidents waiting to happen. *J Allergy Clin Immunol*, 109(6):920-922.
249. World Health Organization (1987). Principles for the Safety assessment of food additives and contaminants in Food Environmental Health Criteria 70, International Programme on Chemical Safety, Geneva. Accessible on June 2005 at <http://www.inchem.org/documents/ehc/ehc/ehc70.htm>
250. World Health Organization (2004). Principles for modeling dose-response for the risk assessment of chemicals. Accessible on April 2005 at <http://www.who.int/en/>
251. Wuthrich, B., Ballmer-Weber, B. K. (2001). Food-induced anaphylaxis. *Allergy*, 56:102-104.
252. Yeung, J. M., Collins, P. G. (1996). Enzyme immunoassay for determination of peanut proteins in food products. *JAOAC Int*, 79(6):1411-1416.
253. Yunginger, J. W., Ahlstedt, S., Eggleston, P. A., Homburger, H. A., Nelson, H. S., Ownby, D. R., Platts-Mills, T. A., Sampson, H. A., Sicherer, S. H., Weinstein, A. M., Williams, P. B., Wood, R. A., Zeiger, R. S. (2000). Quantitative IgE antibody assays in allergic diseases. *J Allergy Clin Immunol*, 105:1077-1084.
254. Yunginger, J. W., Gauerke, M. B., Jones, R. T., Dahlberg, M. J. E., Ackerman, S. J. (1983). Use of radioimmunoassay to determine the nature, quantity and source of allergenic contamination of sunflower butter. *J Food Protection*, 46:625-628.
255. Yunginger, J. W., Sweeney, K. G., Sturner, W. Q., Giannandrea, L. A., Teigland, J. D., Bray, M., Benson, P. A., York, J. A., Biedrzycki, L., Squillace, D. L., Helm, R. M. (1988). Fatal food-induced anaphylaxis. *JAMA*, 260(10):1450-1452;

256. Zarkadas, M., Scott, F. W., Salminen, J., Ham Pong A. (1999). Common allergenic foods and their labeling in Canada – A review. *Canadian Journal of Allergy & Clinical Immunology*, 4(3):118-141.
257. Zeiger, R. S., Sampson, H. A., Bock, S.A., Burks, A.W. Jr., Harden, K., Noone, S., Martin, D., Leung, S., Wilson, G. (1999). Soy allergy in infants and children with IgE-associated cow's milk allergy. *J Pediatr*, 134(5):614-622.