

January 13, 2000

NIH SPECIFICATION

Open Formula Rat and Mouse Irradiated High Fat (10%) Ration
(NIH-40)

Formulation

<u>Ingredients</u>	<u>Percentage by Weight</u>
Ground whole hard wheat	35.40
Ground #2 yellow corn	14.40
Ground whole oats	10.00
Wheat middlings	10.00
Fish meal (60% protein)	9.00
Soy oil	7.00
Soybean meal (48.5% protein)	6.10
Alfalfa meal (17% protein)	2.00
Corn gluten meal (60% protein)	2.00
Dicalcium phosphate	1.50
Yeast-Brewers	1.00
Premixes	0.60
Ground limestone	0.50
Salt	<u>0.50</u>
	100.00

All ingredients shall be ground to pass through a U.S. Standard Screen No.16 prior to mixing.

Vitamin Fortification per ton (2,000 lbs) of Finished Product.

<u>Vitamin</u>	<u>Amount</u>	<u>Source</u>
A	14,500,000 IU	Vitamin A Palmitate or Acetate
D ₃	4,600,000 IU	D activated animal sterol
K	2.8 g.	Menadione activity
dl alpha-tocopheryl Acetate	20,000 IU	
Choline	560 g.	Choline Chloride
Folic Acid	2.2 g.	
Niacin	30 g.	
d Pantothenic Acid	18 g.	d-Calcium Pantothenate

Riboflavin supplement	6.6 g.	
Thiamin	10 g.	Thiamin mono nitrate
B ₁₂ supplement	58.2 mg.	
Pyridoxine	1.7 g.	Pyridoxine hydrochloride
Biotin	113.5 mg.	d-Biotin

Mineral Fortification per ton (2,000 lbs.) of Finished Product

<u>Mineral</u>	<u>Amount</u>	<u>Source</u>
Cobalt	400 mg.	Cobalt carbonate
Copper	4 g.	Copper sulfate
Iron	60 g.	Iron sulfate
Magnesium	400 g.	Magnesium oxide
Manganese	100 g.	Manganese oxide
Zinc	10 g.	Zinc oxide
Iodine	1500 mg.	Calcium iodate

These concentrations of vitamins and minerals shall be added to the ration via two separate (vitamin and mineral) premixes. For the mineral fortification, the actual amount of each element required is specified. Therefore, the contractor shall adjust the amount of each compound used in the premix according to its mineral concentration.

Micro Analysis - The total calculated concentrations of nutrients in the ration from ingredients and from the fortifications at the time of manufacture should be as follows:

Crude protein	%	Minimum	18.0
Crude fat	%	Minimum	10.0
Crude fiber	%	Maximum	4.5
Ash	%	Maximum	8.0

Amino Acids	
(% of total diet)	Minimum
Arginine	.90
Lysine	.85
Methionine	.35
Cystine	.25
Tryptophan	.20
Glycine	.95
Histidine	.38
Leucine	1.40
Isoleucine	.95
Phenylalanine	.85
Tyrosine	.60

Threonine	.65
Valine	.90

Minerals

Calcium	%	Minimum	1.00
Phosphorous	%	"	.85
Potassium	%	"	.55
Sodium	%	"	.25
Magnesium	%	"	.15
Iron	PPM	"	300.00
Zinc	PPM	"	40.00
Manganese	PPM	"	140.00
Copper	PPM	"	12.00
Cobalt	PPM	"	0.70
Iodine	PPM	"	1.80

Vitamins

Vitamins A	IU/g	"	17.0 (8.0)*
Vitamin D	IU/g	"	4.0
Alpha-tocopherol	PPM	"	45.0
Thiamin	PPM	"	15.0
Riboflavin	PPM	"	9.0
Niacin	PPM	"	70.0
Pantothenic Acid	PPM	"	30.0
Choline	PPM	"	1900.0
Pyridoxine	PPM	"	10.0
Folic Acid	PPM	"	2.0
Biotin	PPM	"	.2
Vitamin B ₁₂	mcg/kg	"	75.0
Vitamin K	PPM	"	2.0

* TRUE VITAMIN A ACTIVITY BY HPLC METHOD