

Author Index to Volume 103

Numbers in parenthesis in italic type after the volume number are the issue numbers

- No. 1 January–February
- No. 2 March–April
- No. 3 May–June
- No. 4 July–August
- No. 5 September–October
- No. 6 November–December

A

Allen, R. H.

Workshop on Knowledge-Based Systems Interoperability. Allen, R. H., Sriram, R. D., **103(5)**, 535 (1998).

Avers, R. J.

Acid-Assisted Consolidation of Silver Alloys for Direct Fillings. Eichmiller, F. D., Hoffman, K. M., Guiseppe, A. A., Wray, M. M., Avers, R. J., **103(5)**, 511 (1998).

B

Balzaretti, N. M.

Workshop on Thin Film Thermal Conductivity Measurement at the Thirteenth Symposium on Thermophysical Properties. Feldman, A., Balzaretti, N. M., **103(1)**, 107 (1998).

Beaubian, M.

The 1996 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Eramjian, J., Tusson, J., Mestechkina, T., Beaubian, M., Gibson, J., Hayes, D., **103(5)**, 449 (1998).

Belzer, B. J.

NIST Workshop on Thin Dielectric Film Metrology. Belzer, B. J., Ehrstein, J. R., **103(4)**, 415 (1998).

Berndt, C. C.

The 1995 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Sun, Y., Lucas, T., Mestechkina, T., Harrison, L., Berndt, J., Hayes, D., **103(1)**, 15 (1998).

Blanco, J. C.

High-Temperature Adiabatic Calorimeter for Constant-Volume Heat Capacity Measurements of Compressed Gases and Liquids. Magee, J. W., Deal, R. J., Blanco, J. C., **103(1)**, 63 (1998).

C

Cage, M. E.

Calculating the Effects of Longitudinal Resistance in Multi-Series-Connected Quantum Hall Effect Devices. Cage, M. E., Jeffery, A., Elmquist, R. E., Lee, K. C., **103(6)**, 561 (1998).

A Problem in AC Quantized Hall Resistance Measurements and a Proposed Solution. Cage, M. E., Jeffery, A., **103(6)**, 593 (1998).

Christophorou, L. G.

Gaseous Dielectrics VIII (Eighth International Symposium on Gaseous Dielectrics). Christophorou, L. G., Olthoff, J. K., **103(5)**, 517 (1998).

Cook, L. P.

Liquidus Diagram of the Ba-Y-Cu-O System in the Vicinity of the $\text{Ba}_2\text{YC}_{3}\text{O}_{6+x}$ Phase Field. Wong-Ng, W., Cook, L. P., **103(4)**, 379 (1998).

D**Das, N. C.**

Image Evaluation of the High Resolution VUV Spectrometer at SURF II by Ray Tracing. Das, N. C., Madden, R. P., Seyoum, H. M., **103(5)**, 483 (1998).

Datla, R. U.

Development of a Bolometer Detector System for the NIST High Accuracy Infrared Spectrophotometer. Zong, Y., Datla, R. U., **103(6)**, 605 (1998).

Deal, R. J.

High-Temperature Adiabatic Calorimeter for Constant-Volume Heat Capacity Measurements of Compressed Gases and Liquids. Magee, J. W., Deal, R. J., Blanco, J. C., **103(1)**, 63 (1998).

DeLuisi, J.

The 1995 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Sun, Y., Lucas, T., Mestechkina, T., Harrison, L., Berndt, J., Hayes, D., **103(1)**, 15 (1998).

The 1996 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Ehramjian, J., Tusson, J., Mestechkina, T., Beaubian, M., Gibson, J., Hayes, D., **103(5)**, 449 (1998).

Disterhoft, P.

The 1995 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Sun, Y., Lucas, T., Mestechkina, T., Harrison, L., Berndt, J., Hayes, D., **103(1)**, 15 (1998).

The 1996 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Ehramjian, J., Tusson, J., Mestechkina, T., Beaubian, M., Gibson, J., Hayes, D., **103(5)**, 449 (1998).

Domanski, P. A.

Refrigerants for the 21st Century ASHRAE/NIST Refrigerants Conference. Domanski, P. A., **103(5)**, 529 (1998).

Douglas, J. F.

NIST Meeting on Multicomponent Polymers and Polyelectrolytes. Douglas, J. F., **103(2)**, 225 (1998).

Duffey, M. R.

NIST Workshop on Process Information Technology: From Research to Industry. Moncarz, H. T., Schlenoff, C., Gruninger, M., Duffey, M., Knutilla, A., **103(5)**, 519 (1998).

E**Early, E. A.**

Ultraviolet Spectral Irradiance Scale Comparison: 210 nm to 300 nm. Thompson, A., Early, E. A., O'Brian, T. R., **103(1)**, 1 (1998).

The 1995 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Sun, Y., Lucas, T., Mestechkina, T., Harrison, L., Berndt, J., Hayes, D., **103(1)**, 15 (1998).

The 1996 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Ehramjian, J., Tusson, J., Mestechkina, T., Beaubian, M., Gibson, J., Hayes, D., **103(5)**, 449 (1998).

Eberhardt, K. R.

Calculation of Measurement Uncertainty Using Prior Information. Phillips, S. D., Estler, W. T., Levenson, M. S., Eberhardt, K. R., **103(6)**, 625 (1998).

Ehramjian, J.

The 1996 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Ehramjian, J., Tusson, J., Mestechkina, T., Beaubian, M., Gibson, J., Hayes, D., **103**(5), 449 (1998).

Ehrlich, C. D.

Metrological Timelines in Traceability. Ehrlich, C. D., Rasberry, S. D., **103**(1), 93 (1998).

Ehrstein, J. R.

NIST Workshop on Thin Dielectric Film Metrology. Belzer, B. J., Ehrstein, J. R., **103**(4), 415 (1998).

Eichmiller, F. C.

Acid-Assisted Consolidation of Silver Alloys for Direct Fillings. Eichmiller, F. D., Hoffman, K. M., Guiseppetti, A. A., Wray, M. M., Avers, R. J., **103**(5), 511 (1998).

Elmquist, R. E.

Calculating the Effects of Longitudinal Resistance in Multi-Series-Connected Quantum Hall Effect Devices. Cage, M. E., Jeffery, A., Elmquist, R. E., Lee, K. C., **103**(6), 561 (1998).

Eppeldauer, G. P.

Chopped Radiation Measurements With Large Area Si Photodiodes. Eppeldauer, G. P., **103**(2), 153 (1998).

Spectral Response Based Calibration Method of Tristimulus Colorimeters. Eppeldauer, G., **103**(6), 615 (1998).

Estler, W. T.

Uncertainty Analysis for Angle Calibrations Using Circle Closure. Estler, W. T., **103**(2), 141 (1998).

Calculation of Measurement Uncertainty Using Prior Information. Phillips, S. D., Estler, W. T., Levenson, M. S., Eberhardt, K. R., **103**(6), 625 (1998).

F**Feldman, A.**

Workshop on Thin Film Thermal Conductivity Measurement at the Thirteenth Symposium on Thermophysical Properties. Feldman, A., Balzaretti, N. M., **103**(1), 107 (1998).

Filla, B. J.

Thermal Conductivity of Magnesium Oxide From Absolute, Steady-State Measurements. Slifka, A. J., Filla, B. J., Phelps, J. M., **103**(4), 357 (1998).

G**Gibson, J.**

The 1996 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Ehramjian, J., Tusson, J., Mestechkina, T., Beaubian, M., Gibson, J., Hayes, D., **103**(5), 449 (1998).

Gruninger, M.

NIST Workshop on Process Information Technology: From Research to Industry. Moncarz, H. T., Schlenoff, C., Gruninger, M., Duffey, M., Knutilla, A., **103**(5), 519 (1998).

Guiseppetti, A. A.

Acid-Assisted Consolidation of Silver Alloys for Direct Fillings. Eichmiller, F. D., Hoffman, K. M., Guiseppetti, A. A., Wray, M. M., Avers, R. J., **103**(5), 511 (1998).

H**Hackley, V. A.**

International Workshop on Ultrasonic and Dielectric Characterization Techniques for Suspended Particulates. Hackley, V. A., Texter, J., **103**(2), 217 (1998).

Hardin, G. R.

Moving Particles Through a Finite Element Mesh.
Peskin, A. P., Hardin, G. R., **103**(1), 77 (1998).

Harrison, L.

The 1995 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Sun, Y., Lucas, T., Mestechkina, T., Harrison, L., Berndt, J., Hayes, D., **103**(1), 15 (1998).

Hayes, D.

The 1995 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Sun, Y., Lucas, T., Mestechkina, T., Harrison, L., Berndt, J., Hayes, D., **103**(1), 15 (1998).

The 1996 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Ehramjian, J., Tusson, J., Mestechkina, T., Beaubian, M., Gibson, J., Hayes, D., **103**(5), 449 (1998).

Hoffman, K. M.

Acid-Assisted Consolidation of Silver Alloys for Direct Fillings. Eichmiller, F. D., Hoffman, K. M., Guisepetti, A. A., Wray, M. M., Avers, R. J., **103**(5), 511 (1998).

Hudgens, J. W.

Fourth International Conference on Chemical Kinetics. Huie, R. E., Hudgens, J. W., **103**(4), 425 (1998).

Huie, R. E.

Fourth International Conference on Chemical Kinetics. Huie, R. E., Hudgens, J. W., **103**(4), 425 (1998).

I**Itano, W. M.**

Experimental Issues in Coherent Quantum-State Manipulation of Trapped Atomic Ions. Wineland, D. J., Monroe, C., Itano, W. M., Leibfried, D., King, B. E., Meekhof, D. M., **103**(3), 259 (1998).

J**Jeffery, A.**

An Easy-To-Use Combination Four-Terminal-Pair/Two-Terminal-Pair AC Transformer Bridge. Jeffery, A., Shields, J. Q., Lee, L. H., **103**(2), 163 (1998).

Calculating the Effects of Longitudinal Resistance in Multi-Series-Connected Quantum Hall Effect Devices. Cage, M. E., Jeffery, A., Elmquist, R. E., Lee, K. C., **103**(6), 561 (1998).

A Problem in AC Quantized Hall Resistance Measurements and a Proposed Solution. Cage, M. E., Jeffery, A., **103**(6), 593 (1998).

Johnson, C.

The 1995 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Sun, Y., Lucas, T., Mestechkina, T., Harrison, L., Berndt, J., Hayes, D., **103**(1), 15 (1998).

The 1996 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Ehramjian, J., Tusson, J., Mestechkina, T., Beaubian, M., Gibson, J., Hayes, D., **103**(5), 449 (1998).

K**King, B.**

Experimental Issues in Coherent Quantum-State Manipulation of Trapped Atomic Ions. Wineland, D. J., Monroe, C., Itano, W. M., Leibfried, D., King, B. E., Meekhof, D. M., **103**(3), 259 (1998).

Knutilla, A.

NIST Workshop on Process Information Technology: From Research to Industry. Moncarz, H. T., Schlenoff, C., Gruninger, M., Duffey, M., Knutilla, A., **103**(5), 519 (1998).

Kotochigova, S. A.

Accurate Ab Initio Calculation of Molecular Constants. Kotochigova, S. A., Tupitsyn, I., **103**(2), 201 (1998).

Hyperfine Structure Constants for Diatomic Molecules. Tupitsyn, I., Kotochigova, S. A., **103**(2), 205 (1998).

L**Laitano, R. F.**

Comparison of the NIST and ENEA Air Kerma Standards. Laitano, R. F., Lamperti, P. J., Toni, M. P., **103**(4), 365 (1998).

Lamperti, P. J.

Comparison of the NIST and ENEA Air Kerma Standards. Laitano, R. F., Lamperti, P. J., Toni, M. P., **103**(4), 365 (1998).

Lee, K. C.

Degradation of GaAs/AlGaAs Quantized Hall Resistors With Alloyed AuGe/Ni Contacts. Lee, K. C., **103**(2), 177 (1998).

Calculating the Effects of Longitudinal Resistance in Multi-Series-Connected Quantum Hall Effect Devices. Cage, M. E., Jeffery, A., Elmquist, R. E., Lee, K. C., **103**(6), 561 (1998).

Lee, L. H.

An Easy-To-Use Combination Four-Terminal-Pair/Two-Terminal-Pair AC Transformer Bridge. Jeffery, A., Shields, J. Q., Lee, L. H., **103**(2), 163 (1998).

Leibfried, D.

Experimental Issues in Coherent Quantum-State Manipulation of Trapped Atomic Ions. Wineland, D. J.,

Monroe, C., Itano, W. M., Leibfried, D., King, B. E., Meekhof, D. M., **103**(3), 259 (1998).

Levenson, M. S.

Calculation of Measurement Uncertainty Using Prior Information. Phillips, S. D., Estler, W. T., Levenson, M. S., Eberhardt, K. R., **103**(6), 625 (1998).

Lucas, T.

The 1995 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Sun, Y., Lucas, T., Mestechkina, T., Harrison, L., Berndt, J., Hayes, D., **103**(1), 15 (1998).

M**Madden, R. P.**

Image Evaluation of the High Resolution VUV Spectrometer at SURF II by Ray Tracing. Das, N. C., Madden, R. P., Seyoum, H. M., **103**(5), 483 (1998).

Magee, J. W.

High-Temperature Adiabatic Calorimeter for Constant-Volume Heat Capacity Measurements of Compressed Gases and Liquids. Magee, J. W., Deal, R. J., Blanco, J. C., **103**(1), 63 (1998).

Meekhof, D.

Experimental Issues in Coherent Quantum-State Manipulation of Trapped Atomic Ions. Wineland, D. J., Monroe, C., Itano, W. M., Leibfried, D., King, B. E., Meekhof, D. M., **103**(3), 259 (1998).

Mestechkina, T.

The 1995 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Sun, Y., Lucas, T., Mestechkina, T., Harrison, L., Berndt, J., Hayes, D., **103**(1), 15 (1998).

The 1996 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoff, P., Wardle, D., Wu, E., Mou, W., Ehramjian, J., Tusson, J., Mestechkina, T., Beaubian, M., Gibson, J., Hayes, D., **103**(5), 449 (1998).

Mielenz, K. D.

Algorithms for Fresnel Diffraction at Rectangular and Circular Apertures. Mielenz, K. D., **103**(5), 497 (1998).

Mitchell, W. F.

The Refinement-Tree Partition for Parallel Solution of Partial Differential Equations. Mitchell, W. F., **103**(4), 405 (1998).

Moldover, M. R.

Can a Pressure Standard be Based on Capacitance Measurements? Moldover, M. R., **103**(2), 167 (1998).

Moncarz, H.

NIST Workshop on Process Information Technology: From Research to Industry. Moncarz, H. T., Schlenoff, C., Gruninger, M., Duffey, M., Knutilla, A., **103**(5), 519 (1998).

Monroe, C.

Experimental Issues in Coherent Quantum-State Manipulation of Trapped Atomic Ions. Wineland, D. J., Monroe, C., Itano, W. M., Leibfried, D., King, B. E., Meekhof, D. M., **103**(3), 259 (1998).

Mou, W.

The 1995 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoff, P., Wardle, D., Wu, E., Mou, W., Sun, Y., Lucas, T., Mestechkina, T., Harrison, L., Berndt, J., Hayes, D., **103**(1), 15 (1998).

The 1996 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoff, P., Wardle, D., Wu, E., Mou, W., Ehramjian, J., Tusson, J., Mestechkina, T., Beaubian, M., Gibson, J., Hayes, D., **103**(5), 449 (1998).

Murthy, A. V.

Aperture Proximity Effects in High Heat Flux Sensors Calibration. Murthy, A. V., Tsai, B. K., Saunders, R. D., **103**(6), 621 (1998).

O**O'Brian, T. R.**

Ultraviolet Spectral Irradiance Scale Comparison: 210 nm to 300 nm. Thompson, A., Early, E. A., O'Brian, T. R., **103**(1), 1 (1998).

Olthoff, J. K.

Gaseous Dielectrics VIII (Eighth International Symposium on Gaseous Dielectrics). Christophorou, L. G., Olthoff, J. K., **103**(5), 517 (1998).

P**Peskin, A. P.**

Moving Particles Through a Finite Element Mesh. Peskin, A. P., Hardin, G. R., **103**(1), 77 (1998).

Phelps, J. M.

Thermal Conductivity of Magnesium Oxide From Absolute, Steady-State Measurements. Slifka, A. J., Filla, B. J., Phelps, J. M., **103**(4), 357 (1998).

Phillips, S. D.

Calculation of Measurement Uncertainty Using Prior Information. Phillips, S. D., Estler, W. T., Levenson, M. S., Eberhardt, K. R., **103**(6), 625 (1998).

R**Rasberry, S. D.**

Metrological Timelines in Traceability. Ehrlich, C. D., Rasberry, S. D., **103**(1), 93 (1998).

Rossiter, W. J.

Fourth International Symposium on Roofing Technology. Rossiter, W. J., Jr., **103**(2), 209 (1998).

S

Saunders, R. D.

Aperture Proximity Effects in High Heat Flux Sensors Calibration. Murthy, A. V., Tsai, B. K., Saunders, R. D., **103**(6), 621 (1998).

Schlenoff, C. I.

NIST Workshop on Process Information Technology: From Research to Industry. Moncarz, H. T., Schlenoff, C., Gruninger, M., Duffey, M., Knutilla, A., **103**(5), 519 (1998).

Seyoum, H. M.

Image Evaluation of the High Resolution VUV Spectrometer at SURF II by Ray Tracing. Das, N. C., Madden, R. P., Seyoum, H. M., **103**(5), 483 (1998).

Shakarji, C. M.

Least-Squares Fitting Algorithms of the NIST Algorithm Testing System. Shakarji, C. M., **103**(6), 633 (1998).

Shields, J. Q.

An Easy-To-Use Combination Four-Terminal-Pair/Two-Terminal-Pair AC Transformer Bridge. Jeffery, A., Shields, J. Q., Lee, L. H., **103**(2), 163 (1998).

Shobe, J.

Electronic Dosimetry Workshop. Shobe, J., Swinth, K. L., **103**(4), 421 (1998).

Slifka, A. J.

Thermal Conductivity of Magnesium Oxide From Absolute, Steady-State Measurements. Slifka, A. J., Fillia, B. J., Phelps, J. M., **103**(4), 357 (1998).

Sriram, R. D.

Workshop on Knowledge-Based Systems Interoperability. Allen, R. H., Sriram, R. D., **103**(5), 535 (1998).

Sun, Y.

The 1995 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Sun, Y., Lucas, T., Mestechkina, T., Harrison, L., Berndt, J., Hayes, D., **103**(1), 15 (1998).

Swinth, K. L.

Electronic Dosimetry Workshop. Shobe, J., Swinth, K. L., **103**(4), 421 (1998).

T

Texter, J.

International Workshop on Ultrasonic and Dielectric Characterization Techniques for Suspended Particulates. Hackley, V. A., Texter, J., **103**(2), 217 (1998).

Thompson, A.

Ultraviolet Spectral Irradiance Scale Comparison: 210 nm to 300 nm. Thompson, A., Early, E. A., O'Brian, T. R., **103**(1), 1 (1998).

The 1995 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Mou, W., Wardle, D., Berndt, C. C., Sun, Y., DeLuisi, J., Lucas, T., Disterhoft, P., Wu, E., Harrison, L., Johnson, C., Thompson, A., Mestechkina, T., Hayes, D., Early, E. A., **103**(1), 15 (1998).

The 1996 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoft, P., Wardle, D., Wu, E., Mou, W., Ehramjian, J., Tusson, J., Mestechkina, T., Beaubian, M., Gibson, J., Hayes, D., **103**(5), 449 (1998).

Toni, M. P.

Comparison of the NIST and ENEA Air Kerma Standards. Laitano, R. F., Lamperti, P. J., Toni, M. P., **103**(4), 365 (1998).

Tsai, B. K.

Aperture Proximity Effects in High Heat Flux Sensors Calibration. Murthy, A. V., Tsai, B. K., Saunders, R. D., **103**(6), 621 (1998).

Tupitsyn, I.

Accurate Ab Initio Calculation of Molecular Constants. Kotchigova, S. A., Tupitsyn, I., **103**(2), 201 (1998).

Hyperfine Structure Constants for Diatomic Molecules. Tupitsyn, I., Kotchigova, S. A., **103**(2), 205 (1998).

Tusson, J.

The 1996 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoff, P., Wardle, D., Wu, E., Mou, W., Ehramjian, J., Tusson, J., Mestechkina, T., Beaubian, M., Gibson, J., Hayes, D., **103**(5), 449 (1998).

W**Wardle, D.**

The 1995 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Thompson, A., Early, E. A., Lucas, T., Sun, Y., Mestechkina, T., Bemdt, C. C., Wu, E., Wardle, D., Mou, W., Harrison, L., Hayes, D., DeLuisi, J., Johnson, C., Disterhoff, P., **103**(1), 15 (1998).

The 1996 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoff, P., Wardle, D., Wu, E., Mou, W., Ehramjian, J., Tusson, J., Mestechkina, T., Beaubian, M., Gibson, J., Hayes, D., **103**(5), 449 (1998).

Wineland, D. J.

Experimental Issues in Coherent Quantum-State Manipulation of Trapped Atomic Ions. Wineland, D. J., Monroe, C., Itano, W. M., Leibfried, D., King, B. E., Meekhof, D. M., **103**(3), 259 (1998).

Wong-Ng, W.

Liquidus Diagram of the Ba-Y-Cu-O System in the Vicinity of the $\text{Ba}_2\text{YCu}_3\text{O}_{6+x}$ Phase Field. Wong-Ng, W., Cook, L. P., **103**(4), 379 (1998).

Wray, M. M.

Acid-Assisted Consolidation of Silver Alloys for Direct Fillings. Eichmiller, F. D., Hoffman, K. M., Guiseppetti, A. A., Wray, M. M., Avers, R. J., **103**(5), 511 (1998).

Wu, E.

The 1995 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Bemdt, C. C., Wu, E., Lucas, T., Mestechkina, T., Thompson, A., Wardle, D., Hayes, D., Mou, W., DeLuisi, J., Early, E. A., Harrison, L., Disterhoff, P., Johnson, C., Sun, Y., **103**(1), 15 (1998).

The 1996 North American Interagency Intercomparison of Ultraviolet Monitoring Spectroradiometers. Early, E. A., Thompson, A., Johnson, C., DeLuisi, J., Disterhoff, P., Wardle, D., Wu, E., Mou, W., Ehramjian, J., Tusson, J., Mestechkina, T., Beaubian, M., Gibson, J., Hayes, D., **103**(5), 449 (1998).

Z**Zong, Y.**

Development of a Bolometer Detector System for the NIST High Accuracy Infrared Spectrophotometer. Zong, Y., Datla, R. U., **103**(6), 605 (1998).