

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING BP	PULSE	SUPINE BP	PULSE
166	26	M	205	2	PLAC	0.0	110/086	084	092/060	060
						0.5	110/084	084	102/060	060
						1.0	106/086	080	094/070	056
						2.0	110/080	080	088/060	056
						4.0	100/080	089	092/068	052
						4.5	130/082	084	120/072	080
						6.0	114/088	088	102/068	060
						8.0	130/074	084	100/074	076
						8.5	110/078	080	100/076	068
						10.0	126/090	080	100/070	068
						12.0	110/086	080	098/056	060

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING BP	PULSE	SUPINE BP	PULSE
205	NA	F	159	2	PLAC	0.0	116/090	100	150/090	104
						0.5	102/090	082	110/082	088
						1.0	108/080	072	122/068	068
						2.0	120/068	060	130/078	064
						4.0	120/062	096	126/072	088
						4.5	130/068	096	140/080	084
						5.0	130/086	080	130/074	084
						8.0	116/084	076	136/082	064
						8.5	130/082	080	140/076	084
						10.0	130/084	084	136/078	084
						12.0	130/082	084	132/072	084

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING BP	PULSE	SUPINE BP	PULSE
244	18	F	154	2	PLAC	0.0	100/070	076	110/070	076
						0.5	120/070	080	126/070	076
						1.0	106/070	074	110/070	074
						2.0	100/070	080	102/070	074
						4.0	120/080	072	118/070	060
						4.5	118/070	070	118/070	070
						6.0	120/080	076	120/070	070
						8.0	120/070	080	118/070	076
						8.5	120/070	070	120/070	070
						10.0	112/070	074	118/070	070
						12.0	110/070	080	110/070	076

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING BP	PULSE	SUPINE BP	PULSE
357	19	F	128	2	PLAC	0.0	120/080	100	120/080	080
						0.5	120/080	080	120/080	060
						1.0	120/080	080	120/080	060
						2.0	114/080	064	118/074	056
						4.0	100/070	060	120/080	060
						4.5	120/070	080	120/070	070
						6.0	120/076	080	120/080	072
						8.0	120/070	080	120/076	060
						8.5	120/080	072	120/080	060
						10.0	120/080	080	120/080	066
						12.0	120/080	080	110/080	060

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT		INIT	DOSE	TIME	STANDING		SUPINE	
				CLASS					BP	PULSE	BP	PULSE
355	NA	F	140	3	PLAC	0.0			100/060	080	120/070	064
						0.5			100/060	072	100/060	060
						1.0			090/060	080	100/060	060
						2.0			100/070	076	106/060	056
						4.0			090/060	080	100/060	060
						4.5			090/060	080	100/070	060
						6.0			100/060	076	100/056	060
						8.0			090/056	072	090/060	060
						8.5			100/056	072	090/060	056
						10.0			100/060	080	090/060	060
						12.0			100/060	072	110/070	080

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT		INIT	DOSE	TIME	STANDING		SUPINE	
				CLASS					BP	PULSE	BP	PULSE
223	NA	F	195	3	PLAC	0.0			112/080	110	114/076	065
						0.5			113/084	092	114/076	065
						1.0			112/090	080	116/076	063
						2.0			116/090	088	118/074	062
						4.0			113/095	092	114/080	060
						4.5			110/086	076	106/080	060
						6.0			132/088	109	112/070	080
						8.0			120/080	092	114/076	084
						8.5			116/086	096	110/063	064
						10.0			114/084	092	116/080	060
						12.0			126/088	068	118/064	068

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING		SUPINE	
							BP	PULSE	BP	PULSE
180	39	M	192	3	PLAC	0.0	114/070	060	100/080	056
						0.5	104/072	072	112/080	052
						1.0	118/072	060	106/072	064
						2.0	108/072	072	112/070	068
						4.0	106/072	038	112/074	072
						4.5	114/080	080	114/070	068
						6.0	120/078	088	126/084	060
						8.0	110/084	052	118/090	060
						8.5	116/082	072	110/070	052
						10.0	118/078	084	122/078	084
						12.0	114/078	096	124/096	080

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING		SUPINE	
							BP	PULSE	BP	PULSE
225	NA	F	157	3	PLAC	0.0	106/070	064	094/058	056
						0.5	094/074	062	100/078	056
						1.0	100/074	050	092/070	052
						2.0	098/068	056	100/066	048
						4.0	090/058	068	102/060	052
						4.5	090/070	060	100/078	048
						6.0	092/060	064	110/072	056
						9.0	100/060	068	098/062	056
						9.5	098/060	060	096/062	056
						10.0	090/060	060	102/060	056
						12.0	094/070	068	120/074	060

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING BP	PULSE	SUPINE BP	PULSE
30	NA	F	154	3	PLAC	0.0	110/080	092	110/064	080
						0.5	104/080	088	110/070	080
						1.0	110/064	072	110/070	080
						2.0	090/060	080	090/060	060
						4.0	100/066	078	092/062	072
						4.5	090/060	080	100/060	076
						6.0	100/070	080	110/066	088
						8.0	112/070	084	102/060	088
						9.5	112/062	088	090/062	092
						10.0	098/064	092	092/050	084
						12.0	090/058	076	110/060	080

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING BP	PULSE	SUPINE BP	PULSE
35	NA	F	151	3	PLAC	0.0	112/078	096	104/060	080
						0.5	100/070	086	118/078	084
						1.0	100/070	080	108/070	076
						2.0	110/086	072	098/064	076
						4.0	106/076	076	110/064	070
						4.5	100/060	066	110/068	060
						6.0	118/068	076	112/050	088
						8.0	112/070	068	096/052	088
						8.5	110/070	100	112/050	084
						10.0	112/076	100	098/054	090
						12.0	096/060	092	090/060	080

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING BP	PULSE	SUPINE BP	PULSE
238	NA	F	178	3	PLAC	0.0	120/080	058	130/083	066
						0.5	120/080	065	120/079	060
						1.0	120/080	070	130/076	060
						2.0	120/080	070	130/080	066
						4.0	115/080	066	130/080	060
						4.5	116/078	076	120/080	060
						6.0	120/080	078	120/080	060
						8.0	120/080	078	110/080	060
						8.5	120/080	078	120/080	060
						10.0	144/078	072	120/066	068
						12.0	130/080	088	120/076	066

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING BP	PULSE	SUPINE BP	PULSE
250	45	M	191	3	PLAC	0.0	124/090	100	122/084	080
						0.5	128/086	088	130/070	076
						1.0	118/080	080	110/078	076
						2.0	110/080	080	128/080	068
						4.0	126/098	080	130/090	068
						4.5	110/080	084	140/088	064
						6.0	120/084	080	134/090	076
						8.0	126/072	088	110/070	072
						8.5	124/090	088	120/076	076
						10.0	130/084	076	120/080	060
						12.0	118/070	080	124/078	068

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING BP	PULSE	SUPINE BP	PULSE
252	26	M	190	3	PLAC	0.0	108/068	064	100/060	064
						0.5	120/072	072	108/068	064
						1.0	106/076	082	108/068	062
						2.0	106/074	066	110/066	062
						4.0	106/076	064	104/070	060
						4.5	110/082	064	108/070	060
						6.0	116/072	080	116/064	072
						8.0	108/070	080	106/072	078
						8.5	110/074	076	098/062	074
						10.0	110/080	074	106/070	076
						12.0	108/070	084	112/070	074

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING BP	PULSE	SUPINE BP	PULSE
258	55	M	215	3	PLAC	0.0	130/080	084	100/080	084
						0.5	104/080	092	148/086	076
						1.0	120/076	104	142/098	072
						2.0	144/088	060	160/100	072
						4.0	144/098	088	160/104	072
						4.5	150/100	084	170/090	080
						6.0	150/080	088	154/068	088
						8.0	154/100	080	148/068	080
						8.5	150/094	080	158/084	068
						10.0	146/100	072	148/098	060
						12.0	158/090	104	160/086	076

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING		SUPINE	
							BP	PULSE	BP	PULSE
046	25	F	222	4	PLAC	0.0	130/086	112	112/070	092
						0.5	122/082	092	110/050	080
						1.0	126/082	083	110/060	072
						2.0	110/080	068	090/060	080
						4.0	090/066	082	118/080	080
						4.5	118/080	080	110/070	060
						6.0	120/070	080	110/070	080
						8.0	120/080	088	120/080	080
						8.5	120/080	080	110/060	080
						10.0	120/080	080	110/080	080
						12.0	120/080	076	112/080	076

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING		SUPINE	
							BP	PULSE	BP	PULSE
129	30	M	195	4	PLAC	0.0	128/090	072	124/086	074
						0.5	114/088	072	120/084	072
						1.0	118/084	080	120/086	078
						2.0	112/084	066	106/084	060
						4.0	130/074	072	130/072	066
						4.5	158/080	072	116/068	068
						6.0	122/080	082	096/072	078
						8.0	102/072	072	118/082	060
						8.5	152/118	082	110/072	076
						10.0	132/080	072	140/084	078
						12.0	140/078	078	132/088	078

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT		INIT DOSE	TIME	STANDING		SUPINE	
			WEIGHT	CLASS			BP	PULSE	BP	PULSE
145	28	F	140	4	PLAC	0.0	074/083	094	102/086	085
						0.5	103/078	078	096/076	078
						1.0	103/078	078	094/076	078
						2.0	112/085	072	110/080	072
						4.0	130/090	084	122/072	080
						4.5	108/076	085	144/084	076
						6.0	092/078	096	102/072	078
						8.0	118/086	084	112/084	066
						8.5	102/082	060	104/064	082
						10.0	132/100	072	108/080	085
						12.0	126/098	108	132/086	098

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT		INIT DOSE	TIME	STANDING		SUPINE	
			WEIGHT	CLASS			BP	PULSE	BP	PULSE
171	44	F	174	4	PLAC	0.0	140/080	084	130/070	072
						0.5	120/080	072	110/068	060
						1.0	130/084	072	116/068	064
						2.0	128/082	060	118/070	060
						4.0	156/088	080	140/074	072
						4.5	132/078	084	130/066	072
						6.0	128/066	084	128/066	080
						8.0	132/078	064	130/068	060
						8.5	120/070	080	126/074	072
						10.0	142/078	068	136/076	068
						12.0	150/084	096	142/074	084

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING		SUPINE	
							BP	PULSE	BP	PULSE
173	35	M	214	4	PLAC	0.0	104/088	086	124/078	098
						0.5	120/090	064	104/080	048
						1.0	112/084	076	132/100	072
						2.0	130/090	060	120/082	088
						4.0	132/090	128	130/092	104
						4.5	108/080	060	110/060	084
						6.0	118/082	108	124/082	068
						8.0	142/090	092	130/082	084
						8.5	132/090	090	124/066	086
						10.0	112/098	092	130/090	088
						12.0	132/092	104	140/110	076

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING		SUPINE	
							BP	PULSE	BP	PULSE
175	22	F	216	4	PLAC	0.0	124/080	076	100/075	052
						0.5	100/060	064	096/070	064
						1.0	106/088	072	100/075	068
						2.0	110/080	084	110/076	080
						4.0	110/080	084	100/074	076
						4.5	110/080	072	090/074	084
						6.0	110/090	084	118/080	076
						8.0	106/080	080	120/084	076
						8.5	120/080	072	100/070	064
						10.0	100/070	080	110/064	072
						12.0	120/080	080	110/064	076

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING BP	PULSE	SUPINE BP	PULSE
159	20	F	159	4	PLAC	0.0	120/080	076	100/050	080
						0.5	120/070	080	090/060	080
						1.0	110/080	084	120/070	076
						2.0	120/070	092	110/064	088
						4.0	112/080	083	090/060	072
						4.5	110/080	084	110/070	072
						6.0	110/080	088	090/060	070
						8.0	130/090	072	160/070	080
						8.5	120/090	088	084/054	076
						10.0	112/070	092	118/074	084
						12.0	120/090	084	106/056	080

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING BP	PULSE	SUPINE BP	PULSE
205	19	F	227	4	PLAC	0.0	112/080	100	096/058	084
						0.5	100/080	088	090/060	072
						1.0	096/070	096	098/066	072
						2.0	100/078	084	100/070	072
						4.0	100/080	084	090/060	076
						4.5	110/078	080	120/080	084
						6.0	110/086	072	090/070	068
						8.0	120/084	084	118/074	072
						8.5	092/064	076	100/070	068
						10.0	120/082	096	110/072	092
						12.0	120/084	096	102/070	088

PHENYLPROPANGLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING BP	PULSE	SUPINE BP	PULSE
218	29	M	242	4	PLAC	0.0	110/050	076	108/074	068
						0.5	116/076	076	100/070	068
						1.0	100/074	068	098/070	060
						2.0	110/072	072	113/070	056
						4.0	106/080	072	106/078	052
						4.5	120/084	072	110/076	064
						6.0	114/070	084	118/070	080
						8.0	110/080	072	116/078	064
						8.5	116/078	076	096/068	064
						10.0	110/074	072	112/076	064
						12.0	124/078	080	114/076	076

PHENYLPROPANGLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING BP	PULSE	SUPINE BP	PULSE
268	12	F	282	4	PLAC	0.0	120/078	068	106/070	058
						0.5	118/082	060	100/070	054
						1.0	122/080	060	100/070	058
						2.0	122/072	062	104/068	056
						4.0	112/084	068	112/084	060
						4.5	116/072	068	106/068	076
						6.0	120/064	078	110/070	060
						8.0	120/078	076	104/060	064
						8.5	114/074	060	110/068	068
						10.0	116/078	086	114/060	064
						12.0	122/074	064	122/060	068

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING		SUPINE	
							BP	PULSE	BP	PULSE
269	NA	F	245	4	PLAC	0.0	115/078	100	110/069	086
						0.5	120/080	085	104/066	082
						1.0	120/076	094	115/084	090
						2.0	120/080	088	120/066	082
						4.0	122/085	080	110/072	082
						4.5	122/084	080	108/060	082
						6.0	130/080	098	110/078	082
						8.0	132/080	116	124/080	104
						8.5	128/070	120	114/070	100
						10.0	128/086	096	116/080	096
						12.0	130/090	108	128/078	100

PHENYLPROPANOLAMINE MULTISITE STUDY--NEW YORK
 THOMPSON MEDICAL COMPANY

ID	AGE	SEX	WEIGHT	WEIGHT CLASS	INIT DOSE	TIME	STANDING		SUPINE	
							BP	PULSE	BP	PULSE
270	NA	F	303	4	PLAC	0.0	140/072	080	116/060	075
						0.5	128/076	070	120/084	060
						1.0	132/080	064	120/078	060
						2.0	130/080	060	118/078	060
						4.0	124/080	064	120/058	055
						4.5	130/074	072	124/076	058
						6.0	122/072	080	120/064	060
						8.0	122/078	072	124/064	060
						8.5	120/070	085	125/074	050
						10.0	120/074	080	125/070	055
						12.0	132/074	075	108/064	060