

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
1	113 00:00:00	31				VGR-31 OWLT IS 08H 36M 53S					1L
2	113 00:00:00	32				VGR-32 OWLT IS 06H 42M 03S					2L
3	113 00:25:00	31	61 AOS	OPCH ACE		AOS DSS-61 PASS-6822 (D/L ONLY)					1DP
4	113 00:40:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-6822					1DP
5	113 02:48:08	32	40 SET			10 DEGREE SET DSC-40					2V
6	113 04:40:00	32	65 AOS	OPCH ACE		AOS DSS-65 PASS-6446 (D/L ONLY)					2DP
7	113 04:45:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-6823 (D/L ONLY)					1DP
8	113 04:52:08	31	10RISE			10 DEGREE RISE DSC-10					1V
9	113 04:55:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6822					1DP
10	113 06:45:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-6446					2DP
11	113 08:27:11	31	60 SET			10 DEGREE SET DSC-60					1V
12	113 11:38:21	32	10RISE			10 DEGREE RISE DSC-10					2V
13	113 11:50:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6839 (D/L ONLY)					2DP
14	113 12:00:00	31				VGR-31 OWLT IS 08H 36M 54S					1L
15	113 12:00:00	32				VGR-32 OWLT IS 06H 42M 01S					2L
16	113 12:05:56	32	40RISE			10 DEGREE RISE DSC-40					2V
17	113 12:20:29	31	40RISE			10 DEGREE RISE DSC-40					1V
18	113 14:00:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6823 (D/L ONLY)					1DP
19	113 14:15:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-6823					1DP
20	113 14:40:48	32	10 SET			10 DEGREE SET DSC-10					2V
21	113 16:19:58	31	10 SET			10 DEGREE SET DSC-10					1V
22	113 19:40:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-6823					1DP
23	113 21:15:22	31	60RISE			10 DEGREE RISE DSC-60					1V

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
24	113 21:22:33	31	40 SET			10 DEGREE SET DSC-40					1V
25	114 00:00:00	31				VGR-31 OWLT IS 08H 36M 54S					1L
26	114 00:00:00	32				VGR-32 OWLT IS 06H 41M 59S					2L
27	114 00:30:00	31	61 AOS	OPCH ACE		AOS DSS-61 PASS-6823 (D/L ONLY)					1DP
28	114 01:35:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-6839 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
29	114 01:50:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6839					2DP
30	114 02:44:14	32	40 SET			10 DEGREE SET DSC-40					2V
31	114 03:05:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-6839					2DP
32	114 04:48:08	31	10RISE			10 DEGREE RISE DSC-10					1V
33	114 05:15:00	32	65 AOS	OPCH ACE		AOS DSS-65 PASS-6446 (D/L ONLY)					2DP
34	114 05:34:18	31			AC7SSB	(4 +155) SS BIAS CONTROL --- YAW	AACS		24980:30:002F	113 20:57:24.043	1ECa
35	114 06:05:00	31	12 AOS	OPCH ACE		AOS DSS-12 PASS-6824 (D/L ONLY)					1DP
36	114 06:15:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6823					1DP
37	114 06:40:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-6446					2DP
38	114 08:23:10	31	60 SET			10 DEGREE SET DSC-60					1V
39	114 10:10:13	32			AC7SSB	(3 +011) SS BIAS CONTROL - PITCH	AACS		18843:39:002F	114 03:25:35.874	2ECa
40	114 10:15:00	31	12 LOS	OPCH ACE		LOS DSS-12 PASS-6824					1DP
41	114 10:30:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-6824 (D/L ONLY)					1DP
42	114 11:34:36	32	10RISE			10 DEGREE RISE DSC-10					2V
43	114 11:45:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6840 (D/L ONLY)					2DP
44	114 12:00:00	31				VGR-31 OWLT IS 08H 36M 54S					1L
45	114 12:00:00	32				VGR-32 OWLT IS 06H 41M 57S					2L
46	114 12:01:56	32	40RISE			10 DEGREE RISE DSC-40					2V

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
47	114 12:16:32	31	40RISE			10 DEGREE RISE DSC-40					1V
48	114 13:55:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6824 (D/L ONLY)					1DP
49	114 14:10:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-6824					1DP
50	114 14:36:40	32	10 SET			10 DEGREE SET DSC-10					2V
51	114 15:08:24	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
52	114 15:08:24	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
53	114 15:09:12	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
54	114 15:09:12	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
55	114 15:12:36	32				BEGIN PWSREC			18849:57:001F	114 08:27:59.774	2T
56	114 15:12:36	32				B- DRGS4B			18849:57:001F	114 08:27:59.774	2TB
57	114 15:12:36	32			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		18849:57:009F	114 08:28:00.248	2ECf
58	114 15:13:20	32				BEGIN RECORDING PWS DATA			18849:57:734F	114 08:28:43.774	2T
59	114 15:13:20	32			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		18849:57:734F	114 08:28:43.795	2ECd
60	114 15:13:20	32				DTR STATUS MODE:REC RATE:115.2K DIR:R TRK:4 TIC:3242	DTR		18849:57:734F	114 08:28:43.795	2ESd

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
71	114 15:38:07	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
72	114 15:38:55	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESF
73	114 15:38:55	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
74	114 15:41:31	31				BEGIN PWSREC.31			24993:09:001F	114 07:04:35.945	1T
75	114 15:41:31	31			SC32AJ	(10) PLS CONFIG CMD	FDS		24993:09:009F	114 07:04:36.419	1ECF
76	114 15:42:19	31				B- DRGS4B			24993:10:001F	114 07:05:23.945	1TB
77	114 15:42:19	31			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		24993:10:009F	114 07:05:24.419	1ECF
78	114 15:43:03	31				BEGIN RECORDING PWS DATA			24993:10:734F	114 07:06:07.945	1T
79	114 15:43:03	31			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		24993:10:734F	114 07:06:07.966	1ECD
80	114 15:43:03	31				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:3 TIC:1446	DTR		24993:10:734F	114 07:06:07.966	1ESd
81	114 15:43:07	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	24993:11:001F	114 07:06:11.939	1ESF

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
82	114 15:43:07	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		24993:11:001F	114 07:06:11.997	1ECs
83	114 15:43:08	31				B- DRCRUS			24993:11:018F	114 07:06:12.945	1TB
84	114 15:43:08	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		24993:11:026F	114 07:06:13.439	1ECF
85	114 15:43:55	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	24993:12:001F	114 07:06:59.939	1ESF
86	114 15:43:55	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		24993:12:001F	114 07:06:59.971	1ECD
87	114 15:43:55	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:3 TIC:1738	DTR		24993:12:001F	114 07:06:59.971	1ESd
88	114 15:43:55	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		24993:12:002F	114 07:07:00.028	1ECs
89	114 15:44:43	31			SC32AJ	(11) PLS CONFIG CMD	FDS		24993:13:009F	114 07:07:48.419	1ECf
90	114 15:44:44	31				END PWSREC.31			24993:13:018F	114 07:07:48.945	1T
91	114 16:16:00	31	10	SET		10 DEGREE SET DSC-10					1V
92	114 19:35:00	31	42	LOS OPCH ACE		LOS DSS-42 PASS-6824					1DP
93	114 20:35:00	32	42	AOS OPCH ACE		AOS DSS-42 PASS-6840 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
94	114 20:50:00	31	63	AOS OPCH ACE		AOS DSS-63 PASS-6824 (D/L ONLY)					1DP
95	114 20:50:00	32	45	LOS OPCH ACE		LOS DSS-45 PASS-6840					2DP

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
96	114 21:11:23	31	60RISE			10 DEGREE RISE DSC-60					1V
97	114 21:18:33	31	40 SET			10 DEGREE SET DSC-40					1V
98	115 00:00:00	31				VGR-31 OWLT IS 08H 36M 55S					1L
99	115 00:00:00	32				VGR-32 OWLT IS 06H 41M 56S					2L
100	115 00:30:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-6824					1DP
101	115 01:35:00	32	42 LOS	OPCH ACE		LOS DSS-42 PASS-6840					2DP
102	115 02:40:21	32	40 SET			10 DEGREE SET DSC-40					2V
103	115 04:35:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-6825 (D/L ONLY)					1DP
104	115 04:35:00	32	65 AOS	OPCH ACE		AOS DSS-65 PASS-6446 (D/L ONLY)					2DP
105	115 04:44:09	31	10RISE			10 DEGREE RISE DSC-10					1V
106	115 06:31:55	31				TAPPOS-0210			25011:42:001F	114 21:54:59.945	1T
107	115 06:31:55	31			CC16C	(2221) DTR STATE SELECT: SLEW	DTR		25011:42:002F	114 21:54:59.999	1ECd
108	115 06:31:55	31				DTR STATUS MODE:SLEW RATE:007.2K DIR:R TRK:1 TIC:1745	DTR		25011:42:002F	114 21:54:59.999	1ESd
109	115 06:35:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-6446					2DP
110	115 07:22:07	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
111	115 07:22:07	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
112	115 07:22:19	31				BEGIN PMPCALLR			25012:45:001F	114 22:45:23.945	1T
113	115 07:26:19	31				B- DRRC5T			25012:50:001F	114 22:49:23.945	1TB

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
114	115 07:26:19	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		25012:50:009F	114 22:49:24.419	1ECf
115	115 07:27:07	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	25012:51:001F	114 22:50:11.939	1ESf
116	115 07:27:07	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		25012:51:001F	114 22:50:11.959	1ECs
117	115 07:33:31	31			SC06BY	(7) FDS PLS/MAG/PESCAL FLAG PLSCAL ENABLED MAGCAL ENABLED PESCAL ENABLED	FDS		25012:59:009F	114 22:56:36.419	1ECf
118	115 07:34:19	31				BEGIN PLS/MAG/PESCAL			25013:00:001F	114 22:57:23.945	1T
119	115 07:42:57	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		25013:10:638F	114 23:06:02.167	1ECd
120	115 07:42:57	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:1 TIC:0210	DTR		25013:10:638F	114 23:06:02.167	1ESd
121	115 08:19:11	31	60 SET			10 DEGREE SET DSC-60					1V
122	115 09:16:43	31				END PLSCAL			25015:08:001F	115 00:39:47.945	1T
123	115 09:19:55	31				FWD/TRK 1			25015:12:001F	115 00:42:59.945	1T
124	115 09:19:55	31			CC16C	(7011) DTR STATE SELECT: READY	DTR		25015:12:001F	115 00:42:59.959	1ECd
125	115 09:19:55	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:1 TIC:0210	DTR		25015:12:001F	115 00:42:59.959	1ESd

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
126	115 10:36:43	31				END MAGCAL			25016:48:001F	115 01:59:47.945	1T
127	115 10:50:07	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
128	115 10:50:07	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
129	115 10:54:19	31				END PESCAL			25017:10:001F	115 02:17:23.945	1T
130	115 10:54:19	31				B- DRCRUS			25017:10:001F	115 02:17:23.945	1TB
131	115 10:54:19	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		25017:10:010F	115 02:17:24.479	1ECf
132	115 10:55:07	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	25017:11:001F	115 02:18:11.939	1ESf
133	115 10:55:07	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		25017:11:001F	115 02:18:11.997	1ECs
134	115 10:55:08	31				END PMPCALLR			25017:11:018F	115 02:18:12.945	1T
135	115 11:30:51	32	10RISE			10 DEGREE RISE DSC-10					2V
136	115 11:40:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6841 (D/L ONLY)					2DP
137	115 11:57:56	32	40RISE			10 DEGREE RISE DSC-40					2V
138	115 12:00:00	31				VGR-31 OWLT IS 08H 36M 55S					1L
139	115 12:00:00	32				VGR-32 OWLT IS 06H 41M 54S					2L
140	115 12:12:35	31	40RISE			10 DEGREE RISE DSC-40					1V
141	115 13:50:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6825 (U/L PASS)					1DP

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
142	115 14:05:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-6825					1DP
143	115 14:32:32	32	10 SET			10 DEGREE SET DSC-10					2V
144	115 16:12:03	31	10 SET			10 DEGREE SET DSC-10					1V
145	115 19:35:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-6825					1DP
146	115 20:35:00	32	42 AOS	OPCH ACE		AOS DSS-42 PASS-6841 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
147	115 20:50:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6841					2DP
148	115 21:07:23	31	60RISE			10 DEGREE RISE DSC-60					1V
149	115 21:14:33	31	40 SET			10 DEGREE SET DSC-40					1V
150	116 00:00:00	31				VGR-31 OWLT IS 08H 36M 56S					1L
151	116 00:00:00	32				VGR-32 OWLT IS 06H 41M 52S					2L
152	116 00:30:00	31	61 AOS	OPCH ACE		AOS DSS-61 PASS-6825 (D/L ONLY)					1DP
153	116 01:45:00	32	42 LOS	OPCH ACE		LOS DSS-42 PASS-6841					2DP
154	116 02:36:27	32	40 SET			10 DEGREE SET DSC-40					2V
155	116 04:30:00	32	65 AOS	OPCH ACE		AOS DSS-65 PASS-6446 (D/L ONLY)					2DP
156	116 04:40:09	31	10RISE			10 DEGREE RISE DSC-10					1V
157	116 05:18:56	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN D/L CARRIER SIG LEVEL					11EC
158	116 05:19:56	31				B- PWSPB.31			25040:12:001F	115 20:42:59.945	1TB
159	116 05:19:56	31				BEGIN PWSPB31			25040:12:001F	115 20:42:59.945	1T
160	116 05:19:56	31				CHECK IF RFLOSS FAIL			25040:12:001F	115 20:42:59.945	1T
161	116 05:19:56	31				IF FAIL SKIP HIGHPWR			25040:12:001F	115 20:42:59.945	1T
162	116 05:19:56	31			CC1TR	BAY 1 HTR OFF	PWR		25040:12:002F	115 20:43:00.015	1ECp
163	116 05:23:56	31				X BAND HIGH POWER			25040:17:001F	115 20:46:59.945	1T

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
164	116 05:23:56	31			DC2H	X-BAND TWT HIGH POWER	RFS		25040:17:001F	115 20:46:59.989	1ECr
165	116 06:00:00	31	14 AOS	OPCH ACE		AOS DSS-14 PASS-6826 (D/L ONLY)					1DP
166	116 06:19:56	31				B- YAW05			25041:27:001F	115 21:42:59.945	1TB
167	116 06:19:56	31				YAW05			25041:27:001F	115 21:42:59.945	1T
168	116 06:19:56	31			AC7PAR	(6741 000740) +YAW DB=.05 DEG	AACS		25041:27:004F	115 21:43:00.121	1ECa
169	116 06:20:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6825					1DP
170	116 06:23:44	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
171	116 06:23:44	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=39 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
172	116 06:23:44	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
173	116 06:27:56	31				B- DRPBDB.31			25041:37:001F	115 21:50:59.945	1TB
174	116 06:27:56	31				BEGIN DDPB1431			25041:37:001F	115 21:50:59.945	1T
175	116 06:27:56	31			SC06BB	(12 0 07 0) FDS MODE TO: PB-14 PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		25041:37:009F	115 21:51:00.419	1ECf
176	116 06:28:44	31				BEGIN PLAYBACK			25041:38:001F	115 21:51:47.945	1T
177	116 06:28:44	31		ACE OPCH		FDS STATUS PB-14/X1.4K/S40 MEM:PA/FDS11	FDS	PB-14	25041:38:001F	115 21:51:47.939	1ESF
178	116 06:28:44	31			CC3A	(39310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=39 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		25041:38:002F	115 21:51:48.003	1ECs

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
179	116 06:28:44	31			CC6AD	(3 2 0 2) SVC-W4 FDS MEM B WRT PROTECT	FDS		25041:38:002F	115 21:51:48.036	1ECf
180	116 06:28:44	31		ACE OPCH		FDS STATUS PB-14/X1.4K/S40 MEM:PA/FDS11	FDS	PB-14	25041:38:002F	115 21:51:48.036	1ESf
181	116 06:28:44	31			CC16C	(1210) DTR STATE SELECT:PLAYBACK	DTR		25041:38:005F	115 21:51:48.182	1ECd
182	116 06:28:44	31				DTR STATUS MODE:PLAY RATE:007.2K DIR:F TRK:1 TIC:0210	DTR		25041:38:005F	115 21:51:48.182	1ESd
183	116 06:28:45	31				END DDPB1431			25041:38:018F	115 21:51:48.945	1T
184	116 06:30:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-6446					2DP
185	116 08:15:09	31	60 SET			10 DEGREE SET DSC-60					1V
186	116 09:04:59	31			EOT	END OF TAPE			25044:53:244F	116 00:28:02.536	1Ed
187	116 09:04:59	31			EOT	END OF TAPE			25044:53:248F	116 00:28:02.761	1Ed
188	116 11:27:05	32	10RISE			10 DEGREE RISE DSC-10					2V
189	116 11:29:32	31			AC7SSB	(3 -013) SS BIAS CONTROL - PITCH	AACS		25047:54:002F	116 02:52:36.042	1ECa
190	116 11:35:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6842 (D/L ONLY)					2DP
191	116 11:41:43	31			BOT	BEGIN OF TAPE			25048:09:187F	116 03:04:47.108	1Ed
192	116 11:41:43	31			BOT	BEGIN OF TAPE			25048:09:190F	116 03:04:47.333	1Ed
193	116 11:53:56	32	40RISE			10 DEGREE RISE DSC-40					2V
194	116 12:00:00	31				VGR-31 OWLT IS 08H 36M 56S					1L
195	116 12:00:00	32				VGR-32 OWLT IS 06H 41M 50S					2L
196	116 12:08:38	31	40RISE			10 DEGREE RISE DSC-40					1V

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
197	116 12:58:56	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<<<<<<<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
198	116 12:58:56	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<<<<<<<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
199	116 12:58:56	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<<<<<<<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
200	116 13:03:08	31				B- DRCRUS			25049:51:001F	116 04:26:11.945	1TB
201	116 13:03:08	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		25049:51:009F	116 04:26:12.419	1ECf
202	116 13:03:56	31		ACE OPCH			FDS	CR-5T	25049:52:001F	116 04:26:59.939	1ESf
						FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11					
203	116 13:03:56	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		25049:52:002F	116 04:27:00.000	1ECs
204	116 13:03:56	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		25049:52:002F	116 04:27:00.034	1ECd
205	116 13:03:56	31					DTR		25049:52:002F	116 04:27:00.034	1ESd
						DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:3 TIC:1975					
206	116 13:03:56	31			CC6AD	(3 2 0 0) SVC-W4 FDS MEM B WRT PROTECT	FDS		25049:52:002F	116 04:27:00.049	1ECf
207	116 13:03:56	31		ACE OPCH			FDS	CR-5T	25049:52:002F	116 04:27:00.049	1ESf
						FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11					

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
208	116 13:03:57	31				END PLAYBACK			25049:52:018F	116 04:27:00.945	1T
209	116 13:18:20	31				B- YAWDB			25050:10:001F	116 04:41:23.945	1TB
210	116 13:18:20	31				YAWDB - .10			25050:10:001F	116 04:41:23.945	1T
211	116 13:18:20	31			AC7PAR	(6741 001700) +YAW DB=.10 DEG	AACS		25050:10:003F	116 04:41:24.116	1ECa
212	116 13:45:00	31	42	AOS	OPCH ACE	AOS DSS-42 PASS-6826 (D/L ONLY)					1DP
213	116 14:05:00	31	14	LOS	OPCH ACE	LOS DSS-14 PASS-6826					1DP
214	116 14:28:23	32	10	SET		10 DEGREE SET DSC-10					2V
215	116 16:08:06	31	10	SET		10 DEGREE SET DSC-10					1V
216	116 19:30:00	31	42	LOS	OPCH ACE	LOS DSS-42 PASS-6826					1DP
217	116 20:45:00	31	63	AOS	OPCH ACE	AOS DSS-63 PASS-6826 (D/L ONLY)					1DP
218	116 21:03:23	31	60	RISE		10 DEGREE RISE DSC-60					1V
219	116 21:03:44	31			ACE OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
220	116 21:03:44	31			ACE OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=36 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
221	116 21:07:08	31				B- SUNMON03			25059:56:001F	116 12:30:11.945	1TB
222	116 21:07:08	31				BEGIN SUNMON03			25059:56:001F	116 12:30:11.945	1T
223	116 21:07:08	31				SC34AE03			25059:56:001F	116 12:30:11.945	1T
224	116 21:07:08	31			SC34AE	(0 3) UVS COMMAND WORD MODE: PULSE HEIGHT HV LEVEL: 3	FDS		25059:56:009F	116 12:30:12.419	1ECf
225	116 21:07:56	31				B- DRUV5A			25059:57:001F	116 12:30:59.945	1TB
226	116 21:07:56	31			SC06BB	(50 0 07 0) FDS MODE TO: UV-5A PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		25059:57:009F	116 12:31:00.419	1ECf

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
227	116 21:08:44	31		ACE OPCH		FDS STATUS UV-5A/X600/S10 MEM:PA/FDS11	FDS	UV-5A	25059:58:001F	116 12:31:47.939	1ESf
228	116 21:08:44	31			CC3A	(36310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=36 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		25059:58:002F	116 12:31:48.000	1ECs
229	116 21:10:33	31	40 SET			10 DEGREE SET DSC-40					1V
230	116 21:23:09	31				SLEW OCC PORT TO SUN +1 EL			25060:16:001F	116 12:46:11.945	1T
231	116 21:23:09	31				B- PLATPOB			25060:16:001F	116 12:46:11.945	1TB
232	116 21:23:09	31			AC7SPK	(2 12 2 137 161) AZ SLEW R=LOW	AACS		25060:16:003F	116 12:46:12.073	1ECa
233	116 21:23:09	31			AC7SPK	(1 12 1 171 201) EL SLEW R=LOW	AACS		25060:16:004F	116 12:46:12.160	1ECa
234	116 21:55:30	31				B- SLEND			25060:56:351F	116 13:18:32.945	1TB
235	116 21:55:30	31			SLEWEND	AZ=179.739 EL=28.060 CO=1.042			25060:56:351F	116 13:18:32.945	1T
236	116 22:07:09	31				BEGIN HV-03 SWATHS			25061:11:001F	116 13:30:11.945	1T
237	116 22:07:09	31				SLEW VLO -2 DELTA EL ACROSS SUN			25061:11:001F	116 13:30:11.945	1T
238	116 22:07:09	31				B- PLATPOA			25061:11:001F	116 13:30:11.945	1TB
239	116 22:07:09	31			AC7SPL	(1 27 2 255 141) EL SLEW R=VLOW	AACS		25061:11:003F	116 13:30:12.064	1ECa
240	116 22:13:58	31				B- SLEND			25061:19:418F	116 13:37:00.945	1TB
241	116 22:13:58	31			SLEWEND	AZ=179.739 EL=26.012 CO=1.013			25061:19:418F	116 13:37:00.945	1T
242	116 22:15:57	31				SLEW VLO +2 DELTA EL ACROSS SUN			25061:22:001F	116 13:38:59.945	1T
243	116 22:15:57	31				B- PLATPOA			25061:22:001F	116 13:38:59.945	1TB
244	116 22:15:57	31			AC7SPL	(1 27 2 255 073) EL SLEW R=VLOW	AACS		25061:22:003F	116 13:39:00.065	1ECa
245	116 22:22:57	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
246	116 22:22:57	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
247	116 22:23:51	31				B- SLEND			25061:31:701F	116 13:46:53.945	1TB
248	116 22:23:51	31			SLEWEND	AZ=179.739 EL=27.950 CO=0.983			25061:31:701F	116 13:46:53.945	1T
249	116 22:23:57	31				END HV-03 SWATHS			25061:32:001F	116 13:46:59.945	1T
250	116 22:24:45	31				END SUNMON03 SLEWS			25061:33:001F	116 13:47:47.945	1T
251	116 22:24:45	31				SC34AE13			25061:33:001F	116 13:47:47.945	1T
252	116 22:24:45	31			SC34AE	(1 3) UVS COMMAND WORD MODE: PULSE COUNT HV LEVEL: 3	FDS		25061:33:009F	116 13:47:48.419	1ECf
253	116 22:25:33	31				SLEW AWAY TO SAFE			25061:34:001F	116 13:48:35.945	1T
254	116 22:25:33	31				B- PLATPOB			25061:34:001F	116 13:48:35.945	1TB
255	116 22:25:33	31			AC7SPK	(1 12 1 177 220) EL SLEW R=LOW	AACS		25061:34:003F	116 13:48:36.073	1ECa
256	116 22:25:33	31			AC7SPK	(2 12 1 144 128) AZ SLEW R=LOW	AACS		25061:34:004F	116 13:48:36.161	1ECa
257	116 22:27:09	31				B- DRCRUS			25061:36:001F	116 13:50:11.945	1TB
258	116 22:27:09	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		25061:36:009F	116 13:50:12.419	1ECf
259	116 22:27:10	31				END SUNMON03			25061:36:018F	116 13:50:12.945	1T
260	116 22:27:57	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	25061:37:001F	116 13:50:59.939	1ESf
261	116 22:27:57	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		25061:37:002F	116 13:50:59.999	1ECs

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
262	116 22:29:29	31				B- SLEND			25061:38:734F	116 13:52:31.945	1TB
263	116 22:29:29	31			SLEWEND	AZ=190.021 EL=20.034 CO=12.740			25061:38:734F	116 13:52:31.945	1T
264	117 00:00:00	31				VGR-31 OWLT IS 08H 36M 57S					1L
265	117 00:00:00	32				VGR-32 OWLT IS 06H 41M 48S					2L
266	117 00:25:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-6826					1DP
267	117 01:00:00	31	61 AOS	OPCH ACE		AOS DSS-61 PASS-6826 (D/L ONLY)					1DP
268	117 02:32:33	32	40 SET			10 DEGREE SET DSC-40					2V
269	117 02:45:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6842					2DP
270	117 04:36:09	31	10RISE			10 DEGREE RISE DSC-10					1V
271	117 04:51:57	31				TAPPOS-2045			25069:37:001F	116 20:14:59.945	1T
272	117 04:51:57	31			CC16C	(2211) DTR STATE SELECT: SLEW	DTR		25069:37:001F	116 20:14:59.962	1ECd
273	117 04:51:57	31				DTR STATUS MODE:SLEW RATE:007.2K DIR:F TRK:1 TIC:1976	DTR		25069:37:001F	116 20:14:59.962	1ESd
274	117 04:55:09	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		25069:40:794F	116 20:18:11.519	1ECd
275	117 04:55:09	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:1 TIC:2045	DTR		25069:40:794F	116 20:18:11.519	1ESd
276	117 05:13:33	31				B- GYONBC.31			25070:04:001F	116 20:36:35.945	1TB
277	117 05:13:33	31				BEGIN GYONBC31			25070:04:001F	116 20:36:35.945	1T
278	117 05:13:33	31			AC7GYP	(111) DRIRU PATTERN CONTROL GYRO/AXIS=B/PITCH C/YAW & ROLL	AACS		25070:04:003F	116 20:36:36.088	1ECa
279	117 05:13:33	31			CC7GARP	GYRO A OFF	PWR		25070:04:004F	116 20:36:36.120	1ECp
280	117 05:13:33	31			CC7GARP	GYRO A OFF	PWR		25070:04:006F	116 20:36:36.246	1ECp

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
281	117 05:13:33	31			CC7PC	(352) GYRO A OFF	AACS		25070:04:008F	116 20:36:36.371	1ECa
282	117 05:13:33	31				AACS STATUS MODE : CRU GYRO A: OFF HYBIC: 2 GYRO B: OFF CST : ON GRYO C: ON	AACS		25070:04:008F	116 20:36:36.371	1ESa
283	117 05:13:33	31			CC7GCP	GYRO C ON	PWR		25070:04:008F	116 20:36:36.403	1ECp
284	117 05:13:34	31			CC7GCP	GYRO C ON	PWR		25070:04:010F	116 20:36:36.529	1ECp
285	117 05:13:34	31			CC7PC	(373) GYRO C ON	AACS		25070:04:012F	116 20:36:36.655	1ECa
286	117 05:13:34	31				AACS STATUS MODE : CRU GYRO A: OFF HYBIC: 2 GYRO B: ON CST : ON GRYO C: ON	AACS		25070:04:012F	116 20:36:36.655	1ESa
287	117 05:13:34	31			CC7GBP	GYRO B ON	PWR		25070:04:013F	116 20:36:36.687	1ECp
288	117 05:13:34	31			CC7GBP	GYRO B ON	PWR		25070:04:015F	116 20:36:36.813	1ECp
289	117 05:13:34	31			CC7PC	(363) GYRO B ON	AACS		25070:04:017F	116 20:36:36.939	1ECa
290	117 05:14:02	31				DRIRU INITIALIZATION			25070:04:484F	116 20:37:04.945	1T
291	117 05:14:03	31			CC7GY	(3) DRIRU INITIALIZE [P/Y/R]	AACS		25070:04:501F	116 20:37:05.966	1ECa
292	117 05:14:32	31				SET CALIB			25070:05:184F	116 20:37:34.945	1T
293	117 05:14:33	31			AC7PAR	(7530 000001) PARAMETER LOAD	AACS		25070:05:203F	116 20:37:36.069	1ECa
294	117 05:15:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-6827 (D/L ONLY)					1DP
295	117 05:23:32	31				START GYRO FAULT TEST			25070:16:384F	116 20:46:34.945	1T
296	117 05:23:33	31			CC7GY	(4) DRIRU FAULT TEST START	AACS		25070:16:401F	116 20:46:35.966	1ECa
297	117 05:23:34	31				END GYONBC31			25070:16:418F	116 20:46:36.945	1T
298	117 05:30:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6826					1DP

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
299	117 06:13:33	31				B- CCSTIMB			25071:19:001F	116 21:36:35.945	1TB
300	117 06:13:33	31				EXECUTE CCSTIMB FINE			25071:19:001F	116 21:36:35.945	1T
301	117 07:39:57	31				FWD/TRK 3			25073:07:001F	116 23:02:59.945	1T
302	117 07:39:57	31			CC16C	(7013) DTR STATE SELECT: READY	DTR		25073:07:001F	116 23:02:59.959	1ECd
303	117 07:39:57	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:3 TIC:2045	DTR		25073:07:001F	116 23:02:59.959	1ESd
304	117 08:11:08	31	60	SET		10 DEGREE SET DSC-60					1V
305	117 09:23:09	31			AC7SSB	(4 +154) SS BIAS CONTROL --- YAW	AACS		25075:16:002F	117 00:46:12.042	1ECa
306	117 11:23:20	32	10	RISE		10 DEGREE RISE DSC-10					2V
307	117 11:25:00	32	15	AOS	OPCH ACE	AOS DSS-15 PASS-6843 (D/L ONLY)					2DP
308	117 11:49:56	32	40	RISE		10 DEGREE RISE DSC-40					2V
309	117 12:00:00	31				VGR-31 OWLT IS 08H 36M 57S					1L
310	117 12:00:00	32				VGR-32 OWLT IS 06H 41M 47S					2L
311	117 12:04:41	31	40	RISE		10 DEGREE RISE DSC-40					1V
312	117 13:45:00	31	42	AOS	OPCH ACE	AOS DSS-42 PASS-6827 (D/L ONLY)					1DP
313	117 14:00:00	31	24	LOS	OPCH ACE	LOS DSS-24 PASS-6827					1DP
314	117 14:24:15	32	10	SET		10 DEGREE SET DSC-10					2V
315	117 15:00:00	32	45	AOS	OPCH ACE	AOS DSS-45 PASS-6843 (D/L ONLY)					2DP
316	117 15:05:00	32	15	LOS	OPCH ACE	LOS DSS-15 PASS-6843					2DP
317	117 16:04:08	31	10	SET		10 DEGREE SET DSC-10					1V
318	117 19:25:00	31	42	LOS	OPCH ACE	LOS DSS-42 PASS-6827					1DP
319	117 20:59:23	31	60	RISE		10 DEGREE RISE DSC-60					1V

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
320	117 21:06:33	31	40 SET			10 DEGREE SET DSC-40					1V
321	117 23:00:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6827 (D/L ONLY)					1DP
322	118 00:00:00	31				VGR-31 OWLT IS 08H 36M 58S					1L
323	118 00:00:00	32				VGR-32 OWLT IS 06H 41M 45S					2L
324	118 01:20:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-6843 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
325	118 01:40:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6843					2DP
326	118 02:28:39	32	40 SET			10 DEGREE SET DSC-40					2V
327	118 02:50:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-6843					2DP
328	118 03:40:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6827					1DP
329	118 04:25:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-6828 (D/L ONLY)					1DP
330	118 04:25:00	32	65 AOS	OPCH ACE		AOS DSS-65 PASS-6446 (D/L ONLY)					2DP
331	118 04:32:10	31	10RISE			10 DEGREE RISE DSC-10					1V
332	118 06:25:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-6446					2DP
333	118 08:07:09	31	60 SET			10 DEGREE SET DSC-60					1V
334	118 11:19:34	32	10RISE			10 DEGREE RISE DSC-10					2V
335	118 11:30:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6844 (D/L ONLY)					2DP
336	118 11:45:56	32	40RISE			10 DEGREE RISE DSC-40					2V
337	118 12:00:00	31				VGR-31 OWLT IS 08H 36M 58S					1L
338	118 12:00:00	32				VGR-32 OWLT IS 06H 41M 43S					2L
339	118 12:00:44	31	40RISE			10 DEGREE RISE DSC-40					1V
340	118 13:40:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6828 (U/L PASS)					1DP
341	118 13:50:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-6828					1DP
342	118 14:20:06	32	10 SET			10 DEGREE SET DSC-10					2V

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
343	118 15:19:34	32			AC7SSB	(3 +010) SS BIAS CONTROL - PITCH	AACS		18970:06:003F	118 08:35:11.898	2ECa
344	118 16:00:11	31	10	SET		10 DEGREE SET DSC-10					1V
345	118 16:35:00	31	42	OPCH	42	== START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS ==					1TD
346	118 16:35:00	31	42	OPCH	42	== TLC TEST UP-LINK == TURN RANGING MOD OFF (IF APPL)					1TD
347	118 16:36:00	31	42	OPCH	42	== TLC TEST UP-LINK == TURN COMMAND MOD OFF (IF APPL) NO COMMANDING FOR 1 HR 56 MIN					1TD
348	118 16:37:00	31	42	OPCH	42	== TLC TEST UP-LINK == == TUNE U/L AT 48 HZ/SEC == == TO XA-65 KHZ (S-BAND) ==					1TD
349	118 17:02:00	31	42	OPCH	42	== END TLC TEST UP-LINK == == TURN TRANSMITTER OFF == TUNE TO TSF @ 48 HZ/SEC (S-BAND)					1TD
350	118 19:20:00	31	42	LOS	OPCH ACE	LOS DSS-42 PASS-6828					1DP
351	118 20:55:23	31	60	RISE		10 DEGREE RISE DSC-60					1V
352	118 21:00:00	31	65	AOS	OPCH ACE	AOS DSS-65 PASS-6828 (D/L ONLY)					1DP
353	118 21:02:33	31	40	SET		10 DEGREE SET DSC-40					1V
354	119 00:00:00	31				VGR-31 OWLT IS 08H 36M 59S					1L
355	119 00:00:00	32				VGR-32 OWLT IS 06H 41M 41S					2L
356	119 02:24:45	32	40	SET		10 DEGREE SET DSC-40					2V

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
357	119 02:40:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6844					2DP
358	119 03:35:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6828					1DP
359	119 04:20:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-6829 (D/L ONLY)					1DP
360	119 04:20:00	32	65 AOS	OPCH ACE		AOS DSS-65 PASS-6446 (D/L ONLY)					2DP
361	119 04:28:10	31	10RISE			10 DEGREE RISE DSC-10					1V
362	119 06:20:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-6446					2DP
363	119 08:03:07	31	60 SET			10 DEGREE SET DSC-60					1V
364	119 10:13:35	31				B- RFSTLC			25136:19:001F	119 01:36:35.945	1TB
365	119 10:16:01	31	24	OPCH 24		== START TLC TEST DOWN-LINK ==					1TD
366	119 11:15:48	32	10RISE			10 DEGREE RISE DSC-10					2V
367	119 11:17:01	31	24	OPCH 24		== END TLC TEST DOWN-LINK ==					1TD
368	119 11:25:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6845 (D/L ONLY)					2DP
369	119 11:41:55	32	40RISE			10 DEGREE RISE DSC-40					2V
370	119 11:56:46	31	40RISE			10 DEGREE RISE DSC-40					1V
371	119 12:00:00	31				VGR-31 OWLT IS 08H 36M 59S					1L
372	119 12:00:00	32				VGR-32 OWLT IS 06H 41M 40S					2L
373	119 13:40:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6829 (D/L ONLY)					1DP
374	119 13:55:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-6829					1DP
375	119 14:15:57	32	10 SET			10 DEGREE SET DSC-10					2V
376	119 15:56:14	31	10 SET			10 DEGREE SET DSC-10					1V
377	119 19:15:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-6829					1DP

INTEGRATED SEQUENCE FOR JST A023F JSX B025F WEEK 17 DOY 96-113/00:00 - 96-120/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
378	119 20:15:00	32	42 AOS	OPCH ACE		AOS DSS-42 PASS-6845 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
379	119 20:30:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6845					2DP
380	119 20:51:23	31	60RISE			10 DEGREE RISE DSC-60					1V
381	119 20:55:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6829 (D/L ONLY)					1DP
382	119 20:58:33	31	40 SET			10 DEGREE SET DSC-40					1V
383	119 23:45:00	32	42 LOS	OPCH ACE		LOS DSS-42 PASS-6845					2DP
384	120 00:00:00	31				VGR-31 OWLT IS 08H 37M 00S					1L
385	120 00:00:00	32				VGR-32 OWLT IS 06H 41M 38S					2L