# Section 3: Regional Data

<u>Region</u> Northeast	Farm Type Crops <u>Livestock</u> All farms	Estimated Lost-time Injuries 11373 5345 16718	Estimated Restricted Workdays 132028 160961 292989	Estimated Lost-time Injury Rates 15.4 4.2 8.4	Estimated Restricted <u>Workdays Rate</u> 179.1 <u>127.6</u> 146.6
South	Crops	17374	245739	5.0	70.3
	<u>Livestock</u>	28701	<u>572582</u>	6.1	122.3
	All farms	46076	818321	5.6	100.1
Midwest	Crops	32613	505133	8.3	128.2
	<u>Livestock</u>	56599	<u>1312666</u>	<u>9.7</u>	224.3
	All farms	89213	1817799	9.1	185.6
West	Crops	29702	220081	4.7	34.8
	<u>Livestock</u>	14117	239550	6.0	<u>101.4</u>
	All farms	43819	459631	5.0	52.9

Table 3-1. Regional estimates of injuries, restricted workdays, injury rate per 200,000 hours worked, and restricted workdays per 200,000 hours worked by farm group, 1995.

Table 3-2. Estimates of lost-time injuries, restricted workdays, lost-time injuries per 200,000 hours worked, and restricted workdays per 200,000 hours worked by region and type of farming operation, 1995.

<u>Region</u> Northeast	Type of Farm Cash grains Field crops Veg,fruit,nuts Nursery Beef,hogs,sheep Poultry Dairy Other	Estimated Lost-time <u>Injuries</u> 1206 3093 857 4486 1229 375 3741 1730	Estimated Restricted Workdays 89636 4928 2723 18760 35991 375 124595 15981	Estimated Lost-time <u>Injury Rate</u> 8.1 17.2 5.4 28.8 3.9 6.0 4.3 14.9	Estimated Restricted Workday Rate 602.0 27.4 17.3 120.3 114.9 6.0 114.0 138.0
South	Cash grains	3731	74352	4.4	87.4
	Field crops	4166	49384	3.5	41.1
	Veg,fruit,nuts	3790	93668	5.3	130.2
	Nursery	984	2332	1.4	3.4
	Beef,hogs,sheep	25588	529306	8.7	179.8
	Poultry	1487	22076	4.6	68.1
	Dairy	1626	21200	3.1	40.9
	Other	4705	26003	5.0	27.7

Table 3-2.	Estimates of lost-time in	juries, restricted workdays,	lost-time injuries per 200,000
hours worke	d, and restricted workdays	per 200,000 hours worked by	region and type of farming
operation, 1	1995 (continued) .		

		Estimated	Estimated	Estimated	Estimated
		Lost-time	Restricted	Lost-time	Restricted
Region	Type of Farm	Injuries	Workdays	<u>Injury Rate</u>	<u>Workday Rate</u>
Midwest	Cash grains	27466	431747	8.5	133.5
	Field crops	2974	41943	10.9	153.9
	Veg,fruit,nuts	174	6640	1.2	44.5
	Nursery	272	725	1.6	4.1
	Beef,hogs,sheep	46675	1173790	12.4	312.9
	Dairy	9923	138876	5.1	71.4
	Other	1727	24078	8.1	112.4
West	Cash grains	1078	11425	5.8	61.5
	Field crops	2170	42196	4.6	90.1
	Veg,fruit,nuts	16585	101381	3.6	22.3
	Nursery	9519	64289	8.8	59.5
	Beef,hogs,sheep	11244	130474	8.9	103.1
	Poultry	1042	75036	3.7	269.8
	Dairy	1831	34040	3.0	56.0
	Other farms	351	790	1.4	3.1

Table 3-3. Regional estimates of injuries, restricted workdays, injury rate per 200,000 hours worked, and restricted workdays per 200,000 hours worked by farm group and status of the injured worker, 1995.

			Estimated	Estimated	Estimated	Estimated
			Lost-time	Restricted	Lost-time	Restricted
Region	Farm Type	Status	Injuries	Workdays	Injury Rate	Workday Rate
Northeast	Crops	Family	5785	110636	12.9	246.0
		Hired	4682	213925	17.4	793.5
	Livestock	Family	4030	96819	3.7	88.2
		Hired	1314	64142	8.0	389.0
South	Crops	Family	12672	197718	7.7	120.9
		Hired	4664	48001	2.5	25.6
	Livestock	Family	7380	511368	2.3	156.4
		Hired	1424	51790	1.0	36.6
Midwest	Crops	Family	28020	487743	9.0	156.9
	-	Hired	4116	17151	7.5	31.1
	Livestock	Family	48958	1163515	11.0	262.3
		Hired	7642	149151	5.4	106.1
West	Crops	Family	3484	53713	3.7	57.3
	Ŧ -	Hired	24722	160943	4.6	29.9
	Livestock		6588	135711	7.2	149.0
		Hired	7207	93972	5.0	64.8

Table 3-4. Estimates of lost-time injuries by farm type for the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	1206.2	7.2	1206.2	7.2
Field crops	3093.4	18.5	4299.6	25.7
Vegetable,fruit,nuts	857.4	5.1	5157.0	30.8
Nursery	4486.3	26.8	9643.3	57.7
Beef,hogs,sheep	1228.5	7.3	10871.8	65.0
Poultry	375.0	2.2	11246.8	67.3
Dairy	3741.4	22.4	14988.2	89.7
Other	1730.0	10.3	16718.2	100.0

Table 3-5. Estimates of lost-time injuries by status of the injured worker for the Northeast region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	8991.5	56.7	8991.5	56.7
Partner/family	823.8	5.2	9815.3	61.9
Hired labor	5440.7	34.3	15256.0	96.2
Unpaid nonfamily	556.2	3.5	15812.2	99.7
Other	50.4	0.3	15862.6	100.0
	(Frequency M	issing = 8	355.6)	

#### Table 3-6. Estimates of lost-time injuries by gender for the Northeast region of the U.S., 1995.

			Cumulative	Cumulative	
Gender	Frequency	Percent	Frequency	Percent	
Male	14242.9	89.8	14242.9	89.8	
Female	1619.7	10.2	15862.6	100.0	
(Frequency Missing = 855.6)					

# Table 3-7. Estimates of lost-time injuries by age group for the Northeast region of the U.S., 1995.

Age Group			Cumulative	Cumulative
Years)	Frequency	Percent	Frequency	Percent
<20	1017.2	6.5	1017.2	6.5
20-29	6369.7	40.8	7386.9	47.3
30-39	1340.2	8.6	8727.1	55.9
40-49	2102.6	13.5	10829.7	69.3
50-59	1185.5	7.6	12015.2	76.9
60-69	2893.0	18.5	14908.2	95.5
>=70	710.6	4.5	15618.8	100.0
	(Frequenc	y Missing	= 1099.4)	

Table 3-8. Estimates of lost-time injuries by race or ethnic origin for the Northeast region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	15726.8	99.2	15726.8	99.2
Hispanic	123.4	0.8	15850.2	100.0
Other	6.2	0.0	15856.4	100.0
(Frequency Missing = 861.8)				

#### Table 3-9. Estimates of lost-time injuries by month for the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	252.9	1.6	252.9	1.6
February	303.1	2.0	556.0	3.6
March	1102.0	7.2	1658.0	10.8
April	1222.0	7.9	2880.0	18.7
May	496.7	3.2	3376.7	22.0
June	2151.4	14.0	5528.1	36.0
July	6139.3	39.9	11667.4	75.9
August	677.7	4.4	12345.1	80.3
September	328.1	2.1	12673.2	82.4
October	919.2	6.0	13592.4	88.4
November	1171.7	7.6	14764.1	96.0
December	610.9	4.0	15375.0	100.0
	(Frequenc	y Missing	= 1343.2)	

# Table 3-10. Estimates of lost-time injuries by severity of the injury for the Northeast region of the U.S., 1995.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	14320.8	90.3	14320.8	90.3
Permanent	1298.0	8.2	15618.8	98.5
Fatality	243.8	1.5	15862.6	100.0
	(Frequenc	y Missing	= 855.6)	

Table 3-11. Estimates of lost-time injuries by whether professional medical attention was sought in the Northeast region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	2397.4	14.3	2397.4	14.3
Yes	13130.0	78.6	15527.4	92.9
No	1184.6	7.1	16712.0	100.0
	(Frequer	ncy Missin	g = 6.2)	

# Table 3-12. Estimates of lost-time injuries by body part injured for the Northeast region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	303.3	1.9	303.3	1.9
Eye	1659.6	10.5	1962.9	12.4
Chest/trunk	569.7	3.6	2532.6	16.0
Back	1588.1	10.0	4120.7	26.0
Arm/shoulder	1016.8	6.4	5137.5	32.4
Finger	5132.5	32.4	0270.0	64.7
Hand/wrist	1106.1	7.0	11376.1	71.7
Leg/knee/hip	828.8	5.2	12204.9	76.9
Тое	251.9	1.6	12456.8	78.5
Foot	2617.6	16.5	15074.4	95.0
Mult. parts	788.2	5.0	15862.6	100.0
	(Frequency	Missing =	= 855.6)	

# Table 3-13. Estimates of lost-time injuries by nature of injury for the Northeast region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	488.8	3.1	488.8	3.1
Bruise	2057.9	13.0	2546.7	16.1
Burn	252.9	1.6	2799.6	17.6
Cut	5025.6	31.7	7825.2	49.3
Crush	2147.0	13.5	9972.2	62.9
Fracture	2245.2	14.2	12217.4	77.0
Puncture	1352.1	8.5	13569.5	85.5
Sprain/strain	1933.6	12.2	15503.1	97.7
Mult. injury	252.9	1.6	15756.0	99.3
Other	106.6	0.7	15862.6	100.0
	(Frequency	Missing =	855.6)	

Table 3-14. Estimates of lost-time injuries by type of event for the Northeast region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	303.3	1.9	303.3	1.9
Caught between	4918.7	31.0	5222.0	32.9
Caught under	2297.4	14.5	7519.4	47.4
Struck by/against	1296.6	8.2	8816.0	55.6
Struck by falling	988.1	6.2	9804.1	61.8
Struck by flying	1410.4	8.9	11214.5	70.7
Contact sharp obj.	1152.9	7.3	12367.4	78.0
Fall, same level	801.9	5.1	13169.3	83.0
Fall, elevation	1078.6	6.8	14247.9	89.8
Overexertion	853.6	5.4	15101.5	95.2
Other	761.1	4.8	15862.6	100.0
	(Frequency Mi	ssing = 85	55.6)	

#### Table 3-15. Estimates of lost-time injuries by activity when worker was injured for the Northeast region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	2376.0	15.2	2376.0	15.2
Machine maint.	2271.5	14.5	4647.5	29.8
Field work	2500.2	16.0	7147.7	45.8
Crop handling	1743.8	11.2	8891.5	56.9
Livestock handling	1672.9	10.7	10564.4	67.6
Other	5054.4	32.4	15618.8	100.0
(Frequency Missing = 1099.4)				

# Table 3-16. Estimates of lost-time injuries by source of the injury for the Northeast region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	2251.6	14.2	2251.6	14.2
Machinery	1992.4	12.6	4244.0	26.8
Livestock	1100.3	6.9	5344.3	33.7
Hand tool	2151.5	13.6	7495.8	47.3
Power tool	252.9	1.6	7748.7	48.8
Plant/tree	602.3	3.8	8351.0	52.6
Working surface	858.5	5.4	9209.5	58.0
Truck/auto	543.7	3.4	9753.2	61.5
Other vehicle	252.9	1.6	10006.4	63.1
Liquids	505.8	3.2	10511.9	66.2
Other	5350.7	33.8	15862.6	100.0
	(Frequency M	issing = 8	355.6)	

Table 3-17. Estimates of lost-time injuries by farm type for the South region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	3730.5	8.1	3730.5	8.1
Field crops	4165.5	9.0	7896.0	17.1
Vegetable,fruit,nuts	3789.6	8.2	11685.6	25.4
Nursery	984.3	2.1	12669.9	27.5
Beef,hogs,sheep	25588.3	55.5	38258.2	83.0
Poultry	1486.7	3.2	39744.9	86.3
Dairy	1626.1	3.5	41371.0	89.8
Other	4704.5	10.2	46075.5	100.0

Table 3-18. Estimates of lost-time injuries by status of the injured worker for the South region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	31863.8	69.7	31863.8	69.7
Partner/family	2964.8	6.5	34828.6	76.2
Hired labor	9868.1	21.6	44696.7	97.8
Unpaid nonfamily	337.2	0.7	45033.9	98.6
Other	656.4	1.4	45690.3	100.0
	(Frequency M	Aissing = 3	385.2)	

#### Table 3-19. Estimates of lost-time injuries by gender for the South region of the U.S., 1995.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	40070.1	87.7	40070.1	87.7
Female	5620.2	12.3	45690.3	100.0
(Frequency Missing = 385.2)				

# Table 3-20. Estimates of lost-time injuries by age group for the South region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	1126.6	2.5	1406.7	3.1
20-29	2152.4	4.7	3559.1	7.8
30-39	12742.5	27.9	16301.6	35.6
40-49	8138.5	17.8	24440.1	53.4
50-59	9999.1	21.9	34439.2	75.3
60-69	7181.5	15.7	41620.7	91.0
>=70	4108.6	9.0	45729.3	100.0
	(Frequenc	cy Missing	= 346.2)	

Table 3-21. Estimates of lost-time injuries by race or ethnic origin for the South region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	40269.1	88.3	40269.1	88.3
Hispanic	3178.0	7.0	43447.1	95.3
Black	2135.3	4.7	45582.4	100.0
(Frequency Missing = 493.1)				

#### Table 3-22. Estimates of lost-time injuries by month for the South region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	730.6	1.6	730.6	1.6
February	507.2	1.1	1237.8	2.7
March	3965.5	8.7	5203.3	11.4
April	9255.7	20.3	14459.0	31.7
May	3104.5	6.8	17563.5	38.5
June	2466.6	5.4	20030.1	44.0
July	4276.1	9.4	24306.2	53.3
August	2753.4	6.0	27059.6	59.4
September	5692.9	12.5	32752.5	71.9
October	6549.1	14.4	39301.6	86.3
November	4470.5	9.8	43772.1	96.1
December	1793.9	3.9	45566.0	100.0
	(Frequenc	cy Missing	= 509.5)	

# Table 3-23. Estimates of lost-time injuries by severity of the injury for the South region of the U.S., 1995.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	42259.2	92.4	42259.2	92.4
Permanent	3411.8	7.5	45671	99.9
Fatality	58.3	0.1	45729.3	100.0
	(Frequenc	y Missing	= 346.2)	

Table 3-24. Estimates of lost-time injuries by whether professional medical attention was sought in the South region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	3580.6	7.9	3580.6	7.9
Yes	32091.2	70.7	35671.8	78.6
No	9714.5	21.4	45386.3	100.0
	(Frequenc	cy Missing	= 689.2)	

# Table 3-25. Estimates of lost-time injuries by body part injured for the South region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	2856.6	6.2	2856.6	6.2
Eye	1358.2	3.0	4214.8	9.2
Chest/trunk	2178.3	4.8	6393.1	14.0
Back	6399.1	14.0	12792.2	28.0
Arm/shoulder	5496.4	12.0	18288.6	40.0
Finger	7386.6	16.2	25675.2	56.1
Hand/wrist	4146.6	9.1	29821.8	65.2
Leg/knee/hip	10623.4	23.2	40445.2	88.4
Тое	395.6	0.9	40840.8	89.3
Foot	785.7	1.7	41626.5	91.0
Mult. parts	2358.0	5.2	43984.5	96.2
Other	1744.8	3.8	45729.3	100.0
	(Frequency	Missing =	= 346.2)	

# Table 3-26. Estimates of lost-time injuries by nature of injury for the South region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	926.0	2.0	926.0	2.0
Bruise	5151.5	11.3	6077.5	13.3
Burn	1019.1	2.2	7096.6	15.6
Cut	8831.0	19.4	15927.6	35.0
Crush	3020.6	6.6	18948.2	41.6
Fracture	8135.3	17.9	27083.5	59.4
Puncture	2624.9	5.8	29708.4	65.2
Sprain/strain	11868.7	26.0	41577.1	91.2
Mult. injury	2265.8	5.0	43842.9	96.2
Other	1723.1	3.8	45566.0	100.0
	(Frequency	Missing =	509.5)	

Table 3-27. Estimates of lost-time injuries by type of event for the South region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	2751.2	6.0	2751.2	6.0
Caught between	3941.9	8.6	6693.1	14.6
Caught under	2112.4	4.6	8805.5	19.3
Struck by/against	7040.8	15.4	15846.3	34.7
Struck by falling	2070.9	4.5	17917.2	39.2
Struck by flying	1696.7	3.7	19613.9	42.9
Contact sharp obj.	7323.2	16.0	26937.1	58.9
Fall, same level	3166.0	6.9	30103.1	65.8
Fall, elevation	4864.4	10.6	34967.5	76.5
Overexertion	7835.8	17.1	42803.3	93.6
Other	2926.0	6.4	45729.3	100.0
	Frequency Mi	ssing = 34	46.2	

#### Table 3-28. Estimates of lost-time injuries by activity when worker was injured for the South region of the U.S., 1995.

Activity When			Cumulative	Cumulative	
Injured	Frequency	Percent	Frequency	Percent	
Farm maint.	12649.3	27.8	12649.3	27.8	
Machine maint.	4439.5	9.7	17088.8	37.5	
Field work	5493.8	12.1	22582.6	49.6	
Crop handling	5052.1	11.1	27634.7	60.7	
Livestock handling	16293.1	35.8	43927.8	96.4	
Other	1634.1	3.6	45561.9	100.0	
(Frequency Missing = 513.6)					

# Table 3-29. Estimates of lost-time injuries by source of the injury for the South region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	2235.7	4.9	2235.7	4.9
Machinery	5078.4	11.1	7314.1	16.0
Livestock	8934.2	19.5	16248.3	35.5
Hand tool	7114.5	15.5	23362.8	51.0
Power tool	1718.9	3.8	25081.7	54.8
Pesticide/chem.	56.4	0.1	25138.1	54.9
Plant/tree	2864.3	6.3	28002.4	61.1
Working surface	5024.7	11.0	33027.1	72.1
Truck/auto	221.0	0.5	33248.1	72.6
Other vehicle	1885.0	4.1	35133.1	76.7
Other	10664.5	23.3	45797.6	100.0
	(Frequency M	issing = 2	277.9)	

#### Table 3-30. Estimates of lost-time injuries by farm type for the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	27466.0	30.8	27466.0	30.8
Field crops	2974.4	3.3	30440.4	34.1
Vegetable, fruit, nuts	174.1	0.2	30614.5	34.3
Nursery	271.7	0.3	30886.2	34.6
Beef,hogs,sheep	46675.1	52.3	77561.3	86.9
Dairy	9923.4	11.1	87484.7	98.1
Other	1727.1	1.9	89211.8	100.0

# Table 3-31. Estimates of lost-time injuries by status of the injured worker for the Midwest region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	71371.9	80.4	71371.9	80.4
Partner/family	5604.7	6.3	76976.6	86.8
Hired labor	9106.0	10.3	86082.6	97.0
Unpaid nonfamily	2651.0	3.0	88733.6	100.0
(Frequency Missing = 478.2)				

# Table 3-32. Estimates of lost-time injuries by gender for the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
<u>Gender</u>	Frequency	Percent	Frequency	Percent
Male	77135.3	86.9	77135.3	86.9
Female	11598.3	13.1	88733.6	100.0
Frequency Missing = $478.2$				

# Table 3-33. Estimates of lost-time injuries by age group for the Midwest region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	3167.1	3.6	4473.9	5.0
20-29	6120.5	6.9	10594.4	11.9
30-39	18715.5	21.0	29309.9	32.9
40-49	13244.3	14.8	42554.2	47.7
50-59	21754.1	24.4	64308.3	72.1
60-69	15983.9	17.9	80292.2	90.0
>=70	8919.6	10.0	89211.8	100.0

Table 3-34. Estimates of lost-time injuries by race or ethnic origin for the Midwest region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	88936.5	99.7	88936.5	99.7
Hispanic	275.3	0.3	89211.8	100.0

#### Table 3-35. Estimates of lost-time injuries by month for the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	600.0	0.7	600.0	0.7
February	2141.2	2.5	2741.2	3.2
March	2164.0	2.5	4905.2	5.6
April	3010.1	3.5	7915.3	9.1
May	8517.2	9.8	16432.5	18.9
June	13720.0	15.8	30152.5	34.7
July	9623.5	11.1	39776.0	45.8
August	13764.9	15.8	53540.9	61.6
September	5862.9	6.7	59403.8	68.3
October	7739.3	8.9	67143.1	77.2
November	15385.2	17.7	82528.3	94.9
December	4404.2	5.1	86932.5	100.0
	(Frequenc	y Missing	= 2279.3)	

# Table 3-36. Estimates of lost-time injuries by severity of the injury for the Midwest region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	84734.3	95.0	84734.3	95.0
Permanent	2304.7	2.6	87039.0	97.6
Fatality	2172.8	2.4	89211.8	100.0

# Table 3-37. Estimates of lost-time injuries by whether professional medical attention was sought in the Midwest region of the U.S., 1995.

Medical Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	4477.5	5.0	4477.5	5.0
Yes	74015.8	83.0	78493.3	88.0
No	10718.5	12.0	89211.8	100.0

Table 3-38. Estimates of lost-time injuries by body part injured for the Midwest region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	4430.0	5.0	4430.0	5.0
Еуе	1678.9	1.9	6108.9	6.8
Chest/trunk	7107.8	8.0	13216.7	14.8
Back	16380.8	18.4	29597.5	33.2
Arm/shoulder	8653.0	9.7	38250.5	42.9
Finger	8833.3	9.9	47083.8	52.8
Hand/wrist	8063.6	9.0	55147.4	61.8
Leg/knee/hip	14500.8	16.3	69648.2	78.1
Тое	281.9	0.3	69930.1	78.4
Foot	10507.4	11.8	80437.5	90.2
Mult. parts	5276.6	5.9	85714.1	96.1
Other	3497.7	3.9	89211.8	100.0

# Table 3-39. Estimates of lost-time injuries by nature of injury for the Midwest region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	1914.6	2.1	1914.6	2.1
Bruise	14709.5	16.5	16624.1	18.6
Burn	591.2	0.7	17215.3	19.3
Cut	8676.5	9.7	25891.8	29.0
Crush	3018.6	3.4	28910.4	32.4
Fracture	20333.6	22.8	49244.0	55.2
Poisoning	221.7	0.2	49465.7	55.4
Puncture	6877.5	7.7	56343.2	63.2
Sprain/strain	20295.4	22.7	76638.6	85.9
Mult. injury	3743.2	4.2	80381.8	90.1
Other	8830.0	9.9	89211.8	100.0

Table 3-40. Estimates of lost-time injuries by type of event for the Midwest region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	6231.0	7.0	6231.0	7.0
Caught between	14083.1	15.8	20314.1	22.8
Caught under	4623.8	5.2	24937.9	28.0
Struck by/against	10623.4	11.9	35561.3	39.9
Struck by falling	6583.2	7.4	42144.5	47.2
Struck by flying	1078.6	1.2	43223.1	48.4
Contact sharp obj.	11289.4	12.7	54512.5	61.1
Fall, same level	5283.4	5.9	59795.9	67.0
Fall, elevation	11864.1	13.3	71660.0	80.3
Overexertion	8154.3	9.1	79814.3	89.5
Other	9397.5	10.5	89211.8	100.0

# Table 3-41. Estimates of lost-time injuries by activity when worker was injured for the Midwest region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	8753.2	9.8	8753.2	9.8
Machine maint.	11946.1	13.4	20699.3	23.2
Field work	5507.8	6.2	26207.1	29.4
Crop handling	14460.5	16.2	40667.6	45.6
Livestock handling	39675.1	44.5	80342.7	90.1
Other	8869.1	9.9	89211.8	100.0

# Table 3-42. Estimates of lost-time injuries by source of the injury for the Midwest region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	3352.0	3.8	3352.0	3.8
Machinery	22011.2	24.7	25363.2	28.4
Livestock	23526.9	26.4	48890.1	54.8
Hand tool	2204.6	2.5	51094.7	57.3
Power tool	1092.9	1.2	52187.6	58.5
Pesticide/chem.	846.7	0.9	53034.3	59.4
Plant/tree	2919.5	3.3	55953.8	62.7
Working surface	7613.9	8.5	63567.7	71.3
Truck/auto	898.2	1.0	64465.9	72.3
Other vehicle	1666.3	1.9	66132.2	74.1
Other	23079.6	25.9	89211.8	100.0

Table 3-43. Estimates of lost-time injuries by farm type for the West region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	1078.1	2.5	1078.1	2.5
Field crops	2170.3	5.0	3248.4	7.4
Vegetable, fruit, nuts	16584.9	37.8	19833.3	45.3
Nursery	9518.6	21.7	29351.9	67.0
Beef,hogs,sheep	11243.6	25.7	40595.5	92.6
Poultry	1041.7	2.4	41637.2	95.0
Dairy	1831.3	4.2	43468.5	99.2
Other farms	350.6	0.8	43819.1	100.0

Table 3-44. Estimates of lost-time injuries by status of the injured worker for the West region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	9644.2	22.3	9644.2	22.3
Partner/family	428.8	1.0	10073.0	23.3
Hired labor	29758.7	68.9	39831.7	92.3
Unpaid nonfamily	2170.2	5.0	42001.9	97.3
Other	1171.3	2.7	43173.2	100.0
	(Frequency M	issing = 6	545.9)	

#### Table 3-45. Estimates of lost-time injuries by gender for the West region of the U.S., 1995.

			Cumulative	Cumulative	
Gender	Frequency	Percent	Frequency	Percent	
Male	40295.5	93.3	40295.5	93.3	
Female	2877.7	6.7	43173.2	100.0	
(Frequency Missing = 645.9)					

# Table 3-46. Estimates of lost-time injuries by age group for the West region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	1448.9	3.4	1448.9	3.4
20-29	14029.6	32.5	15478.5	35.9
30-39	9206.5	21.3	24685.0	57.2
40-49	5819.0	13.5	30504.0	70.7
50-59	8211.9	19.0	38715.9	89.7
60-69	3754.4	8.7	42470.3	98.4
>=70	702.9	1.6	43173.2	100.0
	(Frequenc	cy Missing	= 645.9)	

Table 3-47. Estimates of lost-time injuries by race or ethnic origin for the West region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	12815.9	29.7	12815.9	29.7
Hispanic	28764.5	66.6	41580.4	96.3
Asian	1070.1	2.5	42650.5	98.8
Other	522.7	1.2	43173.2	100.0
	(Frequency M	Aissing =	645.9)	

# Table 3-48. Estimates of lost-time injuries by month for the West region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	1989.6	4.6	1989.6	4.6
February	71.4	0.2	2061.0	4.8
March	1627.9	3.8	3688.9	8.5
April	2158.7	5.0	5847.6	13.5
May	4625.6	10.7	10473.2	24.3
June	920.4	2.1	11393.6	26.4
July	6658.5	15.4	18052.1	41.8
August	12605.8	29.2	30657.9	71.0
September	5171.8	12.0	35829.7	83.0
October	3119.7	7.2	38949.4	90.2
November	3501.4	8.1	42450.8	98.3
December	722.4	1.7	43173.2	100.0
	(Frequenc	y Missing	= 645.9)	

# Table 3-49. Estimates of lost-time injuries by severity of the injury for the West region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	40090.0	92.9	40090.0	92.9
Permanent	3083.2	7.1	43173.2	100.0
	(Frequency	Missing	= 645.9)	

Table 3-50. Estimates of lost-time injuries by whether professional medical attention was sought in the West region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
<u>Required</u>	Frequency	Percent	Frequency	Percent
Unknown	3729.1	8.5	3729.1	8.5
Yes	32024.1	73.2	35753.2	81.7
No	7987.6	18.3	43740.8	100.0
	(Frequen	cy Missing	g = 78.3)	

# Table 3-51. Estimates of lost-time injuries by body part injured for the West region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	3811.2	8.8	3811.2	8.8
Eye	1797.2	4.2	5608.4	13.0
Chest/trunk	2045.4	4.7	7653.8	17.7
Back	3601.7	8.3	11255.5	26.1
Arm/shoulder	9871.6	22.9	21127.1	48.9
Finger	4343.6	10.1	25470.7	59.0
Hand/wrist	3813.1	8.8	29283.8	67.8
Leg/knee/hip	7603.5	17.6	36887.3	85.4
Foot	4988.9	11.6	41876.2	97.0
Mult. parts	1297.0	3.0	43173.2	100.0
	(Frequency	Missing =	= 645.9)	

# Table 3-52. Estimates of lost-time injuries by nature of injury for the West region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	132.6	0.3	132.6	0.3
Bruise	7571.3	17.5	7703.9	17.8
Burn	1572.2	3.6	9276.1	21.5
Cut	6995.6	16.2	16271.7	37.7
Crush	152.0	0.4	16423.7	38.0
Fracture	2965.5	6.9	19389.2	44.9
Puncture	261.0	0.6	19650.2	45.5
Sprain/strain	20626	47.8	40276.2	93.3
Mult. injury	520.5	1.2	40796.7	94.5
Other	2376.5	5.5	43173.2	100.0
	(Frequency	Missing =	645.9)	

Table 3-53. Estimates of lost-time injuries by type of event for the West region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	1939.8	4.5	1939.8	4.5
Caught between	1849.0	4.3	3788.8	8.8
Caught under	131.2	0.3	3920.0	9.1
Struck by/against	3237.8	7.5	7157.8	16.6
Struck by falling	5101.5	11.8	12259.3	28.4
Struck by flying	277.6	0.6	12536.9	29.0
Contact sharp obj.	6442.5	14.9	18979.4	44.0
Fall, same level	4382.4	10.2	23361.8	54.1
Fall, elevation	9664.3	22.4	33026.1	76.5
Overexertion	2697.8	6.2	35723.9	82.7
Other	7449.3	17.3	43173.2	100.0
	(Frequency Mi	ssing = $6^{4}$	45.9)	

#### Table 3-54. Estimates of lost-time injuries by activity when worker was injured for the West region of the U.S., 1995.

Activity When			Cumulative	Cumulative	
Injured	Frequency	Percent	Frequency	Percent	
Farm maint.	14673.3	34.0	14673.3	34.0	
Machine maint.	2133.7	4.9	16807.0	38.9	
Field work	9683.5	22.4	26490.5	61.4	
Crop handling	2502.9	5.8	28993.4	67.2	
Livestock handling	6888.6	16.0	35882.0	83.1	
Other	7291.2	16.9	43173.2	100.0	
(Frequency Missing = $645.9$ )					

# Table 3-55. Estimates of lost-time injuries by source of the injury for the West region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	63.1	0.1	63.1	0.1
Machinery	12307.7	28.5	12370.8	28.7
Livestock	5218.0	12.1	17588.8	40.7
Hand tool	3246.7	7.5	20835.5	48.3
Power tool	2622.5	6.1	23458.0	54.3
Plant/tree	1191.3	2.8	24649.3	57.1
Working surface	3005.2	7.0	27654.5	64.1
Truck/auto	1171.3	2.7	28825.8	66.8
Other vehicle	1370.6	3.2	30196.4	69.9
Other	12976.8	30.1	43173.2	100.0
	(Frequency M	issing = 0	645.9)	

Table 3-56. Estimates of lost-time injuries by status of the injured worker for crop operations in the Northeast region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	5467.1	52.0	5467.1	52.0
Partner/family	318.0	3.0	5785.1	55.0
Hired labor	4631.8	44.0	10416.9	99.0
Unpaid nonfamily	50.4	0.5	10467.3	99.5
Other	50.4	0.5	10517.7	100.0
	(Frequency M	issing = 8	355.6)	

# Table 3-57. Estimates of lost-time injuries by gender for crop operations in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative	
Gender	Frequency	Percent	Frequency	Percent	
Male	9656.7	91.8	9656.7	91.8	
Female	861.0	8.2	10517.7	100.0	
(Frequency Missing = 855.6)					

#### Table 3-58. Estimates of lost-time injuries by age group for crop operations in the Northeast region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	258.5	2.5	258.5	2.5
20-29	5611.0	54.6	5869.5	57.1
30-39	531.3	5.2	6400.8	62.3
40-49	556.6	5.4	6957.4	67.7
50-59	710.1	6.9	7667.5	74.6
60-69	1895.8	18.5	9563.3	93.1
>=70	710.6	6.9	10273.9	100.0
	(Frequency	Missing	= 1099.4)	

#### Table 3-59. Estimates of lost-time injuries by race or ethnic origin for crop operations in the Northeast region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	10381.9	98.8	10381.9	98.8
Hispanic	123.4	1.2	10505.3	99.9
Other	6.2	0.1	10511.5	100.0
	(Frequency N	lissing =	861.8)	

Table 3-60. Estimates of lost-time injuries by month for crop operations in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
March	61.8	0.6	61.8	0.6
April	463.3	4.6	525.1	5.2
May	243.8	2.4	768.9	7.7
June	2151.4	21.4	2920.3	29.1
July	5142.1	51.3	8062.4	80.4
August	374.6	3.7	8437.0	84.1
September	75.2	0.7	8512.2	84.9
October	544.2	5.4	9056.4	90.3
November	665.9	6.6	9722.3	96.9
December	307.8	3.1	10030.1	100.0
	(Frequenc	y Missing	= 1343.2)	

# Table 3-61. Estimates of lost-time injuries by severity of the injury for crop operations in the Northeast region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	9474.5	90.1	9474.5	90.1
Permanent	799.4	7.6	10273.9	97.7
Fatality	243.8	2.3	10517.7	100.0
	(Frequency	Missing :	= 855.6)	

# Table 3-62. Estimates of lost-time injuries by whether professional medical attention was sought for crop operations in the Northeast region of the U.S., 1995.

Medical Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	1898.8	16.7	1898.8	16.7
Yes	8536.6	75.1	10435.4	91.8
No	931.7	8.2	11367.1	100.0
	(Frequen	cy Missing	g = 6.2)	

Table 3-63. Estimates of lost-time injuries by body part injured for crop operations in the Northeast region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	50.4	0.5	50.4	0.5
Eye	1609.4	15.3	1659.8	15.8
Chest/trunk	316.8	3.0	1976.6	18.8
Back	996.3	9.5	2972.9	28.3
Arm/shoulder	12.4	0.1	2985.3	28.4
Finger	4251.7	40.4	7237.0	68.8
Hand/wrist	600.3	5.7	7837.3	74.5
Leg/knee/hip	272.8	2.6	8110.1	77.1
Тое	6.2	0.1	8116.3	77.2
Foot	1858.9	17.7	9975.2	94.8
Mult. parts	542.5	5.2	10517.7	100.0
	(Frequency	Missing =	= 855.6)	

#### Table 3-64. Estimates of lost-time injuries by nature of injury for crop operations in the Northeast region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	488.8	4.6	488.8	4.6
Bruise	1812.2	17.2	2301.0	21.9
Cut	4274.1	40.6	6575.1	62.5
Crush	1135.4	10.8	7710.5	73.3
Fracture	367.2	3.5	8077.7	76.8
Puncture	1352.1	12.9	9429.8	89.7
Sprain/strain	1081.7	10.3	10511.5	99.9
Other	6.2	0.1	10517.7	100.0
	(Frequency	Missing =	855.6)	

#### Table 3-65. Estimates of lost-time injuries by type of event for crop operations in the Northeast region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	50.4	0.5	50.4	0.5
Caught between	3907.1	37.1	3957.5	37.6
Caught under	2297.4	21.8	6254.9	59.5
Struck by/against	921.6	8.8	7176.5	68.2
Struck by falling	243.8	2.3	7420.3	70.6
Struck by flying	1157.5	11.0	8577.8	81.6
Contact sharp obj.	900.0	8.6	9477.8	90.1
Fall, same level	50.4	0.5	9528.2	90.6
Fall, elevation	74.2	0.7	9602.4	91.3
Overexertion	507.5	4.8	10109.9	96.1
Other	407.8	3.9	10517.7	100.0
	(Frequency Mi	ssing = 85	55.6)	

Table 3-66. Estimates of lost-time injuries by activity when worker was injured for crop operations in the Northeast region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	1125.9	11.0	1125.9	11.0
Machine maint.	2018.6	19.6	3144.5	30.6
Field work	2001.6	19.5	5146.1	50.1
Crop handling	364.4	3.5	5510.5	53.6
Livestock handling	871.2	8.5	6381.7	62.1
Other	3892.2	37.9	10273.9	100.0
(Frequency Missing = 1099.4)				

#### Table 3-67. Estimates of lost-time injuries by source of the injury for crop operations in the Northeast region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	1998.7	19.0	1998.7	19.0
Machinery	735.1	7.0	2733.8	26.0
Livestock	804.4	7.6	3538.2	33.6
Hand tool	1898.6	18.1	5436.8	51.7
Plant/tree	256.2	2.4	5693.0	54.1
Working surface	107.0	1.0	5800.0	55.2
Truck/auto	543.7	5.2	6343.7	60.3
Other	4174.0	39.7	10517.7	100.0
	(Frequency M	issing = 8	355.6)	

# Table 3-68. Estimates of lost-time injuries by status of the injured worker for livestock operations in the Northeast region of the U.S., 1995.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	3524.4	65.9	3524.4	65.9
Partner/family	505.8	9.5	4030.2	75.4
Hired labor	808.9	15.1	4839.1	90.5
Unpaid nonfamily	505.8	9.5	5344.9	100.0

Table 3-69. Estimates of lost-time injuries by gender for livestock operations in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	4586.2	85.8	4586.2	85.8
Female	758.7	14.2	5344.9	100.0

# Table 3-70. Estimates of lost-time injuries by age group for livestock operations in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
<u>Aqe Group</u>	Frequency	Percent	Frequency	Percent
<20	758.7	14.2	758.7	14.2
20-29	758.7	14.2	1517.4	28.4
30-39	808.9	15.1	2326.3	43.5
40-49	1546.0	28.9	3872.3	72.4
50-59	475.4	8.9	4347.7	81.3
60-69	997.2	18.7	5344.9	100.0

#### Table 3-71. Estimates of lost-time injuries by race or ethnic origin for livestock operations in the Northeast region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	5344.9	100.0	5344.9	100.0

# Table 3-72. Estimates of lost-time injuries by month for livestock operations in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	252.9	4.7	252.9	4.7
February	303.1	5.7	556.0	10.4
March	1040.2	19.5	1596.2	29.9
April	758.7	14.2	2354.9	44.1
May	252.9	4.7	2607.8	48.8
July	997.2	18.7	3605.0	67.4
August	303.1	5.7	3908.1	73.1
September	252.9	4.7	4161.0	77.8
October	375.0	7.0	4536.0	84.9
November	505.8	9.5	5041.8	94.3
December	303.1	5.7	5344.9	100.0

Table 3-73. Estimates of lost-time injuries by severity of the injury for livestock operations in the Northeast region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	4846.3	90.7	4846.3	90.7
Permanent	498.6	9.3	5344.9	100.0

Table 3-74. Estimates of lost-time injuries by whether professional medical attention was sought for livestock operations in the Northeast region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	498.6	9.3	498.6	9.3
Yes	4593.4	85.9	5092.0	95.3
No	252.9	4.7	5344.9	100.0

# Table 3-75. Estimates of lost-time injuries by body part injured for livestock operations in the Northeast region of the U.S., 1995.

Body Part			Cumulative	Cumulative
<u>Injured</u>	Frequency	Percent	Frequency	Percent
Head/neck	252.9	4.7	252.9	4.7
Eye	50.2	0.9	303.1	5.7
Chest/trunk	252.9	4.7	556.0	10.4
Back	591.8	11.1	1147.8	21.5
Arm/shoulder	1004.4	18.8	2152.2	40.3
Finger	880.8	16.5	3033.0	56.7
Hand/wrist	505.8	9.5	3538.8	66.2
Leg/knee/hip	556.0	10.4	4094.8	76.6
Тое	245.7	4.6	4340.5	81.2
Foot	758.7	14.2	5099.2	95.4
Mult. parts	245.7	4.6	5344.9	100.0

Table 3-76. Estimates of lost-time injuries by nature of injury for livestock operations in the Northeast region of the U.S., 1995.

Nature of			Cumulative	Cumulative
<u>Injury</u>	Frequency	Percent	Frequency	Percent
Bruise	245.7	4.6	245.7	4.6
Burn	252.9	4.7	498.6	9.3
Cut	751.5	14.1	1250.1	23.4
Crush	1011.6	18.9	2261.7	42.3
Fracture	1878.0	35.1	4139.7	77.5
Sprain/strain	851.9	15.9	4991.6	93.4
Mult. injury	252.9	4.7	5244.5	98.1
Other	100.4	1.9	5344.9	100.0

# Table 3-77. Estimates of lost-time injuries by type of event for livestock operations in the Northeast region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	252.9	4.7	252.9	4.7
Caught between	1011.6	18.9	1264.5	23.7
Struck by/against	375.0	7.0	1639.5	30.7
Struck by falling	744.3	13.9	2383.8	44.6
Struck by flying	252.9	4.7	2636.7	49.3
Contact sharp obj.	252.9	4.7	2889.6	54.1
Fall, same level	751.5	14.1	3641.1	68.1
Fall, elevation	1004.4	18.8	4645.5	86.9
Overexertion	346.1	6.5	4991.6	93.4
Other	353.3	6.6	5344.9	100.0

# Table 3-78. Estimates of lost-time injuries by activity when worker was injured for livestock operations in the Northeast region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	1250.1	23.4	1250.1	23.4
Machine maint.	252.9	4.7	1503.0	28.1
Field work	498.6	9.3	2001.6	37.4
Crop handling	1379.4	25.8	3381.0	63.3
Livestock handling	801.7	15.0	4182.7	78.3
Other	1162.2	21.7	5344.9	100.0

Table 3-79. Estimates of lost-time injuries by source of the injury for livestock operations in the Northeast region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	252.9	4.7	252.9	4.7
Machinery	1257.3	23.5	1510.2	28.3
Livestock	295.9	5.5	1806.1	33.8
Hand tool	252.9	4.7	2059.0	38.5
Power tool	252.9	4.7	2311.9	43.3
Plant/tree	346.1	6.5	2658.0	49.7
Working surface	751.5	14.1	3409.5	63.8
Other vehicle	252.9	4.7	3662.4	68.5
Liquids	505.8	9.5	4168.2	78.0
Other	1176.7	22.0	5344.9	100.0

#### Table 3-80. Estimates of lost-time injuries by status of the injured worker for crop operations in the South region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	11470.1	66.2	11470.1	66.2
Partner/family	1201.5	6.9	12671.6	73.1
Hired labor	4506.3	26.0	17177.9	99.1
Unpaid nonfamily	157.5	0.9	17335.4	100.0
(Frequency Missing = 39.0)				

# Table 3-81. Estimates of lost-time injuries by gender for crop operations in the South region of the U.S., 1995.

			Cumulative	Cumulative	
Gender	Frequency	Percent	Frequency	Percent	
Male	14758.8	85.1	14758.8	85.1	
Female	2576.6	14.9	17335.4	100.0	
(Frequency Missing = 39.0)					

# Table 3-82. Estimates of lost-time injuries by age group for crop operations in the South region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	649.5	3.7	929.6	5.4
20-29	1560.6	9.0	2490.2	14.3
30-39	6037.7	34.8	8527.9	49.1
40-49	5180.8	29.8	13708.7	78.9
50-59	1533.8	8.8	15242.5	87.7
60-69	558.0	3.2	15800.5	90.9
>=70	1573.9	9.1	17374.4	100.0

# Table 3-83. Estimates of lost-time injuries by race or ethnic origin for crop operations in the South region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	15414.7	88.7	15414.7	88.7
Hispanic	1557.9	9.0	16972.6	97.7
Black	401.8	2.3	17374.4	100.0

#### Table 3-84. Estimates of lost-time injuries by month for crop operations in the South region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	201.1	1.2	201.1	1.2
February	339.8	2.0	540.9	3.1
March	562.9	3.3	1103.8	6.4
April	1895.7	11.0	2999.5	17.4
May	1596.1	9.3	4595.6	26.7
June	837.7	4.9	5433.3	31.6
July	2973.6	17.3	8406.9	48.8
August	621.7	3.6	9028.6	52.5
September	2118.5	12.3	11147.1	64.8
October	3765.9	21.9	14913.0	86.6
November	2201.2	12.8	17114.2	99.4
December	96.9	0.6	17211.1	100.0
	(Frequenc	cy Missing	= 163.3)	

# Table 3-85. Estimates of lost-time injuries by severity of the injury for crop operations in the South region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	16201.8	93.3	16201.8	93.3
Permanent	1172.6	6.7	17374.4	100.0

# Table 3-86. Estimates of lost-time injuries by whether professional medical attention was sought for crop operations in the South region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	1172.6	6.9	1172.6	6.9
Yes	10076.2	59.5	11248.8	66.5
No	5672.1	33.5	16920.9	100.0
	(Frequenc	y Missing	= 453.5)	

Table 3-87. Estimates of lost-time injuries by body part injured for crop operations in the South region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	889.9	5.1	889.9	5.1
Еуе	1301.8	7.5	2191.7	12.6
Chest/trunk	39.0	0.2	2230.7	12.8
Back	3005.2	17.3	5235.9	30.1
Arm/shoulder	736.9	4.2	5972.8	34.4
Finger	1548.8	8.9	7521.6	43.3
Hand/wrist	1623.7	9.3	9145.3	52.6
Leg/knee/hip	6144.4	35.4	15289.7	88.0
Тое	395.6	2.3	15685.3	90.3
Foot	561.9	3.2	16247.2	93.5
Mult. parts	561.7	3.2	16808.9	96.7
Other	565.5	3.3	17374.4	100.0

# Table 3-88. Estimates of lost-time injuries by nature of injury for crop operations in the South region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	926.0	5.4	926.0	5.4
Bruise	1306.0	7.6	2232.0	13.0
Burn	542.0	3.1	2774.0	16.1
Cut	5107.4	29.7	7881.4	45.8
Crush	1059.8	6.2	8941.2	52.0
Fracture	1417.9	8.2	10359.1	60.2
Puncture	1006.2	5.8	11365.3	66.0
Sprain/strain	4472.1	26.0	15837.4	92.0
Mult. injury	657.4	3.8	16494.8	95.8
Other	716.3	4.2	17211.1	100.0
	(Frequency	Missing =	163.3)	

# Table 3-89. Estimates of lost-time injuries by type of event for crop operations in the South region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	1946.7	11.2	1946.7	11.2
Caught between	403.0	2.3	2349.7	13.5
Caught under	697.4	4.0	3047.1	17.5
Struck by/against	2566.5	14.8	5613.6	32.3
Struck by falling	1368.1	7.9	6981.7	40.2
Contact sharp obj.	5071.3	29.2	12053.0	69.4
Fall, same level	1165.4	6.7	13218.4	76.1
Fall, elevation	511.0	2.9	13729.4	79.0
Overexertion	2597.9	15.0	16327.3	94.0
Other	1047.1	6.0	17374.4	100.0

Table 3-90. Estimates of lost-time injuries by activity when worker was injured for crop operations in the South region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	5630.1	32.4	5630.1	32.4
Machine maint.	2522.9	14.5	8153.0	46.9
Field work	4368.3	25.1	12521.3	72.1
Crop handling	2093.7	12.1	14615.0	84.1
Livestock handling	2009.1	11.6	16624.1	95.7
Other	750.3	4.3	17374.4	100.0

# Table 3-91. Estimates of lost-time injuries by source of the injury for crop operations in the South region of the U.S., 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1672.6	9.6	1672.6	9.6
Machinery	2637.7	15.2	4310.3	24.8
Livestock	1191.5	6.9	5501.8	31.7
Hand tool	4191.6	24.1	9693.4	55.8
Power tool	1130.8	6.5	10824.2	62.3
Plant/tree	1006.4	5.8	11830.6	68.1
Working surface	835.6	4.8	12666.2	72.9
Truck/auto	221.0	1.3	12887.2	74.2
Other vehicle	39.0	0.2	12926.2	74.4
Other	4448.2	25.6	17374.4	100.0

# Table 3-92. Estimates of lost-time injuries by status of the injured worker for livestock operations in the South region of the U.S., 1995.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	20393.7	71.9	20393.7	71.9
Partner/family	1763.3	6.2	22157.0	78.1
Hired labor	5361.8	18.9	27518.8	97.1
Unpaid nonfamily	179.7	0.6	27698.5	97.7
Other	656.4	2.3	28354.9	100.0
	(Frequency M	issing = 3	346.2)	

Table 3-93. Estimates of lost-time injuries by gender for livestock operations in the South region of the U.S., 1995.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	25311.3	89.3	25311.3	89.3
Female	3043.6	10.7	28354.9	100.0
	(Freque	ncy Missir	ng = 346.2)	

# Table 3-94. Estimates of lost-time injuries by age group for livestock operations in the South region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	477.1	1.7	477.1	1.7
20-29	591.8	2.1	1068.9	3.8
30-39	6704.8	23.6	7773.7	27.4
40-49	2957.7	10.4	10731.4	37.8
50-59	8465.3	29.9	19196.7	67.7
60-69	6623.5	23.4	25820.2	91.1
>=70	2534.7	8.9	28354.9	100.0
	(Frequenc	y Missing	= 346.2	

# Table 3-95. Estimates of lost-time injuries by race or ethnic origin for livestock operations in the South region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	24854.4	88.1	24854.4	88.1
Hispanic	1620.1	5.7	26474.5	93.9
Black	1733.5	6.1	28208.0	100.0
	(Frequency M	lissing =	493.1)	

Table 3-96. Estimates of lost-time injuries by month for livestock operations in the South region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	529.5	1.9	529.5	1.9
February	167.4	0.6	696.9	2.5
March	3402.6	12.0	4099.5	14.5
April	7360.0	26.0	11459.5	40.4
May	1508.4	5.3	12967.9	45.7
June	1628.9	5.7	14596.8	51.5
July	1302.5	4.6	15899.3	56.1
August	2131.7	7.5	18031.0	63.6
September	3574.4	12.6	21605.4	76.2
October	2783.2	9.8	24388.6	86.0
November	2269.3	8.0	26657.9	94.0
December	1697.0	6.0	28354.9	100.0
	(Frequenc	cy Missing	= 346.2)	

Table 3-97. Estimates of lost-time injuries by severity of the injury for livestock operations in the South region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	26057.4	91.9	26057.4	91.9
Permanent	2239.2	7.9	28296.6	99.8
Fatality	58.3	0.2	28354.9	100.0
-	(Frequenc	y Missing	= 346.2)	

Table 3-98. Estimates of lost-time injuries by whether professional medical attention was sought for livestock operations in the South region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	2408.0	8.5	2408.0	8.5
Yes	22015.0	77.3	24423.0	85.8
No	4042.4	14.2	28465.4	100.0
	(Frequency	y Missing	= 235.7)	

Table 3-99. Estimates of lost-time injuries by body part injured for livestock operations in the South region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	1966.7	6.9	1966.7	6.9
Еуе	56.4	0.2	2023.1	7.1
Chest/trunk	2139.3	7.5	4162.4	14.7
Back	3393.9	12.0	7556.3	26.6
Arm/shoulder	4759.5	16.8	12315.8	43.4
Finger	5837.8	20.6	18153.6	64.0
Hand/wrist	2522.9	8.9	20676.5	72.9
Leg/knee/hip	4479.0	15.8	25155.5	88.7
Foot	223.8	0.8	25379.3	89.5
Mult. parts	1796.3	6.3	27175.6	95.8
Other	1179.3	4.2	28354.9	100.0
	(Frequency	Missing =	= 346.2)	

# Table 3-100. Estimates of lost-time injuries by nature of injury for livestock operations in the South region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	3845.5	13.6	3845.5	13.6
Burn	477.1	1.7	4322.6	15.2
Cut	3723.6	13.1	8046.2	28.4
Crush	1960.8	6.9	10007.0	35.3
Fracture	6717.4	23.7	16724.4	59.0
Puncture	1618.7	5.7	18343.1	64.7
Sprain/strain	7396.6	26.1	25739.7	90.8
Mult. injury	1608.4	5.7	27348.1	96.4
Other	1006.8	3.6	28354.9	100.0
	(Frequency	Missing =	346.2)	

Table 3-101. Estimates of lost-time injuries by type of event for livestock operations in the South region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	804.5	2.8	804.5	2.8
Caught between	3538.9	12.5	4343.4	15.3
Caught under	1415.0	5.0	5758.4	20.3
Struck by/against	4474.3	15.8	10232.7	36.1
Struck by falling	702.8	2.5	10935.5	38.6
Struck by flying	1696.7	6.0	12632.2	44.6
Contact sharp obj.	2251.9	7.9	14884.1	52.5
Fall, same level	2000.6	7.1	16884.7	59.5
Fall, elevation	4353.4	15.4	21238.1	74.9
Overexertion	5237.9	18.5	26476.0	93.4
Other	1878.9	6.6	28354.9	100.0
	(Frequency Mi	ssing = $34$	46.2)	

# Table 3-102. Estimates of lost-time injuries by activity when worker was injured for livestock operations in the South region of the U.S., 1995.

Activity When	Emogulonau	Percent	Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	7019.2	24.9	7019.2	24.9
Machine maint.	1916.6	6.8	8935.8	31.7
Field work	1125.5	4.0	10061.3	35.7
Crop handling	2958.4	10.5	13019.7	46.2
Livestock handling	14284.0	50.7	27303.7	96.9
Other	883.8	3.1	28187.5	100.0
(	Frequency Mi	ssing = 51	13.6)	

### Table 3-103. Estimates of lost-time injuries by source of the injury for livestock operations in the South region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	563.1	2.0	563.1	2.0
Machinery	2440.7	8.6	3003.8	10.6
Livestock	7742.7	27.2	10746.5	37.8
Hand tool	2922.9	10.3	13669.4	48.1
Power tool	588.1	2.1	14257.5	50.2
Pesticide/chem.	56.4	0.2	14313.9	50.4
Plant/tree	1857.9	6.5	16171.8	56.9
Working surface	4189.1	14.7	20360.9	71.6
Other vehicle	1846.0	6.5	22206.9	78.1
Other	6216.3	21.9	28423.2	100.0
	(Frequency M	issing = 2	277.9)	

Table 3-104. Estimates of lost-time injuries by status of the injured worker for crop operations in the Midwest region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	24611.2	76.6	24611.2	76.6
Partner/family	3408.3	10.6	28019.5	87.2
Hired labor	3637.4	11.3	31656.9	98.5
Unpaid nonfamily	478.2	1.5	32135.1	100.0
	(Frequency M	issing = 4	178.2)	

#### Table 3-105. Estimates of lost-time injuries by gender for crop operations in the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
<u>Gender</u>	Frequency	Percent	Frequency	Percent
Male	29185.8	90.8	29185.8	90.8
Female	2949.3	9.2	32135.1	100.0
	(Freque	ncy Missir	1g = 478.2)	

# Table 3-106. Estimates of lost-time injuries by age group for crop operations in the Midwest region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	2748.5	8.4	2748.5	8.4
20-29	2197.7	6.7	4946.2	15.2
30-39	7457.0	22.9	12403.2	38.0
40-49	6012.6	18.4	18415.8	56.5
50-59	5649.7	17.3	24065.5	73.8
60-69	2860.2	8.8	26925.7	82.6
>=70	5687.6	17.4	32613.3	100.0

### Table 3-107. Estimates of lost-time injuries by race or ethnic origin for crop operations in the Midwest region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	32338.0	99.2	32338.0	99.2
Hispanic	275.3	0.8	32613.3	100.0

Table 3-108. Estimates of lost-time injuries by month for crop operations in the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
February	1410.8	4.5	1410.8	4.5
March	1324.0	4.2	2734.8	8.7
April	2590.1	8.2	5324.9	16.9
May	2660.7	8.5	7985.6	25.4
June	5220.6	16.6	13206.2	41.9
July	3966.5	12.6	17172.7	54.5
August	5368.1	17.1	22540.8	71.6
September	1700.1	5.4	24240.9	77.0
October	2613.2	8.3	26854.1	85.3
November	2681.5	8.5	29535.6	93.8
December	1948.8	6.2	31484.4	100.0
	(Frequenc	y Missing	= 1128.9)	

Table 3-109. Estimates of lost-time injuries by severity of the injury for crop operations in the Midwest region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	30883.6	94.7	30883.6	94.7
Permanent	1729.7	5.3	32613.3	100.0

Table 3-110. Estimates of lost-time injuries by whether professional medical attention was sought for crop operations in the Midwest region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	1729.7	5.3	1729.7	5.3
Yes	26784.1	82.1	28513.8	87.4
No	4099.5	12.6	32613.3	100.0

Table 3-111. Estimates of lost-time injuries by body part injured for crop operations in the Midwest region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	1526.8	4.7	1526.8	4.7
Еуе	1103.9	3.4	2630.7	8.1
Chest/trunk	2123.0	6.5	4753.7	14.6
Back	6272.7	19.2	11026.4	33.8
Arm/shoulder	3714.0	11.4	14740.4	45.2
Finger	3428.5	10.5	18168.9	55.7
Hand/wrist	2207.5	6.8	20376.4	62.5
Leg/knee/hip	7236.0	22.2	27612.4	84.7
Тое	281.9	0.9	27894.3	85.5
Foot	2435.7	7.5	30330.0	93.0
Mult. parts	1533.4	4.7	31863.4	97.7
Other	749.9	2.3	32613.3	100.0

#### Table 3-112. Estimates of lost-time injuries by nature of injury for crop operations in the Midwest region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	1184.2	3.6	1184.2	3.6
Bruise	2484.9	7.6	3669.1	11.3
Burn	16.2	0.0	3685.3	11.3
Cut	5088.7	15.6	8774.0	26.9
Crush	845.8	2.6	9619.8	29.5
Fracture	4930.3	15.1	14550.1	44.6
Poisoning	221.7	0.7	14771.8	45.3
Puncture	2457.8	7.5	17229.6	52.8
Sprain/strain	12843.9	39.4	30073.5	92.2
Other	2539.8	7.8	32613.3	100.0

## Table 3-113. Estimates of lost-time injuries by type of event for crop operations in the Midwest region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	2844.0	8.7	2844.0	8.7
Caught between	2858.6	8.8	5702.6	17.5
Caught under	1036.0	3.2	6738.6	20.7
Struck by/against	2279.0	7.0	9017.6	27.7
Struck by falling	183.4	0.6	9201.0	28.2
Struck by flying	1078.6	3.3	10279.6	31.5
Contact sharp obj.	3856.9	11.8	14136.5	43.3
Fall, same level	3953.0	12.1	18089.5	55.5
Fall, elevation	7450.0	22.8	25539.5	78.3
Overexertion	4231.1	13.0	29770.6	91.3
Other	2842.7	8.7	32613.3	100.0

Table 3-114. Estimates of lost-time injuries by activity when worker was injured for crop operations in the Midwest region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	4054.8	12.4	4054.8	12.4
Machine maint.	7892.5	24.2	11947.3	36.6
Field work	3937.8	12.1	15885.1	48.7
Crop handling	7439.9	22.8	23325.0	71.5
Livestock handling	6599.8	20.2	29924.8	91.8
Other	2688.5	8.2	32613.3	100.0

#### Table 3-115. Estimates of lost-time injuries by source of the injury for crop operations in the Midwest region of the U.S., 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2512.0	<u></u> 7.7	2512.0	7.7
Machinery	8143.4	25.0	10655.4	32.7
-				
Livestock	3949.5	12.1	14604.9	44.8
Hand tool	1784.6	5.5	16389.5	50.3
Power tool	672.9	2.1	17062.4	52.3
Pesticide/chem.	271.7	0.8	17334.1	53.2
Plant/tree	275.3	0.8	17609.4	54.0
Working surface	3852.7	11.8	21462.1	65.8
Truck/auto	478.2	1.5	21940.3	67.3
Other vehicle	1091.3	3.3	23031.6	70.6
Other	9581.7	29.4	32613.3	100.0

# Table 3-116. Estimates of lost-time injuries by status of the injured worker for livestock operations in the Midwest region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	46760.7	82.6	46760.7	82.6
Partner/family	2196.4	3.9	48957.1	86.5
Hired labor	5468.6	9.7	54425.7	96.2
Unpaid nonfamily	2172.8	3.8	56598.5	100.0

## Table 3-117. Estimates of lost-time injuries by gender for livestock operations in the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	47949.5	84.7	47949.5	84.7
Female	8649.0	15.3	56598.5	100.0

Table 3-118. Estimates of lost-time injuries by age group for livestock operations in the Midwest region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	1725.4	3.0	1725.4	3.0
20-29	3922.8	6.9	5648.2	10.0
30-39	11258.5	19.9	16906.7	29.9
40-49	7231.7	12.8	24138.4	42.6
50-59	16104.4	28.5	40242.8	71.1
60-69	13123.7	23.2	53366.5	94.3
>=70	3232.0	5.7	56598.5	100.0

Table 3-119. Estimates of lost-time injuries by race or ethnic origin for livestock operations in the Midwest region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	56598.5	100.0	56598.5	100.0

Table 3-120. Estimates of lost-time injuries by month for livestock operations in the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	600.0	1.1	600.0	1.1
February	730.4	1.3	1330.4	2.4
March	840.0	1.5	2170.4	3.9
April	420.0	0.8	2590.4	4.7
May	5856.5	10.6	8446.9	15.2
June	8499.4	15.3	16946.3	30.6
July	5657.0	10.2	22603.3	40.8
August	8396.8	15.1	31000.1	55.9
September	4162.8	7.5	35162.9	63.4
October	5126.1	9.2	40289.0	72.7
November	12703.7	22.9	52992.7	95.6
December	2455.4	4.4	55448.1	100.0
	(Frequenc	y Missing	= 1150.4)	

Table 3-121. Estimates of lost-time injuries by severity of the injury for livestock operations in the Midwest region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	53850.7	95.1	53850.7	95.1
Permanent	575.0	1.0	54425.7	96.2
Fatality	2172.8	3.8	56598.5	100.0

# Table 3-122. Estimates of lost-time injuries by whether professional medical attention was sought for livestock operations in the Midwest region of the U.S., 1995.

Medical Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	2747.8	4.9	2747.8	4.9
Yes	47231.7	83.5	49979.5	88.3
No	6619.0	11.7	56598.5	100.0

### Table 3-123. Estimates of lost-time injuries by body part injured for livestock operations in the Midwest region of the U.S., 1995.

Body Part			Cumulative	Cumulative
<u>Injured</u>	Frequency	Percent	Frequency	Percent
Head/neck	2903.2	5.1	2903.2	5.1
Еуе	575.0	1.0	3478.2	6.1
Chest/trunk	4984.8	8.8	8463.0	15.0
Back	10108.1	17.9	18571.1	32.8
Arm/shoulder	4939.0	8.7	23510.1	41.5
Finger	5404.8	9.5	28914.9	51.1
Hand/wrist	5856.1	10.3	34771.0	61.4
Leg/knee/hip	7264.8	12.8	42035.8	74.3
Foot	8071.7	14.3	50107.5	88.5
Mult. parts	3743.2	6.6	53850.7	95.1
Other	2747.8	4.9	56598.5	100.0

Table 3-124. Estimates of lost-time injuries by nature of injury for livestock operations in the Midwest region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	730.4	1.3	730.4	1.3
Bruise	12224.6	21.6	12955.0	22.9
Burn	575.0	1.0	13530.0	23.9
Cut	3587.8	6.3	17117.8	30.2
Crush	2172.8	3.8	19290.6	34.1
Fracture	15403.3	27.2	34693.9	61.3
Puncture	4419.7	7.8	39113.6	69.1
Sprain/strain	7451.5	13.2	46565.1	82.3
Mult. injury	3743.2	6.6	50308.3	88.9
Other	6290.2	11.1	56598.5	100.0

## Table 3-125. Estimates of lost-time injuries by type of event for livestock operations in the Midwest region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	3387.0	6.0	3387.0	6.0
Caught between	11224.5	19.8	14611.5	25.8
Caught under	3587.8	6.3	18199.3	32.2
Struck by/against	8344.4	14.7	26543.7	46.9
Struck by falling	6399.8	11.3	32943.5	58.2
Contact sharp obj.	7432.5	13.1	40376.0	71.3
Fall, same level	1330.4	2.4	41706.4	73.7
Fall, elevation	4414.1	7.8	46120.5	81.5
Overexertion	3923.2	6.9	50043.7	88.4
Other	6554.8	11.6	56598.5	100.0

# Table 3-126. Estimates of lost-time injuries by activity when worker was injured for livestock operations in the Midwest region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	4698.4	8.3	4698.4	8.3
Machine maint.	4053.6	7.2	8752.0	15.5
Field work	1570.0	2.8	10322.0	18.2
Crop handling	7020.6	12.4	17342.6	30.6
Livestock handling	33075.3	58.4	50417.9	89.1
Other	6180.6	10.9	56598.5	100.0

Table 3-127. Estimates of lost-time injuries by source of the injury for livestock operations in the Midwest region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	840.0	1.5	840.0	1.5
Machinery	13867.8	24.5	14707.8	26.0
Livestock	19577.4	34.6	34285.2	60.6
Hand tool	420.0	0.7	34705.2	61.3
Power tool	420.0	0.7	35125.2	62.1
Pesticide/chem.	575.0	1.0	35700.2	63.1
Plant/tree	2644.2	4.7	38344.4	67.7
Working surface	3761.2	6.6	42105.6	74.4
Truck/auto	420.0	0.7	42525.6	75.1
Other vehicle	575.0	1.0	43100.6	76.2
Other	13497.9	23.8	56598.5	100.0

# Table 3-128. Estimates of lost-time injuries by status of the injured worker for crop operations in the West region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	3419.3	11.7	3419.3	11.7
Partner/family	65.0	0.2	3484.3	11.9
Hired labor	24721.8	84.6	28206.1	96.6
Other	1006.8	3.4	29212.9	100.0
	(Frequency M	issing = 4	189.6)	

## Table 3-129. Estimates of lost-time injuries by gender for crop operations in the West region of the U.S., 1995.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	28782.3	98.5	28782.3	98.5
Female	430.6	1.5	29212.9	100.0
(Frequency Missing = 489.6)				

Table 3-130. Estimates of lost-time injuries by age group for crop operations in the West region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	1085.1	3.7	1085.1	3.7
20-29	13042.4	44.6	14127.5	48.4
30-39	5615.7	19.2	19743.2	67.6
40-49	3666.1	12.5	23409.3	80.1
50-59	2711.8	9.3	26121.1	89.4
60-69	2863.8	9.8	28984.9	99.2
>=70	228.0	0.8	29212.9	100.0
	(Frequenc	y Missing	= 489.6)	

### Table 3-131. Estimates of lost-time injuries by race or ethnic origin for crop operations in the West region of the U.S., 1995.

Race/			Cumulative	Cumulative
Ethnic Origin	Frequency	Percent	Frequency	Percent
White	3458.9	11.8	3458.9	11.8
Hispanic	24370.0	83.4	27828.9	95.3
Asian	861.3	2.9	28690.2	98.2
Other	522.7	1.8	29212.9	100.0
	(Frequency M	lissing =	489.6)	

# Table 3-132. Estimates of lost-time injuries by month for crop operations in the West region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	1989.6	6.8	1989.6	6.8
February	71.4	0.2	2061.0	7.1
March	1118.2	3.8	3179.2	10.9
April	2158.7	7.4	5337.9	18.3
May	1589.9	5.4	6927.8	23.7
June	63.1	0.2	6990.9	23.9
July	4872.8	16.7	11863.7	40.6
August	10158.7	34.8	22022.4	75.4
September	3020.4	10.3	25042.8	85.7
October	2721.1	9.3	27763.9	95.0
November	1166.7	4.0	28930.6	99.0
December	282.3	1.0	29212.9	100.0
	(Frequenc	y Missing	= 489.6)	

Table 3-133. Estimates of lost-time injuries by severity of the injury for crop operations in the West region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	28213.0	96.6	28213.0	96.6
Permanent	999.9	3.4	29212.9	100.0
	(Frequenc	y Missing	= 489.6)	

Table 3-134. Estimates of lost-time injuries by whether professional medical attention was sought for crop operations in the West region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	1489.5	5.0	1489.5	5.0
Yes	23875.6	80.6	25365.1	85.6
No	4259.1	14.4	29624.2	100.0
	(Frequenc	y Missing	= 78.3)	

### Table 3-135. Estimates of lost-time injuries by body part injured for crop operations in the West region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	1069.9	3.7	1069.9	3.7
Еуе	1686.1	5.8	2756.0	9.4
Chest/trunk	928.5	3.2	3684.5	12.6
Back	2517.0	8.6	6201.5	21.2
Arm/shoulder	9473.0	32.4	15674.5	53.7
Finger	3226.7	11.0	18901.2	64.7
Hand/wrist	1514.3	5.2	20415.5	69.9
Leg/knee/hip	4862.2	16.6	25277.7	86.5
Foot	2802.7	9.6	28080.4	96.1
Mult. parts	1132.5	3.9	29212.9	100.0
	(Frequency	Missing :	= 489.6)	

Table 3-136. Estimates of lost-time injuries by nature of injury for crop operations in the West region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	132.6	0.5	132.6	0.5
Bruise	5666.5	19.4	5799.1	19.9
Burn	1372.9	4.7	7172.0	24.6
Cut	4075.1	13.9	11247.1	38.5
Crush	152.0	0.5	11399.1	39.0
Fracture	78.3	0.3	11477.4	39.3
Puncture	156.6	0.5	11634.0	39.8
Sprain/strain	14846.4	50.8	26480.4	90.6
Mult. injury	356.0	1.2	26836.4	91.9
Other	2376.5	8.1	29212.9	100.0
	(Frequency	Missing =	489.6)	

### Table 3-137. Estimates of lost-time injuries by type of event for crop operations in the West region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	1151.9	3.9	1151.9	3.9
Caught between	1061.1	3.6	2213.0	7.6
Caught under	63.1	0.2	2276.1	7.8
Struck by/against	2158.3	7.4	4434.4	15.2
Struck by falling	2853.7	9.8	7288.1	24.9
Struck by flying	78.3	0.3	7366.4	25.2
Contact sharp obj.	4090.3	14.0	11456.7	39.2
Fall, same level	1935.3	6.6	13392.0	45.8
Fall, elevation	9170.8	31.4	22562.8	77.2
Overexertion	1812.4	6.2	24375.2	83.4
Other	4837.7	16.6	29212.9	100.0
(	Frequency Mi	ssing = 48	39.6)	

(Frequency Missing = 489.6)

### Table 3-138. Estimates of lost-time injuries by activity when worker was injured for crop operations in the West region of the U.S., 1995.

Activity When			Cumulative	Cumulative	
Injured	Frequency	Percent	Frequency	Percent	
Farm maint.	12156.6	41.6	12156.6	41.6	
Machine maint.	1181.3	4.0	13337.9	45.7	
Field work	9683.5	33.1	23021.4	78.8	
Crop handling	367.5	1.3	23388.9	80.1	
Livestock handling	1519.0	5.2	24907.9	85.3	
Other	4305.0	14.7	29212.9	100.0	
(Frequency Missing = $489.6$ )					

Table 3-139. Estimates of lost-time injuries by source of the injury for crop operations in the West region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	63.1	0.2	63.1	0.2
Machinery	10686.5	36.6	10749.6	36.8
Livestock	2295.5	7.9	13045.1	44.7
Hand tool	1163.4	4.0	14208.5	48.6
Power tool	2458.0	8.4	16666.5	57.1
Plant/tree	1156.5	4.0	17823.0	61.0
Working surface	3005.2	10.3	20828.2	71.3
Truck/auto	1006.8	3.4	21835.0	74.7
Other vehicle	1006.8	3.4	22841.8	78.2
Other	6371.1	21.8	29212.9	100.0
	(Frequency M	issing = 4	189.6)	

# Table 3-140. Estimates of lost-time injuries by status of the injured worker for livestock operations in the West region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	6224.9	44.6	6224.9	44.6
Partner/family	363.8	2.6	6588.7	47.2
Hired labor	5036.9	36.1	11625.6	83.3
Unpaid nonfamily	2170.2	15.5	13795.8	98.8
Other	164.5	1.2	13960.3	100.0
	(Frequency M	issing = 1	56.3)	

Table 3-141. Estimates of lost-time injuries by gender for livestock operations in the West region of the U.S., 1995.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	11513.2	82.5	11513.2	82.5
Female	2447.1	17.5	13960.3	100.0
	(Freque	ncy Missir	ng = 156.3)	

Table 3-142. Estimates of lost-time injuries by age group for livestock operations in the West region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	363.8	2.6	363.8	2.6
20-29	987.2	7.1	1351.0	9.7
30-39	3590.8	25.7	4941.8	35.4
40-49	2152.9	15.4	7094.7	50.8
50-59	5500.1	39.4	12594.8	90.2
60-69	890.6	6.4	13485.4	96.6
>=70	474.9	3.4	13960.3	100.0
	(Frequency	y Missing	= 156.3)	

Table 3-143. Estimates of lost-time injuries by race or ethnic origin for livestock operations in the West region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	9357.0	67.0	9357.0	67.0
Hispanic	4394.5	31.5	13751.5	98.5
Asian	208.8	1.5	13960.3	100.0
(Frequency Missing = 156.3)				

#### Table 3-144. Estimates of lost-time injuries by month for livestock operations in the West region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
March	509.7	3.7	509.7	3.7
May	3035.7	21.7	3545.4	25.4
June	857.3	6.1	4402.7	31.5
July	1785.7	12.8	6188.4	44.3
August	2447.1	17.5	8635.5	61.9
September	2151.4	15.4	10786.9	77.3
October	398.6	2.9	11185.5	80.1
November	2334.7	16.7	13520.2	96.8
December	440.1	3.2	13960.3	100.0
	(Frequenc	cy Missing	= 156.3)	

## Table 3-145. Estimates of lost-time injuries by severity of the injury for livestock operations in the West region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	11877.0	85.1	11877.0	85.1
Permanent	2083.3	14.9	13960.3	100.0
	(Frequenc	y Missing	= 156.3)	

Table 3-146. Estimates of lost-time injuries by whether professional medical attention was sought for livestock operations in the West region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	2239.6	15.9	2239.6	15.9
Yes	8148.5	57.7	10388.1	73.6
No	3728.5	26.4	14116.6	100.0

### Table 3-147. Estimates of lost-time injuries by body part injured for livestock operations in the West region of the U.S., 1995.

Body Part			Cumulative	Cumulative
<u>Injured</u>	Frequency	Percent	Frequency	Percent
Head/neck	2741.3	19.6	2741.3	19.6
Еуе	111.1	0.8	2852.4	20.4
Chest/trunk	1116.9	8.0	3969.3	28.4
Back	1084.7	7.8	5054.0	36.2
Arm/shoulder	398.6	2.9	5452.6	39.1
Finger	1116.9	8.0	6569.5	47.1
Hand/wrist	2298.8	16.5	8868.3	63.5
Leg/knee/hip	2741.3	19.6	11609.6	83.2
Foot	2186.2	15.7	13795.8	98.8
Mult. parts	164.5	1.2	13960.3	100.0
	(Frequency	Missing :	= 156.3)	

### Table 3-148. Estimates of lost-time injuries by nature of injury for livestock operations in the West region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	1904.8	13.6	1904.8	13.6
Burn	199.3	1.4	2104.1	15.1
Cut	2920.5	20.9	5024.6	36.0
Fracture	2887.2	20.7	7911.8	56.7
Puncture	104.4	0.7	8016.2	57.4
Sprain/strain	5779.6	41.4	13795.8	98.8
Mult. injury	164.5	1.2	13960.3	100.0
	(Frequency	Missing =	156.3)	

Table 3-149. Estimates of lost-time injuries by type of event for livestock operations in the West region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	787.9	5.6	787.9	5.6
Caught between	787.9	5.6	1575.8	11.3
Caught under	68.1	0.5	1643.9	11.8
Struck by/against	1079.5	7.7	2723.4	19.5
Struck by falling	2247.8	16.1	4971.2	35.6
Struck by flying	199.3	1.4	5170.5	37.0
Contact sharp obj.	2352.2	16.8	7522.7	53.9
Fall, same level	2447.1	17.5	9969.8	71.4
Fall, elevation	493.5	3.5	10463.3	75.0
Overexertion	885.4	6.3	11348.7	81.3
Other	2611.6	18.7	13960.3	100.0
	(Frequency Mi	ssing = 15	56.3)	

# Table 3-150. Estimates of lost-time injuries by activity when worker was injured for livestock operations in the West region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	2516.7	18.0	2516.7	18.0
Machine maint.	952.4	6.8	3469.1	24.8
Crop handling	2135.4	15.3	5604.5	40.1
Livestock handling	5369.6	38.5	10974.1	78.6
Other	2986.2	21.4	13960.3	100.0
(Frequency Missing = $156.3$ )				

### Table 3-151. Estimates of lost-time injuries by source of the injury for livestock operations in the West region of the U.S., 1995.

Source of			Cumulative	Cumulative
<u>Injury</u>	Frequency	Percent	Frequency	Percent
Machinery	1621.2	11.6	1621.2	11.6
Livestock	2922.5	20.9	4543.7	32.5
Hand tool	2083.3	14.9	6627.0	47.5
Power tool	164.5	1.2	6791.5	48.6
Plant/tree	34.8	0.2	6826.3	48.9
Truck/auto	164.5	1.2	6990.8	50.1
Other vehicle	363.8	2.6	7354.6	52.7
Other	6605.7	47.3	13960.3	100.0
	(Frequency M	issing = 1	L56.3)	

Table 3-152. Estimates of lost-time injuries by farm type for family workers in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
Farm Type	Frequency	Percent	Frequency	Percent
Cash grains	1194.8	12.2	1194.8	12.2
Field crops	3093.4	31.5	4288.2	43.7
Vegetable, fruit, nuts	302.7	3.1	4590.9	46.8
Nursery	18.6	0.2	4609.5	47.0
Beef,hogs,sheep	1228.5	12.5	5838.0	59.5
Poultry	375.0	3.8	6213.0	63.3
Dairy	2426.7	24.7	8639.7	88.0
Other	1175.6	12.0	9815.3	100.0

Table 3-153. Estimates of lost-time injuries by gender for family workers in the Northeast region of the U.S., 1995.

		Cumulative	Cumulative
Frequency	Percent	Frequency	Percent
8496.0	86.6	8496.0	86.6
1319.3	13.4	9815.3	100.0
	8496.0	8496.0 86.6	FrequencyPercentFrequency8496.086.68496.0

Table 3-154. Estimates of lost-time injuries by age group for family workers in the Northeast region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	707.7	7.4	707.7	7.4
20-29	1469.3	15.4	2177.0	22.7
30-39	773.4	8.1	2950.4	30.8
40-49	2033.6	21.2	4984.0	52.1
50-59	1084.7	11.3	6068.7	63.4
60-69	2893.0	30.2	8961.7	93.6
>=70	609.8	6.4	9571.5	100.0
	(Frequenc	cy Missing	= 243.8)	

Table 3-155. Estimates of lost-time injuries by race or ethnic origin for family workers in the Northeast region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	9809.1	100.0	9809.1	100.0
	(Frequency	Missing =	6.2)	

Table 3-156. Estimates of lost-time injuries by month for family workers in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	252.9	2.7	252.9	2.7
February	303.1	3.2	556.0	6.0
March	787.3	8.4	1343.3	14.4
April	716.2	7.7	2059.5	22.1
June	1949.5	20.9	4009.0	43.0
July	2273.5	24.4	6282.5	67.4
August	514.3	5.5	6796.8	72.9
September	259.1	2.8	7055.9	75.6
October	913.0	9.8	7968.9	85.4
November	804.5	8.6	8773.4	94.1
December	554.3	5.9	9327.7	100.0
	(Frequenc	y Missing	f = 487.6)	

#### Table 3-157. Estimates of lost-time injuries by severity of the injury for family workers in the Northeast region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	8567.7	87.3	8567.7	87.3
Permanent	1003.8	10.2	9571.5	97.5
Fatality	243.8	2.5	9815.3	100.0

Table 3-158. Estimates of lost-time injuries by whether professional medical attention was sought for family workers in the Northeast region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	1247.6	12.7	1247.6	12.7
Yes	7383.1	75.2	8630.7	87.9
No	1184.6	12.1	9815.3	100.0

Table 3-159. Estimates of lost-time injuries by body part injured for family workers in the Northeast region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	252.9	2.6	252.9	2.6
Eye	1157.5	11.8	1410.4	14.4
Chest/trunk	502.9	5.1	1913.3	19.5
Back	1269.1	12.9	3182.4	32.4
Arm/shoulder	498.6	5.1	3681.0	37.5
Finger	1418.8	14.5	5099.8	52.0
Hand/wrist	752.4	7.7	5852.2	59.6
Leg/knee/hip	564.5	5.8	6416.7	65.4
Тое	251.9	2.6	6668.6	67.9
Foot	2358.5	24.0	9027.1	92.0
Mult. parts	788.2	8.0	9815.3	100.0

### Table 3-160. Estimates of lost-time injuries by nature of injury for family workers in the Northeast region of the U.S., 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	438.4	4.5	438.4	4.5
Bruise	1701.9	17.3	2140.3	21.8
Burn	252.9	2.6	2393.2	24.4
Cut	901.3	9.2	3294.5	33.6
Crush	1843.7	18.8	5138.2	52.3
Fracture	1992.3	20.3	7130.5	72.6
Puncture	1352.1	13.8	8482.6	86.4
Sprain/strain	1029.6	10.5	9512.2	96.9
Mult. injury	252.9	2.6	9765.1	99.5
Other	50.2	0.5	9815.3	100.0

### Table 3-161. Estimates of lost-time injuries by type of event for family workers in the Northeast region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught between	1002.5	10.2	1002.5	10.2
Caught under	2297.4	23.4	3299.9	33.6
Struck by/against	1052.8	10.7	4352.7	44.3
Struck by falling	744.3	7.6	5097.0	51.9
Struck by flying	1410.4	14.4	6507.4	66.3
Contact sharp obj.	591.1	6.0	7098.5	72.3
Fall, same level	498.6	5.1	7597.1	77.4
Fall, elevation	751.5	7.7	8348.6	85.1
Overexertion	768.2	7.8	9116.8	92.9
Other	698.5	7.1	9815.3	100.0

Table 3-162. Estimates of lost-time injuries by activity when worker was injured for family workers in the Northeast region of the U.S., 1995.

Activity When			Cumulative	Cumulative	
Injured	Frequency	Percent	Frequency	Percent	
Farm maint.	1949.3	20.4	1949.3	20.4	
Machine maint.	1754.9	18.3	3704.2	38.7	
Field work	1902.7	19.9	5606.9	58.6	
Crop handling	1630.6	17.0	7237.5	75.6	
Livestock handling	1176.2	12.3	8413.7	87.9	
Other	1157.8	12.1	9571.5	100.0	
(Frequency Missing = 243.8)					

#### Table 3-163. Estimates of lost-time injuries by source of the injury for family workers in the Northeast region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	2251.6	22.9	2251.6	22.9
Machinery	1317.8	13.4	3569.4	36.4
Livestock	856.5	8.7	4425.9	45.1
Hand tool	2101.1	21.4	6527.0	66.5
Plant/tree	302.1	3.1	6829.1	69.6
Working surface	498.6	5.1	7327.7	74.7
Truck/auto	493.3	5.0	7821.0	79.7
Other vehicle	252.9	2.6	8073.9	82.3
Liquids	252.9	2.6	8326.8	84.8
Other	1488.5	15.2	9815.3	100.0

### Table 3-164. Estimates of lost-time injuries by farm type for hired workers in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
Farm Type	Frequency	Percent	Frequency	Percent
Cash grains	11.4	0.2	11.4	0.2
Vegetable, fruit, nuts	504.3	8.4	515.7	8.6
Nursery	3612.1	60.2	4127.8	68.8
Dairy	1314.7	21.9	5442.5	90.8
Other	554.4	9.2	5996.9	100.0

Table 3-165. Estimates of lost-time injuries by gender for hired workers in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	5696.5	95.0	5696.5	95.0
Female	300.4	5.0	5996.9	100.0

### Table 3-166. Estimates of lost-time injuries by age group for hired workers in the Northeast region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	309.5	5.2	309.5	5.2
20-29	4900.4	81.7	5209.9	86.9
30-39	566.8	9.5	5776.7	96.3
40-49	69.0	1.2	5845.7	97.5
50-59	100.8	1.7	5946.5	99.2
>=70	50.4	0.8	5996.9	100.0

### Table 3-167. Estimates of lost-time injuries by race or ethnic origin for hired workers in the Northeast region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	5867.3	97.8	5867.3	97.8
Hispanic	123.4	2.1	5990.7	99.9
Other	6.2	0.1	5996.9	100.0

### Table 3-168. Estimates of lost-time injuries by month for hired workers in the Northeast region of the U.S., 1995.

	_		Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
March	314.7	5.2	314.7	5.2
April	505.8	8.4	820.5	13.7
May	496.7	8.3	1317.2	22.0
June	201.9	3.4	1519.1	25.3
July	3865.8	64.5	5384.9	89.8
August	163.4	2.7	5548.3	92.5
September	69.0	1.2	5617.3	93.7
October	6.2	0.1	5623.5	93.8
November	367.2	6.1	5990.7	99.9
ecember	6.2	0.1	5996.9	100.0

### Table 3-169. Estimates of lost-time injuries by severity of the injury for hired workers in the Northeast region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	5753.1	95.9	5753.1	95.9
Permanent	243.8	4.1	5996.9	100.0

Table 3-170. Estimates of lost-time injuries by whether professional medical attention was sought for hired workers in the Northeast region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknow	243.8	4.1	243.8	4.1
Yes	5746.9	95.9	5990.7	100.0
	(Frequer	ncy Missin	g = 6.2)	

#### Table 3-171. Estimates of lost-time injuries by body part injured for hired workers in the Northeast region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	50.4	0.8	50.4	0.8
Eye	502.1	8.4	552.5	9.2
Chest/trunk	66.8	1.1	619.3	10.3
Back	319.0	5.3	938.3	15.6
Arm/shoulder	518.2	8.6	1456.5	24.3
Finger	3713.7	61.9	5170.2	86.2
Hand/wrist	303.3	5.1	5473.5	91.3
Leg/knee/hip	264.3	4.4	5737.8	95.7
Foot	259.1	4.3	5996.9	100.0

### Table 3-172. Estimates of lost-time injuries by nature of injury for hired workers in the Northeast region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	356.0	5.9	356.0	5.9
Cut	4124.3	68.8	4480.3	74.7
Crush	303.3	5.1	4783.6	79.8
Fracture	252.9	4.2	5036.5	84.0
Sprain/strai	904.0	15.1	5940.5	99.1
Other	56.4	0.9	5996.9	100.0

Table 3-173. Estimates of lost-time injuries by type of event for hired workers in the Northeast region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	252.9	4.2	252.9	4.2
Caught between	3916.2	65.3	4169.1	69.5
Struck by/against	243.8	4.1	4412.9	73.6
Struck by falling	243.8	4.1	4656.7	77.7
Contact sharp obj.	561.8	9.4	5218.5	87.0
Fall, same level	303.3	5.1	5521.8	92.1
Fall, elevation	327.1	5.5	5848.9	97.5
Overexertion	85.4	1.4	5934.3	99.0
Other	62.6	1.0	5996.9	100.0

# Table 3-174. Estimates of lost-time injuries by activity when worker was injured for hired workers in the Northeast region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	426.7	7.1	426.7	7.1
Machine maint.	516.6	8.6	943.3	15.7
Field work	547.1	9.1	1490.4	24.9
Crop handling	113.2	1.9	1603.6	26.7
Livestock handling	496.7	8.3	2100.3	35.0
Other	3896.6	65.0	5996.9	100.0

# Table 3-175. Estimates of lost-time injuries by source of the injury for hired workers in the Northeast region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Machinery	624.2	10.4	624.2	10.4
Livestock	243.8	4.1	868	14.5
Hand tool	50.4	0.8	918.4	15.3
Power tool	252.9	4.2	1171.3	19.5
Pesticide/chem.	12.4	0.2	1183.7	19.7
Plant/tree	300.2	5.0	1483.9	24.7
Working surface	359.9	6.0	1843.8	30.7
Truck/auto	50.4	0.8	1894.2	31.6
Liquids	252.9	4.2	2147.1	35.8
Other	3849.8	64.2	5996.9	100.0

Table 3-176. Estimates of lost-time injuries by farm type for family workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	2307.7	6.6	2307.7	6.6
Field crops	3889.7	11.2	6197.4	17.8
Vegetable, fruit, nuts	1585.8	4.6	7783.2	22.3
Nursery	385.0	1.1	8168.2	23.5
Beef,hogs,sheep	19707.5	56.6	27875.7	80.0
Poultry	1376.2	4.0	29251.9	84.0
Dairy	1073.3	3.1	30325.2	87.1
Other	4503.4	12.9	34828.6	100.0

Table 3-177. Estimates of lost-time injuries by gender for family workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	29929.1	85.9	29929.1	85.9
Female	4899.5	14.1	34828.6	100.0

Table 3-178. Estimates of lost-time injuries by age group for family workers in the South region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	947.0	2.0	947.0	2.7
20-29	734.6	2.1	1681.6	4.8
30-39	9674.5	27.8	11356.1	32.6
40-49	5518.4	15.8	16874.5	48.5
50-59	7599.5	21.8	24474.0	70.3
60-69	6481.7	18.6	30955.7	88.9
>=70	3872.9	11.1	34828.6	100.0

### Table 3-179. Estimates of lost-time injuries by race or ethnic origin for family workers in the South region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	33864.6	97.6	33864.6	97.6
Black	817.1	2.4	34681.7	100.0
	(Frequency M	lissing =	146.9)	

Table 3-180. Estimates of lost-time injuries by month for family workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	730.6	2.1	730.6	2.1
February	167.4	0.5	898.0	2.6
March	2900.9	8.3	3798.9	10.9
April	7229.5	20.8	11028.4	31.7
May	2470.5	7.1	13498.9	38.8
June	1736.2	5.0	15235.1	43.7
July	3096.1	8.9	18331.2	52.6
August	2169.4	6.2	20500.6	58.9
September	3467.1	10.0	23967.7	68.8
October	6188.9	17.8	30156.6	86.6
November	2878.1	8.3	33034.7	94.8
December	1793.9	5.2	34828.6	100.0

Table 3-181. Estimates of lost-time injuries by severity of the injury for family workers in the South region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	31358.5	90.0	31358.5	90.0
Permanent	3411.8	9.8	34770.3	99.8
Fatality	58.3	0.2	34828.6	100.0

Table 3-182. Estimates of lost-time injuries by whether professional medical attention was sought for family workers in the South region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	3470.1	10.0	3470.1	10.0
Yes	23532.6	67.7	27002.7	77.7
No	7768.0	22.3	34770.7	100.0
	(Frequen	cy Missing	g = 57.9)	

Table 3-183. Estimates of lost-time injuries by body part injured for family workers in the South region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	2527.1	7.3	2527.1	7.3
Еуе	816.2	2.3	3343.3	9.6
Chest/trunk	2178.3	6.3	5521.6	15.9
Back	4141.6	11.9	9663.2	27.7
Arm/shoulder	3276.4	9.4	12939.6	37.2
Finger	5383.3	15.5	18322.9	52.6
Hand/wrist	2695.2	7.7	21018.1	60.3
Leg/knee/hip	9301.1	26.7	30319.2	87.1
Foot	464.9	1.3	30784.1	88.4
Mult. parts	2358.0	6.8	33142.1	95.2
Other	1686.5	4.8	34828.6	100.0

### Table 3-184. Estimates of lost-time injuries by nature of injury for family workers in the South region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	926.0	2.7	926.0	2.7
Bruise	2684.8	7.7	3610.8	10.4
Burn	420.7	1.2	4031.5	11.6
Cut	6850.0	19.7	10881.5	31.3
Crush	2204.3	6.3	13085.8	37.6
Fracture	7274.7	20.9	20360.5	58.5
Puncture	2082.9	6.0	22443.4	64.4
Sprain/strain	8690.3	25.0	31133.7	89.4
Mult. injury	2265.8	6.5	33399.5	95.9
Other	1429.1	4.1	34828.6	100.0

### Table 3-185. Estimates of lost-time injuries by type of event for family workers in the South region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	1711.6	4.9	1711.6	4.9
Caught between	3423.9	9.8	5135.5	14.7
Caught under	2112.4	6.1	7247.9	20.8
Struck by/against	5135.8	14.7	12383.7	35.6
Struck by falling	879.2	2.5	13262.9	38.1
Struck by flying	1696.7	4.9	14959.6	43.0
Contact sharp obj.	5154.6	14.8	20114.2	57.8
Fall, same level	1757.6	5.0	21871.8	62.8
Fall, elevation	4382.5	12.6	26254.3	75.4
Overexertion	7024.6	20.2	33278.9	95.6
Other	1549.7	4.4	34828.6	100.0

#### Table 3-186. Estimates of lost-time injuries by activity when worker was injured for family workers in the South region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	10994	31.7	10994	31.7
Machine maint.	3356.5	9.7	14350.5	41.4
Field work	3767.6	10.9	18118.1	52.3
Crop handling	3658.7	10.6	21776.8	62.8
Livestock handling	11965.1	34.5	33741.9	97.3
Other	919.3	2.7	34661.2	100.0
(	Frequency Mi	ssing = 10	57.4)	

#### Table 3-187. Estimates of lost-time injuries by source of the injury for family workers in the South region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	1453.7	4.2	1453.7	4.2
Machinery	3636.6	10.5	5090.3	14.7
Livestock	6901.8	19.9	11992.1	34.6
Hand tool	5867.9	16.9	17860.0	51.5
Power tool	902.6	2.6	18762.6	54.1
Pesticide/chem.	56.4	0.2	18819.0	54.3
Plant/tree	2408.0	6.9	21227.0	61.2
Working surface	3628.2	10.5	24855.2	71.7
Truck/auto	221.0	0.6	25076.2	72.3
Other vehicle	1846.0	5.3	26922.2	77.7
Other	7739.0	22.3	34661.2	100.0
	(Frequency M	issing = 1	67.4)	

(Frequency Missing = 167.4)

#### Table 3-188. Estimates of lost-time injuries by farm type for hired workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
Farm Type	Frequency	Percent	Frequency	Percent
Cash grains	1383.8	13.6	1383.8	13.6
Field crops	275.8	2.7	1659.6	16.3
Vegetable,fruit,nuts	2203.8	21.6	3863.4	37.9
Nursery	599.3	5.9	4462.7	43.7
Beef,hogs,sheep	4988.7	48.9	9451.4	92.6
Dairy	552.8	5.4	10004.2	98.0
Other	201.1	2.0	10205.3	100.0

Table 3-189. Estimates of lost-time injuries by gender for hired workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
<u>Gender</u>	Frequency	Percent	Frequency	Percent
Male	9484.6	92.9	9484.6	92.9
Female	720.7	7.1	10205.3	100.0

### Table 3-190. Estimates of lost-time injuries by age group for hired workers in the South region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	459.7	4.5	459.7	4.5
20-29	1417.8	13.9	1877.5	18.4
30-39	2647.3	25.9	4524.8	44.3
40-49	2620.1	25.7	7144.9	70.0
50-59	2399.6	23.5	9544.5	93.5
60-69	660.8	6.5	10205.3	100.0

### Table 3-191. Estimates of lost-time injuries by race or ethnic origin for hired workers in the South region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	6129.8	60.1	6129.8	60.1
Hispanic	3178	31.1	9307.8	91.2
Black	897.5	8.8	10205.3	100.0

### Table 3-192. Estimates of lost-time injuries by month for hired workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
February	339.8	3.4	339.8	3.4
March	1064.6	10.6	1404.4	14.0
April	2026.2	20.2	3430.6	34.2
May	634	6.3	4064.6	40.5
June	270.7	2.7	4335.3	43.2
July	944.3	9.4	5279.6	52.6
August	584	5.8	5863.6	58.4
September	2225.8	22.2	8089.4	80.6
October	360.2	3.6	8449.6	84.1
November	1592.4	15.9	10042	100.0
	(Frequenc	cy Missing	= 163.3)	

Table 3-193. Estimates of lost-time injuries by severity of the injury for hired workers in the South region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	10205.3	100.0	10205.3	100.0

Table 3-194. Estimates of lost-time injuries by whether professional medical attention was sought for hired workers in the South region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
<u>Required</u>	Frequency	Percent	Frequency	Percent
Yes	7902.2	80.6	7902.2	80.6
No	1907.5	19.4	9809.7	100.0
	(Frequenc	cy Missing	= 395.6)	

#### Table 3-195. Estimates of lost-time injuries by body part injured for hired workers in the South region of the U.S., 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	329.5	3.2	329.5	3.2
Еуе	542.0	5.3	871.5	8.5
Back	2257.5	22.1	3129.0	30.7
Arm/shoulder	2220.0	21.8	5349.0	52.4
Finger	1582.6	15.5	6931.6	67.9
Hand/wrist	1215.7	11.9	8147.3	79.8
Leg/knee/hip	1322.3	13.0	9469.6	92.8
Тое	395.6	3.9	9865.2	96.7
Foot	281.8	2.8	10147.0	99.4
Other	58.3	0.6	10205.3	100.0

Table 3-196. Estimates of lost-time injuries by nature of injury for hired workers in the South region of the U.S., 1995.

Nature of			Cumulative	Cumulative
<u>Injury</u>	Frequency	Percent	Frequency	Percent
Bruise	2466.7	24.6	2466.7	24.6
Burn	598.4	6.0	3065.1	30.5
Cut	1745.3	17.4	4810.4	47.9
Crush	816.3	8.1	5626.7	56.0
Fracture	439.9	4.4	6066.6	60.4
Puncture	542.0	5.4	6608.6	65.8
Sprain/strain	3139.4	31.3	9748.0	97.1
Other	294.0	2.9	10042.0	100.0
	(Frequency	Missing =	163.3)	

#### Table 3-197. Estimates of lost-time injuries by type of event for hired workers in the South region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	579.9	5.7	579.9	5.7
Caught between	518.0	5.1	1097.9	10.8
Struck by/against	1905.0	18.7	3002.9	29.4
Struck by falling	1191.7	11.7	4194.6	41.1
Contact sharp obj.	1932.9	18.9	6127.5	60.0
Fall, same level	1408.4	13.8	7535.9	73.8
Fall, elevation	481.9	4.7	8017.8	78.6
Overexertion	811.2	7.9	8829.0	86.5
Other	1376.3	13.5	10205.3	100.0

### Table 3-198. Estimates of lost-time injuries by activity when worker was injured for hired workers in the South region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	1234.6	12.1	1234.6	12.1
Machine maint.	1083.0	10.6	2317.6	22.7
Field work	1687.2	16.5	4004.8	39.2
Crop handling	1393.4	13.7	5398.2	52.9
Livestock handling	4092.3	40.1	9490.5	93.0
Other	714.8	7.0	10205.3	100.0

Table 3-199. Estimates of lost-time injuries by source of the injury for hired workers in the South region of the U.S., 1995.

Source of			Cumulative	Cumulative
<u>Injury</u>	Frequency	Percent	Frequency	Percent
Tractor	782.0	7.7	782.0	7.7
Machinery	1021.1	10.0	1803.1	17.7
Livestock	1561.0	15.3	3364.1	33.0
Hand tool	1246.6	12.2	4610.7	45.2
Power tool	816.3	8.0	5427.0	53.2
Plant/tree	456.3	4.5	5883.3	57.6
Working surface	1396.5	13.7	7279.8	71.3
Other	2925.5	28.7	10205.3	100.0

Table 3-200. Estimates of lost-time injuries by farm type for family workers in the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	23545.6	30.6	23545.6	30.6
Field crops	2699.1	3.5	26244.7	34.1
Vegetable,fruit,nuts	16.2	0.0	26260.9	34.1
Nursery	221.7	0.3	26482.6	34.4
Beef,hogs,sheep	41069.5	53.4	67552.1	87.8
Dairy	7887.6	10.2	75439.7	98.0
Other	1536.9	2.0	76976.6	100.0

#### Table 3-201. Estimates of lost-time injuries by gender for family workers in the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	65378.3	84.9	65378.3	84.9
Female	11598.3	15.1	76976.6	100.0

### Table 3-202. Estimates of lost-time injuries by age group for family workers in the Midwest region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	2556.9	3.3	2556.9	3.3
20-29	3069.1	4.0	5626.0	7.3
30-39	17410.1	22.6	23036.1	29.9
40-49	13244.3	17.2	36280.4	47.1
50-59	18155.6	23.6	54436.0	70.7
60-69	14449.6	18.8	68885.6	89.5
>=70	8091.0	10.5	76976.6	100.0

Table 3-203. Estimates of lost-time injuries by race or ethnic origin for family workers in the Midwest region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	76976.6	100.0	76976.6	100.0

Table 3-204. Estimates of lost-time injuries by month for family workers in the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	600.0	0.8	600.0	0.8
February	2141.2	2.8	2741.2	3.6
March	1744.0	2.3	4485.2	5.9
April	3010.1	4.0	7495.3	9.9
May	6069.1	8.0	13564.4	18.0
June	12666.8	16.8	26231.2	34.8
July	8247.1	10.9	34478.3	45.7
August	11867.5	15.7	46345.8	61.4
September	5442.9	7.2	51788.7	68.7
October	4737.9	6.3	56526.6	74.9
November	15227.3	20.2	71753.9	95.1
December	3673.8	4.9	75427.7	100.0
	(Frequenc	y Missing	= 1548.9)	

### Table 3-205. Estimates of lost-time injuries by severity of the injury for family workers in the Midwest region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	72499.1	94.2	72499.1	94.2
Permanent	2304.7	3.0	74803.8	97.2
Fatality	2172.8	2.8	76976.6	100.0

Table 3-206. Estimates of lost-time injuries by whether professional medical attention was sought for family workers in the Midwest region of the U.S., 1995.

Medical Attention			Cumulative	Cumulative
			Cullurative	Cullurative
<u>Required</u>	Frequency	Percent	Frequency	Percent
Unknown	4477.5	5.8	4477.5	5.8
Yes	63087.4	82.0	67564.9	87.8
No	9411.7	12.2	76976.6	100.0

Table 3-207. Estimates of lost-time injuries by body part injured for family workers in the Midwest region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	3424.3	4.4	3424.3	4.4
Еуе	1678.9	2.2	5103.2	6.6
Chest/trunk	7107.8	9.2	12211.0	15.9
Back	15132.2	19.7	27343.2	35.5
Arm/shoulder	7441.9	9.7	34785.1	45.2
Finger	6182.3	8.0	40967.4	53.2
Hand/wrist	8063.6	10.5	49031.0	63.7
Leg/knee/hip	12843.6	16.7	61874.6	80.4
Тое	91.7	0.1	61966.3	80.5
Foot	9609.2	12.5	71575.5	93.0
Mult. parts	4126.2	5.4	75701.7	98.3
Other	1274.9	1.7	76976.6	100.0

## Table 3-208. Estimates of lost-time injuries by nature of injury for family workers in the Midwest region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	1184.2	1.5	1184.2	1.5
Bruise	14099.3	18.3	15283.5	19.9
Burn	16.2	0.0	15299.7	19.9
Cut	7720.1	10.0	23019.8	29.9
Crush	3018.6	3.9	26038.4	33.8
Fracture	18002.9	23.4	44041.3	57.2
Poisoning	221.7	0.3	44263.0	57.5
Puncture	5353.6	7.0	49616.6	64.5
Sprain/strain	18160.0	23.6	67776.6	88.0
Mult. injury	2592.8	3.4	70369.4	91.4
Other	6607.2	8.6	76976.6	100.0

Table 3-209. Estimates of lost-time injuries by type of event for family workers in the Midwest region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	5116.7	6.6	5116.7	6.6
Caught between	11432.1	14.9	16548.8	21.5
Caught under	4433.6	5.8	20982.4	27.3
Struck by/against	9893.0	12.9	30875.4	40.1
Struck by falling	6163.2	8.0	37038.6	48.1
Struck by flying	1078.6	1.4	38117.2	49.5
Contact sharp obj.	9190.5	11.9	47307.7	61.5
Fall, same level	4454.8	5.8	51762.5	67.2
Fall, elevation	10713.7	13.9	62476.2	81.2
Overexertion	8104.3	10.5	70580.5	91.7
Other	6396.1	8.3	76976.6	100.0

# Table 3-210. Estimates of lost-time injuries by activity when worker was injured for family workers in the Midwest region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	7855.0	10.2	7855.0	10.2
Machine maint.	9751.0	12.7	17606.0	22.9
Field work	3569.1	4.6	21175.1	27.5
Crop handling	13730.1	17.8	34905.2	45.3
Livestock handling	36673.7	47.6	71578.9	93.0
Other	5397.7	7.0	76976.6	100.0

#### Table 3-211. Estimates of lost-time injuries by source of the injury for family workers in the Midwest region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	2354.1	3.1	2354.1	3.1
Machinery	18629.8	24.2	20983.9	27.3
Livestock	22698.3	29.5	43682.2	56.7
Hand tool	1376.0	1.8	45058.2	58.5
Power tool	1092.9	1.4	46151.1	60.0
Pesticide/chem.	796.7	1.0	46947.8	61.0
Plant/tree	2919.5	3.8	49867.3	64.8
Working surface	6308.5	8.2	56175.8	73.0
Truck/auto	898.2	1.2	57074.0	74.1
Other vehicle	997.9	1.3	58071.9	75.4
Other	18904.7	24.6	76976.6	100.0

Table 3-212. Estimates of lost-time injuries by farm type for hired workers in the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	3442.2	29.3	3442.2	29.3
Field crops	275.3	2.3	3717.5	31.6
Vegetable, fruit, nuts	157.9	1.3	3875.4	33.0
Nursery	50.0	0.4	3925.4	33.4
Beef,hogs,sheep	5605.6	47.7	9531.0	81.1
Dairy	2035.8	17.3	11566.8	98.4
Other	190.2	1.6	11757.0	100.0

Table 3-213. Estimates of lost-time injuries by gender for hired workers in the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	11757	100.0	11757	100.0

## Table 3-214. Estimates of lost-time injuries by age group for hired workers in the Midwest region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	1917.0	12.2	1917.0	16.3
20-29	3051.4	26.0	4968.4	42.3
30-39	1305.4	11.1	6273.8	53.4
50-59	3598.5	30.6	9872.3	84.0
60-69	1056.1	9.0	10928.4	93.0
>=70	828.6	7.0	11757.0	100.0

Table 3-215. Estimates of lost-time injuries by race or ethnic origin for hired workers in the Midwest region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	11481.7	97.7	11481.7	97.7
Hispanic	275.3	2.3	11757.0	100.0

Table 3-216. Estimates of lost-time injuries by month for hired workers in the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
March	420.0	3.8	420.0	3.8
May	2448.1	22.2	2868.1	26.0
June	575.0	5.2	3443.1	31.2
July	1376.4	12.5	4819.5	43.7
August	1897.4	17.2	6716.9	60.9
September	420.0	3.8	7136.9	64.7
October	3001.4	27.2	10138.3	91.9
November	157.9	1.4	10296.2	93.4
December	730.4	6.6	11026.6	100.0
	(Frequenc	cy Missing	= 730.4)	

#### Table 3-217. Estimates of lost-time injuries by severity of the injury for hired workers in the Midwest region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	11757	100.0	11757.0	100.0

Table 3-218. Estimates of lost-time injuries by whether professional medical attention was sought for hired workers in the Midwest region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
<u>Required</u>	Frequency	Percent	Frequency	Percent
Yes	10928.4	93.0	10928.4	93.0
No	828.6	7.0	11757.0	100.0

#### Table 3-219. Estimates of lost-time injuries by body part injured for hired workers in the Midwest region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	1005.7	8.6	1005.7	8.6
Back	1248.6	10.6	2254.3	19.2
Arm/shoulder	1211.1	10.3	3465.4	29.5
Finger	2651.0	22.5	6116.4	52.0
Leg/knee/hip	1657.2	14.1	7773.6	66.1
Тое	190.2	1.6	7963.8	67.7
Foot	420.0	3.6	8383.8	71.3
Mult. parts	1150.4	9.8	9534.2	81.1
Other	2222.8	18.9	11757.0	100.0

Table 3-220. Estimates of lost-time injuries by nature of injury for hired workers in the Midwest region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	730.4	6.2	730.4	6.2
Bruise	610.2	5.2	1340.6	11.4
Burn	575.0	4.9	1915.6	16.3
Cut	956.4	8.1	2872.0	24.4
Fracture	2330.7	19.8	5202.7	44.3
Puncture	1523.9	13.0	6726.6	57.2
Sprain/strain	1657.2	14.1	8383.8	71.3
Mult. injury	1150.4	9.8	9534.2	81.1
Other	2222.8	18.9	11757.0	100.0

### Table 3-221. Estimates of lost-time injuries by type of event for hired workers in the Midwest region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	636.1	5.4	636.1	5.4
Caught between	2651.0	22.5	3287.1	28.0
Caught under	190.2	1.6	3477.3	29.6
Struck by/against	730.4	6.2	4207.7	35.8
Struck by falling	420.0	3.6	4627.7	39.4
Contact sharp obj.	2098.9	17.9	6726.6	57.2
Fall, same level	828.6	7.0	7555.2	64.3
Fall, elevation	1150.4	9.8	8705.6	74.0
Overexertion	50.0	0.4	8755.6	74.5
Other	3001.4	25.5	11757.0	100.0

### Table 3-222. Estimates of lost-time injuries by activity when worker was injured for hired workers in the Midwest region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	898.2	7.6	898.2	7.6
Machine maint.	2195.1	18.7	3093.3	26.3
Field work	1460.5	12.4	4553.8	38.7
Crop handling	730.4	6.2	5284.2	44.9
Livestock handling	3001.4	25.5	8285.6	70.5
Other	3471.4	29.5	11757.0	100.0

Table 3-223. Estimates of lost-time injuries by source of the injury for hired workers in the Midwest region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	997.9	8.5	997.9	8.5
Machinery	3381.4	28.8	4379.3	37.2
Livestock	828.6	7.0	5207.9	44.3
Hand tool	828.6	7.0	6036.5	51.3
Pesticide/chem.	50.0	0.4	6086.5	51.8
Working surface	1305.4	11.1	7391.9	62.9
Other vehicle	190.2	1.6	7582.1	64.5
Other	4174.9	35.5	11757.0	100.0

Table 3-224. Estimates of lost-time injuries by farm type for family workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
Farm Type	Frequency	Percent	Frequency	Percent
Cash grains	126.2	1.3	126.2	1.3
Field crops	456.0	4.5	582.2	5.8
Vegetable,fruit,nuts	2694.3	26.7	3276.5	32.5
Beef,hogs,sheep	6444.3	64.0	9720.8	96.5
Dairy	144.4	1.4	9865.2	97.9
Other	207.8	2.1	10073.0	100.0

### Table 3-225. Estimates of lost-time injuries by gender for family workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	9435.2	93.7	9435.2	93.7
Female	637.8	6.3	10073.0	100.0

### Table 3-226. Estimates of lost-time injuries by age group for family workers in the West region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	329.0	3.3	329.0	3.3
20-29	349.0	3.5	678.0	6.7
30-39	875.8	8.7	1553.8	15.4
40-49	2646.4	26.3	4200.2	41.7
50-59	2751.3	27.3	6951.5	69.0
60-69	2496.9	24.8	9448.4	93.8
>=70	624.6	6.2	10073.0	100.0

### Table 3-227. Estimates of lost-time injuries by race or ethnic origin for family workers in the West region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	9033.3	89.7	9033.3	89.7
Hispanic	308.9	3.1	9342.2	92.7
Asian	730.8	7.3	10073.0	100.0

### Table 3-228. Estimates of lost-time injuries by month for family workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
March	618.2	6.1	618.2	6.1
April	301.7	3.0	919.9	9.1
May	3228.8	32.1	4148.7	41.2
June	857.3	8.5	5006.0	49.7
July	1323.3	13.1	6329.3	62.8
August	403.8	4.0	6733.1	66.8
September	189.9	1.9	6923.0	68.7
October	234.1	2.3	7157.1	71.1
November	2326.1	23.1	9483.2	94.1
December	589.8	5.9	10073.0	100.0

### Table 3-229. Estimates of lost-time injuries by severity of the injury for family workers in the West region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	7989.7	79.3	7989.7	79.3
Permanent	2083.3	20.7	10073.0	100.0

Table 3-230. Estimates of lost-time injuries by whether professional medical attention was sought for family workers in the West region of the U.S., 1995.

Medical Attention			Cumulative	Cumulative
<u>Required</u>	Frequency	Percent	Frequency	Percent
Unknown	2083.3	20.7	2083.3	20.7
Yes	2585.9	25.7	4669.2	46.4
No	5403.8	53.6	10073.0	100.0

Table 3-231. Estimates of lost-time injuries by body part injured for family workers in the West region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	2576.8	25.6	2576.8	25.6
Еуе	313.2	3.1	2890.0	28.7
Chest/trunk	164.5	1.6	3054.5	30.3
Back	603.4	6.0	3657.9	36.3
Arm/shoulder	732.8	7.3	4390.7	43.6
Finger	394.8	3.9	4785.5	47.5
Hand/wrist	3255.6	32.3	8041.1	79.8
Leg/knee/hip	1649.6	16.4	9690.7	96.2
Foot	146.4	1.5	9837.1	97.7
Mult. parts	235.9	2.3	10073.0	100.0

### Table 3-232. Estimates of lost-time injuries by nature of injury for family workers in the West region of the U.S., 1995.

Nature of			Cumulative	Cumulative
<u>Injury</u>	Frequency	Percent	Frequency	Percent
Bruise	1335.8	13.3	1335.8	13.3
Burn	34.8	0.3	1370.6	13.6
Cut	3714.8	36.9	5085.4	50.5
Crush	152.0	1.5	5237.4	52.0
Fracture	2687.9	26.7	7925.3	78.7
Puncture	69.6	0.7	7994.9	79.4
Sprain/strain	1170.7	11.6	9165.6	91.0
Mult. injury	387.9	3.9	9553.5	94.8
Other	519.5	5.2	10073.0	100.0

### Table 3-233. Estimates of lost-time injuries by type of event for family workers in the West region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	223.4	2.2	223.4	2.2
Caught under	96.4	1.0	319.8	3.2
Struck by/against	1697.6	16.9	2017.4	20.0
Struck by falling	2326.1	23.1	4343.5	43.1
Struck by flying	277.6	2.8	4621.1	45.9
Contact sharp obj.	3387.3	33.6	8008.4	79.5
Fall, same level	363.8	3.6	8372.2	83.1
Fall, elevation	716.9	7.1	9089.1	90.2
Overexertion	584.5	5.8	9673.6	96.0
Other	399.4	4.0	10073.0	100.0

Table 3-234. Estimates of lost-time injuries by activity when worker was injured for family workers in the West region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	3640.9	36.1	3640.9	36.1
Field work	313.2	3.1	3954.1	39.3
Crop handling	2318.2	23.0	6272.3	62.3
Livestock handling	3409.8	33.9	9682.1	96.1
Other	390.9	3.9	10073.0	100.0

### Table 3-235. Estimates of lost-time injuries by source of the injury for family workers in the West region of the U.S., 1995.

Source of			Cumulative	Cumulative
<u>Injury</u>	Frequency	Percent	Frequency	Percent
Tractor	63.1	0.6	63.1	0.6
Machinery	152.0	1.5	215.1	2.1
Livestock	2928.8	29.1	3143.9	31.2
Hand tool	2161.6	21.5	5305.5	52.7
Power tool	1171.3	11.6	6476.8	64.3
Plant/tree	106.2	1.1	6583.0	65.4
Working surface	219.7	2.2	6802.7	67.5
Other vehicle	329.0	3.3	7131.7	70.8
Other	2941.3	29.2	10073.0	100.0

### Table 3-236. Estimates of lost-time injuries by farm type for hired workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	951.9	3.0	951.9	3.0
Field crops	1714.3	5.4	2666.2	8.4
Vegetable, fruit, nuts	12883.8	40.4	15550.0	48.7
Nursery	9029.0	28.3	24579.0	77.0
Beef,hogs,sheep	4634.8	14.5	29213.8	91.5
Poultry	885.4	2.8	30099.2	94.3
Dairy	1686.9	5.3	31786.1	99.6
Other	142.8	0.4	31928.9	100.0

### Table 3-237. Estimates of lost-time injuries by farm type for hired workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	29767.3	93.2	29767.3	93.2
Female	2161.6	6.8	31928.9	100.0

Table 3-238. Estimates of lost-time injuries by age group for hired workers in the West region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	1041.6	3.3	1041.6	3.3
20-29	12752.1	39.9	13793.7	43.2
30-39	8330.7	26.1	22124.4	69.3
40-49	3172.6	9.9	25297.0	79.2
50-59	5460.6	17.1	30757.6	96.3
60-69	1093.0	3.4	31850.6	99.8
>=70	78.3	0.2	31928.9	100.0

### Table 3-239. Estimates of lost-time injuries by race or ethnic origin for hired workers in the West region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	3618.1	11.3	3618.1	11.3
Hispanic	27527.1	86.2	31145.2	97.5
Asian	339.3	1.1	31484.5	98.6
Other	444.4	1.4	31928.9	100.0

### Table 3-240. Estimates of lost-time injuries by month for hired workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	1989.6	6.2	1989.6	6.2
February	71.4	0.2	2061.0	6.5
March	1009.7	3.2	3070.7	9.6
April	1857.0	5.8	4927.7	15.4
May	1232.3	3.9	6160.0	19.3
June	63.1	0.2	6223.1	19.5
July	5335.2	16.7	11558.3	36.2
August	11273.5	35.3	22831.8	71.5
September	4981.9	15.6	27813.7	87.1
October	2807.3	8.8	30621.0	95.9
November	1175.3	3.7	31796.3	99.6
December	132.6	0.4	31928.9	100.0

Table 3-241. Estimates of lost-time injuries by severity of the injury for hired workers in the West region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	30929.0	96.9	30929.0	96.9
Permanent	999.9	3.1	31928.9	100.0

# Table 3-242. Estimates of lost-time injuries by whether professional medical attention was sought for hired workers in the West region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	999.9	3.1	999.9	3.1
Yes	28266.9	88.7	29266.8	91.9
No	2583.8	8.1	31850.6	100.0
	(Frequenc	y Missing	= 78.3)	

### Table 3-243. Estimates of lost-time injuries by body part injured for hired workers in the West region of the U.S., 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1234.4	3.9	1234.4	3.9
Eye	1484.0	4.6	2718.4	8.5
Chest/trunk	787.9	2.5	3506.3	11.0
Back	2998.3	9.4	6504.6	20.4
Arm/shoulder	9138.8	28.6	15643.4	49.0
Finger	3870.5	12.1	19513.9	61.1
Hand/wrist	557.5	1.7	20071.4	62.9
Leg/knee/hip	5953.9	18.6	26025.3	81.5
Foot	4842.5	15.2	30867.8	96.7
Mult. parts	1061.1	3.3	31928.9	100.0

Table 3-244. Estimates of lost-time injuries by nature of injury for hired workers in the West region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Amputation	132.6	0.4	132.6	0.4
Bruise	6235.5	19.5	6368.1	19.9
Burn	1537.4	4.8	7905.5	24.8
Cut	3202.5	10.0	11108.0	34.8
Fracture	113.1	0.4	11221.1	35.1
Puncture	191.4	0.6	11412.5	35.7
Sprain/strain	18526.8	58.0	29939.3	93.8
Mult. injury	132.6	0.4	30071.9	94.2
Other	1857.0	5.8	31928.9	100.0

### Table 3-245. Estimates of lost-time injuries by type of event for hired workers in the West region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	1716.4	5.4	1716.4	5.4
Caught between	1849.0	5.8	3565.4	11.2
Caught under	34.8	0.1	3600.2	11.3
Struck by/against	1540.2	4.8	5140.4	16.1
Struck by falling	2775.4	8.7	7915.8	24.8
Contact sharp obj.	2976.9	9.3	10892.7	34.1
Fall, same level	4018.6	12.6	14911.3	46.7
Fall, elevation	8947.4	28.0	23858.7	74.7
Overexertion	1184.8	3.7	25043.5	78.4
Other	6885.4	21.6	31928.9	100.0

### Table 3-246. Estimates of lost-time injuries by activity when worker was injured for hired workers in the West region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	11032.4	34.6	11032.4	34.6
Machine maint.	2133.7	6.7	13166.1	41.2
Field work	8441.8	26.4	21607.9	67.7
Crop handling	184.7	0.6	21792.6	68.3
Livestock handling	3314.3	10.4	25106.9	78.6
Other	6822.0	21.4	31928.9	100.0

Table 3-247. Estimates of lost-time injuries by source of the injury for hired workers in the West region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Machinery	12155.7	38.1	12155.7	38.1
Livestock	2124.7	6.7	14280.4	44.7
Hand tool	1085.1	3.4	15365.5	48.1
Power tool	1372.9	4.3	16738.4	52.4
Plant/tree	1085.1	3.4	17823.5	55.8
Working surface	2785.5	8.7	20609.0	64.5
Truck/auto	1171.3	3.7	21780.3	68.2
Other vehicle	1041.6	3.3	22821.9	71.5
Other	9107.0	28.5	31928.9	100.0

### Table 3-248. Estimates of lost-time injuries by farm type for male workers in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
Farm Type	Frequency	Percent	Frequency	Percent
Cash grains	1206.2	8.5	1206.2	8.5
Field crops	3093.4	21.7	4299.6	30.2
Vegetable, fruit, nuts	807.0	5.7	5106.6	35.9
Nursery	3618.3	25.4	8724.9	61.3
Beef,hogs,sheep	1228.5	8.6	9953.4	69.9
Poultry	375.0	2.6	10328.4	72.5
Dairy	2982.7	20.9	13311.1	93.5
Other	931.8	6.5	14242.9	100.0

# Table 3-249. Estimates of lost-time injuries by status of the injured worker for male workers in the Northeast region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	8184.2	57.5	8184.2	57.5
Partner/family	311.8	2.2	8496.0	59.7
Hired labor	5140.3	36.1	13636.3	95.7
Unpaid nonfamily	556.2	3.9	14192.5	99.6
Other	50.4	0.4	14242.9	100.0

Table 3-250. Estimates of lost-time injuries by age group for male workers in the Northeast region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	1017.2	7.3	1017.2	7.3
20-29	6059.1	43.3	7076.3	50.5
30-39	828.2	5.9	7904.5	56.5
40-49	1608.8	11.5	9513.3	68.0
50-59	1135.1	8.1	10648.4	76.1
60-69	2640.1	18.9	13288.5	94.9
>=70	710.6	5.1	13999.1	100.0
	(Frequenc	y Missing	= 243.8)	

Table 3-251. Estimates of lost-time injuries by race or ethnic origin for male workers in the Northeast region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	14107.1	99.1	14107.1	99.1
Hispanic	123.4	0.9	14230.5	100.0
Other	6.2	0.0	14236.7	100.0
	(Frequency	Missing =	6.2)	

### Table 3-252. Estimates of lost-time injuries by month for male workers in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	252.9	1.8	252.9	1.8
February	303.1	2.2	556.0	4.0
March	1051.6	7.5	1607.6	11.5
April	1155.2	8.3	2762.8	19.7
May	252.9	1.8	3015.7	21.5
June	2151.4	15.4	5167.1	36.9
July	5880.2	42.0	11047.3	78.9
August	677.7	4.8	11725.0	83.8
September	75.2	0.5	11800.2	84.3
October	675.4	4.8	12475.6	89.1
November	918.8	6.6	13394.4	95.7
December	604.7	4.3	13999.1	100.0
	(Frequenc	y Missing	= 243.8)	

Table 3-253. Estimates of lost-time injuries by severity of the injury for male workers in the Northeast region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	13255.5	93.1	13255.5	93.1
Permanent	743.6	5.2	13999.1	98.3
Fatality	243.8	1.7	14242.9	100.0

Table 3-254. Estimates of lost-time injuries by whether professional medical attention was sought for male workers in the Northeast region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	987.4	6.9	987.4	6.9
Yes	12308.5	86.5	13295.9	93.4
No	940.8	6.6	14236.7	100.0
	(Frequen	cy Missing	g = 6.2)	

### Table 3-255. Estimates of lost-time injuries by body part injured for male workers in the Northeast region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	50.4	0.4	50.4	0.4
Eye	1653.4	11.6	1703.8	12.0
Chest/trunk	73.0	0.5	1776.8	12.5
Back	1277.5	9.0	3054.3	21.4
Arm/shoulder	1016.8	7.1	4071.1	28.6
Finger	4838.3	34.0	8909.4	62.6
Hand/wrist	1106.1	7.8	10015.5	70.3
Leg/knee/hip	828.8	5.8	10844.3	76.1
Тое	245.7	1.7	11090.0	77.9
Foot	2364.7	16.6	13454.7	94.5
Mult. parts	788.2	5.5	14242.9	100.0

Table 3-256. Estimates of lost-time injuries by nature of injury for male workers in the Northeast region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	245.0	1.7	245.0	1.7
Bruise	2007.5	14.1	2252.5	15.8
Burn	252.9	1.8	2505.4	17.6
Cut	4772.7	33.5	7278.1	51.1
Crush	1903.2	13.4	9181.3	64.5
Fracture	1666.4	11.7	10847.7	76.2
Puncture	1352.1	9.5	12199.8	85.7
Sprain/strain	1689.8	11.9	13889.6	97.5
Mult. injury	252.9	1.8	14142.5	99.3
Other	100.4	0.7	14242.9	100.0

### Table 3-257. Estimates of lost-time injuries by type of event for male workers in the Northeast region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	303.3	2.1	303.3	2.1
Caught between	4624.5	32.5	4927.8	34.6
Caught under	2297.4	16.1	7225.2	50.7
Struck by/against	986.0	6.9	8211.2	57.7
Struck by falling	744.3	5.2	8955.5	62.9
Struck by flying	1157.5	8.1	10113.0	71.0
Contact sharp obj.	1152.9	8.1	11265.9	79.1
Fall, same level	549.0	3.9	11814.9	83.0
Fall, elevation	825.7	5.8	12640.6	88.8
Overexertion	853.6	6.0	13494.2	94.7
Other	748.7	5.3	14242.9	100.0

# Table 3-258. Estimates of lost-time injuries by activity when worker was injured for male workers in the Northeast region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	2123.1	15.2	2123.1	15.2
Machine maint.	2271.5	16.2	4394.6	31.4
Field work	2500.2	17.9	6894.8	49.3
Crop handling	1693.4	12.1	8588.2	61.3
Livestock handling	615.6	4.4	9203.8	65.7
Other	4795.3	34.3	13999.1	100.0
(Frequency Missing = 243.8)				

Table 3-259. Estimates of lost-time injuries by source of the injury for male workers in the Northeast region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	2251.6	15.8	2251.6	15.8
Machinery	1942.0	13.6	4193.6	29.4
Livestock	295.9	2.1	4489.5	31.5
Hand tool	1898.6	13.3	6388.1	44.9
Power tool	252.9	1.8	6641.0	46.6
Pesticide/chem.	6.2	0.0	6647.2	46.7
Plant/tree	602.3	4.2	7249.5	50.9
Working surface	605.6	4.3	7855.1	55.2
Truck/auto	543.7	3.8	8398.8	59.0
Other vehicle	252.9	1.8	8651.7	60.7
Liquids	252.9	1.8	8904.6	62.5
Other	5338.3	37.5	14242.9	100.0

### Table 3-260. Estimates of lost-time injuries by farm type for female workers in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
Farm Type	Frequency	Percent	Frequency	Percent
Vegetable, fruit, nuts	50.4	3.1	50.4	3.1
Nursery	12.4	0.8	62.8	3.9
Dairy	758.7	46.8	821.5	50.7
Other	798.2	49.3	1619.7	100.0

# Table 3-261. Estimates of lost-time injuries by status of the injured worker for female workers in the Northeast region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	807.3	49.8	807.3	49.8
Partner/family	512.0	31.6	1319.3	81.5
Hired labor	300.4	18.5	1619.7	100.0

### Table 3-262. Estimates of lost-time injuries by age group for female workers in the Northeast region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
20-29	310.6	19.2	310.6	19.2
30-39	512.0	31.6	822.6	50.8
40-49	493.8	30.5	1316.4	81.3
50-59	50.4	3.1	1366.8	84.4
60-69	252.9	15.6	1619.7	100.0

Table 3-263. Estimates of lost-time injuries by race or ethnic origin for female workers in the Northeast region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	1619.7	100.0	1619.7	100.0

Table 3-264. Estimates of lost-time injuries by month for female workers in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
March	50.4	3.7	50.4	3.7
April	66.8	4.9	117.2	8.5
May	243.8	17.7	361.0	26.2
July	259.1	18.8	620.1	45.1
September	252.9	18.4	873.0	63.4
October	243.8	17.7	1116.8	81.2
November	252.9	18.4	1369.7	99.5
December	6.2	0.5	1375.9	100.0
	(Frequenc	cy Missing	= 243.8)	

Table 3-265. Estimates of lost-time injuries by severity of the injury for female workers in the Northeast region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	1065.3	65.8	1065.3	65.8
Permanent	554.4	34.2	1619.7	100.0

Table 3-266. Estimates of lost-time injuries by whether professional medical attention was sought for female workers in the Northeast region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	554.4	34.2	554.4	34.2
Yes	821.5	50.7	1375.9	84.9
No	243.8	15.1	1619.7	100.0

Table 3-267. Estimates of lost-time injuries by body part injured for female workers in the Northeast region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	252.9	15.6	252.9	15.6
Еуе	6.2	0.4	259.1	16.0
Chest/trunk	496.7	30.7	755.8	46.7
Back	310.6	19.2	1066.4	65.8
Finger	294.2	18.2	1360.6	84.0
Тое	6.2	0.4	1366.8	84.4
Foot	252.9	15.6	1619.7	100.0

Table 3-268. Estimates of lost-time injuries by nature of injury for female workers in the Northeast region of the U.S., 1995.

Nature of			Cumulative	Cumulative
<u>Injury</u>	Frequency	Percent	Frequency	Percent
Amputation	243.8	15.1	243.8	15.1
Bruise	50.4	3.1	294.2	18.2
Cut	252.9	15.6	547.1	33.8
Crush	243.8	15.1	790.9	48.8
Fracture	578.8	35.7	1369.7	84.6
Sprain/strain	243.8	15.1	1613.5	99.6
Other	6.2	0.4	1619.7	100.0

### Table 3-269. Estimates of lost-time injuries by type of event for female workers in the Northeast region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught between	294.2	18.2	294.2	18.2
Struck by/against	310.6	19.2	604.8	37.3
Struck by falling	243.8	15.1	848.6	52.4
Struck by flying	252.9	15.6	1101.5	68.0
Fall, same level	252.9	15.6	1354.4	83.6
Fall, elevation	252.9	15.6	1607.3	99.2
Other	12.4	0.8	1619.7	100.0

Table 3-270. Estimates of lost-time injuries by activity when worker was injured for female workers in the Northeast region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	252.9	15.6	252.9	15.6
Crop handling	50.4	3.1	303.3	18.7
Livestock handling	1057.3	65.3	1360.6	84.0
Other	259.1	16.0	1619.7	100.0

### Table 3-271. Estimates of lost-time injuries by source of the injury for female workers in the Northeast region of the U.S., 1995.

Source of			Cumulative	Cumulative
<u>Injury</u>	Frequency	Percent	Frequency	Percent
Machinery	50.4	3.1	50.4	3.1
Livestock	804.4	49.7	854.8	52.8
Hand tool	252.9	15.6	1107.7	68.4
Pesticide/chem.	6.2	0.4	1113.9	68.8
Working surface	252.9	15.6	1366.8	84.4
Liquids	252.9	15.6	1619.7	100.0

### Table 3-272. Estimates of lost-time injuries by farm type for male workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	3411.4	8.5	3411.4	8.5
Field crops	2935.8	7.3	6347.2	15.8
Vegetable, fruit, nuts	3789.6	9.5	10136.8	25.3
Nursery	385.0	1.0	10521.8	26.3
Beef,hogs,sheep	22430.4	56.0	32952.2	82.2
Poultry	1376.2	3.4	34328.4	85.7
Dairy	1504.7	3.8	35833.1	89.4
Other	4237.0	10.6	40070.1	100.0

# Table 3-273. Estimates of lost-time injuries by status of the injured worker for male workers in the South region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	28122.0	70.2	28122.0	70.2
Partner/family	1807.1	4.5	29929.1	74.7
Hired labor	9268.8	23.1	39197.9	97.8
Unpaid nonfamily	215.8	0.5	39413.7	98.4
Other	656.4	1.6	40070.1	100.0

### Table 3-274. Estimates of lost-time injuries by age group for male workers in the South region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	939.2	2.3	939.2	2.3
20-29	1938.1	4.8	2877.3	7.2
30-39	12506.8	31.2	15384.1	38.4
40-49	6419.9	16.0	21804.0	54.4
50-59	8505.8	21.2	30309.8	75.6
60-69	5837.6	14.6	36147.4	90.2
>=70	3922.7	9.8	40070.1	100.0

### Table 3-275. Estimates of lost-time injuries by race or ethnic origin for male workers in the South region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	34845.6	87.3	34845.6	87.3
Hispanic	3178.0	8.0	38023.6	95.2
Black	1899.6	4.8	39923.2	100.0
	(Frequency M	Aissing =	146.9)	

### Table 3-276. Estimates of lost-time injuries by month for male workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	494.9	1.2	494.9	1.2
February	507.2	1.3	1002.1	2.5
March	3597.6	9.0	4599.7	11.5
April	8191.1	20.5	12790.8	32.1
May	3104.5	7.8	15895.3	39.8
June	2213.3	5.5	18108.6	45.4
July	3482.2	8.7	21590.8	54.1
August	2753.4	6.9	24344.2	61.0
September	3710.0	9.3	28054.2	70.3
October	6133.9	15.4	34188.1	85.7
November	3924.8	9.8	38112.9	95.5
December	1793.9	4.5	39906.8	100.0
	(Frequenc	y Missing	= 163.3)	

Table 3-277. Estimates of lost-time injuries by severity of the injury for male workers in the South region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	36835.7	91.9	36835.7	91.9
Permanent	3176.1	7.9	40011.8	99.9
Fatality	58.3	0.1	40070.1	100.0

Table 3-278. Estimates of lost-time injuries by whether professional medical attention was sought for male workers in the South region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	3234.4	8.2	3234.4	8.2
Yes	26706.7	67.4	29941.1	75.6
No	9675.5	24.4	39616.6	100.0
	(Frequency	y Missing	= 453.5)	

### Table 3-279. Estimates of lost-time injuries by body part injured for male workers in the South region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	2709.7	6.8	2709.7	6.8
Eye	1358.2	3.4	4067.9	10.2
Chest/trunk	2178.3	5.4	6246.2	15.6
Back	5663.5	14.1	11909.7	29.7
Arm/shoulder	4252.1	10.6	16161.8	40.3
Finger	6932.1	17.3	23093.9	57.6
Hand/wrist	3701.2	9.2	26795.1	66.9
Leg/knee/hip	9517.6	23.8	36312.7	90.6
Тое	395.6	1.0	36708.3	91.6
Foot	505.6	1.3	37213.9	92.9
Mult. parts	1111.4	2.8	38325.3	95.6
Other	1744.8	4.4	40070.1	100.0

Table 3-280. Estimates of lost-time injuries by nature of injury for male workers in the South region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	926.0	2.3	926.0	2.3
Bruise	4584.5	11.5	5510.5	13.8
Burn	1019.1	2.6	6529.6	16.4
Cut	8177.6	20.5	14707.2	36.9
Crush	2779.5	7.0	17486.7	43.8
Fracture	7694.4	19.3	25181.1	63.1
Puncture	2103.0	5.3	27284.1	68.4
Sprain/strain	9698.4	24.3	36982.5	92.7
Mult. injury	1201.2	3.0	38183.7	95.7
Other	1723.1	4.3	39906.8	100.0
	(Frequency	Missing =	163.3)	

#### Table 3-281. Estimates of lost-time injuries by type of event for male workers in the South region of the U.S., 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	2551.5	6.4	2551.5	6.4
Caught between	3701.6	9.2	6253.1	15.6
Caught under	1871.3	4.7	8124.4	20.3
Struck by/against	6255.6	15.6	14380.0	35.9
Struck by falling	2070.9	5.2	16450.9	41.1
Struck by flying	1696.7	4.2	18147.6	45.3
Contact sharp obj.	6855.7	17.1	25003.3	62.4
Fall, same level	3166.0	7.9	28169.3	70.3
Fall, elevation	4272.1	10.7	32441.4	81.0
Overexertion	4849.6	12.1	37291.0	93.1
Other	2779.1	6.9	40070.1	100.0

#### Table 3-282. Estimates of lost-time injuries by activity when worker was injured for male workers in the South region of the U.S., 1995.

Activity When			Cumulative	Cumulative	
Injured	Frequency	Percent	Frequency	Percent	
Farm maint.	11799.2	29.6	11799.2	29.6	
Machine maint.	4381.2	11.0	16180.4	40.5	
Field work	4871.0	12.2	21051.4	52.8	
Crop handling	2715.5	6.8	23766.9	59.6	
Livestock handling	14716.0	36.9	38482.9	96.4	
Other	1419.8	3.6	39902.7	100.0	
(Frequency Missing = $167.4$ )					

(Frequency Missing = 167.4)

Table 3-283. Estimates of lost-time injuries by source of the injury for male workers in the South region of the U.S., 1995.

Source of			Cumulative	Cumulative
<u>Injury</u>	Frequency	Percent	Frequency	Percent
Tractor	1768.2	4.4	1768.2	4.4
Machinery	4859.4	12.2	6627.6	16.6
Livestock	8283.3	20.8	14910.9	37.4
Hand tool	7114.5	17.8	22025.4	55.2
Power tool	1718.9	4.3	23744.3	59.5
Pesticide/chem.	56.4	0.1	23800.7	59.6
Plant/tree	2864.3	7.2	26665.0	66.8
Working surface	3300.4	8.3	29965.4	75.1
Other vehicle	1846.0	4.6	31811.4	79.7
Other	8091.3	20.3	39902.7	100.0
	(Frequency M	issing = 1	67.4)	

### Table 3-284. Estimates of lost-time injuries by farm type for female workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	280.1	5.0	280.1	5.0
Field crops	1229.7	21.9	1509.8	26.9
Nursery	599.3	10.7	2109.1	37.5
Beef,hogs,sheep	2922.2	52.0	5031.3	89.5
Dairy	121.4	2.2	5152.7	91.7
Other	467.5	8.3	5620.2	100.0

# Table 3-285. Estimates of lost-time injuries by status of the injured worker for female workers in the South region of the U.S., 1995.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	3741.8	66.6	3741.8	66.6
Partner/family	1157.7	20.6	4899.5	87.2
Hired labor	599.3	10.7	5498.8	97.8
Unpaid nonfamily	121.4	2.2	5620.2	100.0

### Table 3-286. Estimates of lost-time injuries by age group for female workers in the South region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	467.5	8.3	467.5	8.3
20-29	214.3	3.8	681.8	12.1
30-39	235.7	4.2	917.5	16.3
40-49	1718.6	30.6	2636.1	46.9
50-59	1493.3	26.6	4129.4	73.5
60-69	1304.9	23.2	5434.3	96.7
>=70	185.9	3.3	5620.2	100.0

### Table 3-287. Estimates of lost-time injuries by race or ethnic origin for female workers in the South region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	5384.5	95.8	5384.5	95.8
Black	235.7	4.2	5620.2	100.0

### Table 3-288. Estimates of lost-time injuries by month for female workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	235.7	4.2	235.7	4.2
March	367.9	6.5	603.6	10.7
April	1064.6	18.9	1668.2	29.7
June	214.3	3.8	1882.5	33.5
July	793.9	14.1	2676.4	47.6
September	1982.9	35.3	4659.3	82.9
October	415.2	7.4	5074.5	90.3
November	545.7	9.7	5620.2	100.0

### Table 3-289. Estimates of lost-time injuries by severity of the injury for female workers in the South region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	5384.5	95.8	5384.5	95.8
Permanent	235.7	4.2	5620.2	100.0

Table 3-290. Estimates of lost-time injuries by whether professional medical attention was sought for female workers in the South region of the U.S., 1995.

Medical					
Attention			Cumulative	Cumulative	
Required	Frequency	Percent	Frequency	Percent	
Unknown	235.7	4.2	235.7	4.2	
Yes	5384.5	95.8	5620.2	100.0	

### Table 3-291. Estimates of lost-time injuries by body part injured for female workers in the South region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	146.9	2.6	146.9	2.6
Back	735.6	13.1	882.5	15.7
Arm/shoulder	1244.3	22.1	2126.8	37.8
Finger	454.5	8.1	2581.3	45.9
Hand/wrist	445.4	7.9	3026.7	53.9
Leg/knee/hip	1105.8	19.7	4132.5	73.5
Foot	241.1	4.3	4373.6	77.8
Mult. parts	1246.6	22.2	5620.2	100.0

### Table 3-292. Estimates of lost-time injuries by nature of injury for female workers in the South region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	567.0	10.1	567.0	10.1
Cut	653.4	11.6	1220.4	21.7
Crush	241.1	4.3	1461.5	26.0
Fracture	440.9	7.8	1902.4	33.8
Puncture	521.9	9.3	2424.3	43.1
Sprain/strain	2131.3	37.9	4555.6	81.1
Mult. injury	1064.6	18.9	5620.2	100.0

Table 3-293. Estimates of lost-time injuries by type of event for female workers in the South region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	160.7	2.9	160.7	2.9
Caught between	240.3	4.3	401.0	7.1
Caught under	241.1	4.3	642.1	11.4
Struck by/against	785.2	14.0	1427.3	25.4
Contact sharp obj.	467.5	8.3	1894.8	33.7
Fall, elevation	592.3	10.5	2487.1	44.3
Overexertion	2986.2	53.1	5473.3	97.4
Other	146.9	2.6	5620.2	100.0

Table 3-294. Estimates of lost-time injuries by activity when worker was injured for female workers in the South region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	850.1	15.1	850.1	15.1
Machine maint.	58.3	1.0	908.4	16.2
Field work	583.8	10.4	1492.2	26.6
Crop handling	2336.6	41.6	3828.8	68.1
Livestock handling	1577.1	28.1	5405.9	96.2
Other	214.3	3.8	5620.2	100.0

### Table 3-295. Estimates of lost-time injuries by source of the injury for female workers in the South region of the U.S., 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	467.5	8.3	467.5	8.3
Machinery	219.0	3.9	686.5	12.2
Livestock	415.2	7.4	1101.7	19.6
Working surface	1724.3	30.7	2826.0	50.3
Truck/auto	221.0	3.9	3047.0	54.2
Other	2573.2	45.8	5620.2	100.0

Table 3-296. Estimates of lost-time injuries by farm type for male workers in the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	24146.4	31.3	24146.4	31.3
Field crops	2882.7	3.7	27029.1	35.0
Vegetable, fruit, nuts	157.9	0.2	27187.0	35.2
Nursery	271.7	0.4	27458.7	35.6
Beef,hogs,sheep	39097.5	50.7	66556.2	86.3
Dairy	8852.0	11.5	75408.2	97.8
Other	1727.1	2.2	77135.3	100.0

# Table 3-297. Estimates of lost-time injuries by status of the injured worker for male workers in the Midwest region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	60261.2	78.1	60261.2	78.1
Partner/family	5117.1	6.6	65378.3	84.8
Hired labor	9106.0	11.8	74484.3	96.6
Unpaid nonfamily	2651.0	3.4	77135.3	100.0

### Table 3-298. Estimates of lost-time injuries by age group for male workers in the Midwest region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	3645.3	4.7	3645.3	4.7
20-29	6120.5	7.9	9765.8	12.7
30-39	17695.5	22.9	27461.3	35.6
40-49	11944.3	15.5	39405.6	51.1
50-59	18783.6	24.4	58189.2	75.4
60-69	10504.7	13.6	68693.9	89.1
>=70	8441.4	10.9	77135.3	100.0

### Table 3-299. Estimates of lost-time injuries by race or ethnic origin for male workers in the Midwest region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	76860.0	99.6	76860.0	99.6
Hispanic	275.3	0.4	77135.3	100.0

Table 3-300. Estimates of lost-time injuries by month for male workers in the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
February	2049.5	2.7	2049.5	2.7
March	1685.8	2.3	3735.3	5.0
April	2304.1	3.1	6039.4	8.1
May	8517.2	11.4	14556.6	19.4
June	11584.6	15.5	26141.2	34.9
July	4806.5	6.4	30947.7	41.3
August	10936.7	14.6	41884.4	56.0
September	5862.9	7.8	47747.3	63.8
October	7739.3	10.3	55486.6	74.1
November	14965.2	20.0	70451.8	94.1
December	4404.2	5.9	74856.0	100.0
	(Frequency	y Missing	= 2279.3)	

### Table 3-301. Estimates of lost-time injuries by severity of the injury for male workers in the Midwest region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	72657.8	94.2	72657.8	94.2
Permanent	2304.7	3.0	74962.5	97.2
Fatality	2172.8	2.8	77135.3	100.0

Table 3-302. Estimates of lost-time injuries by whether professional medical attention was sought for male workers in the Midwest region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	4477.5	5.8	4477.5	5.8
Yes	62417.5	80.9	66895.0	86.7
No	10240.3	13.3	77135.3	100.0

Table 3-303. Estimates of lost-time injuries by body part injured for male workers in the Midwest region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	4430.0	5.7	4430.0	5.7
Eye	1678.9	2.2	6108.9	7.9
Chest/trunk	7107.8	9.2	13216.7	17.1
Back	13379.4	17.3	26596.1	34.5
Arm/shoulder	5758.0	7.5	32354.1	41.9
Finger	8741.6	11.3	41095.7	53.3
Hand/wrist	7235.0	9.4	48330.7	62.7
Leg/knee/hip	13422.6	17.4	61753.3	80.1
Тое	281.9	0.4	62035.2	80.4
Foot	6325.8	8.2	68361.0	88.6
Mult. parts	5276.6	6.8	73637.6	95.5
Other	3497.7	4.5	77135.3	100.0

### Table 3-304. Estimates of lost-time injuries by nature of injury for male workers in the Midwest region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	1914.6	2.5	1914.6	2.5
Bruise	14289.5	18.5	16204.1	21.0
Burn	575.0	0.7	16779.1	21.8
Cut	8198.3	10.6	24977.4	32.4
Crush	3018.6	3.9	27996.0	36.3
Fracture	13828.5	17.9	41824.5	54.2
Poisoning	221.7	0.3	42046.2	54.5
Puncture	6406.1	8.3	48452.3	62.8
Sprain/strain	16109.8	20.9	64562.1	83.7
Mult. injury	3743.2	4.9	68305.3	88.6
Other	8830.0	11.4	77135.3	100.0

Table 3-305. Estimates of lost-time injuries by type of event for male workers in the Midwest region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	5752.8	7.5	5752.8	7.5
Caught between	11081.7	14.4	16834.5	21.8
Caught under	4203.8	5.4	21038.3	27.3
Struck by/against	10129	13.1	31167.3	40.4
Struck by falling	3679.5	4.8	34846.8	45.2
Struck by flying	1078.6	1.4	35925.4	46.6
Contact sharp obj.	10818	14.0	46743.4	60.6
Fall, same level	4683.4	6.1	51426.8	66.7
Fall, elevation	11035.5	14.3	62462.3	81.0
Overexertion	5275.5	6.8	67737.8	87.8
Other	9397.5	12.2	77135.3	100.0

### Table 3-306. Estimates of lost-time injuries by activity when worker was injured for male workers in the Midwest region of the U.S., 1995.

Activity When	_		Cumulative	Cumulative
<u>Injured</u>	Frequency	Percent	Frequency	Percent
Farm maint.	5361.9	7.0	5361.9	7.0
Machine maint.	8116.1	10.5	13478.0	17.5
Field work	5029.6	6.5	18507.6	24.0
Crop handling	14460.5	18.7	32968.1	42.7
Livestock handling	35298.1	45.8	68266.2	88.5
Other	8869.1	11.5	77135.3	100.0

### Table 3-307. Estimates of lost-time injuries by source of the injury for male workers in the Midwest region of the U.S., 1995.

Source of	-	<b>D</b>	Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	2507.2	3.3	2507.2	3.3
Machinery	16197.8	21.0	18705.0	24.2
Livestock	22506.9	29.2	41211.9	53.4
Hand tool	2204.6	2.9	43416.5	56.3
Power tool	1092.9	1.4	44509.4	57.7
Pesticide/chem.	846.7	1.1	45356.1	58.8
Plant/tree	2448.1	3.2	47804.2	62.0
Working surface	7613.9	9.9	55418.1	71.8
Truck/auto	420.0	0.5	55838.1	72.4
Other vehicle	1188.1	1.5	57026.2	73.9
Other	20109.1	26.1	77135.3	100.0

Table 3-308. Estimates of lost-time injuries by farm type for female workers in the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	2841.4	24.5	2841.4	24.5
Field crops	91.7	0.8	2933.1	25.3
Vegetable, fruit, nuts	16.2	0.1	2949.3	25.4
Beef,hogs,sheep	7577.6	65.3	10526.9	90.8
Dairy	1071.4	9.2	11598.3	100.0

Table 3-309. Estimates of lost-time injuries by status of the injured worker for female workers in the Midwest region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	11110.7	95.8	11110.7	95.8
Partner/family	487.6	4.2	11598.3	100.0

### Table 3-310. Estimates of lost-time injuries by age group for female workers in the Midwest region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	828.6	7.1	828.6	7.1
30-39	1020.0	8.8	1848.6	15.9
40-49	1300.0	11.2	3148.6	27.1
50-59	2970.5	25.6	6119.1	52.8
60-69	5001.0	43.1	11120.1	95.9
>=70	478.2	4.1	11598.3	100.0

Table 3-311. Estimates of lost-time injuries by race or ethnic origin for female workers in the Midwest region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	11598.3	100.0	11598.3	100.0

Table 3-312. Estimates of lost-time injuries by month for female workers in the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	600.0	5.2	600.0	5.2
February	91.7	0.8	691.7	6.0
March	478.2	4.1	1169.9	10.1
April	706.0	6.1	1875.9	16.2
June	1657.2	14.3	3533.1	30.5
July	4817.0	41.5	8350.1	72.0
August	2828.2	24.4	11178.3	96.4
November	420.0	3.6	11598.3	100.0

Table 3-313. Estimates of lost-time injuries by severity of the injury for female workers in the Midwest region of the U.S., 1995.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	11598.3	100.0	11598.3	100.0

Table 3-314. Estimates of lost-time injuries by whether professional medical attention was sought for female workers in the Midwest region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Yes	11598.3	100.0	11598.3	100.0

Table 3-315. Estimates of lost-time injuries by body part injured for female workers in the Midwest region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Back	3001.4	25.9	3001.4	25.9
Arm/shoulder	2895.0	25.0	5896.4	50.8
Finger	91.7	0.8	5988.1	51.6
Hand/wrist	828.6	7.1	6816.7	58.8
Leg/knee/hip	1078.2	9.3	7894.9	68.1
Foot	3703.4	31.9	11598.3	100.0

Table 3-316. Estimates of lost-time injuries by nature of injury for female workers in the Midwest region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	420.0	3.6	420.0	3.6
Burn	16.2	0.1	436.2	3.8
Cut	478.2	4.1	914.4	7.9
Fracture	6505.1	56.1	7419.5	64.0
Puncture	471.4	4.1	7890.9	68.0
Sprain/strain	3707.4	32.0	11598.3	100.0

Table 3-317. Estimates of lost-time injuries by type of event for female workers in the Midwest region of the U.S., 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	3001.4	25.9	3001.4	25.9
Caught under	420.0	3.6	3421.4	29.5
Struck by/against	494.4	4.3	3915.8	33.8
Struck by falling	2903.7	25.0	6819.5	58.8
Contact sharp obj.	471.4	4.1	7290.9	62.9
Fall, same level	600.0	5.2	7890.9	68.0
Fall, elevation	828.6	7.1	8719.5	75.2
Overexertion	2878.8	24.8	11598.3	100.0

# Table 3-318. Estimates of lost-time injuries by activity when worker was injured for female workers in the Midwest region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	3391.3	29.2	3391.3	29.2
Machine maint.	3830.0	33.0	7221.3	62.3
Livestock handling	4377.0	37.7	11598.3	100.0

### Table 3-319. Estimates of lost-time injuries by source of the injury for female workers in the Midwest region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	844.8	7.3	844.8	7.3
Machinery	5813.4	50.1	6658.2	57.4
Livestock	1020.0	8.8	7678.2	66.2
Plant/tree	471.4	4.1	8149.6	70.3
Truck/auto	478.2	4.1	8627.8	74.4
Other	2970.5	25.6	11598.3	100.0

Table 3-320. Estimates of lost-time injuries by farm type for male workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	1015.0	2.5	1015.0	2.5
Field crops	2170.3	5.4	3185.3	7.9
Vegetable,fruit,nuts	16217.4	40.2	19402.7	48.2
Nursery	9029.0	22.4	28431.7	70.6
Beef,hogs,sheep	8796.5	21.8	37228.2	92.4
Poultry	885.4	2.2	38113.6	94.6
Dairy	1831.3	4.5	39944.9	99.1
Other farms	350.6	0.9	40295.5	100.0

Table 3-321. Estimates of lost-time injuries by status of the injured worker for male workers in the West region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	9170.9	22.8	9170.9	22.8
Partner/family	264.3	0.7	9435.2	23.4
Hired labor	29680.4	73.7	39115.6	97.1
Unpaid nonfamily	86.9	0.2	39202.5	97.3
Other	1093.0	2.7	40295.5	100.0

### Table 3-322. Estimates of lost-time injuries by age group for male workers in the West region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	1206.1	3.0	1206.1	3.0
20-29	14029.6	34.8	15235.7	37.8
30-39	8963.7	22.2	24199.4	60.1
40-49	5755.9	14.3	29955.3	74.3
50-59	5996.0	14.9	35951.3	89.2
60-69	3641.3	9.0	39592.6	98.3
>=70	702.9	1.7	40295.5	100.0

### Table 3-323. Estimates of lost-time injuries by race or ethnic origin for male workers in the West region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	10173.1	25.2	10173.1	25.2
Hispanic	28764.5	71.4	38937.6	96.6
Asian	913.5	2.3	39851.1	98.9
Other	444.4	1.1	40295.5	100.0

Table 3-324. Estimates of lost-time injuries by month for male workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	1989.6	4.9	1989.6	4.9
February	71.4	0.2	2061.0	5.1
March	1417.0	3.5	3478.0	8.6
April	2158.7	5.4	5636.7	14.0
May	4625.6	11.5	10262.3	25.5
June	920.4	2.3	11182.7	27.8
July	6494.0	16.1	17676.7	43.9
August	10381.1	25.8	28057.8	69.6
September	5171.8	12.8	33229.6	82.5
October	3006.6	7.5	36236.2	89.9
November	3501.4	8.7	39737.6	98.6
December	557.9	1.4	40295.5	100.0

### Table 3-325. Estimates of lost-time injuries by severity of the injury for male workers in the West region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	37212.3	92.3	37212.3	92.3
Permanent	3083.2	7.7	40295.5	100.0

# Table 3-326. Estimates of lost-time injuries by whether professional medical attention was sought for male workers in the West region of the U.S., 1995.

Medical Attention			Cumulative	Cumulative
<u>Required</u>	Frequency	Percent	Frequency	Percent
Unknown	3083.2	7.7	3083.2	7.7
Yes	29502.3	73.2	32585.5	80.9
No	7710.0	19.1	40295.5	100.0

Table 3-327. Estimates of lost-time injuries by body part injured for male workers in the West region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	3646.7	9.0	3646.7	9.0
Eye	1797.2	4.5	5443.9	13.5
Chest/trunk	2045.4	5.1	7489.3	18.6
Back	3469.1	8.6	10958.4	27.2
Arm/shoulder	9793.3	24.3	20751.7	51.5
Finger	4265.3	10.6	25017.0	62.1
Hand/wrist	3715.2	9.2	28732.2	71.3
Leg/knee/hip	5355.7	13.3	34087.9	84.6
Foot	4910.6	12.2	38998.5	96.8
Mult. parts	1297.0	3.2	40295.5	100.0

### Table 3-328. Estimates of lost-time injuries by nature of injury for male workers in the West region of the U.S., 1995.

Nature of			Cumulative	Cumulative
<u>Injury</u>	Frequency	Percent	Frequency	Percent
Amputation	132.6	0.3	132.6	0.3
Bruise	7406.8	18.4	7539.4	18.7
Burn	1572.2	3.9	9111.6	22.6
Cut	6819.4	16.9	15931.0	39.5
Crush	152.0	0.4	16083.0	39.9
Fracture	2965.5	7.4	19048.5	47.3
Puncture	261.0	0.6	19309.5	47.9
Sprain/strain	18221.6	45.2	37531.1	93.1
Mult. injury	520.5	1.3	38051.6	94.4
Other	2243.9	5.6	40295.5	100.0

### Table 3-329. Estimates of lost-time injuries by type of event for male workers in the West region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	1939.8	4.8	1939.8	4.8
Caught between	1849.0	4.6	3788.8	9.4
Caught under	131.2	0.3	3920.0	9.7
Struck by/against	3237.8	8.0	7157.8	17.8
Struck by falling	5101.5	12.7	12259.3	30.4
Struck by flying	277.6	0.7	12536.9	31.1
Contact sharp obj.	6266.3	15.6	18803.2	46.7
Fall, same level	2299.1	5.7	21102.3	52.4
Fall, elevation	9335.3	23.2	30437.6	75.5
Overexertion	2486.9	6.2	32924.5	81.7
Other	7371.0	18.3	40295.5	100.0

Table 3-330. Estimates of lost-time injuries by activity when worker was injured for male workers in the West region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	14505.9	36.0	14505.9	36.0
Machine maint.	2133.7	5.3	16639.6	41.3
Field work	9605.2	23.8	26244.8	65.1
Crop handling	2502.9	6.2	28747.7	71.3
Livestock handling	4476.3	11.1	33224.0	82.5
Other	7071.5	17.5	40295.5	100.0

#### Table 3-331. Estimates of lost-time injuries by source of the injury for male workers in the West region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	63.1	0.2	63.1	0.2
Machinery	12307.7	30.5	12370.8	30.7
Livestock	4889.0	12.1	17259.8	42.8
Hand tool	3168.4	7.9	20428.2	50.7
Power tool	2544.2	6.3	22972.4	57.0
Plant/tree	1191.3	3.0	24163.7	60.0
Working surface	2863.8	7.1	27027.5	67.1
Truck/auto	1171.3	2.9	28198.8	70.0
Other vehicle	1370.6	3.4	29569.4	73.4
Other	10726.1	26.6	40295.5	100.0

### Table 3-332. Estimates of lost-time injuries by farm type for female workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
Farm Type	Frequency	Percent	Frequency	Percent
Cash grains	63.1	2.2	63.1	2.2
Vegetable,fruit,nuts	367.5	12.8	430.6	15.0
Beef,hogs,sheep	2447.1	85.0	2877.7	100.0

# Table 3-333. Estimates of lost-time injuries by status of the injured worker for female workers in the West region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	473.3	16.4	473.3	16.4
Partner/family	164.5	5.7	637.8	22.2
Hired labor	78.3	2.7	716.1	24.9
Unpaid nonfamily	2083.3	72.4	2799.4	97.3
Other	78.3	2.7	2877.7	100.0

Table 3-334. Estimates of lost-time injuries by age group for female workers in the West region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	242.8	8.4	242.8	8.4
30-39	242.8	8.4	485.6	16.9
40-49	63.1	2.2	548.7	19.1
50-59	2215.9	77.0	2764.6	96.1
60-69	113.1	3.9	2877.7	100.0

### Table 3-335. Estimates of lost-time injuries by race or ethnic origin for female workers in the West region of the U.S., 1995.

Race/			Cumulative	Cumulative
<u>Ethnic Origin</u>	Frequency	Percent	Frequency	Percent
White	2642.8	91.8	2642.8	91.8
Asian	156.6	5.4	2799.4	97.3
Other	78.3	2.7	2877.7	100.0

### Table 3-336. Estimates of lost-time injuries by month for female workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
March	210.9	7.3	210.9	7.3
July	164.5	5.7	375.4	13.0
August	2224.7	77.3	2600.1	90.4
October	113.1	3.9	2713.2	94.3
December	164.5	5.7	2877.7	100.0

### Table 3-337. Estimates of lost-time injuries by severity of the injury for female workers in the West region of the U.S., 1995.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	2877.7	100.0	2877.7	100.0

Table 3-338. Estimates of lost-time injuries by whether professional medical attention was sought for female workers in the West region of the U.S., 1995.

Medical Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Yes	2521.8	90.1	2521.8	90.1
No	277.6	9.9	2799.4	100.0
(Frequency Missing = 78.3)				

### Table 3-339. Estimates of lost-time injuries by body part injured for female workers in the West region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	164.5	5.7	164.5	5.7
Back	132.6	4.6	297.1	10.3
Arm/shoulder	78.3	2.7	375.4	13.0
Finger	78.3	2.7	453.7	15.8
Hand/wrist	97.9	3.4	551.6	19.2
Leg/knee/hip	2247.8	78.1	2799.4	97.3
Foot	78.3	2.7	2877.7	100.0

### Table 3-340. Estimates of lost-time injuries by nature of injury for female workers in the West region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	164.5	5.7	164.5	5.7
Cut	176.2	6.1	340.7	11.8
Sprain/strain	2404.4	83.6	2745.1	95.4
Other	132.6	4.6	2877.7	100.0

### Table 3-341. Estimates of lost-time injuries by type of event for female workers in the West region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Contact sharp obj.	176.2	6.1	176.2	6.1
Fall, same level	2083.3	72.4	2259.5	78.5
Fall, elevation	329.0	11.4	2588.5	90.0
Overexertion	210.9	7.3	2799.4	97.3
Other	78.3	2.7	2877.7	100.0

### Table 3-342. Estimates of lost-time injuries by activity when worker was injured for female workers in the West region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	167.4	5.8	167.4	5.8
Field work	78.3	2.7	245.7	8.5
Livestock handling	2412.3	83.8	2658.0	92.4
Other	219.7	7.6	2877.7	100.0

#### Table 3-343. Estimates of lost-time injuries by source of the injury for female workers in the West region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Livestock	329.0	11.4	329.0	11.4
Hand tool	78.3	2.7	407.3	14.2
Power tool	78.3	2.7	485.6	16.9
Working surface	141.4	4.9	627.0	21.8
Other	2250.7	78.2	2877.7	100.0

#### Table 3-344. Estimates of lost-time injuries by farm type for white workers in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
Farm Type	Frequency	Percent	Frequency	Percent
Cash grains	1206.2	7.7	1206.2	7.7
Field crops	3093.4	19.7	4299.6	27.3
Vegetable, fruit, nuts	807.0	5.1	5106.6	32.5
Nursery	3612.1	23.0	8718.7	55.4
Beef,hogs,sheep	1228.5	7.8	9947.2	63.2
Poultry	375.0	2.4	10322.2	65.6
Dairy	3741.4	23.8	14063.6	89.4
Other	1663.2	10.6	15726.8	100.0

# Table 3-345. Estimates of lost-time injuries by status of the injured worker for white workers in the Northeast region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	8985.3	57.1	8985.3	57.1
Partner/family	823.8	5.2	9809.1	62.4
Hired labor	5311.1	33.8	15120.2	96.1
Unpaid nonfamily	556.2	3.5	15676.4	99.7
Other	50.4	0.3	15726.8	100.0

Table 3-346. Estimates of lost-time injuries by gender for white workers in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
<u>Gender</u>	Frequency	Percent	Frequency	Percent
Male	14107.1	89.7	14107.1	89.7
Female	1619.7	10.3	15726.8	100.0

# Table 3-347. Estimates of lost-time injuries by age group for white workers in the Northeast region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	1017.2	6.6	1017.2	6.6
20-29	6296.7	40.7	7313.9	47.2
30-39	1340.2	8.7	8654.1	55.9
40-49	2096.4	13.5	10750.5	69.4
50-59	1135.1	7.3	11885.6	76.8
60-69	2893.0	18.7	14778.6	95.5
>=70	704.4	4.5	15483.0	100.0
	(Frequency	Missing	= 243.8)	

## Table 3-348. Estimates of lost-time injuries by month for white workers in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	252.9	1.7	252.9	1.7
February	303.1	2.0	556.0	3.6
March	1102.0	7.2	1658.0	10.9
April	1222.0	8.0	2880.0	18.9
May	496.7	3.3	3376.7	22.2
June	2151.4	14.1	5528.1	36.3
July	6139.3	40.3	11667.4	76.6
August	627.3	4.1	12294.7	80.7
September	321.9	2.1	12616.6	82.8
October	919.2	6.0	13535.8	88.8
November	1098.7	7.2	14634.5	96.0
December	604.7	4.0	15239.2	100.0
	(Frequenc	y Missing	= 487.6)	

Table 3-349. Estimates of lost-time injuries by severity of the injury for white workers in the Northeast region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	14185.0	90.2	14185.0	90.2
Permanent	1298.0	8.3	15483.0	98.4
Fatality	243.8	1.6	15726.8	100.0

Table 3-350. Estimates of lost-time injuries by whether professional medical attention was sought for white workers in the Northeast region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
<u>Required</u>	Frequency	Percent	Frequency	Percent
Unknown	1541.8	9.8	1541.8	9.8
Yes	12994.2	82.7	14536.0	92.5
No	1184.6	7.5	15720.6	100.0
	(Frequer	cy Missin	g = 6.2)	

## Table 3-351. Estimates of lost-time injuries by body part injured for white workers in the Northeast region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	303.3	1.9	303.3	1.9
Еуе	1659.6	10.6	1962.9	12.5
Chest/trunk	502.9	3.2	2465.8	15.7
Back	1525.3	9.7	3991.1	25.4
Arm/shoulder	1016.8	6.5	5007.9	31.8
Finger	5132.5	32.6	10140.4	64.5
Hand/wrist	1099.9	7.0	11240.3	71.5
Leg/knee/hip	828.8	5.3	12069.1	76.7
Тое	251.9	1.6	12321.0	78.3
Foot	2617.6	16.6	14938.6	95.0
Mult. parts	788.2	5.0	15726.8	100.0

Table 3-352. Estimates of lost-time injuries by nature of injury for white workers in the Northeast region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	488.8	3.1	488.8	3.1
Bruise	2057.9	13.1	2546.7	16.2
Burn	252.9	1.6	2799.6	17.8
Cut	5019.4	31.9	7819.0	49.7
Crush	2147.0	13.7	9966.0	63.4
Fracture	2245.2	14.3	12211.2	77.6
Puncture	1352.1	8.6	13563.3	86.2
Sprain/strain	1804.0	11.5	15367.3	97.7
Mult. injury	252.9	1.6	15620.2	99.3
Other	106.6	0.7	15726.8	100.0

# Table 3-353. Estimates of lost-time injuries by type of event for white workers in the Northeast region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	303.3	1.9	303.3	1.9
Caught between	4918.7	31.3	5222.0	33.2
Caught under	2297.4	14.6	7519.4	47.8
Struck by/against	1290.4	8.2	8809.8	56.0
Struck by falling	988.1	6.3	9797.9	62.3
Struck by flying	1410.4	9.0	11208.3	71.3
Contact sharp obj.	1152.9	7.3	12361.2	78.6
Fall, same level	751.5	4.8	13112.7	83.4
Fall, elevation	1078.6	6.9	14191.3	90.2
Overexertion	774.4	4.9	14965.7	95.2
Other	761.1	4.8	15726.8	100.0

# Table 3-354. Estimates of lost-time injuries by activity when worker was injured for white workers in the Northeast region of the U.S., 1995.

Activity When			Cumulative	Cumulative	
Injured	Frequency	Percent	Frequency	Percent	
Farm maint.	2258.8	14.6	2258.8	14.6	
Machine maint.	2271.5	14.7	4530.3	29.3	
Field work	2500.2	16.1	7030.5	45.4	
Crop handling	1737.6	11.2	8768.1	56.6	
Livestock handling	1672.9	10.8	10441.0	67.4	
Other	5042.0	32.6	15483.0	100.0	
(Frequency Missing = $243.8$ )					

Table 3-355. Estimates of lost-time injuries by source of the injury for white workers in the Northeast region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	2251.6	14.3	2251.6	14.3
Machinery	1980.0	12.6	4231.6	26.9
Livestock	1100.3	7.0	5331.9	33.9
Hand tool	2151.5	13.7	7483.4	47.6
Power tool	252.9	1.6	7736.3	49.2
Pesticide/chem.	12.4	0.1	7748.7	49.3
Plant/tree	602.3	3.8	8351.0	53.1
Working surface	808.1	5.1	9159.1	58.2
Truck/auto	543.7	3.5	9702.8	61.7
Other vehicle	252.9	1.6	9955.7	63.3
Liquids	505.8	3.2	10461.5	66.5
Other	5265.3	33.5	15726.8	100.0

#### Table 3-356. Estimates of lost-time injuries by farm type for Hispanic workers in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
Farm Type	Frequency	Percent	Frequency	Percent
Crops	56.6	45.9	56.6	45.9
Other farms	66.8	54.1	123.4	100.0

# Table 3-357. Estimates of lost-time injuries by status of the injured worker for Hispanic workers in the Northeast region of the U.S., 1995.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Hired labor	123.4	100.0	123.4	100.0

#### Table 3-358. Estimates of lost-time injuries by gender for Hispanic workers in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	123.4	100.0	123.4	100.0

Table 3-359. Estimates of lost-time injuries by age group for Hispanic workers in the Northeast region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
20-29	66.8	54.1	66.8	54.1
40-49	6.2	5.0	73.0	59.2
50-59	50.4	40.8	123.4	100.0

Table 3-360. Estimates of lost-time injuries by month for Hispanic workers in the Northeast region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
August	50.4	40.8	50.4	40.8
November	73.0	59.2	123.4	100.0

Table 3-361. Estimates of lost-time injuries by severity of the injury for Hispanic workers in the Northeast region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	123.4	100.0	123.4	100.0

Table 3-362. Estimates of lost-time injuries by whether professional medical attention was sought for Hispanic workers in the Northeast region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Yes	123.4	100.0	123.4	100.0

#### Table 3-363. Estimates of lost-time injuries by body part injured for Hispanic workers in the Northeast region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Chest/trunk	66.8	54.1	66.8	54.1
Back	56.6	45.9	123.4	100.0

#### Table 3-364. Estimates of lost-time injuries by nature of injury for Hispanic workers in the Northeast region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Sprain/strain	123.4	100.0	123.4	100.0

#### Table 3-365. Estimates of lost-time injuries by type of event for Hispanic workers in the Northeast region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Fall, same level	50.4	40.8	50.4	40.8
Overexertion	73.0	59.2	123.4	100.0

# Table 3-366. Estimates of lost-time injuries by activity when worker was injured for Hispanic workers in the Northeast region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	117.2	95.0	117.2	95.0
Other	6.2	5.0	123.4	100.0

#### Table 3-367. Estimates of lost-time injuries by source of the injury for Hispanic workers in the Northeast region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Machinery	6.2	5.0	6.2	5.0
Working surface	50.4	40.8	56.6	45.9
Other	66.8	54.1	123.4	100.0

Table 3-368. Estimates of lost-time injuries by farm type for white workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	3033.1	7.5	3033.1	7.5
Field crops	3911.0	9.7	6944.1	17.2
Vegetable,fruit,nuts	2867.5	7.1	9811.6	24.4
Nursery	984.3	2.4	10795.9	26.8
Beef,hogs,sheep	22227.1	55.2	33023.0	82.0
Poultry	1376.2	3.4	34399.2	85.4
Dairy	1251.1	3.1	35650.3	88.5
Other	4618.8	11.5	40269.1	100.0

# Table 3-369. Estimates of lost-time injuries by status of the injured worker for white workers in the South region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	31135.5	77.4	31135.5	77.4
Partner/family	2729.1	6.8	33864.6	84.2
Hired labor	5792.6	14.4	39657.2	98.6
Unpaid nonfamily	337.2	0.8	39994.4	99.4
Other	235.7	0.6	40230.1	100.0
	(Frequency N	Aissing =	39.0)	

## Table 3-370. Estimates of lost-time injuries by gender for white workers in the South region of the U.S., 1995.

			Cumulative	Cumulative	
Gender	Frequency	Percent	Frequency	Percent	
Male	34845.6	86.6	34845.6	86.6	
Female	5384.5	13.4	40230.1	100.0	
(Frequency Missing = 39.0)					

Table 3-371. Estimates of lost-time injuries by age group for white workers in the South region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	1406.7	3.5	1406.7	3.5
20-29	1911.3	4.7	3318.0	8.2
30-39	11315.5	28.1	14633.5	36.3
40-49	7255.3	18.0	21888.8	54.4
50-59	7090.2	17.6	28979.0	72.0
60-69	7181.5	17.8	36160.5	89.8
>=70	4108.6	10.2	40269.1	100.0

# Table 3-372. Estimates of lost-time injuries by month for white workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	494.9	1.2	494.9	1.2
February	507.2	1.3	1002.1	2.5
March	3544.8	8.8	4546.9	11.3
April	8749.3	21.8	13296.2	33.2
May	3010.7	7.5	16306.9	40.7
June	2045.9	5.1	18352.8	45.8
July	3749.6	9.3	22102.4	55.1
August	2753.4	6.9	24855.8	62.0
September	3784.0	9.4	28639.8	71.4
October	6207.9	15.5	34847.7	86.9
November	3464.2	8.6	38311.9	95.5
December	1793.9	4.5	40105.8	100.0
	(Frequenc	y Missing	= 163.3)	

## Table 3-373. Estimates of lost-time injuries by severity of the injury for white workers in the South region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	37034.7	92.0	37034.7	92.0
Permanent	3176.1	7.9	40210.8	99.9
Fatality	58.3	0.1	40269.1	100.0

Table 3-374. Estimates of lost-time injuries by whether professional medical attention was sought for white workers in the South region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	3234.4	8.0	3234.4	8.0
Yes	28326.9	70.4	31561.3	78.5
No	8649.9	21.5	40211.2	100.0
	(Frequenc	cy Missing	= 57.9)	

## Table 3-375. Estimates of lost-time injuries by body part injured for white workers in the South region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	2380.2	5.9	2380.2	5.9
Eye	816.2	2.0	3196.4	7.9
Chest/trunk	2178.3	5.4	5374.7	13.3
Back	5872.6	14.6	11247.3	27.9
Arm/shoulder	3876.3	9.6	15123.6	37.6
Finger	6545.2	16.3	21668.8	53.8
Hand/wrist	3750.2	9.3	25419.0	63.1
Leg/knee/hip	9961.6	24.7	35380.6	87.9
Foot	785.7	2.0	36166.3	89.8
Mult. parts	2358.0	5.9	38524.3	95.7
Other	1744.8	4.3	40269.1	100.0

# Table 3-376. Estimates of lost-time injuries by nature of injury for white workers in the South region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	926.0	2.3	926.0	2.3
Bruise	3470.8	8.7	4396.8	11.0
Burn	477.1	1.2	4873.9	12.2
Cut	8410.3	21.0	13284.2	33.1
Crush	2204.3	5.5	15488.5	38.6
Fracture	7137.7	17.8	22626.2	56.4
Puncture	2531.1	6.3	25157.3	62.7
Sprain/strain	11342.2	28.3	36499.5	91.0
Mult. injury	2118.9	5.3	38618.4	96.3
Other	1487.4	3.7	40105.8	100.0
	(Frequency	Missing =	163.3)	

Table 3-377. Estimates of lost-time injuries by type of event for white workers in the South region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	2330.5	5.8	2330.5	5.8
Caught between	3521.2	8.7	5851.7	14.5
Caught under	2112.4	5.2	7964.1	19.8
Struck by/against	5427.5	13.5	13391.6	33.3
Struck by falling	1219.0	3.0	14610.6	36.3
Struck by flying	1696.7	4.2	16307.3	40.5
Contact sharp obj.	6808.7	16.9	23116.0	57.4
Fall, same level	2985.5	7.4	26101.5	64.8
Fall, elevation	4628.7	11.5	30730.2	76.3
Overexertion	7309.3	18.2	38039.5	94.5
Other	2229.6	5.5	40269.1	100.0

#### Table 3-378. Estimates of lost-time injuries by activity when worker was injured for white workers in the South region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	11175.8	27.9	11175.8	27.9
Machine maint.	4439.5	11.1	15615.3	38.9
Field work	4548.1	11.3	20163.4	50.3
Crop handling	4525.6	11.3	24689.0	61.6
Livestock handling	14105.4	35.2	38794.4	96.7
Other	1307.3	3.3	40101.7	100.0
	Frequency Mi	ssing = 10	57.4)	

#### (Frequency Missing = 16/.4)

#### Table 3-379. Estimates of lost-time injuries by source of the injury for white workers in the South region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	1994.6	5.0	1994.6	5.0
Machinery	4497.0	11.2	6491.6	16.2
Livestock	7112.0	17.7	13603.6	33.9
Hand tool	7114.5	17.7	20718.1	51.7
Power tool	902.6	2.3	21620.7	53.9
Pesticide/chem.	56.4	0.1	21677.1	54.1
Plant/tree	2408.0	6.0	24085.1	60.1
Working surface	4789.0	11.9	28874.1	72.0
Truck/auto	221.0	0.6	29095.1	72.6
Other vehicle	1464.3	3.7	30559.4	76.2
Other	9542.3	23.8	40101.7	100.0
	(Frequency M	issing = 1	L67 <b>.</b> 4)	

Table 3-380. Estimates of lost-time injuries by farm type for Hispanic workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	456.3	14.4	456.3	14.4
Field crops	93.8	3.0	550.1	17.3
Vegetable, fruit, nuts	922.1	29.0	1472.2	46.3
Beef,hogs,sheep	1245.1	39.2	2717.3	85.5
Dairy	375.0	11.8	3092.3	97.3
Other farms	85.7	2.7	3178.0	100.0

Table 3-381. Estimates of lost-time injuries by status of the injured worker for Hispanic workers in the South region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Hired labor	3178.0	100.0	3178.0	100.0

## Table 3-382. Estimates of lost-time injuries by gender for Hispanic workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	3178.0	100.0	3178.0	100.0

#### Table 3-383. Estimates of lost-time injuries by age group for Hispanic workers in the South region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
30-39	770.6	24.2	770.6	24.2
40-49	722.5	22.7	1493.1	47.0
50-59	1684.9	53.0	3178.0	100.0

Table 3-384. Estimates of lost-time injuries by month for Hispanic workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
April	85.7	2.7	85.7	2.7
Мау	93.8	3.0	179.5	5.6
July	526.5	16.6	706.0	22.2
September	1520.9	47.9	2226.9	70.1
October	180.5	5.7	2407.4	75.8
November	770.6	24.2	3178.0	100.0

Table 3-385. Estimates of lost-time injuries by severity of the injury for Hispanic workers in the South region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	3178.0	100.0	3178.0	100.0

Table 3-386. Estimates of lost-time injuries by whether professional medical attention was sought for Hispanic workers in the South region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Yes	1717.8	61.7	1717.8	61.7
No	1064.6	38.3	2782.4	100.0
	(Frequenc	y Missing	= 395.6)	

Table 3-387. Estimates of lost-time injuries by body part injured for Hispanic workers in the South region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	93.8	3.0	93.8	3.0
Eye	542.0	17.1	635.8	20.0
Back	526.5	16.6	1162.3	36.6
Arm/shoulder	1620.1	51.0	2782.4	87.6
Тое	395.6	12.4	3178.0	100.0

Table 3-388. Estimates of lost-time injuries by nature of injury for Hispanic workers in the South region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	1439.6	45.3	1439.6	45.3
Burn	542.0	17.1	1981.6	62.4
Crush	395.6	12.4	2377.2	74.8
Fracture	180.5	5.7	2557.7	80.5
Puncture	93.8	3.0	2651.5	83.4
Sprain/strain	526.5	16.6	3178.0	100.0

Table 3-389. Estimates of lost-time injuries by type of event for Hispanic workers in the South region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Struck by/against	1064.6	33.5	1064.6	33.5
Struck by falling	851.9	26.8	1916.5	60.3
Contact sharp obj.	93.8	3.0	2010.3	63.3
Fall, same level	180.5	5.7	2190.8	68.9
Overexertion	526.5	16.6	2717.3	85.5
Other	460.7	14.5	3178.0	100.0

# Table 3-390. Estimates of lost-time injuries by activity when worker was injured for Hispanic workers in the South region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Field work	945.7	29.8	945.7	29.8
Crop handling	526.5	16.6	1472.2	46.3
Livestock handling	1620.1	51.0	3092.3	97.3
Other	85.7	2.7	3178.0	100.0

# Table 3-392. Estimates of lost-time injuries by source of the injury for Hispanic workers in the South region of the U.S., 1995.

Source of			Cumulative	Cumulative
<u>Injury</u>	Frequency	Percent	Frequency	Percent
Livestock	1439.6	45.3	1439.6	45.3
Power tool	395.6	12.4	1835.2	57.7
Plant/tree	456.3	14.4	2291.5	72.1
Other	886.5	27.9	3178.0	100.0

Table 3-392. Estimates of lost-time injuries by farm type for black workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	241.1	11.3	241.1	11.3
Field crops	160.7	7.5	401.8	18.8
Beef,hogs,sheep	1733.5	81.2	2135.3	100.0

# Table 3-393. Estimates of lost-time injuries by status of the injured worker for black workers in the South region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	581.4	27.2	581.4	27.2
Partner/family	235.7	11.0	817.1	38.3
Hired labor	897.5	42.0	1714.6	80.3
Other	420.7	19.7	2135.3	100.0

## Table 3-394. Estimates of lost-time injuries by gender for black workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
<u>Gender</u>	Frequency	Percent	Frequency	Percent
Male	1899.6	89.0	1899.6	89.0
Female	235.7	11.0	2135.3	100.0

### Table 3-395. Estimates of lost-time injuries by age group for black workers in the South region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
20-29	241.1	11.3	241.1	11.3
30-39	656.4	30.7	897.5	42.0
40-49	160.7	7.5	1058.2	49.6
50-59	1077.1	50.4	2135.3	100.0

Table 3-396. Estimates of lost-time injuries by month for black workers in the South region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	235.7	11.0	235.7	11.0
March	420.7	19.7	656.4	30.7
April	420.7	19.7	1077.1	50.4
June	420.7	19.7	1497.8	70.1
September	241.1	11.3	1738.9	81.4
October	160.7	7.5	1899.6	89.0
November	235.7	11.0	2135.3	100.0

Table 3-397. Estimates of lost-time injuries by severity of the injury for black workers in the South region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	1899.6	89.0	1899.6	89.0
Permanent	235.7	11.0	2135.3	100.0

Table 3-398. Estimates of lost-time injuries by whether professional medical attention was sought for black workers in the South region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
<u>Required</u>	Frequency	Percent	Frequency	Percent
Unknown	235.7	11.0	235.7	11.0
Yes	1899.6	89.0	2135.3	100.0

Table 3-399. Estimates of lost-time injuries by body part injured for black workers in the South region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	235.7	11.0	235.7	11.0
Finger	841.4	39.4	1077.1	50.4
Hand/wrist	396.4	18.6	1473.5	69.0
Leg/knee/hip	661.8	31.0	2135.3	100.0

### Table 3-400. Estimates of lost-time injuries by nature of injury for black workers in the South region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	241.1	11.3	241.1	11.3
Cut	420.7	19.7	661.8	31.0
Crush	420.7	19.7	1082.5	50.7
Fracture	817.1	38.3	1899.6	89.0
Other	235.7	11.0	2135.3	100.0

## Table 3-401. Estimates of lost-time injuries by type of event for black workers in the South region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	420.7	19.7	420.7	19.7
Caught between	420.7	19.7	841.4	39.4
Struck by/against	401.8	18.8	1243.2	58.2
Contact sharp obj.	420.7	19.7	1663.9	77.9
Fall, elevation	235.7	11.0	1899.6	89.0
Other	235.7	11.0	2135.3	100.0

#### Table 3-402. Estimates of lost-time injuries by activity when worker was injured for black workers in the South region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	1473.5	69.0	1473.5	69.0
Livestock handling	420.7	19.7	1894.2	88.7
Other	241.1	11.3	2135.3	100.0

#### Table 3-403. Estimates of lost-time injuries by source of the injury for black workers in the South region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	241.1	11.3	241.1	11.3
Machinery	581.4	27.2	822.5	38.5
Power tool	420.7	19.7	1243.2	58.2
Working surface	235.7	11.0	1478.9	69.3
Other vehicle	420.7	19.7	1899.6	89.0
Other	235.7	11.0	2135.3	100.0

Table 3-404. Estimates of lost-time injuries by farm type for white workers in the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	27466.0	30.9	27466.0	30.9
Field crops	2699.1	3.0	30165.1	33.9
Vegetable,fruit,nuts	174.1	0.2	30339.2	34.1
Nursery	271.7	0.3	30610.9	34.4
Beef,hogs,sheep	46675.1	52.5	77286.0	86.9
Dairy	9923.4	11.2	87209.4	98.1
Other	1727.1	1.9	88936.5	100.0

# Table 3-405. Estimates of lost-time injuries by status of the injured worker for white workers in the Midwest region of the U.S., 1995.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	71371.9	80.7	71371.9	80.7
Partner/family	5604.7	6.3	76976.6	87.0
Hired labor	8830.7	10.0	85807.3	97.0
Unpaid nonfamily	2651.0	3.0	88458.3	100.0
	(Frequency M	issing = 4	178.2)	

#### Table 3-406. Estimates of lost-time injuries by gender for white workers in the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	76860	86.9	76860.0	86.9
Female	11598.3	13.1	88458.3	100.0
	(Freque	ncy Missir	hg = 478.2)	

## Table 3-407. Estimates of lost-time injuries by age group for white workers in the Midwest region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	4473.9	5.0	4473.9	5.0
20-29	6120.5	6.9	10594.4	11.9
30-39	18715.5	21.0	29309.9	33.0
40-49	13244.3	14.9	42554.2	47.8
50-59	21478.8	24.2	64033.0	72.0
60-69	15983.9	18.0	80016.9	90.0
>=70	8919.6	10.0	88936.5	100.0

Table 3-408. Estimates of lost-time injuries by month for white workers in the Midwest region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	600.0	0.7	600.0	0.7
February	2141.2	2.5	2741.2	3.2
March	2164.0	2.5	4905.2	5.7
April	3010.1	3.5	7915.3	9.1
May	8241.9	9.5	16157.2	18.6
June	13720	15.8	29877.2	34.5
July	9623.5	11.1	39500.7	45.6
August	13764.9	15.9	53265.6	61.5
September	5862.9	6.8	59128.5	68.2
October	7739.3	8.9	66867.8	77.2
November	15385.2	17.8	82253.0	94.9
December	4404.2	5.1	86657.2	100.0
	(Frequency	y Missing	= 2279.3)	

## Table 3-409. Estimates of lost-time injuries by severity of the injury for white workers in the Midwest region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	84459.0	95.0	84459.0	95.0
Permanent	2304.7	2.6	86763.7	97.6
Fatality	2172.8	2.4	88936.5	100.0

Table 3-410. Estimates of lost-time injuries by whether professional medical attention was sought for white workers in the Midwest region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	4477.5	5.0	4477.5	5.0
Yes	73740.5	82.9	78218.0	87.9
No	10718.5	12.1	88936.5	100.0

Table 3-411. Estimates of lost-time injuries by body part injured for white workers in the Midwest region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	4154.7	4.7	4154.7	4.7
Еуе	1678.9	1.9	5833.6	6.6
Chest/trunk	7107.8	8.0	12941.4	14.6
Back	16380.8	18.4	29322.2	33.0
Arm/shoulder	8653.0	9.7	37975.2	42.7
Finger	8833.3	9.9	46808.5	52.6
Hand/wrist	8063.6	9.1	54872.1	61.7
Leg/knee/hip	14500.8	16.3	69372.9	78.0
Тое	281.9	0.3	69654.8	78.3
Foot	10507.4	11.8	80162.2	90.1
Mult. parts	5276.6	5.9	85438.8	96.1
Other	3497.7	3.9	88936.5	100.0

# Table 3-412. Estimates of lost-time injuries by nature of injury for white workers in the Midwest region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	1914.6	2.2	1914.6	2.2
Bruise	14709.5	16.5	16624.1	18.7
Burn	591.2	0.7	17215.3	19.4
Cut	8676.5	9.8	25891.8	29.1
Crush	3018.6	3.4	28910.4	32.5
Fracture	20333.6	22.9	49244.0	55.4
Poisoning	221.7	0.2	49465.7	55.6
Puncture	6602.2	7.4	56067.9	63.0
Sprain/strai	20295.4	22.8	76363.3	85.9
Mult. injury	3743.2	4.2	80106.5	90.1
Other	8830.0	9.9	88936.5	100.0

Table 3-413. Estimates of lost-time injuries by type of event for white workers in the Midwest region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	6231.0	7.0	6231.0	7.0
Caught between	14083.1	15.8	20314.1	22.8
Caught under	4623.8	5.2	24937.9	28.0
Struck by/against	10623.4	11.9	35561.3	40.0
Struck by falling	6583.2	7.4	42144.5	47.4
Struck by flying	1078.6	1.2	43223.1	48.6
Contact sharp obj.	11014.1	12.4	54237.2	61.0
Fall, same level	5283.4	5.9	59520.6	66.9
Fall, elevation	11864.1	13.3	71384.7	80.3
Overexertion	8154.3	9.2	79539.0	89.4
Other	9397.5	10.6	88936.5	100.0

# Table 3-414. Estimates of lost-time injuries by activity when worker was injured for white workers in the Midwest region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	8753.2	9.8	8753.2	9.8
Machine maint.	11946.1	13.4	20699.3	23.3
Field work	5232.5	5.9	25931.8	29.2
Crop handling	14460.5	16.3	40392.3	45.4
Livestock handling	39675.1	44.6	80067.4	90.0
Other	8869.1	10.0	88936.5	100.0

#### Table 3-415. Estimates of lost-time injuries by source of the injury for white workers in the Midwest region of the U.S., 1995.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	3352.0	3.8	3352.0	3.8
Machinery	22011.2	24.7	25363.2	28.5
Livestock	23526.9	26.5	48890.1	55.0
Hand tool	2204.6	2.5	51094.7	57.5
Power tool	1092.9	1.2	52187.6	58.7
Pesticide/chem.	846.7	1.0	53034.3	59.6
Plant/tree	2919.5	3.3	55953.8	62.9
Working surface	7613.9	8.6	63567.7	71.5
Truck/auto	898.2	1.0	64465.9	72.5
Other vehicle	1666.3	1.9	66132.2	74.4
Other	22804.3	25.6	88936.5	100.0

Table 3-416. Estimates of lost-time injuries by farm type for white workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
<u>Farm Type</u>	Frequency	Percent	Frequency	Percent
Cash grains	570.6	4.5	570.6	4.5
Field crops	456.0	3.6	1026.6	8.0
Vegetable, fruit, nuts	2224.5	17.4	3251.1	25.4
Beef,hogs,sheep	8458.0	66.0	11709.1	91.4
Dairy	899.0	7.0	12608.1	98.4
Other farms	207.8	1.6	12815.9	100.0

Table 3-417. Estimates of lost-time injuries by status of the injured worker for white workers in the West region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	8639.3	67.4	8639.3	67.4
Partner/family	394.0	3.1	9033.3	70.5
Hired labor	1500.0	11.7	10533.3	82.2
Unpaid nonfamily	2118.1	16.5	12651.4	98.7
Other	164.5	1.3	12815.9	100.0

Table 3-418. Estimates of lost-time injuries by gender for white workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	10173.1	79.4	10173.1	79.4
Female	2642.8	20.6	12815.9	100.0

Table 3-419. Estimates of lost-time injuries by age group for white workers in the West region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	329.0	2.6	329.0	2.6
20-29	314.2	2.5	643.2	5.0
30-39	1021.7	8.0	1664.9	13.0
40-49	2376.7	18.5	4041.6	31.5
50-59	5988.6	46.7	10030.2	78.3
60-69	2385.3	18.6	12415.5	96.9
>=70	400.4	3.1	12815.9	100.0

Table 3-420. Estimates of lost-time injuries by month for white workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
March	685.8	5.4	685.8	5.4
April	223.4	1.7	909.2	7.1
May	3837.7	29.9	4746.9	37.0
June	658.0	5.1	5404.9	42.2
July	2032.9	15.9	7437.8	58.0
August	2452.3	19.1	9890.1	77.2
October	199.3	1.6	10089.4	78.7
November	2247.8	17.5	12337.2	96.3
December	478.7	3.7	12815.9	100.0

#### Table 3-421. Estimates of lost-time injuries by severity of the injury for white workers in the West region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	10732.6	83.7	10732.6	83.7
Permanent	2083.3	16.3	12815.9	100.0

Table 3-422. Estimates of lost-time injuries by whether professional medical attention was sought for white workers in the West region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
<u>Required</u>	Frequency	Percent	Frequency	Percent
Unknown	2083.3	16.3	2083.3	16.3
Yes	5096.9	39.8	7180.2	56.0
No	5635.7	44.0	12815.9	100.0

Table 3-423. Estimates of lost-time injuries by body part injured for white workers in the West region of the U.S., 1995.

Body Part			Cumulative	Cumulative
<u>Injured</u>	Frequency	Percent	Frequency	Percent
Head/neck	2576.8	20.1	2576.8	20.1
Еуе	111.1	0.9	2687.9	21.0
Chest/trunk	1116.9	8.7	3804.8	29.7
Back	282.3	2.2	4087.1	31.9
Arm/shoulder	698.0	5.4	4785.1	37.3
Finger	316.5	2.5	5101.6	39.8
Hand/wrist	3667.2	28.6	8768.8	68.4
Leg/knee/hip	3811.2	29.7	12580.0	98.2
Mult. parts	235.9	1.8	12815.9	100.0

#### Table 3-424. Estimates of lost-time injuries by nature of injury for white workers in the West region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	2045.4	16.0	2045.4	16.0
Cut	3714.3	29.0	5759.7	44.9
Crush	152.0	1.2	5911.7	46.1
Fracture	2776.1	21.7	8687.8	67.8
Puncture	156.6	1.2	8844.4	69.0
Sprain/strain	3299.0	25.7	12143.4	94.8
Mult. injury	387.9	3.0	12531.3	97.8
Other	284.6	2.2	12815.9	100.0

# Table 3-425. Estimates of lost-time injuries by type of event for white workers in the West region of the U.S., 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	223.4	1.7	223.4	1.7
Caught between	787.9	6.1	1011.3	7.9
Caught under	63.1	0.5	1074.4	8.4
Struck by/against	1732.4	13.5	2806.8	21.9
Struck by falling	2247.8	17.5	5054.6	39.4
Struck by flying	164.5	1.3	5219.1	40.7
Contact sharp obj.	3430.8	26.8	8649.9	67.5
Fall, same level	2412.3	18.8	11062.2	86.3
Fall, elevation	716.9	5.6	11779.1	91.9
Overexertion	427.9	3.3	12207.0	95.2
Other	608.9	4.8	12815.9	100.0

#### Table 3-426. Estimates of lost-time injuries by activity when worker was injured for white workers in the West region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	3406.8	26.6	3406.8	26.6
Machine maint.	444.4	3.5	3851.2	30.1
Field work	234.9	1.8	4086.1	31.9
Crop handling	2083.3	16.3	6169.4	48.1
Livestock handling	6447.0	50.3	12616.4	98.4
Other	199.5	1.6	12815.9	100.0

# Table 3-427. Estimates of lost-time injuries by source of the injury for white workers in the West region of the U.S., 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	63.1	0.5	63.1	0.5
Machinery	152.0	1.2	215.1	1.7
Livestock	3882.7	30.3	4097.8	32.0
Hand tool	2161.6	16.9	6259.4	48.8
Power tool	1537.4	12.0	7796.8	60.8
Plant/tree	228.0	1.8	8024.8	62.6
Working surface	63.1	0.5	8087.9	63.1
Other vehicle	329.0	2.6	8416.9	65.7
Other	4399.0	34.3	12815.9	100.0

# Table 3-428. Estimates of lost-time injuries by farm type for Hispanic workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
Farm Type	Frequency	Percent	Frequency	Percent
Cash grains	63.1	0.2	63.1	0.2
Field crops	1714.3	6.0	1777.4	6.2
Vegetable, fruit, nuts	13420.8	46.7	15198.2	52.8
Nursery	9029.0	31.4	24227.2	84.2
Beef,hogs,sheep	2576.8	9.0	26804.0	93.2
Poultry	885.4	3.1	27689.4	96.3
Dairy	932.3	3.2	28621.7	99.5
Other farms	142.8	0.5	28764.5	100.0

Table 3-429. Estimates of lost-time injuries by status of the injured worker for Hispanic workers in the West region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	308.9	1.1	308.9	1.1
Hired labor	27475	95.5	27783.9	96.6
Unpaid nonfamily	52.1	0.2	27836.0	96.8
Other	928.5	3.2	28764.5	100.0

## Table 3-430. Estimates of lost-time injuries by gender for Hispanic workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
<u>Gender</u>	Frequency	Percent	Frequency	Percent
Male	28764.5	100.0	28764.5	100.0

### Table 3-431. Estimates of lost-time injuries by age group for Hispanic workers in the West region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	1006.8	3.5	1006.8	3.5
20-29	13602.3	47.3	14609.1	50.8
30-39	7549.0	26.2	22158.1	77.0
40-49	3059.5	10.6	25217.6	87.7
50-59	2145.0	7.5	27362.6	95.1
60-69	1290.8	4.5	28653.4	99.6
>=70	111.1	0.4	28764.5	100.0

# Table 3-432. Estimates of lost-time injuries by month for Hispanic workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	1989.6	6.9	1989.6	6.9
February	71.4	0.2	2061.0	7.2
March	149.7	0.5	2210.7	7.7
April	1857.0	6.5	4067.7	14.1
May	787.9	2.7	4855.6	16.9
June	227.6	0.8	5083.2	17.7
July	4547.3	15.8	9630.5	33.5
August	10040.4	34.9	19670.9	68.4
September	4980.4	17.3	24651.3	85.7
October	2807.3	9.8	27458.6	95.5
November	1062.2	3.7	28520.8	99.2
December	243.7	0.8	28764.5	100.0

Table 3-433. Estimates of lost-time injuries by severity of the injury for Hispanic workers in the West region of the U.S., 1995.

Severity			Cumulative	Cumulative
<u>of Injury</u>	Frequency	Percent	Frequency	Percent
Temporary	27764.6	96.5	27764.6	96.5
Permanent	999.9	3.5	28764.5	100.0

# Table 3-434. Estimates of lost-time injuries by whether professional medical attention was sought for Hispanic workers in the West region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
<u>Required</u>	Frequency	Percent	Frequency	Percent
Unknown	999.9	3.5	999.9	3.5
Yes	25804.2	89.7	26804.1	93.2
No	1960.4	6.8	28764.5	100.0

#### Table 3-435. Estimates of lost-time injuries by body part injured for Hispanic workers in the West region of the U.S., 1995.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	1234.4	4.3	1234.4	4.3
Eye	928.5	3.2	2162.9	7.5
Chest/trunk	928.5	3.2	3091.4	10.7
Back	3049.7	10.6	6141.1	21.3
Arm/shoulder	9025.7	31.4	15166.8	52.7
Finger	3870.5	13.5	19037.3	66.2
Hand/wrist	111.1	0.4	19148.4	66.6
Leg/knee/hip	3714.0	12.9	22862.4	79.5
Foot	4841.0	16.8	27703.4	96.3
Mult. parts	1061.1	3.7	28764.5	100.0

#### Table 3-436. Estimates of lost-time injuries by nature of injury for Hispanic workers in the West region of the U.S., 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	132.6	0.5	132.6	0.5
Bruise	5369.3	18.7	5501.9	19.1
Burn	1093.0	3.8	6594.9	22.9
Cut	3124.7	10.9	9719.6	33.8
Fracture	189.4	0.7	9909.0	34.4
Sprain/strain	16865.9	58.6	26774.9	93.1
Mult. injury	132.6	0.5	26907.5	93.5
Other	1857.0	6.5	28764.5	100.0

Table 3-437. Estimates of lost-time injuries by type of event for Hispanic workers in the West region of the U.S., 1995.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	1716.4	6.0	1716.4	6.0
Caught between	1061.1	3.7	2777.5	9.7
Caught under	33.3	0.1	2810.8	9.8
Struck by/against	1505.4	5.2	4316.2	15.0
Struck by falling	2775.4	9.6	7091.6	24.7
Contact sharp obj.	2785.5	9.7	9877.1	34.3
Fall, same level	1857.0	6.5	11734.1	40.8
Fall, elevation	8947.4	31.1	20681.5	71.9
Overexertion	1956.7	6.8	22638.2	78.7
Other	6126.3	21.3	28764.5	100.0

# Table 3-438. Estimates of lost-time injuries by activity when worker was injured for Hispanic workers in the West region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	11118.6	38.7	11118.6	38.7
Machine maint.	1244.9	4.3	12363.5	43.0
Field work	9213.7	32.0	21577.2	75.0
Crop handling	184.7	0.6	21761.9	75.7
Livestock handling	372.0	1.3	22133.9	76.9
Other	6630.6	23.1	28764.5	100.0

# Table 3-439. Estimates of lost-time injuries by source of the injury for Hispanic workers in the West region of the U.S., 1995.

Source of			Cumulative	Cumulative
<u>Injury</u>	Frequency	Percent	Frequency	Percent
Machinery	11711.3	40.7	11711.3	40.7
Livestock	1300.5	4.5	13011.8	45.2
Hand tool	1006.8	3.5	14018.6	48.7
Power tool	928.5	3.2	14947.1	52.0
Plant/tree	928.5	3.2	15875.6	55.2
Working surface	2785.5	9.7	18661.1	64.9
Truck/auto	1093.0	3.8	19754.1	68.7
Other vehicle	1006.8	3.5	20760.9	72.2
Other	8003.6	27.8	28764.5	100.0

Table 3-440. Estimates of lost-time injuries by farm type for other race workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
Farm Type	Frequency	Percent	Frequency	Percent
Cash grains	444.4	27.9	444.4	27.9
Vegetable, fruit, nuts	939.6	59.0	1384.0	86.9
Beef,hogs,sheep	208.8	13.1	1592.8	100.0

# Table 3-441. Estimates of lost-time injuries by status of the injured worker for other race workers in the West region of the U.S., 1995.

Status of			Cumulative	Cumulative
<u>Injured Worker</u>	Frequency	Percent	Frequency	Percent
Operator/family	696.0	43.7	696.0	43.7
Partner/family	34.8	2.2	730.8	45.9
Hired labor	783.7	49.2	1514.5	95.1
Other	78.3	4.9	1592.8	100.0

## Table 3-442. Estimates of lost-time injuries by gender for other race workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
<u>Gender</u>	Frequency	Percent	Frequency	Percent
Male	1357.9	85.3	1357.9	85.3
Female	234.9	14.7	1592.8	100.0

#### Table 3-443. Estimates of lost-time injuries by age group for other race workers in the West region of the U.S., 1995.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
<20	113.1	7.1	113.1	7.1
20-29	113.1	7.1	226.2	14.2
30-39	635.8	39.9	862.0	54.1
40-49	382.8	24.0	1244.8	78.2
50-59	78.3	4.9	1323.1	83.1
60-69	78.3	4.9	1401.4	88.0
>=70	191.4	12.0	1592.8	100.0

Table 3-444. Estimates of lost-time injuries by month for other race workers in the West region of the U.S., 1995.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
March	792.4	49.7	792.4	49.7
April	78.3	4.9	870.7	54.7
June	34.8	2.2	905.5	56.8
July	78.3	4.9	983.8	61.8
August	113.1	7.1	1096.9	68.9
September	191.4	12.0	1288.3	80.9
October	113.1	7.1	1401.4	88.0
November	191.4	12.0	1592.8	100.0

Table 3-445. Estimates of lost-time injuries by severity of the injury for other race workers in the West region of the U.S., 1995.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	1592.8	100.0	1592.8	100.0

Table 3-446. Estimates of lost-time injuries by whether professional medical attention was sought for other race workers in the West region of the U.S., 1995.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Yes	1123.0	74.1	1123.0	74.1
No	391.5	25.9	1514.5	100.0
	(Frequenc	cy Missing	= 78.3)	

Table 3-447. Estimates of lost-time injuries by body part injured for other race workers in the West region of the U.S., 1995.

Body Part			Cumulative	Cumulative
<u>Injured</u>	Frequency	Percent	Frequency	Percent
Еуе	757.6	47.6	757.6	47.6
Back	269.7	16.9	1027.3	64.5
Arm/shoulder	147.9	9.3	1175.2	73.8
Finger	156.6	9.8	1331.8	83.6
Hand/wrist	34.8	2.2	1366.6	85.8
Leg/knee/hip	78.3	4.9	1444.9	90.7
Foot	147.9	9.3	1592.8	100.0

## Table 3-448. Estimates of lost-time injuries by nature of injury for other race workers in the West region of the U.S., 1995.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	156.6	9.8	156.6	9.8
Burn	479.2	30.1	635.8	39.9
Cut	156.6	9.8	792.4	49.7
Puncture	104.4	6.6	896.8	56.3
Sprain/strain	461.1	28.9	1357.9	85.3
Other	234.9	14.7	1592.8	100.0

# Table 3-449. Estimates of lost-time injuries by type of event for other race workers in the West region of the U.S., 1995.

Type of	-		Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught under	34.8	2.2	34.8	2.2
Struck by falling	78.3	4.9	113.1	7.1
Struck by flying	113.1	7.1	226.2	14.2
Contact sharp obj.	226.2	14.2	452.4	28.4
Fall, same level	113.1	7.1	565.5	35.5
Overexertion	313.2	19.7	878.7	55.2
Other	714.1	44.8	1592.8	100.0

# Table 3-450. Estimates of lost-time injuries by activity when worker was injured for other race workers in the West region of the U.S., 1995.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	147.9	9.3	147.9	9.3
Machine maint.	444.4	27.9	592.3	37.2
Field work	234.9	14.7	827.2	51.9
Crop handling	234.9	14.7	1062.1	66.7
Livestock handling	69.6	4.4	1131.7	71.1
Other	461.1	28.9	1592.8	100.0

Table 3-451. Estimates of lost-time injuries by source of the injury for other race workers in the West region of the U.S., 1995.

Source of	Frequency	Dorgont	Cumulative	Cumulative
<u>Injury</u>	Frequency	Percent	Frequency	Percent
Machinery	444.4	27.9	444.4	27.9
Livestock	34.8	2.2	479.2	30.1
Hand tool	78.3	4.9	557.5	35.0
Power tool	156.6	9.8	714.1	44.8
Plant/tree	34.8	2.2	748.9	47.0
Working surface	156.6	9.8	905.5	56.8
Truck/auto	78.3	4.9	983.8	61.8
Other vehicle	34.8	2.2	1018.6	64.0
Other	574.2	36.0	1592.8	100.0