

INTEGRATED SEQUENCE FOR JST A026F JSX B028F WEEK 03 DOY 98-012/00:00 - 98-019/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
1	012 00:00:00	31				VGR-31 OWLT IS 09H 39M 22S					1L
2	012 00:00:00	32				VGR-32 OWLT IS 07H 34M 51S					2L
3	012 00:33:11	32			AC7SSB	(4 +172) SS BIAS CONTROL --- YAW	AACS		37700:33:002F	98-011/16:56:47	2ECa
4	012 04:00:07	31	60RISE			10 DEGREE RISE DSC-60					1V
5	012 04:07:18	31	40 SET			10 DEGREE SET DSC-40					1V
6	012 04:55:00	31	54 AOS	OPCH ACE		AOS DSS-54 PASS-6917 (D/L ONLY)					1DP
7	012 05:45:50	32		ACE ALL		END S/C-32 COMMAND MORATORIUM					2T
8	012 09:50:00	32	34 LOS	OPCH ACE		LOS DSS-34 PASS-7456					2DP
9	012 11:32:30	31	10RISE			10 DEGREE RISE DSC-10					1V
10	012 12:00:00	31	54 LOS	OPCH ACE		LOS DSS-54 PASS-6917					1DP
11	012 12:00:00	31				VGR-31 OWLT IS 09H 39M 22S					1L
12	012 12:00:00	31	14 AOS	OPCH ACE		AOS DSS-14 PASS-6918 (D/L ONLY)					1DP
13	012 12:00:00	32				VGR-32 OWLT IS 07H 34M 52S					2L
14	012 15:09:08	31	60 SET			10 DEGREE SET DSC-60					1V
15	012 15:30:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-6918 (D/L ONLY)					1DP
16	012 15:45:00	31	14 LOS	OPCH ACE		LOS DSS-14 PASS-6918					1DP
17	012 18:10:00	32	34 AOS	OPCH ACE		AOS DSS-34 PASS-7456 (D/L ONLY)					2DP
18	012 18:56:36	31	40RISE			10 DEGREE RISE DSC-40					1V
19	012 21:00:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-6918					1DP
20	012 21:10:22	31			AC7SSB	(3 +000) SS BIAS CONTROL - PITCH	AACS		43868:42:002F	98-012/11:31:00	1ECa
21	012 22:56:31	31	10 SET			10 DEGREE SET DSC-10					1V
22	013 00:00:00	31				VGR-31 OWLT IS 09H 39M 22S					1L

INTEGRATED SEQUENCE FOR JST A026F JSX B028F WEEK 03 DOY 98-012/00:00 - 98-019/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
23	013 00:00:00	32				VGR-32 OWLT IS 07H 34M 54S					2L
24	013 03:56:13	31	60RISE			10 DEGREE RISE DSC-60					1V
25	013 04:03:25	31	40 SET			10 DEGREE SET DSC-40					1V
26	013 05:45:00	31	63 AOS	OPCH ACE		AOS DSS-63 PASS-6918 (D/L ONLY)					1DP
27	013 05:45:00	32	42 AOS	OPCH ACE		AOS DSS-42 PASS-7456 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
28	013 06:05:00	32	34 LOS	OPCH ACE		LOS DSS-34 PASS-7456					2DP
29	013 08:35:00	32	42 LOS	OPCH ACE		LOS DSS-42 PASS-7456					2DP
30	013 11:28:37	31	10RISE			10 DEGREE RISE DSC-10					1V
31	013 12:00:00	31				VGR-31 OWLT IS 09H 39M 22S					1L
32	013 12:00:00	31	14 AOS	OPCH ACE		AOS DSS-14 PASS-6919 (U/L PASS) PERFORM RFSTLC PER TELECOM MESSAGE					1DP
33	013 12:00:00	32				VGR-32 OWLT IS 07H 34M 56S					2L
34	013 12:20:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-6918					1DP
35	013 13:00:00	31	14	OPCH 14		== START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS ==					1TD
36	013 13:00:00	31	14	OPCH 14		== TLC TEST UP-LINK == TURN RANGING MOD OFF (IF APPL)					1TD
37	013 13:01:00	31	14	OPCH 14		== TLC TEST UP-LINK == TURN COMMAND MOD OFF (IF APPL) NO COMMANDING FOR 1 HR 56 MIN					1TD

SOE YEAR-DAY: 1998-013

PRINTED ON DAY: 196 PAGE 3

INTEGRATED SEQUENCE FOR JST A026F JSX B028F WEEK 03 DOY 98-012/00:00 - 98-019/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
38	013 13:02:00	31	14	OPCH 14		== TLC TEST UP-LINK == == TUNE U/L AT 48 HZ/SEC == == TO XA-65 KHZ (S-BAND) ==					1TD
39	013 13:27:00	31	14	OPCH 14		== END TLC TEST UP-LINK == == TURN TRANSMITTER OFF == TUNE TO TSF @ 48 HZ/SEC (S-BAND)					1TD
40	013 15:05:14	31	60 SET			10 DEGREE SET DSC-60					1V
41	013 15:50:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-6919 (D/L ONLY)					1DP
42	013 16:05:00	31	14 LOS	OPCH ACE		LOS DSS-14 PASS-6919					1DP
43	013 18:05:00	32	34 AOS	OPCH ACE		AOS DSS-34 PASS-7456 (D/L ONLY)					2DP
44	013 18:52:44	31	40RISE			10 DEGREE RISE DSC-40					1V
45	013 21:48:29	32			AC7SSB	(3 +008) SS BIAS CONTROL - PITCH	AACS		37757:07:002F	98-013/14:11:59	2ECa
46	013 22:00:17	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
47	013 22:00:17	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
48	013 22:01:05	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
49	013 22:01:05	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
50	013 22:04:29	32				BEGIN PWSREC			37757:27:001F	98-013/14:27:59	2T
51	013 22:04:29	32				B- DRGS4B			37757:27:001F	98-013/14:27:59	2TB

INTEGRATED SEQUENCE FOR JST A026F JSX B028F WEEK 03 DOY 98-012/00:00 - 98-019/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
52	013 22:04:29	32			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		37757:27:009F	98-013/14:28:00	2ECf
53	013 22:05:13	32				BEGIN RECORDING PWS DATA			37757:27:734F	98-013/14:28:43	2T
54	013 22:05:13	32			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		37757:27:734F	98-013/14:28:43	2ECd
55	013 22:05:13	32				DTR STATUS MODE:REC RATE:115.2K DIR:R TRK:2 TIC:1460	DTR		37757:27:734F	98-013/14:28:43	2ESd
56	013 22:05:17	32		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PB/FDS11 SA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	37757:28:001F	98-013/14:28:47	2ESf
57	013 22:05:17	32			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		37757:28:002F	98-013/14:28:47	2ECs
58	013 22:05:18	32				B- DRCRUS			37757:28:018F	98-013/14:28:48	2TB
59	013 22:05:18	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		37757:28:025F	98-013/14:28:49	2ECf
60	013 22:06:05	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	37757:29:001F	98-013/14:29:35	2ESf
61	013 22:06:05	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		37757:29:001F	98-013/14:29:35	2ECd

INTEGRATED SEQUENCE FOR JST A026F JSX B028F WEEK 03 DOY 98-012/00:00 - 98-019/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
62	013 22:06:05	32				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:2 TIC:1169	DTR		37757:29:001F	98-013/14:29:35	2ESd
63	013 22:06:05	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		37757:29:002F	98-013/14:29:35	2ECs
64	013 22:06:06	32				END PWSREC			37757:29:018F	98-013/14:29:36	2T
65	013 22:40:34	31		ACE	OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
66	013 22:40:34	31		ACE	OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
67	013 22:41:22	31		ACE	OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
68	013 22:41:22	31		ACE	OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
69	013 22:43:58	31				BEGIN PWSREC.31			43900:39:001F	98-013/13:04:35	1T
70	013 22:43:58	31			SC32AJ	(10) PLS CONFIG CMD	FDS		43900:39:009F	98-013/13:04:36	1ECf
71	013 22:44:46	31				B- DRGS4B			43900:40:001F	98-013/13:05:23	1TB
72	013 22:44:46	31			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		43900:40:009F	98-013/13:05:24	1ECf
73	013 22:45:30	31				BEGIN RECORDING PWS DATA			43900:40:734F	98-013/13:06:07	1T
74	013 22:45:30	31			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		43900:40:735F	98-013/13:06:08	1ECd

INTEGRATED SEQUENCE FOR JST A026F JSX B028F WEEK 03 DOY 98-012/00:00 - 98-019/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
75	013 22:45:30	31				DTR STATUS MODE:REC RATE:115.2K DIR:R TRK:2 TIC:3540	DTR		43900:40:735F	98-013/13:06:08	1ESd
76	013 22:45:34	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	43900:41:001F	98-013/13:06:11	1ESf
77	013 22:45:34	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		43900:41:002F	98-013/13:06:12	1ECs
78	013 22:45:35	31				B- DRCRUS			43900:41:018F	98-013/13:06:12	1TB
79	013 22:45:35	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		43900:41:026F	98-013/13:06:13	1ECf
80	013 22:46:22	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	43900:42:001F	98-013/13:06:59	1ESf
81	013 22:46:22	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		43900:42:002F	98-013/13:06:59	1ECs
82	013 22:46:22	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		43900:42:002F	98-013/13:07:00	1ECd
83	013 22:46:22	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:2 TIC:3247	DTR		43900:42:002F	98-013/13:07:00	1ESd

INTEGRATED SEQUENCE FOR JST A026F JSX B028F WEEK 03 DOY 98-012/00:00 - 98-019/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
84	013 22:47:10	31			SC32AJ	(11) PLS CONFIG CMD	FDS		43900:43:009F	98-013/13:07:48	1ECf
85	013 22:47:11	31				END PWSREC.31			43900:43:018F	98-013/13:07:48	1T
86	013 22:50:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-6919					1DP
87	013 22:52:39	31	10 SET			10 DEGREE SET DSC-10					1V
88	013 23:06:41	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
89	013 23:06:41	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
90	013 23:06:53	32				BEGIN PMPCALLR			37758:45:001F	98-013/15:30:23	2T
91	013 23:10:53	32				B- DRCR5T			37758:50:001F	98-013/15:34:23	2TB
92	013 23:10:53	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		37758:50:009F	98-013/15:34:24	2ECf
93	013 23:11:41	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	37758:51:001F	98-013/15:35:11	2ESf
94	013 23:11:41	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		37758:51:001F	98-013/15:35:11	2ECs
95	013 23:18:05	32			SC06BY	(7) FDS PLS/MAG/PESCAL FLAG PLSCAL ENABLED MAGCAL ENABLED PESCAL ENABLED	FDS		37758:59:009F	98-013/15:41:36	2ECf
96	013 23:18:53	32				BEGIN PLS/MAG/PESCAL			37759:00:001F	98-013/15:42:23	2T
97	014 00:00:00	31				VGR-31 OWLT IS 09H 39M 22S					1L

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
98	014 00:00:00	32				VGR-32 OWLT IS 07H 34M 57S					2L
99	014 01:01:17	32				END PLSCAL			37761:08:001F	98-013/17:24:47	2T
100	014 02:21:17	32				END MAGCAL			37762:48:001F	98-013/18:44:47	2T
101	014 02:34:41	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
102	014 02:34:41	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
103	014 02:38:53	32				END PESCAL			37763:10:001F	98-013/19:02:23	2T
104	014 02:38:53	32				B- DRCRUS			37763:10:001F	98-013/19:02:23	2TB
105	014 02:38:53	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		37763:10:010F	98-013/19:02:24	2ECf
106	014 02:39:41	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	37763:11:001F	98-013/19:03:11	2ESf
107	014 02:39:41	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		37763:11:001F	98-013/19:03:11	2ECs
108	014 02:39:42	32				END PMPCALLR			37763:11:018F	98-013/19:03:12	2T
109	014 03:10:00	32	34	LOS OPCH ACE		LOS DSS-34 PASS-7456					2DP
110	014 03:52:19	31	60	RISE		10 DEGREE RISE DSC-60					1V
111	014 03:59:31	31	40	SET		10 DEGREE SET DSC-40					1V
112	014 05:25:00	31	54	AOS OPCH ACE		AOS DSS-54 PASS-6919 (D/L ONLY)					1DP
113	014 08:14:46	31				B- RFSTLC			43984:25:001F	98-013/22:35:23	1TB

INTEGRATED SEQUENCE FOR JST A026F JSX B028F WEEK 03 DOY 98-012/00:00 - 98-019/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
114	014 08:45:48	31	54	OPCH 54		== START TLC TEST DOWN-LINK ==					1TD
115	014 09:04:46	31			AC7SSB	(4 +169) SS BIAS CONTROL --- YAW	AACS		43913:35:003F	98-013/23:25:24	1ECa
116	014 09:46:48	31	54	OPCH 54		== END TLC TEST DOWN-LINK ==					1TD
117	014 11:20:00	31	54 LOS	OPCH ACE		LOS DSS-54 PASS-6919					1DP
118	014 11:24:43	31	10RISE			10 DEGREE RISE DSC-10					1V
119	014 11:25:00	31	14 AOS	OPCH ACE		AOS DSS-14 PASS-6920 (U/L PASS)					1DP
120	014 12:00:00	31				VGR-31 OWLT IS 09H 39M 22S					1L
121	014 12:00:00	32				VGR-32 OWLT IS 07H 34M 59S					2L
122	014 12:18:07	32			AC7SSB	(4 +171) SS BIAS CONTROL --- YAW	AACS		37775:14:003F	98-014/04:41:35	2ECa
123	014 15:01:19	31	60 SET			10 DEGREE SET DSC-60					1V
124	014 15:40:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-6920 (D/L ONLY)					1DP
125	014 16:00:00	31	14 LOS	OPCH ACE		LOS DSS-14 PASS-6920					1DP
126	014 17:30:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-6920					1DP
127	014 17:55:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-7456 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
128	014 18:48:52	31	40RISE			10 DEGREE RISE DSC-40					1V
129	014 21:30:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-7456					2DP
130	014 22:48:46	31	10 SET			10 DEGREE SET DSC-10					1V
131	015 00:00:00	31				VGR-31 OWLT IS 09H 39M 22S					1L
132	015 00:00:00	32				VGR-32 OWLT IS 07H 35M 00S					2L
133	015 00:55:00	32	42 AOS	OPCH ACE		AOS DSS-42 PASS-7456 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP

INTEGRATED SEQUENCE FOR JST A026F JSX B028F WEEK 03 DOY 98-012/00:00 - 98-019/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
134	015 03:48:26	31	60RISE			10 DEGREE RISE DSC-60					1V
135	015 03:55:37	31	40 SET			10 DEGREE SET DSC-40					1V
136	015 06:30:00	31	63 AOS	OPCH ACE		AOS DSS-63 PASS-6920 (D/L ONLY)					1DP
137	015 08:15:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-6920					1DP
138	015 08:30:00	32	42 LOS	OPCH ACE		LOS DSS-42 PASS-7456					2DP
139	015 10:00:00	31	54 AOS	OPCH ACE		AOS DSS-54 PASS-6920 (D/L ONLY)					1DP
140	015 11:20:50	31	10RISE			10 DEGREE RISE DSC-10					1V
141	015 12:00:00	31				VGR-31 OWLT IS 09H 39M 22S					1L
142	015 12:00:00	32				VGR-32 OWLT IS 07H 35M 02S					2L
143	015 14:00:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-6921 (D/L ONLY)					1DP
144	015 14:20:00	31	54 LOS	OPCH ACE		LOS DSS-54 PASS-6920					1DP
145	015 14:57:25	31	60 SET			10 DEGREE SET DSC-60					1V
146	015 18:00:00	32	34 AOS	OPCH ACE		AOS DSS-34 PASS-7456 (D/L ONLY)					2DP
147	015 18:45:00	31	40RISE			10 DEGREE RISE DSC-40					1V
148	015 20:30:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-6921					1DP
149	015 22:30:00	32	42 AOS	OPCH ACE		AOS DSS-42 PASS-7456 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
150	015 22:44:54	31	10 SET			10 DEGREE SET DSC-10					1V
151	015 22:45:00	32	34 LOS	OPCH ACE		LOS DSS-34 PASS-7456					2DP
152	016 00:00:00	31				VGR-31 OWLT IS 09H 39M 22S					1L
153	016 00:00:00	32				VGR-32 OWLT IS 07H 35M 03S					2L
154	016 03:40:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6921 (D/L ONLY)					1DP
155	016 03:44:32	31	60RISE			10 DEGREE RISE DSC-60					1V
156	016 03:45:00	32	42 LOS	OPCH ACE		LOS DSS-42 PASS-7456					2DP

INTEGRATED SEQUENCE FOR JST A026F JSX B028F WEEK 03 DOY 98-012/00:00 - 98-019/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
157	016 03:51:44	31	40	SET		10 DEGREE SET DSC-40					1V
158	016 05:30:00	32	34	AOS	OPCH ACE	AOS DSS-34 PASS-7456 (D/L ONLY)					2DP
159	016 08:35:00	31	65	LOS	OPCH ACE	LOS DSS-65 PASS-6921					1DP
160	016 09:00:00	32	34	LOS	OPCH ACE	LOS DSS-34 PASS-7456					2DP
161	016 09:51:58	31			AC7SSB	(3 -001) SS BIAS CONTROL - PITCH	AACS		43974:34:002F	98-016/00:12:36	1ECa
162	016 11:15:00	31	25	AOS	OPCH ACE	AOS DSS-25 PASS-6922 (D/L ONLY)					1DP
163	016 11:16:56	31		10RISE		10 DEGREE RISE DSC-10					1V
164	016 12:00:00	31				VGR-31 OWLT IS 09H 39M 22S					1L
165	016 12:00:00	32				VGR-32 OWLT IS 07H 35M 05S					2L
166	016 14:53:31	31	60	SET		10 DEGREE SET DSC-60					1V
167	016 15:45:00	31	25	LOS	OPCH ACE	LOS DSS-25 PASS-6922					1DP
168	016 17:55:00	32	34	AOS	OPCH ACE	AOS DSS-34 PASS-7456 (D/L ONLY)					2DP
169	016 18:41:08	31		40RISE		10 DEGREE RISE DSC-40					1V
170	016 22:41:02	31	10	SET		10 DEGREE SET DSC-10					1V
171	017 00:00:00	31				VGR-31 OWLT IS 09H 39M 22S					1L
172	017 00:00:00	32				VGR-32 OWLT IS 07H 35M 06S					2L
173	017 00:03:02	32			AC7SSB	(4 +170) SS BIAS CONTROL --- YAW	AACS		37849:55:002F	98-016/16:26:23	2ECa
174	017 03:40:38	31		60RISE		10 DEGREE RISE DSC-60					1V
175	017 03:47:50	31	40	SET		10 DEGREE SET DSC-40					1V
176	017 04:30:00	32	34	LOS	OPCH ACE	LOS DSS-34 PASS-7456					2DP
177	017 08:00:00	31	63	AOS	OPCH ACE	AOS DSS-63 PASS-6922 (D/L ONLY)					1DP
178	017 11:13:02	31		10RISE		10 DEGREE RISE DSC-10					1V
179	017 12:00:00	31				VGR-31 OWLT IS 09H 39M 22S					1L

INTEGRATED SEQUENCE FOR JST A026F JSX B028F WEEK 03 DOY 98-012/00:00 - 98-019/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
180	017 12:00:00	32				VGR-32 OWLT IS 07H 35M 07S					2L
181	017 14:49:36	31	60	SET		10 DEGREE SET DSC-60					1V
182	017 15:05:00	31	25	AOS	OPCH ACE	AOS DSS-25 PASS-6923 (D/L ONLY)					1DP
183	017 15:25:00	31	63	LOS	OPCH ACE	LOS DSS-63 PASS-6922					1DP
184	017 17:50:00	32	34	AOS	OPCH ACE	AOS DSS-34 PASS-7456 (D/L ONLY)					2DP
185	017 18:37:16	31	40	RISE		10 DEGREE RISE DSC-40					1V
186	017 19:37:28	32			AC7SSB	(3 +009) SS BIAS CONTROL - PITCH	AACS		37874:23:002F	98-017/12:00:47	2ECa
187	017 22:35:00	31	25	LOS	OPCH ACE	LOS DSS-25 PASS-6923					1DP
188	017 22:37:10	31	10	SET		10 DEGREE SET DSC-10					1V
189	018 00:00:00	31				VGR-31 OWLT IS 09H 39M 21S					1L
190	018 00:00:00	32				VGR-32 OWLT IS 07H 35M 09S					2L
191	018 00:50:00	32	42	AOS	OPCH ACE	AOS DSS-42 PASS-7456 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
192	018 01:05:00	32	34	LOS	OPCH ACE	LOS DSS-34 PASS-7456					2DP
193	018 03:15:00	32	42	LOS	OPCH ACE	LOS DSS-42 PASS-7456					2DP
194	018 03:36:44	31	60	RISE		10 DEGREE RISE DSC-60					1V
195	018 03:43:56	31	40	SET		10 DEGREE SET DSC-40					1V
196	018 05:05:00	31	54	AOS	OPCH ACE	AOS DSS-54 PASS-6923 (D/L ONLY)					1DP
197	018 11:09:09	31	10	RISE		10 DEGREE RISE DSC-10					1V
198	018 12:00:00	31				VGR-31 OWLT IS 09H 39M 21S					1L
199	018 12:00:00	32				VGR-32 OWLT IS 07H 35M 10S					2L
200	018 12:25:00	31	25	AOS	OPCH ACE	AOS DSS-25 PASS-6924 (D/L ONLY)					1DP
201	018 12:55:00	31	54	LOS	OPCH ACE	LOS DSS-54 PASS-6923					1DP
202	018 14:45:42	31	60	SET		10 DEGREE SET DSC-60					1V

INTEGRATED SEQUENCE FOR JST A026F JSX B028F WEEK 03 DOY 98-012/00:00 - 98-019/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
203	018 17:50:00	32	34 AOS	OPCH ACE		AOS DSS-34 PASS-7456 (D/L ONLY)					2DP
204	018 18:33:24	31	40RISE			10 DEGREE RISE DSC-40					1V
205	018 22:30:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-6924					1DP
206	018 22:33:17	31	10 SET			10 DEGREE SET DSC-10					1V
207	019 00:00:00	31				VGR-31 OWLT IS 09H 39M 21S					1L
208	019 00:00:00	32				VGR-32 OWLT IS 07H 35M 11S					2L