

INTEGRATED SEQUENCE FOR JST A019 JSX B021 WEEK 20 DOY 94-136/00:00 - 94-143/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
59	136 21:15:04	32				B- PLATPOB			63154:31:001F	94-136/15:19:12	----
60	136 21:15:04	32			AC7SPK	(1 12 1 163 043) EL SLEW R=LOW	AACS		63154:31:003F	94-136/15:19:12	
61	136 21:15:04	32			AC7SPK	(2 12 1 144 133) AZ SLEW R=LOW	AACS		63154:31:004F	94-136/15:19:12	
62	136 21:16:40	32				B- DRCRUS			63154:33:001F	94-136/15:20:48	----
63	136 21:16:40	32			SC06BB	(50 0 07 0) FDS MODE TO: UV-5A PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		63154:33:009F	94-136/15:20:48	
64	136 21:16:41	32				END SUNMON03			63154:33:018F	94-136/15:20:49	----
65	136 21:17:28	32		ACE OPCH		===== FDS STATUS UV-5A/X600/S10 MEM:PB/FDS11 SA/FDS11 =====	FDS	UV-5A	63154:34:001F	94-136/15:21:36	
66	136 21:17:28	32			CC3A	(36310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=36 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		63154:34:001F	94-136/15:21:36	
67	136 21:22:06	32				B- SLEND			63154:39:634F	94-136/15:26:14	----
68	136 21:22:06	32			SLEWEND	AZ=190.101 EL=40.007 CO=34.074			63154:39:634F	94-136/15:26:14	----
69	136 21:30:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6130					---A
70	136 23:35:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6114					---A
71	137 00:45:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-6130					---A
72	137 00:48:25	32	43			STATION 10 DEG ELEVATION POINT					---V
73	137 01:16:07	32	45 SET			SET DSS-45					---V
74	137 01:16:08	32	43 SET			SET DSS-43					---V
75	137 01:42:05	32	65RISE			RISE DSS-65					---V
76	137 02:47:49	31	15RISE			RISE DSS-15					---V

INTEGRATED SEQUENCE FOR JST A019 JSX B021 WEEK 20 DOY 94-136/00:00 - 94-143/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
121	137 14:17:58	31			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		3782:39:009F	94-137/06:40:36	
122	137 14:18:42	31				BEGIN RECORDING PWS DATA			03782:39:734F	94-137/06:41:20	----
123	137 14:18:42	31			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		3782:39:734F	94-137/06:41:20	
124	137 14:18:42	31				=====	DTR		3782:39:734F	94-137/06:41:20	
						DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:3 TIC:2643 =====					
125	137 14:18:46	31		ACE OPCH		=====	FDS	GS-4B	3782:40:001F	94-137/06:41:24	
						FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION =====					
126	137 14:18:46	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		3782:40:001F	94-137/06:41:24	
127	137 14:18:47	31				B- DRCRUS			03782:40:018F	94-137/06:41:25	----
128	137 14:18:47	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		3782:40:025F	94-137/06:41:25	
129	137 14:19:34	31		ACE OPCH		=====	FDS	CR-5T	3782:41:001F	94-137/06:42:12	
						FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11 =====					
130	137 14:19:34	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		3782:41:001F	94-137/06:42:12	

INTEGRATED SEQUENCE FOR JST A019 JSX B021 WEEK 20 DOY 94-136/00:00 - 94-143/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
131	137 14:19:34	31				=====	DTR		3782:41:001F	94-137/06:42:12	
						DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:3 TIC:2935 =====					
132	137 14:19:34	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		3782:41:002F	94-137/06:42:12	
133	137 14:19:35	31				END PWSREC			03782:41:018F	94-137/06:42:13	----
134	137 14:20:00	31	14 LOS	OPCH ACE		LOS DSS-14 PASS-6115					---A
135	137 14:21:10	31				B- MISCMD			03782:43:001F	94-137/06:43:48	----
136	137 14:21:10	31				MISCMD - PLS MOD ON			03782:43:001F	94-137/06:43:48	----
137	137 14:21:10	31			SC32AJ	(11) PLS CONFIG CMD	FDS		3782:43:008F	94-137/06:43:48	
138	137 14:22:42	32	15 SET			SET DSS-15					---V
139	137 14:37:28	31	14			STATION 10 DEG ELEVATION POINT					---V
140	137 14:58:32	31	15 SET			SET DSS-15					---V
141	137 14:58:33	31	14 SET			SET DSS-14					---V
142	137 17:51:45	32				VGR-32 OWLT IS 05H 51M 45S					32LT
143	137 19:00:02	31	61RISE			RISE DSS-61					---V
144	137 19:37:24	31				VGR-31 OWLT IS 07H 37M 24S					31LT
145	137 19:50:00	31	61 AOS	OPCH ACE		AOS DSS-61 PASS-6115 (D/L ONLY)					---A
146	137 23:35:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6115					---A
147	138 00:40:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6131					---A
148	138 01:12:11	32	45 SET			SET DSS-45					---V
149	138 01:38:15	32	63RISE			RISE DSS-63					---V
150	138 02:43:49	31	15RISE			RISE DSS-15					---V

INTEGRATED SEQUENCE FOR JST A019 JSX B021 WEEK 20 DOY 94-136/00:00 - 94-143/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
151	138 02:43:57	32	63			STATION 10 DEG ELEVATION POINT					---V
152	138 02:45:00	32	63 AOS	OPCH ACE		AOS DSS-63 PASS-6131 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					---A
153	138 02:50:43	31	12RISE			RISE DSS-12					---V
154	138 03:30:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6116 (D/L ONLY)					---A
155	138 04:59:40	32	63			STATION 10 DEG ELEVATION POINT					---V
156	138 05:00:00	32	63 LOS	OPCH ACE		LOS DSS-63 PASS-6131					---A
157	138 05:51:44	32				VGR-32 OWLT IS 05H 51M 44S					32LT
158	138 06:05:21	32	63 SET			SET DSS-63					---V
159	138 07:30:29	31	61 SET			SET DSS-61					---V
160	138 07:37:25	31				VGR-31 OWLT IS 07H 37M 25S					31LT
161	138 10:05:01	32	45RISE			RISE DSS-45					---V
162	138 10:30:00	31	12 AOS	OPCH ACE		AOS DSS-12 PASS-6116 (D/L ONLY)					---A
163	138 10:45:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6132 (D/L ONLY)					---A
164	138 10:50:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-6116					---A
165	138 14:15:00	31	12 LOS	OPCH ACE		LOS DSS-12 PASS-6116					---A
166	138 14:44:11	31	12 SET			SET DSS-12					---V
167	138 14:54:33	31	15 SET			SET DSS-15					---V
168	138 17:01:24	32			AC7SSB	(3 +007) SS BIAS CONTROL - PITCH	AACS		63209:14:002F	94-138/11:05:36	
169	138 17:51:43	32				VGR-32 OWLT IS 05H 51M 43S					32LT
170	138 18:56:01	31	61RISE			RISE DSS-61					---V
171	138 19:37:27	31				VGR-31 OWLT IS 07H 37M 27S					31LT
172	138 19:45:00	31	61 AOS	OPCH ACE		AOS DSS-61 PASS-6116 (U/L PASS)					---A
173	138 23:30:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6116					---A

INTEGRATED SEQUENCE FOR JST A019 JSX B021 WEEK 20 DOY 94-136/00:00 - 94-143/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
174	138 23:45:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6132					---A
175	139 01:08:15	32	45 SET			SET DSS-45					---V
176	139 01:34:22	32	65RISE			RISE DSS-65					---V
177	139 01:58:51	31			AC7SSB	(4 +146) SS BIAS CONTROL --- YAW	AACS		3827:15:002F	94-138/18:21:24	
178	139 02:39:48	31	15RISE			RISE DSS-15					---V
179	139 02:40:00	32	65 AOS	OPCH ACE		AOS DSS-65 PASS-6132 (D/L ONLY)					---A
180	139 04:50:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6117 (D/L ONLY)					---A
181	139 04:55:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-6132					---A
182	139 05:51:42	32				VGR-32 OWLT IS 05H 51M 42S					32LT
183	139 06:01:17	32	65 SET			SET DSS-65					---V
184	139 07:26:30	31	61 SET			SET DSS-61					---V
185	139 07:37:29	31				VGR-31 OWLT IS 07H 37M 29S					31LT
186	139 08:50:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-6117					---A
187	139 08:55:02	32	15RISE			RISE DSS-15					---V
188	139 09:35:00	32	15 AOS	OPCH ACE		AOS DSS-15 PASS-6133 (D/L ONLY)					---A
189	139 09:48:29	31			AC7SSB	(3 -010) SS BIAS CONTROL - PITCH	AACS		3837:02:002F	94-139/02:11:00	
190	139 10:00:57	32	43RISE			RISE DSS-43					---V
191	139 10:24:43	31	42RISE			RISE DSS-42					---V
192	139 10:28:40	32	43			STATION 10 DEG ELEVATION POINT					---V
193	139 13:05:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6117 (D/L ONLY)					---A
194	139 13:30:00	32	15 LOS	OPCH ACE		LOS DSS-15 PASS-6133					---A
195	139 14:14:31	32	15 SET			SET DSS-15					---V
196	139 14:50:34	31	15 SET			SET DSS-15					---V

INTEGRATED SEQUENCE FOR JST A019 JSX B021 WEEK 20 DOY 94-136/00:00 - 94-143/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
197	139 17:51:41	32				VGR-32 OWLT IS 05H 51M 41S					32LT
198	139 18:52:00	31	61RISE			RISE DSS-61					---V
199	139 19:01:30	31	65RISE			RISE DSS-65					---V
200	139 19:15:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-6117					---A
201	139 19:37:31	31				VGR-31 OWLT IS 07H 37M 31S					31LT
202	139 19:40:00	31	61 AOS	OPCH ACE		AOS DSS-61 PASS-6117 (D/L ONLY)					---A
203	139 20:04:25	31	42 SET			SET DSS-42					---V
204	139 21:15:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-6133 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					---A
205	139 23:20:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6117					---A
206	140 00:35:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-6133					---A
207	140 00:36:35	32	43			STATION 10 DEG ELEVATION POINT					---V
208	140 01:04:19	32	43 SET			SET DSS-43					---V
209	140 01:15:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6117 (D/L ONLY)					---A
210	140 02:35:48	31	14RISE			RISE DSS-14					---V
211	140 02:56:53	31	14			STATION 10 DEG ELEVATION POINT					---V
212	140 05:51:40	32				VGR-32 OWLT IS 05H 51M 40S					32LT
213	140 06:15:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6117					---A
214	140 07:13:25	31	65 SET			SET DSS-65					---V
215	140 07:22:32	31	61 SET			SET DSS-61					---V
216	140 07:37:33	31				VGR-31 OWLT IS 07H 37M 33S					31LT
217	140 08:51:08	32	15RISE			RISE DSS-15					---V
218	140 09:30:00	32	15 AOS	OPCH ACE		AOS DSS-15 PASS-6134 (D/L ONLY)					---A
219	140 09:45:00	31	14 AOS	OPCH ACE		AOS DSS-14 PASS-6118 (D/L ONLY)					---A

INTEGRATED SEQUENCE FOR JST A019 JSX B021 WEEK 20 DOY 94-136/00:00 - 94-143/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
220	140 09:56:55	32	45RISE			RISE DSS-45					---V
221	140 13:25:00	32	15 LOS	OPCH ACE		LOS DSS-15 PASS-6134					---A
222	140 13:30:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6134 (D/L ONLY)					---A
223	140 13:52:32	32			AC7SSB	(4 +144) SS BIAS CONTROL --- YAW	AACS		63265:18:003F	94-140/07:56:48	
224	140 14:05:00	31	14 LOS	OPCH ACE		LOS DSS-14 PASS-6118					---A
225	140 14:10:26	32	15 SET			SET DSS-15					---V
226	140 14:25:31	31	14			STATION 10 DEG ELEVATION POINT					---V
227	140 14:46:36	31	14 SET			SET DSS-14					---V
228	140 17:51:39	32				VGR-32 OWLT IS 05H 51M 39S					32LT
229	140 18:57:29	31	65RISE			RISE DSS-65					---V
230	140 19:37:34	31				VGR-31 OWLT IS 07H 37M 34S					31LT
231	140 20:26:55	32			AC7SSB	(3 +006) SS BIAS CONTROL - PITCH	AACS		63273:31:003F	94-140/14:31:12	
232	140 20:55:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6118 (D/L ONLY)					---A
233	141 00:30:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6134					---A
234	141 01:00:22	32	45 SET			SET DSS-45					---V
235	141 02:31:48	31	15RISE			RISE DSS-15					---V
236	141 05:51:38	32				VGR-32 OWLT IS 05H 51M 38S					32LT
237	141 05:55:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6119 (D/L ONLY)					---A
238	141 06:10:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6118					---A
239	141 07:09:26	31	65 SET			SET DSS-65					---V
240	141 07:37:36	31				VGR-31 OWLT IS 07H 37M 36S					31LT
241	141 09:52:52	32	45RISE			RISE DSS-45					---V
242	141 10:30:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6135 (D/L ONLY)					---A

INTEGRATED SEQUENCE FOR JST A019 JSX B021 WEEK 20 DOY 94-136/00:00 - 94-143/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
243	141 14:05:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-6119					---A
244	141 14:42:37	31	15 SET			SET DSS-15					---V
245	141 16:55:30	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					
246	141 16:55:30	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					
247	141 16:56:18	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					
248	141 16:56:18	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=36 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					
249	141 16:59:42	32				B- PWSREC			63299:12:001F	94-141/11:04:00	----
250	141 16:59:42	32				BEGIN PWSREC			63299:12:001F	94-141/11:04:00	----
251	141 16:59:42	32				B- DRGS4B			63299:12:001F	94-141/11:04:00	----
252	141 16:59:42	32			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B FDS PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY			63299:12:009F	94-141/11:04:00	
253	141 17:00:26	32				BEGIN RECORDING PWS DATA			63299:12:734F	94-141/11:04:44	----
254	141 17:00:26	32			CC16C	(3000) DTR STATE SELECT:115.2REC DTR			63299:12:734F	94-141/11:04:44	
255	141 17:00:26	32				===== DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:3 TIC:2338 =====			63299:12:734F	94-141/11:04:44	

INTEGRATED SEQUENCE FOR JST A019 JSX B021 WEEK 20 DOY 94-136/00:00 - 94-143/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
256	141 17:00:30	32		ACE OPCH		===== FDS STATUS GS-4B/X2.8K/S40 MEM:PB/FDS11 SA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN UV-5A CONFIGURATION =====	FDS	GS-4B	63299:13:001F	94-141/11:04:48	
257	141 17:00:30	32			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		63299:13:001F	94-141/11:04:48	
258	141 17:00:31	32				B- DRCRUS			63299:13:018F	94-141/11:04:49	----
259	141 17:00:31	32			SC06BB	(50 0 07 0) FDS MODE TO: UV-5A PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		63299:13:025F	94-141/11:04:49	
260	141 17:01:18	32		ACE OPCH		===== FDS STATUS UV-5A/X600/S10 MEM:PB/FDS11 SA/FDS11 =====	FDS	UV-5A	63299:14:001F	94-141/11:05:36	
261	141 17:01:18	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		63299:14:001F	94-141/11:05:36	
262	141 17:01:18	32				===== DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:3 TIC:2628 =====	DTR		63299:14:001F	94-141/11:05:36	
263	141 17:01:18	32			CC3A	(36310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=36 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		63299:14:002F	94-141/11:05:36	
264	141 17:01:19	32				END PWSREC			63299:14:018F	94-141/11:05:37	----
265	141 17:51:37	32				VGR-32 OWLT IS 05H 51M 37S					32LT
266	141 18:43:59	31	61RISE			RISE DSS-61					---V

INTEGRATED SEQUENCE FOR JST A019 JSX B021 WEEK 20 DOY 94-136/00:00 - 94-143/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
267	141 19:30:00	31	61 AOS	OPCH ACE		AOS DSS-61 PASS-6119 (U/L PASS)					---A
268	141 19:37:38	31				VGR-31 OWLT IS 07H 37M 38S					31LT
269	141 20:07:02	31			AC7SSB	(4 +145) SS BIAS CONTROL --- YAW	AACS		3909:55:002F	94-141/12:29:24	
270	141 20:35:00	31	61	OPCH 61		===== == START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS == =====					STLC
271	141 20:35:00	31	61	OPCH 61		===== == TLC TEST UP-LINK == TURN RANGING MOD OFF (IF APPL) =====					-TLC
272	141 20:36:00	31	61	OPCH 61		===== == TLC TEST UP-LINK == TURN COMMAND MOD OFF (IF APPL) NO COMMANDING FOR 1 HR 56 MIN =====					-TLC
273	141 20:37:00	31	61	OPCH 61		===== == TLC TEST UP-LINK == == TUNE U/L AT 48 HZ/SEC == == TO XA-65 KHZ (S-BAND) == =====					-TLC
274	141 21:02:00	31	61	OPCH 61		===== == END TLC TEST UP-LINK == == TURN TRANSMITTER OFF == TUNE TO TSF @ 48 HZ/SEC (S-BAND) =====					-TLC
275	141 23:15:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6119					---A
276	142 00:25:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6135					---A
277	142 00:56:26	32	45 SET			SET DSS-45					---V
278	142 01:22:48	32	65RISE			RISE DSS-65					---V
279	142 02:30:00	32	65 AOS	OPCH ACE		AOS DSS-65 PASS-6135 (D/L ONLY)					---A
280	142 02:34:44	31	12RISE			RISE DSS-12					---V

INTEGRATED SEQUENCE FOR JST A019 JSX B021 WEEK 20 DOY 94-136/00:00 - 94-143/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
281	142 04:45:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-6135					---A
282	142 05:48:52	32	65 SET			SET DSS-65					---V
283	142 05:51:36	32				VGR-32 OWLT IS 05H 51M 36S					32LT
284	142 07:14:34	31	61 SET			SET DSS-61					---V
285	142 07:37:40	31				VGR-31 OWLT IS 07H 37M 40S					31LT
286	142 09:48:49	32	45RISE			RISE DSS-45					---V
287	142 10:25:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6136 (D/L ONLY)					---A
288	142 10:40:00	31	12 AOS	OPCH ACE		AOS DSS-12 PASS-6120 (D/L ONLY)					---A
289	142 12:17:20	31	12	OPCH 12		===== == START TLC TEST DOWN-LINK == =====					-TLC
290	142 13:18:20	31	12	OPCH 12		===== == END TLC TEST DOWN-LINK == =====					ETLC
291	142 14:00:00	31	12 LOS	OPCH ACE		LOS DSS-12 PASS-6120					---A
292	142 14:28:12	31	12 SET			SET DSS-12					---V
293	142 17:51:35	32				VGR-32 OWLT IS 05H 51M 35S					32LT
294	142 18:39:58	31	61RISE			RISE DSS-61					---V
295	142 19:30:00	31	61 AOS	OPCH ACE		AOS DSS-61 PASS-6120 (D/L ONLY)					---A
296	142 19:37:42	31				VGR-31 OWLT IS 07H 37M 42S					31LT
297	142 21:45:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6136					---A
298	142 22:59:06	31			AC7SSB	(3 -009) SS BIAS CONTROL - PITCH	AACS		3943:30:003F	94-142/15:21:24	
299	142 23:00:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6120					---A
300	143 00:52:29	32	45 SET			SET DSS-45					---V
301	143 07:10:36	31	61 SET			SET DSS-61					---V