

INTEGRATED SEQUENCE FOR JST A025F JSX B027F WEEK 26 DOY 97-174/00:00 - 97-181/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
15	174 05:08:32	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	37759:15:001F	97-173/19:57:23	1ESf
16	174 05:08:32	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		37759:15:002F	97-173/19:57:23	1ECs
17	174 05:08:33	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		37759:15:026F	97-173/19:57:25	1ECf
18	174 05:09:20	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	37759:16:001F	97-173/19:58:11	1ESf
19	174 05:09:20	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		37759:16:001F	97-173/19:58:11	1ECs
20	174 05:09:20	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		37759:16:002F	97-173/19:58:12	1ECd
21	174 05:09:20	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:7 TIC:1150	DTR		37759:16:002F	97-173/19:58:12	1ESd
22	174 05:10:08	31			SC32AJ	(11) PLS CONFIG CMD	FDS		37759:17:009F	97-173/19:59:00	1ECf
23	174 07:35:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-7267 (D/L ONLY)					2DP
24	174 07:52:21	32	40RISE			10 DEGREE RISE DSC-40					2V
25	174 08:17:29	31	40RISE			10 DEGREE RISE DSC-40					1V

INTEGRATED SEQUENCE FOR JST A025F JSX B027F WEEK 26 DOY 97-174/00:00 - 97-181/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
40	174 14:28:35	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	37770:55:001F	97-174/05:17:23	1ESf
41	174 14:28:35	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		37770:55:002F	97-174/05:17:24	1ECs
42	174 14:28:36	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		37770:55:026F	97-174/05:17:25	1ECf
43	174 14:29:23	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	37770:56:001F	97-174/05:18:11	1ESf
44	174 14:29:23	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		37770:56:002F	97-174/05:18:12	1ECs
45	174 14:29:23	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		37770:56:002F	97-174/05:18:12	1ECd
46	174 14:29:23	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:7 TIC:1449	DTR		37770:56:002F	97-174/05:18:12	1ESd
47	174 14:30:11	31			SC32AJ	(11) PLS CONFIG CMD	FDS		37770:57:009F	97-174/05:19:00	1ECf
48	174 17:11:01	31	60RISE			10 DEGREE RISE DSC-60					1V
49	174 17:18:11	31	40 SET			10 DEGREE SET DSC-40					1V
50	174 19:55:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-7267					2DP

INTEGRATED SEQUENCE FOR JST A025F JSX B027F WEEK 26 DOY 97-174/00:00 - 97-181/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
64	174 23:48:38	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	37782:35:001F	97-174/14:37:23	1ESf
65	174 23:48:38	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		37782:35:002F	97-174/14:37:23	1ECs
66	174 23:48:39	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		37782:35:026F	97-174/14:37:25	1ECf
67	174 23:49:26	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	37782:36:001F	97-174/14:38:11	1ESf
68	174 23:49:26	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		37782:36:001F	97-174/14:38:11	1ECs
69	174 23:49:26	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		37782:36:002F	97-174/14:38:12	1ECd
70	174 23:49:26	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:7 TIC:1748	DTR		37782:36:002F	97-174/14:38:12	1ESd
71	174 23:50:14	31			SC32AJ	(11) PLS CONFIG CMD	FDS		37782:37:009F	97-174/14:39:00	1ECf
72	174 23:51:02	31			CC16C	(2211) DTR STATE SELECT: SLEW	DTR		37782:38:002F	97-174/14:39:48	1ECd

INTEGRATED SEQUENCE FOR JST A025F JSX B027F WEEK 26 DOY 97-174/00:00 - 97-181/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
73	174 23:51:02	31				DTR STATUS MODE:SLEW RATE:007.2K DIR:F TRK:1 TIC:1755	DTR		37782:38:002F	97-174/14:39:48	1ESd
74	175 00:00:00	31				VGR-31 OWLT IS 09H 11M 14S					1L
75	175 00:00:00	32				VGR-32 OWLT IS 07H 05M 46S					2L
76	175 00:43:54	31	10RISE			10 DEGREE RISE DSC-10					1V
77	175 00:45:58	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		37783:46:534F	97-174/15:34:43	1ECd
78	175 00:45:58	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:1 TIC:2942	DTR		37783:46:534F	97-174/15:34:43	1ESd
79	175 02:51:03	31			CC16C	(7024) DTR STATE SELECT: READY	DTR		37786:23:002F	97-174/17:39:48	1ECd
80	175 02:51:03	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:4 TIC:2942	DTR		37786:23:002F	97-174/17:39:48	1ESd
81	175 03:30:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6714					1DP
82	175 04:18:29	31	60 SET			10 DEGREE SET DSC-60					1V
83	175 06:37:28	31			AC7SSB	(4 +138) SS BIAS CONTROL --- YAW	AACS		37791:06:002F	97-174/21:26:12	1ECa
84	175 06:45:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-6715 (D/L ONLY)					1DP
85	175 07:15:00	32	24 AOS	OPCH ACE		AOS DSS-24 PASS-7268 (D/L ONLY)					2DP
86	175 07:48:17	32	40RISE			10 DEGREE RISE DSC-40					2V
87	175 08:13:29	31	40RISE			10 DEGREE RISE DSC-40					1V
88	175 08:25:38	32	10RISE			10 DEGREE RISE DSC-10					2V
89	175 09:39:25	32	10 SET			10 DEGREE SET DSC-10					2V

INTEGRATED SEQUENCE FOR JST A025F JSX B027F WEEK 26 DOY 97-174/00:00 - 97-181/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
126	175 13:29:30	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		37799:41:002F	97-175/04:18:12	1ECs
127	175 13:29:31	31				B- DRCRUS			37799:41:018F	97-175/04:18:12	1TB
128	175 13:29:31	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		37799:41:026F	97-175/04:18:13	1ECF
129	175 13:30:18	31		ACE	OPCH		FDS	CR-5T	37799:42:001F	97-175/04:18:59	1ESF
						FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11					
130	175 13:30:18	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		37799:42:002F	97-175/04:19:00	1ECs
131	175 13:30:18	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		37799:42:002F	97-175/04:19:00	1ECd
132	175 13:30:18	31					DTR		37799:42:002F	97-175/04:19:00	1ESd
						DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:4 TIC:2649					
133	175 13:31:06	31			SC32AJ	(11) PLS CONFIG CMD	FDS		37799:43:009F	97-175/04:19:48	1ECf
134	175 13:31:07	31				END PWSREC.31			37799:43:018F	97-175/04:19:48	1T
135	175 14:05:00	32	45 AOS	OPCH	ACE	AOS DSS-45 PASS-7268 (D/L ONLY)					2DP
136	175 17:00:00	31	63 AOS	OPCH	ACE	AOS DSS-63 PASS-6715 (D/L ONLY)					1DP
137	175 17:07:03	31	60RISE			10 DEGREE RISE DSC-60					1V
138	175 17:14:12	31	40 SET			10 DEGREE SET DSC-40					1V
139	175 19:55:00	32	45 LOS	OPCH	ACE	LOS DSS-45 PASS-7268					2DP

INTEGRATED SEQUENCE FOR JST A025F JSX B027F WEEK 26 DOY 97-174/00:00 - 97-181/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
156	176 05:37:36	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		37819:51:001F	97-175/20:26:11	1ECs
157	176 05:44:00	31			SC06BY	(7) FDS PLS/MAG/PESCAL FLAG PLSCAL ENABLED MAGCAL ENABLED PESCAL ENABLED	FDS		37819:59:009F	97-175/20:32:36	1ECF
158	176 05:44:48	31				BEGIN PLS/MAG/PESCAL			37820:00:001F	97-175/20:33:23	1T
159	176 07:15:00	32	24 AOS	OPCH ACE		AOS DSS-24 PASS-7269 (D/L ONLY)					2DP
160	176 07:27:12	31				END PLSCAL			37822:08:001F	97-175/22:15:47	1T
161	176 07:44:13	32	40RISE			10 DEGREE RISE DSC-40					2V
162	176 08:09:30	31	40RISE			10 DEGREE RISE DSC-40					1V
163	176 08:21:58	32	10RISE			10 DEGREE RISE DSC-10					2V
164	176 08:47:13	31				END MAGCAL			37823:48:001F	97-175/23:35:47	1T
165	176 09:00:37	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
166	176 09:00:37	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
167	176 09:04:49	31				END PESCAL			37824:10:001F	97-175/23:53:23	1T
168	176 09:04:49	31				B- DRCRUS			37824:10:001F	97-175/23:53:23	1TB
169	176 09:04:49	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		37824:10:009F	97-175/23:53:24	1ECf

INTEGRATED SEQUENCE FOR JST A025F JSX B027F WEEK 26 DOY 97-174/00:00 - 97-181/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
170	176 09:05:37	31		ACE OPCH			FDS	CR-5T	37824:11:001F	97-175/23:54:11	1ESf
						FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11					
171	176 09:05:37	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		37824:11:001F	97-175/23:54:11	1ECs
172	176 09:05:38	31				END PMPCALLR			37824:11:018F	97-175/23:54:12	1T
173	176 09:35:02	32	10	SET		10 DEGREE SET DSC-10					2V
174	176 10:00:00	31	25	LOS	OPCH ACE	LOS DSS-25 PASS-6716					1DP
175	176 10:45:00	32	24	LOS	OPCH ACE	LOS DSS-24 PASS-7269					2DP
176	176 12:00:00	31				VGR-31 OWLT IS 09H 11M 26S					1L
177	176 12:00:00	32				VGR-32 OWLT IS 07H 05M 49S					2L
178	176 12:08:51	31	10	SET		10 DEGREE SET DSC-10					1V
179	176 14:05:00	32	45	AOS	OPCH ACE	AOS DSS-45 PASS-7269 (D/L ONLY)					2DP
180	176 17:03:04	31		60RISE		10 DEGREE RISE DSC-60					1V
181	176 17:10:14	31		40 SET		10 DEGREE SET DSC-40					1V
182	176 19:25:00	32	45	LOS	OPCH ACE	LOS DSS-45 PASS-7269					2DP
183	176 21:10:00	31	61	AOS	OPCH ACE	AOS DSS-61 PASS-6716 (D/L ONLY)					1DP
184	176 22:43:44	32		40 SET		10 DEGREE SET DSC-40					2V
185	177 00:00:00	31				VGR-31 OWLT IS 09H 11M 30S					1L
186	177 00:00:00	32				VGR-32 OWLT IS 07H 05M 51S					2L
187	177 00:35:57	31		10RISE		10 DEGREE RISE DSC-10					1V
188	177 02:59:19	31			AC7SSB	(3 +002) SS BIAS CONTROL - PITCH	AACS		37846:33:002F	97-176/17:47:48	1ECa
189	177 03:25:00	31	61	LOS	OPCH ACE	LOS DSS-61 PASS-6716					1DP

INTEGRATED SEQUENCE FOR JST A025F JSX B027F WEEK 26 DOY 97-174/00:00 - 97-181/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
190	177 04:05:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-6717 (D/L ONLY)					1DP
191	177 04:10:34	31	60 SET			10 DEGREE SET DSC-60					1V
192	177 06:05:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-6717 (U/L PASS) PERFORM RFSTLC PER TELECOM MESSAGE					1DP
193	177 06:20:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-6717					1DP
194	177 07:30:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-7270 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
195	177 07:40:10	32	40RISE			10 DEGREE RISE DSC-40					2V
196	177 07:47:45	32			AC7SSB	(4 +158) SS BIAS CONTROL --- YAW	AACS		31710:12:002F	97-177/00:39:59	2ECa
197	177 08:05:31	31	40RISE			10 DEGREE RISE DSC-40					1V
198	177 08:18:18	32	10RISE			10 DEGREE RISE DSC-10					2V
199	177 09:30:40	32	10 SET			10 DEGREE SET DSC-10					2V
200	177 10:15:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-7270					2DP
201	177 11:15:00	31	24	OPCH 24		== START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS ==					1TD
202	177 11:15:00	31	24	OPCH 24		== TLC TEST UP-LINK == TURN RANGING MOD OFF (IF APPL)					1TD
203	177 11:16:00	31	24	OPCH 24		== TLC TEST UP-LINK == TURN COMMAND MOD OFF (IF APPL) NO COMMANDING FOR 1 HR 56 MIN					1TD

INTEGRATED SEQUENCE FOR JST A025F JSX B027F WEEK 26 DOY 97-174/00:00 - 97-181/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
204	177 11:17:00	31	24	OPCH 24		== TLC TEST UP-LINK == == TUNE U/L AT 48 HZ/SEC == == TO XA-65 KHZ (S-BAND) ==					1TD
205	177 11:42:00	31	24	OPCH 24		== END TLC TEST UP-LINK == == TURN TRANSMITTER OFF == TUNE TO TSF @ 48 HZ/SEC (S-BAND)					1TD
206	177 11:50:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-6717					1DP
207	177 12:00:00	31				VGR-31 OWLT IS 09H 11M 34S					1L
208	177 12:00:00	32				VGR-32 OWLT IS 07H 05M 52S					2L
209	177 12:04:52	31	10 SET			10 DEGREE SET DSC-10					1V
210	177 14:05:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-7270 (D/L ONLY)					2DP
211	177 16:59:05	31	60RISE			10 DEGREE RISE DSC-60					1V
212	177 17:00:00	31	63 AOS	OPCH ACE		AOS DSS-63 PASS-6717 (D/L ONLY)					1DP
213	177 17:06:15	31	40 SET			10 DEGREE SET DSC-40					1V
214	177 19:20:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-7270					2DP
215	177 21:40:00	31	61 AOS	OPCH ACE		AOS DSS-61 PASS-6717 (D/L ONLY)					1DP
216	177 21:55:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-6717					1DP
217	177 22:39:45	32	40 SET			10 DEGREE SET DSC-40					2V
218	178 00:00:00	31				VGR-31 OWLT IS 09H 11M 38S					1L
219	178 00:00:00	32				VGR-32 OWLT IS 07H 05M 53S					2L
220	178 00:31:58	31	10RISE			10 DEGREE RISE DSC-10					1V
221	178 03:20:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6717					1DP
222	178 04:05:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-6718 (D/L ONLY)					1DP

SOE YEAR-DAY: 1997-178

PRINTED ON DAY: 196 PAGE 17

INTEGRATED SEQUENCE FOR JST A025F JSX B027F WEEK 26 DOY 97-174/00:00 - 97-181/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
223	178 04:06:35	31	60	SET		10 DEGREE SET DSC-60					1V
224	178 05:37:51	31				B- RFSTLC			37879:51:001F	97-177/20:26:11	1TB
225	178 06:05:17	31	25	OPCH	25	== START TLC TEST DOWN-LINK ==					1TD
226	178 07:00:00	32	24	AOS	OPCH ACE	AOS DSS-24 PASS-7271 (D/L ONLY)					2DP
227	178 07:06:17	31	25	OPCH	25	== END TLC TEST DOWN-LINK ==					1TD
228	178 07:36:06	32	40	RISE		10 DEGREE RISE DSC-40					2V
229	178 08:01:32	31	40	RISE		10 DEGREE RISE DSC-40					1V
230	178 08:14:38	32	10	RISE		10 DEGREE RISE DSC-10					2V
231	178 09:26:17	32	10	SET		10 DEGREE SET DSC-10					2V
232	178 10:00:00	31	25	LOS	OPCH ACE	LOS DSS-25 PASS-6718					1DP
233	178 10:35:00	32	24	LOS	OPCH ACE	LOS DSS-24 PASS-7271					2DP
234	178 12:00:00	31				VGR-31 OWLT IS 09H 11M 42S					1L
235	178 12:00:00	32				VGR-32 OWLT IS 07H 05M 55S					2L
236	178 12:00:53	31	10	SET		10 DEGREE SET DSC-10					1V
237	178 14:05:00	32	45	AOS	OPCH ACE	AOS DSS-45 PASS-7271 (D/L ONLY)					2DP
238	178 16:55:07	31	60	RISE		10 DEGREE RISE DSC-60					1V
239	178 17:02:17	31	40	SET		10 DEGREE SET DSC-40					1V
240	178 18:20:00	31	63	AOS	OPCH ACE	AOS DSS-63 PASS-6718 (D/L ONLY)					1DP
241	178 19:40:00	32	45	LOS	OPCH ACE	LOS DSS-45 PASS-7271					2DP
242	178 21:35:00	31	61	AOS	OPCH ACE	AOS DSS-61 PASS-6718 (D/L ONLY)					1DP
243	178 21:50:00	31	63	LOS	OPCH ACE	LOS DSS-63 PASS-6718					1DP

INTEGRATED SEQUENCE FOR JST A025F JSX B027F WEEK 26 DOY 97-174/00:00 - 97-181/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
244	178 22:35:45	32	40 SET			10 DEGREE SET DSC-40					2V
245	179 00:00:00	31				VGR-31 OWLT IS 09H 11M 46S					1L
246	179 00:00:00	32				VGR-32 OWLT IS 07H 05M 56S					2L
247	179 00:28:00	31	10RISE			10 DEGREE RISE DSC-10					1V
248	179 03:15:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6718					1DP
249	179 04:02:38	31	60 SET			10 DEGREE SET DSC-60					1V
250	179 04:05:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-6719 (D/L ONLY)					1DP
251	179 06:11:51	32			AC7SSB	(3 -009) SS BIAS CONTROL - PITCH	AACS		31768:12:003F	97-178/23:03:59	2ECa
252	179 07:00:00	32	24 AOS	OPCH ACE		AOS DSS-24 PASS-7272 (D/L ONLY)					2DP
253	179 07:32:02	32	40RISE			10 DEGREE RISE DSC-40					2V
254	179 07:57:33	31	40RISE			10 DEGREE RISE DSC-40					1V
255	179 08:10:58	32	10RISE			10 DEGREE RISE DSC-10					2V
256	179 09:21:53	32	10 SET			10 DEGREE SET DSC-10					2V
257	179 10:30:00	32	24 LOS	OPCH ACE		LOS DSS-24 PASS-7272					2DP
258	179 11:55:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-6719					1DP
259	179 11:56:54	31	10 SET			10 DEGREE SET DSC-10					1V
260	179 12:00:00	31				VGR-31 OWLT IS 09H 11M 50S					1L
261	179 12:00:00	32				VGR-32 OWLT IS 07H 05M 57S					2L
262	179 14:05:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-7272 (D/L ONLY)					2DP
263	179 16:51:09	31	60RISE			10 DEGREE RISE DSC-60					1V
264	179 16:58:18	31	40 SET			10 DEGREE SET DSC-40					1V
265	179 17:08:40	32				B- UVSLEW			31781:53:001F	97-179/10:00:47	2TB
266	179 17:08:40	32				SLEW TO HELIO-1A UPDATE			31781:53:001F	97-179/10:00:47	2T

INTEGRATED SEQUENCE FOR JST A025F JSX B027F WEEK 26 DOY 97-174/00:00 - 97-181/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
267	179 17:08:40	32				B- PLATPOA			31781:53:001F	97-179/10:00:47	2TB
268	179 17:08:40	32			AC7SPL	(1 12 1 255 040) EL SLEW R=LOW	AACS		31781:53:003F	97-179/10:00:47	2ECa
269	179 17:08:52	32				B- SLEND			31781:53:201F	97-179/10:00:59	2TB
270	179 17:08:52	32			SLEWEND	AZ=79.985 EL=85.017 CO=85.674			31781:53:201F	97-179/10:00:59	2T
271	179 18:15:00	31	61 AOS	OPCH ACE		AOS DSS-61 PASS-6719 (D/L ONLY)					1DP
272	179 18:19:04	32			AC7SSB	(4 +159) SS BIAS CONTROL --- YAW	AACS		31783:21:002F	97-179/11:11:11	2ECa
273	179 19:40:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-7272					2DP
274	179 22:31:46	32	40 SET			10 DEGREE SET DSC-40					2V
275	180 00:00:00	31				VGR-31 OWLT IS 09H 11M 54S					1L
276	180 00:00:00	32				VGR-32 OWLT IS 07H 05M 59S					2L
277	180 00:24:01	31	10RISE			10 DEGREE RISE DSC-10					1V
278	180 03:15:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6719					1DP
279	180 03:58:39	31	60 SET			10 DEGREE SET DSC-60					1V
280	180 04:05:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-6720 (D/L ONLY)					1DP
281	180 06:55:00	32	24 AOS	OPCH ACE		AOS DSS-24 PASS-7273 (D/L ONLY)					2DP
282	180 07:27:58	32	40RISE			10 DEGREE RISE DSC-40					2V
283	180 07:53:33	31	40RISE			10 DEGREE RISE DSC-40					1V
284	180 08:07:17	32	10RISE			10 DEGREE RISE DSC-10					2V
285	180 09:17:30	32	10 SET			10 DEGREE SET DSC-10					2V
286	180 10:25:00	32	24 LOS	OPCH ACE		LOS DSS-24 PASS-7273					2DP
287	180 11:50:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-6720					1DP
288	180 11:52:55	31	10 SET			10 DEGREE SET DSC-10					1V
289	180 12:00:00	31				VGR-31 OWLT IS 09H 11M 58S					1L

INTEGRATED SEQUENCE FOR JST A025F JSX B027F WEEK 26 DOY 97-174/00:00 - 97-181/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
290	180 12:00:00	32				VGR-32 OWLT IS 07H 06M 00S					2L
291	180 14:05:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-7273 (D/L ONLY)					2DP
292	180 16:00:35	31			AC7SSB	(3 +003) SS BIAS CONTROL - PITCH	AACS		37952:49:003F	97-180/06:48:36	1ECa
293	180 16:47:10	31	60RISE			10 DEGREE RISE DSC-60					1V
294	180 16:54:20	31	40 SET			10 DEGREE SET DSC-40					1V
295	180 18:15:00	31	61 AOS	OPCH ACE		AOS DSS-61 PASS-6720 (D/L ONLY)					1DP
296	180 19:40:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-7273					2DP
297	180 22:27:47	32	40 SET			10 DEGREE SET DSC-40					2V
298	180 23:22:14	31			AC7SSB	(4 +137) SS BIAS CONTROL --- YAW	AACS		37962:01:003F	97-180/14:10:12	1ECa
299	181 00:00:00	31				VGR-31 OWLT IS 09H 12M 02S					1L
300	181 00:00:00	32				VGR-32 OWLT IS 07H 06M 02S					2L