

INTEGRATED SEQUENCE FOR JST A027F JSX B029F WEEK 27 DOY 98-180/00:00 - 98-187/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
1	180 00:00:00	31				VGR-31 OWLT IS 09H 41M 53S					1L
2	180 00:00:00	32				VGR-32 OWLT IS 07H 31M 13S					2L
3	180 00:27:07	31	10RISE			10 DEGREE RISE DSC-10					1V
4	180 02:12:54	31			AC7SSB	(4 +138) SS BIAS CONTROL --- YAW	AACS		48884:57:003F	98-179/16:31:00	1ECa
5	180 03:30:00	31	54 LOS	OPCH ACE		LOS DSS-54 PASS-7622					1DP
6	180 04:01:45	31	60 SET			10 DEGREE SET DSC-60					1V
7	180 06:55:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-7639 (D/L ONLY)					2DP
8	180 07:25:11	32	40RISE			10 DEGREE RISE DSC-40					2V
9	180 07:56:40	31	40RISE			10 DEGREE RISE DSC-40					1V
10	180 11:56:01	31	10 SET			10 DEGREE SET DSC-10					1V
11	180 12:00:00	31				VGR-31 OWLT IS 09H 41M 57S					1L
12	180 12:00:00	32				VGR-32 OWLT IS 07H 31M 15S					2L
13	180 12:20:00	32	42 AOS	OPCH ACE		AOS DSS-42 PASS-7639 (D/L ONLY)					2DP
14	180 12:50:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-7639					2DP
15	180 15:33:11	32				B- UVSLEW			42759:23:001F	98-180/08:00:47	2TB
16	180 15:33:11	32				SLEW TO HELIO-1A			42759:23:001F	98-180/08:00:47	2T
17	180 15:33:11	32				B- PLATPOA			42759:23:001F	98-180/08:00:47	2TB
18	180 15:33:11	32			AC7SPK	(1 12 2 132 173) EL SLEW R=LOW	AACS		42759:23:003F	98-180/08:00:47	2ECa
19	180 15:35:19	32				B- SLEND			42759:25:534F	98-180/08:02:55	2TB
20	180 15:35:19	32			SLEWEND	AZ=79.985 EL=84.994 CO=85.711			42759:25:534F	98-180/08:02:55	2T
21	180 16:45:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-7623 (D/L ONLY)					1DP
22	180 16:50:16	31	60RISE			10 DEGREE RISE DSC-60					1V
23	180 16:57:26	31	40 SET			10 DEGREE SET DSC-40					1V

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
24	180 21:25:00	32	42 LOS	OPCH ACE		LOS DSS-42 PASS-7639					2DP
25	180 22:39:01	32	40 SET			10 DEGREE SET DSC-40					2V
26	180 23:30:37	31			AC7SSB	(3 +003) SS BIAS CONTROL - PITCH	AACS		48911:34:002F	98-180/13:48:36	1ECa
27	181 00:00:00	31				VGR-31 OWLT IS 09H 42M 01S					1L
28	181 00:00:00	32				VGR-32 OWLT IS 07H 31M 16S					2L
29	181 00:23:09	31	10RISE			10 DEGREE RISE DSC-10					1V
30	181 02:45:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-7624 (D/L ONLY)					1DP
31	181 03:00:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-7623					1DP
32	181 03:57:46	31	60 SET			10 DEGREE SET DSC-60					1V
33	181 06:50:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-7640 (D/L ONLY)					2DP
34	181 07:21:08	32	40RISE			10 DEGREE RISE DSC-40					2V
35	181 07:52:41	31	40RISE			10 DEGREE RISE DSC-40					1V
36	181 11:20:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-7624					1DP
37	181 11:52:02	31	10 SET			10 DEGREE SET DSC-10					1V
38	181 12:00:00	31				VGR-31 OWLT IS 09H 42M 05S					1L
39	181 12:00:00	32				VGR-32 OWLT IS 07H 31M 18S					2L
40	181 12:20:14	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
41	181 12:20:14	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
42	181 12:21:02	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
79	181 13:12:18	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		48928:41:026F	98-181/03:30:13	1ECf
80	181 13:13:05	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	48928:42:001F	98-181/03:30:59	1ESf
81	181 13:13:05	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		48928:42:001F	98-181/03:30:59	1ECs
82	181 13:13:05	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		48928:42:002F	98-181/03:31:00	1ECd
83	181 13:13:05	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:4 TIC:2350	DTR		48928:42:002F	98-181/03:31:00	1ESd
84	181 13:13:53	31			SC32AJ	(11) PLS CONFIG CMD	FDS		48928:43:009F	98-181/03:31:48	1ECf
85	181 13:13:54	31				END PWSREC.31			48928:43:018F	98-181/03:31:48	1T
86	181 13:26:38	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
87	181 13:26:38	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
88	181 13:26:50	32				BEGIN PMPCALLR			42786:45:001F	98-181/05:54:23	2T
89	181 13:30:50	32				B- DRCR5T			42786:50:001F	98-181/05:58:23	2TB
90	181 13:30:50	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		42786:50:009F	98-181/05:58:24	2ECf

INTEGRATED SEQUENCE FOR JST A027F JSX B029F WEEK 27 DOY 98-180/00:00 - 98-187/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
91	181 13:31:38	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	42786:51:001F	98-181/05:59:11	2ESf
92	181 13:31:38	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		42786:51:001F	98-181/05:59:11	2ECs
93	181 13:38:02	32			SC06BY	(7) FDS PLS/MAG/PESCAL FLAG PLSCAL ENABLED MAGCAL ENABLED PESCAL ENABLED	FDS		42786:59:009F	98-181/06:05:36	2ECf
94	181 13:38:50	32				BEGIN PLS/MAG/PESCAL			42787:00:001F	98-181/06:06:23	2T
95	181 15:12:29	32			EOT	END OF TAPE			42788:57:063F	98-181/07:40:03	2Ed
96	181 15:20:26	32			CC16C	(2228) DTR STATE SELECT: SLEW	DTR		42789:07:001F	98-181/07:47:59	2ECd
97	181 15:20:26	32				DTR STATUS MODE:SLEW RATE:007.2K DIR:R TRK:8 TIC:3633	DTR		42789:07:001F	98-181/07:47:59	2ESd
98	181 15:20:26	32			EOT	END OF TAPE			42789:07:009F	98-181/07:48:00	2Ed
99	181 15:21:14	32				END PLSCAL			42789:08:001F	98-181/07:48:47	2T
100	181 16:41:14	32				END MAGCAL			42790:48:001F	98-181/09:08:47	2T
101	181 16:46:18	31	60RISE			10 DEGREE RISE DSC-60					1V
102	181 16:53:28	31	40 SET			10 DEGREE SET DSC-40					1V
103	181 16:54:38	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
104	181 16:54:38	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC

INTEGRATED SEQUENCE FOR JST A027F JSX B029F WEEK 27 DOY 98-180/00:00 - 98-187/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
105	181 16:55:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-7624 (D/L ONLY)					1DP
106	181 16:58:50	32				END PESCAL			42791:10:001F	98-181/09:26:23	2T
107	181 16:58:50	32				B- DRCRUS			42791:10:001F	98-181/09:26:23	2TB
108	181 16:58:50	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		42791:10:009F	98-181/09:26:24	2ECf
109	181 16:59:38	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	42791:11:001F	98-181/09:27:11	2ESf
110	181 16:59:38	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		42791:11:001F	98-181/09:27:11	2ECs
111	181 16:59:39	32				END PMPCALLR			42791:11:018F	98-181/09:27:12	2T
112	181 17:59:24	32			BOT	BEGIN OF TAPE			42792:25:562F	98-181/10:26:57	2Ed
113	181 18:02:41	32				TAPE AT BOT			42792:29:634F	98-181/10:30:13	2T
114	181 18:02:41	32				END DTRMA232			42792:29:634F	98-181/10:30:13	2T
115	181 18:04:27	32				TAPPOS-0250			42792:32:001F	98-181/10:31:59	2T
116	181 18:04:27	32			CC16C	(2211) DTR STATE SELECT: SLEW	DTR		42792:32:001F	98-181/10:31:59	2ECd
117	181 18:04:27	32				DTR STATUS MODE:SLEW RATE:007.2K DIR:F TRK:1 TIC:0199	DTR		42792:32:001F	98-181/10:31:59	2ESd
118	181 18:04:27	32			BOT	BEGIN OF TAPE			42792:32:010F	98-181/10:32:00	2Ed
119	181 18:06:46	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		42792:34:724F	98-181/10:34:19	2ECd

INTEGRATED SEQUENCE FOR JST A027F JSX B029F WEEK 27 DOY 98-180/00:00 - 98-187/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
120	181 18:06:46	32				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:1 TIC:0250	DTR		42792:34:724F	98-181/10:34:19	2ESd
121	181 20:52:27	32			CC16C	FWD/TRK 5			42796:02:001F	98-181/13:19:59	2T
122	181 20:52:27	32			CC16C	(7015) DTR STATE SELECT: READY	DTR		42796:02:001F	98-181/13:19:59	2ECd
123	181 20:52:27	32			CC16C	DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:0250	DTR		42796:02:001F	98-181/13:19:59	2ESd
124	181 22:35:00	32	34 LOS	OPCH ACE		LOS DSS-34 PASS-7640					2DP
125	181 22:35:02	32	40 SET			10 DEGREE SET DSC-40					2V
126	182 00:00:00	31				VGR-31 OWLT IS 09H 42M 09S					1L
127	182 00:00:00	32				VGR-32 OWLT IS 07H 31M 19S					2L
128	182 00:19:10	31	10RISE			10 DEGREE RISE DSC-10					1V
129	182 02:56:28	32			AC7SSB	(4 +160) SS BIAS CONTROL --- YAW	AACS		42803:37:003F	98-181/19:23:59	2ECa
130	182 03:35:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-7624					1DP
131	182 03:53:49	31	60 SET			10 DEGREE SET DSC-60					1V
132	182 04:10:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-7625 (D/L ONLY)					1DP
133	182 06:45:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-7641 (D/L ONLY)					2DP
134	182 07:17:04	32	40RISE			10 DEGREE RISE DSC-40					2V
135	182 07:48:42	31	40RISE			10 DEGREE RISE DSC-40					1V
136	182 10:02:05	32			AC7SSB	(3 -010) SS BIAS CONTROL - PITCH	AACS		42812:29:003F	98-182/02:29:35	2ECa
137	182 11:15:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-7625					1DP
138	182 11:48:03	31	10 SET			10 DEGREE SET DSC-10					1V

INTEGRATED SEQUENCE FOR JST A027F JSX B029F WEEK 27 DOY 98-180/00:00 - 98-187/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
139	182 12:00:00	31				VGR-31 OWLT IS 09H 42M 13S					1L
140	182 12:00:00	32				VGR-32 OWLT IS 07H 31M 21S					2L
141	182 12:25:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-7641 (D/L ONLY)					2DP
142	182 12:40:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-7641					2DP
143	182 16:42:20	31	60RISE			10 DEGREE RISE DSC-60					1V
144	182 16:49:29	31	40 SET			10 DEGREE SET DSC-40					1V
145	182 17:55:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-7625 (D/L ONLY)					1DP
146	182 21:45:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-7641					2DP
147	182 22:31:03	32	40 SET			10 DEGREE SET DSC-40					2V
148	183 00:00:00	31				VGR-31 OWLT IS 09H 42M 18S					1L
149	183 00:00:00	32				VGR-32 OWLT IS 07H 31M 23S					2L
150	183 00:15:12	31	10RISE			10 DEGREE RISE DSC-10					1V
151	183 03:15:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-7625					1DP
152	183 03:49:50	31	60 SET			10 DEGREE SET DSC-60					1V
153	183 06:45:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-7626 (D/L ONLY)					1DP
154	183 06:55:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-7642 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
155	183 07:13:00	32	40RISE			10 DEGREE RISE DSC-40					2V
156	183 07:44:43	31	40RISE			10 DEGREE RISE DSC-40					1V
157	183 10:55:00	31	34 AOS	OPCH ACE		AOS DSS-34 PASS-7626 (U/L PASS) PERFORM RFSTLC PER TELECOM MESSAGE					1DP
158	183 11:15:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-7626					1DP
159	183 11:44:04	31	10 SET			10 DEGREE SET DSC-10					1V

INTEGRATED SEQUENCE FOR JST A027F JSX B029F WEEK 27 DOY 98-180/00:00 - 98-187/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
160	183 12:00:00	31	34	OPCH 34		== START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS ==					1TD
161	183 12:00:00	31	34	OPCH 34		== TLC TEST UP-LINK == TURN RANGING MOD OFF (IF APPL)					1TD
162	183 12:00:00	31				VGR-31 OWLT IS 09H 42M 22S					1L
163	183 12:00:00	32				VGR-32 OWLT IS 07H 31M 24S					2L
164	183 12:01:00	31	34	OPCH 34		== TLC TEST UP-LINK == TURN COMMAND MOD OFF (IF APPL) NO COMMANDING FOR 1 HR 56 MIN					1TD
165	183 12:02:00	31	34	OPCH 34		== TLC TEST UP-LINK == == TUNE U/L AT 48 HZ/SEC == == TO XA-65 KHZ (S-BAND) ==					1TD
166	183 12:20:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-7642 (D/L ONLY)					2DP
167	183 12:27:00	31	34	OPCH 34		== END TLC TEST UP-LINK == == TURN TRANSMITTER OFF == TUNE TO TSF @ 48 HZ/SEC (S-BAND)					1TD
168	183 12:35:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-7642					2DP
169	183 15:40:00	31	34 LOS	OPCH ACE		LOS DSS-34 PASS-7626					1DP
170	183 16:38:21	31	60RISE			10 DEGREE RISE DSC-60					1V
171	183 16:45:31	31	40 SET			10 DEGREE SET DSC-40					1V
172	183 21:45:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-7626 (D/L ONLY)					1DP
173	183 22:27:04	32	40 SET			10 DEGREE SET DSC-40					2V

INTEGRATED SEQUENCE FOR JST A027F JSX B029F WEEK 27 DOY 98-180/00:00 - 98-187/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
174	183 22:50:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-7642					2DP
175	184 00:00:00	31				VGR-31 OWLT IS 09H 42M 26S					1L
176	184 00:00:00	32				VGR-32 OWLT IS 07H 31M 26S					2L
177	184 00:11:14	31	10RISE			10 DEGREE RISE DSC-10					1V
178	184 03:00:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-7627 (D/L ONLY)					1DP
179	184 03:15:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-7626					1DP
180	184 03:45:54	31	60 SET			10 DEGREE SET DSC-60					1V
181	184 07:00:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-7627					1DP
182	184 07:05:00	32	34 AOS	OPCH ACE		AOS DSS-34 PASS-7643 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
183	184 07:08:57	32	40RISE			10 DEGREE RISE DSC-40					2V
184	184 07:40:43	31	40RISE			10 DEGREE RISE DSC-40					1V
185	184 07:51:55	31				DELETED ITEM					
186	184 08:52:55	31				DELETED ITEM					
187	184 11:40:05	31	10 SET			10 DEGREE SET DSC-10					1V
188	184 12:00:00	31				VGR-31 OWLT IS 09H 42M 30S					1L
189	184 12:00:00	32				VGR-32 OWLT IS 07H 31M 28S					2L
190	184 15:40:44	31			AC7SSB	(3 +004) SS BIAS CONTROL - PITCH	AACS		49021:46:002F	98-184/05:58:12	1ECa
191	184 16:34:23	31	60RISE			10 DEGREE RISE DSC-60					1V
192	184 16:41:33	31	40 SET			10 DEGREE SET DSC-40					1V
193	184 18:30:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-7627 (D/L ONLY)					1DP
194	184 18:34:13	32			AC7SSB	(4 +161) SS BIAS CONTROL --- YAW	AACS		42883:09:002F	98-184/11:01:35	2ECa

INTEGRATED SEQUENCE FOR JST A027F JSX B029F WEEK 27 DOY 98-180/00:00 - 98-187/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
195	184 22:23:05	32	40 SET			10 DEGREE SET DSC-40					2V
196	184 22:25:00	32	34 LOS	OPCH ACE		LOS DSS-34 PASS-7643					2DP
197	185 00:00:00	31				VGR-31 OWLT IS 09H 42M 35S					1L
198	185 00:00:00	32				VGR-32 OWLT IS 07H 31M 29S					2L
199	185 00:07:16	31	10RISE			10 DEGREE RISE DSC-10					1V
200	185 01:55:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-7627					1DP
201	185 03:41:54	31	60 SET			10 DEGREE SET DSC-60					1V
202	185 04:10:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-7628 (D/L ONLY)					1DP
203	185 06:35:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-7644 (D/L ONLY)					2DP
204	185 07:04:53	32	40RISE			10 DEGREE RISE DSC-40					2V
205	185 07:36:44	31	40RISE			10 DEGREE RISE DSC-40					1V
206	185 08:15:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-7628					1DP
207	185 11:36:06	31	10 SET			10 DEGREE SET DSC-10					1V
208	185 12:00:00	31				VGR-31 OWLT IS 09H 42M 39S					1L
209	185 12:00:00	32				VGR-32 OWLT IS 07H 31M 31S					2L
210	185 12:15:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-7644 (D/L ONLY)					2DP
211	185 12:30:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-7644					2DP
212	185 16:30:25	31	60RISE			10 DEGREE RISE DSC-60					1V
213	185 16:37:35	31	40 SET			10 DEGREE SET DSC-40					1V
214	185 17:10:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-7628 (D/L ONLY)					1DP
215	185 19:23:04	32			AC7SSB	(3 -011) SS BIAS CONTROL - PITCH	AACS		42914:10:003F	98-185/11:50:23	2ECa
216	185 21:00:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-7644					2DP
217	185 22:19:05	32	40 SET			10 DEGREE SET DSC-40					2V

INTEGRATED SEQUENCE FOR JST A027F JSX B029F WEEK 27 DOY 98-180/00:00 - 98-187/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
218	186 00:00:00	31				VGR-31 OWLT IS 09H 42M 43S					1L
219	186 00:00:00	32				VGR-32 OWLT IS 07H 31M 33S					2L
220	186 00:03:18	31	10RISE			10 DEGREE RISE DSC-10					1V
221	186 03:30:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-7629 (D/L ONLY)					1DP
222	186 03:37:58	31	60 SET			10 DEGREE SET DSC-60					1V
223	186 03:45:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-7628					1DP
224	186 04:15:21	31			AC7SSB	(4 +137) SS BIAS CONTROL --- YAW	AACS		49067:29:002F	98-185/18:32:36	1ECa
225	186 06:30:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-7645 (D/L ONLY)					2DP
226	186 07:00:50	32	40RISE			10 DEGREE RISE DSC-40					2V
227	186 07:32:45	31	40RISE			10 DEGREE RISE DSC-40					1V
228	186 11:25:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-7629					1DP
229	186 11:32:07	31	10 SET			10 DEGREE SET DSC-10					1V
230	186 12:00:00	31				VGR-31 OWLT IS 09H 42M 48S					1L
231	186 12:00:00	32				VGR-32 OWLT IS 07H 31M 35S					2L
232	186 12:10:00	32	34 AOS	OPCH ACE		AOS DSS-34 PASS-7645 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
233	186 12:25:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-7645					2DP
234	186 16:26:27	31	60RISE			10 DEGREE RISE DSC-60					1V
235	186 16:33:37	31	40 SET			10 DEGREE SET DSC-40					1V
236	186 17:35:00	31	54 AOS	OPCH ACE		AOS DSS-54 PASS-7629 (D/L ONLY)					1DP
237	186 22:15:00	32	34 LOS	OPCH ACE		LOS DSS-34 PASS-7645					2DP
238	186 22:15:06	32	40 SET			10 DEGREE SET DSC-40					2V
239	186 23:59:20	31	10RISE			10 DEGREE RISE DSC-10					1V
240	187 00:00:00	31				VGR-31 OWLT IS 09H 42M 52S					1L

SOE YEAR-DAY: 1998-187

PRINTED ON DAY: 175 PAGE 15

INTEGRATED SEQUENCE FOR JST A027F JSX B029F WEEK 27 DOY 98-180/00:00 - 98-187/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
241	187 00:00:00	32				VGR-32 OWLT IS 07H 31M 37S					2L