



INTEGRATED SEQUENCE FOR JST A043F JSX B116F WEEK 28 DOY 02-189/00:00 - 02-196/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
21	189 11:33:06	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	27458:05:602F	02-188/23:50:00	1ESf
22	189 11:43:07	31				A044 UPLINK WINDOW OPEN			27458:18:218F	02-189/00:00:00	1T
23	189 12:00:00	31				VGR-31 OWLT IS 11H 43M 06S					1L
24	189 12:00:00	32				VGR-32 OWLT IS 09H 14M 24S					2L
25	189 14:50:00	31	45 LO	OPCH ACE		LOS DSS-45 PASS-9097					1DP
26	189 15:25:00	32	43 LO	OPCH ACE		LOS DSS-43 PASS-9113					2DP
27	189 16:22:49	31	60RISE			10 DEGREE RISE DSC-60					1V
28	189 16:32:07	31	40 SET			10 DEGREE SET DSC-40					1V
29	189 22:43:28	32	40 SET			10 DEGREE SET DSC-40					2V
30	189 23:55:44	31	10RISE			10 DEGREE RISE DSC-10					1V
31	190 00:00:00	31				VGR-31 OWLT IS 11H 43M 10S					1L
32	190 00:00:00	32				VGR-32 OWLT IS 09H 14M 26S					2L
33	190 01:10:00	31	15 AO	OPCH ACE		AOS DSS-15 PASS-9098 (D/L ONLY)					1DP
34	190 01:10:11	31			AC7SSB	(3 +005) SS BIAS CONTROL - PITCH	AACS		27475:07:003F	02-189/13:27:00	1ECa
35	190 02:43:47	31				B- UVSLEW			27477:04:001F	02-189/15:00:35	1TB
36	190 02:43:47	31				SLEW TO HELIO-1B			27477:04:001F	02-189/15:00:35	1T
37	190 02:43:47	31				B- PLATPOB			27477:04:001F	02-189/15:00:35	1TB
38	190 02:43:47	31			AC7SPK	(1 12 2 132 172) EL SLEW R=LOW	AACS		27477:04:003F	02-189/15:00:36	1ECa
39	190 02:43:47	31			AC7SPK	(2 12 1 228 137) AZ SLEW R=LOW	AACS		27477:04:005F	02-189/15:00:36	1ECa
40	190 02:46:54	31				B- SLEND			27477:07:718F	02-189/15:03:42	1TB
41	190 02:46:54	31			SLEWEND	AZ=310.069 EL=85.046 CO=89.896			27477:07:718F	02-189/15:03:42	1T



ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
58	190 11:43:12	32				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:5 TIC:0548	DTR		21346:27:735F	02-190/02:28:43	2ESd
59	190 11:43:16	32		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PB/FDS11 SA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	21346:28:001F	02-190/02:28:47	2ESf
60	190 11:43:16	32			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		21346:28:002F	02-190/02:28:47	2ECs
61	190 11:43:17	32				B- DRCRUS			21346:28:018F	02-190/02:28:48	2TB
62	190 11:43:17	32			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		21346:28:025F	02-190/02:28:49	2ECf
63	190 11:44:04	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	21346:29:001F	02-190/02:29:35	2ESf
64	190 11:44:04	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		21346:29:001F	02-190/02:29:35	2ECd
65	190 11:44:04	32				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:0838	DTR		21346:29:001F	02-190/02:29:35	2ESd
66	190 11:44:04	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		21346:29:002F	02-190/02:29:35	2ECs



INTEGRATED SEQUENCE FOR JST A043F JSX B116F WEEK 28 DOY 02-189/00:00 - 02-196/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
81	190 12:49:27	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	27489:41:001F	02-190/01:06:11	1ESf
82	190 12:49:27	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		27489:41:002F	02-190/01:06:11	1ECs
83	190 12:49:28	31				B- DRCRUS			27489:41:018F	02-190/01:06:12	1TB
84	190 12:49:28	31			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		27489:41:026F	02-190/01:06:13	1ECf
85	190 12:50:15	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	27489:42:001F	02-190/01:06:59	1ESf
86	190 12:50:15	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		27489:42:002F	02-190/01:06:59	1ECs
87	190 12:50:15	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		27489:42:002F	02-190/01:07:00	1ECd
88	190 12:50:15	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:4 TIC:1752	DTR		27489:42:002F	02-190/01:07:00	1ESd
89	190 12:51:03	31			SC32AJ	(11) PLS CONFIG CMD	FDS		27489:43:009F	02-190/01:07:48	1ECf
90	190 12:51:04	31				END PWSREC.31			27489:43:018F	02-190/01:07:48	1T
91	190 14:10:00	31	34 LO	OPCH ACE		LOS DSS-34 PASS-9098					1DP

INTEGRATED SEQUENCE FOR JST A043F JSX B116F WEEK 28 DOY 02-189/00:00 - 02-196/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
92	190 16:18:51	31	60RISE			10 DEGREE RISE DSC-60					1V
93	190 16:28:10	31	40 SET			10 DEGREE SET DSC-40					1V
94	190 18:05:00	31	65 AO	OPCH ACE		AOS DSS-65 PASS-9098 (D/L ONLY)					1DP
95	190 18:44:53	32			AC7SSB	(4 +163) SS BIAS CONTROL --- YAW	AACS		21355:15:003F	02-190/09:30:23	2ECa
96	190 22:10:00	32	45 LO	OPCH ACE		LOS DSS-45 PASS-9114					2DP
97	190 22:39:29	32	40 SET			10 DEGREE SET DSC-40					2V
98	190 23:51:47	31	10RISE			10 DEGREE RISE DSC-10					1V
99	191 00:00:00	31				VGR-31 OWLT IS 11H 43M 19S					1L
100	191 00:00:00	32				VGR-32 OWLT IS 09H 14M 30S					2L
101	191 00:30:00	31	63 AO	OPCH ACE		AOS DSS-63 PASS-9098 (D/L ONLY)					1DP
102	191 00:45:00	31	65 LO	OPCH ACE		LOS DSS-65 PASS-9098					1DP
103	191 03:40:00	31	24 AO	OPCH ACE		AOS DSS-24 PASS-9099 (D/L ONLY)					1DP
104	191 03:56:07	31	60 SET			10 DEGREE SET DSC-60					1V
105	191 04:00:00	31	63 LO	OPCH ACE		LOS DSS-63 PASS-9098					1DP
106	191 06:29:54	32	40RISE			10 DEGREE RISE DSC-40					2V
107	191 07:20:24	31	40RISE			10 DEGREE RISE DSC-40					1V
108	191 08:35:00	31	24 LO	OPCH ACE		LOS DSS-24 PASS-9099					1DP
109	191 10:43:20	32			AC7SSB	(3 -012) SS BIAS CONTROL - PITCH	AACS		21375:13:003F	02-191/01:28:47	2ECa
110	191 10:50:00	32	45 AO	OPCH ACE		AOS DSS-45 PASS-9115 (D/L ONLY)					2DP
111	191 11:05:00	31	43 AO	OPCH ACE		AOS DSS-43 PASS-9099 (U/L PASS)					1DP
112	191 11:21:56	31	10 SET			10 DEGREE SET DSC-10					1V
113	191 12:00:00	31				VGR-31 OWLT IS 11H 43M 24S					1L
114	191 12:00:00	32				VGR-32 OWLT IS 09H 14M 32S					2L

INTEGRATED SEQUENCE FOR JST A043F JSX B116F WEEK 28 DOY 02-189/00:00 - 02-196/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
115	191 14:10:00	32	45 LO	OPCH ACE		LOS DSS-45 PASS-9115					2DP
116	191 15:15:00	31	43 LO	OPCH ACE		LOS DSS-43 PASS-9099					1DP
117	191 16:14:54	31	60RISE			10 DEGREE RISE DSC-60					1V
118	191 16:15:00	32	43 AO	OPCH ACE		AOS DSS-43 PASS-9115 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
119	191 16:24:12	31	40 SET			10 DEGREE SET DSC-40					1V
120	191 17:55:00	32	43 LO	OPCH ACE		LOS DSS-43 PASS-9115					2DP
121	191 22:35:30	32	40 SET			10 DEGREE SET DSC-40					2V
122	191 22:45:00	31	65 AO	OPCH ACE		AOS DSS-65 PASS-9099 (D/L ONLY)					1DP
123	191 23:47:49	31	10RISE			10 DEGREE RISE DSC-10					1V
124	192 00:00:00	31				VGR-31 OWLT IS 11H 43M 28S					1L
125	192 00:00:00	32				VGR-32 OWLT IS 09H 14M 34S					2L
126	192 00:50:00	31	15 AO	OPCH ACE		AOS DSS-15 PASS-9100 (D/L ONLY)					1DP
127	192 01:10:00	31	65 LO	OPCH ACE		LOS DSS-65 PASS-9099					1DP
128	192 02:53:41	31			AC7SSB	(4 +139) SS BIAS CONTROL --- YAW	AACS		27537:16:002F	02-191/15:10:12	1ECa
129	192 03:35:00	31	14 AO	OPCH ACE		AOS DSS-14 PASS-9100 (D/L ONLY)					1DP
130	192 03:52:08	31	60 SET			10 DEGREE SET DSC-60					1V
131	192 03:55:00	31	15 LO	OPCH ACE		LOS DSS-15 PASS-9100					1DP
132	192 06:25:51	32	40RISE			10 DEGREE RISE DSC-40					2V
133	192 07:16:26	31	40RISE			10 DEGREE RISE DSC-40					1V
134	192 07:45:00	32	43 AO	OPCH ACE		AOS DSS-43 PASS-9116 (D/L ONLY)					2DP
135	192 08:50:00	31	14 LO	OPCH ACE		LOS DSS-14 PASS-9100					1DP
136	192 11:17:57	31	10 SET			10 DEGREE SET DSC-10					1V
137	192 11:45:00	31	45 AO	OPCH ACE		AOS DSS-45 PASS-9100 (D/L ONLY)					1DP



INTEGRATED SEQUENCE FOR JST A043F JSX B116F WEEK 28 DOY 02-189/00:00 - 02-196/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
138	192 12:00:00	31				VGR-31 OWLT IS 11H 43M 33S					1L
139	192 12:00:00	32				VGR-32 OWLT IS 09H 14M 36S					2L
140	192 15:25:00	31	45 LO	OPCH ACE		LOS DSS-45 PASS-9100					1DP
141	192 16:10:56	31	60RISE			10 DEGREE RISE DSC-60					1V
142	192 16:20:15	31	40 SET			10 DEGREE SET DSC-40					1V
143	192 21:35:00	32	43 LO	OPCH ACE		LOS DSS-43 PASS-9116					2DP
144	192 22:31:32	32	40 SET			10 DEGREE SET DSC-40					2V
145	192 23:43:52	31	10RISE			10 DEGREE RISE DSC-10					1V
146	192 23:45:00	31	63 AO	OPCH ACE		AOS DSS-63 PASS-9100 (U/L PASS) PERFORM RFSTLC PER TELECOM MESSAGE					1DP
147	193 00:00:00	31				VGR-31 OWLT IS 11H 43M 37S					1L
148	193 00:00:00	32				VGR-32 OWLT IS 09H 14M 39S					2L
149	193 01:00:00	31	63	OPCH 63		== START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS ==					1TD
150	193 01:00:00	31	63	OPCH 63		== TLC TEST UP-LINK == TURN RANGING MOD OFF (IF APPL)					1TD
151	193 01:01:00	31	63	OPCH 63		== TLC TEST UP-LINK == TURN COMMAND MOD OFF (IF APPL) NO COMMANDING FOR 1 HR 56 MIN					1TD
152	193 01:02:00	31	63	OPCH 63		== TLC TEST UP-LINK == == TUNE U/L AT 48 HZ/SEC == == TO XA-65 KHZ (S-BAND) ==					1TD

INTEGRATED SEQUENCE FOR JST A043F JSX B116F WEEK 28 DOY 02-189/00:00 - 02-196/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
153	193 01:27:00	31	63	OPCH 63		== END TLC TEST UP-LINK == == TURN TRANSMITTER OFF == TUNE TO TSF @ 48 HZ/SEC (S-BAND)					1TD
154	193 03:35:00	31	15 AO	OPCH ACE		AOS DSS-15 PASS-9101 (D/L ONLY)					1DP
155	193 03:48:09	31	60 SET			10 DEGREE SET DSC-60					1V
156	193 03:55:00	31	63 LO	OPCH ACE		LOS DSS-63 PASS-9100					1DP
157	193 06:21:49	32	40RISE			10 DEGREE RISE DSC-40					2V
158	193 06:45:00	32	34 AO	OPCH ACE		AOS DSS-34 PASS-9117 (D/L ONLY)					2DP
159	193 07:12:27	31	40RISE			10 DEGREE RISE DSC-40					1V
160	193 07:34:16	31				B- RFSTLC			27573:06:401F	02-192/19:50:35	1TB
161	193 10:10:00	31	15 LO	OPCH ACE		LOS DSS-15 PASS-9101					1DP
162	193 11:13:59	31	10 SET			10 DEGREE SET DSC-10					1V
163	193 12:00:00	31				VGR-31 OWLT IS 11H 43M 42S					1L
164	193 12:00:00	32				VGR-32 OWLT IS 09H 14M 41S					2L
165	193 15:47:31	31			CC16C	(2211) DTR STATE SELECT: SLEW	DTR		27583:23:002F	02-193/04:03:48	1ECd
166	193 15:47:31	31				DTR STATUS MODE:SLEW RATE:007.2K DIR:F TRK:1 TIC:1745	DTR		27583:23:002F	02-193/04:03:48	1ESd
167	193 16:06:59	31	60RISE			10 DEGREE RISE DSC-60					1V
168	193 16:16:17	31	40 SET			10 DEGREE SET DSC-40					1V
169	193 16:29:29	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		27584:15:360F	02-193/04:45:45	1ECd



INTEGRATED SEQUENCE FOR JST A043F JSX B116F WEEK 28 DOY 02-189/00:00 - 02-196/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
184	193 18:49:09	31			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		27587:10:009F	02-193/07:05:24	1ECf
185	193 18:49:53	31				BEGIN RECORDING PWS DATA			27587:10:734F	02-193/07:06:07	1T
186	193 18:49:53	31			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		27587:10:735F	02-193/07:06:08	1ECd
187	193 18:49:53	31				DTR STATUS MODE:REC RATE:115.2K DIR:R TRK:6 TIC:2652	DTR		27587:10:735F	02-193/07:06:08	1ESd
188	193 18:49:57	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	27587:11:001F	02-193/07:06:11	1ESf
189	193 18:49:57	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		27587:11:002F	02-193/07:06:11	1ECs
190	193 18:49:58	31				B- DRCRUS			27587:11:018F	02-193/07:06:12	1TB
191	193 18:49:58	31			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		27587:11:026F	02-193/07:06:13	1ECf
192	193 18:50:45	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	27587:12:001F	02-193/07:06:59	1ESf

INTEGRATED SEQUENCE FOR JST A043F JSX B116F WEEK 28 DOY 02-189/00:00 - 02-196/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
193	193 18:50:45	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		27587:12:002F	02-193/07:06:59	1ECs
194	193 18:50:45	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		27587:12:002F	02-193/07:07:00	1ECd
195	193 18:50:45	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:6 TIC:2359	DTR		27587:12:002F	02-193/07:07:00	1ESd
196	193 18:51:33	31			SC32AJ	(11) PLS CONFIG CMD	FDS		27587:13:009F	02-193/07:07:48	1ECF
197	193 18:51:34	31				END PWSREC.31			27587:13:018F	02-193/07:07:48	1T
198	193 20:57:09	31			CC16C	(2221) DTR STATE SELECT: SLEW	DTR		27589:50:002F	02-193/09:13:24	1ECd
199	193 20:57:09	31				DTR STATUS MODE:SLEW RATE:007.2K DIR:R TRK:1 TIC:2353	DTR		27589:50:002F	02-193/09:13:24	1ESd
200	193 21:13:07	32			AC7SSB	(4 +164) SS BIAS CONTROL --- YAW	AACS		21448:20:003F	02-193/11:58:23	2ECa
201	193 21:25:16	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		27590:25:106F	02-193/09:41:30	1ECd
202	193 21:25:16	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:1 TIC:1745	DTR		27590:25:106F	02-193/09:41:30	1ESd
203	193 22:27:33	32	40 SET			10 DEGREE SET DSC-40					2V
204	193 23:39:54	31	10RISE			10 DEGREE RISE DSC-10					1V
205	193 23:57:11	31			CC16C	(7024) DTR STATE SELECT: READY	DTR		27593:35:002F	02-193/12:13:24	1ECd
206	193 23:57:11	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:4 TIC:1745	DTR		27593:35:002F	02-193/12:13:24	1ESd

INTEGRATED SEQUENCE FOR JST A043F JSX B116F WEEK 28 DOY 02-189/00:00 - 02-196/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
207	194 00:00:00	31				VGR-31 OWLT IS 11H 43M 47S					1L
208	194 00:00:00	32				VGR-32 OWLT IS 09H 14M 43S					2L
209	194 00:54:30	31	65	OPCH	65	== START TLC TEST DOWN-LINK ==					1TD
210	194 01:55:30	31	65	OPCH	65	== END TLC TEST DOWN-LINK ==					1TD
211	194 02:40:00	31	25	AO	OPCH ACE	AOS DSS-25 PASS-9102 (D/L ONLY)					1DP
212	194 03:00:00	31	65	LO	OPCH ACE	LOS DSS-65 PASS-9101					1DP
213	194 03:44:11	31	60	SET		10 DEGREE SET DSC-60					1V
214	194 06:17:46	32	40	RISE		10 DEGREE RISE DSC-40					2V
215	194 07:08:29	31	40	RISE		10 DEGREE RISE DSC-40					1V
216	194 07:35:00	32	43	AO	OPCH ACE	AOS DSS-43 PASS-9118 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
217	194 08:15:00	31	25	LO	OPCH ACE	LOS DSS-25 PASS-9102					1DP
218	194 10:15:39	31			AC7SSB	(3 +006) SS BIAS CONTROL - PITCH	AACS		27606:28:003F	02-193/22:31:48	1ECa
219	194 11:10:00	31	10	SET		10 DEGREE SET DSC-10					1V
220	194 12:00:00	31				VGR-31 OWLT IS 11H 43M 51S					1L
221	194 12:00:00	32				VGR-32 OWLT IS 09H 14M 46S					2L
222	194 16:03:01	31	60	RISE		10 DEGREE RISE DSC-60					1V
223	194 16:12:20	31	40	SET		10 DEGREE SET DSC-40					1V
224	194 17:15:00	31	65	AO	OPCH ACE	AOS DSS-65 PASS-9102 (D/L ONLY)					1DP
225	194 21:30:00	32	43	LO	OPCH ACE	LOS DSS-43 PASS-9118					2DP
226	194 22:23:34	32	40	SET		10 DEGREE SET DSC-40					2V
227	194 22:25:00	31	65	LO	OPCH ACE	LOS DSS-65 PASS-9102					1DP

INTEGRATED SEQUENCE FOR JST A043F JSX B116F WEEK 28 DOY 02-189/00:00 - 02-196/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
228	194 23:35:57	31	10RISE			10 DEGREE RISE DSC-10					1V
229	195 00:00:00	31				VGR-31 OWLT IS 11H 43M 56S					1L
230	195 00:00:00	32				VGR-32 OWLT IS 09H 14M 48S					2L
231	195 00:50:00	31	15 AO	OPCH ACE		AOS DSS-15 PASS-9103 (D/L ONLY)					1DP
232	195 03:40:12	31	60 SET			10 DEGREE SET DSC-60					1V
233	195 06:13:43	32	40RISE			10 DEGREE RISE DSC-40					2V
234	195 06:40:00	32	34 AO	OPCH ACE		AOS DSS-34 PASS-9119 (D/L ONLY)					2DP
235	195 07:04:30	31	40RISE			10 DEGREE RISE DSC-40					1V
236	195 10:05:00	31	15 LO	OPCH ACE		LOS DSS-15 PASS-9103					1DP
237	195 11:06:02	31	10 SET			10 DEGREE SET DSC-10					1V
238	195 12:00:00	31				VGR-31 OWLT IS 11H 44M 01S					1L
239	195 12:00:00	32				VGR-32 OWLT IS 09H 14M 50S					2L
240	195 13:37:15	32			AC7SSB	(3 -013) SS BIAS CONTROL - PITCH	AACS		21498:50:002F	02-195/04:22:23	2ECa
241	195 15:59:04	31	60RISE			10 DEGREE RISE DSC-60					1V
242	195 16:08:23	31	40 SET			10 DEGREE SET DSC-40					1V
243	195 17:10:00	31	65 AO	OPCH ACE		AOS DSS-65 PASS-9103 (D/L ONLY)					1DP
244	195 19:40:00	32	34 LO	OPCH ACE		LOS DSS-34 PASS-9119					2DP
245	195 22:19:35	32	40 SET			10 DEGREE SET DSC-40					2V
246	195 23:31:59	31	10RISE			10 DEGREE RISE DSC-10					1V
247	196 00:00:00	31				VGR-31 OWLT IS 11H 44M 05S					1L
248	196 00:00:00	32				VGR-32 OWLT IS 09H 14M 53S					2L