

# Index

## A

Acceptable Macronutrient Distribution  
Range (AMDR), 2, 76-77, 91, 93-95,  
100, 116-117, 176, 187

Adequate Intakes (AIs)  
defined, 3, 65  
derivation of, 65-66, 68-69, 75, 92, 105  
inadequacy determinations from, 127,  
138  
by nutrient and life-stage group, 182-186  
population-weighted reference values  
from, 5, 6, 7-8, 82, 91-93, 106, 108,  
116, 175  
RDAs compared, 66  
replacement with EARs, 93  
uncertainty in, 66, 93  
uses, 66

Adolescents, 65, 70-71, 107, 108, 146

Adults, 65, 70, 71, 73, 75, 187

African Americans, 70

American Academy of Pediatrics, 68, 69

American Bakers Association, 47

American Medical Association, Council on  
Foods and Nutrition, 46, 47

American Public Health Association, 46

Amino acids, 64, 104

Arsenic, 190

Artificial sweeteners, 35

## B

B vitamins, 52. *See also individual vitamins*

Basal metabolic rate, 63

Basal requirement, 62

Beriberi, 52

Bioavailability of nutrients, 65, 69, 70-71,  
77, 110, 136, 138

Biotin, 21, 22, 92, 115, 116, 118-119, 146,  
175, 183, 189, 193

Body mass index, 72

Boron, 190

Bush, George H.W., 23

## C

Calcium, 21, 22, 30, 36, 39, 46, 50, 52, 92,  
104, 105, 106, 107, 111, 115, 116,  
118-119, 120, 121, 139, 144, 146,  
175, 184, 190, 193

Calorie reference level, 27, 37, 41, 97-99,  
113, 193

Canada  
action plan on nutrition, 36-37  
consumer attitudes and behavior, 37,  
43-44  
educational campaigns, 53-54  
Food and Drugs Act, 35, 37

fortification policies, 4, 16, 52-55, 124, 135, 143-144

nutrition issues, 52, 97, 98

nutrition labeling, 13, 14, 35-40, 43-44, 85, 89, 97, 98, 101, 104-105, 111, 116

Recommended Daily Intakes, 38

Recommended Nutrient Intakes, 2, 14, 36, 39-40, 56, 57, 58, 68, 144

reference values for nutrients, 2, 14, 35-40, 44, 174-178

reference weights and heights, 73-74

special purpose foods, 143-144

temporary marketing authorization, 135

Canadian Food Inspection Agency, 37

Canadian National Institute of Nutrition, 57

Canadian Paediatric Society, 68, 69, 104

Cancer, 120

Carbohydrate, 24, 35, 69, 94, 95, 96, 98, 103, 104, 105, 176, 186, 187, 193

Carotenoids, 137, 146, 189

Children (ages 4-8), 64, 70, 72, 73, 75, 78, 95, 187

Chloride, 115, 193

Cholesterol, dietary, 24, 27, 38, 39, 99, 101, 103, 104, 105, 117, 120, 121, 192, 193

Choline, 92, 115, 118-119, 146, 175, 183, 189

Chromium, 92, 115, 118-119, 127, 134, 146, 175, 184, 190, 193

Chronic disease risk reduction, 1, 22-23, 24, 29, 36, 74, 75, 76, 99, 120, 123, 124

Codex Alimentarius Commission, 54

Consumer Health Information for Better Nutrition, 31

Consumer research
 

- on Canadian nutrition labeling, 37, 43-44
- context of, 40-41
- on diet quality, 42-43, 150
- recommendations, 11-12, 146, 149-152
- satisfaction with label, 42
- on U.S. nutrition labeling, 25, 40-41, 80, 149-152

Continuing Survey of Food Intakes by Individuals, 100

Copper, 21, 22, 114, 115, 116, 118-119, 173, 174, 177, 178, 181, 184, 190, 193

Coronary heart disease, 92, 95, 99, 100, 113, 120

## D

Daily Reference Values, 14, 23, 23-26, 38, 51, 81, 114, 116

Daily Values (% DV)
 

- base population, 81
- calorie reference level, 27, 37, 41, 97-99, 113, 193
- consumer understanding of, 14, 39, 40-41, 100, 150-151
- defined, 80-81
- for fatty acids and cholesterol, 99-101
- implications of changes in, 114-122
- inappropriate and misleading items, 95-97
- for infant and toddler foods, 102-107
- by life-stage group, 102-108
- for macronutrients, 39, 98
- margin of safety, 89, 90
- by nutrient, 118-119, 193
- population-weighted values compared, 118-119
- rationale for using, 25, 26, 39, 80, 83
- RDA-based, 2, 13, 14, 52, 83-84, 89, 103
- supplement labeling, 31, 32-33, 108-109

Diabetes mellitus, 43, 113

*Diet and Health* (report), 1, 22, 24

*Dietary Goals for the United States*, 1, 22

*Dietary Guidelines for Americans*, 22

Dietary intake data, 100, 101, 129, 130, 131, 148

Dietary Reference Intakes (DRIs)
 

- applicable population, 77
- categories, 2, 14, 61-74; *see also*
  - Adequate Intakes, Estimated
  - Average Requirements;
  - Recommended Dietary Allowances;
  - Tolerable Upper Intake Levels
- criteria for, 60-61, 74, 75, 76, 130
- defined, 60-61
- derivation of, 58, 67-72
- energy intake and, 2, 76-77
- extrapolation of data, 63, 66, 69, 72, 138
- fortification issues, 2, 4, 14, 74-78, 129-130
- framework, 58-60
- international harmonization of, 2, 57-59
- labeling considerations, 2, 4, 14, 75
- macronutrient issues, 76-77
- nutrient intake issues, 77

origin, 56-58  
 reference heights and weights and, 72-74, 75  
 research recommendations, 11, 146  
 subgroups and special populations, 77  
 uses, 2, 14, 58, 124, 126  
*Dietary Reference Values for Food Energy and Nutrition in the United Kingdom*, 57  
 Dietary Supplement Act of 1992, 25, 31  
 Dietary Supplement Health and Education Act of 1994, 31, 33  
 Dietary supplements. *See also* Supplement Facts box  
 bioavailability considerations, 77, 110  
 botanical ingredients, 31-32  
 data support recommendations, 11, 145-146, 148-149  
 defined, 31 n.5  
 dietary intake data, 129  
 exposure assessment, 142-143  
 fortification issues, 49, 142-143  
 health claims, 30-31, 33  
 nutrient content claims, 33  
 nutrition labeling on, 17, 20, 23, 28, 30-33, 108-109, 110, 112  
 population-weighted reference value for, 8, 109  
 standards of identity, 49  
 structure/function claims, 33  
 ULs and, 78, 109-110, 146-147  
 Dietitians of Canada, 104  
 Discretionary fortification. *See also* Fortification of food  
 Canadian policy, 54  
 charge to committee, 4, 15-16, 125  
 conceptual model, 131-138  
 decision-making approach, 9-11, 130, 131-138, 140-142  
 defined, 4, 45  
 dietary supplements and, 49, 142-143  
 EAR and, 9, 11, 131  
 examples, 135-138  
 existing practices, 138-140  
 exposure assessment, 11, 132, 135, 138, 142-143  
 FDA policy, 15, 45, 49-51, 142-143  
 food composition databases and, 139-140, 147-148  
 guiding principles, 4, 8-9, 16, 124-144  
 impacts, 8-9, 135, 147-148

implementation issues, 138-144  
 international harmonization of, 125  
 labeling issues, 20, 25, 27, 35, 138-139  
 nutrient content claims as a standard, 138-139  
 prevalence of inadequacy and, 8, 9, 125, 126-131, 136, 147-148  
 reference standards, 49, 50  
 research recommendations, 11, 145, 147-148  
 review of longstanding practices, 139-140  
 scientific justification and criteria, 8, 9, 126-131, 132  
 severity of adverse effect and, 11, 130, 140-142  
 for special-use products, 143-144  
 ULs and, 9, 11, 15-16, 17, 67, 130, 131, 134-137, 140-143, 147  
 vulnerable populations, 15-16, 17, 143-144

## E

Egg Products Inspection Act of 1970, 20, 34  
 Energy intakes  
 and DRIs, 2, 76-77  
 labeling values, 27, 35, 39, 97-101, 193  
 and nutrient intakes, 130  
 Energy metabolism, 70  
 Estimated Average Requirements (EARs)  
 cut-point method, 127  
 defined, 3, 61, 75-76, 83-84  
 derivation of, 62, 75  
 and discretionary fortification, 9, 11, 131  
 by nutrient and life-stage group, 180-183  
 nutrients without, 146  
 as nutrition labeling basis, 5, 6, 7-8, 75-76, 82-91, 94, 106, 108, 116, 173, 177, 178  
 and RDA, 62, 63, 64, 66, 89-91  
 research recommendations, 11, 145, 146  
 skewed distribution of requirements and, 85  
 uses, 62  
 Estimated Energy Requirements (EERs), 98  
 Exposure assessment, 11, 132, 135, 138, 142-143  
 Extrapolation of data, 63, 66, 69, 72, 138

## F

- Factorial modeling, 64, 94
- Fat, dietary
- AMDR, 94-95, 100
  - content claims, 117
  - disqualification from health claims, 121
  - intakes, 42, 43
  - labeling, 24, 27-29, 35, 37-38, 41, 42, 94-95, 98, 99-101, 103, 104, 105, 117, 121
  - menu modeling, 99, 101
  - recommended intakes for individuals, 186
  - reference values, 193
  - saturated fatty acids, 27, 39, 98, 99-101, 103, 104, 105, 117, 121, 192, 193
  - trans* fatty acids, 27-29, 37-38, 39, 92, 99-101, 104, 105, 127, 146, 150-151, 176, 187, 192
- Federal Food, Drug and Cosmetic Act of 1938, 20, 48, 49, 50
- Federal Meat Inspection Act, 19, 34
- Fiber, dietary, 24, 27, 30, 92, 103, 104, 105, 113, 116, 118-119, 120, 121, 146, 149, 186, 193
- Fluoride, 92, 115, 118-119, 146, 175, 184, 190
- Folate, 16, 47, 78, 110, 114, 115, 116, 118-119, 120, 130, 173, 174, 177, 178, 180, 183, 189, 193
- Folic acid, 21, 46, 47, 127
- Food and Agriculture Organization, 62
- Food and Drugs Act of 1906, 18-19, 20
- Food and Drug Administration (FDA)
- Consumer Health Information for Better Nutrition, 31
  - consumer research, 40, 41, 111
  - criticisms of, 21
  - education role, 147
  - fortification policy and authority, 15, 45, 48-51, 55, 124, 125, 142, 143
  - labeling jurisdiction, 1, 14, 20, 23, 26, 27-31
  - standards of identity, 4, 45, 46, 47, 49, 50, 55
- Food and Drug Administration
- Modernization Act of 1997, 30, 49
- Food and Nutrition Board, 46, 47, 56-57
- Food composition databases
- and discretionary fortification, 139-140, 147-148

- research and data support
  - recommendations, 11, 145-146, 148-149
- Food Guide Pyramid, 42, 150
- Food Label Use and Nutrition Education Surveys (FLUNES), 41
- Food Marketing Institute, 41, 42
- Food Safety and Inspection Service, 4, 14, 24, 26, 33-35, 50
- Fortification of food. *See also* Discretionary fortification
- Canadian policy, 4, 16, 45, 52-55, 124, 135, 143-144
  - current policies, 49-51, 143
  - defined, 45
  - DRI applications, 2, 4, 14, 74-78, 129-130
  - early approaches, 45-48
  - flour, bread, and cereal grains, 46-47, 52, 53, 127-128, 139
  - iodized salt, 36, 46, 53
  - labeling issues, 47, 110, 121-122
  - mandatory (enrichment), 4, 45, 46-47, 52, 53, 55, 127-128, 139
  - margarine, 47, 50, 52
  - nutrition issues, 45-47, 49, 52, 124-125
  - overages, 121-122
  - "positive listing" approach, 52-53, 54
  - principles, 47-48, 53, 54
  - U.S. policy, 45-51, 55, 124
  - vitamin D in milk, 46, 53

## G

- Goiter, 46
- Guide to Food Labelling and Advertising*, 39
- Guidelines on Nutrition Labelling*, 36

## H

- Health Canada, 4, 14, 36, 37, 43, 53, 54, 57, 101, 104, 144, 147
- Health claims, 16, 26, 27, 29-31, 33, 34-35, 36, 39-40, 112, 114, 116, 117-121
- Healthy Eating Index, 42
- Hemochromatosis, 136, 138
- Human milk, 65, 66, 68, 69, 92, 102-103, 105, 107
- Hypertension, 120

## I

- Inadequacy of nutrient intake. *See also*  
 Prevalence of inadequate intakes  
 health risks associated with, 129-130  
 selection of strategy to address, 130-131
- Infant formula, 20, 65, 68, 103, 106
- Infant Formula Act of 1980, 103, 106
- Infants  
 AI derivation for, 65, 66, 68-69, 92, 105  
 comparison of nutrient reference  
 values, 106  
 defined, 104  
 labeling of foods manufactured for,  
 27, 102-107  
 premature, 107
- Ingredient lists, 20, 29, 33
- International Atomic Energy Agency, 62
- Iodide, 36, 46, 53
- Iodine, 21, 46, 89, 115, 118-119, 173, 174,  
 177, 178, 181, 184, 190, 193
- Irradiation of foods, 46
- Iron, 21, 22, 30, 36, 46, 52, 64, 65, 69, 89,  
 104, 105, 106, 107, 115, 116, 118-  
 119, 120, 127, 136, 138, 173, 174,  
 177, 178, 181, 184, 190, 193

## J

- Joint FAO/WHO Food Standards  
 Programme, 54 n.4

## K

- Koop, C. Everett, 22

## L

- Labeling. *See* Nutrition labeling
- Lactation. *See* Pregnant and lactating  
 women
- Life stage and gender groups  
 AIs for nutrients by, 182-187  
 categories, 67-72  
 and derivation of DRIs, 67-72  
 EARs for nutrients by, 180-183  
 labeling for food manufactured for  
 specific groups, 102-108  
 RDAs for nutrients by, 182-187  
 RDI calculations by, 24  
 ULs for nutrients by, 188-191

## M

- Macronutrients. *See also* Acceptable  
 Macronutrient Distribution Range;  
*individual nutrients*  
 EARs for, 94  
 labeling, 21-22, 23, 24, 27-29, 35, 36,  
 37-38, 39, 41, 42, 44, 76, 94-95, 98,  
 99-101, 103, 104, 105, 117, 121  
 recommended intakes for individuals,  
 186-187, 192  
 special issues for, 76-77
- Magnesium, 21, 36, 105, 106, 107, 109,  
 110, 115, 118-119, 141, 173, 174,  
 177, 178, 181, 185, 191, 193
- Malnutrition, 21
- Manganese, 78, 92, 115, 118-119, 127, 146,  
 175, 185, 191, 193
- Meal replacements, 143-144
- Meat and poultry products, 33-34, 50
- Menu modeling, 99, 101
- Minimum Daily Requirements, 13, 20
- Molybdenum, 115, 118-119, 173, 174, 177,  
 178, 181, 185, 191, 193
- Monte Carlo simulation, 65

## N

- National Academies, 30, 56
- National Academy of Sciences, 46
- National Cholesterol Education Program  
 Expert Panel on Detection,  
 Evaluation, and Treatment of High  
 Blood Cholesterol in Adults, 100
- National Health and Nutrition  
 Examination Survey, Third, 72, 73
- National Nutrition Conference for  
 Defense, 46
- Neural tube defects, 120
- Neuropathy, 146-147
- New Dextra Brand Fortified Cane Sugar,  
 48, 50
- Niacin, 16, 21, 36, 46, 78, 85, 110, 115,  
 118-119, 141, 173, 174, 177, 178,  
 180, 183, 189, 193
- Nickel, 191
- Night blindness, 130
- Nitrogen balance studies, 94
- Nixon, Richard, 21, 49
- Normative storage requirement level, 62-  
 63

- Nutrient content claims, 26, 27, 29, 33, 36, 39, 112, 114, 116-117, 138-139
- Nutrient density index, 36, 99
- Nutrition Canada Survey, 52, 73
- Nutrition During Lactation*, 68, 69
- Nutrition Facts box (U.S.). *See also* Daily Values; Nutrition labeling; Supplement Facts box
- absolute amounts on, 8, 96, 110-113, 150-151
  - consumer use and understanding of, 41-43, 109, 111, 112, 113, 149
  - design elements, 27, 28, 92, 103, 113
  - and diet quality, 14, 42-43, 150
  - as educational tool, 112, 113, 152
  - on infant foods, 103, 104
  - positive health design, 16, 122-123
  - purpose, 100-101
  - reference value, 82
  - scientific basis, 2, 14
  - size considerations, 6, 112, 149-150
  - target population, 85, 113
- Nutrition Facts table (Canada), 37-38, 39, 104
- Nutrition for Health: An Agenda for Health*, 36-37
- Nutrition for Healthy Term Infants*, 104
- Nutrition Information Panel (NIP) (Canada), 43-44
- Nutrition labeling. *See also* Daily Values
- animal production claims and processing statement, 34
  - Canadian, 13, 14, 16, 35-40, 43-44
  - charge to committee, 15, 16-17
  - for children less than 4 years, 27, 102-107
  - chronic disease risk reduction
    - approach, 22, 24, 29, 36, 120, 123
  - composite RNI, 36
  - consumer understanding and use of, 25, 26, 37, 39, 40-44, 60, 149-152
  - current status of, 16, 26-35, 37-40
  - Daily Reference Values, 14, 23-26, 38, 81, 114, 116
  - deficiency disease prevention, 21, 75-76, 123
  - on dietary supplements, 17, 20, 23, 28, 30-33, 108-109, 110, 112
  - DRI applications, 2, 4, 14, 75
  - energy values, 27, 35, 39, 97-101, 193
  - on FDA-regulated products, 1, 14, 20, 23, 26, 27-31
  - First Amendment considerations, 31
  - and food formulation, 25, 121
  - fortification issues, 20, 25, 27, 35, 47, 110, 121-122, 138-139
  - of FSIS-regulated products, 33-35
  - guiding principles, 4-8, 16, 35, 80-109
  - health claims, 16, 26, 27, 29-31, 33, 34-35, 36, 39-40, 112, 114, 116, 117-121
  - of infant and toddler foods, 102-107
  - ingredient lists, 20, 29, 33
  - legislation and regulations, 1, 18-20, 23, 25, 34
  - for life-stage specific products, 81-82, 102-109
  - macronutrients, 21-22, 23, 24, 27-29, 35, 36, 37-38, 39, 41, 42, 44, 76, 94-95, 98, 99-101, 103, 104, 105, 117, 121
  - mandatory, 1-2, 23, 24, 36
  - milestones, 1, 19
  - minerals, 21, 22, 26
  - Minimum Daily Requirements, 13, 20
  - nutrient content claims, 26, 27, 29, 33, 36, 39, 112, 114, 116-117, 138-139
  - nutrient density index, 36, 99
  - overages, 121-122
  - for pregnancy and lactation, 107-108
  - purpose, 40
  - RDA-based, 2, 14, 38, 52
  - Recommended Daily Intakes, 36, 44
  - Recommended Nutrient Intakes, 14, 36
  - Reference Amounts, 39
  - Reference Daily Intakes, 23-26, 38, 81
  - reference values in Canada, 2, 14, 35-40, 44, 174-178
  - reference values in United States, 1, 2, 13, 14, 18-35, 173, 193; *see also* Population-weighted reference value
  - reports and recommendations, 1, 22-23
  - representative population, 81
  - research recommendations, 11-12, 151-152
  - reviews and revisions to, 123, 149-150
  - scientific basis for, 79-80
  - serving size, 39, 108, 150
  - structure/function claims, 26, 29, 33
  - sugars and added sugars, 27, 95-97
  - UL considerations, 109-110
  - units of quantity for micronutrients, 113-114, 115

US RDAs, 13, 21-23, 24, 25-26, 40, 75, 80  
 vitamins, 21, 22, 26  
 voluntary, 27, 35-36  
 Weighted Recommended Nutrient  
 Intake, 39-40  
 Nutrition Labeling and Education Act, 1,  
 23, 25, 26, 29, 30, 31, 33, 40, 47, 80,  
 98, 111

## O

Osteoporosis, 120  
 Overweight and obesity, 13, 52, 74, 94, 95,  
 97, 98, 113, 124, 149-150

## P

Pantothenic acid, 21, 22, 36, 92, 107, 115,  
 116, 118-119, 127, 146, 175, 183,  
 189, 193  
 Phosphorus, 21, 22, 36, 107, 115, 118-119,  
 173, 174, 177, 178, 181, 185, 191,  
 193  
 Physical activity, 71  
 Population-weighted reference value  
 AIs as basis for, 5, 6, 7-8, 82, 91-93,  
 106, 108, 116, 175  
 AMDRs as basis for, 5, 6, 82, 91-92, 93-  
 95, 116-117, 176  
 calculation examples, 85-89, 172-178  
 with Canadian population figures, 174  
 combining subpopulation  
 distributions, 84-85  
 current Daily Values compared, 118-  
 119  
 EAR as basis for, 5, 6, 7-8, 75-76, 82-91,  
 94, 106, 108, 116, 173, 177, 178  
 implications of changes, 114-122  
 margin of safety in, 109-110  
 RDA and, 83-84, 89-91  
 for supplements, 8, 109  
 with U.S. population figures, 174  
 Potassium, 24, 35, 38, 39, 103, 104, 105,  
 115, 120, 193  
 Poultry Products Inspection Act of 1957,  
 20, 34  
 Pregnant and lactating women, 69, 71-72,  
 177-178  
 adolescents, 107, 108

discretionary fortification, 137  
 labeling of foods for, 107-108, 177, 178  
 research needs, 146  
 and ULs, 16  
 Prevalence of inadequate intakes  
 assessment of, 126-128  
 and fortification of foods and, 8, 9,  
 125, 126-131, 136, 147-148  
 and health risks, 129-130  
 magnitude of estimates, 128  
 reliability and validity of estimates, 128-  
 129  
 Protein, dietary, 21, 24, 27, 30, 35, 39, 52,  
 63, 64, 69, 94, 95, 98, 103-104, 105,  
 106, 113, 116-117, 120, 121, 127,  
 186, 187, 193  
 Protein digestibility-corrected amino acid  
 scores, 116-117  
 Puberty, 70-71, 73

## R

Recommended Daily Intakes (Canada), 36  
 Recommended Daily Intakes (U.S.), 24,  
 36, 44  
*Recommended Dietary Allowances* (reports),  
 22, 24, 56, 58, 68  
 Recommended Dietary Allowances  
 (RDAs)  
 AIs compared, 66  
 CV, 63, 84, 85, 89  
 Daily Values on food labels based on,  
 2, 13, 14, 52, 83-84, 89, 103  
 defined, 3, 61, 62, 84  
 derivation, 62-65, 66  
 and EAR, 62, 63, 64, 66, 89-91  
 on food labels, 2, 14, 38, 52  
 inappropriate applications, 58, 62, 68-69  
 for nonnormally distributed  
 requirements, 64-65  
 for normally distributed requirements,  
 63, 83  
 by nutrient and life-stage group, 182-187  
 population-adjusted mean, 24-25  
 and population-weighted reference  
 value, 83-84, 89-91  
 replacement with DRIs, 2  
 revision, 57  
 US RDAs derived from, 2, 21-22, 24  
 uses, 62, 63, 66

Recommended Intakes for Individuals  
 elements, 164-185  
 macronutrients, 186-187, 192  
 vitamins, 181-183

Recommended Nutrient Intakes  
 (Canada), 2, 14, 36, 39-40, 56, 57,  
 58, 68, 144

Reference Daily Intakes, 23-26, 38, 81

Reference heights and weights, 72-74, 75, 92

Research and data support  
 recommendations  
 consumer use of nutrition labels, 11-  
 12, 146, 149-152  
 food composition and dietary  
 supplement databases, 11, 145-146,  
 148-149  
 fortification impacts, 11, 145, 147-148  
 nutrient requirement determinations,  
 11, 145, 146  
 UL biological endpoints, 11, 145, 146-  
 147

Riboflavin, 21, 36, 46, 86, 88, 115, 118-119,  
 173, 174, 177, 178, 180, 183, 189,  
 193

Rickets, 52, 53-54

Risk of excess nutrient intakes, 67, 138

Roosevelt, Franklin, 46

## S

Saturated fatty acids, 27, 39, 98, 99-101,  
 103, 104, 105, 117, 121, 192, 193

Selenium, 118-119, 146, 173, 174, 177,  
 178, 181, 185, 191, 193

Senate Select Committee on Nutrition  
 and Human Needs, 22

Serving size, 39, 108, 150

Silicon, 191

Sodium, 24, 35, 38, 39, 103, 104, 105, 113,  
 115, 120, 193

Special purpose foods, 143-144

Special Supplemental Nutrition Program  
 for Women, Infants and Children,  
 143

Standards of identity, 4, 45, 46, 47, 49, 50,  
 55

Structure/function claims, 26, 29, 33

Subgroups and special populations, 77,  
 84-85, 89, 125

Substitute foods, 144

Sugars and added sugars, 27, 48, 95-97,  
 149, 192

Supplement Facts box, 8, 31-33, 108-109,  
 110, 111, 112, 151; *see also* Dietary  
 supplements

*Surgeon General's Report on Nutrition and  
 Health*, 1, 22, 24

## T

Temporary marketing authorization, 135

Therapeutic Lifestyle Change diet, 100

Thiamin, 21, 36, 46, 50, 115, 118-119, 134,  
 173, 174, 177, 178, 180, 182, 188,  
 193

Toddlers (ages 1-3), 70, 78  
 comparison of nutrient reference  
 values, 105  
 labeling of foods manufactured for,  
 27, 102-107  
 margin of safety for fortified foods and  
 supplements, 109-110

Tolerable Upper Intake Levels (ULs)  
 biological endpoints, 146-147  
 defined, 3, 66, 131, 140  
 derivation of, 67  
 fortification issues, 15-16, 17, 67, 78,  
 131, 140-143, 147  
 labeling issues, 109-110  
 by nutrient and life-stage group, 188-191  
 rationale for, 58, 77, 124, 131  
 research recommendations, 146-147  
 risk assessment framework, 131  
 supplement use and, 78, 109-110, 146-  
 147  
 vulnerable populations, 15-16, 17, 77

*Trace Elements in Human Nutrition and  
 Health*, 62

*Trans* fatty acids, 27-29, 37-38, 39, 92, 99-  
 101, 104, 105, 127, 146, 150-151,  
 176, 186, 187, 192

## U

United Kingdom, Dietary Reference  
 Values, 57, 58

United States  
 consumer research in, 40-41  
 Department of Agriculture, 4, 14, 20,  
 22; *see also* Food Safety and  
 Inspection Service



- Department of Health and Human Services, 4, 14; *see also* Food and Drug Administration
- Department of Health, Education, and Welfare, 22
- fortification policy, 45-51, 55, 124; *see also* Discretionary fortification
- nutrition labeling in, 13, 18-35, 40-41, 102-104, 173, 193
- reference values for nutrients, 1, 2, 13, 14, 18-35, 173, 193; *see also* Daily Values; Population-weighted reference value
- Surgeon General, 22
- U.S. Recommended Daily Allowances, 13, 21-23, 24, 25-26, 40, 75, 80
- V**
- Vanadium, 191
- Vitamin A, 16, 21, 30, 36, 49, 52, 78, 85, 89, 104, 105, 106, 110, 114, 115, 116, 118-119, 120, 130, 137, 141, 173, 174, 177, 178, 180, 182, 188, 193
- Vitamin B<sub>6</sub>, 21, 36, 115, 146-147, 180, 183, 189, 193
- Vitamin B<sub>12</sub>, 21, 36, 115, 116, 118-119, 173, 174, 177, 178, 181, 183, 189, 193
- Vitamin C, 21, 30, 36, 50, 52, 104, 105, 106, 115, 116, 118-119, 120, 137-138, 146, 173, 174, 177, 178, 180, 182, 188, 193
- Vitamin D, 21, 36, 39, 46, 49, 53-54, 92, 105, 106, 107, 114, 115, 116, 118-119, 136-137, 141-142, 146, 175, 182, 188, 193
- Vitamin E, 21, 36, 86, 87, 114, 115, 116, 118-119, 146, 173, 174, 177, 178, 180, 182, 188, 193
- Vitamin K, 92, 115, 116, 118-119, 127, 146, 175, 182, 188, 193
- Vulnerable populations, 15-16, 17, 77, 89, 125, 143-144
- W**
- War Food Order, 47
- Weighted Recommended Nutrient Intake, 39-40
- White House Conference on Food, Nutrition, and Health, 1, 21, 49
- Wholesome Meat Act of 1967, 20
- Wholesome Poultry Products Act of 1968, 20
- World Health Organization, 62
- World War II, 46-47
- Z**
- Zinc, 16, 21, 36, 69, 78, 105, 106, 110, 115, 118-119, 173, 174, 177, 178, 181, 185, 191, 193

