

INTEGRATED SEQUENCE FOR JST A021F JSX B023F/B024F WEEK 29 DOY 95-198/00:00 - 95-205/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
1	198 00:00:00	31				VGR-31 OWLT IS 08H 14M 28S					1L
2	198 00:00:00	32				VGR-32 OWLT IS 06H 17M 24S					2L
3	198 00:45:00	32	61 LOS	OPCH ACE		LOS DSS-61 PASS-6446					2DP
4	198 02:15:00	31	12 AOS	OPCH ACE		AOS DSS-12 PASS-6542 (D/L ONLY)					1DP
5	198 02:25:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6541					1DP
6	198 02:44:22	31	60 SET			10 DEGREE SET DSC-60					1V
7	198 05:39:38	32	10RISE			10 DEGREE RISE DSC-10					2V
8	198 06:00:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6558 (D/L ONLY)					2DP
9	198 06:25:11	32	40RISE			10 DEGREE RISE DSC-40					2V
10	198 06:38:42	31	40RISE			10 DEGREE RISE DSC-40					1V
11	198 09:00:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6542 (D/L ONLY)					1DP
12	198 09:09:51	32	10 SET			10 DEGREE SET DSC-10					2V
13	198 09:15:00	31	12 LOS	OPCH ACE		LOS DSS-12 PASS-6542					1DP
14	198 10:38:06	31	10 SET			10 DEGREE SET DSC-10					1V
15	198 12:00:00	31				VGR-31 OWLT IS 08H 14M 33S					1L
16	198 12:00:00	32				VGR-32 OWLT IS 06H 17M 26S					2L
17	198 14:00:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-6542					1DP
18	198 15:32:47	31	60RISE			10 DEGREE RISE DSC-60					1V
19	198 15:39:57	31	40 SET			10 DEGREE SET DSC-40					1V
20	198 16:02:54	32				BEGIN SEQUENCE B024 -- LOCK STAR			10421:30:001F	198 09:42:23.774	2T
21	198 17:00:00	31	61 AOS	OPCH ACE		AOS DSS-61 PASS-6542 (U/L PASS)					1DP
22	198 18:40:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-6558 (D/L ONLY)					2DP
23	198 18:55:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6558					2DP

INTEGRATED SEQUENCE FOR JST A021F JSX B023F/B024F WEEK 29 DOY 95-198/00:00 - 95-205/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
24	198 20:45:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-6558					2DP
25	198 20:55:14	32	40 SET			10 DEGREE SET DSC-40					2V
26	198 22:15:00	32	65 AOS	OPCH ACE		AOS DSS-65 PASS-6446 (D/L ONLY)					2DP
27	198 23:05:38	31	10RISE			10 DEGREE RISE DSC-10					1V
28	199 00:00:00	31				VGR-31 OWLT IS 08H 14M 38S					1L
29	199 00:00:00	32				VGR-32 OWLT IS 06H 17M 29S					2L
30	199 00:25:00	31	12 AOS	OPCH ACE		AOS DSS-12 PASS-6543 (D/L ONLY)					1DP
31	199 00:40:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6542					1DP
32	199 01:20:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-6446					2DP
33	199 02:40:26	31	60 SET			10 DEGREE SET DSC-60					1V
34	199 05:35:42	32	10RISE			10 DEGREE RISE DSC-10					2V
35	199 05:38:09	32			AC7SSB	(3 -015) SS BIAS CONTROL - PITCH	AACS		10438:29:002F	198 23:17:35.861	2ECa
36	199 05:55:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6559 (D/L ONLY)					2DP
37	199 06:21:07	32	40RISE			10 DEGREE RISE DSC-40					2V
38	199 06:34:43	31	40RISE			10 DEGREE RISE DSC-40					1V
39	199 08:15:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6543 (D/L ONLY)					1DP
40	199 08:30:00	31	12 LOS	OPCH ACE		LOS DSS-12 PASS-6543					1DP
41	199 09:05:43	32	10 SET			10 DEGREE SET DSC-10					2V
42	199 10:20:22	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
43	199 10:20:22	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
44	199 10:21:10	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf

INTEGRATED SEQUENCE FOR JST A021F JSX B023F/B024F WEEK 29 DOY 95-198/00:00 - 95-205/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
45	199 10:21:10	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
46	199 10:24:34	32				BEGIN PWSREC			10444:27:001F	199 04:03:59.774	2T
47	199 10:24:34	32				B- DRGS4B			10444:27:001F	199 04:03:59.774	2TB
48	199 10:24:34	32			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		10444:27:009F	199 04:04:00.248	2ECF
49	199 10:25:18	32				BEGIN RECORDING PWS DATA			10444:27:734F	199 04:04:43.774	2T
50	199 10:25:18	32			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		10444:27:734F	199 04:04:43.795	2ECd
51	199 10:25:18	32				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:5 TIC:0846	DTR		10444:27:734F	199 04:04:43.795	2ESd
52	199 10:25:22	32		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PB/FDS11 SA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	10444:28:001F	199 04:04:47.768	2ESF
53	199 10:25:22	32			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		10444:28:002F	199 04:04:47.828	2ECs
54	199 10:25:23	32				B- DRCRUS			10444:28:018F	199 04:04:48.774	2TB
55	199 10:25:23	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		10444:28:025F	199 04:04:49.208	2ECf

INTEGRATED SEQUENCE FOR JST A021F JSX B023F/B024F WEEK 29 DOY 95-198/00:00 - 95-205/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
56	199 10:26:10	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	10444:29:001F	199 04:05:35.768	2ESf
57	199 10:26:10	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		10444:29:001F	199 04:05:35.798	2ECd
58	199 10:26:10	32				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:1136	DTR		10444:29:001F	199 04:05:35.798	2ESd
59	199 10:26:10	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		10444:29:002F	199 04:05:35.854	2ECs
60	199 10:26:11	32				END PWSREC			10444:29:018F	199 04:05:36.774	2T
61	199 10:34:07	31	10 SET			10 DEGREE SET DSC-10					1V
62	199 10:51:54	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
63	199 10:51:54	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
64	199 10:52:42	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
65	199 10:52:42	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
66	199 10:55:18	31				BEGIN PWSREC.31			16587:39:001F	95-199/02:40:35	1T
67	199 10:55:18	31			SC32AJ	(10) PLS CONFIG CMD	FDS		16587:39:009F	95-199/02:40:36	1ECf
68	199 10:56:06	31				B- DRGS4B			16587:40:001F	95-199/02:41:23	1TB

INTEGRATED SEQUENCE FOR JST A021F JSX B023F/B024F WEEK 29 DOY 95-198/00:00 - 95-205/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
69	199 10:56:06	31			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		16587:40:009F	95-199/02:41:24	1ECf
70	199 10:56:50	31				BEGIN RECORDING PWS DATA			16587:40:734F	95-199/02:42:07	1T
71	199 10:56:50	31			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		16587:40:734F	95-199/02:42:07	1ECd
72	199 10:56:50	31				DTR STATUS MODE:REC RATE:115.2K DIR:R TRK:4 TIC:1745	DTR		16587:40:734F	95-199/02:42:07	1ESd
73	199 10:56:54	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	16587:41:001F	95-199/02:42:11	1ESf
74	199 10:56:54	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		16587:41:001F	95-199/02:42:11	1ECs
75	199 10:56:55	31				B- DRCRUS			16587:41:018F	95-199/02:42:12	1TB
76	199 10:56:55	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		16587:41:025F	95-199/02:42:13	1ECf
77	199 10:57:42	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	16587:42:001F	95-199/02:42:59	1ESf
78	199 10:57:42	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		16587:42:001F	95-199/02:42:59	1ECd

INTEGRATED SEQUENCE FOR JST A021F JSX B023F/B024F WEEK 29 DOY 95-198/00:00 - 95-205/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
79	199 10:57:42	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:4 TIC:1453	DTR		16587:42:001F	95-199/02:42:59	1ESd
80	199 10:57:42	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		16587:42:002F	95-199/02:43:00	1ECs
81	199 10:58:30	31			SC32AJ	(11) PLS CONFIG CMD	FDS		16587:43:009F	95-199/02:43:48	1ECF
82	199 10:58:31	31				END PWSREC.31			16587:43:018F	95-199/02:43:48	1T
83	199 11:55:47	32			AC7SSB	(4 +168) SS BIAS CONTROL --- YAW	AACS		10446:21:002F	199 05:35:11.872	2ECa
84	199 12:00:00	31				VGR-31 OWLT IS 08H 14M 43S					1L
85	199 12:00:00	32				VGR-32 OWLT IS 06H 17M 32S					2L
86	199 13:55:00	31	42	LOS	OPCH ACE	LOS DSS-42 PASS-6543					1DP
87	199 15:25:00	31	65	AOS	OPCH ACE	AOS DSS-65 PASS-6543 (D/L ONLY)					1DP
88	199 15:28:50	31			60RISE	10 DEGREE RISE DSC-60					1V
89	199 15:36:00	31			40 SET	10 DEGREE SET DSC-40					1V
90	199 18:35:00	32	43	AOS	OPCH ACE	AOS DSS-43 PASS-6559 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
91	199 18:50:00	32	45	LOS	OPCH ACE	LOS DSS-45 PASS-6559					2DP
92	199 20:45:00	32	43	LOS	OPCH ACE	LOS DSS-43 PASS-6559					2DP
93	199 20:51:14	32			40 SET	10 DEGREE SET DSC-40					2V
94	199 21:30:00	31	65	LOS	OPCH ACE	LOS DSS-65 PASS-6543					1DP
95	199 22:15:00	32	65	AOS	OPCH ACE	AOS DSS-65 PASS-6446 (D/L ONLY)					2DP
96	199 22:37:47	31			AC7SSB	(3 +009) SS BIAS CONTROL - PITCH	AACS		16602:17:002F	95-199/14:23:00	1ECa
97	199 23:01:40	31			10RISE	10 DEGREE RISE DSC-10					1V

INTEGRATED SEQUENCE FOR JST A021F JSX B023F/B024F WEEK 29 DOY 95-198/00:00 - 95-205/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
98	200 00:00:00	31				VGR-31 OWLT IS 08H 14M 48S					1L
99	200 00:00:00	32				VGR-32 OWLT IS 06H 17M 35S					2L
100	200 00:20:00	31	12 AOS	OPCH ACE		AOS DSS-12 PASS-6544 (D/L ONLY)					1DP
101	200 01:20:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-6446					2DP
102	200 02:36:29	31	60 SET			10 DEGREE SET DSC-60					1V
103	200 03:00:01	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
104	200 03:00:01	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
105	200 03:00:13	31				BEGIN PMPCALLR			16607:45:001F	95-199/18:45:23	1T
106	200 03:04:13	31				B- DRCR5T			16607:50:001F	95-199/18:49:23	1TB
107	200 03:04:13	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		16607:50:009F	95-199/18:49:24	1ECf
108	200 03:05:01	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	16607:51:001F	95-199/18:50:11	1ESf
109	200 03:05:01	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		16607:51:001F	95-199/18:50:11	1ECs
110	200 03:11:25	31			SC06BY	(7) FDS PLS/MAG/PESCAL FLAG PLSCAL ENABLED MAGCAL ENABLED PESCAL ENABLED	FDS		16607:59:009F	95-199/18:56:36	1ECf
111	200 03:12:13	31				BEGIN PLS/MAG/PESCAL			16608:00:001F	95-199/18:57:23	1T

INTEGRATED SEQUENCE FOR JST A021F JSX B023F/B024F WEEK 29 DOY 95-198/00:00 - 95-205/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
112	200 04:54:38	31				END PLSCAL			16610:08:001F	95-199/20:39:47	1T
113	200 05:31:45	32	10RISE			10 DEGREE RISE DSC-10					2V
114	200 05:50:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6560 (D/L ONLY)					2DP
115	200 06:14:39	31				END MAGCAL			16611:48:001F	95-199/21:59:47	1T
116	200 06:17:04	32	40RISE			10 DEGREE RISE DSC-40					2V
117	200 06:28:03	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
118	200 06:28:03	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
119	200 06:30:44	31	40RISE			10 DEGREE RISE DSC-40					1V
120	200 06:32:15	31				END PESCAL			16612:10:001F	95-199/22:17:23	1T
121	200 06:32:15	31				B- DRCRUS			16612:10:001F	95-199/22:17:23	1TB
122	200 06:32:15	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		16612:10:009F	95-199/22:17:24	1ECf
123	200 06:33:03	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	16612:11:001F	95-199/22:18:11	1ESf
124	200 06:33:03	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		16612:11:001F	95-199/22:18:11	1ECs
125	200 06:33:04	31				END PMPCALLR			16612:11:018F	95-199/22:18:12	1T
126	200 09:01:36	32	10 SET			10 DEGREE SET DSC-10					2V
127	200 09:10:00	31	12 LOS	OPCH ACE		LOS DSS-12 PASS-6544					1DP



INTEGRATED SEQUENCE FOR JST A021F JSX B023F/B024F WEEK 29 DOY 95-198/00:00 - 95-205/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
128	200 10:00:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6544 (D/L ONLY)					1DP
129	200 10:30:08	31	10 SET			10 DEGREE SET DSC-10					1V
130	200 12:00:00	31				VGR-31 OWLT IS 08H 14M 53S					1L
131	200 12:00:00	32				VGR-32 OWLT IS 06H 17M 37S					2L
132	200 13:50:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-6544					1DP
133	200 15:20:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6544 (D/L ONLY)					1DP
134	200 15:24:53	31	60RISE			10 DEGREE RISE DSC-60					1V
135	200 15:32:03	31	40 SET			10 DEGREE SET DSC-40					1V
136	200 20:47:14	32	40 SET			10 DEGREE SET DSC-40					2V
137	200 21:10:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6560					2DP
138	200 22:50:00	32	61 AOS	OPCH ACE		AOS DSS-61 PASS-6446 (D/L ONLY)					2DP
139	200 22:57:43	31	10RISE			10 DEGREE RISE DSC-10					1V
140	201 00:00:00	31				VGR-31 OWLT IS 08H 14M 58S					1L
141	201 00:00:00	32				VGR-32 OWLT IS 06H 17M 40S					2L
142	201 00:15:00	31	12 AOS	OPCH ACE		AOS DSS-12 PASS-6545 (D/L ONLY)					1DP
143	201 00:30:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6544					1DP
144	201 00:35:00	32	61 LOS	OPCH ACE		LOS DSS-61 PASS-6446					2DP
145	201 02:32:32	31	60 SET			10 DEGREE SET DSC-60					1V
146	201 05:27:49	32	10RISE			10 DEGREE RISE DSC-10					2V
147	201 05:45:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6561 (D/L ONLY)					2DP
148	201 06:11:25	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf





INTEGRATED SEQUENCE FOR JST A021F JSX B023F/B024F WEEK 29 DOY 95-198/00:00 - 95-205/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
183	201 10:06:02	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	16646:37:001F	95-201/01:50:59	1ESf
184	201 10:06:02	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		16646:37:001F	95-201/01:50:59	1ECs
185	201 10:10:00	31	14 LOS	OPCH ACE		LOS DSS-14 PASS-6545					1DP
186	201 10:26:09	31	10 SET			10 DEGREE SET DSC-10					1V
187	201 12:00:00	31				VGR-31 OWLT IS 08H 15M 03S					1L
188	201 12:00:00	32				VGR-32 OWLT IS 06H 17M 43S					2L
189	201 15:15:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6545 (D/L ONLY)					1DP
190	201 15:20:55	31	60RISE			10 DEGREE RISE DSC-60					1V
191	201 15:28:05	31	40 SET			10 DEGREE SET DSC-40					1V
192	201 16:46:23	32			AC7SSB	(4 +169) SS BIAS CONTROL --- YAW	AACS		10512:24:002F	201 10:25:35.872	2ECa
193	201 18:25:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-6561 (D/L ONLY)					2DP
194	201 18:40:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6561					2DP
195	201 20:35:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-6561					2DP
196	201 20:43:14	32	40 SET			10 DEGREE SET DSC-40					2V
197	201 21:10:07	31			AC7SSB	(4 +132) SS BIAS CONTROL --- YAW	AACS		16660:27:003F	95-201/12:55:00	1ECa
198	201 22:45:00	32	61 AOS	OPCH ACE		AOS DSS-61 PASS-6446 (D/L ONLY)					2DP
199	201 22:53:45	31	10RISE			10 DEGREE RISE DSC-10					1V
200	202 00:00:00	31				VGR-31 OWLT IS 08H 15M 08S					1L
201	202 00:00:00	32				VGR-32 OWLT IS 06H 17M 46S					2L
202	202 00:30:00	32	61 LOS	OPCH ACE		LOS DSS-61 PASS-6446					2DP

INTEGRATED SEQUENCE FOR JST A021F JSX B023F/B024F WEEK 29 DOY 95-198/00:00 - 95-205/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
203	202 01:45:00	31	12 AOS	OPCH ACE		AOS DSS-12 PASS-6546 (D/L ONLY)					1DP
204	202 02:00:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6545					1DP
205	202 02:28:35	31	60 SET			10 DEGREE SET DSC-60					1V
206	202 05:23:52	32	10RISE			10 DEGREE RISE DSC-10					2V
207	202 05:40:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6562 (D/L ONLY)					2DP
208	202 06:08:57	32	40RISE			10 DEGREE RISE DSC-40					2V
209	202 06:22:45	31	40RISE			10 DEGREE RISE DSC-40					1V
210	202 08:45:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6546 (D/L ONLY)					1DP
211	202 08:53:21	32	10 SET			10 DEGREE SET DSC-10					2V
212	202 09:00:00	31	12 LOS	OPCH ACE		LOS DSS-12 PASS-6546					1DP
213	202 10:22:10	31	10 SET			10 DEGREE SET DSC-10					1V
214	202 12:00:00	31				VGR-31 OWLT IS 08H 15M 14S					1L
215	202 12:00:00	32				VGR-32 OWLT IS 06H 17M 49S					2L
216	202 13:40:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-6546					1DP
217	202 15:10:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6546 (D/L ONLY)					1DP
218	202 15:16:58	31	60RISE			10 DEGREE RISE DSC-60					1V
219	202 15:24:08	31	40 SET			10 DEGREE SET DSC-40					1V
220	202 16:15:17	32			AC7SSB	(3 -016) SS BIAS CONTROL - PITCH	AACS		10541:45:003F	202 09:54:23.892	2ECa
221	202 18:20:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-6562 (D/L ONLY)					2DP
222	202 18:35:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6562					2DP
223	202 20:30:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-6562					2DP
224	202 20:39:14	32	40 SET			10 DEGREE SET DSC-40					2V
225	202 22:40:00	32	61 AOS	OPCH ACE		AOS DSS-61 PASS-6446 (D/L ONLY)					2DP

INTEGRATED SEQUENCE FOR JST A021F JSX B023F/B024F WEEK 29 DOY 95-198/00:00 - 95-205/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
226	202 22:49:48	31	10RISE			10 DEGREE RISE DSC-10					1V
227	203 00:00:00	31				VGR-31 OWLT IS 08H 15M 19S					1L
228	203 00:00:00	32				VGR-32 OWLT IS 06H 17M 52S					2L
229	203 00:10:00	31	12 AOS	OPCH ACE		AOS DSS-12 PASS-6547 (D/L ONLY)					1DP
230	203 00:25:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6546					1DP
231	203 00:25:00	32	61 LOS	OPCH ACE		LOS DSS-61 PASS-6446					2DP
232	203 02:24:39	31	60 SET			10 DEGREE SET DSC-60					1V
233	203 02:25:32	31			AC7SSB	(3 +010) SS BIAS CONTROL - PITCH	AACS		16697:01:002F	95-202/18:10:12	1ECa
234	203 05:19:56	32	10RISE			10 DEGREE RISE DSC-10					2V
235	203 05:40:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6563 (D/L ONLY)					2DP
236	203 06:04:53	32	40RISE			10 DEGREE RISE DSC-40					2V
237	203 06:18:46	31	40RISE			10 DEGREE RISE DSC-40					1V
238	203 07:55:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6547 (U/L PASS)					1DP
239	203 08:10:00	31	12 LOS	OPCH ACE		LOS DSS-12 PASS-6547					1DP
240	203 08:49:14	32	10 SET			10 DEGREE SET DSC-10					2V
241	203 10:18:11	31	10 SET			10 DEGREE SET DSC-10					1V
242	203 12:00:00	31				VGR-31 OWLT IS 08H 15M 24S					1L
243	203 12:00:00	32				VGR-32 OWLT IS 06H 17M 55S					2L
244	203 13:00:00	31	42	OPCH 42		== START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS ==					1TD
245	203 13:00:00	31	42	OPCH 42		== TLC TEST UP-LINK == TURN RANGING MOD OFF (IF APPL)					1TD

INTEGRATED SEQUENCE FOR JST A021F JSX B023F/B024F WEEK 29 DOY 95-198/00:00 - 95-205/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
246	203 13:01:00	31	42	OPCH 42		== TLC TEST UP-LINK == TURN COMMAND MOD OFF (IF APPL) NO COMMANDING FOR 1 HR 56 MIN					1TD
247	203 13:02:00	31	42	OPCH 42		== TLC TEST UP-LINK == == TUNE U/L AT 48 HZ/SEC == == TO XA-65 KHZ (S-BAND) ==					1TD
248	203 13:27:00	31	42	OPCH 42		== END TLC TEST UP-LINK == == TURN TRANSMITTER OFF == TUNE TO TSF @ 48 HZ/SEC (S-BAND)					1TD
249	203 13:40:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-6547					1DP
250	203 15:13:01	31	60RISE			10 DEGREE RISE DSC-60					1V
251	203 15:20:11	31	40 SET			10 DEGREE SET DSC-40					1V
252	203 15:25:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6547 (D/L ONLY)					1DP
253	203 20:35:14	32	40 SET			10 DEGREE SET DSC-40					2V
254	203 21:00:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6563					2DP
255	203 21:37:00	32			AC7SSB	(4 +170) SS BIAS CONTROL --- YAW	AACS		10578:27:002F	203 15:15:59.877	2ECa
256	203 22:35:00	32	61 AOS	OPCH ACE		AOS DSS-61 PASS-6446 (D/L ONLY)					2DP
257	203 22:45:51	31	10RISE			10 DEGREE RISE DSC-10					1V
258	204 00:00:00	31				VGR-31 OWLT IS 08H 15M 29S					1L
259	204 00:00:00	32				VGR-32 OWLT IS 06H 17M 58S					2L
260	204 00:20:00	32	61 LOS	OPCH ACE		LOS DSS-61 PASS-6446					2DP
261	204 00:30:00	31	12 AOS	OPCH ACE		AOS DSS-12 PASS-6548 (D/L ONLY)					1DP
262	204 00:45:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6547					1DP

INTEGRATED SEQUENCE FOR JST A021F JSX B023F/B024F WEEK 29 DOY 95-198/00:00 - 95-205/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
263	204 02:20:42	31	60	SET		10 DEGREE SET DSC-60					1V
264	204 05:15:59	32	10	RISE		10 DEGREE RISE DSC-10					2V
265	204 05:35:00	32	45	AOS	OPCH ACE	AOS DSS-45 PASS-6564 (D/L ONLY)					2DP
266	204 05:57:44	31				B- RFSTLC			16731:26:001F	95-203/21:42:11	1TB
267	204 05:58:00	31	12		OPCH 12	== START TLC TEST DOWN-LINK ==					1TD
268	204 06:00:50	32	40	RISE		10 DEGREE RISE DSC-40					2V
269	204 06:14:46	31	40	RISE		10 DEGREE RISE DSC-40					1V
270	204 06:59:00	31	12		OPCH 12	== END TLC TEST DOWN-LINK ==					1TD
271	204 08:15:00	31	42	AOS	OPCH ACE	AOS DSS-42 PASS-6548 (D/L ONLY)					1DP
272	204 08:30:00	31	12	LOS	OPCH ACE	LOS DSS-12 PASS-6548					1DP
273	204 08:45:07	32	10	SET		10 DEGREE SET DSC-10					2V
274	204 10:14:12	31	10	SET		10 DEGREE SET DSC-10					1V
275	204 12:00:00	31				VGR-31 OWLT IS 08H 15M 34S					1L
276	204 12:00:00	32				VGR-32 OWLT IS 06H 18M 01S					2L
277	204 13:35:00	31	42	LOS	OPCH ACE	LOS DSS-42 PASS-6548					1DP
278	204 15:05:00	31	65	AOS	OPCH ACE	AOS DSS-65 PASS-6548 (D/L ONLY)					1DP
279	204 15:09:04	31	60	RISE		10 DEGREE RISE DSC-60					1V
280	204 15:16:14	31	40	SET		10 DEGREE SET DSC-40					1V
281	204 18:10:00	32	43	AOS	OPCH ACE	AOS DSS-43 PASS-6564 (D/L ONLY)					2DP
282	204 18:25:00	32	45	LOS	OPCH ACE	LOS DSS-45 PASS-6564					2DP
283	204 20:25:00	32	43	LOS	OPCH ACE	LOS DSS-43 PASS-6564					2DP



INTEGRATED SEQUENCE FOR JST A021F JSX B023F/B024F WEEK 29 DOY 95-198/00:00 - 95-205/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
284	204 20:31:14	32	40 SET			10 DEGREE SET DSC-40					2V
285	204 22:35:00	32	61 AOS	OPCH ACE		AOS DSS-61 PASS-6446 (D/L ONLY)					2DP
286	204 22:41:54	31	10RISE			10 DEGREE RISE DSC-10					1V
287	205 00:00:00	31				VGR-31 OWLT IS 08H 15M 40S					1L
288	205 00:00:00	32				VGR-32 OWLT IS 06H 18M 04S					2L