



INTEGRATED FLIGHT SOE

WEEK 30

SEQUENCE ID A068/B140 DATE OF RELEASE July 16, 2008

EXECUTION PERIOD 07/21/08 to 07/27/08 (08-203 to 08-209)

INTEGRATED SEQUENCE FOR JST A068F JSX B140F WEEK 30 DOY 08-203/00:00 - 08-210/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
1	203 00:00:00	31				VGR-31 OWLT IS 14H 44M 22S					1L
2	203 00:00:00	31	63 AOS	OPCH ACE		AOS DSS-63 PASS-1307 (D/L ONLY)					1DP
3	203 00:00:00	31				CFG CODES					1DP
4	203 00:00:00	32				VGR-32 OWLT IS 11H 52M 04S					2L
5	203 00:20:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-1307					1DP
6	203 01:45:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-1307					1DP
7	203 02:35:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-1308 (D/L ONLY)					1DP
8	203 02:35:00	31				CFG CODES					1DP
9	203 02:46:14	31	60 SET			15.5 DEGREE SET DSC-60					1V
10	203 05:25:09	32	40RISE			10.2 DEGREE RISE DSC-40					2V
11	203 06:40:25	31	40RISE			10.2 DEGREE RISE DSC-40					1V
12	203 09:30:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-1308					1DP
13	203 10:39:56	31	10 SET			10.2 DEGREE SET DSC-10					1V
14	203 12:00:00	31				VGR-31 OWLT IS 14H 44M 27S					1L
15	203 12:00:00	32				VGR-32 OWLT IS 11H 52M 07S					2L
16	203 12:49:04	31			AC7SSB	(3 +007) SS BIAS CONTROL - PITCH	AACS		28069:54:003F	08-202/22:04:36	1ECa
17	203 15:34:34	31	60RISE			10.2 DEGREE RISE DSC-60					1V
18	203 15:35:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-1324 (D/L ONLY)					2DP
19	203 15:35:00	32				CFG CODES					2DP
20	203 15:41:51	31	40 SET			10.2 DEGREE SET DSC-40					1V
21	203 18:20:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-1308 (D/L ONLY)					1DP

INTEGRATED SEQUENCE FOR JST A068F JSX B140F WEEK 30 DOY 08-203/00:00 - 08-210/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
22	203 18:20:00	31				CFG CODES					1DP
23	203 19:45:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-1324					2DP
24	203 20:50:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-1308					1DP
25	203 22:26:25	32	40 SET			10.2 DEGREE SET DSC-40					2V
26	203 23:07:25	31	10RISE			10.2 DEGREE RISE DSC-10					1V
27	204 00:00:00	31				VGR-31 OWLT IS 14H 44M 32S					1L
28	204 00:00:00	32				VGR-32 OWLT IS 11H 52M 10S					2L
29	204 02:42:17	31	60 SET			15.5 DEGREE SET DSC-60					1V
30	204 04:45:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-1309 (D/L ONLY)					1DP
31	204 04:45:00	31				CFG CODES					1DP
32	204 05:21:08	32	40RISE			10.2 DEGREE RISE DSC-40					2V
33	204 06:36:27	31	40RISE			10.2 DEGREE RISE DSC-40					1V
34	204 09:25:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-1309					1DP
35	204 10:30:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-1325 (D/L ONLY)					2DP
36	204 10:30:00	32				CFG CODES					2DP
37	204 10:35:00	31	43 AOS	OPCH ACE		AOS DSS-43 PASS-1309 (D/L ONLY)					1DP
38	204 10:35:00	31				CFG CODES					1DP
39	204 10:35:58	31	10 SET			10.2 DEGREE SET DSC-10					1V
40	204 11:45:49	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
41	204 11:45:49	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
42	204 11:46:37	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESF
43	204 11:46:37	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
44	204 11:49:13	31				BEGIN PWSREC.31			28098:39:001F	08-203/21:04:35	1T
45	204 11:50:01	31				B- DRGS4B			28098:40:001F	08-203/21:05:23	1TB
46	204 11:50:01	31			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		28098:40:009F	08-203/21:05:24	1ECF
47	204 11:50:45	31				BEGIN RECORDING PWS DATA			28098:40:734F	08-203/21:06:07	1T
48	204 11:50:45	31			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		28098:40:735F	08-203/21:06:07	1ECd
49	204 11:50:45	31				DTR STATUS MODE:REC RATE:115.2K DIR:R TRK:4 TIC:1447	DTR		28098:40:735F	08-203/21:06:07	1ESd
50	204 11:50:49	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	28098:41:001F	08-203/21:06:11	1ESF
51	204 11:50:49	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		28098:41:002F	08-203/21:06:11	1ECs

INTEGRATED SEQUENCE FOR JST A068F JSX B140F WEEK 30 DOY 08-203/00:00 - 08-210/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
79	204 16:23:53	32				B- DRCSR			21963:10:001F	08-204/04:38:23	2TB
80	204 16:23:53	32			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		21963:10:010F	08-204/04:38:24	2ECf
81	204 16:24:41	32		ACE	OPCH	FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	21963:11:001F	08-204/04:39:11	2ESf
82	204 16:24:41	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		21963:11:002F	08-204/04:39:11	2ECs
83	204 16:24:42	32				END PMPCALLR			21963:11:018F	08-204/04:39:12	2T
84	204 16:55:00	32	43	AOS	OPCH ACE	AOS DSS-43 PASS-1325 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
85	204 19:45:00	32	43	LOS	OPCH ACE	LOS DSS-43 PASS-1325					2DP
86	204 22:22:26	32	40	SET		10.2 DEGREE SET DSC-40					2V
87	204 23:03:28	31		10RISE		10.2 DEGREE RISE DSC-10					1V
88	205 00:00:00	31				VGR-31 OWLT IS 14H 44M 42S					1L
89	205 00:00:00	32				VGR-32 OWLT IS 11H 52M 16S					2L
90	205 02:38:21	31	60	SET		15.5 DEGREE SET DSC-60					1V
91	205 03:30:00	31	15	AOS	OPCH ACE	AOS DSS-15 PASS-1310 (D/L ONLY)					1DP
92	205 03:30:00	31				CFG CODES					1DP
93	205 05:17:06	32		40RISE		10.2 DEGREE RISE DSC-40					2V
94	205 06:32:29	31		40RISE		10.2 DEGREE RISE DSC-40					1V
95	205 09:10:00	31	15	LOS	OPCH ACE	LOS DSS-15 PASS-1310					1DP

INTEGRATED SEQUENCE FOR JST A068F JSX B140F WEEK 30 DOY 08-203/00:00 - 08-210/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
96	205 09:27:57	32			AC7SSB	(4 +167) SS BIAS CONTROL --- YAW	AACS		21984:30:003F	08-204/21:42:23	2ECa
97	205 10:32:00	31	10 SET			10.2 DEGREE SET DSC-10					1V
98	205 12:00:00	31				VGR-31 OWLT IS 14H 44M 47S					1L
99	205 12:00:00	32				VGR-32 OWLT IS 11H 52M 19S					2L
100	205 12:25:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-1326 (D/L ONLY)					2DP
101	205 12:25:00	32				CFG CODES					2DP
102	205 15:26:41	31	60RISE			10.2 DEGREE RISE DSC-60					1V
103	205 15:33:58	31	40 SET			10.2 DEGREE SET DSC-40					1V
104	205 20:20:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-1326					2DP
105	205 22:18:27	32	40 SET			10.2 DEGREE SET DSC-40					2V
106	205 22:59:31	31	10RISE			10.2 DEGREE RISE DSC-10					1V
107	206 00:00:00	31				VGR-31 OWLT IS 14H 44M 52S					1L
108	206 00:00:00	32				VGR-32 OWLT IS 11H 52M 22S					2L
109	206 02:20:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-1311 (D/L ONLY)					1DP
110	206 02:20:00	31				CFG CODES					1DP
111	206 02:34:24	31	60 SET			15.5 DEGREE SET DSC-60					1V
112	206 04:45:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-1311 (D/L ONLY)					1DP
113	206 04:45:00	31				CFG CODES					1DP
114	206 05:05:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-1311					1DP
115	206 05:13:05	32	40RISE			10.2 DEGREE RISE DSC-40					2V
116	206 06:05:00	31	14 AOS	OPCH ACE		AOS DSS-14 PASS-1311 (U/L PASS)					1DP
117	206 06:25:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-1311					1DP

INTEGRATED SEQUENCE FOR JST A068F JSX B140F WEEK 30 DOY 08-203/00:00 - 08-210/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
118	206 06:28:31	31	40RISE			10.2 DEGREE RISE DSC-40					1V
119	206 10:25:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-1327 (D/L ONLY)					2DP
120	206 10:25:00	32				CFG CODES					2DP
121	206 10:28:02	31	10 SET			10.2 DEGREE SET DSC-10					1V
122	206 10:45:00	31	14 LOS	OPCH ACE		LOS DSS-14 PASS-1311					1DP
123	206 12:00:00	31				VGR-31 OWLT IS 14H 44M 57S					1L
124	206 12:00:00	32				VGR-32 OWLT IS 11H 52M 25S					2L
125	206 15:22:44	31	60RISE			10.2 DEGREE RISE DSC-60					1V
126	206 15:30:01	31	40 SET			10.2 DEGREE SET DSC-40					1V
127	206 18:40:53	32			AC7SSB	(3 -013) SS BIAS CONTROL - PITCH	AACS		22026:01:003F	08-206/06:55:11	2ECa
128	206 19:30:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-1327					2DP
129	206 20:30:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-1327 (D/L ONLY)					2DP
130	206 20:30:00	32				CFG CODES					2DP
131	206 22:14:28	32	40 SET			10.2 DEGREE SET DSC-40					2V
132	206 22:40:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-1327					2DP
133	206 22:55:34	31	10RISE			10.2 DEGREE RISE DSC-10					1V
134	207 00:00:00	31				VGR-31 OWLT IS 14H 45M 02S					1L
135	207 00:00:00	32				VGR-32 OWLT IS 11H 52M 28S					2L
136	207 01:15:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-1312 (D/L ONLY)					1DP
137	207 01:15:00	31				CFG CODES					1DP
138	207 02:30:28	31	60 SET			15.4 DEGREE SET DSC-60					1V
139	207 04:55:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-1312 (D/L ONLY)					1DP

INTEGRATED SEQUENCE FOR JST A068F JSX B140F WEEK 30 DOY 08-203/00:00 - 08-210/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
140	207 04:55:00	31				CFG CODES					1DP
141	207 05:09:04	32	40RISE			10.2 DEGREE RISE DSC-40					2V
142	207 05:15:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-1312					1DP
143	207 06:24:33	31	40RISE			10.2 DEGREE RISE DSC-40					1V
144	207 08:00:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-1312					1DP
145	207 10:24:04	31	10 SET			10.2 DEGREE SET DSC-10					1V
146	207 11:10:00	31	45 AOS	OPCH ACE		AOS DSS-45 PASS-1312 (D/L ONLY)					1DP
147	207 11:10:00	31				CFG CODES					1DP
148	207 12:00:00	31				VGR-31 OWLT IS 14H 45M 07S					1L
149	207 12:00:00	32				VGR-32 OWLT IS 11H 52M 31S					2L
150	207 12:06:19	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
151	207 12:06:19	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=30 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
152	207 12:10:31	31				B- DREL40.1			28189:05:001F	08-206/21:25:23	1TB
153	207 12:10:32	31			SC06BB	(32 0 07 0) FDS MODE TO: EL-40 PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		28189:05:023F	08-206/21:25:25	1ECf
154	207 12:11:19	31		ACE OPCH		FDS STATUS EL-40/X40/S40 MEM:PA/FDS11	FDS	CE-40	28189:06:001F	08-206/21:26:11	1ESf

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
155	207 12:11:19	31			CC3A	(30310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=30 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		28189:06:002F	08-206/21:26:11	1ECs
156	207 12:25:44	31				A068 UPLINK WINDOW OPEN			28189:24:001F	08-206/21:40:35	1T
157	207 12:31:56	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESF
158	207 12:35:56	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
159	207 12:35:56	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
160	207 12:36:08	31			SC06PV	(8005) FDS TREE SWITCH ID CCS MEMORY READ OUT	FDS		28189:37:009F	08-206/21:51:00	1ECf
161	207 12:36:09	31			SC06BB	(32 0 02 0) FDS MODE TO: EL-40 PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CCS MEM R/O AACRS READOUT MODE : TELEMETRY	FDS		28189:37:019F	08-206/21:51:01	1ECf
162	207 12:36:56	31		ACE OPCH		FDS STATUS EL-40/X40/S40 MEM:PA/FDS11	FDS	CCS R/O	28189:38:001F	08-206/21:51:47	1ESF
163	207 12:40:08	31			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACRS READOUT MODE : TELEMETRY	FDS		28189:42:009F	08-206/21:55:00	1ECf
164	207 12:40:56	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	28189:43:001F	08-206/21:55:47	1ESF

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
165	207 12:40:56	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		28189:43:002F	08-206/21:55:47	1ECs
166	207 12:54:20	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN D/L CARRIER SIG LEVEL					11EC
167	207 12:55:00	31	43 AOS	OPCH ACE		AOS DSS-43 PASS-1312 (D/L ONLY)					1DP
168	207 12:55:00	31				CFG CODES					1DP
169	207 12:55:20	31				B- XHIPWR.31			28190:01:001F	08-206/22:10:11	1TB
170	207 12:55:20	31				BEGIN XHIPWR31			28190:01:001F	08-206/22:10:11	1T
171	207 12:55:20	31			CC1TR	BAY 1 HTR OFF	PWR		28190:01:002F	08-206/22:10:12	1ECp
172	207 12:59:20	31				X BAND HIGH POWER			28190:06:001F	08-206/22:14:11	1T
173	207 12:59:20	31			DC2H	X-BAND TWT HIGH POWER	RFS		28190:06:002F	08-206/22:14:11	1ECr
174	207 13:00:44	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
175	207 13:00:44	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=39 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
176	207 13:04:56	31				B- FULMRO			28190:13:001F	08-206/22:19:47	1TB
177	207 13:04:56	31				BEGIN FULMRO			28190:13:001F	08-206/22:19:47	1T
178	207 13:04:56	31			SC06BB	(16 0 14 0) FDS MODE TO: EH-12 PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : MOD CRUISE AACS READOUT MODE : TELEMETRY	FDS		28190:13:009F	08-206/22:19:48	1ECf
179	207 13:05:44	31		ACE OPCH		FDS STATUS EH-12/X1.2K/S(N/A) MEM:PA/FDS11	FDS	MC-12	28190:14:001F	08-206/22:20:35	1ESf

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
180	207 13:05:44	31			CC3A	(39310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=39 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		28190:14:002F	08-206/22:20:35	1ECs
181	207 13:15:08	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
182	207 13:19:20	31			SC06BB	(16 0 14 1) FDS MODE TO: EH-12 PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : MOD CRUISE AACS READOUT MODE : MEMORY	FDS		28190:31:009F	08-206/22:34:12	1ECf
183	207 13:20:07	31				START AACS MEM R/O			28190:31:784F	08-206/22:34:58	1T
184	207 13:20:08	31		ACE OPCH		FDS STATUS EH-12/X1.2K/S(N/A) MEM:PA/FDS11	FDS	AA-12	28190:32:001F	08-206/22:34:59	1ESf
185	207 13:20:08	31			AC7MLD	(0000) MISC LOGIC CNTL MEM DUMP	AACS		28190:32:003F	08-206/22:35:00	1ECa
186	207 13:35:08	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
187	207 13:39:20	31			SC06PV	(8004) FDS TREE SWITCH ID CCS MEMORY READ OUT	FDS		28190:56:009F	08-206/22:54:12	1ECf
188	207 13:39:21	31			SC06BB	(16 0 02 0) FDS MODE TO: EH-12 PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CCS MEM R/O AACS READOUT MODE : TELEMETRY	FDS		28190:56:019F	08-206/22:54:13	1ECf
189	207 13:40:06	31				END AACS R/O			28190:56:768F	08-206/22:54:57	1T
190	207 13:40:07	31				BEGIN CCS MEM R/O			28190:56:784F	08-206/22:54:58	1T
191	207 13:40:08	31		ACE OPCH		FDS STATUS EH-12/X1.2K/S(N/A) MEM:PA/FDS11	FDS	CCS R/O	28190:57:001F	08-206/22:54:59	1ESf

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
192	207 13:44:56	31			SC06PV	(8005) FDS TREE SWITCH ID CCS MEMORY READ OUT	FDS		28191:03:009F	08-206/22:59:48	1ECf
193	207 13:46:20	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
194	207 13:49:44	31			SC06PU	(0000) FDS R/O START ADDRESS	FDS		28191:09:009F	08-206/23:04:36	1ECf
195	207 13:50:32	31			SC06BB	(16 0 00 0) FDS MODE TO: EH-12 PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : FDS MEM R/O AACS READOUT MODE : TELEMETRY	FDS		28191:10:009F	08-206/23:05:24	1ECf
196	207 13:51:19	31				END CCS MEM R/O			28191:10:784F	08-206/23:06:10	1T
197	207 13:51:20	31				BEGIN FDS MEM R/O			28191:11:001F	08-206/23:06:11	1T
198	207 13:51:20	31		ACE OPCH			FDS	FDS R/O	28191:11:001F	08-206/23:06:11	1ESf
						FDS STATUS EH-12/X1.2K/S(N/A) MEM:PA/FDS11					
199	207 13:59:08	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
200	207 13:59:08	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
201	207 14:03:20	31				B- DRCRUS			28191:26:001F	08-206/23:18:11	1TB
202	207 14:03:20	31			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		28191:26:009F	08-206/23:18:12	1ECf
203	207 14:04:08	31				END FDS MEM R/O			28191:27:001F	08-206/23:18:59	1T

INTEGRATED SEQUENCE FOR JST A068F JSX B140F WEEK 30 DOY 08-203/00:00 - 08-210/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
204	207 14:04:08	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	28191:27:001F	08-206/23:18:59	1ESf
205	207 14:04:08	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		28191:27:002F	08-206/23:18:59	1ECs
206	207 14:04:09	31				END FULMRO			28191:27:018F	08-206/23:19:00	1T
207	207 14:10:00	31	45 LOS	OPCH ACE		LOS DSS-45 PASS-1312					1DP
208	207 14:14:20	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN D/L CARRIER SIG LEVEL					11EC
209	207 14:19:20	31				X BAND LOW POWER			28191:46:001F	08-206/23:34:11	1T
210	207 14:19:20	31			DC2HR	X-BAND TWT LOW POWER	RFS		28191:46:002F	08-206/23:34:11	1ECr
211	207 14:23:20	31			CC1T	BAY 1 HTR ON	PWR		28191:51:002F	08-206/23:38:11	1ECp
212	207 14:23:21	31				END XHIPWR31			28191:51:018F	08-206/23:38:12	1T
213	207 14:48:57	31			CC16C	(2211) DTR STATE SELECT: SLEW	DTR		28192:23:002F	08-207/00:03:48	1ECd
214	207 14:48:57	31				DTR STATUS MODE:SLEW RATE:007.2K DIR:F TRK:1 TIC:1148	DTR		28192:23:002F	08-207/00:03:48	1ESd
215	207 15:03:13	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		28192:40:675F	08-207/00:18:04	1ECd
216	207 15:03:13	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:1 TIC:1457	DTR		28192:40:675F	08-207/00:18:04	1ESd
217	207 15:15:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-1328 (D/L ONLY)					2DP
218	207 15:15:00	32				CFG CODES					2DP

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
219	207 15:18:47	31	6ORISE			10.2 DEGREE RISE DSC-60					1V
220	207 15:26:04	31	40 SET			10.2 DEGREE SET DSC-40					1V
221	207 15:45:00	31	43 LOS	OPCH ACE		LOS DSS-43 PASS-1312					1DP
222	207 17:46:22	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
223	207 17:46:22	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
224	207 17:47:10	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
225	207 17:47:10	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
226	207 17:48:58	31			CC16C	(7028) DTR STATE SELECT: READY	DTR		28196:08:002F	08-207/03:03:47	1ECd
227	207 17:48:58	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:8 TIC:1457	DTR	28196:08:002F	08-207/03:03:47		1ESd
228	207 17:49:46	31				AHELII1 PWSREC 28			28196:09:001F	08-207/03:04:35	1T
229	207 17:49:46	31				B- PWSREC.31			28196:09:001F	08-207/03:04:35	1TB
230	207 17:49:46	31				BEGIN PWSREC.31			28196:09:001F	08-207/03:04:35	1T
231	207 17:50:34	31				B- DRGS4B			28196:10:001F	08-207/03:05:23	1TB
232	207 17:50:34	31			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS	28196:10:009F	08-207/03:05:24		1ECf
233	207 17:51:18	31				BEGIN RECORDING PWS DATA			28196:10:734F	08-207/03:06:07	1T

INTEGRATED SEQUENCE FOR JST A068F JSX B140F WEEK 30 DOY 08-203/00:00 - 08-210/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
234	207 17:51:18	31			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		28196:10:735F	08-207/03:06:07	1ECd
235	207 17:51:18	31				DTR STATUS MODE:REC RATE:115.2K DIR:R TRK:8 TIC:1457	DTR		28196:10:735F	08-207/03:06:07	1ESd
236	207 17:51:22	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	28196:11:001F	08-207/03:06:11	1ESf
237	207 17:51:22	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		28196:11:002F	08-207/03:06:11	1ECs
238	207 17:51:23	31				B- DRCRUS			28196:11:018F	08-207/03:06:12	1TB
239	207 17:51:23	31			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		28196:11:026F	08-207/03:06:13	1ECf
240	207 17:52:10	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	28196:12:001F	08-207/03:06:59	1ESf
241	207 17:52:10	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		28196:12:002F	08-207/03:06:59	1ECd
242	207 17:52:10	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:8 TIC:1164	DTR		28196:12:002F	08-207/03:06:59	1ESd

INTEGRATED SEQUENCE FOR JST A068F JSX B140F WEEK 30 DOY 08-203/00:00 - 08-210/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
243	207 17:52:10	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		28196:12:002F	08-207/03:07:00	1ECs
244	207 17:52:59	31				END PWSREC.31			28196:13:018F	08-207/03:07:48	1T
245	207 18:35:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-1328					2DP
246	207 19:58:35	31			CC16C	(2221) DTR STATE SELECT: SLEW	DTR		28198:50:002F	08-207/05:13:24	1ECd
247	207 19:58:35	31				DTR STATUS MODE:SLEW RATE:007.2K DIR:R TRK:1 TIC:1158	DTR		28198:50:002F	08-207/05:13:24	1ESd
248	207 19:59:00	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		28198:50:426F	08-207/05:13:49	1ECd
249	207 19:59:00	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:1 TIC:1148	DTR		28198:50:426F	08-207/05:13:49	1ESd
250	207 21:20:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-1312 (D/L ONLY)					1DP
251	207 21:20:00	31				CFG CODES					1DP
252	207 22:10:29	32	40 SET			10.2 DEGREE SET DSC-40					2V
253	207 22:51:38	31	10RISE			10.2 DEGREE RISE DSC-10					1V
254	207 22:58:36	31			CC16C	(7024) DTR STATE SELECT: READY	DTR		28202:35:002F	08-207/08:13:23	1ECd
255	207 22:58:36	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:4 TIC:1148	DTR		28202:35:002F	08-207/08:13:23	1ESd
256	207 23:45:00	31	63 AOS	OPCH ACE		AOS DSS-63 PASS-1312 (D/L ONLY)					1DP
257	207 23:45:00	31				CFG CODES					1DP

INTEGRATED SEQUENCE FOR JST A068F JSX B140F WEEK 30 DOY 08-203/00:00 - 08-210/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
258	208 00:00:00	31				VGR-31 OWLT IS 14H 45M 12S					1L
259	208 00:00:00	32				VGR-32 OWLT IS 11H 52M 34S					2L
260	208 00:05:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-1312					1DP
261	208 00:57:49	31				B- GAIN.31			28205:04:001F	08-207/10:12:35	1TB
262	208 00:57:49	31				BEGIN GAIN31			28205:04:001F	08-207/10:12:35	1T
263	208 00:57:49	31				B- GYONAB.31			28205:04:001F	08-207/10:12:35	1TB
264	208 00:57:49	31				BEGIN GYONAB31			28205:04:001F	08-207/10:12:35	1T
265	208 00:57:49	31			AC7GYP	(000) DRIRU PATTERN CONTROL GYRO/AXIS=A/PITCH & YAW B/ROLL	AACS		28205:04:004F	08-207/10:12:36	1ECa
266	208 00:57:49	31			CC7GCRP	GYRO C OFF	PWR		28205:04:005F	08-207/10:12:36	1ECp
267	208 00:57:49	31				AACS STATUS MODE : CRU GYRO A: OFF HYBIC: 1 GYRO B: OFF CST : ON GRYO C: OFF	AACS		28205:04:005F	08-207/10:12:36	1ESa
268	208 00:57:49	31			CC7GCRP	GYRO C OFF	PWR		28205:04:007F	08-207/10:12:36	1ECp
269	208 00:57:49	31			CC7PC	(372) GYRO C OFF	AACS		28205:04:009F	08-207/10:12:36	1ECa
270	208 00:57:49	31			CC7GBP	GYRO B ON	PWR		28205:04:009F	08-207/10:12:36	1ECp
271	208 00:57:49	31				AACS STATUS MODE : CRU GYRO A: OFF HYBIC: 1 GYRO B: ON CST : ON GRYO C: OFF	AACS		28205:04:009F	08-207/10:12:36	1ESa
272	208 00:57:50	31			CC7GBP	GYRO B ON	PWR		28205:04:012F	08-207/10:12:36	1ECp
273	208 00:57:50	31			CC7PC	(363) GYRO B ON	AACS		28205:04:014F	08-207/10:12:36	1ECa
274	208 00:57:50	31			CC7GAP	GYRO A ON	PWR		28205:04:014F	08-207/10:12:36	1ECp

INTEGRATED SEQUENCE FOR JST A068F JSX B140F WEEK 30 DOY 08-203/00:00 - 08-210/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
275	208 00:57:50	31				AACS STATUS MODE : CRU GYRO A: ON HYBIC: 1 GYRO B: ON CST : ON GRYO C: OFF	AACS		28205:04:014F	08-207/10:12:36	1ESa
276	208 00:57:50	31			CC7GAP	GYRO A ON	PWR		28205:04:016F	08-207/10:12:36	1ECp
277	208 00:57:50	31			CC7PC	(353) GYRO A ON	AACS		28205:04:018F	08-207/10:12:36	1ECa
278	208 00:58:18	31				DRIRU INITIALIZATION			28205:04:484F	08-207/10:13:04	1T
279	208 00:58:19	31			CC7GY	(3) DRIRU INITIALIZE [P/Y/R]	AACS		28205:04:502F	08-207/10:13:05	1ECa
280	208 00:58:48	31				SET CALIB			28205:05:184F	08-207/10:13:34	1T
281	208 00:58:49	31			AC7PAR	(7530 000001) PARAMETER LOAD	AACS		28205:05:204F	08-207/10:13:36	1ECa
282	208 01:07:48	31				START GYRO FAULT TEST			28205:16:384F	08-207/10:22:34	1T
283	208 01:07:49	31			CC7GY	(4) DRIRU FAULT TEST START	AACS		28205:16:402F	08-207/10:22:35	1ECa
284	208 01:07:50	31				END GYONAB31			28205:16:418F	08-207/10:22:36	1T
285	208 01:57:49	31				B- CCSTIMB			28206:19:001F	08-207/11:12:35	1TB
286	208 01:57:49	31				EXECUTE CCSTIMB FINE			28206:19:001F	08-207/11:12:35	1T
287	208 02:26:32	31	60 SET			15.4 DEGREE SET DSC-60					1V
288	208 02:55:00	31	26 AOS	OPCH ACE		AOS DSS-26 PASS-1313 (D/L ONLY)					1DP
289	208 02:55:00	31				CFG CODES					1DP
290	208 03:15:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-1312					1DP
291	208 05:05:02	32	40RISE			10.2 DEGREE RISE DSC-40					2V
292	208 06:20:35	31	40RISE			10.2 DEGREE RISE DSC-40					1V
293	208 06:55:00	31	26 LOS	OPCH ACE		LOS DSS-26 PASS-1313					1DP
294	208 10:20:06	31	10 SET			10.2 DEGREE SET DSC-10					1V

INTEGRATED SEQUENCE FOR JST A068F JSX B140F WEEK 30 DOY 08-203/00:00 - 08-210/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
295	208 10:25:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-1329 (D/L ONLY)					2DP
296	208 10:25:00	32				CFG CODES					2DP
297	208 12:00:00	31				VGR-31 OWLT IS 14H 45M 18S					1L
298	208 12:00:00	32				VGR-32 OWLT IS 11H 52M 37S					2L
299	208 13:00:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-1329 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
300	208 13:05:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-1329					2DP
301	208 15:14:51	31	60RISE			10.2 DEGREE RISE DSC-60					1V
302	208 15:22:08	31	40 SET			10.2 DEGREE SET DSC-40					1V
303	208 17:05:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-1313 (D/L ONLY)					1DP
304	208 17:05:00	31				CFG CODES					1DP
305	208 21:45:00	31	63 AOS	OPCH ACE		AOS DSS-63 PASS-1313 (D/L ONLY)					1DP
306	208 21:45:00	31				CFG CODES					1DP
307	208 22:05:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-1313					1DP
308	208 22:06:30	32	40 SET			10.2 DEGREE SET DSC-40					2V
309	208 22:35:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-1329					2DP
310	208 22:47:41	31	10RISE			10.2 DEGREE RISE DSC-10					1V
311	209 00:00:00	31				VGR-31 OWLT IS 14H 45M 23S					1L
312	209 00:00:00	32				VGR-32 OWLT IS 11H 52M 40S					2L
313	209 00:04:23	31			AC7SSB	(3 +008) SS BIAS CONTROL - PITCH	AACS		28233:57:003F	08-208/09:19:00	1ECa
314	209 02:22:35	31	60 SET			15.4 DEGREE SET DSC-60					1V
315	209 03:10:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-1313					1DP

INTEGRATED SEQUENCE FOR JST A068F JSX B140F WEEK 30 DOY 08-203/00:00 - 08-210/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
316	209 03:10:00	31	26 AOS	OPCH ACE		AOS DSS-26 PASS-1314 (D/L ONLY)					1DP
317	209 03:10:00	31				CFG CODES					1DP
318	209 05:01:01	32	40RISE			10.2 DEGREE RISE DSC-40					2V
319	209 06:16:37	31	40RISE			10.2 DEGREE RISE DSC-40					1V
320	209 06:35:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-1314 (D/L ONLY)					1DP
321	209 06:35:00	31				CFG CODES					1DP
322	209 06:55:00	31	26 LOS	OPCH ACE		LOS DSS-26 PASS-1314					1DP
323	209 07:40:21	32			AC7SSB	(4 +168) SS BIAS CONTROL --- YAW	AACS		22102:15:003F	08-208/19:54:23	2ECa
324	209 07:50:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-1314					1DP
325	209 10:02:51	31			AC7SSB	(4 +141) SS BIAS CONTROL --- YAW	AACS		28246:25:003F	08-208/19:17:24	1ECa
326	209 10:16:08	31	10 SET			10.2 DEGREE SET DSC-10					1V
327	209 10:30:00	31	45 AOS	OPCH ACE		AOS DSS-45 PASS-1314 (D/L ONLY)					1DP
328	209 10:30:00	31				CFG CODES					1DP
329	209 12:00:00	31				VGR-31 OWLT IS 14H 45M 28S					1L
330	209 12:00:00	32				VGR-32 OWLT IS 11H 52M 43S					2L
331	209 13:30:00	31	45 LOS	OPCH ACE		LOS DSS-45 PASS-1314					1DP
332	209 14:55:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-1330 (D/L ONLY)					2DP
333	209 14:55:00	32				CFG CODES					2DP
334	209 15:10:54	31	60RISE			10.2 DEGREE RISE DSC-60					1V
335	209 15:18:11	31	40 SET			10.2 DEGREE SET DSC-40					1V
336	209 19:45:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-1314 (D/L ONLY)					1DP

INTEGRATED SEQUENCE FOR JST A068F JSX B140F WEEK 30 DOY 08-203/00:00 - 08-210/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
337	209 19:45:00	31				CFG CODES					1DP
338	209 22:02:31	32	40	SET		10.2 DEGREE SET DSC-40					2V
339	209 22:30:00	32	43	LOS	OPCH ACE	LOS DSS-43 PASS-1330					2DP
340	209 22:43:44	31	10	RISE		10.2 DEGREE RISE DSC-10					1V
341	210 00:00:00	31				VGR-31 OWLT IS 14H 45M 33S					1L
342	210 00:00:00	32				VGR-32 OWLT IS 11H 52M 46S					2L