

SOE YEAR-DAY: 2001-204

PRINTED ON DAY: 247 PAGE 1

INTEGRATED SEQUENCE FOR JST A040F JSX B112F WEEK 30 DOY 01-204/00:00 - 01-211/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
1	204 00:00:00	31				VGR-31 OWLT IS 11H 15M 30S					1L
2	204 00:00:00	32				VGR-32 OWLT IS 08H 49M 47S					2L
3	204 03:02:00	31	60	SET		10 DEGREE SET DSC-60					1V
4	204 03:10:00	31	25	LO	OPCH ACE	LOS DSS-25 PASS-8746					1DP
5	204 05:39:26	32	40	RISE		10 DEGREE RISE DSC-40					2V
6	204 06:26:17	31	40	RISE		10 DEGREE RISE DSC-40					1V
7	204 10:27:50	31	10	SET		10 DEGREE SET DSC-10					1V
8	204 12:00:00	31				VGR-31 OWLT IS 11H 15M 35S					1L
9	204 12:00:00	32				VGR-32 OWLT IS 08H 49M 50S					2L
10	204 14:15:00	32	43	AO	OPCH ACE	AOS DSS-43 PASS-8762 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
11	204 15:21:06	31	60	RISE		10 DEGREE RISE DSC-60					1V
12	204 15:30:24	31	40	SET		10 DEGREE SET DSC-40					1V
13	204 16:43:48	32			AC7SSB	(3 -015) SS BIAS CONTROL - PITCH	AACS		10823:16:003F	01-204/07:55:11	2ECa
14	204 17:20:00	31	65	AO	OPCH ACE	AOS DSS-65 PASS-8746 (D/L ONLY)					1DP
15	204 21:34:29	32	40	SET		10 DEGREE SET DSC-40					2V
16	204 21:45:00	32	43	LO	OPCH ACE	LOS DSS-43 PASS-8762					2DP
17	204 22:53:59	31	10	RISE		10 DEGREE RISE DSC-10					1V
18	205 00:00:00	31				VGR-31 OWLT IS 11H 15M 40S					1L
19	205 00:00:00	32				VGR-32 OWLT IS 08H 49M 53S					2L
20	205 02:15:00	31	65	LO	OPCH ACE	LOS DSS-65 PASS-8746					1DP
21	205 02:58:02	31	60	SET		10 DEGREE SET DSC-60					1V
22	205 05:20:00	31	25	AO	OPCH ACE	AOS DSS-25 PASS-8747 (D/L ONLY)					1DP
23	205 05:35:23	32	40	RISE		10 DEGREE RISE DSC-40					2V

INTEGRATED SEQUENCE FOR JST A040F JSX B112F WEEK 30 DOY 01-204/00:00 - 01-211/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
24	205 06:22:19	31	40RISE			10 DEGREE RISE DSC-40					1V
25	205 06:43:04	32			AC7SSB	(4 +168) SS BIAS CONTROL --- YAW	AACS		10840:45:003F	01-204/21:54:23	2ECa
26	205 06:45:00	32	43 AO	OPCH ACE		AOS DSS-43 PASS-8763 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
27	205 09:35:00	31	25 LO	OPCH ACE		LOS DSS-25 PASS-8747					1DP
28	205 10:23:52	31	10 SET			10 DEGREE SET DSC-10					1V
29	205 10:48:29	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESF
30	205 10:48:29	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
31	205 10:49:17	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESF
32	205 10:49:17	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
33	205 10:52:41	32				BEGIN PWSREC			10845:57:001F	01-205/02:03:59	2T
34	205 10:52:41	32				B- DRGS4B			10845:57:001F	01-205/02:03:59	2TB
35	205 10:52:41	32			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		10845:57:009F	01-205/02:04:00	2ECf
36	205 10:53:25	32				BEGIN RECORDING PWS DATA			10845:57:734F	01-205/02:04:43	2T
37	205 10:53:25	32			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		10845:57:735F	01-205/02:04:43	2ECd
38	205 10:53:25	32				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:5 TIC:1144	DTR		10845:57:735F	01-205/02:04:43	2ESd

INTEGRATED SEQUENCE FOR JST A040F JSX B112F WEEK 30 DOY 01-204/00:00 - 01-211/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
115	206 01:37:13	31			CC16C	(1215) DTR STATE SELECT:PLAYBACK	DTR		17006:14:769F	01-205/14:21:22	1ECd
116	206 01:37:13	31				DTR STATUS MODE:PLAY RATE:007.2K DIR:F TRK:5 TIC:3241	DTR		17006:14:769F	01-205/14:21:22	1ESd
117	206 01:37:15	31		ACE OPCH		FDS STATUS PB-14/X1.4K/S40 MEM:PA/FDS11	FDS	PB-14	17006:15:001F	01-205/14:21:23	1ESf
118	206 01:37:15	31			CC3A	(39310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=39 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		17006:15:002F	01-205/14:21:23	1ECs
119	206 01:37:15	31			CC6AD	(3 2 0 2) SVC-W4 FDS MEM B WRT PROTECT	FDS		17006:15:002F	01-205/14:21:24	1ECf
120	206 01:37:15	31		ACE OPCH		FDS STATUS PB-14/X1.4K/S40 MEM:PA/FDS11	FDS	PB-14	17006:15:002F	01-205/14:21:24	1ESf
121	206 01:53:10	31			EOT	END OF TAPE			17006:34:711F	01-205/14:37:18	1Ed
122	206 01:53:10	31			EOT	END OF TAPE			17006:34:715F	01-205/14:37:18	1Ed
123	206 02:54:03	31	60 SET			10 DEGREE SET DSC-60					1V
124	206 04:29:56	31			BOT	BEGIN OF TAPE			17009:50:654F	01-205/17:14:03	1Ed
125	206 04:29:56	31			BOT	BEGIN OF TAPE			17009:50:657F	01-205/17:14:03	1Ed
126	206 05:31:21	32	40RISE			10 DEGREE RISE DSC-40					2V
127	206 06:18:20	31	40RISE			10 DEGREE RISE DSC-40					1V
128	206 07:06:42	31			EOT	END OF TAPE			17013:06:597F	01-205/19:50:47	1Ed
129	206 07:06:42	31			EOT	END OF TAPE			17013:06:600F	01-205/19:50:47	1Ed

INTEGRATED SEQUENCE FOR JST A040F JSX B112F WEEK 30 DOY 01-204/00:00 - 01-211/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
130	206 09:30:00	31	14	OPCH 14		== START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS ==					1TD
131	206 09:30:00	31	14	OPCH 14		== TLC TEST UP-LINK == TURN RANGING MOD OFF (IF APPL)					1TD
132	206 09:31:00	31	14	OPCH 14		== TLC TEST UP-LINK == TURN COMMAND MOD OFF (IF APPL) NO COMMANDING FOR 1 HR 56 MIN					1TD
133	206 09:32:00	31	14	OPCH 14		== TLC TEST UP-LINK == == TUNE U/L AT 48 HZ/SEC == == TO XA-65 KHZ (S-BAND) ==					1TD
134	206 09:36:19	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
135	206 09:36:19	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
136	206 09:36:19	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
137	206 09:40:31	31			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		17016:19:009F	01-205/22:24:36	1ECf
138	206 09:41:19	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	17016:20:001F	01-205/22:25:23	1ESf

INTEGRATED SEQUENCE FOR JST A040F JSX B112F WEEK 30 DOY 01-204/00:00 - 01-211/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
154	206 10:20:00	31	14 LO	OPCH ACE		LOS DSS-14 PASS-8748					1DP
155	206 10:20:00	32	43 AO	OPCH ACE		AOS DSS-43 PASS-8764 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
156	206 12:00:00	31				VGR-31 OWLT IS 11H 15M 56S					1L
157	206 12:00:00	32				VGR-32 OWLT IS 08H 50M 02S					2L
158	206 15:13:12	31	60RISE			10 DEGREE RISE DSC-60					1V
159	206 15:22:31	31	40 SET			10 DEGREE SET DSC-40					1V
160	206 18:25:00	32	45 AO	OPCH ACE		AOS DSS-45 PASS-8764 (D/L ONLY)					2DP
161	206 18:45:00	32	43 LO	OPCH ACE		LOS DSS-43 PASS-8764					2DP
162	206 21:25:00	32	45 LO	OPCH ACE		LOS DSS-45 PASS-8764					2DP
163	206 21:26:30	32	40 SET			10 DEGREE SET DSC-40					2V
164	206 22:46:05	31	10RISE			10 DEGREE RISE DSC-10					1V
165	207 00:00:00	31				VGR-31 OWLT IS 11H 16M 01S					1L
166	207 00:00:00	32				VGR-32 OWLT IS 08H 50M 05S					2L
167	207 01:20:00	31	15 AO	OPCH ACE		AOS DSS-15 PASS-8749 (D/L ONLY)					1DP
168	207 02:16:38	31				BEGIN TAPPOS			17037:04:001F	01-206/15:00:35	1T
169	207 02:16:38	31				TAPPOS TO 1147			17037:04:001F	01-206/15:00:35	1T
170	207 02:16:38	31			CC16C	(2211) DTR STATE SELECT: SLEW	DTR		17037:04:002F	01-206/15:00:36	1ECd
171	207 02:16:38	31				DTR STATUS MODE:SLEW RATE:007.2K DIR:F TRK:1 TIC:0245	DTR		17037:04:002F	01-206/15:00:36	1ESd
172	207 02:50:05	31	60 SET			10 DEGREE SET DSC-60					1V
173	207 02:58:18	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		17037:56:069F	01-206/15:42:16	1ECd

INTEGRATED SEQUENCE FOR JST A040F JSX B112F WEEK 30 DOY 01-204/00:00 - 01-211/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
174	207 02:58:18	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:1 TIC:1146	DTR		17037:56:069F	01-206/15:42:16	1ESd
175	207 05:00:00	32	43 AO	OPCH ACE		AOS DSS-43 PASS-8765 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
176	207 05:06:15	31			CC16C	(7024) DTR STATE SELECT: READY	DTR		17040:36:002F	01-206/17:50:12	1ECd
177	207 05:06:15	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:4 TIC:1146	DTR		17040:36:002F	01-206/17:50:12	1ESd
178	207 05:06:16	31				END REPLAY31			17040:36:018F	01-206/17:50:12	1T
179	207 05:27:19	32	40RISE			10 DEGREE RISE DSC-40					2V
180	207 06:14:22	31	40RISE			10 DEGREE RISE DSC-40					1V
181	207 07:57:28	31				B- RFSTLC			17044:10:001F	01-206/20:41:23	1TB
182	207 08:29:04	31	15	OPCH 15		== START TLC TEST DOWN-LINK ==					1TD
183	207 09:30:04	31	15	OPCH 15		== END TLC TEST DOWN-LINK ==					1TD
184	207 10:15:00	31	15 LO	OPCH ACE		LOS DSS-15 PASS-8749					1DP
185	207 10:15:55	31	10 SET			10 DEGREE SET DSC-10					1V
186	207 12:00:00	31				VGR-31 OWLT IS 11H 16M 06S					1L
187	207 12:00:00	32				VGR-32 OWLT IS 08H 50M 09S					2L
188	207 15:09:15	31	60RISE			10 DEGREE RISE DSC-60					1V
189	207 15:18:34	31	40 SET			10 DEGREE SET DSC-40					1V
190	207 18:40:00	32	45 AO	OPCH ACE		AOS DSS-45 PASS-8765 (D/L ONLY)					2DP

INTEGRATED SEQUENCE FOR JST A040F JSX B112F WEEK 30 DOY 01-204/00:00 - 01-211/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
191	207 19:00:00	32	43 LO	OPCH ACE		LOS DSS-43 PASS-8765					2DP
192	207 21:05:00	32	45 LO	OPCH ACE		LOS DSS-45 PASS-8765					2DP
193	207 21:22:30	32	40 SET			10 DEGREE SET DSC-40					2V
194	207 22:30:00	31	65 AO	OPCH ACE		AOS DSS-65 PASS-8749 (D/L ONLY)					1DP
195	207 22:42:08	31	10RISE			10 DEGREE RISE DSC-10					1V
196	208 00:00:00	31				VGR-31 OWLT IS 11H 16M 11S					1L
197	208 00:00:00	32				VGR-32 OWLT IS 08H 50M 12S					2L
198	208 02:15:00	31	65 LO	OPCH ACE		LOS DSS-65 PASS-8749					1DP
199	208 02:46:06	31	60 SET			10 DEGREE SET DSC-60					1V
200	208 05:23:17	32	40RISE			10 DEGREE RISE DSC-40					2V
201	208 05:26:34	32			AC7SSB	(4 +169) SS BIAS CONTROL --- YAW	AACS		10929:09:003F	01-207/20:37:35	2ECa
202	208 05:30:00	32	43 AO	OPCH ACE		AOS DSS-43 PASS-8766 (D/L ONLY)					2DP
203	208 06:10:23	31	40RISE			10 DEGREE RISE DSC-40					1V
204	208 10:11:57	31	10 SET			10 DEGREE SET DSC-10					1V
205	208 12:00:00	31				VGR-31 OWLT IS 11H 16M 17S					1L
206	208 12:00:00	32				VGR-32 OWLT IS 08H 50M 15S					2L
207	208 15:05:19	31	60RISE			10 DEGREE RISE DSC-60					1V
208	208 15:14:37	31	40 SET			10 DEGREE SET DSC-40					1V
209	208 16:30:00	31	65 AO	OPCH ACE		AOS DSS-65 PASS-8750 (D/L ONLY)					1DP
210	208 18:50:00	32	43 LO	OPCH ACE		LOS DSS-43 PASS-8766					2DP
211	208 19:52:14	32			CC16C	(2211) DTR STATE SELECT: SLEW	DTR		10947:11:001F	01-208/11:03:11	2ECd

INTEGRATED SEQUENCE FOR JST A040F JSX B112F WEEK 30 DOY 01-204/00:00 - 01-211/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
223	208 22:53:03	32			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		10950:57:009F	01-208/14:04:00	2ECf
224	208 22:53:47	32			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		10950:57:735F	01-208/14:04:43	2ECd
225	208 22:53:47	32				DTR STATUS MODE:REC RATE:115.2K DIR:R TRK:6 TIC:2656	DTR		10950:57:735F	01-208/14:04:43	2ESd
226	208 22:53:51	32		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PB/FDS11 SA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	10950:58:001F	01-208/14:04:47	2ESf
227	208 22:53:51	32			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		10950:58:002F	01-208/14:04:47	2ECs
228	208 22:53:52	32			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		10950:58:025F	01-208/14:04:49	2ECf
229	208 22:54:39	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	10950:59:001F	01-208/14:05:35	2ESf
230	208 22:54:39	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		10950:59:001F	01-208/14:05:35	2ECd
231	208 22:54:39	32				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:6 TIC:2365	DTR		10950:59:001F	01-208/14:05:35	2ESd

INTEGRATED SEQUENCE FOR JST A040F JSX B112F WEEK 30 DOY 01-204/00:00 - 01-211/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
232	208 22:54:39	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		10950:59:002F	01-208/14:05:35	2ECs
233	208 23:55:00	31	15	AO	OPCH ACE	AOS DSS-15 PASS-8751 (D/L ONLY)					1DP
234	209 00:00:00	31				VGR-31 OWLT IS 11H 16M 22S					1L
235	209 00:00:00	32				VGR-32 OWLT IS 08H 50M 18S					2L
236	209 00:15:00	31	65	LO	OPCH ACE	LOS DSS-65 PASS-8750					1DP
237	209 01:01:52	32			CC16C	(2221) DTR STATE SELECT: SLEW	DTR		10953:38:001F	01-208/16:12:47	2ECd
238	209 01:01:52	32				DTR STATUS MODE:SLEW RATE:007.2K DIR:R TRK:1 TIC:2358	DTR		10953:38:001F	01-208/16:12:47	2ESd
239	209 01:04:58	31				B- GAIN.31			17095:34:001F	01-208/13:48:35	1TB
240	209 01:04:58	31				BEGIN GAIN31			17095:34:001F	01-208/13:48:35	1T
241	209 01:04:58	31				B- GYONAB.31			17095:34:001F	01-208/13:48:35	1TB
242	209 01:04:58	31				BEGIN GYONAB31			17095:34:001F	01-208/13:48:35	1T
243	209 01:04:58	31			AC7GYP	(000) DRIRU PATTERN CONTROL GYRO/AXIS=A/PITCH & YAW B/ROLL	AACS		17095:34:003F	01-208/13:48:36	1ECa
244	209 01:04:58	31			CC7GCRP	GYRO C OFF	PWR		17095:34:004F	01-208/13:48:36	1ECp
245	209 01:04:58	31				AACS STATUS MODE : CRU GYRO A: OFF HYBIC: 2 GYRO B: OFF CST : ON GRYO C: OFF	AACS		17095:34:004F	01-208/13:48:36	1ESa
246	209 01:04:58	31			CC7GCRP	GYRO C OFF	PWR		17095:34:006F	01-208/13:48:36	1ECp
247	209 01:04:58	31			CC7PC	(372) GYRO C OFF	AACS		17095:34:008F	01-208/13:48:36	1ECa
248	209 01:04:58	31			CC7GBP	GYRO B ON	PWR		17095:34:009F	01-208/13:48:36	1ECp

INTEGRATED SEQUENCE FOR JST A040F JSX B112F WEEK 30 DOY 01-204/00:00 - 01-211/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
249	209 01:04:58	31				AACS STATUS MODE : CRU GYRO A: OFF HYBIC: 2 GYRO B: ON CST : ON GRYO C: OFF	AACS		17095:34:009F	01-208/13:48:36	1ESa
250	209 01:04:59	31			CC7GBP	GYRO B ON	PWR		17095:34:011F	01-208/13:48:36	1ECp
251	209 01:04:59	31			CC7PC	(363) GYRO B ON	AACS		17095:34:013F	01-208/13:48:36	1ECa
252	209 01:04:59	31			CC7GAP	GYRO A ON	PWR		17095:34:014F	01-208/13:48:36	1ECp
253	209 01:04:59	31				AACS STATUS MODE : CRU GYRO A: ON HYBIC: 2 GYRO B: ON CST : ON GRYO C: OFF	AACS		17095:34:014F	01-208/13:48:36	1ESa
254	209 01:04:59	31			CC7GAP	GYRO A ON	PWR		17095:34:016F	01-208/13:48:36	1ECp
255	209 01:04:59	31			CC7PC	(353) GYRO A ON	AACS		17095:34:018F	01-208/13:48:36	1ECa
256	209 01:05:27	31				DRIRU INITIALIZATION			17095:34:484F	01-208/13:49:04	1T
257	209 01:05:28	31			CC7GY	(3) DRIRU INITIALIZE [P/Y/R]	AACS		17095:34:502F	01-208/13:49:06	1ECa
258	209 01:05:57	31				SET CALIB			17095:35:184F	01-208/13:49:34	1T
259	209 01:05:58	31			AC7PAR	(7530 000001) PARAMETER LOAD	AACS		17095:35:204F	01-208/13:49:36	1ECa
260	209 01:14:58	31				START GYRO FAULT TEST			17095:46:384F	01-208/13:58:34	1T
261	209 01:14:59	31			CC7GY	(4) DRIRU FAULT TEST START	AACS		17095:46:402F	01-208/13:58:36	1ECa
262	209 01:15:00	31				END GYONAB31			17095:46:418F	01-208/13:58:36	1T
263	209 01:44:14	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		10954:30:772F	01-208/16:55:10	2ECd
264	209 01:44:14	32				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:1 TIC:1442	DTR		10954:30:772F	01-208/16:55:10	2ESd

INTEGRATED SEQUENCE FOR JST A040F JSX B112F WEEK 30 DOY 01-204/00:00 - 01-211/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
265	209 02:04:59	31				B- CCSTIMB			17096:49:001F	01-208/14:48:35	1TB
266	209 02:04:59	31				EXECUTE CCSTIMB FINE			17096:49:001F	01-208/14:48:35	1T
267	209 02:42:08	31	60	SET		10 DEGREE SET DSC-60					1V
268	209 04:01:53	32			CC16C	(7015) DTR STATE SELECT: READY	DTR		10957:23:001F	01-208/19:12:47	2ECd
269	209 04:01:53	32				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:1442	DTR		10957:23:001F	01-208/19:12:47	2ESd
270	209 05:19:15	32	40	RISE		10 DEGREE RISE DSC-40					2V
271	209 06:06:25	31	40	RISE		10 DEGREE RISE DSC-40					1V
272	209 07:00:00	31	15	LO	OPCH ACE	LOS DSS-15 PASS-8751					1DP
273	209 10:07:58	31	10	SET		10 DEGREE SET DSC-10					1V
274	209 12:00:00	31				VGR-31 OWLT IS 11H 16M 27S					1L
275	209 12:00:00	32				VGR-32 OWLT IS 08H 50M 22S					2L
276	209 13:55:00	32	43	AO	OPCH ACE	AOS DSS-43 PASS-8767 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
277	209 15:01:22	31	60	RISE		10 DEGREE RISE DSC-60					1V
278	209 15:10:41	31	40	SET		10 DEGREE SET DSC-40					1V
279	209 20:25:00	32	43	LO	OPCH ACE	LOS DSS-43 PASS-8767					2DP
280	209 21:14:31	32	40	SET		10 DEGREE SET DSC-40					2V
281	209 22:34:15	31	10	RISE		10 DEGREE RISE DSC-10					1V
282	210 00:00:00	31				VGR-31 OWLT IS 11H 16M 33S					1L
283	210 00:00:00	32				VGR-32 OWLT IS 08H 50M 25S					2L
284	210 00:15:00	31	24	AO	OPCH ACE	AOS DSS-24 PASS-8752 (D/L ONLY)					1DP
285	210 01:54:45	31			AC7SSB	(3 +010) SS BIAS CONTROL - PITCH	AACS		17126:36:003F	01-209/14:38:12	1ECa

INTEGRATED SEQUENCE FOR JST A040F JSX B112F WEEK 30 DOY 01-204/00:00 - 01-211/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
286	210 02:38:09	31	60	SET		10 DEGREE SET DSC-60					1V
287	210 04:05:00	31	24	LO	OPCH ACE	LOS DSS-24 PASS-8752					1DP
288	210 05:15:13	32	40	RISE		10 DEGREE RISE DSC-40					2V
289	210 06:02:26	31	40	RISE		10 DEGREE RISE DSC-40					1V
290	210 10:04:00	31	10	SET		10 DEGREE SET DSC-10					1V
291	210 12:00:00	31				VGR-31 OWLT IS 11H 16M 38S					1L
292	210 12:00:00	32				VGR-32 OWLT IS 08H 50M 28S					2L
293	210 12:45:00	32	43	AO	OPCH ACE	AOS DSS-43 PASS-8768 (D/L ONLY)					2DP
294	210 14:57:25	31	60	RISE		10 DEGREE RISE DSC-60					1V
295	210 15:06:44	31	40	SET		10 DEGREE SET DSC-40					1V
296	210 16:10:00	31	65	AO	OPCH ACE	AOS DSS-65 PASS-8752 (D/L ONLY)					1DP
297	210 18:25:00	32	45	AO	OPCH ACE	AOS DSS-45 PASS-8768 (D/L ONLY)					2DP
298	210 18:45:00	32	43	LO	OPCH ACE	LOS DSS-43 PASS-8768					2DP
299	210 21:10:00	32	45	LO	OPCH ACE	LOS DSS-45 PASS-8768					2DP
300	210 21:10:31	32	40	SET		10 DEGREE SET DSC-40					2V
301	210 22:30:18	31	10	RISE		10 DEGREE RISE DSC-10					1V
302	211 00:00:00	31				VGR-31 OWLT IS 11H 16M 43S					1L
303	211 00:00:00	32				VGR-32 OWLT IS 08H 50M 32S					2L