

SOE YEAR-DAY: 1996-225

PRINTED ON DAY: 195 PAGE 1

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 33 DOY 96-225/00:00 - 96-232/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
1	225 00:00:00	31				VGR-31 OWLT IS 08H 49M 21S					1L
2	225 00:00:00	32				VGR-32 OWLT IS 06H 45M 16S					2L
3	225 01:01:52	31	60	SET		10 DEGREE SET DSC-60					1V
4	225 04:27:38	32	10	RISE		10 DEGREE RISE DSC-10					2V
5	225 04:32:46	32	40	RISE		10 DEGREE RISE DSC-40					2V
6	225 04:40:00	32	45	AOS	OPCH ACE	AOS DSS-45 PASS-6951 (D/L ONLY)					2DP
7	225 04:54:54	31	40	RISE		10 DEGREE RISE DSC-40					1V
8	225 06:54:08	32	10	SET		10 DEGREE SET DSC-10					2V
9	225 08:50:00	31	15	LOS	OPCH ACE	LOS DSS-15 PASS-6935					1DP
10	225 08:54:24	31	10	SET		10 DEGREE SET DSC-10					1V
11	225 12:00:00	31				VGR-31 OWLT IS 08H 49M 27S					1L
12	225 12:00:00	32				VGR-32 OWLT IS 06H 45M 21S					2L
13	225 13:50:03	31	60	RISE		10 DEGREE RISE DSC-60					1V
14	225 13:57:13	31	40	SET		10 DEGREE SET DSC-40					1V
15	225 17:10:00	31	61	AOS	OPCH ACE	AOS DSS-61 PASS-6935 (D/L ONLY)					1DP
16	225 18:30:00	32	45	LOS	OPCH ACE	LOS DSS-45 PASS-6951					2DP
17	225 18:45:00	32	43	AOS	OPCH ACE	AOS DSS-43 PASS-6951 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
18	225 19:19:56	32	40	SET		10 DEGREE SET DSC-40					2V
19	225 19:45:00	32	43	LOS	OPCH ACE	LOS DSS-43 PASS-6951					2DP
20	225 21:22:48	31	10	RISE		10 DEGREE RISE DSC-10					1V
21	225 21:40:00	31	61	LOS	OPCH ACE	LOS DSS-61 PASS-6935					1DP
22	225 22:50:08	31				B- UVSLEW			28331:49:001F	225 14:00:35.945	1TB
23	225 22:50:08	31				SLEW TO HELIO-10B			28331:49:001F	225 14:00:35.945	1T

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 33 DOY 96-225/00:00 - 96-232/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
24	225 22:50:08	31				B- PLATPOA			28331:49:001F	225 14:00:35.945	1TB
25	225 22:50:08	31			AC7SPK	(1 12 1 068 036) EL SLEW R=LOW	AACS		28331:49:003F	225 14:00:36.063	1ECa
26	225 22:52:15	31				B- SLEND			28331:51:518F	225 14:02:42.945	1TB
27	225 22:52:15	31			SLEWEND	AZ=319.959 EL=175.032 CO=176.574			28331:51:518F	225 14:02:42.945	1T
28	226 00:00:00	31				VGR-31 OWLT IS 08H 49M 33S					1L
29	226 00:00:00	32				VGR-32 OWLT IS 06H 45M 25S					2L
30	226 00:25:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-6936 (D/L ONLY)					1DP
31	226 00:57:58	31	60 SET			10 DEGREE SET DSC-60					1V
32	226 04:23:41	32	10RISE			10 DEGREE RISE DSC-10					2V
33	226 04:25:00	32	15 AOS	OPCH ACE		AOS DSS-15 PASS-6952 (D/L ONLY)					2DP
34	226 04:28:44	32	40RISE			10 DEGREE RISE DSC-40					2V
35	226 04:50:55	31	40RISE			10 DEGREE RISE DSC-40					1V
36	226 06:50:04	32	10 SET			10 DEGREE SET DSC-10					2V
37	226 07:20:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6952 (D/L ONLY)					2DP
38	226 07:35:00	32	15 LOS	OPCH ACE		LOS DSS-15 PASS-6952					2DP
39	226 08:47:33	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
40	226 08:47:33	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
41	226 08:48:21	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
42	226 08:48:21	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 33 DOY 96-225/00:00 - 96-232/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
43	226 08:50:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-6936					1DP
44	226 08:50:26	31	10 SET			10 DEGREE SET DSC-10					1V
45	226 08:51:45	32				BEGIN PWSREC			22201:57:001F	96-226/02:03:59	2T
46	226 08:51:45	32				B- DRGS4B			22201:57:001F	96-226/02:03:59	2TB
47	226 08:51:45	32			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		22201:57:009F	96-226/02:04:00	2ECf
48	226 08:52:29	32				BEGIN RECORDING PWS DATA			22201:57:734F	96-226/02:04:43	2T
49	226 08:52:29	32			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		22201:57:734F	96-226/02:04:43	2ECd
50	226 08:52:29	32				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:5 TIC:2038	DTR		22201:57:734F	96-226/02:04:43	2ESd
51	226 08:52:33	32		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PB/FDS11 SA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	22201:58:001F	96-226/02:04:47	2ESf
52	226 08:52:33	32			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		22201:58:002F	96-226/02:04:47	2ECs
53	226 08:52:34	32				B- DRCRUS			22201:58:018F	96-226/02:04:48	2TB
54	226 08:52:34	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		22201:58:025F	96-226/02:04:49	2ECf

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 33 DOY 96-225/00:00 - 96-232/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
55	226 08:53:21	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	22201:59:001F	96-226/02:05:35	2ESf
56	226 08:53:21	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		22201:59:001F	96-226/02:05:35	2ECd
57	226 08:53:21	32				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:2328	DTR		22201:59:001F	96-226/02:05:35	2ESd
58	226 08:53:21	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		22201:59:002F	96-226/02:05:35	2ECs
59	226 08:53:22	32				END PWSREC			22201:59:018F	96-226/02:05:36	2T
60	226 09:22:58	32			AC7SSB	(4 +179) SS BIAS CONTROL --- YAW	AACS		22202:36:003F	96-226/02:35:11	2ECa
61	226 09:26:50	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
62	226 09:26:50	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
63	226 09:27:38	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
64	226 09:27:38	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
65	226 09:30:14	31				BEGIN PWSREC.31			28345:09:001F	226 00:40:35.945	1T
66	226 09:30:14	31			SC32AJ	(10) PLS CONFIG CMD	FDS		28345:09:009F	226 00:40:36.419	1ECf
67	226 09:31:02	31				B- DRGS4B			28345:10:001F	226 00:41:23.945	1TB

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 33 DOY 96-225/00:00 - 96-232/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
68	226 09:31:02	31			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		28345:10:009F	226 00:41:24.419	1ECf
69	226 09:31:46	31				BEGIN RECORDING PWS DATA			28345:10:734F	226 00:42:07.945	1T
70	226 09:31:46	31			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		28345:10:734F	226 00:42:07.966	1ECd
71	226 09:31:46	31				DTR STATUS MODE:REC RATE:115.2K DIR:R TRK:4 TIC:0549	DTR		28345:10:734F	226 00:42:07.966	1ESd
72	226 09:31:50	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	28345:11:001F	226 00:42:11.939	1ESf
73	226 09:31:50	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		28345:11:001F	226 00:42:11.998	1ECs
74	226 09:31:51	31				B- DRCRUS			28345:11:018F	226 00:42:12.945	1TB
75	226 09:31:51	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		28345:11:026F	226 00:42:13.439	1ECf
76	226 09:32:38	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	28345:12:001F	226 00:42:59.939	1ESf
77	226 09:32:38	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		28345:12:001F	226 00:42:59.972	1ECd

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 33 DOY 96-225/00:00 - 96-232/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
78	226 09:32:38	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:4 TIC:0257	DTR		28345:12:001F	226 00:42:59.972	1ESd
79	226 09:32:38	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		28345:12:002F	226 00:43:00.030	1ECs
80	226 09:33:26	31			SC32AJ	(11) PLS CONFIG CMD	FDS		28345:13:009F	226 00:43:48.419	1ECF
81	226 09:33:27	31				END PWSREC.31			28345:13:018F	226 00:43:48.945	1T
82	226 12:00:00	31				VGR-31 OWLT IS 08H 49M 39S					1L
83	226 12:00:00	32				VGR-32 OWLT IS 06H 45M 30S					2L
84	226 13:25:00	31	63 AOS	OPCH ACE		AOS DSS-63 PASS-6936 (D/L ONLY)					1DP
85	226 13:46:07	31	60RISE			10 DEGREE RISE DSC-60					1V
86	226 13:53:18	31	40 SET			10 DEGREE SET DSC-40					1V
87	226 16:25:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-6936					1DP
88	226 16:28:41	31			AC7SSB	(3 +016) SS BIAS CONTROL - PITCH	AACS		28353:52:003F	226 07:39:00.068	1ECa
89	226 17:30:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6936 (D/L ONLY)					1DP
90	226 19:15:57	32	40 SET			10 DEGREE SET DSC-40					2V
91	226 19:30:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6952					2DP
92	226 21:18:53	31	10RISE			10 DEGREE RISE DSC-10					1V
93	226 22:50:20	31				B- UVSLEW			28361:49:001F	226 14:00:35.945	1TB
94	226 22:50:20	31				SLEW TO MIDPNT1			28361:49:001F	226 14:00:35.945	1T
95	226 22:50:20	31				B- PLATPOB			28361:49:001F	226 14:00:35.945	1TB
96	226 22:50:20	31			AC7SPK	(1 12 2 100 170) EL SLEW R=LOW	AACS		28361:49:003F	226 14:00:36.069	1ECa
97	226 22:50:20	31			AC7SPK	(2 12 2 172 084) AZ SLEW R=LOW	AACS		28361:49:004F	226 14:00:36.156	1ECa

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 33 DOY 96-225/00:00 - 96-232/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
114	227 01:15:57	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	28364:51:001F	226 16:26:11.939	1ESf
115	227 01:15:57	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		28364:51:001F	226 16:26:11.959	1ECs
116	227 01:22:21	31			SC06BY	(7) FDS PLS/MAG/PESCAL FLAG PLSCAL ENABLED MAGCAL ENABLED PESCAL ENABLED	FDS		28364:59:009F	226 16:32:36.419	1ECf
117	227 01:23:09	31				BEGIN PLS/MAG/PESCAL			28365:00:001F	226 16:33:23.945	1T
118	227 02:55:09	31			EOT	END OF TAPE			28366:54:789F	226 18:05:23.247	1Ed
119	227 03:04:46	31			CC16C	(2228) DTR STATE SELECT: SLEW	DTR		28367:07:001F	226 18:14:59.959	1ECd
120	227 03:04:46	31				DTR STATUS MODE:SLEW RATE:007.2K DIR:R TRK:8 TIC:3585	DTR		28367:07:001F	226 18:14:59.959	1ESd
121	227 03:04:46	31			EOT	END OF TAPE			28367:07:009F	226 18:15:00.459	1Ed
122	227 03:05:34	31				END PLSCAL			28367:08:001F	226 18:15:47.945	1T
123	227 04:19:44	32	10RISE			10 DEGREE RISE DSC-10					2V
124	227 04:24:43	32	40RISE			10 DEGREE RISE DSC-40					2V
125	227 04:25:35	31				END MAGCAL			28368:48:001F	226 19:35:47.945	1T
126	227 04:30:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6953 (D/L ONLY)					2DP
127	227 04:38:59	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 33 DOY 96-225/00:00 - 96-232/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
128	227 04:38:59	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
129	227 04:43:11	31				END PESCAL			28369:10:001F	226 19:53:23.945	1T
130	227 04:43:11	31				B- DRCRUS			28369:10:001F	226 19:53:23.945	1TB
131	227 04:43:11	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		28369:10:010F	226 19:53:24.479	1ECF
132	227 04:43:59	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	28369:11:001F	226 19:54:11.939	1ESF
133	227 04:43:59	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		28369:11:001F	226 19:54:11.996	1ECs
134	227 04:44:00	31				END PMPCALLR			28369:11:018F	226 19:54:12.945	1T
135	227 04:46:57	31	40RISE			10 DEGREE RISE DSC-40					1V
136	227 05:41:32	31			BOT	BEGIN OF TAPE			28370:22:749F	226 20:51:44.848	1Ed
137	227 05:44:45	31				TAPE AT BOT			28370:26:768F	226 20:54:57.945	1T
138	227 05:44:45	31				END DTRMA231			28370:26:768F	226 20:54:57.945	1T
139	227 05:48:47	31				TAPPOS-0250			28370:32:001F	226 20:58:59.945	1T
140	227 05:48:47	31			CC16C	(2211) DTR STATE SELECT: SLEW	DTR		28370:32:001F	226 20:58:59.998	1ECd
141	227 05:48:47	31				DTR STATUS MODE:SLEW RATE:007.2K DIR:F TRK:1 TIC:0199	DTR		28370:32:001F	226 20:58:59.998	1ESd

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 33 DOY 96-225/00:00 - 96-232/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
142	227 05:48:47	31			BOT	BEGIN OF TAPE			28370:32:010F	226 20:59:00.498	1Ed
143	227 05:51:06	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		28370:34:724F	226 21:01:19.352	1ECd
144	227 05:51:06	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:1 TIC:0250	DTR		28370:34:724F	226 21:01:19.352	1ESd
145	227 06:46:00	32	10 SET			10 DEGREE SET DSC-10					2V
146	227 08:29:30	32			AC7SSB	(3 -021) SS BIAS CONTROL - PITCH FWD/TRK 5	AACS		22231:29:002F	96-227/01:41:35	2ECa
147	227 08:36:49	31							28374:02:001F	226 23:46:59.945	1T
148	227 08:36:49	31			CC16C	(7015) DTR STATE SELECT: READY	DTR		28374:02:001F	226 23:46:59.995	1ECd
149	227 08:36:49	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:0250	DTR		28374:02:001F	226 23:46:59.995	1ESd
150	227 08:45:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-6937					1DP
151	227 08:46:28	31	10 SET			10 DEGREE SET DSC-10					1V
152	227 12:00:00	31				VGR-31 OWLT IS 08H 49M 50S					1L
153	227 12:00:00	32				VGR-32 OWLT IS 06H 45M 38S					2L
154	227 13:42:12	31	60RISE			10 DEGREE RISE DSC-60					1V
155	227 13:49:22	31	40 SET			10 DEGREE SET DSC-40					1V
156	227 14:35:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6937 (D/L ONLY)					1DP
157	227 14:50:28	31				B- UVSLEW			28381:49:001F	227 06:00:35.945	1TB
158	227 14:50:28	31				SLEW TO MIDPNT2			28381:49:001F	227 06:00:35.945	1T
159	227 14:50:28	31				B- PLATPOA			28381:49:001F	227 06:00:35.945	1TB
160	227 14:50:28	31			AC7SPK	(2 12 2 130 083) AZ SLEW R=LOW	AACS		28381:49:003F	227 06:00:36.061	1ECa

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 33 DOY 96-225/00:00 - 96-232/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
161	227 15:02:40	31				B- SLEND			28382:04:201F	227 06:12:47.945	1TB
162	227 15:02:40	31			SLEWEND	AZ=170.010 EL=130.019 CO=123.566			28382:04:201F	227 06:12:47.945	1T
163	227 18:30:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-6953 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
164	227 18:40:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6953					2DP
165	227 19:11:57	32	40 SET			10 DEGREE SET DSC-40					2V
166	227 19:35:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-6953					2DP
167	227 21:14:57	31	10RISE			10 DEGREE RISE DSC-10					1V
168	227 22:50:32	31				B- UVSLEW			28391:49:001F	227 14:00:35.945	1TB
169	227 22:50:32	31				SLEW TO HELIO-11B			28391:49:001F	227 14:00:35.945	1T
170	227 22:50:32	31				B- PLATPOB			28391:49:001F	227 14:00:35.945	1TB
171	227 22:50:32	31			AC7SPK	(2 12 2 098 079) AZ SLEW R=LOW	AACS		28391:49:003F	227 14:00:36.069	1ECa
172	227 22:50:32	31			AC7SPK	(1 12 2 068 132) EL SLEW R=LOW	AACS		28391:49:004F	227 14:00:36.156	1ECa
173	227 23:09:05	31				B- SLEND			28392:12:151F	227 14:19:08.945	1TB
174	227 23:09:05	31			SLEWEND	AZ=125.000 EL=176.032 CO=170.384			28392:12:151F	227 14:19:08.945	1T
175	228 00:00:00	31				VGR-31 OWLT IS 08H 49M 56S					1L
176	228 00:00:00	32				VGR-32 OWLT IS 06H 45M 43S					2L
177	228 00:45:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-6938 (D/L ONLY)					1DP
178	228 00:50:09	31	60 SET			10 DEGREE SET DSC-60					1V
179	228 01:00:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6937					1DP
180	228 04:05:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6954 (D/L ONLY)					2DP
181	228 04:15:46	32	10RISE			10 DEGREE RISE DSC-10					2V
182	228 04:20:42	32	40RISE			10 DEGREE RISE DSC-40					2V
183	228 04:42:59	31	40RISE			10 DEGREE RISE DSC-40					1V

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 33 DOY 96-225/00:00 - 96-232/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
184	228 06:41:56	32	10 SET			10 DEGREE SET DSC-10					2V
185	228 08:40:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-6938					1DP
186	228 08:42:30	31	10 SET			10 DEGREE SET DSC-10					1V
187	228 12:00:00	31				VGR-31 OWLT IS 08H 50M 02S					1L
188	228 12:00:00	32				VGR-32 OWLT IS 06H 45M 47S					2L
189	228 13:30:00	31	63 AOS	OPCH ACE		AOS DSS-63 PASS-6938 (U/L PASS)					1DP
190	228 13:38:17	31	60RISE			10 DEGREE RISE DSC-60					1V
191	228 13:45:27	31	40 SET			10 DEGREE SET DSC-40					1V
192	228 16:00:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6938 (D/L ONLY)					1DP
193	228 16:14:30	32			AC7SSB	(4 +180) SS BIAS CONTROL --- YAW	AACS		22271:10:003F	96-228/09:26:23	2ECa
194	228 16:15:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-6938					1DP
195	228 18:15:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6954					2DP
196	228 18:35:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-6954 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
197	228 19:07:57	32	40 SET			10 DEGREE SET DSC-40					2V
198	228 19:30:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-6954					2DP
199	228 21:10:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6939 (D/L ONLY)					1DP
200	228 21:11:02	31	10RISE			10 DEGREE RISE DSC-10					1V
201	228 21:30:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6938					1DP
202	228 22:50:43	31				B- UVSLEW			28421:49:001F	228 14:00:35.945	1TB
203	228 22:50:43	31				SLEW TO HELIO-12B			28421:49:001F	228 14:00:35.945	1T
204	228 22:50:43	31				B- PLATPOA			28421:49:001F	228 14:00:35.945	1TB
205	228 22:50:43	31			AC7SPK	(1 12 1 076 107) EL SLEW R=LOW	AACS		28421:49:003F	228 14:00:36.061	1ECa
206	228 22:53:01	31				B- SLEND			28421:51:701F	228 14:02:53.945	1TB

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 33 DOY 96-225/00:00 - 96-232/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
207	228 22:53:01	31			SLEWEND	AZ=125.000 EL=165.546 CO=160.518			28421:51:701F	228 14:02:53.945	1T
208	229 00:00:00	31				VGR-31 OWLT IS 08H 50M 08S					1L
209	229 00:00:00	32				VGR-32 OWLT IS 06H 45M 52S					2L
210	229 00:46:15	31	60	SET		10 DEGREE SET DSC-60					1V
211	229 04:11:49	32	10	RISE		10 DEGREE RISE DSC-10					2V
212	229 04:16:40	32	40	RISE		10 DEGREE RISE DSC-40					2V
213	229 04:39:01	31	40	RISE		10 DEGREE RISE DSC-40					1V
214	229 05:05:00	32	42	AOS	OPCH ACE	AOS DSS-42 PASS-6955 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
215	229 06:37:52	32	10	SET		10 DEGREE SET DSC-10					2V
216	229 08:15:00	31	45	AOS	OPCH ACE	AOS DSS-45 PASS-6939 (D/L ONLY)					1DP
217	229 08:30:00	31	15	LOS	OPCH ACE	LOS DSS-15 PASS-6939					1DP
218	229 08:38:32	31	10	SET		10 DEGREE SET DSC-10					1V
219	229 11:30:00	31	45	LOS	OPCH ACE	LOS DSS-45 PASS-6939					1DP
220	229 12:00:00	31				VGR-31 OWLT IS 08H 50M 14S					1L
221	229 12:00:00	32				VGR-32 OWLT IS 06H 45M 57S					2L
222	229 13:34:21	31	60	RISE		10 DEGREE RISE DSC-60					1V
223	229 13:41:32	31	40	SET		10 DEGREE SET DSC-40					1V
224	229 17:20:00	31	61	AOS	OPCH ACE	AOS DSS-61 PASS-6939 (U/L PASS)					1DP
225	229 18:10:00	32	42	LOS	OPCH ACE	LOS DSS-42 PASS-6955					2DP
226	229 19:03:57	32	40	SET		10 DEGREE SET DSC-40					2V
227	229 19:35:00	31	61		OPCH 61	== START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS ==					1TD

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 33 DOY 96-225/00:00 - 96-232/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
228	229 19:35:00	31	61	OPCH 61		== TLC TEST UP-LINK == TURN RANGING MOD OFF (IF APPL)					1TD
229	229 19:36:00	31	61	OPCH 61		== TLC TEST UP-LINK == TURN COMMAND MOD OFF (IF APPL) NO COMMANDING FOR 1 HR 56 MIN					1TD
230	229 19:37:00	31	61	OPCH 61		== TLC TEST UP-LINK == == TUNE U/L AT 48 HZ/SEC == == TO XA-65 KHZ (S-BAND) ==					1TD
231	229 20:02:00	31	61	OPCH 61		== END TLC TEST UP-LINK == == TURN TRANSMITTER OFF == TUNE TO TSF @ 48 HZ/SEC (S-BAND)					1TD
232	229 21:05:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6940 (D/L ONLY)					1DP
233	229 21:07:06	31	10RISE			10 DEGREE RISE DSC-10					1V
234	229 21:20:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6939					1DP
235	229 22:50:55	31				B- UVSLEW			28451:49:001F	229 14:00:35.945	1TB
236	229 22:50:55	31				SLEW TO HELIO-13B			28451:49:001F	229 14:00:35.945	1T
237	229 22:50:55	31				B- PLATPOA			28451:49:001F	229 14:00:35.945	1TB
238	229 22:50:55	31			AC7SPK	(1 12 2 084 117) EL SLEW R=LOW	AACS		28451:49:003F	229 14:00:36.061	1ECa
239	229 22:53:20	31				B- SLEND			28451:52:018F	229 14:03:00.945	1TB
240	229 22:53:20	31			SLEWEND	AZ=125.000 EL=154.029 CO=149.239			28451:52:018F	229 14:03:00.945	1T
241	230 00:00:00	31				VGR-31 OWLT IS 08H 50M 20S					1L
242	230 00:00:00	32				VGR-32 OWLT IS 06H 46M 01S					2L
243	230 00:42:20	31	60 SET			10 DEGREE SET DSC-60					1V

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 33 DOY 96-225/00:00 - 96-232/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
244	230 03:15:00	32	24 AOS	OPCH ACE		AOS DSS-24 PASS-6956 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
245	230 04:07:51	32	10RISE			10 DEGREE RISE DSC-10					2V
246	230 04:12:39	32	40RISE			10 DEGREE RISE DSC-40					2V
247	230 04:30:00	31	45 AOS	OPCH ACE		AOS DSS-45 PASS-6940 (D/L ONLY)					1DP
248	230 04:35:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-6940					1DP
249	230 04:35:02	31	40RISE			10 DEGREE RISE DSC-40					1V
250	230 06:33:49	32	10 SET			10 DEGREE SET DSC-10					2V
251	230 07:00:00	32	42 AOS	OPCH ACE		AOS DSS-42 PASS-6956 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
252	230 07:20:00	32	24 LOS	OPCH ACE		LOS DSS-24 PASS-6956					2DP
253	230 08:34:34	31	10 SET			10 DEGREE SET DSC-10					1V
254	230 08:57:24	31			AC7SSB	(3 +017) SS BIAS CONTROL - PITCH	AACS		28464:27:002F	230 00:07:00.044	1ECa
255	230 12:00:00	31				VGR-31 OWLT IS 08H 50M 26S					1L
256	230 12:00:00	32				VGR-32 OWLT IS 06H 46M 06S					2L
257	230 13:30:00	31	63 AOS	OPCH ACE		AOS DSS-63 PASS-6940 (D/L ONLY)					1DP
258	230 13:30:26	31	60RISE			10 DEGREE RISE DSC-60					1V
259	230 13:37:37	31	40 SET			10 DEGREE SET DSC-40					1V
260	230 13:39:50	31				B- RFSTLC			28470:20:001F	230 04:49:23.945	1TB
261	230 13:42:48	31	63	OPCH 63		== START TLC TEST DOWN-LINK ==					1TD
262	230 13:45:00	31	45 LOS	OPCH ACE		LOS DSS-45 PASS-6940					1DP
263	230 14:43:48	31	63	OPCH 63		== END TLC TEST DOWN-LINK ==					1TD

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 33 DOY 96-225/00:00 - 96-232/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
264	230 15:50:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6940 (D/L ONLY)					1DP
265	230 16:05:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-6940					1DP
266	230 18:10:00	32	42 LOS	OPCH ACE		LOS DSS-42 PASS-6956					2DP
267	230 18:59:57	32	40 SET			10 DEGREE SET DSC-40					2V
268	230 21:03:11	31	10RISE			10 DEGREE RISE DSC-10					1V
269	230 21:05:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-6941 (D/L ONLY)					1DP
270	230 21:20:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6940					1DP
271	230 22:51:07	31				B- UVSLEW			28481:49:001F	230 14:00:35.945	1TB
272	230 22:51:07	31				SLEW TO HELIO-14B			28481:49:001F	230 14:00:35.945	1T
273	230 22:51:07	31				B- PLATPOA			28481:49:001F	230 14:00:35.945	1TB
274	230 22:51:07	31			AC7SPK	(1 12 2 090 170) EL SLEW R=LOW	AACS		28481:49:003F	230 14:00:36.061	1ECa
275	230 22:53:02	31				B- SLEND			28481:51:318F	230 14:02:30.945	1TB
276	230 22:53:02	31			SLEWEND	AZ=125.000 EL=145.017 CO=140.352			28481:51:318F	230 14:02:30.945	1T
277	230 23:06:03	32			AC7SSB	(4 +181) SS BIAS CONTROL --- YAW	AACS		22339:44:002F	96-230/16:17:35	2ECa
278	231 00:00:00	31				VGR-31 OWLT IS 08H 50M 32S					1L
279	231 00:00:00	32				VGR-32 OWLT IS 06H 46M 10S					2L
280	231 00:38:26	31	60 SET			10 DEGREE SET DSC-60					1V
281	231 03:50:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6957 (D/L ONLY)					2DP
282	231 04:03:54	32	10RISE			10 DEGREE RISE DSC-10					2V
283	231 04:08:38	32	40RISE			10 DEGREE RISE DSC-40					2V
284	231 04:31:04	31	40RISE			10 DEGREE RISE DSC-40					1V
285	231 06:29:46	32	10 SET			10 DEGREE SET DSC-10					2V
286	231 08:15:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6941 (D/L ONLY)					1DP

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 33 DOY 96-225/00:00 - 96-232/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
287	231 08:30:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-6941					1DP
288	231 08:30:36	31	10 SET			10 DEGREE SET DSC-10					1V
289	231 12:00:00	31				VGR-31 OWLT IS 08H 50M 37S					1L
290	231 12:00:00	32				VGR-32 OWLT IS 06H 46M 15S					2L
291	231 12:20:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-6941					1DP
292	231 13:26:31	31	60RISE			10 DEGREE RISE DSC-60					1V
293	231 13:30:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6941 (D/L ONLY)					1DP
294	231 13:33:42	31	40 SET			10 DEGREE SET DSC-40					1V
295	231 18:55:58	32	40 SET			10 DEGREE SET DSC-40					2V
296	231 19:10:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6957					2DP
297	231 20:59:16	31	10RISE			10 DEGREE RISE DSC-10					1V
298	231 21:05:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6942 (D/L ONLY)					1DP
299	231 21:20:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6941					1DP
300	231 22:51:19	31				B- UVSLEW			28511:49:001F	231 14:00:35.945	1TB
301	231 22:51:19	31				SLEW TO HELIO-15B			28511:49:001F	231 14:00:35.945	1T
302	231 22:51:19	31				B- PLATPOA			28511:49:001F	231 14:00:35.945	1TB
303	231 22:51:19	31			AC7SPK	(1 12 1 097 126) EL SLEW R=LOW	AACS		28511:49:003F	231 14:00:36.061	1ECa
304	231 22:53:26	31				B- SLEND			28511:51:518F	231 14:02:42.945	1TB
305	231 22:53:26	31			SLEWEND	AZ=125.000 EL=135.021 CO=130.421			28511:51:518F	231 14:02:42.945	1T
306	232 00:00:00	31				VGR-31 OWLT IS 08H 50M 43S					1L
307	232 00:00:00	32				VGR-32 OWLT IS 06H 46M 20S					2L