# Appendix L U.S. Army Corps of Engineers Wetland Delineation Data Sheets

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes N		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

#### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes N		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

#### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes N		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

#### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes N		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

#### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes N		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

#### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes N		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

#### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes N		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

#### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes N		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

#### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes N		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

#### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes N		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

#### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes N		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

#### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes N		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

#### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes N		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

#### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes N		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

#### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes N		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

#### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field 	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De: Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content ir Organic Streaking in Sa Listed on Local Hydric S Listed on National Hydr Other (Explain in Rema	Soils List ic Soils List	

#### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field 	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De: Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content ir Organic Streaking in Sa Listed on Local Hydric S Listed on National Hydr Other (Explain in Rema	Soils List ic Soils List	

#### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_\_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					-

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

	l Phase):		Field	Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.	
	_ Histosol _ Histic Epiped _ Sulfidic Odo _ Aquic Moistu _ Reducing Co	r <b>Ire</b> Regime		Concretions High Organic Content in Organic Streaking in Sa Listed on Local Hydric Listed on National Hydr Other (Explain in Rema	Soils List ric Soils List	5

### WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					

Approved by HQUSACE 3/92

Project/Site: \_ Date: \_ Applicant/Owner: \_\_\_\_ County: \_\_\_\_ Investigator: State: Do Normal Circumstances Exist on the site? Yes No Community ID : \_\_\_\_ Is the site significantly disturbed (Atypical Situation)? Yes No Transect ID: Is the area a potential Problem Area? (If needed, explain on reverse.) No Plot ID: Yes

# VEGETATION

Dominant_Plant_Species	Stratum Indicator	Dominant_Plant_Species	Stratum Indicator
1		9	
2		10	
3		11	
4		12	
5		13	
6	. <u></u>	14	
7		15	
8		16	
Percent of Dominant Species that (excluding FAC-).	are OBL, FACW or FAC		
Remarks:			

Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available	Wetland hydrology Indicators: Primary Indicators: Inundated Saturated in Upper 12 Inches Water Marks Drift Lines
Field Observations:	Sediment Deposits Drainage Patterns in Wetlands Secondary Indicators (2 or more required):
Depth of Surface Water:(in.)	Oxidized Root Channels in Upper 12"
Depth to Free Water in Pit:(in.)	Water-Stained Leaves Local Soil Survey Data FAC-Neutral Test
Depth to Saturated Soil:(in.)	Other (Explain in Remarks)
Remarks:	

SOILS

Map Unit Name (Series and Phase): Taxonomy (Subgroup):					Drainage Class: Field Observations Confirm Mapped Type? Yes No		
Profile De: Depth (inches) 	scription : Horizon	Matrix Color (Munsell_Moist)	Mottle Colors (Munsell_Moist)	Mottle <u>Abundance/Contrast</u>	Texture, Concretions,           Structure, etc.		
Hydric Soil Indicators:       Concretions         Histic Epipedon       High Organic Content in Surfa ce Layer Sandy Soils         Sulfidic Odor       Organic Streaking in Sandy Soils         Aquic Moisture Regime       Listed on Local Hydric Soils List         Gleyed or Low-Chroma Colors       Other (Explain in Remarks)							

# WETLAND DETERMINATION

Hydrophytic Vegetation Present? Wetland Hydrology Present? Hydric Soils Present?	Yes Yes Yes	No No No	(Circle)	Is this Sampling Point Within a Wetland?	(Circ Yes	
Remarks:						
	×					

Approved by HQUSACE 3/92

٤

# Appendix M U.S. Fish and Wildlife Service Species List for the South Delta Improvements Program

# Federal Endangered and Threatened Species that Occur in or may be Affected by Projects in the Counties and/or U.S.G.S. 7 1/2 Minute Quads you requested

Document Number: 041108123729

Database Last Updated: August 11, 2004

# **Quad Lists**

# **STOCKTON WEST (462A)**

. .

# **Listed Species**

# Invertebrates

Branchinecta lynchi - vernal pool fairy shrimp (T) Desmocerus californicus dimorphus - valley elderberry longhorn beetle (T) Lepidurus packardi - vernal pool tadpole shrimp (E)

# Fish

Hypomesus transpacificus - Critical habitat, delta smelt (T) Hypomesus transpacificus - delta smelt (T) Oncorhynchus mykiss - Central Valley steelhead (T) (NMFS) Oncorhynchus tshawytscha - Central Valley spring-run chinook salmon (T) (NMFS) Oncorhynchus tshawytscha - winter-run chinook salmon (E) (NMFS)

#### Amphibians

Ambystoma californiense - California tiger salamander (T) Rana aurora draytonii - California red-legged frog (T)

## Reptiles

Thamnophis gigas - giant garter snake (T)

#### Birds

Haliaeetus leucocephalus - bald eagle (T)

#### Mammals

Neotoma fuscipes riparia - riparian (San Joaquin Valley) woodrat (E) Sylvilagus bachmani riparius - riparian brush rabbit (E)

#### Plants

Cordylanthus palmatus - palmate-bracted bird's-beak (E)

# **Candidate Species**

# Fish

Acipenser medirostris - green sturgeon (C) Oncorhynchus tshawytscha - Central Valley fall/late fall-run chinook salmon (C) (NMFS)

# **Species of Concern**

#### Invertebrates

Anthicus sacramento - Sacramento anthicid beetle (SC) Branchinecta mesovallensis - Midvalley fairy shrimp (SC) Linderiella occidentalis - California linderiella fairy shrimp (SC) Lytta molesta - molestan blister beetle (SC)

# Fish

Lampetra ayresi - river lamprey (SC) Lampetra hubbsi - Kern brook lamprey (SC) Lampetra tridentata - Pacific lamprey (SC) Pogonichthys macrolepidotus - Sacramento splittail (SC) Spirinchus thaleichthys - longfin smelt (SC)

# Reptiles

Anniella pulchra pulchra - silvery legless lizard (SC) Clemmys marmorata marmorata - northwestern pond turtle (SC) Clemmys marmorata pallida - southwestern pond turtle (SC) Phrynosoma coronatum frontale - California horned lizard (SC)

# Birds

Agelaius tricolor - tricolored blackbird (SC) Athene cunicularia hypugaea - western burrowing owl (SC) Branta canadensis leucopareia - Aleutian Canada goose (D) Buteo regalis - ferruginous hawk (SC) Buteo Swainsoni - Swainson's hawk (CA) Carduelis lawrencei - Lawrence's goldfinch (SC) Chaetura vauxi - Vaux's swift (SC) Charadrius montanus - mountain plover (SC) Elanus leucurus - white-tailed (=black shouldered) kite (SC) Empidonax traillii brewsteri - little willow flycatcher (CA) Falco peregrinus anatum - American peregrine falcon (D) Grus canadensis tabida - greater sandhill crane (CA) Lanius ludovicianus - loggerhead shrike (SC) Limosa fedoa - marbled godwit (SC) Melanerpes lewis - Lewis' woodpecker (SC) Numerius americanus - long-billed curlew (SC) Picoides nuttallii - Nuttall's woodpecker (SLC) Plegadis chihi - white-faced ibis (SC) Selasphorus rufus - rufous hummingbird (SC) Toxostoma redivivum - California thrasher (SC)

#### Mammals

Corynorhinus (=Plecotus) townsendii townsendii - Pacific western big-eared bat (SC) Eumops perotis californicus - greater western mastiff-bat (SC) Myotis ciliolabrum - small-footed myotis bat (SC) Myotis volans - long-legged myotis bat (SC) Myotis yumanensis - Yuma myotis bat (SC) Perognathus inornatus - San Joaquin pocket mouse (SC)

# Plants

Astragalus tener var. tener - alkali milk-vetch (SC) Atriplex joaquiniana - San Joaquin spearscale (=saltbush) (SC) Lathyrus jepsonii var. jepsonii - delta tule-pea (SC)

# HOLT (462B)

# Listed Species

# Invertebrates

Branchinecta lynchi - vernal pool fairy shrimp (T) Desmocerus californicus dimorphus - valley elderberry longhorn beetle (T) Lepidurus packardi - vernal pool tadpole shrimp (E)

## Fish

Hypomesus transpacificus - Critical habitat, delta smelt (T) Hypomesus transpacificus - delta smelt (T) Oncorhynchus mykiss - Central Valley steelhead (T) (NMFS) Oncorhynchus tshawytscha - Central Valley spring-run chinook salmon (T) (NMFS) Oncorhynchus tshawytscha - winter-run chinook salmon (E) (NMFS)

# Amphibians

Ambystoma californiense - California tiger salamander (T) Rana aurora draytonii - California red-legged frog (T)

# Reptiles

Thamnophis gigas - giant garter snake (T)

# Birds

Haliaeetus leucocephalus - bald eagle (T)

## Mammals

*Neotoma fuscipes riparia* - riparian (San Joaquin Valley) woodrat (E) *Sylvilagus bachmani riparius* - riparian brush rabbit (E)

# **Candidate Species**

#### Fish

Acipenser medirostris - green sturgeon (C) Oncorhynchus tshawytscha - Central Valley fall/late fall-run chinook salmon (C) (NMFS)

# Species of Concern

# Invertebrates

Anthicus antiochensis - Antioch Dunes anthicid beetle (SC) Anthicus sacramento - Sacramento anthicid beetle (SC) Linderiella occidentalis - California linderiella fairy shrimp (SC) Lytta molesta - molestan blister beetle (SC)

Fish

Lampetra ayresi - river lamprey (SC) Lampetra tridentata - Pacific lamprey (SC) Pogonichthys macrolepidotus - Sacramento splittail (SC) Spirinchus thaleichthys - longfin smelt (SC)

# Reptiles

Anniella pulchra pulchra - silvery legless lizard (SC) Clemmys marmorata marmorata - northwestern pond turtle (SC) Clemmys marmorata pallida - southwestern pond turtle (SC) Phrynosoma coronatum frontale - California horned lizard (SC)

# Birds

Agelaius tricolor - tricolored blackbird (SC) Athene cunicularia hypugaea - western burrowing owl (SC) Branta canadensis leucopareia - Aleutian Canada goose (D) Buteo regalis - ferruginous hawk (SC) Buteo Swainsoni - Swainson's hawk (CA) Carduelis lawrencei - Lawrence's goldfinch (SC) Chaetura vauxi - Vaux's swift (SC) Charadrius montanus - mountain plover (SC) Elanus leucurus - white-tailed (=black shouldered) kite (SC) Empidonax traillii brewsteri - little willow flycatcher (CA) Falco peregrinus anatum - American peregrine falcon (D) Grus canadensis tabida - greater sandhill crane (CA) Lanius ludovicianus - loggerhead shrike (SC) Limosa fedoa - marbled godwit (SC) Melanerpes lewis - Lewis' woodpecker (SC) Numerius americanus - long-billed curlew (SC) Picoides nuttallii - Nuttall's woodpecker (SLC) Plegadis chihi - white-faced ibis (SC) Selasphorus rufus - rufous hummingbird (SC) Toxostoma redivivum - California thrasher (SC)

#### Mammals

Corynorhinus (=Plecotus) townsendii townsendii - Pacific western big-eared bat (SC) Eumops perotis californicus - greater western mastiff-bat (SC) Myotis ciliolabrum - small-footed myotis bat (SC) Myotis volans - long-legged myotis bat (SC) Myotis yumanensis - Yuma myotis bat (SC) Perognathus inornatus - San Joaquin pocket mouse (SC)

# Plants

Lathyrus jepsonii var. jepsonii - delta tule-pea (SC) Lilaeopsis masonii - Mason's lilaeopsis (SC)

# **UNION ISLAND (462C)**

# **Listed Species**

#### Invertebrates

Branchinecta lynchi - vernal pool fairy shrimp (T) Desmocerus californicus dimorphus - valley elderberry longhorn beetle (T) Lepidurus packardi - vernal pool tadpole shrimp (E)

# Fish

Hypomesus transpacificus - Critical habitat, delta smelt (T) Hypomesus transpacificus - delta smelt (T) Oncorhynchus mykiss - Central Valley steelhead (T) (NMFS) Oncorhynchus tshawytscha - Central Valley spring-run chinook salmon (T) (NMFS)

Oncorhynchus tshawytscha - winter-run chinook salmon (E) (NMFS)

# Amphibians

Ambystoma californiense - California tiger salamander (T) Rana aurora draytonii - California red-legged frog (T)

# Reptiles

*Thamnophis gigas* - giant garter snake (T)

## Birds

Haliaeetus leucocephalus - bald eagle (T)

#### Mammals

Neotoma fuscipes riparia - riparian (San Joaquin Valley) woodrat (E) Sylvilagus bachmani riparius - riparian brush rabbit (E)

# **Candidate Species**

# Fish

Acipenser medirostris - green sturgeon (C) Oncorhynchus tshawytscha - Central Valley fall/late fall-run chinook salmon (C) (NMFS)

# **Species of Concern**

#### Invertebrates

Anthicus sacramento - Sacramento anthicid beetle (SC) Linderiella occidentalis - California linderiella fairy shrimp (SC) Lytta molesta - molestan blister beetle (SC)

# Fish

Lampetra ayresi - river lamprey (SC) Lampetra tridentata - Pacific lamprey (SC) Pogonichthys macrolepidotus - Sacramento splittail (SC) Spirinchus thaleichthys - longfin smelt (SC)

# Reptiles

Anniella pulchra pulchra - silvery legless lizard (SC) Clemmys marmorata marmorata - northwestern pond turtle (SC) Clemmys marmorata pallida - southwestern pond turtle (SC) Masticophis flagellum ruddocki - San Joaquin coachwhip (=whipsnake) (SC) Phrynosoma coronatum frontale - California horned lizard (SC)

# Birds

Agelaius tricolor - tricolored blackbird (SC) Amphispiza belli belli - Bell's sage sparrow (SC) Athene cunicularia hypugaea - western burrowing owl (SC) Branta canadensis leucopareia - Aleutian Canada goose (D) Buteo regalis - ferruginous hawk (SC) Buteo Swainsoni - Swainson's hawk (CA)

Carduelis lawrencei - Lawrence's goldfinch (SC) Chaetura vauxi - Vaux's swift (SC) Charadrius montanus - mountain plover (SC) Elanus leucurus - white-tailed (=black shouldered) kite (SC) Empidonax traillii brewsteri - little willow flycatcher (CA) Falco peregrinus anatum - American peregrine falcon (D) Grus canadensis tabida - greater sandhill crane (CA) Lanius ludovicianus - loggerhead shrike (SC) Limosa fedoa - marbled godwit (SC) Melanerpes lewis - Lewis' woodpecker (SC) Numenius americanus - long-billed curlew (SC) Picoides nuttallii - Nuttall's woodpecker (SLC) Plegadis chihi - white-faced ibis (SC) Selasphorus rufus - rufous hummingbird (SC) Toxostoma redivivum - California thrasher (SC)

# Mammals

Corynorhinus (=Plecotus) townsendii townsendii - Pacific western big-eared bat (SC) Eumops perotis californicus - greater western mastiff-bat (SC) Myotis ciliolabrum - small-footed myotis bat (SC) Myotis volans - long-legged myotis bat (SC) Myotis yumanensis - Yuma myotis bat (SC) Perognathus inornatus - San Joaquin pocket mouse (SC)

#### Plants

Blepharizonia plumosa ssp. plumosa - big tarplant (SC) Lilaeopsis masonii - Mason's lilaeopsis (SC)

# LATHROP (462D)

# **Listed Species**

# Invertebrates

Branchinecta lynchi - vernal pool fairy shrimp (T) Desmocerus californicus dimorphus - valley elderberry longhorn beetle (T) Lepidurus packardi - vernal pool tadpole shrimp (E)

# Fish

Hypomesus transpacificus - Critical habitat, delta smelt (T)
Hypomesus transpacificus - delta smelt (T)
Oncorhynchus mykiss - Central Valley steelhead (T) (NMFS)
Oncorhynchus tshawytscha - Central Valley spring-run chinook salmon (T) (NMFS)
Oncorhynchus tshawytscha - winter-run chinook salmon (E) (NMFS)

# Amphibians

Ambystoma californiense - California tiger salamander (T) Rana aurora draytonii - California red-legged frog (T)

# Reptiles

Thamnophis gigas - giant garter snake (T)

# Birds

Haliaeetus leucocephalus - bald eagle (T)

# Mammals

Neotoma fuscipes riparia - riparian (San Joaquin Valley) woodrat (E) Sylvilagus bachmani riparius - riparian brush rabbit (E)

# **Candidate Species**

# Fish

Acipenser medirostris - green sturgeon (C) Oncorhynchus tshawytscha - Central Valley fall/late fall-run chinook salmon (C) (NMFS)

# **Species of Concern**

# Invertebrates

Anthicus sacramento - Sacramento anthicid beetle (SC) Branchinecta mesovallensis - Midvalley fairy shrimp (SC) Linderiella occidentalis - California linderiella fairy shrimp (SC) Lytta molesta - molestan blister beetle (SC)

# Fish

Lampetra ayresi - river lamprey (SC) Lampetra hubbsi - Kern brook lamprey (SC) Lampetra tridentata - Pacific lamprey (SC) Pogonichthys macrolepidotus - Sacramento splittail (SC) Spirinchus thaleichthys - longfin smelt (SC)

Reptiles

Anniella pulchra pulchra - silvery legless lizard (SC) Clemmys marmorata marmorata - northwestern pond turtle (SC) Clemmys marmorata pallida - southwestern pond turtle (SC) Masticophis flagellum ruddocki - San Joaquin coachwhip (=whipsnake) (SC) Phrynosoma coronatum frontale - California horned lizard (SC)

Birds

Agelaius tricolor - tricolored blackbird (SC) Athene cunicularia hypugaea - western burrowing owl (SC) Branta canadensis leucopareia - Aleutian Canada goose (D) Buteo regalis - ferruginous hawk (SC) Buteo Swainsoni - Swainson's hawk (CA) Carduelis lawrencei - Lawrence's goldfinch (SC) Chaetura vauxi - Vaux's swift (SC) Charadrius montanus - mountain plover (SC) Elanus leucurus - white-tailed (=black shouldered) kite (SC) Empidonax traillii brewsteri - little willow flycatcher (CA) Falco peregrinus anatum - American peregrine falcon (D) Grus canadensis tabida - greater sandhill crane (CA) Lanius ludovicianus - loggerhead shrike (SC) Limosa fedoa - marbled godwit (SC) Melanerpes lewis - Lewis' woodpecker (SC) Numerius americanus - long-billed curlew (SC) Picoides nuttallii - Nuttall's woodpecker (SLC) *Plegadis chihi* - white-faced ibis (SC)

# Page 8 of 21

Selasphorus rufus - rufous hummingbird (SC) Toxostoma redivivum - California thrasher (SC)

### Mammals

Corynorhinus (=Plecotus) townsendii townsendii - Pacific western big-eared bat (SC) Eumops perotis californicus - greater western mastiff-bat (SC) Myotis ciliolabrum - small-footed myotis bat (SC) Myotis volans - long-legged myotis bat (SC) Myotis yumanensis - Yuma myotis bat (SC) Perognathus inornatus - San Joaquin pocket mouse (SC)

# Plants

*Cirsium crassicaule* - slough thistle (SC) *Eryngium racemosum* - delta coyote-thistle (=button-celery) (CA) *Sagittaria sanfordii* - valley sagittaria (=Sanford's arrowhead) (SC)

# WOODWARD ISLAND (463A)

# **Listed Species**

# Invertebrates

Branchinecta longiantenna - longhorn fairy shrimp (E) Branchinecta lynchi - vernal pool fairy shrimp (T) Desmocerus californicus dimorphus - valley elderberry longhorn beetle (T) Lepidurus packardi - vernal pool tadpole shrimp (E)

# Fish

Hypomesus transpacificus - Critical habitat, delta smelt (T) Hypomesus transpacificus - delta smelt (T) Oncorhynchus mykiss - Central Valley steelhead (T) (NMFS)

# Amphibians

Ambystoma californiense - California tiger salamander (T) Rana aurora draytonii - California red-legged frog (T)

# Reptiles

Thamnophis gigas - giant garter snake (T)

# Birds

Haliaeetus leucocephalus - bald eagle (T)

#### Mammals

Neotoma fuscipes riparia - riparian (San Joaquin Valley) woodrat (E) Sylvilagus bachmani riparius - riparian brush rabbit (E) Vulpes macrotis mutica - San Joaquin kit fox (E)

# **Candidate Species**

# Fish

Acipenser medirostris - green sturgeon (C) Oncorhynchus tshawytscha - Central Valley fall/late fall-run chinook salmon (C) (NMFS)

# **Species of Concern**

# Invertebrates

Anthicus antiochensis - Antioch Dunes anthicid beetle (SC) Anthicus sacramento - Sacramento anthicid beetle (SC) Linderiella occidentalis - California linderiella fairy shrimp (SC) Lytta molesta - molestan blister beetle (SC)

# Fish

Lampetra ayresi - river lamprey (SC) Lampetra tridentata - Pacific lamprey (SC) Pogonichthys macrolepidotus - Sacramento splittail (SC) Spirinchus thaleichthys - longfin smelt (SC)

#### Amphibians

Spea hammondii - western spadefoot toad (SC)

#### Reptiles

Anniella pulchra pulchra - silvery legless lizard (SC) Clemmys marmorata marmorata - northwestern pond turtle (SC) Clemmys marmorata pallida - southwestern pond turtle (SC) Masticophis flagellum ruddocki - San Joaquin coachwhip (=whipsnake) (SC) Phrynosoma coronatum frontale - California horned lizard (SC)

# Birds

Agelaius tricolor - tricolored blackbird (SC) Athene cunicularia hypugaea - western burrowing owl (SC) Branta canadensis leucopareia - Aleutian Canada goose (D) Buteo regalis - ferruginous hawk (SC) Buteo Swainsoni - Swainson's hawk (CA) Calvpte costae - Costa's hummingbird (SC) Carduelis lawrencei - Lawrence's goldfinch (SC) Chaetura vauxi - Vaux's swift (SC) Charadrius montanus - mountain plover (SC) *Elanus leucurus* - white-tailed (=black shouldered) kite (SC) Empidonax traillii brewsteri - little willow flycatcher (CA) Falco peregrinus anatum - American peregrine falcon (D) Grus canadensis tabida - greater sandhill crane (CA) Lanius ludovicianus - loggerhead shrike (SC) Limosa fedoa - marbled godwit (SC) Melanerpes lewis - Lewis' woodpecker (SC) Numenius americanus - long-billed curlew (SC) Picoides nuttallii - Nuttall's woodpecker (SLC) Plegadis chihi - white-faced ibis (SC) *Riparia riparia* - bank swallow (CA) Selasphorus rufus - rufous hummingbird (SC) Selasphorus sasin - Allen's hummingbird (SC)

#### Mammals

Corynorhinus (=Plecotus) townsendii townsendii - Pacific western big-eared bat (SC)

# Page 10 of 21

Eumops perotis californicus - greater western mastiff-bat (SC) Myotis ciliolabrum - small-footed myotis bat (SC) Myotis volans - long-legged myotis bat (SC) Myotis yumanensis - Yuma myotis bat (SC) Neotoma fuscipes annectens - San Francisco dusky-footed woodrat (SC) Perognathus inornatus - San Joaquin pocket mouse (SC)

# Plants

Aster lentus - Suisun Marsh aster (SC) Atriplex cordulata - heartscale (SC) Atriplex joaquiniana - San Joaquin spearscale (=saltbush) (SC) Eryngium racemosum - delta coyote-thistle (=button-celery) (CA) Lathyrus jepsonii var. jepsonii - delta tule-pea (SC) Lilaeopsis masonii - Mason's lilaeopsis (SC) Tropidocarpum capparideum - caper-fruited tropidocarpum (SC)

# **BYRON HOT SPRINGS (463C)**

# **Listed Species**

#### Invertebrates

Critical habitat, vernal pool invertebrates (X)
 Branchinecta longiantenna - longhorn fairy shrimp (E)
 Branchinecta lynchi - Critical habitat, vernal pool fairy shrimp (X)
 Branchinecta lynchi - vernal pool fairy shrimp (T)
 Desmocerus californicus dimorphus - valley elderberry longhorn beetle (T)
 Lepidurus packardi - vernal pool tadpole shrimp (E)

# Fish

Hypomesus transpacificus - delta smelt (T) Oncorhynchus mykiss - Central Valley steelhead (T) (NMFS) Oncorhynchus tshawytscha - Central Valley spring-run chinook salmon (T) (NMFS) Oncorhynchus tshawytscha - winter-run chinook salmon (E) (NMFS)

# Amphibians

Ambystoma californiense - California tiger salamander (T) Rana aurora draytonii - California red-legged frog (T)

# Reptiles

Masticophis lateralis euryxanthus - Alameda whipsnake (T) Masticophis lateralis euryxanthus - Critical habitat, Alameda whipsnake (T) Thamnophis gigas - giant garter snake (T)

# Birds

Haliaeetus leucocephalus - bald eagle (T)

#### Mammals

Neotoma fuscipes riparia - riparian (San Joaquin Valley) woodrat (E) Sylvilagus bachmani riparius - riparian brush rabbit (E) Vulpes macrotis mutica - San Joaquin kit fox (E)

- Critical habitat, vernal pool plants (X) Lasthenia conjugens - Contra Costa goldfields (E)

# **Proposed Species**

#### Amphibians

Ambystoma californiense - Critical habitat, CA tiger salamander - Central Valley population (PX) Rana aurora draytonii - Critical habitat, California red-legged frog (Proposed) (PX)

# **Candidate Species**

# Fish

Acipenser medirostris - green sturgeon (C) Oncorhynchus tshawytscha - Central Valley fall/late fall-run chinook salmon (C) (NMFS)

# **Species of Concern**

#### Invertebrates

*Hygrotus curvipes* - curved-foot hygrotus diving beetle (SC) *Linderiella occidentalis* - California linderiella fairy shrimp (SC) *Lytta molesta* - molestan blister beetle (SC)

# Fish

Lampetra ayresi - river lamprey (SC) Lampetra tridentata - Pacific lamprey (SC) Pogonichthys macrolepidotus - Sacramento splittail (SC) Spirinchus thaleichthys - longfin smelt (SC)

#### Amphibians

Rana boylii - foothill yellow-legged frog (SC)

#### Reptiles

Anniella pulchra pulchra - silvery legless lizard (SC) Clemmys marmorata marmorata - northwestern pond turtle (SC) Clemmys marmorata pallida - southwestern pond turtle (SC) Masticophis flagellum ruddocki - San Joaquin coachwhip (=whipsnake) (SC) Phrynosoma coronatum frontale - California horned lizard (SC)

## Birds

Agelaius tricolor - tricolored blackbird (SC) Amphispiza belli belli - Bell's sage sparrow (SC) Athene cunicularia hypugaea - western burrowing owl (SC) Baeolophus inornatus - oak titmouse (SLC) Buteo regalis - ferruginous hawk (SC) Calypte costae - Costa's hummingbird (SC) Carduelis lawrencei - Lawrence's goldfinch (SC) Chaetura vauxi - Vaux's swift (SC) Charadrius montanus - mountain plover (SC) Elanus leucurus - white-tailed (=black shouldered) kite (SC) Empidonax traillii brewsteri - little willow flycatcher (CA) Falco peregrinus anatum - American peregrine falcon (D) Grus canadensis tabida - greater sandhill crane (CA)

# Page 12 of 21

Lanius ludovicianus - loggerhead shrike (SC) Limosa fedoa - marbled godwit (SC) Melanerpes lewis - Lewis' woodpecker (SC) Numenius americanus - long-billed curlew (SC) Plegadis chihi - white-faced ibis (SC) Selasphorus rufus - rufous hummingbird (SC) Selasphorus sasin - Allen's hummingbird (SC) Toxostoma redivivum - California thrasher (SC)

## Mammals

Corynorhinus (=Plecotus) townsendii townsendii - Pacific western big-eared bat (SC) Eumops perotis californicus - greater western mastiff-bat (SC) Myotis ciliolabrum - small-footed myotis bat (SC) Myotis evotis - long-eared myotis bat (SC) Myotis thysanodes - fringed myotis bat (SC) Myotis volans - long-legged myotis bat (SC) Myotis yumanensis - Yuma myotis bat (SC) Neotoma fuscipes annectens - San Francisco dusky-footed woodrat (SC) Perognathus inornatus - San Joaquin pocket mouse (SC)

# Plants

Astragalus tener var. tener - alkali milk-vetch (SC) Atriplex cordulata - heartscale (SC) Atriplex depressa - brittlescale (SC) Atriplex joaquiniana - San Joaquin spearscale (=saltbush) (SC) Blepharizonia plumosa ssp. plumosa - big tarplant (SC) Deinandra bacigalupii - Livermore tarplant (SC) Delphinium recurvatum - recurved larkspur (SC) Eschscholzia rhombipetala - diamond-petaled California poppy (SC) Helianthella castanea - Diablo helianthella (=rock-rose) (SC) Tropidocarpum capparideum - caper-fruited tropidocarpum (SC)

# **County Lists**

# **Contra Costa County**

### **Listed Species**

#### Invertebrates

Critical habitat, vernal pool invertebrates (X)
Apodemia mormo langei - Lange's metalmark butterfly (E)
Branchinecta conservatio - Conservancy fairy shrimp (E)
Branchinecta longiantenna - longhorn fairy shrimp (E)
Branchinecta lynchi - Critical habitat, vernal pool fairy shrimp (X)
Branchinecta lynchi - vernal pool fairy shrimp (T)
Desmocerus californicus dimorphus - valley elderberry longhorn beetle (T)
Lepidurus packardi - vernal pool tadpole shrimp (E)
Speyeria callippe - callippe - callippe silverspot butterfly (E)

# Fish

Eucyclogobius newberryi - tidewater goby (E)

Hypomesus transpacificus - Critical habitat, delta smelt (T)
Hypomesus transpacificus - delta smelt (T)
Oncorhynchus kisutch - coho salmon - central CA coast (T) (NMFS)
Oncorhynchus mykiss - Central California Coastal steelhead (T) (NMFS)
Oncorhynchus tshawytscha - Central Valley spring-run chinook salmon (T) (NMFS)
Oncorhynchus tshawytscha - Critical habitat, winter-run chinook salmon (E) (NMFS)
Oncorhynchus tshawytscha - winter-run chinook salmon (E) (NMFS)

#### Amphibians

Ambystoma californiense - California tiger salamander (T) Rana aurora draytonii - California red-legged frog (T)

#### Reptiles

Masticophis lateralis euryxanthus - Alameda whipsnake (T) Masticophis lateralis euryxanthus - Critical habitat, Alameda whipsnake (T) Thamnophis gigas - giant garter snake (T)

# Birds

Charadrius alexandrinus nivosus - western snowy plover (T) Haliaeetus leucocephalus - bald eagle (T) Pelecanus occidentalis californicus - California brown pelican (E) Rallus longirostris obsoletus - California clapper rail (E) Sterna antillarum (=albifrons) browni - California least tern (E)

#### Mammals

Neotoma fuscipes riparia - riparian (San Joaquin Valley) woodrat (E) Reithrodontomys raviventris - salt marsh harvest mouse (E) Sylvilagus bachmani riparius - riparian brush rabbit (E) Vulpes macrotis mutica - San Joaquin kit fox (E)

# Plants

- Critical habitat, vernal pool plants (X)
Amsinckia grandiflora - large-flowered fiddleneck (E)
Arctostaphylos pallida - pallid manzanita (=Alameda or Oakland Hills manzanita) (T)
Cordylanthus mollis ssp. mollis - soft bird's-beak (E)
Erysimum capitatum ssp. angustatum - Contra Costa wallflower (E)
Erysimum capitatum ssp. angustatum - Critical Habitat, Contra Costa wallflower (E)
Holocarpha macradenia - Critical habitat, Santa Cruz tarplant (T)
Holocarpha macradenia - Santa Cruz tarplant (T)
Lasthenia conjugens - Contra Costa goldfields (E)
Oenothera deltoides ssp. howellii - Antioch Dunes evening-primrose (E)

# Proposed Species

## Amphibians

Ambystoma californiense - Critical habitat, CA tiger salamander - Central Valley population (PX) Rana aurora draytonii - Critical habitat, California red-legged frog (Proposed) (PX)

# **Candidate Species**

Fish

Acipenser medirostris - green sturgeon (C) Oncorhynchus tshawytscha - Central Valley fall/late fall-run chinook salmon (C) (NMFS) Oncorhynchus tshawytscha - Critical habitat, Central Valley fall/late fall-run chinook (C) (NMFS)

# **Species of Concern**

# Invertebrates

Aegialia concinna - Ciervo aegialian scarab beetle (SC) Anthicus antiochensis - Antioch Dunes anthicid beetle (SC) Anthicus sacramento - Sacramento anthicid beetle (SC) Branchinecta mesovallensis - Midvalley fairy shrimp (SC) Coelus gracilis - San Joaquin dune beetle (SC) Cophura hurdi - Antioch cophuran robberfly (SC) Efferia antiochi - Antioch efferian robberfly (SC) Helminthoglypta nickliniana bridgesi - Bridges' Coast Range shoulderband snail (SC) Hydrochara rickseckeri - Ricksecker's water scavenger beetle (SC) Hygrotus curvipes - curved-foot hygrotus diving beetle (SC) Idiostatus middlekaufi - Middlekauf's shieldback katydid (SC) Incisalia mossii marinensis - Marin elfin butterfly (SC) Linderiella occidentalis - California linderiella fairy shrimp (SC) *Lytta molesta* - molestan blister beetle (SC) Metapogon hurdi - Hurd's metapogon robberfly (SC) Myrmosula pacifica - Antioch mutillid wasp (SC) Nothochrysa californica - San Francisco lacewing (SC) Perdita hirticeps luteocincta - yellow-banded andrenid bee (SC) Perdita scitula antiochensis - Antioch andrenid bee (SC) Philanthus nasilis - Antioch sphecid wasp (SC)

#### Fish

Lampetra ayresi - river lamprey (SC) Lampetra tridentata - Pacific lamprey (SC) Pogonichthys macrolepidotus - Sacramento splittail (SC) Spirinchus thaleichthys - longfin smelt (SC)

#### Amphibians

Rana boylii - foothill yellow-legged frog (SC) Spea hammondii - western spadefoot toad (SC)

# Reptiles

Anniella pulchra pulchra - silvery legless lizard (SC) Clemmys marmorata marmorata - northwestern pond turtle (SC) Clemmys marmorata pallida - southwestern pond turtle (SC) Masticophis flagellum ruddocki - San Joaquin coachwhip (=whipsnake) (SC) Phrynosoma coronatum frontale - California horned lizard (SC)

#### Birds

Agelaius tricolor - tricolored blackbird (SC) Amphispiza belli belli - Bell's sage sparrow (SC) Athene cunicularia hypugaea - western burrowing owl (SC) Baeolophus inornatus - oak titmouse (SLC) Botaurus lentiginosus - American bittern (SC) Branta canadensis leucopareia - Aleutian Canada goose (D) Buteo regalis - ferruginous hawk (SC) Buteo Swainsoni - Swainson's hawk (CA) Calidris canutus - red knot (SC)

Calypte costae - Costa's hummingbird (SC) Carduelis lawrencei - Lawrence's goldfinch (SC) Chaetura vauxi - Vaux's swift (SC) Charadrius montanus - mountain plover (SC) Contopus cooperi - olive-sided flycatcher (SC) Elanus leucurus - white-tailed (=black shouldered) kite (SC) Empidonax traillii brewsteri - little willow flycatcher (CA) Falco peregrinus anatum - American peregrine falcon (D) Geothlypis trichas sinuosa - saltmarsh common yellowthroat (SC) Lanius ludovicianus - loggerhead shrike (SC) Laterallus jamaicensis coturniculus - black rail (CA) Limosa fedoa - marbled godwit (SC) Melanerpes lewis - Lewis' woodpecker (SC) Melospiza melodia maxillaris - Suisun song sparrow (SC) Melospiza melodia pusillula - Alameda (South Bay) song sparrow (SC) Melospiza melodia samuelis - San Pablo song sparrow (SC) Numenius americanus - long-billed curlew (SC) Numenius phaeopus - whimbrel (SC) Plegadis chihi - white-faced ibis (SC) Riparia riparia - bank swallow (CA) Selasphorus rufus - rufous hummingbird (SC) Selasphorus sasin - Allen's hummingbird (SC) Sphyrapicus ruber - red-breasted sapsucker (SC) Toxostoma redivivum - California thrasher (SC)

#### Mammals

Corynorhinus (=Plecotus) townsendii townsendii - Pacific western big-eared bat (SC) Dipodomys heermanni berkeleyensis - Berkeley kangaroo rat (SC) Eumops perotis californicus - greater western mastiff-bat (SC) Myotis ciliolabrum - small-footed myotis bat (SC) Myotis evotis - long-eared myotis bat (SC) Myotis thysanodes - fringed myotis bat (SC) Myotis volans - long-legged myotis bat (SC) Myotis yumanensis - Yuma myotis bat (SC) Neotoma fuscipes annectens - San Francisco dusky-footed woodrat (SC) Perognathus inornatus - San Joaquin pocket mouse (SC) Sorex ornatus sinuosus - Suisun ornate shrew (SC)

# Plants

Amsinckia lunaris - bent-flowered fiddleneck (SLC) Arabis blepharophylla - coast rock-cress (SLC) Aster lentus - Suisun Marsh aster (SC) Astragalus tener var. tener - alkali milk-vetch (SC) Atriplex cordulata - heartscale (SC) Atriplex depressa - brittlescale (SC) Atriplex joaquiniana - San Joaquin spearscale (=saltbush) (SC) Blepharizonia plumosa ssp. plumosa - big tarplant (SC) Calochortus pulchellus - Mt. Diablo fairy-lantern (SLC) Campanula exigua - chaparral harebell (=bellflower) (SLC) Castilleja ambigua ssp. ambigua - salt marsh owl's clover (=johnny-nip) (SLC) Cirsium andrewsii - Franciscan thistle (SC) Cordylanthus nidularius - Mt. Diablo bird's-beak (SC) Croton californicus - California croton (SLC) Cryptantha hooveri - Hoover's cryptantha (SLC) Deinandra bacigalupii - Livermore tarplant (SC) Delphinium californicum ssp. interius - interior California (Hospital Canyon) larkspur (SC) Delphinium recurvatum - recurved larkspur (SC) Dirca occidentalis - western leatherwood (SLC)

Eriogonum caninum - Tiburon buckwheat (SLC) *Eriogonum nudum var. decurrens* - Ben Lomond buckwheat (= naked buckwheat) (SC) Eryngium racemosum - delta coyote-thistle (=button-celery) (CA) Eschscholzia rhombipetala - diamond-petaled California poppy (SC) Fritillaria agrestis - stinkbells (SLC) Fritillaria liliacea - fragrant fritillary (= prairie bells) (SC) Galium andrewsii ssp. gatense - serpentine bedstraw (SLC) Helianthella castanea - Diablo helianthella (=rock-rose) (SC) Hemizonia parryi ssp. congdonii - Congdon's tarplant (SC) Hesperolinon breweri - Brewer's dwarf-flax (=western flax) (SC) Hoita strobilina - Loma Prieta hoita (SC) Isocoma arguta - Carquinez goldenbush (SC) Juglans californica var. hindsii - Northern California black walnut (SC) Lathyrus jepsonii var. jepsonii - delta tule-pea (SC) Lilaeopsis masonii - Mason's lilaeopsis (SC) Madia radiata - showy (=golden) madia (SC) Malacothamnus hallii (=M. fasciculatus) - Hall's bush mallow (SLC) Meconella oregana - Oregon meconella (=white fairypoppy) (SC) Monardella villosa ssp globosa - robust monardella (=robust coyote mint) (SLC) Myosurus minimus ssp. apus - little mousetail (SC) Perideridia gairdneri ssp. gairdneri - Gairdner's yampah (SC) Phacelia phacelioides - Mt. Diablo phacelia (SC) Sanicula saxatilis - rock sanicle (SC) Spartina foliosa - Pacific cordgrass (=California cordgrass) (SLC) Streptanthus albidus ssp. peramoenus - most beautiful (uncommon) jewelflower (SC) Streptanthus hispidus - Mt. Diablo jewelflower (SC) Triquetrella californica - California triquetrella moss (SLC) Tropidocarpum capparideum - caper-fruited tropidocarpum (SC)

# San Joaquin County

## Listed Species

#### Invertebrates

Critical habitat, vernal pool invertebrates (X)
 Branchinecta conservatio - Conservancy fairy shrimp (E)
 Branchinecta longiantenna - longhorn fairy shrimp (E)
 Branchinecta lynchi - Critical habitat, vernal pool fairy shrimp (X)
 Branchinecta lynchi - vernal pool fairy shrimp (T)
 Desmocerus californicus dimorphus - valley elderberry longhorn beetle (T)
 Lepidurus packardi - vernal pool tadpole shrimp (E)

#### Fish

Hypomesus transpacificus - Critical habitat, delta smelt (T)
Hypomesus transpacificus - delta smelt (T)
Oncorhynchus mykiss - Central Valley steelhead (T) (NMFS)
Oncorhynchus tshawytscha - Critical habitat, winter-run chinook salmon (E) (NMFS)
Oncorhynchus tshawytscha - winter-run chinook salmon (E) (NMFS)

# Amphibians

Ambystoma californiense - California tiger salamander (T) Rana aurora draytonii - California red-legged frog (T)

# Reptiles

Masticophis lateralis euryxanthus - Alameda whipsnake (T) Masticophis lateralis euryxanthus - Critical habitat, Alameda whipsnake (T)

Thamnophis gigas - giant garter snake (T)

# Birds

Haliaeetus leucocephalus - bald eagle (T)

#### Mammals

Neotoma fuscipes riparia - riparian (San Joaquin Valley) woodrat (E) Sylvilagus bachmani riparius - riparian brush rabbit (E) Vulpes macrotis mutica - San Joaquin kit fox (E)

# Plants

- Critical habitat, vernal pool plants (X) Amsinckia grandiflora - Critical habitat, large-flowered fiddleneck (E) Amsinckia grandiflora - large-flowered fiddleneck (E) Castilleja campestris ssp. succulenta - succulent (=fleshy) owl's-clover (T) Cordylanthus palmatus - palmate-bracted bird's-beak (E) Tuctoria greenei - Greene's tuctoria (=Orcutt grass) (E)

#### **Proposed Species**

### Amphibians

Ambystoma californiense - Critical habitat, CA tiger salamander - Central Valley population (PX) Rana aurora draytonii - Critical habitat, California red-legged frog (Proposed) (PX)

#### **Candidate Species**

## Fish

Acipenser medirostris - green sturgeon (C) Oncorhynchus tshawytscha - Central Valley fall/late fall-run chinook salmon (C) (NMFS) Oncorhynchus tshawytscha - Critical habitat, Central Valley fall/late fall-run chinook (C) (NMFS)

## Birds

Coccyzus americanus occidentalis - Western yellow-billed cuckoo (C)

# **Species of Concern**

### Invertebrates

Anthicus antiochensis - Antioch Dunes anthicid beetle (SC) Anthicus sacramento - Sacramento anthicid beetle (SC) Branchinecta mesovallensis - Midvalley fairy shrimp (SC) Hygrotus curvipes - curved-foot hygrotus diving beetle (SC) Linderiella occidentalis - California linderiella fairy shrimp (SC) Lytta moesta - moestan blister beetle (SC) Lytta molesta - molestan blister beetle (SC)

Fish

Lampetra ayresi - river lamprey (SC) Lampetra hubbsi - Kern brook lamprey (SC) Lampetra tridentata - Pacific lamprey (SC) Pogonichthys macrolepidotus - Sacramento splittail (SC) Spirinchus thaleichthys - longfin smelt (SC)

# Amphibians

*Rana boylii* - foothill yellow-legged frog (SC) *Spea hammondii* - western spadefoot toad (SC)

# Reptiles

Anniella pulchra pulchra - silvery legless lizard (SC) Clemmys marmorata marmorata - northwestern pond turtle (SC) Clemmys marmorata pallida - southwestern pond turtle (SC) Masticophis flagellum ruddocki - San Joaquin coachwhip (=whipsnake) (SC) Phrynosoma coronatum frontale - California horned lizard (SC)

Birds

Agelaius tricolor - tricolored blackbird (SC) Amphispiza belli belli - Bell's sage sparrow (SC) Athene cunicularia hypugaea - western burrowing owl (SC) Baeolophus inornatus - oak titmouse (SLC) Botaurus lentiginosus - American bittern (SC) Branta canadensis leucopareia - Aleutian Canada goose (D) Buteo regalis - ferruginous hawk (SC) Buteo Swainsoni - Swainson's hawk (CA) Carduelis lawrencei - Lawrence's goldfinch (SC) Charadrius montanus - mountain plover (SC) Contopus cooperi - olive-sided flycatcher (SC) Elanus leucurus - white-tailed (=black shouldered) kite (SC) Empidonax traillii brewsteri - little willow flycatcher (CA) Falco peregrinus anatum - American peregrine falcon (D) Grus canadensis tabida - greater sandhill crane (CA) Lanius ludovicianus - loggerhead shrike (SC) Laterallus jamaicensis coturniculus - black rail (CA) Limosa fedoa - marbled godwit (SC) Melanerpes lewis - Lewis' woodpecker (SC) Numenius americanus - long-billed curlew (SC) Picoides nuttallii - Nuttall's woodpecker (SLC) Plegadis chihi - white-faced ibis (SC) Riparia riparia - bank swallow (CA) Selasphorus rufus - rufous hummingbird (SC) Sphyrapicus ruber - red-breasted sapsucker (SC) Toxostoma redivivum - California thrasher (SC)

#### Mammals

Corynorhinus (=Plecotus) townsendii townsendii - Pacific western big-eared bat (SC) Dipodomys heermanni dixoni - Merced kangaroo rat (SC) Eumops perotis californicus - greater western mastiff-bat (SC) Myotis ciliolabrum - small-footed myotis bat (SC) Myotis evotis - long-eared myotis bat (SC) Myotis thysanodes - fringed myotis bat (SC) Myotis volans - long-legged myotis bat (SC) Myotis yumanensis - Yuma myotis bat (SC) Perognathus inornatus - San Joaquin pocket mouse (SC)

# Plants

Aster lentus - Suisun Marsh aster (SC) Astragalus tener var. tener - alkali milk-vetch (SC) Atriplex cordulata - heartscale (SC) Atriplex joaquiniana - San Joaquin spearscale (=saltbush) (SC)

# Page 19 of 21

Blepharizonia plumosa ssp. plumosa - big tarplant (SC) Caulanthus coulteri var lemmonii - Lemmon's jewelflower (SLC) Cirsium crassicaule - slough thistle (SC) Cryptantha hooveri - Hoover's cryptantha (SLC) Deinandra bacigalupii - Livermore tarplant (SC) Delphinium californicum ssp. interius - interior California (Hospital Canyon) larkspur (SC) Eryngium racemosum - delta coyote-thistle (=button-celery) (CA) Gratiola heterosepala - Boggs Lake hedge-hyssop (CA) Lathyrus jepsonii var. jepsonii - delta tule-pea (SC) Lilaeopsis masonii - Mason's lilaeopsis (SC) Madia radiata - showy (=golden) madia (SC) Sagittaria sanfordii - valley sagittaria (=Sanford's arrowhead) (SC) Tropidocarpum capparideum - caper-fruited tropidocarpum (SC)

#### Key:

(E) Endangered - Listed (in the Federal Register) as being in danger of extinction.

(T) Threatened - Listed as likely to become endangered within the foreseeable future.

(P) Proposed - Officially proposed (in the Federal Register) for listing as endangered or threatened.

(NMFS) Species under the Jurisdiction of the National Marine Fisheries Service Consult with them directly about these species.

Critical Habitat - Area essential to the conservation of a species.

(PX) Proposed Critical Habitat - The species is already listed. Critical habitat is being proposed for it.

(C) Candidate - Candidate to become a proposed species.

(CA) Listed by the State of California but not by the Fish & Wildlife Service.

(D) Delisted - Species will be monitored for 5 years.

(SC) Species of Concern/(SLC) Species of Local Concern - Other species of concern to the Sacramento Fish & Wildlife Office.

(X) Critical Habitat designated for this species

# Important Information About Your Species List

# How We Make Species Lists

We store information about endangered and threatened species lists by U.S. Geological Survey 7½ minute quads. The United States is divided into these quads, which are about the size of San Francisco.

The animals on your species list are ones that occur within, or may be affected byprojects within, the quads covered by the list.

- Fish and other aquatic species appear on your list if they are in the same watershed as your quad or if water use in your quad might affect them.
- Amphibians will be on the list for a quad or county if pesticides applied in that area may be carried to their habitat by air currents.
- Birds are shown regardless of whether they are resident or migratory. Relevant birds on the county list should be considered regard-less of whether they appear on a quad list.

# Plants

Any plants on your list are ones that have actually been observed in the quad or quads covered by the list. Plants may exist in an area without ever having been detected there. You can find out what's in the nine surrounding quads through the California

Native Plant Society's online Inventory of Rare and Endangered Plants.

# Surveying

Some of the species on your list may not be affected by your project. A trained biologist or botanist, familiar with the habitat requirements of the species on your list, should determine whether they or habitats suitable for them may be affected by your project. We recommend that your surveys include any proposed and candidate species on your list.

For plant surveys, we recommend using the <u>Guidelines for Conducting and Reporting Botanical Inventories</u>. The results of your surveys should be published in any environmental documents prepared for your project.

# **State-Listed Species**

If a species has been listed as threatened or endangered by the State of California, but not by us nor by the National Marine Fisheries Service, it will appear on your list as a Species of Concern. However you should contact the California Department of Fish and Game <u>Wildlife and Habitat Data Analysis Branch</u> for official information about these species.

# Your Responsibilities Under the Endangered Species Act

All plants and animals identified as listed above are fully protected unfler the Endangered Species Act of 1973, as amended. Section 9 of the Act and its implementing regulations prohibit the take of a federally listed wildlife species. Take is defined by the Act as "to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect" any such animal.

Take may include significant habitat modification or degradation where it actually kills or injures wildlife by significantly impairing essential behavioral patterns, including breeding, feeding, or shelter (50 CFR §7.3).

# Take incidental to an otherwise lawful activity may be authorized by one of two procedures:

• If a Federal agency is involved with the permitting, funding, or carrying out of a project that may result in take, then that agency must engage in a formal consultation with the Service.

During formal consultation, the Federal agency, the applicant and the Service work together to avoid or minimize the impact on listed species and their habitat. Such consultation would result in a biological opinion by the Service addressing the anticipated effect of the project on listed and proposed species. The opinion may authorize a limited level of incidental take.

• If no Federal agency is involved with the project, and federally listed species may be taken as part of the project, then you, the applicant, should apply for an incidental take permit. The Service may issue such a permit if you submit a satisfactory conservation plan for the species that would be affected by your project.

Should your survey determine that federally listed or proposed species occur in the area and are likely to be affected by the project, we recommend that you work with this office and the California Department of Fish and Game to develop a plan that minimizes the project's direct and indirect impacts to listed species and compensates for projectrelated loss of habitat. You should include the plan in any environmental documents you file.

# Critical Habitat

When a species is listed as endangered or threatened, areas of habitat considered essential to its conservation may be designated as critical habitat. These areas may require special management considerations or protection. They provide needed space for growth and normal behavior; food, water, air, light, other nutritional or physiological requirements; cover or shelter; and sites for breeding, reproduction, rearing of offspring, germination or seed dispersal.

Although critical habitat may be designated on private or State lands, activities on these lands are not restricted unless there is Federal involvement in the activities or direct harm to listed wildlife.

If any species has proposed or designated critical habitat within a quad, there will be a separate line for this on the species list. Boundary descriptions of the critical habitat may be found in the Federal Register. The information is also reprinted in

the Code of Federal Regulations (50 CFR 17.95). See our critical habitat page for maps.

# **Candidate Species**

We recommend that you address impacts to candidate species. We put plants and animals on our candidate list when we have enough scientific information to eventually propose them for listing as threatened or endangered. By considering these species early in your planning process you may be able to avoid the problems that could develop if one of these candidates was listed before the end of your project.

# Species of Concern

Your list may contain a section called Species of Concern. This is an informal term that refers to those species that the Sacramento Fish and Wildlife Office believes might be in need of concentrated conservation actions. Such conservation actions vary depending on the health of the populations and degree and types of threats. At one extreme, there may only need to be periodic monitoring of populations and threats to the species and its habitat. At the other extreme, a species may need to be listed as a Federal threatened or endangered species. Species of concern receive no legal protection and the use of the term does not necessarily mean that the species will eventually be proposed for listing as a threatened or endangered species.

# Wetlands

If your project will impact wetlands, riparian habitat, or other jurisdictional waters as defined by section 404 of the Clean Water Act and/or section 10 of the Rivers and Harbors Act, you will need to obtain a permit from the U.S. Army Corps of Engineers. Impacts to wetland habitats require site specific mitigation and monitoring. For questions regarding wetlands, please contact Mark Littlefield of this office at (916) 414-6580.

# Updates

Our database is constantly updated as species are proposed, listed and delisted. If you address proposed, candidate and special concern species in your planning, this should not be a problem. However, we recommend that you get an updated list every 90 days. That would be February 06, 2005.

# Appendix N Farmland Conversion Impact Rating Form, AD-1006

# U.S. Department of Agriculture

# FARMLAND CONVERSION IMPACT RATING

PART I (To be completed by Federal Agency)	Date Of	Land Evaluation	Request 1/14	/04	
Name Of Project South Delta Improvements Program	Federal	Agency Involved	USBR	·····	
Proposed Land Use Water control facilities	County A	And State San	Joaquin, CA		<u> </u>
ART II (To be completed by NRCS)	Date Re	quest Received E	NRCS		
Does the site contain prime, unique, statewide or local importan	It farmland?	Yes.	No Acres In	ngated Average I	Farmi'Size
(If no, the FPPA does not apply do not complete additional p	arts of this form	n). 🧖 👘	467,98		difficized in
	In Govt. Jurisdict		Amount	Of Familand As D	efined in FPPA
Able5. 000.	819	C		633,533	% 69
Name Of Land Evaluation System Used Name Of Local California - Storie Index None	Site Assessment	System	Date La	nd,Evaluation Retu	med By NRCS
ART III (To be completed by Federal Agency)	<u></u>	<u>_</u>	Altern	4/9/04 ative Site Rating	
		Site A	Site B	Site C	Site D
A. Total Acres To Be Converted Directly		17.4	10.9	2.4	
B. Total Acres To Be Converted Indirectly C. Total Acres In Site					
		17.4	10.9	2.4	0.0
ART.IV (To be completed by NRCS) Land Evaluation Informatio	n		2 . A.		
A. Total Acres Prime And Unique Farmland	1.1	17.1	10.9	2.4	
B: Total Acres Statewide And Local Important Farmland	1. A. A.	0.3	0.0	0.0	9
C. Percentage Of Farmland In County Or Local Govt. Unit To E		0.0	0.0	0.0	
D. Percentage Of Famland In Govt. Jurisdiction With Same Or Higher	Relative Value	0.0	0.0	0.0	
IRT V (To be completed by NRCS) Land Evaluation Criterion Relative Value Of Farmland To Be Converted (Scale of 0 t)	a 100 Points)	68	68	68	0
ART VI (To be completed by Federal Agency)	Maximum				
e Assessment Criteria (These criteria are explained in 7 CFR 658.5(b)	Points				
1. Area In Nonurban Use					
2. Perimeter In Nonurban Use		_			
3. Percent Of Site Being Farmed			-		
4. Protection Provided By State And Local Government					
5. Distance From Urban Builtup Area					
6. Distance To Urban Support Services	_				
7. Size Of Present Farm Unit Compared To Average					
8. Creation Of Nonfarmable Farmland					
9. Availability Of Farm Support Services 10. On-Farm Investments					
11. Effects Of Conversion On Farm Support Services					
12. Compatibility With Existing Agricultural Use					·
			· · · · · · · · · · · · · · · · · · ·		
TOTAL SITE ASSESSMENT POINTS	160	0	0	0	0
RT VII (To be completed by Federal Agency)					
Relative Value Of Farmland (From Part V)	100	68	68	68	0
Total Site Assessment (From Part VI above or a local site assessment)	160	0	0	0	0
TOTAL POINTS (Total of above 2 lines)	260	68	68	68	0
e Selected: Date Of Selection	<u>. l</u>	-L		Site Assessment U	Jsed?
				Yes 🖸	No 🛄

Reason For Selection:

Notes: 1. Exact location of conversion not shown on maps provided. Used most common soil map unit in project area, #197, SI=86, LCC=2w

2. Potential conversion of 742.5 acre dredge spoil disposal area unlikely.

# Appendix O Socioeconomics

Appendix O Economic Analysis

# **Technical Memorandum Table of Contents**

Section 1	Regional Economic Analysis			
	Table 1	Estimated Construction Related Employment - Direct and Indirect/Induced Effects		
	Table 2	Estimated Personal Income Resulting from Construction-Related Expenditures - Direct and Indirect/Induced Effects		
	Table 3	Estimates of Direct and Indirect/Induced Effects in Dredging-Related Employment		
	Table 4	Personal Income Resulting from Dredging-Related Expenditures - Estimated Direct and Indirect/Induced Effects		
	Table 5	Permanent Increase in Employment and Income during Project Operations		
	Table 6	Estimated Direct and Indirect/Induced Effects in Personal Income Resulting from Operation-Related Expenditures		
Section 2	Urban Econ	nomic Analysis		
	Figure 1	Urban Areas Modeled by LCPSIM		
	Figure 2	LCPSIM Logic		
	Figure 3	LCPSIM Data and Parameters		
	Table 1	Summary of LCPSIM Results		
	Table 2	Summary of Water Supply Economic Benefits		

# Section 3 Agricultural Economic Analysis

Figure 4	Agricultural Areas Modeled by CVPM
Table 3	CVPM Regions and Descriptions
Table 4	CVPM Crop Groupings
Table 5	Agricultural Benefits- Marginal Values
Table 6	Summary of South of Delta Agricultural Benefits
Table 7	Summary of Agricultural Economic Benefits by Water Project
Table 8	Summary of Agricultural and Urban Water Supply Economic Benefits

# Section 1 Regional Economic Analysis

# Introduction

This submittal presents the results of an Economic Analysis of the South Delta Improvements Program (SDIP). The Economic Analysis includes an evaluation of the following:

- Regional Economics using the IMpact Analysis for PLANning model (IMPLAN)
- Urban Economics using the Least Cost Planning Simulation Model (LCPSIM)
- Agricultural Economics using the Central Valley Production Model (CVPM)

This Technical Memorandum must be used in conjunction with the SDIP EIS/EIR, including the methodology and modeling technical appendices, to explain the overall assumptions for evaluating the Preferred Alternative in the EIS.

# **Regional Economic Analysis**

# Construction/Dredging and Long-Term Operation of Fish and Control Barriers – Socioeconomic Effects

This Technical Memorandum describes an analysis of regional economic impacts and benefits resulting from the construction and operation and maintenance of operable control and fish barriers in the South Delta, and dredging operations of selected portions of South Delta channels.

# Local Economic Area

With a population of 3.1 million people, the local economy is defined as San Joaquin, Alameda, and Contra Costa counties considered as one economic system.

# Methodology

Developed from the analytical work by Wassily Leontief in the late 1930's, this study uses a branch of economics known as Input-Output analysis. The specific technique chosen is the widely accepted IMPLAN, a system of software and data. IMPLAN was originally developed by the U.S. Department of Agriculture's Forest Service and is now maintained and marketed by the Minnesota IMPLAN Group, Inc. (MIG).

# Assumptions

As with all economic models, assumptions are made to best describe the economic behavior of a given study. In the case of the economic effects of the SDIP, it is assumed the duration of construction and dredging operations will be approximately 30 months.

**Construction of Barriers**: Materials and supplies will constitute 50 percent of total construction costs, and 6 percent of these materials and supplies will be purchased locally. It is further assumed 60 percent of the 100 construction workers will originate from the local study area. These assumptions were based on previous construction projects of a similar nature.

**Dredging Operations:** Fuel and related costs will constitute 10 percent of total dredging costs, and will be purchased from the local economy. The dredging operations will employ 40 percent the workers from the local area.

# Results

3B

4B

# Impacts to the Local Area during Project Construction – Alternatives 2A, 3B, and **4B**

Employment					
Alternative	Direct	Indirect + Induced	Total		
2A	100	30	130		
3B	100	19	119		
4B	80	8	88		

# Table 1. Estimated Construction Related Employment – Direct and Indiract/Induced Effects

The direct effect in Table 1 indicates the initial construction employees needed. The indirect and induced effects show an increase in employment of other industries and businesses in the local economy.

Expenditures (2004 Dollars) – Direct and Indirect/Induced Effects						
Personal Income						
Alternative	Direct	Indirect + Induced	Total			
2A	\$4,262,727	\$1,583,892	\$5,846,619			

\$ 763,606

\$ 307.799

# Table 2. Estimated Personal Income Resulting from Construction-Related

The dollar amount under the direct effect in Table 2 is a combination of local supply purchases and materials and the local payroll of the construction project. The indirect and induced effects are the income generated from ancillary spending of the industries supporting the construction project as well as local businesses.

\$2,750,743

\$1.113.600

# **Demand for Housing during Construction**

Of the 100 construction workers, 40 workers and their families will temporarily reside in the local area. Assuming each worker is a family of three, the population will increase by 120 people. Therefore, it is assumed there will be an increase in demand for approximately 40 housing units during the construction project. However, given more than 40,000 units are vacant at any one time, the increase in demand for the additional 40 units represent only 0.1 percent of the vacant units.

\$3.514.349

\$1.421.399

## **Disruption of Local Businesses during Construction**

Disruption of local businesses due to construction of the barriers may occur at marinas located near construction sites. This could result from increased travel time for boaters. It is assumed that boating opportunities and travel time to and from businesses and marinas would not be substantially impacted during the construction period. The DWR would continue to provide a transportation system for boats around the construction sites similar to the system currently used for temporary barriers.

## Impacts to the Local Area during Dredging Operations

## Table 3. Estimates of Direct and Indirect/Induced Effects in Dredging-Related Employment

Employment					
Direct	Indirect + Induced	Total			
40	40	80			

The direct effect in Table 3 indicates initial employees needed for dredging operations. The indirect and induced effects show an increase in employment of other industries and businesses in the local economy.

## Table 4. Personal Income Resulting from Dredging-Related Expenditures (2004Dollars) - Estimated Direct and Indirect/Induced Effects

Personal Income					
Direct	Indirect + Induced	Total			
\$2,688,000	\$530,093	\$3,218,093			

The dollar amount under the direct effect in Table 4 is the combination of local purchases of fuel and equipment servicing, and the local payroll of the workers. Indirect and induced effects are the income generated from ancillary spending of the industries supporting dredging operations and local businesses.

## **Demand for Housing during Dredging Operations**

Of the 40 dredging workers, 24 workers and their families will temporarily reside in the local area. Assuming each worker is a family of three, the population will increase by 72 people during dredging operations. Therefore, it is assumed there will be an increase in demand for approximately 24 housing units. However, given more than 40,000 units are vacant at any one time, the temporary increase in demand for the additional 24 units represent only 0.06 percent of the vacant units.

## Impacts on Local Area during Project Operation – Alternatives 2A, 3B, and 4B

Employment							
AlternativeDirectIndirect + InducedTotal							
2A	5	2	7				
3B	4	2	6				
4B	2	1	3				

 Table 5. Permanent Increase in Employment and Income during Project Operations

## Table 6. Estimated Direct and Indirect/Induced Effects in Personal Income Resulting from Operation-Related Expenditures

Personal Income								
Alternative Direct Indirect + Induced Total								
2A	\$300,000	\$ 85,000	\$385,000					
3B	\$240,000	\$ 68,000	\$308,000					
4B	\$120,000	\$ 34,000	\$154,000					

## **Demand for Housing during Project Operation**

No impact on the availability of housing within the study area, nor increase in the demand for housing, is expected as a result of operating the barriers as barrier operators would be hired from the local area.

## **Disruption of Local Businesses during Project Operation**

Because boating opportunities within the affected waterways will be maintained, little change in business activity generated by boating or water-dependent recreation is expected.

## Section 2 Urban Economic Analysis


# **Development of the SDIP – Urban and Agricultural Economic Benefits**

## Methodology

The economic analysis is based on estimated water deliveries from CALSIM modeling studies. The modeling studies specify deliveries in the 73 years of historical hydrology under the without project and with project scenarios.

Urban and agricultural water supply reliability benefits were estimated using a methodology developed by the Department of Water Resources (DWR). This methodology inputs CALSIM water deliveries into existing economic models, DWR's LCPSIM and the CVPM, respectively, to evaluate a project's potential urban and agricultural economic benefits. All economic benefits reported in this document are annual averages.


The majority of urban benefits reported in this Technical Memorandum were estimated using the LCPSIM (version LCP55b). The LCPSIM was developed by the DWR and is currently under going a peer review process. Figure 1 shows the areas modeled by LCPSIM.



## **LCPSIM Overview**

The LCPSIM was developed to assess the economic benefits and costs of increasing water service reliability to urban areas by evaluating the economic consequences of the yearly changes in demands and availability of water supplies. LCPSIM measures water service reliability benefits by estimating the ability of shortage management (contingency) measures to mitigate regional costs and losses associated with a shortage.


Assumptions about the effectiveness of regional long-term and shortage contingency options that can be employed to enhance reliability are incorporated into LCPSIM along with estimates of their costs. One of the primary objectives of LCPSIM is to develop an "economically efficient" regional water management plan. Figure 2 shows the major model logic flows.



LCPSIM Logic

In LCPSIM, a priority-based objective, mass balance-constrained linear programming solution is used to simulate regional water management operations on a yearly time-step including the operation of surface and groundwater carryover storage capacity assumed available to the region. Economic losses due to shortage events are based on a residential water user loss function. The cost of adding regional long-term water management measures is determined using a quadratic-programming algorithm. Quadratic programming is also used to simulate water market purchases during shortage events, solving for the least-cost combination of shortage-related economic losses, and the cost of transferred water.

Demand hardening - the increase in the size of the economic losses associated with specific shortage events - is related to the level of use of regional long-term conservation measures. The least-cost combination of economic risk, regional long-term water management facilities and programs, and contingency water transfers is identified in the model for each alternative water management plan evaluated. Figure 3 provides details of the inputs. For further information on LCPSIM, see IDSEA, 2004.



### ANNUAL REGIONAL SUPPLIES

#### Imported: • DWRSIM Operations Studies

- SWP Deliveries (Incl. Transfers) CVP Deliveries • Regional Operations Studies
- LA Aqueduct Colorado River Aqueduct Hetch-Hetchy Aqueduct Mokelumne Aqueduct
- Within Region:
- Avg. Surface
- Avg. Groundwater
- Recycling
- Associated Costs & Constraints Conveyance (Incl. System
- Losses) Treatment & Distribution
  - rreament & Distribution

#### TRANSFER OPTIONS By Source Type: • Market Price • Total Quantity Available Sequential Year Constraints Cumulative Constraints • Associated Costs & Constraints Conveyance (Incl. System Losses) Treatment and Distribution

## Figure 3. LCPSIM Data and Parameters

 Rationing Threshold Management Cost

### **Urban Benefits**

LCPSIM was run for the San Francisco Bay Region and the South Coast Region for each project alternative. Demands were based on 2020 levels of development. The LCPSIM was run with deliveries expected in the base case scenario to determine the least-cost combination of shortage-related costs and losses and the investment and operation costs of long-term water management options. LCPSIM was run again with the deliveries expected from each of the project alternatives. The least-cost solution of each alternative was compared to the base case.

Table 1 provides a summary of the results indexed to 2004 dollars. The 'Avoided Loss/Cost' values indicate the benefits of each alternative compared to the base case. Since the operational criteria are the same for alternatives 2b, 3b and 4b the benefits are identical.

San Francisco Region Economic Urban Benefits								
		Stu	dy Alternati	ves				
	study 2a	study 2b	study 2c	study 3b	study 4b			
Average Incremental Average Period Available Supply (TAF)	6.6	1.3	5.4	1.3	1.3			
Average Incremental Average Period Delivered Supply (TAF)	0.5	-1.0	-0.8	-1.0	-1.0			
Average Incremental Average Period Unallocated Urban Supply (TAF)	6.1	2.3	6.2	2.3	2.3			
Average Incremental Dry Period Available Supply (TAF)	2.8	1.2	2.6	1.2	1.2			
Average Incremental Dry Period Delivered Supply (TAF)	1.8	-0.4	0.6	-0.4	-0.4			
Average Incremental Dry Period Unallocated Urban Supply (TAF)1.01.62.01.6								
Avoided Loss/Cost (\$1,000)	\$383	-\$16	\$142	-\$16	-\$16			

## Table 1. Summary of LCPSIM Results

### South Coast Region Economic Urban Benefits

	Study Alternatives				
	study 2a	study 2b	study 2c	study 3b	study 4b
Average Incremental Average Period Available Supply (TAF)	43.6	7.0	43.2	7.0	7.0
Average Incremental Average Period Delivered Supply (TAF)	35.7	1.6	26.3	1.6	1.6
Average Incremental Average Period Unallocated Urban Supply (TAF)	7.9	5.4	16.9	5.4	5.4
Average Incremental Dry Period Available Supply (TAF)	34.7	9.9	28.4	9.9	9.9
Average Incremental Dry Period Delivered Supply (TAF)	34.6	8.9	27.1	8.9	8.9
Average Incremental Dry Period Unallocated Urban Supply (TAF)	0.1	1.0	1.3	1.0	1.0
Avoided Loss/Cost (\$1,000)	\$8,918	-\$9,222	\$5,559	-\$9,222	-\$9,222

Benefits to the central coast region were estimated based on the LCPSIM results developed for the South Coast Region. It was assumed that the South Coast Region ratio of available water supply to delivered water supply would be applicable to the central coast. The San Joaquin Valley urban benefits are based on foregone groundwater conjunctive use operations. The cost of these operations is an estimated \$140 per acrefoot.

It was also assumed that SWP delivery cost is \$30 per acre-foot. Both costs were obtained from the IDSEA, 2004. The cost difference of \$110 indicates the minimum price per acre foot local urban water users would be willing to pay for additional SWP water (assuming that without the project, local water users will need to expand local conjunctive use activities). Table 2 summarizes the urban benefits.

	(\$1,000)					
	Study 2A	Study 2B	Study 2C	Study 3B	Study 4B	
SF Bay Region	\$349	-\$15	\$129	-\$15	-\$15	
South Coast Region	\$8,117	-\$8,393	\$5,060	-\$8,393	-\$8,393	
<b>Central Coast Region</b>	\$157	\$0	\$99	\$0	\$0	
San Joaquin Valley	\$116	-\$15	\$122	-\$15	-\$15	
Total	\$8,739	-\$8,423	\$5,410	-\$8,423	-\$8,423	

## Table 2. Summary of Urban Water Supply Economic Benefits(2004 dollars)

## Section 3 Agricultural Economic Analysis

## Agricultural Economic Analysis

Increased water supply reliability for agriculture will improve the profitability of farmers by allowing them to increase their planted acreage and/or reduce groundwater pumping. The CVPM was used to estimate the change in agricultural profitability provided by the water supply reliability of the SDIP.

## **CVPM Overview**

The CVPM is a regional model of irrigated agricultural production and economics that simulates the decisions of agricultural producers (farmers) in the Central Valley of California. The model assumes that farmers maximize profit subject to resource, technical, and market constraints. Farmers sell and buy in competitive markets, and no one farmer can affect or control the price of any commodity. To obtain a market solution, the model's objective function maximizes the sum of producers' surplus (net income) and consumers' surplus (net value of the agricultural products to consumers) subject to the following relationships and restrictions:

- 1) Linear, increasing marginal cost functions estimated using the technique of positive mathematical programming. These functions incorporate acreage response elasticities that relate changes in crop acreage to changes in expected returns and other information.
- 2) Commodity demand functions that relate market price to the total quantity produced.
- 3) Irrigation technology tradeoff functions that describe the tradeoff between applied water and irrigation technology.
- 4) A variety of constraints involving land and water availability and other legal, physical, and economic limitations.

The model selects those crops, water supplies, and irrigation technology that maximize profit subject to these equations and constraints. Profit is revenue minus costs. From number 1 above, cost per acre increases as production increases. Revenue is irrigated acreage, times crop yield per acre, times crop price.

From number 2 above, crop price and revenue per acre decline as production increases. Relation number 3 affects costs and water use through the selection of the least-cost irrigation technology. Relation number 4 ensures that the model incorporates real-world hydrologic, economic, technical, and institutional constraints. The model includes 22 crop production regions in the Central Valley and 26 categories of crops. A map of the regions appears as Figure 4. Descriptions of each of the regions and crop types are provided in Tables 3 and 4, respectively.




Figure 4. Agricultural Areas Modeled by CVPM

CVPM Region	Description of Major Water Users					
1	CVP Users: Anderson Cottonwood, Clear Creek, Bella Vista, Sacramento River miscellaneous users.					
2	CVP Users: Corning Canal, Kirkwood, Tehama, Sacramento River miscellaneous users.					
3	CVP Users: Glenn Colusa ID, Provident, Princeton-Codora, Maxwell, and Colusa Basin Drain MWC.					
3b	Tehama Colusa Canal Service Area. CVP Users: Orland-Artois WD, most of County of Colusa, Davis, Dunnigan, Glide, Kanawha, La Grande, Westside WD.					
4	CVP Users: Princeton-Codora-Glenn, Colusa Irrigation Co., Meridian Farm WC, Pelger Mutual WC, Recl. Dist. 1004, Recl. Dist. 108, Roberts Ditch, Sartain M.D., Sutter MWC, Swinford Tract IC, Tisdale Irrigation, Sac River miscellaneous users.					
5	Most Feather River Region riparian and appropriative users.					
7	Sacramento Co. north of American River. CVP Users: Natomas Central MWC, Sac River miscellaneous users, Pleasant Grove-Verona, San Juan Suburban.					
6	Yolo, Solano Counties. CVP Users: Conaway Ranch, Sac River Miscellaneous users.					
9	Delta Regions. CVP Users: Banta Carbona, West Side, Plainview.					
8	Sacramento Co. south of American River, San Joaquin Co.					
10	Delta Mendota Canal. CVP Users: Panoche, Pacheco, Del Puerto, Hospital, Sunflower, West Stanislaus, Mustang, Orestimba, Patterson, Foothill, San Luis WD, Broadview, Eagle Field, Mercy Springs, Pool Exchange Contractors, Schedule II water rights, more.					
11	Stanislaus River water rights: Modesto ID, Oakdale ID, South San Joaquin ID.					
12	Turlock ID.					
13	Merced ID. CVP Users: Madera, Chowchilla, Gravely Ford.					
14	CVP Users: Westlands WD.					
15	Tulare Lake Bed. CVP Users: Fresno Slough, James, Tranquillity, Traction Ranch, Laguna, Real. Dist. 1606.					
16	Eastern Fresno Co. CVP Users: Friant-Kern Canal. Fresno ID, Garfield, International.					
17	CVP Users: Friant-Kern Canal. Hills Valley, Tri-Valley Orange Cove.					
18	CVP Users: Friant-Kern Canal, County of Fresno, Lower Tule River ID, Pixley ID, portion of Rag Gulch, Ducor, County of Tulare, most of Delano Earlimart, Exeter, Ivanhoe, Lewis Cr., Lindmore, Lindsay-Strathmore, Porterville, Sausalito, Stone Corral, Tea Pot Dome, Terra Bella, Tulare.					
19	Kern Co. SWP Service Area.					
20	CVP Users: Friant-Kern Canal. Shafter-Wasco, S. San Joaquin.					
21	CVP Users: Cross Valley Canal, Friant-Kern Canal. Arvin Edison.					

## Table 3.CVPM REGIONS AND DESCRIPTIONS

## Table 4. CVPM CROP GROUPINGS

Category	Proxy Crop (1)	Other Crops (2)	Unit of Measure
Wheat	Wheat		Tons
Miscellaneous grain	Barley	Oats, sorghum	Tons
Rice	Rice		Tons
Cotton	Upland cotton	Pima cotton	480-lb bales
Sugar beets	Sugarbeets		Tons
Corn	Field corn	Miscellaneous field crops	Tons
Miscellaneous hay	Grain hay	Sudan grass, other silage	Tons
Dry beans	Dry beans	Lima beans	Tons
Oil seed	Safflower	Sunflower	Tons
Alfalfa seed	Alfalfa seed	Wild rice, miscellaneous seed crops	Tons
Alfalfa	Alfalfa hay		Tons
Pasture	Irrigated pasture		Animal Unit Months
Processing tomatoes	Processing tomatoes		Tons
Fresh tomatoes	Fresh tomatoes		Tons
Melons	Canteloupe	Honeydew, watermelon	Tons
Onions	Dry onions	Dry and fresh onions, garlic	Tons
Potatoes	White potatoes		Tons
Miscellaneous vegetables	Peppers	Carrots, cauliflower, lettuce, peas, spinach, broccoli, asparagus, sweet potatoes, other truck vegetables	Tons
Almonds	Almonds	Pistachios	Tons
Walnuts	English walnuts		Tons
Prunes	Prunes	Plums and apricots	Tons
Peaches	Peaches	Nectarines, pears, cherries, apples, miscellaneous deciduous fruit	Tons
Citrus	Oranges	Lemons, grapefruit, miscellaneous subtropical fruit	Tons
Olives	Olives	Figs, kiwis, avocados, pomegranates	Tons
Raisin grapes	Raisins	Table grapes	Tons
Wine grapes	Wine grapes		Tons

(2) Acreage data for these crops summed with the proxy crop.

19

## **Agricultural Benefits**

For this report, the marginal values generated from a previous CVPM modeling study were used to develop the agricultural economic benefits. These marginal values were obtained from DWR and are based on a 2020 benchmark CALFED Water Management Strategy study. Table 5 shows the results of this study. The numbers in this table indicate by water year type the change in economic value a region can expect to receive from an additional acre foot of water delivered to the farm headgate.

	YEAR TYPE					
CVPM Region	WET	AVE	DRY			
REG1	\$38	\$39	\$41			
REG2	\$42	\$42	\$54			
REG3	\$37	\$39	\$50			
REG3B	\$37	\$42	\$53			
REG4	\$30	\$32	\$34			
REG5	\$30	\$33	\$34			
REG6	\$53	\$55	\$60			
REG7	\$40	\$41	\$46			
REG8	\$44	\$44	\$47			
REG9	\$33	\$33	\$36			
REG10	\$89	\$89	\$92			
REG11	\$31	\$32	\$35			
REG12	\$43	\$38	\$52			
REG13	\$43	\$43	\$60			
REG14	\$102	\$105	\$125			
REG15	\$67	\$67	\$82			
REG16	\$37	\$39	\$63			
REG17	\$44	\$46	\$74			
REG18	\$69	\$72	\$117			
REG19	\$102	\$103	\$106			
REG20	\$88	\$90	\$114			
REG21	\$89	\$90	\$111			

The 73 hydrologic years were grouped into three water year types, dry, average and wet. The agricultural benefits were developed as annual averages by weighting by year type frequency the product of the net marginal value and regional change in deliveries for each year type. The net marginal values are the marginal value minus delivery costs. The delivery costs, obtained from DWR, were estimated to range from \$8 to \$36 (1997 dollars), depending on region.

The following assumptions and decision criteria were made for the agricultural analysis:

- The potential sources for agricultural water include: (1) CVP contract supply, (2) CVP water rights and exchange supply, (3) SWP contract supply, (4) SWP interruptible supply, (5) local surface water, and (6) local groundwater.
- Wet year marginal values were used to value interruptible SWP deliveries.
- No analysis was performed to determine the economic value to the agricultural sector of water transferred from agriculture to urban. The value to the urban sector was modeled.
- In the base case, unallocated contract SWP urban deliveries are allocated to San Joaquin Valley SWP and CVP agricultural contractors in proportion to their deliveries under their respective contracts.
- The additional unallocated contract SWP urban deliveries produced by the project are used to augment CVP agricultural contract deliveries.

Table 6 summarizes the benefits to agriculture for CVPM regions south of the Delta.

CVPM Region	Water			(\$1,000)		
	Project*	Study 2a	Study 2b	Study 2c	Study 3b	Study 4b
Region 9	CVP	\$0	\$0	\$0	\$0	\$0
Region 10	CVP	\$1,858	\$56	\$258	\$56	\$56
Kegion 10	SWP	\$6	\$1	\$6	\$1	\$1
Region 11	CVP	\$0	\$0	\$0	\$0	\$0
Region 12	CVP	\$0	\$0	\$0	\$0	\$0
Region 13	CVP	-\$23	\$12	\$30	\$12	\$12
Region 14	CVP	\$4,115	\$279	\$673	\$279	\$279
Region 15	CVP	\$99	\$4	\$13	\$4	\$4
Kegion 15	SWP	\$474	\$130	\$409	\$130	\$130
Region 16	CVP	\$0	\$0	\$1	\$0	\$0
Region 17	CVP	\$11	\$14	\$18	\$14	\$14
Region 18	CVP	\$340	\$456	\$561	\$456	\$456
Kegion 18	SWP	\$2	\$0	\$2	\$0	\$0
Design 10	CVP	-\$1	\$0	\$1	\$0	\$0
Region 19	SWP	\$467	\$33	\$506	\$33	\$33
Decion 20	CVP	\$47	\$79	\$96	\$79	\$79
Region 20	SWP	\$26	\$3	\$27	\$3	\$3
Dogion 21	СVР	-\$3	\$2	\$5	\$2	\$2
Region 21	SWP	\$2,117	\$589	\$1,817	\$589	\$589
Total		\$9,533	\$1,658	\$4,423	\$1,658	\$1,658

## Table 6. Summary of South of Delta Agricultural Benefits(2004 dollars)

\* The SWP numbers include the economic value of interruptible water deliveries.

Table 7. Summary of Agricultural Economic Benefits by Water Project*
(2004 dollars)

		(\$1,000)							
	Study 2A	Study 2B	Study 2C	Study 3B	Study 4B				
CVP	\$6,442	\$902	\$1,657	\$902	\$902				
SWP**	\$3,091	\$756	\$2,766	\$756	\$756				
Total	\$9,533	\$1,658	\$4,423	\$1,658	1,658				

\* Includes urban supplies reallocated from South Coast Region urban use to San Joaquin Valley agricultural use.
 \*\* The SWP numbers include the economic value of interruptible water deliveries.

## Table 8. Summary of Agricultural and Urban Water Supply Economic Benefits (2004 dollars)

	(\$1,000)						
	Study 2A	Study 2B	Study 2C	Study 3B	Study 4B		
Urban	\$8,739	-\$8,423	\$5,410	-\$8,423	-\$8,423		
Ag	\$9,533	\$1,658	\$4,423	\$1,658	\$1,658		
Total	\$18,272	-\$6,765	\$9,833	-\$6,765	-\$6,765		